AECOM Environment

Prepared by:
AECOM
Buffalo, NY
60481767
April 2025

2024 Periodic Review Report Groundwater Remediation Program Former Carborundum Facility, 2040 Cory Drive, Sanborn, NY NYSDEC Site No. 932102

Submitted to:

New York State Department of Environmental Conservation
Division of Hazardous Waste Remediation
270 Michigan Avenue
Buffalo, NY 14203

On behalf of:

Elm Holdings Inc.

AECOM Environment

Prepared by:
AECOM
Buffalo, NY
60481767
April 2025

2024 Periodic Review Report Groundwater Remediation Program Former Carborundum Facility, 2040 Cory Drive, Sanborn, NY NYSDEC Site No. 932102

Submitted to:

New York State Department of Environmental Conservation

Division of Hazardous Waste Remediation

270 Michigan Avenue


Buffalo, NY 14209

On behalf of:

Elm Holdings Inc.



Prepared by Mark T. Becker, P.G.



Reviewed by James L. Kaczor, P.G.

Contents

1.0 Introduction 1-1

2.0 Groundwater Remediation System 2-1

2.1 Operations, Monitoring, and Maintenance 2-1

2.2 System Performance in 2024 2-2

2.2.1 Hydraulic Control 2-3

2.2.2 Capture Zone Development 2-3

2.2.3 Groundwater Extraction and Mass Recovery 2-3

2.2.4 Treatment and SPDES Discharge 2-4

2.3 System Upgrades 2-4

2.4 Planned Future GRS Activities 2-4

3.0 Waste Handling Program 3-1

3.1 Hazardous Waste Reporting and Inspections 3-1

3.2 Personal Protective Equipment 3-1

3.3 Groundwater Treatment System Operations and Maintenance Materials 3-1

3.4 On-site Soil Management 3-1

4.0 Permits and Site Management 4-1

4.1 SPDES Permit for GRS 4-1

4.2 Air Registration 4-2

4.3 Site Management 4-2

5.0 Groundwater Monitoring, Sampling, and Analysis 5-1

5.1 Groundwater Monitoring 5-1

5.2 Groundwater Quality 5-3

5.2.1 VWCC T-002 5-3

5.2.2 Top of Rock and Zone 1 5-4

5.2.3 Deeper Bedrock Groundwater 5-7

5.2.4 Niagara Quarry Seep and Pond Sampling 5-8

5.3 Future Sampling and Analysis 5-8

6.0 Health, Safety, Security, and Environment 6-1

6.1 Site Health, Safety, Security, and Environment Plan 6-1

6.2 Performance Report 6-1

7.0 Conclusions 7-1

8.0 References 8-1

List of Tables

Table 1 Recovery Well Specifications

Table 2 Groundwater Remediation System Performance Summary

Table 3 Groundwater Elevation Data – 2024 Quarterly Monitoring Events

Table 4 Groundwater Monitoring Well Network and Sampling Frequency

Table 5 Groundwater Sampling Field Parameter Data Annual Sampling - Spring 2024

Table 6 Summary of Analytical Results Annual Sampling - Spring 2024

Table 7 Groundwater Sampling Field Parameter Data Semi-Annual Sampling - Fall 2024

Table 8 Summary of Analytical Results Semi-Annual Sampling - Fall 2024

List of Figures

Figure 1 Project Location Plan

Figure 2 Site Plan

Figure 3 Groundwater Elevations Top of Rock (March 6, 2024)

Figure 4 Groundwater Elevations Zone 1 (March 6, 2024)

Figure 5 Groundwater Elevations Top of Rock (July 1, 2024)

Figure 6 Groundwater Elevations Zone 1 (July 1, 2024)

Figure 7 Groundwater Elevations Top of Rock (September 12, 2024)

Figure 8 Groundwater Elevations Zone 1 (September 12, 2024)

Figure 9 Groundwater Elevations Top of Rock (December 19, 2024)

Figure 10 Groundwater Elevations Zone 1 (December 19, 2024)

Figure 11 Isocontours in Top of Rock and Zone 1 (Spring 2024)

Figure 12 Isocontours in Zones 2, 3, 4, & 5 (Spring 2024)

Figure 13 Isocontours in Top of Rock and Zone 1 (Fall 2024)

List of Appendices

Appendix A Institutional Controls / Engineering Controls Certification Form (2024)

Appendix B Groundwater Treatment System and Vault Water Collection System Diagrams

Appendix C Water Quality Time Series Plots January 2001 through December 2024

Appendix D Water Quality Database January 2001 through December 2024

Appendix E SPDES Permit and 2024 Submittals

Appendix F Groundwater Sampling Field Forms (October 2024)

Appendix G Analytical Laboratory Data Reports (October 2024)

List of Acronyms

ALS	ALS Environmental
COC	chain-of-custody records
DCE	dichloroethene
DMR	discharge monitoring report
GPM	gallons per minute
GRS	groundwater remediation system
HASP	Health and Safety Plan
IC/EC	Institutional Controls and Engineering Controls
LCS	laboratory control sample
MS/MSD	matrix spike/matrix spike duplicate
MDL	method detection limit
µg/L	micrograms per liter
mg/L	milligrams per liter
MNA	monitored natural attenuation
NYSDEC	New York State Department of Environmental Conservation
OM&M	Operations, Monitoring, and Maintenance
PPE	personal protective equipment
PRR	Periodic Review Report
QA/QC	quality assurance/quality control
RL	reporting limit
ROD	Record of Decision
SMP	Site Management Plan
SPDES	State Pollutant Discharge Elimination System
TAL	Eurofins TestAmerica Laboratories
TCA	trichloroethane
TCE	trichloroethene
TOR	Top of Rock bedrock zone
USEPA	United States Environmental Protection Agency
VC	vinyl chloride
VOC	volatile organic compound
VWCC	vault water collection and conveyance

1.0 Introduction

On behalf of Elm Holdings Inc. (Elm Holdings), AECOM USA, Inc. (AECOM) is submitting this 2024 Periodic Review Report (PRR) along with a completed Institutional Controls and Engineering Controls (IC/EC) Certification Form (Appendix A) summarizing ongoing Operations, Monitoring, and Maintenance (OM&M) activities for the groundwater remediation system (GRS) at the former Carborundum Facility located at 2040 Cory Drive in Sanborn, Town of Wheatfield, New York (Site), as New York State Department of Environmental Conservation (NYSDEC) Site No. 932102. Effective March 1, 2016, Elm Holdings Inc. retained AECOM to manage the remediation at the above referenced site. In accordance with the contractual arrangement between Elm Holdings Inc. and AECOM, AECOM has primary accountability for the site, including managing communications and regulatory program submissions with NYSDEC.

This report is being submitted as requested by NYSDEC in its letter dated November 12, 2024 to Mr. Jim L. Smith of Elm Holdings. The letter provides guidance for preparing the PRR and IC/EC Certification Form and requires that they be submitted to NYSDEC no later than January 31, 2025. Ongoing OM&M activities included GRS operations, waste handling activities, permit management, sampling and analysis.

OM&M of the Site during this reporting period was provided by AECOM. This report presents a summary of the OM&M activities completed between January 1 and December 31, 2024. As part of the OM&M activities, semi-annual groundwater sampling is conducted in Spring and Fall. Results of the Spring 2024 sampling event were submitted to NYSDEC on October 11, 2024, in AECOM's *Semi-Annual Spring 2024 Groundwater Remediation Program Monitoring Report, Former Carborundum Facility, 2040 Cory Drive, Sanborn, NY, NYSDEC Site No. 932102* (AECOM, 2024a).

Figure 1 shows the Project Location Plan and Figure 2 shows the Site Plan. The Site property is comprised of four parcels totaling approximately 40 acres. Currently, there is a manufacturing facility (Pyrotek, Inc. doing business as Pyrotek and a subsidiary business Metaullics, Inc.) with associated administrative buildings. Construction of the most recent addition to the manufacturing facilities consisted of additional office space in the southwest corner of the Pyrotek manufacturing building which was completed in October 2019. The majority of land immediately adjacent to the property is used for agricultural purposes. Private residences border the property along the western boundary of the Site. Surface topography generally slopes to the south toward the Niagara River. Surface water from the paved areas of the Site is collected by the Pyrotek/Metaullics sewer system.

The volatile organic compounds (VOCs) trichloroethene (TCE) and 1,1,1-trichloroethane (TCA), which were previously released to the environment during operations at the manufacturing facility, are being addressed under the direction of NYSDEC under a 1991 Order on Consent (NYSDEC, 1991b) and associated modifications. TCE and its primary breakdown constituents, cis-1,2-dichloroethene (DCE) and vinyl chloride (VC), are present in Site groundwater.

The 1991 Record of Decision (ROD) (NYSDEC, 1991a) selected soil vapor extraction for soil remediation and groundwater remediation through recovery, treatment, and permitted discharge for contaminant capture and hydraulic containment. The recovery and treatment systems are operated as an engineering control with the goal of preventing off-site migration and capture of dissolved VOCs.

The GRS began operation in mid-1993 and treats groundwater using air stripping technology and an activated carbon polish. The GRS is operated with goals to provide on-site hydraulic containment and to prevent off-site migration of groundwater containing dissolved VOCs. Post-treatment water is discharged via a NYSDEC State Pollutant Discharge Elimination System (SPDES) permitted outfall to Cayuga Creek. Weekly discharge compliance samples are collected and analyzed in accordance with the SPDES permit. In 2024, the GRS continued to treat extracted groundwater and discharge the treated water to the permitted SPDES outfall.

A soil vapor extraction system was operated in conjunction with the GRS until 2001 and was subsequently decommissioned by 2007. In 2001, per discussions with NYSDEC, the groundwater recovery wells were reconfigured to extract groundwater from a shallower depth, focusing on the zones immediately at the top of bedrock and below the top of bedrock (Zone 1). Additional deeper bedrock Zones 2, 3, 4, and 5 were found to be less impacted and suitable for monitored natural attenuation (MNA). This reconfiguration reduced the volume of groundwater extracted, the subsequent flow through the treatment system, focused capture of groundwater in the source area(s) and allowed deeper, less contaminated zones to be monitored for natural attenuation.

Metaullics operates furnaces in their main manufacturing building. The furnaces are installed in vaults set below grade. During periods when the groundwater elevations are higher, groundwater tends to accumulate in the vaults. Prior to 2012, the vault water was discharged to the facility sanitary sewer and to the POTW. NYSDEC requested that the water be managed separately, instead of being discharged to the sewer. Well PW-4 was initially installed to lower the groundwater elevation in the vicinity of the vaults to eliminate the need for any discharge. However, PW-4 (at that time in operation since 2008) did not provide sufficient hydraulic control to prevent accumulation of groundwater in the vaults. The vault water collection and conveyance (VWCC) system was added in 2012 to collect water from the manufacturing building furnace vaults and transport it to the GRS for processing with the recovery well groundwater. Sumps contained within three vaults in the Metaullics facility were connected to the GRS and the VWCC system was brought online on June 12, 2012. At that point, recovery well PW-4 was turned off. The VWCC originally received water from Vaults 1, 2, and 3. Coinciding with the removal of two furnaces at the facility, Vault 2 was permanently filled in and ceased pumping activities in September 2017. Maps showing the locations of the vaults and the layout of the VWCC are presented in Appendix B.

A diagram of the GRS equipment is presented in Appendix B. Tanks T-001 and T-002 are consolidation tanks for the VWCC system water. Tank T-001 is located near well PW-4 and collects water from Vaults 1 and 3. Water is conveyed from T-001 to T-002, which is located in the GRS building. From T-002, the water is relayed to equalization Tank T-801, where it is combined with water from the recovery wells for further treatment. The location of T-001 (labeled as Tank 1) and T-002 are shown in Appendix B. Sorbent socks are installed in Tank 001 to capture floating oils that may be introduced from the interior of the vaults. Oil accumulation is typically insignificant. The socks are inspected and changed out periodically.

Quarterly groundwater sampling began in 1988. In October 2005, NYSDEC agreed to revise the groundwater sampling program and reduce the number of groundwater samples collected on an annual basis. Subsequently, in February 2016, NYSDEC requested that an updated groundwater monitoring program be developed. In October 2016, an updated groundwater monitoring program including transition to a semi-annual program was presented to NYSDEC. This updated program includes an annual round (Spring) of 43 locations and a semi-annual round (Fall) including 18 of the 43 annual locations. The proposed program was conditionally approved in November 2016 and was initiated in December 2016. The proposed program was approved by NYSDEC on May 1, 2017. The

Annual Sampling – Spring 2024 and Semi-annual - Fall 2024 groundwater sampling events represented the 128th and 129th monitoring events since periodic groundwater sampling began.

2.0 Groundwater Remediation System

During 2024, operation of the GRS remained focused on on-site groundwater hydraulic containment and the prevention of off-site migration of groundwater containing dissolved VOCs at concentrations above action levels. The GRS continued to extract, treat, and discharge the treated water to the SPDES outfall. The following sections summarize the GRS operation, maintenance, and performance in 2024, and discuss its effectiveness, as well as planned future activities.

2.1 Operations, Monitoring, and Maintenance

In 2024, AECOM conducted OM&M activities on GRS extraction wells P-2, P-3, P-4, PW-1, and PW-3, the two active vault sumps in the VWCC, and the GRS treatment system. Table 1 provides the recovery well specifications (i.e., target water levels and on/off set points) used during the year. With operation of the VWCC, recovery well PW-4 was not operated in 2024.

The goals of the OM&M activities for the GRS were to maintain pumping at a rate necessary to achieve hydraulic control, and to maintain the treatment system to meet discharge effluent quality required under the SPDES permit. Routine OM&M activities included weekly, monthly, quarterly, and annual system inspections; routine maintenance; monitoring; sampling; system and equipment repairs; adjustment of pumping controls; waste management; lawn care and snow removal from parking areas and driveways. As applicable, monitoring and analytical equipment were calibrated per the manufacturers' specifications. The following specific OM&M tasks were performed in 2024:

- The P-2 transducer was replaced on 1/3/2024.
- Radio reset for P-3 and P-4 on 1/16/2024.
- The P-3 transducer was cleaned 1/16/2024.
- Addressed P-3 shutdown on 1/16/2024. A frozen hose was removed, and subsequently thawed and reinstalled.
- GFCI outlet replaced in P-3, heater replaced, thawed hose reinstalled on 1/18/2024. P-3 remained off to further thaw out. Restarted on 1/19/2024 - running normal.
- PW-3 radio communication error, pump down, no power at building on 1/26/2024. Wire problem - fixed pump, back online on 2/3/2024.
- A new 2,000-pound carbon vessel was installed on 2/1/2024 by Matrix Environmental. The system was offline for approximately five hours.
- Effluent tank T-802 was cleaned out. Two 55-gallon drums filled with carbon fines were staged in treatment building.
- Recovery well P-4 was offline between 2/3/2024 and 2/27/2024 due to a broken pump. A new pump was ordered and then installed in P-4 on 2/27/2024.
- The pump in recovery well P-2 developed operational issues and was replaced on 2/28/2024.
- Tank T-001 was pressure-washed by Sun Environmental on 3/20/2024.
- A new flow meter/totalizer was installed by Matrix on the effluent line on 4/15/24. The new flow meter was programmed and fully operational beginning 5/7/24.
- Pump replaced in Vault 3 on 5/4/2024.
- On 5/15/2024, the computer was not running upon arrival on-site. On 6/26/2024, Rexel was on-site, and they could not fix computer, but a backup was created on an external hard drive.

The computer was down from 5/15/2024 through 7/30/24. While the human-machine interface (HMI) was not functional, the GRS run by the associated programmable logic controller (PLC) continued to operate.

- The GRS continued to function normally until an alarm occurred on or about 7/17/24 which could not be addressed without the HMI functioning and the system shut down. The recovery wells were offline from 7/17/24 until 7/30/24 and during this period the VWCC would only run until high levels in T-001/T-002 would cause it to shut it off.
- The VWCC was run manually on 7/24/24, 7/25/24, and 7/26/24 to treat collected water and keep levels within the vaults low.
- On 7/30/24, Rexel and Rockwell Automation were on-site and a new computer was brought online, alarms were cleared and the system resumed functioning as normal.
- On 8/13/24, Rockwell Automation was on-site to assist with making additional software and programming upgrades to the computer. The software was upgraded to Version 14.
- On 8/20/24, the bottom tray of the air stripper was cleaned.
- Recovery well PW-1 began exhibiting reduced flows beginning in mid-September. The well continued to pump at a reduced flow rate (at rates that were so low they were not registered or only partially registered by the flowmeter at the well) until on or about 10/28/24, when pumping stopped. This was coincidentally about a week after a bailer became stuck in the well during groundwater sampling. The bailer was pulled up to the top of the water column and tied off; it was entangled in between the discharge hose, level sensor and electrical supply for the pump, however, it did not interfere with pump operation. The bailer was later recovered, but the pump output did not improve. Several attempts were made to resolve the failure between 10/28/24 and the end of the reporting period, including attempting removal of the pump, but it was firmly lodged in the well. Video inspection of the well was performed, but no blockage was observed. Several attempts to remove the pump were unsuccessful, and a new pump was ordered. The new pump was installed above the existing pump and put back online on 1/17/25.
- Tanks T-001/T-002 - Replaced bag filters associated with VWCC portion of the GRS on seven occasions.
- Tanks T-801/T-802 - Replaced pre-carbon bag filters for the GRS on fourteen occasions.
- Performed backwash of carbon vessel(s) on five occasions.

A log of routine and non-routine system OM&M activity is maintained at the GRS.

2.2 System Performance in 2024

Table 2 summarizes the GRS performance and system up-time. The combined average system up-time, based on operational hours relative to total hours, was approximately 92% during 2024. Up-time for individual wells during 2024 was 96% for P-2, P-3, and PW-3; up-times at P-4 and PW-1 were 88% and 80%, respectively. As described in Section 2.1, the pump in PW-1 was down and could not be removed for repair from October 28, 2024 through the end of 2024. It was replaced in January 2025. Up-time for the VWCC system for 2024 was 97%.

GRS performance in 2024 was measured by the degree of hydraulic control, capture zone development, the magnitude of groundwater extraction, mass recovery, and treatment to meet SPDES discharge requirements. Performance of the GRS in 2024 and OM&M plans for 2025 are discussed below.

2.2.1 Hydraulic Control

Hydraulic control continued to focus on the Top of Rock (TOR) Zone and bedrock Zone 1 in 2024. Extraction wells PW-1, PW-3, P-2, P-3, and P-4 achieved the objective of migration control. Each of the wells extracted groundwater from the TOR Zone or/and Zone 1 at locations within or downgradient of former source areas (PW-1, PW-3, P-2), and at the western downgradient property boundary (P-3 and P-4). Groundwater was also recovered from the VWCC sumps in active Vaults 1 and 3 in the Metaullics manufacturing facility. Within the source areas, source control was temporarily impacted by the downtime in PW-1 in late 2024. Potential impacts to off-site areas were limited by up-times of 96% at P-3, and 88% at P-4. Based on 2024 monitoring data and groundwater pumping rates, on-site groundwater migration control remains effective.

2.2.2 Capture Zone Development

Quarterly groundwater elevation measurements were collected in March (1Q), July(2Q), September (3Q), and December 2024 (4Q 2024). Potentiometric surface plots for the TOR and bedrock Zone 1 in 2024 (see Figures 3 through 10) and up time for the VWCC system, indicate that the GRS has maintained the capture zone in the vicinity of the extraction wells. Groundwater capture and recovery for the vault sumps and extraction wells is consistent with the remedial action objectives (provide on-site hydraulic containment and prevent off-site migration of groundwater containing dissolved VOCs).

2.2.3 Groundwater Extraction and Mass Recovery

Table 2 summarizes the extraction performance of the GRS based on flow rates from individual wells, as well as the PLC-monitored effluent meter located in the treatment building. Approximately 9.8 million gallons of extracted groundwater were treated in the GRS during 2024, yielding approximately 517.8 pounds of extracted VOCs based on the measured flow at the pumping wells and the VOC concentrations detected during the semiannual groundwater sampling program. Prior to 2024, there was a significant discrepancy between the total flow measured from the pumping wells and from the measured SPDES discharge. In 2023, the pumping well flow measured at the well heads (24.6 million gallons) was 1.7 times the flow recorded by the PLC (SPDES effluent meter – 14.6 million gallons). In 2024 the effluent flow meter was replaced, and the well head flow (9.8 million gallons) was in much better agreement with the SPDES effluent measured flow (10.2 million gallons).

The total mass of VOCs removed during 2024 was calculated at 517.8 pounds (lbs). This represents a significant decrease from the 1,259 lbs. removed in 2023. As stated previously, the VOC mass is calculated from the concentrations detected in the recovery wells during the semiannual sampling events and the pumping rates. The Spring 2024 sampling results in PW-1 (which usually accounts for approximately 95% of the total recovered water) were notably lower than recent results (254.7 µg/L total VOCs in Spring 2024 versus 14,500 µg/L in Fall 2023 and 16,100 µg/L in Fall 2024). In addition, the flow rate in PW-1 was lower in 2024 than in 2023 due to pump downtime. The Spring 2024 VOC results, combined with the lower extracted groundwater volume, were used to calculate mass removal for April through September 2024, resulting in the lower calculated mass removal.

Plots of concentration versus time for site monitoring wells and pumping wells are presented in Appendix C. In previous reports, some of the plots' trend lines appeared to contradict the plotted concentrations. This was due to the plots depicting data from only 2001 onward, while the trendlines were calculated using all of the historical data from the well, some going back as far as 1984. AECOM updated the algorithm used to generate the trend lines so that the trend lines are now generated from the data shown in the plots from 2001 through present. The analytical database presenting historical VOC data for site monitoring wells and pumping wells is presented in Appendix D. See Section 5 for a discussion of groundwater quality.

2.2.4 Treatment and SPDES Discharge

The average flow through the SPDES effluent flow meter was 19.3 gallons per minute (gpm) in 2024. This is a decrease from the 27.8 gpm average in 2023 due primarily to the downtime of well PW-1 in 2024. From January through June 2024, when PW-1 had 100% uptime, the average flow was 30.4 gpm. During 2024, the discharge flow was monitored, and effluent samples were collected at the SPDES outfall (01A) inside the treatment building. Discharge monitoring reports (DMRs) were provided to NYSDEC on a monthly basis in compliance with SPDES permit number NY0001988 (see Appendix E). Analytical results were generally compliant with the SPDES permit. Additional information regarding 2024 SPDES performance and monitoring is presented in Section 4.1.

2.3 System Upgrades

On February 1, 2024, a 2,000-pound granular activated carbon (GAC) vessel was installed in the GRS as a new primary polishing filter. The new GAC vessel was installed in such a manner to maintain access to the two 10,000-pound GAC vessels (i.e., piping and manifolds allow for the 10,000-pound vessels to be used if needed). The addition of the 2,000-pound GAC vessel was done in response to occasional exceedances of the discharge limit for total lead in SPDES effluent samples between June 2022 and November 2023 that resulted in a Notice of Violation (NOV) from NYSDEC in June 2023. In a April 30, 2024 letter regarding its Annual Compliance Inspection, NYSDEC indicated that Elm Holdings had satisfied the requirements of the NOV. On April 15, 2024, to correct the discrepancy between the pumping well shed flow meters and the SPDES effluent meter, a new flow meter/totalizer was installed on the effluent line of the GRS. The new flow meter was programmed and became fully operational on May 7, 2024.

2.4 Planned Future GRS Activities

In addition to continued operation, maintenance, and monitoring of the GRS, the following activities are planned for 2025:

- System processes and procedures will continue to be reviewed, optimized, upgraded and/or retrofitted as necessary to accommodate the groundwater recovery rate and treatment requirements.
- Downgradient chemical concentrations will continue to be evaluated to gauge the effectiveness of hydraulic control.
- Continue to update the conceptual site model (CSM). The revised CSM will be used to re-evaluate the pump and treat alternative used at the Site and consider other potential alternatives. AECOM will present a plan to NYSDEC for in situ treatment of Site groundwater contamination with the ultimate goal of eventually reducing or eliminating the need for groundwater ‘pump-and-treat’ operations that are inherently in conflict with NYSDEC DER-31 where other options may exist.

3.0 Waste Handling Program

The waste handling program for the GRS consists of tracking the generation and the proper disposition of solids, personal protective equipment (PPE), debris, and OM&M materials. The program is intended to provide compliance with applicable local, state, and federal regulations related to waste handling. Wastes generated during OM&M of the GRS in 2024 included PPE and GRS materials.

3.1 Hazardous Waste Reporting and Inspections

Based on the volume of hazardous waste generated during 2024, the site is a Small Quantity Generator. As a Small Quantity Generator, Elm Holdings is not required to submit a 2024 Biennial Hazardous Waste Report.

3.2 Personal Protective Equipment

During 2024, used PPE was generated during routine OM&M activities. PPE that had been in contact with hazardous materials was containerized and managed with the spent bag filters (see Section 3.3, below). Used PPE that did not come into contact with hazardous materials was disposed of as routine municipal waste.

3.3 Groundwater Treatment System Operations and Maintenance Materials

OM&M of the groundwater treatment system routinely generates used bag filters including sediment from filtering, and periodically spent carbon adsorption material. During normal operations, a 55-gallon drum is used (until full) to contain used bag filters and PPE (see Section 3.2, above). The container is labeled with a hazardous waste sticker, description of contents, and start and full dates. When the container is full, appropriate hazardous waste transport and disposal is coordinated.

3.4 On-site Soil Management

In 2024, there were no events that required monitoring of soil excavations in accordance with the NYSDEC-approved June 2016 Air Monitoring and Soil Management Plan.

4.0 Permits and Site Management

Discharge of treated water from the GRS to Cayuga Creek occurs under a SPDES permit for treated water discharge. In addition, an air facility registration is in place for VOC emissions from the air stripper. Key activities associated with the permit and the air registration are summarized below. Compliance with institutional and engineering controls is also discussed below.

4.1 SPDES Permit for GRS

The SPDES Permit for the GRS presently consists of Outfall 01A, located at the discharge of the GRS in the treatment building. During September 2016, AECOM prepared and submitted an application for SPDES permit renewal to NYSDEC. The permit renewal application was due 180 days prior to permit expiration; i.e., due September 30, 2016, for permit expiration of March 31, 2017. AECOM submitted the application prior to the application due date. No changes to the permit or operating conditions were requested in the renewal application. NYSDEC replied on October 11, 2016, stating that NYSDEC was undertaking a full technical review of the SPDES discharge to determine the need to incorporate new permit requirements under the Federal Clean Water Act. NYSDEC relayed that the current permit was administratively continued after the expiration date under the provisions of the State Administrative Procedure Act. The permit renewal was still pending as of the end of this reporting period (December 31, 2024). A copy of the SPDES Permit is provided in Appendix E. Samples collected for compliance with the SPDES permit were analyzed by Eurofins in Amherst, NY, and North Barberton, OH, except for phenol and BOD samples, which were analyzed by ALS Environmental (ALS) in Rochester, New York.

The monthly DMRs are submitted electronically through the NetDMR web site, which is operated by the United States Environmental Protection Agency (USEPA). Upon acceptance by NetDMR, a notification is received from the USEPA. If the DMR is not submitted by the monthly deadline or is not accepted, NetDMR issues a Notice of Non-compliance to NYSDEC's Division of Water. The 2024 SPDES data were presented in monthly DMRs and the DMRs were accepted by EPA. The analytical results were generally compliant with the SPDES permit conditions. The following exceedances of SPDES permit requirements were detected in 2024:

- In September 2024, the oil and grease result was 40 milligrams per liter (mg/L), exceeding the discharge limit of 15 mg/L. The sorbent socks on influent tanks T-001 and T-002 were subsequently replaced. A subsequent sample collected in September had an oil and grease concentration of 1.6 mg/L, below the discharge limit.
- In November 2024, the zinc result was 2.2 mg/L, exceeding the discharge limit of 2.0 mg/L. A subsequent sample collected in November 2024 had a zinc concentration of 2.3 mg/L. The sample collected in December 2024 had a zinc concentration of 1.6 mg/L, below the discharge criterion. The exceedances may have been the result of reduced total system flow with recovery well PW-1 was offline during this period.

For each of these exceedances, AECOM prepared a Report of Noncompliance Event, providing a description of the exceedance and corrective measures, that was submitted to NYSDEC. The Monthly DMRs and the Reports of Noncompliance Event for each event noted are presented in Appendix E.

On July 11, 2023, NYSDEC issued an NOV to Elm Holdings as a result of the total lead discharge limit exceedances in December 2022 and January 2023. As part of the response to the NOV, AECOM initiated a sampling program to identify potential sources of the total lead exceedances. The sampling program and results are documented in Elm Holding's August 15, 2023 response to the NOV. One of the potential sources identified was the 10,000-pound GAC vessels in the GRS. As a response measure, a new 2,000-pound GAC vessel was piped into the treatment system in February 2024; the existing GAC vessels remain piped into the system to backup the new vessel, as needed. No exceedences of the discharge limit for lead have been detected since the new GAC vessel was connected. A letter dated April 2, 2024, from AECOM to NYSDEC's Division of Water summarizing AECOM's response to the NOV and the subsequent discharge sampling results is presented in Appendix E. On April 25, 2024, NYSDEC conducted a compliance inspection of the Site. A letter from NYSDEC to AECOM summarizing the inspection indicated that Elm Holdings had satisfied the requirements of the NOV. The letter, dated April 30, 2024, is presented in Appendix E.

4.2 Air Registration

In 2024, the facility continued to operate under a New York State air facility registration status (NYSDEC ID 9-2490-00059). The registration does not expire. In November 2009, the configuration of the air emissions changed with the installation of the new discharge stack. The modification was approved by NYSDEC prior to implementing the change, and a revised source registration was submitted to NYSDEC to document the change in stack configuration.

4.3 Site Management

The site consists of four parcels of land, upon which the responsible party maintains and monitors groundwater monitoring wells, and operates, monitors, and maintains a groundwater recovery and treatment system. Discharge from the groundwater treatment system is permitted under the SPDES permit. Institutional controls include a Soil Management Plan, a Field Sampling Plan, and an Operation and Maintenance Manual for the GRS. Engineering controls include fencing for access control and groundwater containment via pumping and treatment of recovered groundwater. Perimeter fencing was observed to be in good condition during the routine monitoring events. The completed 2024 IC/EC Certification Form for the reporting period is included in Appendix A. All IC/EC requirements have been met.

Monitoring and analytical instrumentation continue to be calibrated according to manufacturers' recommended maintenance procedures or by the manufacturer. Calibration records are kept on file at the Site.

Between 2018 and 2022, the NYSDEC Division of Water requested additional sampling of the stormwater and sanitary sewer systems. The results from the sewer sampling activities are summarized in a letter to the NYSDEC Division of Water entitled *October 2022 Storm and Sanitary Sewer Water Investigation Sampling Results* dated December 7, 2022 (AECOM, 2022b). No activities related to the sewers were conducted in 2024.

On April 13, 2021, AECOM prepared and submitted on behalf of Elm Holdings a work plan entitled *Sequestration Pilot Study Work Plan* (AECOM, 2021a), for completing a pilot study to evaluate enhancements to the groundwater control and extraction and treatment program at the Site. The Sequestration Pilot Study was proposed to determine if an injectate consisting of emulsified oil and zero-valent iron [EZVI™] could help reduce the concentration, mass, and mobility of VOC concentrations at the Site. The Sequestration Pilot Study was performed in two areas: 1) in a suspected source area near well PW-3; and 2) near the downgradient site boundary near well P-4.

On April 29, 2021, the work plan was approved in an email from NYSDEC to AECOM. The pilot injections were subsequently performed between May 17 and 20, 2021. The results of the Sequestration Pilot Study, including the results of post-injection groundwater monitoring at 14, 30, 60, 90, and 150 days (i.e., through October 2021) were provided to NYSDEC in the *Sequestration Pilot Study Summary Report*, dated August 11, 2022 (AECOM, 2022b). The results suggest that the injectate, EZVI ™, was successful at altering groundwater geochemical conditions in a manner that will promote reductive dechlorination of Site VOCs.

On November 10, 2023, AECOM submitted the *Groundwater Remediation System Shutdown Work Plan* (AECOM, 2023) (Shutdown Work Plan) to NYSDEC and NYSDOH. The Shutdown Work Plan detailed a plan to turn off the recovery wells for a period of one year to observe the plume behavior under non-pumping conditions for the purpose of gathering data to be used to refine the CSM and evaluate options for a targeted in-situ remediation program to reduce the energy consumption related to the operation of the GRS. The Shutdown Work Plan included a groundwater and vapor intrusion monitoring program to evaluate plume behavior and reduce risk to off-site residences during the proposed shutdown period. On December 5, 2023, NYSDEC and NYSDOH issued a response rejecting the shutdown proposal, stating that the plan did not provide adequate justification to cease GRS operations to evaluate remedial options. AECOM is evaluating alternatives for in-situ remedial measures to expedite groundwater cleanup timeframes and eliminate the need for active groundwater extraction and post-extraction treatment as a more sustainable long-term remedy for the Site.

5.0 Groundwater Monitoring, Sampling, and Analysis

Groundwater monitoring included both routine monitoring of groundwater conditions and discharges, as well as task-specific sampling and analysis events. The monitoring events that were conducted during the 2024 reporting period are summarized below.

5.1 Groundwater Monitoring

Monitoring of groundwater conditions at this site includes both groundwater level measurements and groundwater quality sampling and analysis. Groundwater elevation data were collected once each quarter (March, July, September and December 2024). Refer to Table 3 for elevation data and Figures 3 through 10 for elevation figures by quarter for TOR and Zone 1.

VOC groundwater samples were collected by AECOM in Spring (April 15 through April 19, 2024) and Fall (October 22 through October 24, 2024) according to the semi-annual sampling schedule in effect at the beginning of 2024 (Table 4). The monitoring and laboratory data associated with the Spring 2024 and Fall 2024 sampling events have been incorporated into the project database.

Quarterly groundwater sampling began in 1988. In October 2005, NYSDEC agreed to revise the groundwater sampling program and reduce the number of groundwater samples collected on an annual basis. Subsequently, in February 2016, NYSDEC requested that an updated groundwater monitoring program be developed. In October 2016, an updated groundwater monitoring program including transition to a semi-annual program was presented to NYSDEC. This updated program includes an annual round (Spring) of 43 locations and semi-annual round (Fall) of 18 of the 43 annual locations. The proposed program was conditionally approved in November 2016 and was initiated in December 2016. The proposed program was approved by NYSDEC on May 1, 2017 (Table 4). As had been previously established, the primary water-bearing zones of concern were confirmed to be the TOR and bedrock Zone 1. Therefore, the revised program proposed a greater number of wells for monitoring in these zones as compared to deeper, less impacted bedrock Zones 2, 3, 4, and 5. The MNA and VOC data sets were opined sufficient to draw conclusions regarding the status of natural attenuation at the site. Therefore, AECOM recommended MNA analyses be suspended until such time as implementation of a possible in-situ treatment technology pilot study or change in VOC source concentrations warrants additional MNA data collection.

During the 2024 monitoring events, each well was purged with a decontaminated pump, dedicated high density polyethylene bailer, or the sampling port on the recovery well. During purging, field parameters (pH, specific conductivity, temperature, dissolved oxygen (DO), oxidation-reduction potential (ORP), and turbidity) were measured and recorded. In accordance with the revised sampling plan (approved May 2017), the sample collection method was adjusted from the previous volume-based purge method to primarily low-flow purge and sample method, with allowance for use of a bailer based on field conditions. Low-flow sampling methods employed either a pneumatically operated bladder pump or peristaltic pump with sample tubing placed approximately one to two feet above the well bottom. Groundwater was pumped through an in-line flow cell until groundwater quality readings for the indicator parameters stabilized. Once the parameters stabilized, the groundwater sample was collected.

VOC samples were placed in pre-cleaned, labeled 40-milliliter glass vials preserved with hydrochloric acid provided by the analytical laboratory. Three sample vials were collected from each sample location. The containers were visually inspected to confirm that they did not contain air bubbles. All samples were hand-delivered to Eurofins in Amherst, NY for VOC analysis under secure chain-of-custody (COC). Eurofins Amherst then transferred the samples to Eurofins in Barberton, OH, a New York State Department of Health Environmental Laboratory Approval Program-certified laboratory to perform the analyses.

For each event, quality assurance/quality control (QA/QC) samples included trip blanks, field duplicates and matrix spike/matrix spike duplicates (MS/MSD). Trip blanks were included in each VOC sample shipment. Field duplicates and MS/MSD samples were collected at a rate of one per 20 samples.

Spring 2024

The Spring 2024 annual groundwater monitoring event included sampling groundwater from 35 monitoring wells, six recovery wells, tank T-002, and surface water from the pond in the Niagara Quarry (see Table 4). The event was completed by AECOM between April 15 and April 19, 2024. The 35 wells were all sampled for site specific VOCs using low-flow methodology; the six recovery wells, tank T-002, and the quarry pond were grab sampled for these VOCs (see Table 4). The samples were analyzed for VOCs by USEPA Method 8260D. Field parameter data collected during the sampling event are provided in Table 5. Field logs and analytical laboratory data reports for this event were previously submitted to NYSDEC in a report entitled *Revised Semi-Annual Spring 2024 Groundwater Remediation Program Monitoring Report, Former Carborundum Facility, 2040 Cory Drive, Sanborn, NY, NYSDEC Site No. 932102* (AECOM, 2025). Spring 2024 VOC data are summarized in Table 6 and Figures 11 and 12.

Fall 2024

The Fall 2024 semi-annual groundwater monitoring event performed by AECOM included sampling groundwater from 10 monitoring wells, six recovery wells, tank T-002, and surface water from the pond in the Niagara Quarry (see Table 4). The groundwater sampling and surface pond sample was completed from October 22 to 24, 2024. Field parameter data collected during the sampling event are provided in Table 7. Field logs are presented in Appendix F. The samples were received by the laboratory intact, properly preserved, and under proper COC documentation. The samples were analyzed for VOCs by USEPA Method 8260D. The analytical results were provided in Eurofins report numbers 240-213536-1 and 240-213779-1. Fall 2024 VOC analytical results are summarized in Table 8 and Figure 13; the analytical laboratory reports are presented in Appendix G.

A limited QC data review was performed on all samples for completeness of deliverables, and for compliance with method criteria, which includes reporting limit (RL), holding times, method blanks, surrogate recoveries, internal standard recoveries, MS/MSD recoveries, and laboratory control sample (LCS) recoveries. The QC data review of the Fall 2024 laboratory report summary determined:

- All samples were analyzed within holding times, with compliant surrogate, internal standard MS/MSD and LCS recoveries.
- Several samples were only analyzed at a dilution due to the high concentration of target compounds. The RLs for the non-detect compounds are the lowest achievable at the diluted level. Results reported by the laboratory with a ‘J’ qualifier have concentrations between

the method detection limit and RL. Those results being reported from a secondary dilution (where an undiluted analysis was performed initially) have been qualified 'D'.

- The percent recovery of TCE was below the QC limit in the MS performed on sample P-4. The percent recovery of TCE was acceptable in the MSD and LCS. The result for TCE in sample P-4 has been qualified 'J'.
- The %R of TCE was below the QC limit in the MS performed on sample P-4. The %R of TCE was acceptable in the MSD and LCS. The result for TCE in sample P-4 has been qualified 'J'.
- The percent recovery of cis-1,2-DCE was below the QC limit in the MS/MSD performed on sample B-50M. The percent recovery of c-1,2-DCE was acceptable in the LCS. The result for cis-1,2-DCE in sample B-50M has been qualified 'J'.
- The relative percent differences (RPD) between parent sample B-23M and its field duplicate FD-20241023 were acceptable (i.e., < 25%), with the exception noted below. All data are usable as reported.
- The RPD of TCE was greater than the QC limit. The results for TCE in both samples were qualified 'J.'
- Results qualified 'U' are considered non-detect.
- All data are usable as reported.

5.2 Groundwater Quality

As mentioned in Section 2.2.1, recovery wells pump groundwater from the TOR zone and bedrock Zone 1. The highest concentrations of TCE, total 1,2-DCE, and VC have previously been identified in these upper zones. Some wells are screened across multiple zones. The deepest screened zone is used for the discussion below. The concentration of dissolved VOCs observed in groundwater samples from all zones in 2024 is generally consistent with historical trends. The concentrations for each 2024 sampling event are provided on isocontour maps presented in Figures 11 through 13[1]. The Fall 2024 sampling set does not contain enough wells in the lower zones to contour Zones 2 through 5. Time series plots showing historical and current analytical data, as well as analytical tables for current and historical results are provided in Appendices C and D, respectively.

5.2.1 VWCC T-002

The VWCC system collects water from the vaults inside the Metaullics facility and feeds the collected water first to tank T-001 located outside the Metaullics building near well P-4, and then to tank T-002 in the GRS building. A grab sample of purge water was collected from T-002 in March 2024 and October 2024. A summary of analytical data is presented in Table 8 (Fall 2024).

The TCE concentration in Spring 2024 (2,000 J µg/L) was the highest observed in tank T-002 since 2014. The Fall 2024 TCE concentration (530 µg/L) was within the longer-term historical range at this location. The total 1,2-DCE concentrations in for Spring 2024 (250 µg/L) and Fall 2024 (500 µg/L)

[1] For Figures 11 through 13, if a field duplicate was collected at a particular location, the greater of two detected values was used in the contouring. This may result in slight differences from Appendix D historical data summaries, which lists only the original sample, not its duplicate. The summaries in Appendix D were used to develop the discussion of Groundwater Quality in this report section.

were within the historical range at this location. Total VOCs in T-002 in Spring 2024 (2,273 J µg/L) and Fall 2024 (1,058 µg/L) were both above the long-term average of 955 µg/L. See Appendix D for a summary of historical analytical data.

5.2.2 Top of Rock and Zone 1

In the TOR zone, total concentrations of dissolved VOCs generally ranged from below the analytical detection limits to greater than 1,000 µg/L. Wells in which groundwater concentrations of one or more VOCs were above 1,000 µg/L during 2024 or where 2024 VOC concentrations were different than previous results are listed below:

Top of Rock and Zone 1

- B-3M
    - TCE – The Spring 2024 TCE concentration (1,300 µg/L) was lower than the Spring 2023 concentration (2,200 µg/L), which was the highest since 1990 for this well. The Fall 2024 concentration (420 µg/L) was lower than the Fall 2023 concentration of 960 ug/L. TCE concentrations have increased gradually since 2018.
    - Total 1,2-DCE – The Spring 2024 total 1,2-DCE concentration in this well (1,000 µg/L) was the highest in the past decade. The Fall 2024 concentration (417 µg/L) was the lowest observed in this well since Fall 2022.
    - Total VOCs – The Spring 2024 total VOCs concentration of 2,343 µg/L is the second highest in the past decade. The Fall 2024 total VOCs concentration of 857.3 µg/L was lower than the Fall 2023 concentration of 1,560 µg/L.
    - Although the overall concentration trends in B-3M have decreased since the start of monitoring, the concentrations have increased since 2018. A correlation between higher water elevations and greater TCE and DCE concentrations can be seen on the time series plot in Appendix C. B-3M will continue to be monitored to see if there is a long-term trend of VOCs increasing at this location and the relationship between water elevation and concentrations.
- B-17M (sampled Spring only)
    - B-17M is located adjacent to and is hydraulically controlled by recovery well PW-1.
    - TCE – The Spring 2024 TCE concentration of 1,600 µg/L was higher than the Spring 2023 TCE concentration of 780 µg/L and remains below the historical average of 3,676 µg/l at this location over the last decade.
    - Total 1,2-DCE – The Spring 2024 total 1,2-DCE concentration of 1,800 µg/L is higher than the Spring 2023 concentration of 1,500 µg/L, and below the historical average of 4,661 µg/l for this location over the last decade. The 1,800 µg/L total 1,2-DCE detected in Fall 2024 consisted, within the limits of detection, entirely of the cis-1,2-DCE isomer.
    - Vinyl Chloride - The Spring 2024 vinyl chloride concentration of 560 µg/L is below the historical average of 910 µg/L over the past decade.
    - Total VOCs – The Spring 2024 total VOC concentration of 3,960 µg/L is slightly higher than the Spring 2023 concentration of 2,930 µg/L, which was the lowest

concentration observed at this location. The overall trend for total VOCs in groundwater at this location is decreasing.

- B-22M
    - B-22M is located southwest of the Site in the residential area west of the facility.
    - TCE – The Spring 2024 concentration of 32 µg/L was below the historical average for this location over the past decade (38 µg/L), while the Fall 2024 TCE concentration of 260 µg/l was the highest concentration since 2000 for this location.
    - Total 1,2-DCE - The Spring 2024 concentration (59 µg/l) was below the average at this location over the past decade (64 µg/L) and Fall 2024 (213 µg/l) total DCE concentration was higher than the historical average concentration observed at this location over the past decade.
    - Total VOCs - The Spring 2024 total VOCs concentration of 91.88 µg/L is below the historical average concentration observed at this location over the past decade (118.7 µg/L), while the Fall 2024 total VOCs concentration of 479.9 µg/L is above the average concentration observed at this location over the past decade and is the highest concentration since 2009. Despite increases since 2022, the overall concentration trend in B-22M is decreasing.
- P-2
    - P-2 is a recovery well located immediately south of the eastern-third of the Metaullics manufacturing building.
    - Due to a sampling crew oversight, pumping well P-2 was not sampled in Spring 2024.
    - TCE – The TCE concentration in Fall 2024 (5,800 µg/L) was above the average at this location over the last decade, and similar to the 6,300 µg/L detected in the Fall 2023 sample.
    - Total 1,2-DCE – Similar to TCE, the Fall 2024 concentration of 1,600 µg/L (cis-1,2-DCE only) was among the higher concentrations observed over the last decade.
    - Total VOCs – Total VOCs concentration in Fall 2024 (8,370 µg/L) was above historical average over the past decade at this location.
    - A strong inverse correlation between water elevation above the top of bedrock and total VOC concentrations can be seen on the time series plot in Appendix C. Except for the low concentration observed during elevated groundwater elevation events, VOC concentrations in P-2 have been fairly stable since 2001.
- P-4
    - P-4 is located southwest of the Metaullics manufacturing building and is within one of the two 2021 Sequestration Pilot Study areas.
    - TCE – The TCE concentration in Spring 2024 (3,400 µg/L) was the second highest concentration observed at this location since 2011 and was exceeded by the Fall 2024 concentration of 3,800 µg/L, which marked the highest observed concentration at this location.

- Total 1,2-DCE – Total 1,2-DCE concentration in Spring 2024 (900 µg/L) and Fall 2024 (1,600 µg/L) are among the highest observed at this location, with the Fall 2024 concentration being the highest since 2002. The 1,600 µg/L total 1,2-DCE detected in Fall 2024 consisted, within the limits of detection, entirely of cis-1,2-DCE.
- Total VOCs – The total VOCs concentrations in Spring 2024 (4,300 µg/L) and Fall 2024 (5,400 µg/L) were above the average for the last decade (2,107 µg/L). The Fall 2024 total VOCs concentration was the highest observed at this location.

- PW-1
  - PW-1 is a recovery well located immediately south of the western-third of the Metaullics manufacturing building.
  - TCE – The TCE concentration in Spring 2024 (130 µg/L) was lower than Spring 2023 (4,600 µg/L), and was lower than the historical average of the last decade (3,193 µg/L). The Fall 2024 (12,000 µg/L) concentration was the same as Fall 2023 (12,000 µg/L) and was higher than the historical average of the last decade. The Fall 2023 and 2024 concentrations were the highest values since Spring 2021. Concentrations at this location are noted to be variable.
  - Total 1,2-DCE – Total 1,2-DCE concentration in Spring 2024 (120 µg/L) was lower than Spring 2023 (610 µg/L) and was lower than the historical average of the last decade (707 µg/L). The Fall 2024 (4,100 µg/L - cis-1,2-DCE only) concentration was higher than Fall 2023 (2,500 µg/L) concentration and was higher than the historical average. Concentrations at this location are historically variable.
  - Total VOCs – Total VOCs concentration in Spring 2024 (254.7 µg/L) was below the recent historical range at this location (since 2014) and Fall 2024 (16,100 µg/L) was the second highest value over the last decade, after Spring 2021 (17,200 µg/L). Concentrations at this location are noted to be variable.

- PW-3
  - PW-3 is located north of the manufacturing building and within one of the two 2021 Sequestration Pilot Study areas.
  - Total TCE – The Spring 2024 concentration (12,000 µg/L) was well above the historical average over the last decade (2,112 µg/L), while the Fall 2024 concentration (360 µg/L) was well below this average. VOC concentrations in PW-3 are historically variable.
  - Total 1,2-DCE – The Spring 2024 (4,700 µg/L) concentration was above the historical average over the last decade at this location (1,598 µg/L), while the Fall 2024 (1,300 µg/L – cis-1,2-DCE only) concentration was below this average. VOC concentrations in PW-3 are noted to be variable.
  - Total VOCs – The Spring 2024 total VOCs concentration of 17,356 µg/L was above the historical average over the last decade (3,455 µg/L) and the second highest observed since Spring 2021. The Fall 2024 total VOCs concentration of 1,660 µg/L was below the historical average over the last decade.

- PW-4
    - TCE – Spring 2024 TCE concentration (18 μg/L) was lower than the concentration observed in Spring 2023 (40 μg/L). The Fall 2024 TCE concentration (790 μg/L) was higher than the concentration observed in Fall 2023 (350 μg/L).
    - Total VOCs –Spring 2024 total VOCs concentration (23.9 μg/L) was lower than the concentration observed in Spring 2023 (56.33 μg/L). Fall 2024 Total VOCs concentration (929 μg/L) was higher than the concentration observed in Fall 2023 (392.63 μg/L).
    - A strong correlation between water elevation above the top of bedrock and lower total VOC concentrations can be seen on the time series plot for well PW-4 in Appendix C.

5.2.3 Deeper Bedrock Groundwater

VOC concentrations in deeper bedrock groundwater zones (Zones 2, 3, and 4) were typically orders of magnitude lower than those in the TOR zone and bedrock Zone 1. Concentrations in Zones 2, 3, and 4 also tend to fluctuate less than those in the TOR zone and Zone 1. The wells sampled from Zones 3 and 4 in Spring 2024 were consistent with historical results. The Fall 2024 sampling set contains only B-50M in Zone 2 and no wells in deeper Zones 3, 4, or 5. Concentrations at B-50M were within historical range. Results for these zones are presented on Figure 12 and discussed below.

Zone 2

- B-39M (sampled Spring only)
    - TCE – Spring 2024 TCE concentration (4.2 μg/L) was consistent with historical data.
    - Total 1,2-DCE – Spring 2024 total 1,2-DCE concentration of 1.8 μg/L was consistent with previous results.
    - Total VOCs – Total VOCs concentration of 6 μg/L was similar to than Spring 2023 (6.6 μg/L).
- B-46M (sampled Spring only)
    - TCE – Spring 2024 TCE concentration (8.8 μg/L) was below the average over the past decade (38.7 μg/L).
    - Total 1,2-DCE – The Spring 2024 total 1,2-DCE concentration (203 μg/L) was the highest observed at this location.
    - Total VOCs – The Fall 2034 Total VOCs concentration of 237.8 μg/L was above Spring 2023 (190.6 μg/L), above average over the last decade (108.8 μg/L). While the 2024 total VOC concentrations are higher than observed in recent years, they are not dramatically higher than some observed between 2001 and 2005.
- B-50M
    - TCE – The Spring 2024 TCE concentration of 160 μg/L and the Fall 2024 concentration of 170 μg/L were slightly higher than the Spring 2023 (140 μg/L) and Fall 2023 (150 μg/L) concentrations. The 2024 sampling results were the highest concentrations observed at this location.

  - Total 1,2-DCE – Total 1,2-DCE concentrations in Spring 2024 (34 μg/L) and Fall 2024 (35.6 μg/L) were the highest concentrations observed at this location.
  - Total VOCs – Total VOCs concentrations in Spring 2024 (194 μg/L) and Fall 2024 (206 μg/L) were both the highest concentrations observed at this location. However, VOC concentrations in B-50M have been fairly stable since 2019.

- B-56M (Sampled Spring only)
  - TCE – Spring 2024 TCE concentration of 5.6 µg/L was significantly lower than Spring 2023 (170 µg/L). The Spring 2024 concentration was the lowest concentration observed at this location.
  - Total VOCs – The 2024 total VOCs concentration of 8.7 µg/L was lower than Spring 2023 (206 µg/L). The Spring 2024 concentration was the lowest observed at this location.

5.2.4 Niagara Quarry Seep and Pond Sampling

In conjunction with groundwater monitoring activity, a ponded water sample was collected at the Niagara Quarry on April 15, 2024 and October 22, 2024.

No analytes were detected in Spring and Fall 2024. These results are consistent with historical results. In previous communications with the landowner, NYSDEC has indicated that there appears to be no health risk associated with the quarry seeps. Monitoring of VOC concentrations in the quarry during the semi-annual sampling will continue through 2025.

5.3 Future Sampling and Analysis

Scheduled activities for the 2025 annual period include the following:

- Quarterly water level measurements in monitoring and recovery wells.
- Semi-annual and Annual sampling and chemical analysis of selected monitoring wells and recovery wells as identified in Table 4.
- Semi-annual sampling of VWCC equalization tank T-002.
- Semi-annual sampling of Niagara Quarry ponded water.
- Natural attenuation field and laboratory parameters may be collected from select wells to support evaluation of potential remedy enhancements at the Site. The parameters will be dependent on the remedial technology(s) being evaluated, but will likely include geochemical and/or microbial analyses similar to those monitored during the Sequestration Pilot Study. AECOM will inform NYSDEC of any proposed additional sampling prior to the sampling event.

6.0 Health, Safety, Security, and Environment

The Site health and safety program was in accordance with 29 CFR 1910.120 and was restricted to Level D protection requirements during non-intrusive activities.

6.1 Site Health, Safety, Security, and Environment Plan

AECOM employees and contractors operate at the site under the auspices of the current HASP prepared in accordance with Federal Health and Safety regulations, including 29 CFR 1910.120. Employees and contractors were 40 Hour HAZWOPER trained and annually refreshed, as required for specific functions at the Site. Contractors and new employees are given onboarding training prior to work at the Site.

6.2 Performance Report

During 2024, no accidents or incidents occurred at the Site. A summary of the AECOM labor hours worked relative to reportable accidents, injuries, incidents and releases during the 2024 annual period is shown below (includes both on-site and off-site support time):

- Total Site Labor Hours Worked (AECOM): 958
- Total Hours without accident, incident, or release: 2,188
- Reportable Accidents or Injuries: None
- Reportable OSHA Incidents: None
- Reportable Quantities Released: None

7.0 Conclusions

In accordance with the Site's decision documents and the OM&M Manual (Parsons, 2006b; revised April 2015), and based on the discussion and findings herein, the following conclusions can be drawn for the review period of January 1 through December 31, 2024.

- The operations and maintenance requirements were generally met during the period.
- Addition of a new 2,000-pound GAC vessel to the GRS has resolved previously observed exceedances of the SPDES discharge limits. Material submitted to NYSDEC regarding the new GAC vessel will be appended to the GRS OM&M Manual.
- The monitoring requirements for the site were generally met during the period.
- Operation of the GRS continued throughout the period to facilitate migration control and continuous source control within the TOR and bedrock Zone 1.
- Operation of the GRS continued to maintain the capture zones in the vicinity of the extraction wells.
- Issues related to constituent exceedances in the SPDES discharge have been mitigated by installing a new GAC vessel in the GRS.
- Collection of water from the two remaining sumps at the Metaullics facility remains operational.

The IC/EC Certification Form documenting that site management requirements have been met during the period is provided in Appendix A of this report. In NYSDEC's letter dated February 26, 2016, NYSDEC requested that a Site Management Plan (SMP) be developed for the site. The Draft SMP was submitted to NYSDEC on November 15, 2024 and is under review.

8.0 References

AECOM, 2017. *Soil Vapor Intrusion Work Plan Amendment No. 2 (69 and 71 Steele Circle), Former Carborundum Facility, Village of Sanborn, Town of Wheatfield, New York, NYSDEC Site No. 932102,* December 2017.

AECOM, 2021. *Former Carborundum Facility, 2040 Cory Drive, Sanborn NY, NYSDEC Site No. 932102, Sequestration Pilot Study Work Plan,* April 2021

AECOM, 2022a. *Sequestration Pilot Study Summary Report, Former Carborundum Facility, 2040 Cory Drive, Sanborn, NY, NYSDEC Site No. 932102, August 2022*.

AECOM, 2022b. *August 2022 Storm and Sanitary Sewer Water Investigation Sampling Results, Former Carborundum Facility, Village of Sanborn, Town of Wheatfield, Niagara County, New York, SPDES Permit No. NY0001988, NYSDEC Site No. 932102,* December 2022.

AECOM 2023. Groundwater Remediation System Shutdown Work Plan, *Former Carborundum Facility, 2040 Cory Drive, Sanborn, NY, NYSDEC Site No. 932102,* November 2023.

AECOM, 2025. Revised *Semi-Annual Spring 2024 Groundwater Remediation Program Monitoring Report, Former Carborundum Facility, 2040 Cory Drive, Sanborn, NY, NYSDEC Site No. 932102,* January 2025.

NYSDEC Division of Water Technical and Operational Guidance Series (TOGS) 1.1.1 Class GA groundwater standards [NYSDEC, 1998, with addenda through 2004].

NYSDEC, 1991a. *Carborundum Company, Site No. 9-32-102, Record of Decision*, August 1991.

NYSDEC, 1991b. *Order On Consent, Site #932102, Index #B9-0229-88-07*, December 1991.

Parsons, 2006a. *Soil Vapor Intrusion Assessment at the Former Carborundum Facility, Village of Sanborn, Town of Wheatfield, Niagara County, New York.* August 2006.

Parsons, 2006b. *Operations, Monitoring, and Maintenance Manual at Former Carborundum Facility, Wheatfield, New York*, September 2006 (revised: March 2007; August 2013; April 2015).

Parsons 2008. *Soil Vapor Intrusion Work Plan Amendment*. *Village of Sanborn, Town of Wheatfield, Niagara County, New York.* October 2008.

Tables

Table 1

Recovery Well Specifications
Former Carborundum Facility
Sanborn, New York

Well	Revision Date	Grundfos Pump Model Number	Revised Well Bottom Depth (ft)	Approximate Intake Depth (ft)	Target Water Level Depth (ft)	Revised Set Points		
						On/Off	Depth	Range
P-2	9/13/2010	0.5 hp - 5 gpm	26.4	24.4	21.9	On Off	18.9 21.9	3.0
P-3	9/13/2010	0.5 hp - 5 gpm	33.7	31.7	30	On Off	26.2 30.0	3.8
P-4	9/13/2010	0.5 hp - 5 gpm	34.2	34.2	30.2	On Off	26.7 30.2	3.5
PW-1	9/13/2010	1.5 hp - 25 gpm	29.8	29.8	24.8	On Off	21.8 24.8	3.0
PW-3	9/13/2010	0.5 hp - 5 gpm	18.2	18.2	14.2	On Off	10.2 14.2	4.0
PW-4	9/13/2010	5 hp - 120 gpm	30.8	30.8	23.3	On Off	20.8 23.3	2.5

Revised 1/27/2011
Depths are feet below grade
hp: Horsepower
gpm: Gallons per minute

Table 2

Groundwater Remediation System Performance Summary
Former Carborundum Facility
Sanborn, New York

Well	Category	Units	January 2024	February 2024	March 2024	April 2024	May 2024	June 2024	July 2024	August 2024	September 2024	October 2024	November 2024	December 2024	Annual Total 2024
		Days	31	29	31	30	31	30	31	31	30	31	30	31	366
P-2															
	Uptime	(%)	100%	99%	100%	100%	100%	100%	58%	100%	100%	100%	100%	100%	96%
	Average Flow	(gpm)	1.1	0.7	0.7	1.0	1.0	0.8	0.8	1.5	0.9	0.7	0.7	1.0	0.9
	Total Flow	(gal)	46,901	30,578	32,017	43,350	45,388	32,406	37,251	65,668	40,409	29,073	32,195	46,223	481,459
	VOC Concentration	(ppb)	8,950	8,950	8,950	8,950	8,950	8,950	8,950	8,950	8,950	8,370	8,370	8,370	NA
	Total Contaminant removed	(lbs)	3.5	2.3	2.4	3.2	3.4	2.4	2.8	4.9	3.0	2.0	2.2	3.2	35.4
	% of Total Flow		2.80%	2.60%	2.86%	3.85%	3.19%	3.18%	3.52%	6.26%	82.00%	92.16%	94.75%	92.53%	32.47%
P-3															
	Uptime	(%)	98%	99%	100%	100%	100%	100%	58%	100%	100%	100%	100%	100%	96%
	Average Flow	(gpm)	0.042	0.034	0.029	0.029	0.037	0.024	0.026	0.048	0.030	0.018	0.008	0.010	0.03
	Total Flow	(gal)	1,875	1,435	1,284	1,242	1,664	1,031	1,141	2,131	1,296	808	327	466	14,700
	VOC Concentration	(ppb)	29.0	29.0	29.0	30.3	30.3	30.3	30.3	30.3	30.3	23.4	23.4	23.4	NA
	Total Contaminant removed	(lbs)	0.0005	0.0003	0.0003	0.0003	0.0004	0.0003	0.0003	0.0005	0.0003	0.0002	0.0001	0.0001	0.004
	% of Total Flow		0.11%	0.12%	0.11%	0.11%	0.12%	0.10%	0.11%	0.20%	2.63%	2.56%	0.96%	0.93%	0.67%
P-4															
	Uptime	(%)	100%	0%	100%	100%	100%	100%	58%	100%	100%	100%	100%	100%	88%
	Average Flow	(gpm)	0.69	0.00	0.11	0.31	0.17	0.07	0.08	0.09	0.05	0.03	0.03	0.06	0.14
	Total Flow	(gal)	30,730	0	4,688	13,584	7,368	3,071	3,609	3,974	2,169	1,519	1,300	2,679	74,691
	VOC Concentration	(ppb)	3,236	3,236	3,236	4,300	4,300	4,300	4,300	4,300	4,300	5,400	5,400	5,400	NA
	Total Contaminant removed	(lbs)	0.8	0.0	0.1	0.5	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.1	2.4
	% of Total Flow		1.84%	0.00%	0.42%	1.21%	0.52%	0.30%	0.34%	0.38%	4.40%	4.82%	3.83%	5.36%	1.95%
PW-1															
	Uptime	(%)	100%	99%	100%	100%	100%	100%	58%	100%	100%	98%	0%	0%	80%
	Average Flow	(gpm)	35.7	27.4	24.2	24.7	30.6	22.7	22.7	21.9	0.1	0.0	0.0	0.0	17.5
	Total Flow	(gal)	1,591,622	1,143,187	1,079,442	1,064,886	1,365,327	980,700	1,014,921	975,683	4,752	0	0	0	9,220,520
	VOC Concentration	(ppb)	14,500	14,500	14,500	254.7	254.7	254.7	254.7	254.7	254.7	16,100	16,100	16,100	NA
	Total Contaminant removed	(lbs)	192.5	138.2	130.5	2.3	2.9	2.1	2.2	2.1	0.0	0.0	0.0	0.0	472.7
	% of Total Flow		95.08%	97.06%	96.41%	94.61%	95.98%	96.25%	95.87%	93.00%	9.64%	0.00%	0.00%	0.00%	64.49%
PW-3															
	Uptime	(%)	97%	99%	100%	100%	100%	100%	58%	100%	100%	100%	100%	100%	96%
	Average Flow	(gpm)	0.06	0.06	0.05	0.06	0.06	0.04	0.04	0.04	0.02	0.00	0.00	0.01	0.04
	Total Flow	(gal)	2,887	2,581	2,169	2,456	2,805	1,661	1,707	1,718	656	146	157	587	19,530
	VOC Concentration	(ppb)	3,530	3,530	3,530	17,356	17,356	17,356	17,356	17,356	17,356	1,660	1,660	1,660	NA
	Total Contaminant removed	(lbs)	0.1	0.1	0.1	0.4	0.4	0.2	0.2	0.2	0.1	0.0	0.0	0.0	1.8
	% of Total Flow		0.17%	0.22%	0.19%	0.22%	0.20%	0.16%	0.16%	0.16%	1.33%	0.46%	0.46%	1.18%	0.41%
Vaults (T-002)															
	Uptime	(%)	99%	99%	99%	99%	99%	99%	68%	100%	100%	100%	100%	100%	97%
	Average Flow	(gpm)	0.67	0.72	0.67	0.69	0.67	0.69	0.67	0.67	0.69	0.67	0.69	0.67	0.7
	Total Flow	(gal)	30,000	30,000	30,000	30,000	30,000	30,000	30,000	30,000	30,000	30,000	30,000	30,000	360,000
	VOC Concentration	(ppb)	1,519.4	1,519.4	1,519.4	2,271.2	2,271.2	2,271.2	2,271.2	2,271.2	2,271.2	1,058	1,058	1,058	NA
	Total Contaminant removed	(lbs)	0.4	0.4	0.4	0.6	0.6	0.6	0.6	0.6	0.6	0.3	0.3	0.3	5.3
	% of Total Flow		1.79%	2.55%	2.68%	2.67%	2.11%	2.94%	2.83%	2.86%	60.87%	95.10%	88.29%	60.05%	27.06%
Well Head															
	Average Flow	(gpm)	38	28	25	26	32	24	24	24	1	1	1	1	19
	Total Flow-Well heads	(gal)	1,674,015	1,177,781	1,119,600	1,125,518	1,422,552	1,018,869	1,058,629	1,049,174	49,282	31,546	33,979	49,955	9,810,900
Groundwater Remediation System Total															
	Uptime	(%)	99%	83%	100%	100%	100%	100%	60%	100%	100%	100%	83%	83%	92%
	Average Flow	(gpm)	38.2	28.9	25.8	26.7	32.5	24.3	24.4	24.2	1.8	1.4	1.5	1.8	19.3
	Total Flow	(gal)	1,704,015	1,207,781	1,149,600	1,155,518	1,452,552	1,048,869	1,088,629	1,079,174	79,282	61,546	63,979	79,955	10,170,900
	Replacement O1A Meter	(gal)	NA	NA	NA	NA	1,085,544	645,387	692,827	980,689	580,417	418,346	29,253	52,409	NA
	Influent meter Totalizer (RWs only)	(gal)	NA	NA	NA	NA	NA	611,050	626,230	739,000	392,000	328,590	11,410	33,000	NA
	VOCs to Influent	(ppm)	31.8	31.8	31.8	33.2	33.2	33.2	33.2	33.2	33.2	32.6	32.6	32.6	33
	Total Contaminant Removed	(lbs)	197.3	141.0	133.5	6.9	7.5	5.4	5.9	7.9	3.8	2.4	2.6	3.6	517.8

Notes:

1. For the trailing twelve month period ending 12/31/24.
2. Uptimes are estimated and reflect potential uptime.
3. Total Flow presented is a straight summation of the individual flowmeters and an estimate for the T-002 flow.
4. PW-1 flowmeter may be the source of error in flow readings, once some additonal reprogramming is done on the computer to retrieve the flow data from the VWCC, this will be confirmed.
5. VOC Concentration (see above) equals the sum of the chlorinated compounds.
6. Mass removed is based on the percentage of flow and concentrations of VOCs at the pumping wells.

gpm: Gallons per minute
gal: Gallons
ppm: Parts per million
lbs: Pounds

Table 3

Groundwater Elevation Data
2024 Quarterly Monitoring Events
Former Carborundum Facility
Sanborn, New York

Monitoring Well ID	Zone Monitored[1]	Top of Riser Elevation (ft)	1Q Date 3/6/2024		2Q Date 7/1/2024		3Q Date 9/12/2024		4Q Date 12/19/2024	
			Water Level[2] (ft)	1st Quarter Groundwater Elevation (ft)	Water Level[2] (ft)	2nd Quarter Groundwater Elevation (ft)	Water Level[2] (ft)	3rd Quarter Groundwater Elevation (ft)	Water Level[2] (ft)	4th Quarter Groundwater Elevation (ft)
P-2	1	619.67	19.52	600.15	21.29	598.38	20.33	599.34	22.8	596.87
P-3	1	627.35	27.44	599.91	28.23	599.12	28.81	598.54	28.14	599.21
P-4	TOR, 1	624.45	29.09	595.36	27.35	597.10	27.75	596.7	28.25	596.2
PW-1	1	619.78	11.45	608.33	17.11	602.67	15.04	604.74	13.71	606.07
PW-3	TOR	618.28	12.31	605.97	11.69	606.59	11.25	607.03	12.85	605.43
PW-4	TOR, 1	620.84	7.91	612.93	11.69	609.15	13.75	607.09	13.91	606.93
B-3M	TOR	625.59	14.69	610.90	17.28	608.31	18.89	606.70	19.3	606.29
B-4M	TOR	622.24	19.56	602.68	21.23	601.01	NM	NA	21.52	600.72
B-5M	TOR	620.83	7.62	613.21	11.51	609.32	13.41	607.42	12.62	608.21
B-6M	TOR, 1	615.69	5.15	610.54	8.20	607.49	9.95	605.74	9.3	606.39
B-7M	TOR	616.22	5.61	610.61	8.76	607.46	10.62	605.60	10.65	605.57
B-8M	TOR, 1	618.57	4.92	613.65	7.29	611.28	9.74	608.83	8.89	609.68
B-9M	TOR	623.03	8.11	614.92	11.03	612.00	12.69	610.34	13.48	609.55
B-10M	TOR, 1	626.05	9.11	616.94	17.32	608.73	13.75	612.30	13.92	612.13
B-11M	1	622.81	9.1	613.71	10.12	612.69	13.85	608.96	13.3	609.51
B-12M	TOR	622.17	10.84	611.33	14.18	607.99	14.3	607.87	13.3	608.87
B-13M	TOR, 1	626.70	20.04	606.66	22.57	604.13	22.94	603.76	23.51	603.19
B-14M	TOR	618.25	5.03	613.22	8.56	609.69	10.79	607.46	10.91	607.34
B-15M	TOR, 1	623.98	8.45	615.53	11.51	612.47	12.79	611.19	13.58	610.40
B-16M	TOR, 1	624.31	10.84	613.47	15.55	608.76	16.71	607.60	16.9	607.41
B-17M	TOR, 1	622.07	10.43	611.64	12.25	609.82	14.85	607.22	14.4	607.67
B-18M	3	618.69	6.65	612.04	8.97	609.72	11.75	606.94	12.4	606.29
B-19M	3	626.01	18.13	607.88	20.35	605.66	22.8	603.21	22.8	603.21
B-20M	3	615.32	6.51	608.81	6.8	608.52	10.9	604.42	10.75	604.57
B-21M	TOR, 1	622.56	9.19	613.37	11.78	610.78	14.75	607.81	15.05	607.51
B-22M	TOR, 1	622.29	24.1	598.19	24.85	597.44	26.78	595.51	26.23	596.06
B-23M	TOR, 1	617.71	21.88	595.83	22.87	594.84	24.61	593.10	23.63	594.08
B-24M	TOR, 1	617.24	10.13	607.11	12.6	604.64	14.5	602.74	14.78	602.46
B-25M	TOR	619.31	10.08	609.23	12.8	606.51	14.93	604.38	15.28	604.03
B-26M	TOR, 1	618.06	8.03	610.03	10.52	607.54	12.79	605.27	12.93	605.13
B-27M	TOR, 1	626.04	13.02	613.02	15.68	610.36	18.69	607.35	18.7	607.34
B-28M	1	622.62	19.76	602.86	19.7	602.92	26	596.62	22.3	600.32
B-29M	1 2	618.31	25.92	592.39	26.65	591.66	28.65	589.66	28.49	589.82
B-31M	3	613.78	7.14	606.64	8.7	605.08	10.32	603.46	10.1	603.68
B-33M	1	612.43	20.57	591.86	20.57	591.86	22.22	590.21	21.95	590.48
B-37M	TOR	616.90	4.75	612.15	5.04	611.86	6.65	610.25	5.09	611.81
B-38M	1 2	609.81	26.88	582.93	27.44	582.37	28.09	581.72	28.22	581.59
B-39M	2	626.12	12.68	613.44	14.48	611.64	18.5	607.62	18.68	607.44
B-40M	3	626.23	13.72	612.51	16.3	609.93	19.19	607.04	19.35	606.88
B-41M	4	626.31	14.8	611.51	17.27	609.04	23.03	603.28	20.09	606.22
B-42M	2	623.76	10.53	613.23	13.33	610.43	16.29	607.47	15.91	607.85
B-43M	3	623.64	12.71	610.93	15.1	608.54	17.84	605.80	17.28	606.36
B-44M	4	623.29	14.04	609.25	16.37	606.92	19.13	604.16	18.98	604.31
B-45M	1	612.12	18.71	593.41	19.95	592.17	21.65	590.47	21.97	590.15
B-46M	2	613.46	20.55	592.91	21.4	592.06	24.6	588.86	22.97	590.49
B-48M	2	625.40	12.44	612.96	15.18	610.22	18.19	607.21	17.92	607.48
B-49M	4	625.56	21.28	604.28	23.3	602.26	25.71	599.85	25.65	599.91
B-50M	2	616.47	6.31	610.16	8.87	607.60	11.11	605.36	11.15	605.32
B-51M	4	616.48	NM	NA	NM	NA	NM	NA	NM	NA
B-52M	TOR, 1	616.26	6.15	610.11	8.68	607.58	10.89	605.37	10.85	605.41
B-53M	2	616.14	6.06	610.08	8.61	607.53	10.83	605.31	10.88	605.26
B-54M	4	616.00	6.17	609.83	6.57	609.43	10.8	605.20	10.72	605.28
B-55M	5	615.59	21.22	594.37	24.17	591.42	28	587.59	25.9	589.69
B-56M	2	617.78	22.1	595.68	23.16	594.62	25.24	592.54	24.7	593.08
B-57M	2	617.80	23.81	593.99	24.72	593.08	26.67	591.13	26.21	591.59
B-58M	3	617.99	21.3	596.69	22.7	595.29	24.51	593.48	28.1	589.89
B-59M	4	625.53	16.13	609.40	18.38	607.15	21	604.53	20.98	604.55
B-60M	3	625.67	12.51	613.16	15.28	610.39	18.29	607.38	18.49	607.18
B-61M	2	625.72	11.78	613.94	14.65	611.07	17.82	607.90	18.06	607.66
B-62M	5	624.14	3.02	621.12	5.95	618.19	12.28	611.86	8.09	616.05
B-63M	1	624.04	10.25	613.79	13.1	610.94	16.05	607.99	16.43	607.61
B-64M	2	624.05	10.41	613.64	13.35	610.70	16.34	607.71	16.6	607.45
B-65M	3	623.98	9.93	614.05	13.64	610.34	16.59	607.39	16.78	607.20
B-66M	2	625.54	11.64	613.90	14.49	611.05	17.55	607.99	17.8	607.74
B-67M	1	625.59	11.31	614.28	13.9	611.69	16.59	609.00	16.8	608.79
PS-01	TOR	NM	NM	NA	5.83	NA	NM	NA	NM	NA
PS-02	TOR	NM	NM	NA	6.02	NA	NM	NA	NM	NA

Notes:
1. Zone monitored indicates bedrock zone monitored, top of rock (TOR), 1, 2, 3, 4, or 5.
2. Data collected by AECOM.
NM - not measured
NA - not applicable
ft - feet

Table 4

Groundwater Monitoring Well Network and Sampling Frequency
Former Carborundum Facility
Sanborn, New York

Well No. [Notes 1, 2]	Annual Sampling (Spring)	Semi-annual Sampling (Fall)	Zone Monitored
B-3M	X [Note 3]	X	TOR
B-7M	X		TOR
B-9M	X	X	TOR
B-12M	X	X	TOR
B-14M	X		TOR
PW-3	Grab	Grab	TOR
B-16M	X		TOR,1
B-6M	X	X	TOR,1
B-8M	X		TOR,1
B-10M	X		TOR,1
B-13M	X		TOR,1
B-17M	X		TOR,1
B-21M	X	X	TOR,1
B-22M	X	X	TOR,1
B-23M	X	X	TOR,1
B-24M	X		TOR,1
B-52M	X		TOR,1
P-4	Grab	Grab	TOR,1
PW-4	Grab	Grab	TOR,1
B-11M	X		1
B-28M	X	X	1
B-32M / B-33M [Note 4]	X		1
P-2	Grab	Grab	1
P-3	Grab	Grab	1
PW-1	Grab	Grab	1
B-29M	X		1,2
B-38M	X	X	1,2
Quarry	Grab	Grab	1,2
B-39M	X		2
B-42M	X		2
B-46M	X		2
B-48M	X		2
B-50M	X	X	2
B-53M	X		2
B-56M	X		2
B-18M	X		3
B-19M	X		3
B-40M	X		3
B-43M	X		3
B-41M	X		4
B-44M	X		4
B-49M	X		4
T-002	Grab	Grab	-
	43	18	

Notes:
1. Wells to be sampled for VOCs only. MNA parameters may be added at a later date pending refinement of site conceptual model.
2. Groundwater levels are to be collected from all wells on a quarterly basis. All wells not shown here.
3. X indicates that groundwater sampling will be performed using low-flow sampling methods.
4. Well B-32M was found destroyed in spring 2018. Beginning in spring 2019, Well B-33M has been sampled in lieu of Well B-32M.

Table 5

Groundwater Sampling Field Parameter Data
Annual Sampling - Spring 2024
Former Carborundum Company
Wheatfield, New York

Monitoring Well ID	Date	Sample Time	Temperature (deg C)	Specific Conductance (mS/cm)	Dissolved Oyxgen (mg/L)	pH (standard units)	Oxidation Reduction Potential (mV)	Turbidity (NTU)	Comments
P-2	NM								Pumping well
P-3	4/17/2024	13:05	10.9	1.244	5.20	7.29	77.2	2.8	Pumping well
P-4	4/17/2024	12:50	10.4	1.231	8.15	7.33	68.6	20.12	Pumping well
PW-1	4/17/2024	13:20	11.2	0.455	8.38	7.45	48.7	2.89	Pumping well
PW-3	4/17/2024	11:04	11.1	3.111	3.34	7.11	47.1	12.05	Pumping well
PW-4	4/19/2024	13:30	11.9	0.869	1.85	7.19	26.7	1.42	Pumping well
B-3M	4/17/2024	16:10	10.0	2.524	0.54	7.22	-12.6	40.21	
B-6M	4/18/2024	10:20	8.5	1.312	-0.07	7.18	107.2	43.05	
B-7M	4/18/2024	11:55	9.1	0.874	0.01	7.10	112.1	183.60	
B-8M	4/17/2024	9:05	9.0	2.273	-0.05	7.54	62.8	166.15	MS/MSD
B-9M	4/19/2024	17:00	8.1	0.616	0.00	7.22	-13.6	28.11	
B-10M	4/17/2024	12:50	9.8	2.398	1.24	7.05	153.9	24.44	
B-11M	4/17/2024	11:15	9.3	2.961	3.66	7.03	119.4	4.44	
B-12M	4/18/2024	12:40	9.0	0.610	0.00	6.94	107.2	2.60	
B-13M	4/18/2024	16:00	10.2	0.878	2.60	7.38	-216.1	28.72	
B-14M	4/17/2024	10:35	8.7	0.828	1.33	7.09	91.0	39.20	
B-16M	4/17/2024	12:00	9.0	0.870	9.09	7.73	112.5	8.36	
B-17M	4/19/2024	11:50	10.6	0.724	-0.06	7.34	-255.0	154.77	
B-18M	4/17/2024	9:45	10.4	1.045	-0.02	7.14	52.3	28.10	FD-20240417
B-19M	4/18/2024	15:30	10.3	1.867	-0.01	7.42	-267.8	335.05	
B-21M	4/16/2024	11:00	11.2	1.136	0.06	7.08	188.6	41.55	FD-20240416
B-22M	4/16/2024	11:53	11.7	1.111	4.25	7.18	198.2	20.22	
B-23M	4/16/2024	15:00	10.6	0.946	2.80	7.16	220.1	205.92	
B-24M	4/16/2024	16:30	9.6	0.898	0.02	7.06	16.4	84.71	
B-28M	4/16/2024	12:55	11.1	0.732	0.83	7.24	196.6	126.73	Began Purge @ 12:11
B-29M	4/16/2024	14:10	11.4	1.533	0.33	7.11	218.7	27.26	High Iron Bacteria
B-33M	4/19/2024	12:40	10.2	1.071	0.03	7.25	-158.8	236.48	
B-38M	4/16/2024	9:30	10.0	1.312	0.80	7.08	147.6	9.71	1 well volume: 2.51
B-39M	4/17/2024	15:30	10.5	1.227	0.04	7.16	-52.3	17.86	
B-40M	4/17/2024	14:50	10.9	1.425	-0.04	7.33	-60.4	16.63	
B-41M	4/17/2024	14:05	11.0	1.063	0.06	7.16	138.9	28.38	
B-42M	4/19/2024	9:50	10.7	0.878	0.05	7.16	141.9	142.00	
B-43M	4/19/2024	10:30	11.1	1.649	0.01	7.48	-124.4	48.21	
B-44M	4/19/2024	11:10	11.3	2.575	-0.09	8.03	-340.2	3.58	
B-46M	4/16/2024	17:15	10.2	0.993	0.31	7.06	86.6	38.65	
B-48M	4/18/2024	14:45	9.7	0.849	3.20	7.68	-194.6	251.55	
B-49M	4/18/2024	14:10	10.1	2.598	-0.04	7.31	-297.5	128.86	
B-50M	4/18/2024	10:55	9.3	0.864	-0.08	7.04	113.4	28.04	
B-52M	4/18/2024	9:10	8.1	1.191	0.01	7.02	109.5	0.83	
B-53M	4/18/2024	9:35	8.7	0.870	0.05	7.07	125.4	11.58	
B-56M	4/16/2024	15:45	10.4	1.440	0.19	7.03	-47.0	174.45	
Tank-002	4/19/2024	13:10	14.4	2.374	8.74	7.57	42.2	4.41	Equalization tank
QUARRY	4/15/2024	15:20	15.6	1.175	11.21	8.43	97.2	10.02	Pond sample

Notes:
deg C - degrees Celcius
mS/cm - milliSiemens per centimeter
mg/L - milligrams per Liter
mV - milliVolts
NTU - nephelometric turbidity unit
NA - not applicable
NM - Due to an oversight, pumping well P-2 was not sampled.
Negative dissolved oxygen values likely represent an instrument error.

Table 6

Summary of Analytical Results
Annual Sampling - Spring 2024
Former Carborundum Facility
Sanborn, New York

Well ID	Lab Sample ID	Sample Date	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)
		Criteria [1]	5.0	7.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	2.0
B- 3M	240-203148-23	4/17/2024	ND	ND	43 J	ND	ND	ND	1000	ND	1300	ND	ND
B- 6M	240-203148-30	4/18/2024	ND	ND	ND	ND	ND	0.78 J	20	ND	170	ND	ND
B- 7M	240-203148-32	4/18/2024	ND	ND	ND	ND	ND	ND	1.2	ND	3.3	ND	ND
B- 8M	240-203148-13	4/17/2024	ND	ND	ND	160 J	ND	250	19000	ND	17000	ND	3500 J
B- 9M	240-203148-12	4/17/2024	ND	ND	ND	ND	ND	ND	1.1	ND	ND	ND	ND
B-10M	240-203148-19	4/17/2024	ND	ND	ND	ND	ND	ND	0.77 J	1.4	8.8	ND	ND
B-11M	240-203148-17	4/17/2024	ND	ND	ND	ND	ND	ND	13	ND	160	8.8	ND
B-12M	240-203148-33	4/18/2024	ND	ND	ND	ND	ND	ND	12	ND	79	ND	ND
B-13M	240-203148-37	4/18/2024	ND	ND	2.7 J	ND	ND	ND	160	ND	120	ND	29
B-14M	240-203148-16	4/17/2024	ND	ND	ND	ND	ND	ND	5	ND	52	0.89 J	ND
B-16M	240-203148-18	4/17/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B-17M	240-203148-41	4/19/2024	ND	ND	ND	ND	ND	ND	1800	ND	1600	ND	560
B-18M	240-203148-15	4/17/2024	ND	ND	ND	ND	ND	ND	110	ND	ND	ND	21 J
B-18M (FD-20240417)	240-203148-14	4/17/2024	ND	ND	ND	ND	ND	0.61 J	95	ND	ND	ND	13 J
B-19M	240-203148-36	4/18/2024	ND	ND	ND	ND	ND	ND	2.2	ND	ND	ND	1.1
B-21M	240-203148-3	4/16/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B-21M (FD-20240416)	240-203148-4	4/16/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B-22M	240-203148-5	4/16/2024	ND	ND	0.98 J	ND	ND	1.9	57	ND	32	ND	ND
B-23M	240-203148-8	4/16/2024	ND	ND	ND	ND	ND	ND	120	ND	8.1	ND	62
B-24M	240-203148-10	4/16/2024	ND	ND	ND	ND	ND	ND	1.2	ND	5.2	ND	ND
B-28M	240-203148-6	4/16/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B-29M	240-203148-7	4/16/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B-33M	240-203148-42	4/19/2024	ND	ND	ND	ND	ND	ND	11	ND	2	ND	3.8
B-38M	240-203148-2	4/16/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B-39M	240-203148-22	4/17/2024	ND	ND	ND	ND	ND	ND	1.8	ND	4.2	ND	ND
B-40M	240-203148-21	4/17/2024	ND	ND	ND	ND	ND	ND	3.3	ND	1.1	ND	ND
B-41M	240-203148-20	4/17/2024	ND	ND	ND	ND	ND	ND	7	ND	ND	ND	2.3
B-42M	240-203148-38	4/19/2024	ND	ND	ND	ND	ND	0.67 J	5.5	ND	3.5	ND	ND
B-43M	240-203148-39	4/19/2024	ND	ND	ND	ND	ND	ND	3.1	ND	ND	ND	4.8
B-44M	240-203148-40	4/19/2024	ND	ND	1.7	ND	ND	ND	2.4	ND	0.52 J	ND	ND
B-46M	240-203148-11	4/16/2024	ND	ND	ND	ND	ND	3 J	200	ND	8.8	ND	26
B-48M	240-203148-35	4/18/2024	ND	ND	ND	ND	ND	ND	ND	ND	0.46 J	ND	ND
B-49M	240-203148-34	4/18/2024	ND	ND	ND	ND	ND	ND	0.62 J	ND	ND	ND	ND
B-50M	240-203148-31	4/18/2024	ND	ND	ND	ND	ND	ND	34	ND	160	ND	ND
B-52M	240-203148-28	4/18/2024	ND	ND	ND	ND	ND	ND	0.57 J	ND	0.82 J	ND	ND
B-53M	240-203148-29	4/18/2024	ND	ND	ND	ND	ND	ND	1.8	ND	4	ND	ND
B-56M	240-203148-9	4/16/2024	ND	ND	ND	ND	ND	ND	3.1	ND	5.6	ND	ND
FIELDQC	240-203148-45	4/19/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
P- 3	240-203148-25	4/17/2024	ND	ND	ND	ND	ND	2	24	ND	1.2	ND	3.1
P- 4	240-203148-26	4/17/2024	ND	ND	ND	ND	ND	ND	900	ND	3400	ND	ND
PW- 1	240-203148-24	4/17/2024	ND	ND	ND	ND	ND	ND	120	ND	130	ND	4.7
PW- 3	240-203148-27	4/17/2024	ND	ND	ND	65	ND	71	4700	ND	12000	ND	520
PW- 4	240-203148-44	4/19/2024	ND	ND	ND	ND	ND	ND	3.7	2.2	18	ND	ND
QUARRY POND	240-203148-1	4/15/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
T-002	240-203148-43	4/19/2024	ND	ND	0.92 J	1.5	ND	3.7	250	2	2000 J	14	0.53 J

Notes:
(1) NYSDEC TOGS (1.1.1), Ambient Water Quality Standars and Guidance Vlaues and Groundwater Effluent Limitations, April 2000, Class GA.
µg/L - microgram per liter
BOLD - detected above criteria.
J - Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
D - Result reported from a secondary dilution.
ND - not detected
FD - Field Duplicate

Table 7

Groundwater Sampling Field Parameter Data
Semi-Annual Sampling - Fall 2024
Former Carborundum Company
Wheatfield, New York

Monitoring Well ID	Date	Time	Temperature (deg C)	Specific Conductance (mS/cm)	Dissolved Oyxgen (mg/L)	pH (standard units)	Oxidation Reduction Potential (mV)	Turbidity (NTU)	Comments
B- 3M	10/24/2024	9:00	12.1	1.757	0.12	6.79	-83.8	6.50	
B- 6M	10/23/2024	11:35	13.1	1.719	0.10	6.63	-106.9	13.72	
B- 9M	10/23/2024	12:47	13.3	1.003	2.81	6.80	104.5	3.21	
B-12M	10/23/2024	13:53	15.5	0.919	0.11	6.68	40.9	3.82	
B-21M	10/24/2024	11:00	14.4	0.886	4.23	6.70	78.2	4.18	
B-22M	10/24/2024	10:00	13.1	8.222	2.00	6.89	-71.4	225.18	
B-23M	10/23/2024	8:57	13.4	1.147	0.40	6.59	179.6	40.10	Associated with FD-20241023
B-28M	10/24/2024	11:55	13.3	0.648	1.29	6.81	69.5	98.75	
B-38M	10/22/2024	14:55	13.6	2.599	11.00	7.77	160.4	80.10	
B-50M	10/23/2024	10:30	12.6	0.917	0.07	6.57	170.9	117.12	MS/MSD collected
P- 2	10/22/2024	8:57	15.4	1.875	5.88	7.21	189.9	24.88	
P- 3	10/22/2024	10:05	14.1	1.251	5.88	7.29	169.3	29.39	
P- 4	10/22/2024	10:25	14.1	1.303	8.61	7.42	181.6	4.81	
PW- 1	10/22/2024	10:55	19.4	0.667	3.33	7.34	175.9	3.26	
PW- 3	10/22/2024	9:30	16.9	0.888	3.47	7.79	121.9	1.43	
PW- 4	10/22/2024	9:10	16.4	0.631	3.01	7.75	-39.7	63.50	
QUARRY POND	10/22/2024	13:05	18.8	2.086	10.25	7.94	199.5	37.42	
T-002	10/22/2024	11:26	18.0	2.114	6.28	7.51	196.3	8.12	

Notes:
ID - identification
deg C - degrees Celcius
mS/cm - milli Siemens per centimeter
NTU - nephelometric turbidity unit


Table 8

Summary of Analytical Results
Semi-Annual Sampling - Fall 2024
Former Carborundum Facility
Sanborn, New York

Well ID	Lab Sample ID	Sample Date	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)
		Criteria [1]	5	7	5	5	5	5	5	5	5	5	2
B- 3M	240-213779-7	10/24/2024	ND	ND	6.1	2.7	ND	6.8	410	2.6	420	2.8	6.3
B- 6M	240-213779-4	10/23/2024	ND	ND	ND	ND	ND	ND	3.7	ND	25	ND	ND
B- 9M	240-213779-5	10/23/2024	ND	ND	ND	ND	ND	ND	0.30 J	ND	1.1	0.92 J	ND
B-12M	240-213779-6	10/23/2024	ND	ND	3.4	2.0	ND	1.7 J	98	3.9	570	ND	2.5
B-21M	240-213779-9	10/24/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
B-22M	240-213779-8	10/24/2024	ND	ND	2.8	0.41 J	ND	2.6	210	0.50 J	260	0.29 J	3.3
B-23M	240-213779-1	10/23/2024	ND	ND	0.57 J	ND	ND	0.40 J	120	ND	16 J	ND	61
B-23M (FD-20241023)	240-213779-2	10/23/2024	ND	ND	0.67 J	ND	ND	0.44 J	110	ND	25 J	ND	55
B-28M	240-213779-10	10/24/2024	ND	0.69 J	ND	ND	ND	ND	ND	ND	ND	ND	ND
B-38M	240-213536-9	10/22/2024	ND	ND	ND	ND	ND	ND	0.51 J	ND	ND	ND	ND
B-50M	240-213779-3	10/23/2024	ND	ND	ND	0.38 J	ND	2.6	33 J	ND	170	ND	0.44 J
P- 2	240-213536-1	10/22/2024	ND	ND	ND	ND	ND	ND	1600	970	5800	ND	ND
P- 3	240-213536-4	10/22/2024	ND	ND	ND	ND	ND	1.9	19	ND	1.1	ND	1.4
P- 4	240-213536-5	10/22/2024	ND	ND	ND	ND	ND	ND	1600	ND	3800 J	ND	ND
PW- 1	240-213536-6	10/22/2024	ND	ND	ND	ND	ND	ND	4100	ND	12000	ND	ND
PW- 3	240-213536-3	10/22/2024	ND	ND	ND	ND	ND	ND	1300	ND	360	ND	ND
PW- 4	240-213536-2	10/22/2024	ND	ND	2.4	0.56 J	ND	1.3	130 D	3.3	790 D	1.4	ND
QUARRY POND	240-213536-8	10/22/2024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
T-002	240-213536-7	10/22/2024	ND	ND	ND	ND	ND	ND	500	ND	530	ND	28

Notes:
µg/L - microgram per liter
ID - identification
J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.
D - The result is being reported from a secondary dilution
NA - not analyzed
ND - not detected

Figures



Source: USA Topo Maps, ESRI Map Service;
1:24,000-scale USGS Topographic Map,
Ransomville, 1996
Tonawanda West, 1996

2,000 0 2,000 Feet



AECOM

FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
PROJECT LOCATION PLAN

FIGURE 1

J:\Projects\60481767_BPIP\MISC\GIS\Sanborn\Maps\PROJECT LOCATION.mxd 3/10/2020



Legend

- Monitoring Well
- Monitoring Well (Abandoned)
- Recovery Well
- Recovery Well (Abandoned)

Source: ESRI World Imagery

500 0 500 Feet

FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
SITE PLAN

AECOM


FIGURE 2

J:\Projects\60481767_BPIPO\MISC\GIS\Sanborn\Maps\2019\SITE PLAN.mxd 3/10/2020



C:\Users\KulkarniM2\Documents\ISO Sanborn\GIS\Sanborn - Copy\Maps\2024\Q1\GROUNDWATER CONTOURS - TOR.mxd 6/14/2024


N
BLANK RD
TINDALE LN
TUSCARORA RD
CORY DR
B-15M, 615.53
B-67M, 614.28
B-63M, 613.79
B-16M, 613.47
B-10M, 616.94
B-11M, 613.71
B-21M, 613.37
B- 8M, 613.65
PW- 4, 612.93
B-27M, 613.02
P- 2, 600.15
PW- 1, 608.33
P- 3, 599.91
B-17M, 611.64
B-52M, 610.11
B- 6M, 610.54
B-13M, 606.66
B-22M, 598.19
P- 4, 595.36
B-28M, 602.86
B-23M, 595.83
B-29M, 592.39
B-26M, 610.03
B-24M, 607.11
B-38M, 582.93
B-33M, 591.86
B-45M, 593.41
605
600
595
590
585
615
610
Legend
Monitoring Well
Recovery Well
Groundwater Flow Direction
Groundwater Elevation Contour
Source: ESRI World Imagery
300
0
300 Feet
FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
GROUNDWATER ELEVATIONS
ZONE 1
(MARCH 6, 2024)
AECOM
FIGURE 4
C:\Users\KulkarniM2\Documents\ISO Sanborn\GIS\Sanborn - CopyMaps\2024\Q1\GROUNDWATER CONTOURS - Z1.mxd 6/24/2024


N
BLANK RD
TINDALE LN
TUSCARORA RD
CORY DR
B-15M, 613.07
B-16M, 608.76
B-10M, 614.84
B-14M, 612.58
B- 7M, 607.99
B- 9M, 612.89
PW- 3, 606.52
B- 8M, 611.98
B-21M, 610.78
PW- 4, 610.13
B- 3M, 609.04
B-27M, 610.36
B-37M, 611.86
PW- 1
B-17M, 609.82
B-52M, 607.58
B-12M, 609.29
B- 6M, 609.94
P- 4, 597.20
B-13M, 605.31
B-22M, 597.44
B- 5M, 610.39
B- 4M, 601.53
B-23M, 594.84
B-25M, 606.51
B-26M, 607.54
B-24M, 604.64
614
612
610
608
606
604
602
600
598
Legend
Monitoring Well
Recovery Well
Groundwater Flow Direction
Source: ESRI World Imagery
300
0
300 Feet
FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
GROUNDWATER ELEVATIONS
TOP OF ROCK
(JULY 1, 2024)
AECOM
FIGURE 5
L:\DCS\Projects\60481767_BPIPO\MISC\GIS\Sanborn\Maps\2024Q2\GROUNDWATER CONTOURS - TOR(0724).mxd 9/27/2024

N

BLANK RD

TINDALE LN

TUSCARORA RD

CORY DR

B-15M, 613.07
B-67M, 611.69
B-63M, 610.94
B-16M, 608.76
B-10M, 614.84
B-11M, 612.55
B- 8M, 611.98
B-21M, 610.78
PW- 4, 610.13
P- 2, 598.61
B-27M, 610.36
P- 3, 598.04
PW- 1, 605.97
B-17M, 609.82
B- 6M, 609.94
B-52M, 607.58
P- 4, 597.20
B-13M, 605.31
B-22M, 597.44
B-28M, 602.92
B-23M, 594.84
B-29M, 591.66
B-26M, 607.54
B-24M, 604.64
B-38M, 582.37
B-33M, 591.86
B-45M, 592.17

610
605
600
595
590
585

Legend

- Monitoring Well
- Recovery Well
- Groundwater Flow Direction
- Groundwater Elevation Contour

Note: NM - Not Measured

Source: ESRI World Imagery

300 0 300 Feet

FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
GROUNDWATER ELEVATIONS
ZONE 1
(JULY 1, 2024)

AECOM

FIGURE 6

L:\DCS\Projects\60481767_BPIPO\MISC\GIS\Sanborn\Maps\2024Q2\GROUNDWATER CONTOURS - Z1(0724).mxd 9/27/2024

N

BLANK RD

TINDALE LN

TUSCARORA RD

CORY DR

B-15M, 611.19

B-16M, 607.60

612

610

B-10M, 612.30

B-14M, 607.46

B- 7M, 605.60

B- 9M, 610.34

608

B-21M, 607.81

PW- 3, 607.03

B- 8M, 608.83

606

PW-4, 607.09

604

B- 3M, 606.70

602

B-27M, 607.35

B-37M, 610.25

600

B-17M, 607.22

598

B-12M, 607.87

B-52M, 605.37

B- 6M, 605.74

596

P- 4, 596.70

B-13M, 603.76

B-22M, 595.51

B- 5M, 607.42

B- 4M, DRY

B-23M, 593.10

B-25M, 604.38

B-26M, 605.27

B-24M, 602.74

Legend

- Monitoring Well
- Recovery Well
- Groundwater Flow Direction
- Groundwater Elevation Contour

Source: ESRI World Imagery

300 0 300 Feet

FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
GROUNDWATER ELEVATIONS
TOP OF ROCK
(SEPTEMBER 12, 2024)

AECOM

FIGURE 7

C:\Users\KulkamiM2\Documents\ISO Sanborn\GIS\Sanborn - Copy\Maps\2024\Q3\GROUNDWATER CONTOURS - TOR.mxd 1/6/2025

N

BLANK RD

TINDALE LN

TUSCARORA RD

CORY DR

B-15M, 611.19
B-67M, 609.00
B-63M, 607.99
B-16M, 607.60
B-10M, 612.30
B-11M, 608.96
B- 8M, 608.83
B-21M, 607.81
PW- 4, 607.09
P- 2, 599.34
B-27M, 607.35
P- 3, 598.54
PW- 1, 604.74
B-17M, 607.22
B-52M, 605.37
P- 4, 596.70
B-13M, 603.76
B- 6M, 605.74
B-22M, 595.51
B-28M, 596.62
B-23M, 593.10
B-29M, 589.66
B-26M, 605.27
B-24M, 602.74
B-38M, 581.72
B-33M, 590.21
B-45M, 590.47

590
595
600
605
610

Legend

- Monitoring Well
- Recovery Well
- Groundwater Flow Direction
- Groundwater Elevation Contour

Source: ESRI World Imagery

300 0 300 Feet


FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
GROUNDWATER ELEVATIONS
ZONE 1
(SEPTEMBER 12, 2024)

AECOM


FIGURE 8

C:\Users\KulkamiM2\Documents\ISO Sanborn\GIS\Sanborn - Copy\Maps\2024\Q3\GROUNDWATER CONTOURS - Z1.mxd 1/6/2025



N
BLANK RD
TINDALE LN
TUSCARORA RD
CORY DR
B-15M, 610.40
B-16M, 607.41
B-10M, 612.13
B-14M, 607.34
B-7M, 605.57
B- 9M, 609.55
PW- 3, 605.43
B- 8M, 609.68
B-21M, 607.51
PW- 4, 606.93
B- 3M, 606.29
B-27M, 607.34
B-37M, 611.81
B-17M, 607.67
B-12M, 608.87
B-52M, 605.41
B- 6M, 606.39
B-13M, 603.19
P- 4, 596.20
B-22M, 596.06
B- 5M, 608.21
B- 4M, 600.72
B-23M, 594.08
B-25M, 604.03
B-26M, 605.13
B-24M, 602.46
612
610
608
606
604
602
600
598
596
Legend
Monitoring Well
Recovery Well
Groundwater Flow Direction
Groundwater Elevation Contour
Source: ESRI World Imagery
300
0
300 Feet
FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
GROUNDWATER ELEVATIONS
TOP OF ROCK
(DECEMBER 19, 2024)
AECOM
FIGURE 9
C:\Users\KulkarniM2\Documents\ISO Sanborn\GIS\Sanborn - Copy\Maps\2024\Q4\GROUNDWATER CONTOURS - TOR.mxd 1/15/2025


N
BLANK RD
TINDALE LN
TUSCARORA RD
CORY DR
B-15M, 610.40
B-67M, 608.79
B-63M, 607.61
B-16M, 607.41
B-10M, 612.13
B-11M, 609.51
B- 8M, 609.68
B-21M, 607.51
PW- 4, 606.93
P- 2, 596.87
B-27M, 607.34
P- 3, 599.21
PW- 1, 606.07
B-17M, 607.67
B-52M, 605.41
B-13M, 603.19
P- 4, 596.20
B- 6M, 606.39
B-22M, 596.06
B-28M, 600.32
B-23M, 594.08
B-29M, 589.82
B-26M, 605.13
B-24M, 602.46
B-38M, 581.59
B-33M, 590.48
B-45M, 590.15
610
605
600
595
590
Legend
Monitoring Well
Recovery Well
Groundwater Flow Direction
Groundwater Elevation Contour
Source: ESRI World Imagery
300
0
300 Feet
FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
GROUNDWATER ELEVATIONS
ZONE 1
(DECEMBER 19, 2024)
AECOM
FIGURE 10
C:\Users\KulkarniM2\Documents\ISO Sanborn\GIS\Sanborn - Copy\Maps\2024\Q4\GROUNDWATER CONTOURS - Z1.mxd 1/15/2025


TRICHLOROETHENE



CIS-1,2-DICHLOROETHENE



VINYL CHLORIDE



TOTAL VOCs



Legend

- Monitoring Well
- Recovery Well
- Isoconcentration Contour

Notes:
1. Criteria = NYSDEC TOGS 1.1.1 Ambient Water Quality Standards, Class GA
2. Units are shown in µg/L
3. ND = Not Detected

Source:
ESRI World Imagery


600 0 600 Feet

FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
ISOCONTOURS IN TOP OF ROCK AND ZONE 1
(ANNUAL SAMPLING - SPRING 2024)

AECOM

FIGURE 11

C:\Users\KulkarniM2\Documents\ISO Sanborn\GIS\Sanborn - Copy\Maps\2024\Q1\ISOPLETHS - TOR & Z1.mxd 6/24/2024









Legend

- Monitoring Well
- Recovery Well
- Isoconcentration Contour

Notes:
1. Criteria = NYSDEC TOGS 1.1.1 Ambient Water Quality Standards, Class GA
2. Units are shown in µg/L
3. ND = Not Detected

Source:
ESRI World Imagery

600 0 600 Feet


FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
ISOCONTOURS IN ZONES 2, 3, 4, & 5
(ANNUAL SAMPLING - SPRING 2024)

AECOM


FIGURE 12

C:\Users\KulkarniM2\Documents\ISO Sanborn\GIS\Sanborn - Copy\Maps\2024\Q1\ISOPLETHS - Z2-5.mxd 6/24/2024


TRICHLOROETHENE



CIS-1,2-DICHLOROETHENE



VINYL CHLORIDE



TOTAL VOCs



Legend

- Monitoring Well
- Recovery Well
- Isoconcentration Contour

Notes:
1. Criteria = NYSDEC TOGS 1.1.1 Ambient Water Quality Standards, Class GA
2. Units are shown in µg/L
3. ND = Not Detected

Source:
ESRI World Imagery

600 0 600 Feet

FORMER CARBORUNDUM FACILITY
SANBORN, NEW YORK
ISOCONTOURS IN TOP OF ROCK AND ZONE 1
(ANNUAL SAMPLING - FALL 2024)

AECOM

FIGURE 13

C:\Users\KulkarniM2\Documents\ISO Sanborn\GIS\Sanborn - Copy\Maps\2024\Q3\ISOPLETHS - TOR & Z1.mxd 1/16/2025

Appendix A

Institutional Controls / Engineering Controls Certification Form (2024)

Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form

Site Details **Box 1**

Site No. 932102

Site Name Carborundum Specialty Products

Site Address: 2050 Cory Dr Zip Code: 14132
City/Town: Sanborn
County: Niagara
Site Acreage: 40.000

Reporting Period: January 1, 2024 to December 31, 2024

	YES	NO
1. Is the information above correct?	☒	☐
If NO, include handwritten above or on a separate sheet.		
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?	☐	☒
3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	☐	☒
4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	☐	☒
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5. Is the site currently undergoing development?	☐	☒

Box 2

	YES	NO
6. Is the current site use consistent with the use(s) listed below? Industrial	☒	☐
7. Are all ICs in place and functioning as designed?	☒	☐

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative Date

SITE NO. 932102 **Box 3**

Description of Institutional Controls

Parcel	Owner	Institutional Control
132.00-1-1	Pyroteck, Inc. c/o Kevin Scott	
		Monitoring Plan
		Soil Management Plan

In accordance with the Operation and Maintenance & Monitoring Manual dated August 2013, the responsible party will maintain and monitor the groundwater monitoring wells and fencing located on this parcel which is owned by Pyrotek, Inc.

132.00-1-16.11	Elm Holdings, Inc. c/o Jim L. Smith	
		O&M Plan
		Soil Management Plan
		Monitoring Plan

In accordance with the Operation and Maintenance & Monitoring Manual dated August 2013, the responsible party will maintain and monitor the groundwater monitoring wells located on this parcel.

132.00-1-16.12	Elm Holdings, Inc. c/o Jim L. Smith	
		Soil Management Plan
		Monitoring Plan
		O&M Plan

Record of Decision (ROD); October 1991
Order on Consent; December 1993
Addendum to the Remedial Design/Remedial Action Work Plan; December 1993
Operations, Maintenance and Monitoring Manual; August 2013

In accordance with the above Institutional Controls and specifically the Operation Maintenance & Monitoring Manual dated August 14, 2013, the following shall be maintained and monitored:

1.Groundwater recovery system (pumping wells, piping, valves, gauges, etc.)
2.Treatment system (air stripper, liquid phase carbon units, pre-filters, pumps, etc.
3.Groundwater monitoring wells.
4.SPDES compliance.

A soil vapor intrusion (SVI) assessment, which included off-site sub-slab and indoor air sampling of selected condominiums adjacent to the site was completed in November and December 2008. Based on the results of the investigation the DEC, in consultation with the NYSDOH, concluded no further on-site or off-site sampling or other actions were needed to address exposures related to soil vapor intrusion. An Investigation Complete - No Actions Recommended memo was issued on April 1, 2009.

132.00-1-16.2	Pyrotek, Inc. c/o Kevin Scott	
		Soil Management Plan

In accordance with the Operation and Maintenance & Monitoring Manual dated August 2013, the responsible party will maintain and monitor the fencing located around this parcel which is owned by Pyrotek, Inc.

Box 4

Description of Engineering Controls

Parcel	Engineering Control
132.00-1-1	
	Fencing/Access Control
132.00-1-16.11	
	Groundwater Treatment System

Parcel	Engineering Control
	Groundwater Containment Fencing/Access Control
Pump and Treat **132.00-1-16.12**	Groundwater Treatment System Groundwater Containment Fencing/Access Control
Pump and Treat **132.00-1-16.2**	Fencing/Access Control

Box 5

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

   a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

   b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and compete.

YES	NO
X	☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

   (a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

   (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

   (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

   (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

   (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES	NO
X	☐

IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

IC CERTIFICATIONS
SITE NO. 932102

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I James L. Kaczor, Attorney-in-Fact for Elm Holdings Inc. (print name) at 50 Lakefront Boulevard, Suite 111, Buffalo, NY 14202 (print business address),

am certifying as Designated Representative of Remedial Party (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

James L. Kaczor

Attorney-in-Fact for Elm Holdings Inc.
Signature of Owner, Remedial Party, or Designated Representative Rendering Certification

04/30/25
Date

EC CERTIFICATIONS

Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Edward M. Murphy, P.E. at 50 Lakefront Boulevard, Suite 111, Buffalo, NY 14202,
print name — print business address

am certifying as a Professional Engineer for the Remedial Party
(Owner or Remedial Party)





Signature of Professional Engineer, for the Owner or Remedial Party, Rendering Certification

Stamp (Required for PE)

4/30/2025
Date

Carborundum Specialty Products Site #932102





Legend

Parcel Boundary

1: 3,391

Notes

Parcels with Engineering and Institutional controls


0.1 0 0.05 0.1 Miles

Niagara County and its officials and employees assume no responsibility or legal liability for the accuracy, completeness, reliability, timeliness, or usefulness of any information provided. Tax parcel data was prepared for tax purposes only and is not to be reproduced or used for surveying or conveyancing.

SOURCE: **NIAGARA COUNTY, NEW YORK DEPARTMENT OF REAL PROPERTY SERVICES**

Appendix B

Groundwater Treatment System and Vault Water Collection System Diagrams



PARSONS
40 LA RIVIERE DRIVE, SUITE 350
BUFFALO, NEW YORK 14202
716-541-0730


FIGURE 2

ATLANTIC RICHFIELD COMPANY
FORMER CARBORUNDUM FACILITY

SITE PLAN – UTILITIES

P:\Sanborn\\447601\Record Drawings\SK-442156-c17_Fig2.dwg
No XREFs

NOT TO SCALE



STRIPPER COLUMNS
(ABANDONED IN PLACE)

PARSONS
40 La Riviere Dr., Suite 350
Buffalo, NY 14202
(716) 541-0730

FIGURE 5


ATLANTIC RICHFIELD COMPANY
FORMER CARBORUNDUM FACILITY


EQUIPMENT LAYOUT


P:\442156\WP\New OM&M Manual\cad\SK-442156-c14.dwg, 08/01/06 at 07:44, MAB, 1=1
No XREFs


Appendix C


Water Quality Time Series Plots January 2001 through December 2024



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B- 3M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 599.9 - 604.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B- 4M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 593.8 - 598.8 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B- 5M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 587.9 - 592.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B- 6M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 594.5 - 599.5 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B- 7M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 593.6 - 598.6 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B- 8M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 598.6 - 603.6 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
1000000
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B- 9M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 601.3 - 611.3 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-10M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 597.8 - 607.8 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
680
670
660
650
640
630
620
610
600
590
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-11M (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 598.6 - 608.6 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
680
670
660
650
640
630
620
610
600
590
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-12M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 600.2 - 610.2 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-13M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 590.5 - 600.5 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-14M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 602.5 - 607.5 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-15M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 600 - 610 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
680
670
660
650
640
630
620
610
600
590
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-16M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 599 - 609 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-17M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 597.7 - 607.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-18M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 564.1 - 574.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-19M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 555.1 - 570.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-20M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 561.4 - 582.4 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-21M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 595.7 - 610.8 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-22M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 586.1 - 601.4 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-23M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 585.7 - 595.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-24M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 588.7 - 598.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-25M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 598.8 - 608.8 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-26M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 587.5 - 597.5 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-27M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 589.3 - 604.3 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-28M (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 588.4 - 603.4 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
660
650
640
630
620
610
600
590
580
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-29M (2001 to Present)
ZONE MONITORED: Zones 1 & 2
SCREEN INTERVAL: 579.8 - 594.8 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
650
640
630
620
610
600
590
580
570
WATER TABLE ELEVATION (ft)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
CONCENTRATION (ppb)
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-31M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 569.5 - 585.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-32M (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 579.3 - 589.3 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-33M (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 580.2 - 590.2 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-34M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 587.6 - 597.6 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
660
650
640
630
620
610
600
590
580
WATER TABLE ELEVATION (ft)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
CONCENTRATION (ppb)
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-35M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 572.1 - 582.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
650
640
630
620
610
600
590
580
570
WATER TABLE ELEVATION (ft)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
CONCENTRATION (ppb)
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-37M (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 599.4 - 609.4 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-38M (2001 to Present)
ZONE MONITORED: Zones 1 & 2
SCREEN INTERVAL: 568.6 - 585.5 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
650
640
630
620
610
600
590
580
570
560
WATER TABLE ELEVATION (ft)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
CONCENTRATION (ppb)
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-39M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 580.4 - 593.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-40M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 567.9 - 579.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-41M (2001 to Present)
ZONE MONITORED: Zone 4
SCREEN INTERVAL: 553.2 - 566.2 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-42M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 578.1 - 591.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-43M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 561.5 - 574.5 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-44M (2001 to Present)
ZONE MONITORED: Zone 4
SCREEN INTERVAL: 538.9 - 551.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-45M (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 587.3 - 599.3 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-46M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 573.4 - 585.4 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-48M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 577.9 - 590.4 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-49M (2001 to Present)
ZONE MONITORED: Zone 4
SCREEN INTERVAL: 542.9 - 556.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
660
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-50M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 580.6 - 593.6 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-51M (2001 to Present)
ZONE MONITORED: Zone 4
SCREEN INTERVAL: 548.8 - 559.8 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
670
660
650
640
630
620
610
600
590
580
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-52M (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 593.9 - 606.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-53M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 578.7 - 591.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-54M (2001 to Present)
ZONE MONITORED: Zone 4
SCREEN INTERVAL: 558.6 - 571.6 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
670
660
650
640
630
620
610
600
590
580
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-55M (2001 to Present)
ZONE MONITORED: Zone 5
SCREEN INTERVAL: 532.2 - 545.2 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
650
640
630
620
610
600
590
580
570
560
WATER TABLE ELEVATION (ft)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
CONCENTRATION (ppb)
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-56M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 578.2 - 587.2 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-57M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 568 - 576.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-58M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 554.6 - 565.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
660
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-59M (2001 to Present)
ZONE MONITORED: Zone 4
SCREEN INTERVAL: 555.9 - 565.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-60M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 570.8 - 580.8 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-61M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 585.8 - 595.8 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
680
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-62M (2001 to Present)
ZONE MONITORED: Zone 5
SCREEN INTERVAL: 531.7 - 541.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
680
670
660
650
640
630
620
610
600
590
580
WATER TABLE ELEVATION (ft)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
CONCENTRATION (ppb)
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-63M (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 596.9 - 606.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-64M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 581.9 - 591.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-65M (2001 to Present)
ZONE MONITORED: Zone 3
SCREEN INTERVAL: 566.9 - 576.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-66M (2001 to Present)
ZONE MONITORED: Zone 2
SCREEN INTERVAL: 583.3 - 593.3 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
B-67M (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 600.3 - 610.3 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
DNAPL SUMP (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 601.3 - 608.3 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
670
660
650
640
630
620
610
600
590
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
P- 2 (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 591.8 - 600.2 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
570
560
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
P- 3 (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 590.2 - 601.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
P- 4 (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 589.2 - 605.4 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25



WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
PW- 1 (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 590.2 - 607.1 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
660
650
640
630
620
610
600
590
580
570
560
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25


WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
PW- 2 (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: 562.4 - 603.9 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
570
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25


WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
PW- 3 (2001 to Present)
ZONE MONITORED: Top of Rock
SCREEN INTERVAL: 599.1 - 608.3 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25


WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
PW- 4 (2001 to Present)
ZONE MONITORED: Top of Rock/Zone 1
SCREEN INTERVAL: 586.5 - 601.7 ft MSL
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
CONCENTRATION (ppb)
DATE
670
660
650
640
630
620
610
600
590
580
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25


WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
QUARRY POND (2001 to Present)
ZONE MONITORED: N/A
SCREEN INTERVAL: N/A
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
660
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE


WATER LEVELS & CHLORINATED SOLVENT CONCENTRATIONS
T-002 (2001 to Present)
ZONE MONITORED: Zone 1
SCREEN INTERVAL: N/A
WaterLevel
Top of Rock
Zone 1
Zone 2
Zone 3
Zone 4
Total VOC
DCE
Vinyl Chloride
TCE
WL Trend
Total VOC Trend
DCE Trend
VC Trend
TCE Trend
WATER TABLE ELEVATION (ft)
660
650
640
630
620
610
600
590
580
570
CONCENTRATION (ppb)
100000
10000
1000
100
10
1
0.1
0.01
0.001
0.0001
0.00001
Jan-01
Jan-03
Jan-05
Jan-07
Jan-09
Jan-11
Jan-13
Jan-15
Jan-17
Jan-19
Jan-21
Jan-23
Jan-25
DATE

Appendix D

Water Quality Database January 2001 through December 2024

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-3M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1984		8260	< 5	< 5	8	16	< 5	< 250	< 250	< 160	< 110	< 5	< 79	24
3/1/1985		8260	< 2000	< 1000	< 1000	< 5000	< 1000	< 5	110000	< 3000	24000	< 5	< 2000	134000
5/1/1985		8260	< 500	< 300	< 500	< 1000	< 300	< 5	48000	1110	< 900	< 5	1300	50410
12/1/1985		8260	< 20	< 16	< 8	74	< 28	< 5	13000	160	7800	< 5	490	21524
4/1/1986		8260	< 200	< 100	220	140	< 100	< 5	5200	400	5500	< 5	1400	12860
7/1/1986		8260	< 50	< 50	190	75	< 50	< 5	14000	170	340	< 5	1700	16475
10/1/1986		8260	< 30	< 30	190	140	< 60	< 5	24000	170	4400	< 5	2400	31300
4/1/1987		8260	< 2	< 100	12	19	< 2	< 5	6700	45	260	< 5	270	7306
7/1/1987		8260	< 20	< 200	240	< 40	< 20	< 5	8600	570	3500	< 5	880	13790
10/1/1987		8260	< 20	< 400	78	85	< 10	< 5	12000	230	920	< 5	1900	15213
2/1/1988		8260	< 20	< 500	310	230	< 20	< 5	4100	450	1200	< 5	2600	8890
8/1/1988		8260	< 20	< 20	< 20	< 20	< 20	< 5	9700	< 20	< 20	< 5	1600	11300
11/1/1988		8260	< 1	< 100	70	39	1.5	< 5	1700	87	140	< 5	3200	5237.5
1/1/1989		8260	< 50	< 5	< 35	< 65	< 50	55	15000	< 15	< 200	< 15	1200	16255
4/1/1989		8260	< 1.2	< 0.5	250	220	< 1	75	17000	< 0.3	6800	< 0.3	2400	26745
7/1/1989		8260	< 100	< 50	170	110	< 100	81	17000	170	940	< 30	4000	22471
10/1/1989		8260	< 100	< 50	59	64	< 100	68	8300	< 30	140	< 30	2200	10831
1/1/1990		8260	< 100	< 50	270	250	< 500	150	34000	230	5700	< 30	3500	44100
4/1/1990		8260	< 25	< 13	23	< 25	< 125	< 25	4300	< 7.5	< 25	< 7.5	370	4693
7/1/1990		8260	< 100	< 50	270	540	< 500	290	40000	240	100	< 30	4900	46340
10/1/1990		8260	< 25	< 13	59	< 25	< 25	45	9800	140	< 25	< 7.5	1700	11744
1/1/1991		8260	< 10	< 5	< 7	16	< 50	< 10	2000	36	28	< 3	350	2430
5/1/1991		8260	< 120	< 50	160	< 130	< 250	130	17000	76	860	< 30	2400	20626
7/1/1991		8260	< 120	< 50	410	240	< 250	350	84000	170	360	< 30	12000	97530
10/1/1991		8260	< 240	< 100	< 140	< 260	< 500	< 200	8700	< 60	< 240	< 60	4500	13200
1/1/1992		8260	< 600	< 250	< 350	< 650	< 1250	< 500	11000	< 150	< 600	< 150	4400	15400
4/1/1992		8260	< 600	< 250	< 350	< 350	< 1250	< 500	32000	< 150	< 600	< 150	65000	97000
7/1/1992		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	67000	< 1500	< 1200	< 300	10000	77000
10/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	40000	< 30	170	< 30	6000	46170
1/1/1993		8260	< 120	< 50	120	140	< 250	< 100	23000	63	< 120	< 30	5800	29123
3/29/1993		8260	< 12	< 5	< 7	14	< 25	11	1800	< 5	< 12	< 3	850	2675
5/5/1993		8260	< 12	< 5	81	140	< 25	100	18000	33	< 15	< 3	6200	24554
6/3/1993		8260	< 12	< 5	68	81	29	110	15000	30	42	< 3	12000	27360
6/28/1993		8260	< 120	< 50	< 70	< 130	< 250	< 100	6200	51	890	< 30	2300	9441
8/5/1993		8260	< 12	< 5	35	< 13	< 25	30	5500	9.1	< 12	< 3	1100	6674.1
10/6/1993		8260	< 24	21	31	39	91	71	4600	13	31	< 6	1200	6097
7/6/1994		8260	< 1.2	< 0.5	89	44	< 2.5	100	8900	9.9	83	< 0.3	4900	14125.9
6/27/1995		8260	< 2	< 2	< 2	< 2	< 2	4	210	< 2	150	< 2	< 4	364
7/15/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.9	81	< 0.64	19	< 0.79	< 1.8	101.9
7/9/1997		8260	< 12	5.7	< 10	< 7	< 25	< 10	170	< 6.4	49	< 7.9	< 18	224.7
7/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	4.6	92	0.66 J	17	< 0.79	7.3	121.56
7/12/2000	A0483119	8021	< 1.2	< 1	1.6	0.68 J	< 2.5	5.3	180	0.32 J	7.3	< 1	8	203.2
7/13/2001	A1663812	8021	< 1.2	< 1	0.34 J	< 1	< 2.5	1.6	50	< 1	4.1	< 1	2	58.04
7/12/2002	A2713901	8021	< 1.6	< 1.6	2.4	< 1.6	2.2 J	13	360	< 1.6	36	1.8	18	433.4
7/8/2003	A3649103	8021	< 5.8	< 1.8	< 2	< 3.3	7.4	8.5	490	< 3.7	14	< 6.6	5	524.9
7/6/2004	A4636508	8021	< 2.9	< 1	2.6	4.4	< 2.5	7.3	190	< 1	29	< 1	18	251.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-3M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/14/2005	A5740501	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	3.8	75	< 1	6.7	< 1	7.7	93.2
7/14/2006	6G14010-08	8260	< 1	< 1	< 1	< 1	< 2	2	41	< 1	3	< 1	4	50
7/9/2007	7G10002-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	33	< 1	2	< 1	11	46
7/23/2008	5423254	8260	< 1	< 0.8	1.1 J	1 J	< 2	4.3 J	190	< 0.8	19	< 0.8	14	229.4
7/8/2009	5719621	8260	< 1	< 0.8	1.4 J	1.4 J	< 2	4.5 J	240	< 0.8	16	< 0.8	56	319.3
7/12/2010	6030552	8260	< 1	< 0.8	< 1	1 J	< 2	4.5 J	170	< 0.8	18	< 0.8	24	217.5
7/12/2011	6342650	8260	< 1	< 0.8	2.6 J	1.4 J	< 2	4.1 J	200	1.1 J	54	< 0.8	25	288.2
7/16/2012	6722028	8260	< 1	< 0.8	1.6 J	< 0.8	< 2	3.1 J	200	< 0.8	26	< 0.8	21	251.7
7/8/2013	7120727	8260	< 1	< 0.8	1.7 J	1.2 J	< 2	2.8 J	160	1.1 J	100	< 0.8	22	288.8
7/8/2014	7526285	8260	< 0.5	< 0.5	2.2	0.57 J	< 2	2	110	0.52 J	66	< 0.5	20	201.29
7/8/2015	7960005	SW8260C	< 0.5	< 0.5	0.59 J	0.57 J	< 2	2.5	80	< 0.5	31	< 0.5	9.3	123.96
12/12/2016	240-73361-6	8260C	< 1.7	< 1.7	0.72 J	< 1.7	2	0.65 J	44	< 1.7	7.1	< 1.7	36	90.47
4/26/2017	240-78855-5	8260C	< 3.3	< 3.3	1.3 J	< 3.3	< 3.3	1.9 J	110	< 3.3	26	< 3.3	14	153.2
11/3/2017	240-87694-2	8260C	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	1.8 J	130	< 2.5	18	< 2.5	84	233.8
4/16/2018	240-94331-3	8260C	< 8.3	< 8.3	2.1 J	< 8.3	< 8.3	< 8.3	170	< 8.3	150	< 8.3	< 8.3	322.1
9/27/2018	240-102125-7	8260C	< 2.5	< 2.5	1.2 J	0.80 J	< 13	1.1 J	80	< 2.5	11	< 2.5	94	188.1
4/9/2019	240-110803-15	8260C	< 4.0	< 4.0	0.93 J	< 4.0	< 20	2.0 J	140	< 4.0	97	< 4.0	0.89 J	240.82
11/20/2019	240-122631-11	624.1_L	< 10	< 10	< 10	< 10	< 50	< 5.0	240	2.9 J	280	2.0 J	< 10	524.9
4/1/2020	240-128428-4	8260C	< 10	< 10	4.9 J	< 10	< 50	2.1 J	180	3.7 J	330	1.5 J	< 10	522.2
10/28/2020	240-139255-1	8260C	< 2.0	< 2.0	0.54 J	< 2.0	< 10	0.44 J	29	< 2.0	6.4	< 2.0	90	126.38
4/27/2021	240-148317-11	8260C	< 10	< 10	4.5 J	2.3 J	< 50	3.4 J	300	2.8 J	340	1.5 J	< 10	654.5
10/27/2021	240-159076-13	8260C	< 2.0	< 2.0	12	5.5	< 10	5.2	940 D	4.5	1200 D	3.6	2.5	2173.3
4/11/2022	240-165070-2	8260C	< 40	< 40	24 J	< 40	< 200	< 40	520	< 40	1400	< 40	< 40	1944
10/19/2022	240-175103-1	8260D	< 2.0	< 2.0	1.7 J	1.2 J	< 10	1.6 J	79	< 2.0	72	< 2.0	100	255.5
3/20/2023	240-182590-1	8260D	< 50	< 50	53	< 50	< 250	< 50	740	< 50	2200	< 50	< 50	2993
10/18/2023	240-194049-8	8260D	< 50	< 50	< 50	< 50	< 250	< 50	600	< 50	960	< 50	< 50	1560
4/17/2024	240-203148-23	8260D	< 50	< 50	43 J	< 50	< 250	< 50	1000	< 50	1300	< 50	< 50	2343
10/24/2024	240-213779-7	8260D	< 2.0	< 2.0	6.1	2.7	< 2.0	6.8	410	2.6	420	2.8	6.3	857.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-4M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1984		8260	< 5	8	< 5	< 5	< 5	< 5	10	< 5	14	< 5	< 5	32
3/1/1985		8260	< 50	< 50	< 50	< 200	< 50	< 5	4500	< 80	670	< 5	< 70	5170
5/1/1985		8260	< 20	< 10	< 20	< 50	< 30	< 5	340	< 30	180	< 5	< 70	520
12/1/1985		8260	< 2.8	< 1.6	6.6	4.2	5.6	< 5	1100	< 3.8	560	< 5	17	1693.4
4/1/1986		8260	< 20	< 10	< 20	< 20	15	< 5	3000	18	990	< 5	39	4062
7/1/1986		8260	< 2	< 2	6.2	< 2	< 2	< 5	390	< 2	73	< 5	18	487.2
10/1/1986		8260	< 10	< 50	< 10	< 20	< 20	< 5	650	< 70	170	< 5	< 30	820
4/1/1987		8260	< 1	< 1	5.7	6.9	< 1	< 5	1400	1.3	580	< 5	75	2068.9
7/1/1987		8260	< 1	< 30	1.7	< 2	< 1	< 5	700	< 1	21	< 5	5.6	728.3
10/1/1987		8260	< 1	< 5	4.2	< 1	< 1	< 5	550	< 1	48	< 5	11	613.2
2/1/1988		8260	< 1	< 20	7.6	2.9	< 1	< 5	1300	< 1	410	< 5	29	1749.5
8/1/1988		8260	< 1	< 1	< 1	< 1	< 1	< 5	360	< 1	4	< 5	< 2	364
11/1/1988		8260	< 1	< 1	< 1	< 1	< 1	< 5	95	< 1	21	< 5	< 1	116
1/1/1989		8260	< 0.1	< 5	2.5	1.3	0.3	8.6	200	< 0.03	57	< 0.03	37	306.7
4/1/1989		8260	< 0.1	< 0.05	7.3	7.5	< 0.1	14	450	< 0.03	220	< 0.03	49	747.8
7/1/1989		8260	< 1.2	< 0.5	4.1	3.4	< 2.5	7.6	380	< 0.3	120	< 0.3	54	569.1
10/1/1989		8260	< 1	< 0.5	< 0.7	3.9	< 1	10	410	8.8	12	< 0.3	18	462.7
1/1/1990		8260	< 10	< 5	5.3	< 10	< 50	18	440	< 3	130	< 3	51	644.3
4/1/1990		8260	< 1	< 0.5	3.5	< 1	< 5	7.9	570	< 0.3	130	< 0.3	26	737.4
7/1/1990		8260	< 1	< 0.5	0.8	< 1	< 5	3.2	180	< 0.3	13	< 0.3	8.6	205.6
10/1/1990		8260	< 1	< 0.5	5.1	1.8	< 1	12	37	< 0.3	51	< 0.3	25	131.9
1/1/1991		8260	< 10	< 5	< 7	< 10	< 50	< 10	870	34	120	< 3	47	1071
5/1/1991		8260	< 24	< 10	< 14	< 26	< 50	< 20	880	< 6	200	< 6	< 36	1080
7/1/1991		8260	< 24	< 10	< 14	< 26	< 50	< 20	280	< 6	< 24	< 6	< 36	280
10/1/1991		8260	< 60	< 25	< 35	< 65	< 130	< 50	190	< 15	< 60	< 60	< 90	190
1/1/1992		8260	< 24	< 10	< 14	< 26	< 50	< 20	260	< 6	< 24	< 6	< 36	260
4/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	2100	< 300	380	< 30	< 180	2480
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	1800	< 200	260	< 30	< 180	2060
10/1/1992		8260	< 12	< 5	14	< 13	< 25	19	2900	72	490	< 3	210	3705
1/1/1993		8260	< 12	< 5	11	< 13	< 25	17	1800	< 3	300	< 3	120	2248
3/30/1993		8260	< 12	< 5	< 7	14	< 25	11	1800	< 5	< 12	< 3	850	2675
6/3/1993		8260	< 1.2	< 0.5	4.5	2.1	< 2.5	13	350	< 0.5	22	< 0.3	58	449.6
6/28/1993		8260	< 1.2	< 0.5	3.3	< 1.3	< 2.5	< 5.3	330	< 0.5	21	< 0.3	5.3	359.6
8/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.7	93	< 0.5	7.5	< 0.3	3.5	105.7
10/7/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 10	100	< 0.5	9	< 0.3	2.5	111.5
7/7/1994		8260	< 1.2	< 0.5	1.4	< 1.3	< 2.5	4.9	200	< 0.5	22	< 0.3	2.2	230.5
6/27/1995		8260	< 1	4.2	< 1	< 1	< 1	3.3	120	< 1	14	< 1	< 2	141.5
7/15/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	310	< 6.4	38	< 7.9	< 18	348
7/9/1997		8260	< 12	7.8	< 10	< 7	< 25	< 10	150	< 6.4	27	< 7.9	< 18	184.8
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	4.8	130	< 0.64	29	< 0.79	2.5	166.3
7/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.1	42	< 0.64	5.8	< 0.79	< 1.8	48.9
7/11/2000	A0483110	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.3	60	< 1	3.9	< 1	1.1 J	66.3
7/13/2001	A1663816	8021	< 1.2	< 1	< 1	< 1	0.58 J	1.6	61	< 1	5.5	< 1	1.5 J	70.18
7/12/2002	A2713906	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.5	47	< 1	5	< 1	5.6	59.1
7/8/2003	A3649109	8021	< 1.2	< 1	< 1	< 1	< 2.5	2.3	67	< 1	7.8	< 1	6.4	83.5
7/6/2004	A4636506	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.9	38	< 1	8.2	< 1	10	58.1

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-4M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/14/2005	A5740502	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	1.8	36	< 1	5.4	< 1	12	55.2
7/14/2006	6G14010-07	8260	< 1	< 1	< 1	< 1	< 2	2	28	< 1	5	< 1	20	55
7/9/2007	7G10002-02	8260	< 1	< 1	< 1	< 1	< 2	1	24	< 1	4	< 1	22	51
7/23/2008	5423255	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.8 J	41	< 0.8	5.1	< 0.8	12	59.9
7/9/2009	5720682	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	20	< 0.8	1.8 J	< 0.8	5.1	26.9
7/12/2010	6030548	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	35	< 0.8	250	< 0.8	1.8 J	287.9
4/12/2011	6256727	8260	< 1	< 0.8	1.6 J	0.95 J	< 2	5.6	120	< 0.8	29	< 0.8	9.7	166.85
7/13/2011	6343981	8260	< 1	< 0.8	< 1	< 0.8	< 2	2.2 J	59	< 0.8	7.1	< 0.8	11	79.3
7/17/2012	6723837	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.6 J	41	< 0.8	4.9 J	< 0.8	7.9	55.4
7/8/2013	7120735	8260	< 1	< 0.8	1.3 J	0.81 J	< 2	5	89	< 0.8	28	< 0.8	10	134.11
7/8/2014	7526297	8260	< 0.5	< 0.5	0.91 J	0.8 J	< 2	4.1	58	< 0.5	22	< 0.5	9.7	95.51
7/8/2015	7960010	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	1.1	34	< 0.5	4.7	< 0.5	8	47.8

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-5M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1984		8260	< 5	< 5	< 5	< 5	< 5	< 5	69	< 5	270	< 5	8	347
3/1/1985		8260	< 5	< 5	< 5	< 10	< 5	< 5	53	< 5	14	< 5	< 5	67
5/1/1985		8260	< 4	< 2	< 4	< 10	< 2	< 5	19	< 6	7.9	< 5	< 5	26.9
12/1/1985		8260	< 2.8	< 1.6	< 4.7	< 3.8	8.4	< 5	31	< 3.8	30	< 5	10	79.4
4/1/1986		8260	< 0.4	< 0.2	0.7	< 0.4	< 0.2	< 5	20	< 0.4	5.4	< 5	1	27.1
1/1/1987		8260	< 0.2	< 0.4	0.3	< 0.2	< 0.2	< 5	35	< 0.2	20	< 5	3.7	59
4/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	13	< 0.2	7.3	< 5	< 0.2	20.3
7/1/1987		8260	< 0.2	< 0.6	< 0.4	< 0.4	< 0.2	< 5	27	< 0.2	8.3	< 5	1.2	36.5
10/1/1987		8260	< 0.2	< 0.4	< 0.2	< 0.2	< 0.2	< 5	28	< 0.2	9.4	< 5	2.1	39.5
2/1/1988		8260	< 0.2	< 1	0.6	< 0.4	< 0.2	< 5	39	< 0.2	33	< 5	3.5	76.1
8/1/1988		8260	< 1	< 1	< 1	< 1	< 1	< 5	24	< 1	28	< 5	< 2	52
11/1/1988		8260	< 0.2	< 0.2	0.9	< 0.2	< 1	< 5	23	< 0.2	38	< 5	2.6	64.5
1/1/1989		8260	< 0.2	< 5	0.2	< 0.1	< 0.1	0.3	11	0.8	9.2	< 0.03	3.2	24.7
4/1/1989		8260	< 0.1	< 0.05	1.6	0.5	< 0.1	0.4	15	< 0.03	140	< 0.03	1.8	159.3
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	6.2	< 0.3	77	< 0.3	< 1.8	83.2
10/1/1989		8260	< 1	< 0.5	1.5	< 1	< 1	< 1	15	4.3	130	< 0.3	3.1	153.9
1/1/1990		8260	< 1	< 0.5	3.3	< 1	< 5	< 1	31	9.6	410	< 0.3	1.9	455.8
4/1/1990		8260	< 1	< 0.5	3	< 1	< 5	< 1	14	4.6	150	< 0.3	< 1	171.6
7/1/1990		8260	< 1	< 0.5	1	< 1	< 5	< 1	15	4.2	160	< 0.3	< 1	180.2
10/1/1990		8260	< 1	< 0.5	1.8	12	< 1	< 1	14	0.4	130	< 0.3	< 1	158.2
2/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	25	5	370	< 0.3	< 1	400
5/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	14	< 3	290	< 3	< 18	304
7/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	< 10	< 3	220	< 3	< 18	220
10/1/1991		8260	< 6	< 2.5	< 3.5	< 6.5	< 13	< 5	21	< 1.5	240	< 1.5	< 9	261
1/1/1992		8260	< 6	< 2.5	< 3.5	< 6.5	< 13	< 5	59	< 1.5	200	< 1.5	< 9	259
4/1/1992		8260	< 6	< 2.5	< 3.5	< 6.5	< 7.5	< 5	18	< 1.5	380	< 1.5	< 9	398
7/1/1992		8260	< 6	< 2.5	< 3.5	< 6.5	< 13	< 5	< 5	< 1.5	310	< 1.5	< 9	310
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	15	1.2	240	< 0.3	< 1.8	256.2
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	13	0.81 *	210	< 0.3	< 1.8	223.81
3/31/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	25	1.5	170	< 3	2.2	198.7
6/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	23	0.69	130	< 0.3	2.9	156.59
10/7/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	11	0.69	52	< 0.3	< 1.8	63.69
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	9.7	< 0.5	41	< 0.3	< 1.8	50.7
6/27/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	11	< 1	25	< 1	< 2	36
7/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	23	< 0.64	37	< 0.79	< 1.8	60
7/9/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.2	33	< 0.64	46	< 0.79	< 1.8	80.2
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	38	< 0.64	25	< 0.79	< 1.8	63
7/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.6	28	< 0.64	33	< 0.79	< 1.8	62.6
7/11/2000	A0483109	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.23 J	17	< 1	12	< 1	0.34 J	29.57
7/13/2001	A1663817	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.47 J	18	< 1	20	< 1	< 1.8	38.47
7/15/2002	A2723102	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.8	< 1	9.5	< 1	< 1.8	13.3
7/10/2003	A3654101	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.5	< 1	13	< 1	< 1.8	17.5
7/7/2004	A4636503	8021	< 1.4	< 1	< 1	< 1	< 2.5	1.1	16	< 1	72	< 1	< 1.8	89.1
7/12/2005	A5733201	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.8	< 1	12	< 1	< 1.8	15.8
7/18/2006	6G19003-09	8260	< 1	< 1	< 1	< 1	6 B	< 1	9	< 1	36	< 1	< 2	51
7/9/2007	7G10002-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	6	< 1	< 2	8

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-5M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/23/2008	5423256	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.5 J	54	< 0.8	290	< 0.8	3 J	348.5
7/13/2009	5722293	8260	< 1	< 0.8	< 1	< 0.8	< 2	1 J	20	< 0.8	82	< 0.8	< 1	103
7/12/2010	6030549	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	33	< 0.8	3.9 J	< 0.8	17	55.2
7/25/2011	6355555	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	22	< 0.8	150	< 0.8	1.3 J	174.4
7/16/2012	6722026	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	33	< 0.8	260	< 0.8	1.8 J	296.1
7/9/2013	7122572	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.4 J	< 0.8	25	< 0.8	< 1	28.4
7/8/2014	7526295	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	1	16	< 0.5	93	< 0.5	1.7	111.7
7/8/2015	7960012	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	4.2	< 0.5	29	< 0.5	< 0.5	33.2
10/19/2022	240-175103-4	8260D	< 13	< 13	< 13	< 13	< 63	< 13	110	< 13	670	< 13	< 13	780

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-6M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1984		8260	< 5	14	< 5	< 5	2	< 5	< 5	< 5	2	< 5	< 5	18
3/1/1985		8260	< 5	< 5	< 5	< 10	< 5	< 5	41	< 5	41	< 5	< 5	82
5/1/1985		8260	< 2	< 1	< 2	< 5	< 1	< 5	9.4	< 3	31	< 5	< 2	40.4
12/1/1985		8260	< 2.8	< 1.6	< 4.7	< 2.8	7.6	< 5	17	< 3.8	49	< 5	< 10	73.6
4/1/1986		8260	< 0.4	< 0.2	< 0.4	< 0.4	< 0.2	< 5	12	0.2	38	< 5	0.8	51
7/1/1986		8260	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 5	8.4	< 0.4	25	< 5	1.4	34.8
10/1/1986		8260	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 5	23	< 0.4	97	< 5	3.6	123.6
1/1/1987		8260	< 0.2	< 0.4	< 0.2	< 0.2	< 0.2	< 5	32	< 0.2	86	< 5	3.2	121.2
4/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	1.8	< 0.2	2.8	< 5	< 0.2	4.6
7/1/1987		8260	< 0.2	< 0.6	< 0.4	< 0.4	< 0.2	< 5	25	< 0.2	50	< 5	1.4	76.4
10/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	3.1	< 0.2	7.9	< 5	< 0.4	11
2/1/1988		8260	< 0.2	< 0.8	< 0.2	< 0.4	< 0.2	< 5	43	< 0.2	180	< 5	3.9	226.9
8/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	25	< 0.2	120	< 5	5	150
11/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 1	< 5	64	< 0.2	120	< 5	2.6	186.6
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	0.6	11	< 0.03	99	< 0.03	5.3	115.9
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	2	< 0.03	15	< 0.03	< 0.2	17
7/1/1989		8260	< 1.2	0.7	< 0.7	< 1.3	< 2.5	< 1	1.7	< 0.3	18	< 0.3	6.6	27
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	4.3	< 0.3	40	< 0.3	1.2	45.5
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	24	< 0.3	260	< 0.3	7.1	291.1
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	9.1	< 0.3	88	< 0.3	< 1	97.1
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	11	< 0.3	140	< 0.3	4.6	155.6
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	9.7	24	120	< 0.3	4.7	158.4
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	23	2	350	< 0.3	7.1	382.1
5/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	16	< 3	140	< 3	< 18	156
7/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	< 10	< 3	160	< 3	< 18	160
10/1/1991		8260	< 6	< 2.5	< 3.5	< 6.5	< 13	< 5	93	2.5	290	< 1.5	< 9	385.5
1/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	< 10	< 3	110	< 3	< 18	110
4/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	19	< 3	200	< 3	< 18	219
7/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	< 10	< 20	130	< 3	< 18	130
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	8.2	< 0.3	130	< 0.3	< 1.8	138.2
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	12	< 0.3	160	< 0.3	< 1.8	172
3/31/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	13	< 0.5	120	< 0.3	2.1	135.1
6/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	19	0.6	130	< 0.3	3.1	152.7
10/7/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	13	< 0.5	120	< 0.3	2.5	135.5
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	13	< 0.5	160	< 0.3	1.9	174.9
4/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	16	< 0.5	60	< 0.3	< 1.8	76
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	11	< 0.5	77	< 0.3	< 1.8	88
10/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	2.4	14	< 0.5	110	< 0.3	3.1	129.5
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	5.8	< 1	61	< 1	< 2	66.8
4/5/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	1.3	< 1	12	< 1	< 2	13.3
6/27/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	5.5	< 1	40	< 1	< 2	45.5
10/10/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	9	< 0.64	64	< 0.79	< 1.8	73
1/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	6	< 0.64	59	< 0.79	< 1.8	65
4/4/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	9	< 0.64	76	< 0.79	< 1.8	85
7/16/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	7	< 0.64	57	< 0.79	< 1.8	64
10/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	5	< 0.64	50	< 0.79	< 1.8	55

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-6M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/30/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	5	< 0.64	62	< 0.79	< 1.8	67
4/17/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	4	< 0.64	49	< 0.79	< 1.8	53
7/9/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	36	< 0.79	< 1.8	39
10/24/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	4	< 0.64	58	< 0.79	< 1.8	62
1/19/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	49	< 0.79	< 1.8	52
4/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	34	< 0.79	< 1.8	37
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	31	< 0.79	< 1.8	34
10/8/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	22	< 0.79	< 1.8	25
1/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	15	< 0.79	< 1.8	18
4/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	28	< 0.79	< 1.8	31
7/28/1999		8260	< 1.2	1.3 J	< 1	< 0.7	< 2.5	< 1	4	< 0.64	33	< 0.79	< 1.8	38.3
10/14/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.72 J	< 1	7.5	< 1	< 1.8	8.22
1/11/2000	A0018407	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.1	< 1	28	< 1	< 1.8	31.1
4/19/2000	A0259405	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.2	< 1	21	< 1	< 1.8	24.2
7/11/2000	A0483111	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	14	< 1	< 1.8	15.2
10/18/2000	A0751309	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.5	< 1	19	< 1	< 1.8	20.5
1/16/2001	A1043907	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.7	< 1	16	< 1	< 1.8	18.7
4/16/2001	A1345808	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	1.8	< 1.1	18	< 1.1	< 1.8	19.8
7/13/2001	A1663814	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.1	< 1	12	< 1	< 1.8	13.1
10/10/2001	A1994701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.7	< 1	19	< 1	< 1.8	20.7
1/23/2002	A2076801	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.66 J	27	< 1	51	< 1	< 1.8	78.66
4/12/2002	A2351803	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	9.8	< 1	100	< 1	< 1.8	109.8
7/12/2002	A2713909	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	11	< 1	69	< 1	< 1.8	80
10/8/2002	A2999301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	9.1	< 1	52	< 1	< 1.8	61.1
1/21/2003	A3069002	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	6.3	< 1	47	< 1.3	< 1.8	53.3
4/9/2003	A3329501	8021	< 1.2	< 1	< 1	< 1	24	< 1	8.1	< 1	48	< 1.3	< 1.8	80.1
7/8/2003	A3649108	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	9.4	< 1	60	< 1.3	< 1.8	69.4
10/13/2003	A3991405	8021	< 2.9	< 1	< 1	< 1.6	< 2.5	< 1	34	< 1	130	< 1	< 1.8	164
1/28/2004	A4077401	8021	< 2.9	< 1	< 1	< 1.6	2.9	< 1	37	< 1	260	< 1	< 1.8	299.9
4/20/2004	A4356802	8021	< 2.9	< 1	< 1	< 1.6	< 2.5	< 1	22	< 1	240	< 1	< 1.8	262
7/7/2004	A4636502	8021	< 2.9	< 1	< 1	< 1.6	< 2.5	< 1	16	< 1	130	< 1	< 1.8	146
10/21/2004	A4A48001	8021	< 2	< 2	< 2	< 2	< 2	< 2	18	< 2	100 E	< 2	< 2	118
1/17/2005	A5044302	8260	< 1.2	< 1.6	< 1.9	< 1	< 2.5	< 1.6	10	< 1.3	110	< 1.3	< 2.9	120
4/5/2005	A5317802	8260	< 1.2	< 1	< 1	< 1	0.93 J	< 1	6.7	< 1	95 D	0.55 J	< 1.8	103.18
7/12/2005	A5733202	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	6.2	< 1	58	< 1	< 1.8	64.2
10/5/2005	A5B10602	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.64 J	22	< 1	97	< 1	1.1 J	120.74
1/24/2006	A6089111	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.3	< 1	61	< 1	< 1.8	68.3
4/12/2006	6D13005-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	10	< 1	99	< 1	< 2	109
7/18/2006	6G19003-14	8260	< 1	< 1	< 1	< 1	5 B	< 1	18	< 1	109	< 1	< 2	132
10/10/2006	6J11002-06	8260	< 1	< 1	< 1	< 1	< 2	2	73	< 1	414 D	< 1	4	493
1/9/2007	7A10006-03	8260	< 1	< 1	< 1	< 1	3 B	< 1	21	< 1	205 D	< 1	< 2	229
4/4/2007	7D05011-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	13	< 1	150	< 1	< 2	163
7/11/2007	7G12003-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	13	< 1	137	< 1	< 2	150
10/10/2007	7J11002-02	8260	< 1	< 1	< 1	< 1	< 2	1	45	< 1	258 D	< 1	3	307
1/8/2008	8A09005-06	8260	< 2	< 2	< 2	< 2	4	3	99	< 2	500 D	< 2	< 4	606
4/7/2008	8D08002-06	8260	< 5	< 5	< 5	< 5	18 B	< 5	33	< 5	346	< 5	< 10	397
7/22/2008	5422164	8260	< 1	< 0.8	< 1	< 0.8	< 2	1 J	26	< 0.8	230	< 0.8	< 1	257
10/17/2008	5502671	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	10	< 0.8	95	< 0.8	< 1	105
1/15/2009	5578622	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.92 J	26	< 0.8	210	< 0.8	< 1	236.92

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-6M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/16/2009	5649163	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.9 J	27	< 0.8	270	< 0.8	< 1	297.9
7/9/2009	5720687	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.86 J	23	< 0.8	230	< 0.8	< 1	253.86
10/6/2009	5799016	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.89 J	21	< 0.8	190	< 0.8	< 1	211.89
1/20/2010	5888924	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.93 J	36	< 0.8	250	< 0.8	< 1	286.93
4/6/2010	5946900	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	23	< 0.8	280	< 0.8	< 1	303
7/20/2010	6038216	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	16	< 0.8	170	< 0.8	< 1	186
10/18/2010	6115536	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	12	< 0.8	130	< 0.8	< 1	142
1/24/2011	6190820	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	20	< 0.8	160	< 0.8	< 1	180
4/12/2011	6256726	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	16	< 0.8	190	< 0.8	< 1	206
7/21/2011	6353674	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	16	< 0.8	190	< 0.8	< 1	206
10/10/2011	6433664	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	10	< 0.8	110	< 0.8	< 1	120
1/17/2012	6524419	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.82 J	22	< 0.8	280	< 0.8	< 1	302.82
4/3/2012	6605294	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	19	< 0.8	250	< 0.8	< 1	269
7/17/2012	6723840	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	16	< 0.8	200	< 0.8	< 1	216
10/3/2012	6812009	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.86 J	19	< 0.8	240	< 0.8	< 1	259.86
1/23/2013	6932568	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.2 J	40	< 0.8	350	< 0.8	< 1	391.2
4/8/2013	7015025	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.8 J	23	< 0.8	220	< 0.8	< 1	243.8
7/15/2013	7128199	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	12	< 0.8	160	< 0.8	< 1	172
11/13/2013	7276546	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	17	< 0.8	260	< 0.8	< 1	277
1/17/2014	7341388	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	13	< 0.8	190	< 0.8	< 1	203
4/14/2014	7430454	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	7.3	< 0.5	100	< 0.5	< 0.5	107.3
7/10/2014	7529507	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	6	< 0.5	88	< 0.5	< 0.5	94
10/2/2014	7623670	8260	< 0.5	1.7	< 0.5	< 0.5	< 2	0.59 J	12	< 0.5	140	< 0.5	< 0.5	154.29
1/8/2015	7734018	8260	< 0.5	4.4	< 0.5	< 0.5	< 2	0.87 J	31	< 0.5	350	< 0.5	< 0.5	386.27
4/14/2015	7847245	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	10	< 0.5	51	< 0.5	< 0.5	61
7/6/2015	7956060	SW8260C	< 0.5	1.3	< 0.5	< 0.5	< 2	0.68 J	26	< 0.5	260	< 0.5	< 0.5	287.98
10/7/2015	8080776	SW8260C	< 0.5	0.96 J	< 0.5	< 0.5	< 2	0.97 J	42	< 0.5	310	< 0.5	0.59 J	354.52
1/7/2016	8199648	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.9	< 0.5	55	< 0.5	< 0.5	57.9
12/7/2016	240-73270-5	8260C	< 10	< 10	< 10	< 10	< 10	< 10	22	< 10	240	< 10	< 10	262
5/4/2017	240-79160-10	8260C	< 6.3	< 6.3	< 6.3	< 6.3	< 6.3	< 6.3	13	< 6.3	180	< 6.3	< 6.3	193
11/3/2017	240-87694-4	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	16	< 5.0	210	< 5.0	< 5.0	226
4/13/2018	240-94116-15	8260C	< 13	< 13	< 13	< 13	< 13	< 13	15	< 13	270	< 13	< 13	285
9/28/2018	240-102125-18	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	14	< 4.0	170	< 4.0	< 4.0	184
4/4/2019	240-110627-14	8260C	< 2.5	< 2.5	< 2.5	< 2.5	< 13	< 2.5	7.9	< 2.5	72	< 2.5	< 2.5	79.9
11/21/2019	240-122893-3	624.1_L	< 4.0	< 4.0	< 4.0	< 4.0	< 20	0.92 J	29	< 4.0	200	< 4.0	< 4.0	229.92
3/25/2020	240-128236-1	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	12	< 5.0	120	< 5.0	< 5.0	132
10/29/2020	240-139252-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	1.1	< 1.0	< 1.0	1.1
4/23/2021	240-148185-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	4.4 J	< 1.0	1.6	< 1.0	9.1	< 1.0	< 1.0	15.1
10/27/2021	240-159076-11	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.79 J	39	< 1.0	260 D	< 1.0	< 1.0	299.79
4/13/2022	240-165066-8	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	12	< 4.0	130	< 4.0	< 4.0	142
10/19/2022	240-175103-8	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	6.2	< 1.0	43	< 1.0	< 1.0	49.2
3/24/2023	240-182590-8	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.84 J	28	< 1.0	270	< 1.0	< 1.0	298.84
10/20/2023	240-194049-18	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.5	< 1.0	24	< 1.0	< 1.0	26.5
4/18/2024	240-203148-30	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.78 J	20	< 1.0	170	< 1.0	< 1.0	190.78
10/23/2024	240-213779-4	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3.7	< 1.0	25	< 1.0	< 1.0	28.7

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-7M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1984		8260	< 5	3	< 5	< 5	1	< 5	< 5	< 5	7	< 5	< 5	11
3/1/1985		8260	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 2	< 5	< 2	0
5/1/1985		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 5	< 1	0
12/1/1985		8260	< 2.8	< 1.6	< 4.7	< 2.8	5.4	< 1.6	< 1.6	< 3.8	6.8	< 5	< 10	12.2
4/1/1986		8260	< 0.4	< 0.2	< 0.4	< 0.4	< 0.2	< 5	0.5	< 0.2	2.6	< 5	< 0.4	3.1
7/1/1986		8260	< 0.4	< 0.2	< 0.2	< 0.4	< 0.2	< 5	1.3	< 0.2	1.1	< 5	< 0.4	2.4
10/1/1986		8260	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 5	0.9	< 0.4	0.4	< 5	< 0.4	1.3
1/1/1987		8260	< 0.2	< 0.4	< 0.2	< 0.2	< 0.2	< 5	1.9	< 0.2	9.6	< 5	< 0.2	11.5
4/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	1.3	< 0.2	3.9	< 5	< 0.2	5.2
7/1/1987		8260	< 0.2	< 0.2	< 0.4	< 0.4	< 0.2	< 5	1	< 0.2	1.5	< 5	< 0.6	2.5
10/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	1.6	< 0.2	< 0.2	< 5	< 0.4	1.6
2/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	1.4	< 0.2	20	< 5	< 0.2	21.4
8/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	2	< 0.2	29	< 5	< 0.4	31
11/1/1988		8260	11	< 0.2	< 0.2	< 0.2	< 0.2	< 5	2.8	< 0.2	< 0.2	< 5	< 0.2	13.8
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	< 0.1	1	< 0.03	9	< 0.03	< 0.2	10
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	31	< 0.03	7.3	< 0.03	< 0.2	38.3
7/1/1989		8260	< 1.2	0.7	< 0.7	< 1.3	< 2.5	< 1	1.4	< 0.3	22	< 0.3	< 1.8	24.1
10/1/1989		8260	5.7	< 0.5	< 0.7	< 1	< 1	< 1	2.2	< 0.3	35	< 0.3	< 1	42.9
1/1/1990		8260	< 1	1	< 0.7	< 1	< 5	< 1	6.4	< 0.3	200	< 0.3	< 1	207.4
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	9.5	< 0.3	28	< 0.3	< 1	37.5
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	1.3	< 0.3	41	< 0.3	< 1	42.3
10/1/1990		8260	< 1	< 0.5	< 0.7	3	< 1	< 1	3.2	< 0.3	81	< 0.3	< 1	87.2
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	5.5	14	130	0.3	< 1	149.8
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.1	< 0.3	46	< 0.3	< 1.8	47.1
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	58	< 0.3	< 1.8	58
10/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	< 10	< 3	330	< 3	< 18	330
1/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	< 10	< 3	380	< 3	< 18	380
4/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	< 10	< 3	87	< 3	< 18	87
7/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	< 10	< 10	< 84	< 3	< 18	0
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 2.1	< 0.3	58	< 0.3	< 1.8	58
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	2.1	< 0.3	29	< 0.3	< 1.8	31.1
3/31/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.4	< 0.5	32	< 0.3	< 1.8	33.4
6/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	1.6	9.4	< 0.3	< 1.8	11
10/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.4	< 0.5	19	< 0.3	< 1.8	20.4
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	5.8	< 0.3	< 1.8	5.8
4/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	0.93	< 0.5	23	< 0.3	< 1.8	23.93
7/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1	< 0.5	41	< 0.3	< 1.8	42
10/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	2.2	< 0.5	14	< 0.3	< 1.8	16.2
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	2.3	< 1	14	< 1	< 2	16.3
4/5/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	7.5	< 1	< 2	7.5
6/27/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	6.8	< 1	< 2	6.8
10/9/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	13	< 0.79	< 1.8	16
1/9/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	2	< 0.64	12	< 0.79	< 1.8	14
4/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	2	< 0.64	14	< 0.79	< 1.8	16
7/16/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	2	< 0.64	15	< 0.79	< 1.8	17
10/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	5.6	< 0.79	< 1.8	5.6

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-7M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/30/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	2	< 0.64	11	< 0.79	< 1.8	13
4/17/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	7.5	< 0.79	< 1.8	7.5
7/8/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	2	< 0.64	6	< 0.79	< 1.8	8
10/24/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	6.4	< 0.79	< 1.8	6.4
1/19/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	9.3	< 0.79	< 1.8	9.3
4/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	5.9	< 0.79	< 1.8	5.9
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	6.6	< 0.79	< 1.8	6.6
10/8/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	5.8	< 0.79	< 1.8	5.8
1/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	1	< 0.64	5.6	< 0.79	< 1.8	6.6
4/15/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	2	< 0.64	7.1	< 0.79	< 1.8	9.1
7/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	2	< 0.64	5.4	< 0.79	< 1.8	7.4
10/11/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	3	< 1	< 1.8	3
1/10/2000	A0018401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	3.5	< 1	< 1.8	5.1
4/20/2000	A0263904	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2	< 1	5.5	< 1	< 1.8	7.5
7/18/2000	A0500416	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.36 J	< 1	2	< 1	< 1.8	2.36
10/18/2000	A0751310	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.49 J	< 1	3	< 1	< 1.8	3.49
1/11/2001	A1035103	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.8	< 1	2.2	< 1	< 1.8	4
4/20/2001	A1366402	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	2.9	< 1.1	3.2	< 1.1	< 1.8	6.1
7/12/2001	A1663801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.5 J	< 1	1.8	< 1	< 1.8	2.3
10/10/2001	A1994702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.59 J	< 1	1.9	< 1	< 1.8	2.49
1/21/2002	A2066003	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.1	< 1	4.6	< 1	< 1.8	5.7
4/11/2002	A2348301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.5	< 1	11	< 1	< 1.8	12.5
7/11/2002	A2708314	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.3	< 1	7.7	< 1	< 1.8	10
10/8/2002	A2999307	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.8	< 1	7.2	< 1	< 1.8	9
1/16/2003	A3055803	8021	< 1.2	3.1	< 1	< 1	< 2.5	< 1	0.92 J	< 1	4	< 1	< 1.8	8.02
4/8/2003	A3329504	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.3	< 1	8.6	< 1	< 1.8	10.9
7/8/2003	A3649101	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.85 J	< 1	5.4	< 1	< 1.8	6.25
10/10/2003	A3983901	8021	< 1.4	< 1	< 1	< 1	< 2.5	< 1	28	< 1	63	< 1	< 1.8	91
1/9/2004	A4026201	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	6.7	< 1	25	< 1	< 1.8	31.7
4/14/2004	A4331802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.4	< 1	21	< 1	< 1.8	25.4
6/30/2004	A4619301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.7	< 1	18	< 1	< 1.8	21.7
10/26/2004	A4A60202	8021	< 1	< 1	< 1	< 1	< 1	< 1	3.9	< 1	12	< 1	< 1	15.9
1/18/2005	A5051004	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.3	< 1	8.6	< 1	< 1.8	9.9
4/4/2005	A5307701	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	12 B	< 1	< 1.8	13.6
7/12/2005	A5725601	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.8	< 1	8.2	< 1	< 1.8	10
7/17/2006	6G18004-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	8	< 1	< 2	10
7/10/2007	7G11015-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	1	< 1	7	< 1	< 2	8
7/23/2008	5423259	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.2 J	< 0.8	7.7	< 0.8	< 1	9.9
7/8/2009	5719613	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.5 J	< 0.8	4.9 J	< 0.8	< 1	6.4
7/12/2010	6030554	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.4 J	< 0.8	4.9 J	< 0.8	< 1	6.3
7/18/2011	6348760	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.5 J	< 0.8	4.6 J	< 0.8	< 1	6.1
7/16/2012	6722037	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.1 J	< 0.8	3.8 J	< 0.8	< 1	4.9
7/9/2013	7122567	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.94 J	< 0.8	5.2	< 0.8	< 1	6.14
7/9/2014	7527870	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	2.7	< 0.5	< 0.5	2.7
7/13/2015	7965564	SW8260C	< 0.5	0.95 J	< 0.5	< 0.5	< 2	< 0.5	1.1	< 0.5	4.7	< 0.5	< 0.5	6.75
12/12/2016	240-73361-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.4	< 1.0	5.2	< 1.0	< 1.0	6.6
5/2/2017	240-79083-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.76 J	< 1.0	4.5	< 1.0	< 1.0	5.26
4/13/2018	240-94116-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.96 J	< 1.0	4.2	< 1.0	< 1.0	5.16
4/4/2019	240-110627-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.75 J	< 1.0	3.4	< 1.0	< 1.0	4.15

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-7M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
3/25/2020	240-128236-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.96 J	< 1.0	3.2	< 1.0	< 1.0	4.16
4/20/2021	240-147939-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.3	< 1.0	3.5	< 1.0	< 1.0	4.8
4/13/2022	240-165065-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1	< 1.0	3.5	< 1.0	< 1.0	4.5
3/23/2023	240-182590-16	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.1	< 1.0	3.3	< 1.0	< 1.0	4.4
4/18/2024	240-203148-32	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.2	< 1.0	3.3	< 1.0	< 1.0	4.5

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-8M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1984		8260	2	10	7	6	2	< 5	390	< 5	40000	< 5	57	40474
3/1/1985		8260	< 2000	< 1000	< 1000	< 4000	1700	< 5	14000	< 2000	84000	< 5	< 2000	99700
5/1/1985		8260	< 400	< 200	< 400	< 1000	< 200	< 5	1400	< 600	39000	< 5	< 400	40400
12/1/1985		8260	< 1400	< 800	< 2400	< 1400	< 1400	< 800	< 800	< 1900	98000	< 5	< 5000	98000
4/1/1986		8260	< 200	< 100	< 200	< 200	< 200	< 5	730	< 100	72000	< 5	< 200	72730
7/1/1986		8260	< 200	< 100	< 200	< 200	< 100	< 5	1900	< 200	16000	< 5	< 200	17900
10/1/1986		8260	< 100	180	< 100	< 100	< 200	< 100	< 100	< 100	62000	< 5	< 200	62180
4/1/1987		8260	< 1	38	8.5	7.6	< 1	< 5	680	11	22000	< 5	230	22975.1
7/1/1987		8260	< 20	< 20	< 40	< 40	< 20	< 5	530	< 20	16000	< 5	< 60	16530
10/1/1987		8260	< 1	< 5	2.7	< 1	< 1	< 5	270	1.8	11000	< 5	8.1	11282.6
2/1/1988		8260	< 200	< 200	< 200	< 200	< 200	< 5	4200	< 200	170000	< 5	< 400	174200
8/1/1988		8260	< 100	< 100	< 100	< 100	< 100	< 5	1300	< 100	51000	< 5	< 200	52300
11/1/1988		8260	6	19	6	8	< 1	< 5	37	8	49000	< 5	67	49151
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	< 0.1	90	< 0.03	7500	< 0.03	22	7612
4/1/1989		8260	460	110	< 7	< 3	< 10	< 10	480	< 3	81000	< 0.03	< 18	82050
7/1/1989		8260	< 1000	< 500	< 700	< 1000	< 1000	< 1000	650	< 300	46000	< 300	< 1000	46650
10/1/1989		8260	< 1000	< 500	< 700	< 1000	< 1000	< 1000	< 1000	< 300	18000	< 300	< 1000	18000
1/1/1990		8260	< 1000	520	< 700	< 1000	< 5000	< 1000	1600	< 300	100000	< 300	< 1000	102120
4/1/1990		8260	< 1000	< 500	< 700	< 1000	< 5000	< 1000	< 1000	< 300	47000	300	< 1000	47300
7/1/1990		8260	< 1000	< 500	< 700	< 1000	< 5000	< 1000	< 1000	< 300	69000	300	< 1000	69300
10/1/1990		8260	< 200	< 100	< 140	< 200	< 200	< 200	210	< 60	26000	< 60	< 200	26210
2/1/1991		8260	< 250	< 130	< 180	< 250	< 1300	< 250	810	< 75	120000	< 75	< 250	120810
5/1/1991		8260	< 120	< 50	< 70	< 130	< 250	< 100	1800	< 30	110000	< 30	< 180	111800
7/1/1991		8260	< 120	< 50	< 70	< 130	< 250	< 100	880	60	64000	< 300	< 180	64940
10/1/1991		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	< 1000	< 300	24000	< 300	< 1800	24000
1/1/1992		8260	< 1200	< 500	< 700	< 1300	< 2500	< 100	< 1000	< 300	25000	< 300	< 1800	25000
4/1/1992		8260	< 2400	< 1000	< 1400	< 2600	< 5000	< 2000	< 2000	< 600	110000	< 600	< 3600	110000
7/1/1992		8260	< 6000	< 3000	< 3500	< 6500	< 13000	< 5000	< 5000	< 1500	67000	< 1500	< 9000	67000
10/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	1900	< 30	130000	< 30	< 180	131900
1/1/1993		8260	< 120	< 50	< 70	< 130	< 250	< 100	2900	< 30	130000	< 30	< 180	132900
3/30/1993		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	< 1000	< 500	53000	< 300	< 1800	53000
6/4/1993		8260	< 120	< 50	< 70	< 130	430	< 100	1100	81	120000	< 30	< 180	121611
6/29/1993		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	1200	2100	74000	< 300	< 1800	77300
8/5/1993		8260	< 120	< 50	< 70	< 130	< 250	< 100	1600	< 50	44000	< 30	< 180	45600
9/1/1993		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	2800	< 500	59000	< 300	< 1800	61800
10/4/1993		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	2000	< 500	110000	< 300	< 1800	112000
1/28/1994		8260	< 12	9.8	< 7	46	< 25	33	1800	5.9	21000	8.8	80	22983.5
4/6/1994		8260	< 12	< 5	< 7	20	< 25	32	1500	< 5	160000	< 3	< 18	161552
7/7/1994		8260	< 1.2	< 0.5	< 0.7	13	< 2.5	15	1600	0.72	52000 E	2.2	12	53642.92
1/25/1995		8260	< 200	< 200	< 200	200	< 200	< 200	390	< 200	27000	< 200	< 400	27590
4/5/1995		8260	< 200	< 200	< 200	200	< 200	< 200	430	< 200	24000	< 200	< 400	24630
4/4/1996		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	< 1000	< 640	27000	< 790	< 1800	27000
7/15/1996		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	< 1000	< 640	18000	< 790	< 1800	18000
1/28/1997		8260	< 120	< 50	< 100	70	< 250	< 100	230	< 64	7800	< 79	< 180	8100
4/17/1997		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	< 1000	< 640	14000	< 790	< 1800	14000
7/10/1997		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	< 1000	< 640	17000	< 790	< 1800	17000

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-8M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/23/1997		8260	< 120	< 50	< 100	< 70	< 250	< 100	120	< 64	3600	< 79	< 180	3720
1/21/1998		8260	< 120	< 50	< 100	< 70	< 250	< 100	280	< 64	18000	< 79	< 180	18280
4/22/1998		8260	< 120	< 50	< 100	< 70	< 250	< 100	520	< 64	11000	< 79	< 180	11520
10/12/1998		8260	< 120	< 50	< 100	< 70	< 250	< 100	1500	< 64	7800	< 79	< 180	9300
1/13/2000	A0026411	8021	< 160	< 160	< 160	< 160	< 160	< 160	1700	< 160	12000	< 160	< 160	13700
4/19/2000	A0259416	8021	< 160	< 160	< 160	< 160	170	< 160	1800	< 160	20000	< 160	< 160	21970
10/20/2000	A0754601	8021	< 80	< 80	< 80	< 80	110 B	< 80	680	< 80	7900	< 80	< 80	8690
1/12/2001	A1035104	8021	< 160	< 160	< 160	< 160	620	< 160	1400	< 160	7400	< 160	< 160	9420
4/24/2001	A1375204	8021	< 400	< 400	< 400	< 400	< 400	< 400	2400	< 400	24000	< 400	< 400	26400
7/11/2001	A1648705	8021	< 200	< 200	< 200	< 200	500	< 200	700	< 200	11000	< 200	< 200	12200
10/17/2001	A1A23313	8021	< 800	< 800	< 800	< 800	980	< 800	8500	< 800	64000	< 800	< 800	73480
1/25/2002	A2081501	8021	< 100	< 100	< 100	< 100	170	< 100	2400	< 100	35000 D	< 100	< 100	37570
4/22/2002	A2391102	8021	< 400	< 400	< 400	< 400	540	< 400	< 400	< 400	22000	< 400	< 400	22540
7/17/2002	A2732602	8021	< 500	< 500	< 500	< 500	1500	< 500	4700	< 500	73000	< 500	< 500	79200
10/15/2002	A2A23602	8021	< 500	< 500	< 500	< 500	< 500	< 500	7100	< 500	41000	< 500	< 500	48100
1/24/2003	A3075209	8021	< 140	< 46	< 50	< 82	< 180	< 77	1900	< 93	10000	< 160	< 65	11900
4/24/2003	A3389604	8021	< 290	< 91	< 99	< 160	530	< 150	2100	< 190	23000	< 330	< 130	25630
7/22/2003	A3699407	8021	< 2900	< 910	< 990	< 1600	< 3700	< 1500	9500	< 1900	170000	< 3300	< 1300	179500
10/22/2003	A3A28301	8021	< 1400	< 250	< 210	< 820	< 450	< 500	5300	< 300	85000	< 110	< 890	90300
1/22/2004	A4057101	8021	< 290	< 51	< 42	< 160	< 90	330	330	< 59	12000	< 23	< 180	12660
4/30/2004	A4402504	8021	< 1400	< 250	< 210	< 820	< 450	< 500	< 1200	< 300	24000	< 110	< 890	24000
7/19/2004	A4682701	8021	< 1400	< 250	< 210	< 820	< 450	< 500	7800 E	< 300	58000	< 110	< 890	65800
7/19/2004	A4682701	8260	< 480	< 800	< 950	< 470	3000	< 810	3900	< 630	71000	< 640	< 1500	77900
10/15/2004	A4A20302	8021	< 1	< 1	< 1	3.6	< 1	6.5	980 D	< 1	15000 D	4	17	16011.1
1/12/2005	A5036104	8260	< 190	< 320	< 380	< 190	< 400	< 320	920	< 250	51000 D	< 250	< 590	51920
4/19/2005	A5387403	8260	< 95	< 160	< 190	< 94	< 200	< 160	430	< 130	18000	< 130	< 290	18430
7/15/2005	A5747101	8260/5M	< 51	< 56	< 53	< 60	200	< 63	3300	< 56	29000 D	< 64	320	32820
10/24/2005	A5B97301	8260	< 1.2	< 1	0.93 J	12	< 2.5	13	880 D	0.61 J	56000 BD	5.4	42	56953.94
1/26/2006	A6102405	8260	< 110	< 130	< 110	< 120	< 180	< 130	1000	< 100	36000	< 140	< 97	37000
4/19/2006	6D20002-03	8260	< 20	< 20	< 20	< 20	< 40	< 20	1020	< 20	23200 D	< 20	78	24298
7/14/2006	6G14010-01	8260	< 20	< 20	< 20	20	115	32	3450	< 20	58900 D	< 20	198	62715
10/9/2006	6J10002-08	8260	< 25	< 25	< 25	< 25	74	< 25	975	< 25	29100 D	< 25	< 50	30149
1/9/2007	7A10006-06	8260	< 25	< 25	< 25	< 25	235	< 25	2580	< 25	48700 D	< 25	50	51565
4/12/2007	7D13007-04	8260	< 250	< 250	< 250	< 250	1160	< 250	692	< 250	17800	< 250	< 500	19652
7/16/2007	7G17015-05	8260	< 500	< 500	< 500	< 500	1260	< 500	4130	< 500	71500	< 500	< 1000	76890
10/9/2007	7J10006-05	8260	< 500	< 500	< 500	< 500	< 1000	< 500	6730	< 500	120000 D	< 500	< 1000	126730
1/7/2008	8A08003-02	8260	< 250	< 250	< 250	< 250	500	< 250	1280	< 250	30500	< 250	< 500	32280
4/9/2008	8D10002-03	8260	< 250	< 250	< 250	< 250	732	< 250	4110	< 250	101000 D	< 250	< 500	105842
7/24/2008	5424623	8260	< 20	< 16	< 20	< 16	< 40	< 16	1400	< 16	37000	< 16	28 J	38428
10/16/2008	5501565	8260	< 50	< 40	< 50	< 40	< 100	< 40	4600	< 40	32000	< 40	200 J	36800
1/15/2009	5578621	8260	< 50	< 40	< 50	< 40	< 100	< 40	3100	< 40	63000	< 40	87 J	66187
4/13/2009	5647717	8260	< 100	< 80	< 100	< 80	< 200	< 80	3100	< 80	61000	< 80	120 J	64220
7/7/2009	5718472	8260	< 20	< 16	< 20	< 16	< 40	< 16	1200	< 16	25000	< 16	30 J	26230
10/7/2009	5800390	8260	< 5	< 4	< 5	12 J	< 10	13 J	1900	< 4	32000	< 4	79	34004
1/20/2010	5888925	8260	< 100	< 80	< 100	< 80	< 200	< 80	4600	< 80	80000	< 80	210 J	84810
4/14/2010	5954138	8260	< 100	< 80	< 100	< 80	< 200	< 80	2700	< 80	84000	< 80	< 100	86700
7/15/2010	6033918	8260	< 100	< 80	< 100	< 80	< 200	< 80	5600	< 80	94000	< 80	410 J	100010
10/14/2010	6113377	8260	< 5	< 4	< 5	13 J	< 10	17 J	3000	< 4	60000	6.6 J	54	63090.6
1/24/2011	6190819	8260	< 100	< 80	< 100	< 80	< 200	< 80	4600	< 80	70000	< 80	160 J	74760

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-8M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/14/2011	6259039	8260	< 50	< 40	< 50	< 40	< 100	< 40	1400	< 40	45000	< 40	< 50	46400
7/18/2011	6348766	8260	< 200	< 160	< 200	< 160	< 400	< 160	5400	< 160	83000	< 160	400 J	88800
10/12/2011	6435905	8260	< 100	< 80	< 100	< 80	< 200	< 80	5600	< 80	78000	< 80	270 J	83870
1/17/2012	6524424	8260	< 1	< 0.8	< 1	9.7	< 2	11	1300	< 0.8	35000	4.5 J	52	36377.2
4/4/2012	6607032	8260	< 20	< 16	< 20	< 16	< 40	< 16	1900	< 16	32000	< 16	120	34020
7/16/2012	6722032	8260	< 2	< 1.6	< 2	32	< 4	36	5500	< 1.6	56000	11	340	61919
10/4/2012	6814361	8260	< 100	< 80	< 100	< 80	< 200	< 80	5800	< 80	84000	< 80	100 J	89900
1/23/2013	6932575	8260	< 50	< 40	< 50	< 40	< 100	< 40	2000	< 40	51000	< 40	< 50	53000
4/8/2013	7015031	8260	< 10	< 8	< 10	< 8	< 20	< 8	760	< 8	20000	< 8	< 10	20760
7/2/2013	7117030	8260	< 10	< 8	< 10	< 8	< 20	< 8	770	< 8	21000	< 8	18 J	21788
11/11/2013	7273097	8260	< 10	< 8	< 10	< 8	< 20	< 8	470	< 8	13000	< 8	< 10	13470
1/17/2014	7341387	8260	< 5	< 4	< 5	< 4	< 10	< 4	260	< 4	7700	< 4	< 5	7960
4/15/2014	7432590	8260	< 2.5	< 2.5	< 2.5	< 2.5	< 10	3.2 J	250	< 2.5	7400	2.7 J	< 2.5	7655.9
7/9/2014	7527876	8260	< 0.5	8.5	< 0.5	2.2	< 2	3.1	300	< 0.5	7000	2.3	4	7320.1
10/3/2014	7625307	8260	< 2.5	11	< 2.5	4.3 J	< 10	5.3	720	< 2.5	10000	3 J	10	10753.6
1/6/2015	7731160	8260	< 5	5 J	< 5	< 5	< 20	< 5	800	< 5	11000	< 5	< 5	11805
4/22/2015	7858500	8260	< 5	5.7 J	< 5	< 5	< 20	5.6 J	660	< 5	16000	< 5	12	16683.3
7/6/2015	7956057	SW8260C	< 50	< 50	< 50	< 50	< 200	< 50	4900	< 50	75000	< 50	160	80060
10/6/2015	8079106	SW8260C	< 50	< 50	< 50	< 50	< 200	< 50	6400	< 50	110000	< 50	270	116670
1/5/2016	8197708	SW8260C	< 25	< 25	< 25	< 25	< 100	< 25	2500	< 25	27000	< 25	53	29553
12/8/2016	240-73270-7	8260C	< 1700	< 1700	< 1700	< 1700	1300 J	< 1700	2200	< 1700	40000	< 1700	< 1700	43500
5/1/2017	240-78974-4	8260C	< 500	< 500	< 500	< 500	< 500	< 500	430 J	< 500	14000	< 500	< 500	14430
4/17/2018	240-94331-18	8260C	< 250	< 250	< 250	< 250	< 250	< 250	190 J	< 250	6200	< 250	< 250	6390
7/16/2018	240-98766-1	8260C	< 500	< 500	< 500	< 500	< 2500	< 500	1000	< 500	14000	< 500	< 500	15000
8/22/2018	240-100303-2	8260C	< 100	< 100	< 100	< 100	< 500	< 100	160	< 100	2800	< 100	< 100	2960
9/27/2018	240-102127-1	8260C	< 50	< 50	< 50	< 50	< 250	< 50	230	< 50	1500	< 50	< 50	1730
10/30/2018	240-103813-4	8260C	< 25	< 25	< 25	< 25	< 130	7.1 J	1700	< 25	3100 D	< 25	< 25	4807.1
1/29/2019	240-107569-3	8260C	< 200	< 200	< 200	< 200	< 1000	< 200	2800	< 200	4100	< 200	< 200	6900
4/4/2019	240-110627-9	8260C	< 250	< 250	< 250	< 250	< 1300	58 J	8900	< 250	12000	< 250	120 J	21078
11/20/2019	240-122631-6	624.1_L	< 130	< 130	< 130	< 130	< 630	< 63	4000	< 130	7500	< 130	170	11670
3/31/2020	240-128375-5	8260C	< 200	< 200	< 200	< 200	< 1000	< 200	1500	< 200	7500	< 200	< 200	9000
10/27/2020	240-139061-10	8260C	< 1000	< 1000	< 1000	< 1000	< 5000	< 1000	3400	< 1000	37000	< 1000	< 1000	40400
4/22/2021	240-148022-1	8260C	< 200	< 200	< 200	< 200	< 1000	< 200	470	< 200	5100	< 200	< 200	5570
6/28/2021	240-152161-2	8260C	< 200	< 200	< 200	< 200	< 1000	< 200	3600	< 200	27000 D	< 200	< 200	30600
7/26/2021	240-153555-3	8260C	< 1000	< 1000	< 1000	< 1000	< 5000	< 1000	18000	< 1000	14000	< 1000	< 1000	32000
8/23/2021	240-155061-3	8260C	< 330	< 330	< 330	< 330	< 1700	< 330	12000	< 330	10000	< 330	< 330	22000
10/25/2021	240-158968-1	8260C	< 4000	< 4000	< 4000	< 4000	< 20000	< 4000	44000	< 4000	97000	< 4000	2200 J	143200
4/14/2022	240-165119-1	8260C	< 200	< 200	< 200	< 200	< 1000	< 200	7000	< 200	8100	< 200	620	15720
3/23/2023	240-182590-22	8260D	< 200	< 200	< 200	< 200	< 1000	< 200	21000	< 200	14000	< 200	3000	38000
4/17/2024	240-203148-13	8260D	< 200	< 200	< 200	160 J	< 1000	250	19000	< 200	17000	< 200	3500 J	39910

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-9M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1987		8260	< 0.2	0.8	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	0.4	< 5	3.6	4.8
4/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	1.3	< 0.2	< 0.2	< 0.2	< 0.2	< 5	< 0.2	1.3
7/1/1987		8260	< 0.2	< 0.2	< 0.4	< 0.4	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	< 0.6	0
10/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	< 0.4	0
2/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	< 0.2	0
8/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	< 0.4	0
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	< 0.1	< 1	< 0.03	2.4	0.1	< 0.2	2.5
4/1/1989		8260	< 0.1	< 0.05	0.3	< 0.03	< 0.1	< 0.1	11	< 0.03	20	< 0.3	1.3	32.6
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 1.3	< 1	1.6	< 1	1.6
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	0.4	< 1	0.4
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
10/1/1990		8260	< 1	< 0.5	< 0.7	1.5	< 1	< 1	5.6	4.5	< 1	1.6	< 1	13.2
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	1.5	< 1.8	1.5
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 1.2	< 1.8	0
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	2.2	< 1.8	2.2
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	2.2	< 0.3	< 1.8	2.2
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	1.9	< 1.8	1.9
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	0.67 *	< 1.2	0.33	< 1.8	1
3/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	0.32	< 1.8	0.32
6/28/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	2.5	2.3	< 1.8	4.8
7/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	1.8	< 1.8	1.8
7/17/2002	A2732703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.4	< 1	23	1.7	< 1.8	32.1
7/2/2003	A3639709	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.4	< 1	2.8	< 1	< 1.8	4.2
6/29/2004	A4614511	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	2	< 1	< 1.8	2
7/7/2005	A5706807	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.7	< 1	5.4	1.4	< 1.8	9.5
10/24/2005	A5B97302	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	1.3 B	< 1	< 1.8	1.3
1/24/2006	A6089109	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.67 J	< 1	< 1.8	0.67
4/12/2006	6D13005-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/13/2006	6G14009-05	8260	< 1	< 1	< 1	< 1	3	< 1	2	< 1	3	< 1	< 2	8
10/9/2006	6J10002-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	1	< 1	4	< 1	< 2	5
1/5/2007	7A05012-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
4/4/2007	7D05011-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/10/2007	7G11015-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	1	< 1	< 2	1
10/9/2007	7J10006-10	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	< 1	< 1	< 2	2
1/7/2008	8A08003-03	8260	< 1	< 1	< 1	< 1	3	< 1	< 1	< 1	< 1	< 1	< 2	3
4/7/2008	8D08002-07	8260	< 1	< 1	< 1	< 1	2 B	< 1	< 1	< 1	< 1	< 1	< 2	2
7/16/2008	5417444	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/21/2009	5582424	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/16/2009	5649164	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/7/2009	5718463	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/6/2009	5799006	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-9M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/20/2010	5888926	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/6/2010	5946904	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2010	6030559	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.85 J	< 0.8	1.7 J	< 0.8	< 1	2.55
1/24/2011	6190818	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/12/2011	6256716	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2011	6342647	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.1 J	< 0.8	< 1	1.1
10/10/2011	6433665	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.3 J	< 0.8	5.4	4.1 J	< 1	11.8
1/17/2012	6524423	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/3/2012	6605292	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2012	6717362	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.1 J	< 0.8	< 1	1.1
10/4/2012	6814363	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	2.7 J	2.5 J	< 1	5.2
1/17/2013	6926981	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/8/2013	7015032	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/2/2013	7117034	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	3.2 J	< 0.8	< 1	3.2
11/11/2013	7273094	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.1 J	< 0.8	< 1	1.1
1/17/2014	7341385	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/14/2014	7430455	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2014	7527879	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	2.1	0.78 J	< 0.5	2.88
10/3/2014	7625306	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	0.79 J	< 0.5	2.6	2.5	< 0.5	5.89
1/8/2015	7734021	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	3.5	9.3	< 0.5	12.8
4/14/2015	7847244	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.8	< 0.5	5.4	< 0.5	< 0.5	8.2
7/7/2015	7958390	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.1	< 0.5	2.7	5.1	< 0.5	8.9
10/7/2015	8080777	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.2	< 0.5	1.2	2.2	< 0.5	4.6
1/5/2016	8197702	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.4	< 0.5	16	4.4	< 0.5	22.8
12/9/2016	240-73270-24	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.57 J	< 1.0	1.8	2.9	< 1.0	5.27
4/28/2017	240-78929-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.36 J	0.63 J	< 1.0	0.99
11/3/2017	240-87694-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.4	1.3	< 1.0	2.7
4/17/2018	240-94331-20	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.66 J	0.37 J	< 1.0	1.03
9/26/2018	240-102125-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.39 J	< 1.0	0.92 J	1	< 1.0	2.31
4/5/2019	240-110691-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.42 J	0.55 J	< 1.0	0.97
11/22/2019	240-122893-10	624.1_L	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 0.50	2.8	< 1.0	< 1.0	< 1.0	< 1.0	2.8
4/1/2020	240-128428-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.1	< 1.0	< 1.0	< 1.0	0.43 J	2.53
10/26/2020	240-139061-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.44 J	< 1.0	0.73 J	0.82 J	< 1.0	1.99
4/27/2021	240-148317-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.35 J	0.52 J	< 1.0	0.87
10/25/2021	240-159076-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	1.4	0.57 J	< 1.0	1.97
4/14/2022	240-165120-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.6	< 1.0	< 1.0	< 1.0	< 1.0	1.6
10/18/2022	240-175103-3	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
3/23/2023	240-182590-3	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.64 J	< 1.0	< 1.0	0.64
10/20/2023	240-194049-17	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	1.2	0.96 J	< 1.0	2.16
4/17/2024	240-203148-12	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.1	< 1.0	< 1.0	< 1.0	< 1.0	1.1
10/23/2024	240-213779-5	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.30 J	< 1.0	1.1	0.92 J	< 1.0	2.32

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-10M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1987		8260	< 0.2	< 0.4	0.4	0.2	< 0.2	< 5	24	2.5	48	< 5	0.8	75.9
4/1/1987		8260	< 0.2	< 0.2	0.7	0.5	< 0.2	< 5	50	7.8	83	< 5	< 0.2	142
7/1/1987		8260	< 0.6	< 2	2.7	1.8	< 0.2	< 5	170	13	240	< 5	< 0.6	427.5
10/1/1987		8260	< 0.8	< 1	1.3	0.8	< 0.2	< 5	53	6.2	80	< 5	< 0.4	141.3
2/1/1988		8260	< 0.2	< 0.2	2.5	0.4	0.2	< 5	18	12	32	< 5	< 0.2	65.1
8/1/1988		8260	< 0.2	< 0.2	5.2	< 0.2	< 0.2	< 5	190	22	160	< 5	< 0.4	377.2
11/1/1988		8260	< 1	< 1	4	< 1	< 1	< 5	160	17	70	< 5	< 1	251
1/1/1989		8260	< 0.1	< 5	0.8	0.4	< 0.1	0.9	18	8.9	5.2	0.03	0.2	34.43
4/1/1989		8260	< 0.1	< 0.05	1.5	1.6	< 0.1	0.6	29	< 0.03	110	< 0.03	0.2	142.9
7/1/1989		8260	< 1.2	< 0.5	< 1.1	< 1.3	< 2.5	1	46	7.2	150	< 0.3	< 1.8	204.2
10/1/1989		8260	< 1	< 0.5	1.7	1.4	< 1	5.2	48	10	81	< 0.3	< 1	147.3
1/1/1990		8260	< 5	< 2.5	< 3.5	< 5	< 25	< 5	53	12	150	< 1.5	< 5	215
4/1/1990		8260	< 5	< 2.5	< 3.5	< 5	< 25	< 5	22	2.8	75	< 1.5	< 5	99.8
7/1/1990		8260	< 1	< 0.5	2.1	< 1	< 5	< 1	37	17	140	< 0.3	< 1	196.1
10/1/1990		8260	< 1	2.1	2.4	6.8	< 1	1.5	52	21	200	< 0.3	< 1	285.8
1/1/1991		8260	< 1	0.6	< 0.7	< 1	< 5	< 1	< 1	12	70	< 0.3	3.3	85.9
5/1/1991		8260	< 6	< 2.5	< 3.5	< 6.5	< 12	< 5	18	6.1	120	< 1.5	< 9	144.1
7/1/1991		8260	< 6	7.9	< 3.5	< 6.5	< 13	< 5	17	12	160	< 1.5	< 9	196.9
10/1/1991		8260	< 6	< 2.5	< 3.5	< 6.5	< 13	< 5	23	3.5	96	< 1.5	< 9	122.5
1/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	54	14	140	< 3	< 18	208
4/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	16	6.4	110	< 3	< 18	132.4
7/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 5	< 5	7.4	120	< 3	< 18	127.4
10/1/1992		8260	< 1.2	0.51	0.63	< 1.3	< 2.5	0.87	16	6.7	140	< 0.3	< 1.8	164.71
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	14	4.8	86	< 0.3	< 1.8	104.8
3/30/1993		8260	< 1.2	< 0.5	0.97	< 1.3	< 2.5	< 1	16	4.9	44	< 0.3	< 1.8	65.87
6/29/1993		8260	< 1.2	< 0.5	0.98	< 1.3	< 2.5	< 1	16	5.8	53	< 0.3	< 1.8	75.78
10/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	16	2	50	< 0.3	< 1.8	68
7/6/1994		8260	< 1.2	< 0.5	1.5	< 1.3	< 2.5	1.2	31	7.8	410	< 0.3	< 1.8	451.5
6/27/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	21	3.8	62	< 1	< 2	86.8
7/16/1996		8260	< 1.2	0.9	< 1	< 0.7	< 2.5	1.4	38	7.2	73	< 0.79	< 1.8	120.5
7/9/1997		8260	< 1.2	0.6	< 1	< 0.7	< 2.5	2	35	5.5	83	< 0.79	< 1.8	126.1
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1	35	5.5	69	< 0.79	< 1.8	110.5
7/20/1999		8260	< 1.2	0.6 J	2 J	1.6	< 2.5	2.9	43	11	110	< 0.79	< 1.8	171.1
7/17/2000	A0500407	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	6.5	2.1	37	< 1	< 1.8	45.6
7/10/2001	A1648708	8021	< 1.2	< 1	0.72 J	< 1	1.1 J	0.64 J	21	4.3	43	< 1	< 1.8	70.76
7/16/2002	A2722907	8021	< 1.2	< 1	< 1	< 1	2.6	< 1	14	4.3	56	< 1	< 1.8	76.9
4/25/2003	A3389601	8021	< 1.2	< 1	< 1	< 1	1.5 J	< 1	10	3.6	52	< 1.3	< 1.8	67.1
7/18/2003	A3689004	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.4	2.6	40	< 1.3	< 1.8	50
10/22/2003	A3A21906	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	19	5.1	92	< 1	< 1.8	116.1
4/29/2004	A4402501	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	10	3.8	59	< 1	< 1.8	72.8
7/16/2004	A4674302	8021	< 1.2	< 1	1.3	< 1	3.8 E	1.9 E	7.6 E	3.7 E	45 E	< 1	< 1.8	63.3
7/16/2004	A4674302	8260	< 1.2	< 1	< 1	< 1	1.3 J	< 1	4.6	2	36	< 1	< 1.8	43.9
10/15/2004	A4A20301	8021	< 1	< 1	< 1	< 1	1.3	0.51 J	12	4.1	39	< 1	< 1	56.91
4/19/2005	A5387402	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.49 J	6	3.5	40 D	< 1	< 1.8	49.99
7/20/2005	A5762302	8260/5M	< 1.2	< 1	0.7 J	< 1	< 2.5	0.75 J	9.1	4.8	45	< 1	< 1.8	60.35
10/24/2005	A5B97303	8260	< 1.2	< 1	0.67 J	< 1	< 2.5	0.63 J	11	4.6	55 B	< 1	< 1.8	71.9

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-10M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/19/2006	6D20002-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	5	3	30	< 1	< 2	38
7/18/2006	6G19003-01	8260	< 1	< 1	< 1	< 1	4 B	< 1	13	6	42	< 1	< 2	65
10/11/2006	6J12003-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	9	5	53	< 1	< 2	67
4/18/2007	7D19009-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	3	27	< 1	< 2	34
7/10/2007	7G11015-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	6	4	36	< 1	< 2	46
10/9/2007	7J10006-11	8260	< 1	< 1	< 1	< 1	< 2	1	15	5	51	< 1	< 2	72
4/9/2008	8D10002-01	8260	< 1	< 1	< 1	< 1	3	< 1	7	3	58	< 1	< 2	71
7/24/2008	5424625	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.81 J	8.4	4.2 J	43	< 0.8	< 1	56.41
10/20/2008	5504259	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.98 J	12	5.1	61	< 0.8	< 1	79.08
4/20/2009	5651166	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5	3 J	35	< 0.8	< 1	43
7/7/2009	5718465	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.5	2.9 J	35	< 0.8	< 1	43.4
10/6/2009	5799010	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.5	3.6 J	46	< 0.8	< 1	56.1
4/14/2010	5954139	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.9 J	2.4 J	31	< 0.8	< 1	37.3
7/12/2010	6030558	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.1	2.8 J	30	< 0.8	< 1	37.9
10/18/2010	6115530	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	16	4.8 J	66	< 0.8	< 1	88.1
4/21/2011	6266005	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.3 J	1.6 J	27	< 0.8	< 1	31.9
7/20/2011	6352277	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.1 J	2.5 J	32	< 0.8	< 1	38.6
10/10/2011	6433666	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	8.3	3.3 J	46	< 0.8	< 1	57.6
4/5/2012	6608275	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.4 J	1.3 J	32	< 0.8	< 1	35.7
7/11/2012	6717352	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.4	3.2 J	32	< 0.8	< 1	40.6
10/4/2012	6814364	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.86 J	9.4	4 J	44	< 0.8	< 1	58.26
4/2/2013	7007576	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.1 J	2.3 J	27	< 0.8	< 1	32.4
7/2/2013	7117035	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.2 J	2.1 J	28	< 0.8	< 1	33.3
11/14/2013	7278188	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	1.7 J	22	< 0.8	< 1	23.7
4/22/2014	7439163	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.9	1.8	19	< 0.5	< 0.5	22.7
7/9/2014	7527878	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.7	1.8	20	< 0.5	< 0.5	23.5
10/3/2014	7625300	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.6	1.5	19	< 0.5	< 0.5	22.1
4/21/2015	7856502	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3	1.9	21	< 0.5	< 0.5	25.9
7/7/2015	7958384	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.2	1.4	15	< 0.5	< 0.5	18.6
10/6/2015	8079112	SW8260C	< 0.5	< 0.5	0.86 J	< 0.5	< 2	0.89 J	9.6	4.4	43	< 0.5	< 0.5	58.75
12/8/2016	240-73270-15	8260C	< 1.4	< 1.4	0.89 J	0.46 J	< 1.4	0.74 J	9.7	3.7	39	< 1.4	< 1.4	54.49
4/28/2017	240-78929-3	8260C	< 1.0	< 1.0	0.38 J	< 1.0	< 1.0	< 1.0	3	2.1	21	< 1.0	< 1.0	26.48
4/16/2018	240-94331-6	8260C	< 1.0	< 1.0	0.31 J	0.41 J	< 1.0	< 1.0	2	2	17	< 1.0	< 1.0	21.72
4/5/2019	240-110691-4	8260C	< 1.0	< 1.0	0.48 J	0.19 J	< 5.0	0.25 J	2.7	2.6	18	< 1.0	< 1.0	24.22
3/31/2020	240-128375-4	8260C	< 1	< 1	0.23 J	< 1.0	< 5	< 1.0	1.5	2.1	14	< 1.0	< 1.0	17.83
4/26/2021	240-148317-7	8260C	< 1.0	< 1.0	0.29 J	< 1.0	< 5.0	0.27 J	1.7 D	2.1	14 D	< 1.0	< 1.0	18.36
4/13/2022	240-165065-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.1	1.7	11	< 1.0	< 1.0	13.8
3/23/2023	240-182590-23	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.2	1.7	13	< 1.0	< 1.0	15.9
4/17/2024	240-203148-19	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.77 J	1.4	8.8	< 1.0	< 1.0	10.97

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-11M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1987		8260	< 0.2	< 0.4	< 0.2	< 0.2	< 0.2	< 5	26	0.2	440	< 5	< 0.2	466.2
4/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	39	< 0.2	170	< 5	< 0.2	209
7/1/1987		8260	< 0.4	< 20	< 0.4	1.3	< 0.2	< 5	310	2.2	2100	< 5	< 0.6	2413.5
10/1/1987		8260	< 1	< 4	< 1	< 1	< 1	< 5	150	< 1	4500	< 5	< 2	4650
2/1/1988		8260	< 1	< 1	< 1	< 1	< 6	< 5	120	< 1	650	< 5	< 1	770
8/1/1988		8260	< 1	< 1	< 1	< 1	< 1	< 5	350	< 1	1200	< 5	< 2	1550
11/1/1988		8260	< 1	< 1	< 1	< 1	< 1	< 5	110	< 1	1900	< 5	< 1	2010
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	0.6	23	< 0.03	540	9.9	< 0.2	573.5
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	9	< 0.03	520	3.3	< 0.2	532.3
7/1/1989		8260	< 1.2	1.1	< 0.7	< 1.3	< 2.5	< 1	9.9	< 0.3	290	3.1	< 1.8	304.1
10/1/1989		8260	< 10	< 5	< 7	< 10	< 10	5.4	80	< 3	1600	20	< 10	1705.4
1/1/1990		8260	< 1	2.2	< 0.7	< 1	8	1.8	23	< 0.3	360	6.6	< 1	401.6
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	11	< 0.3	130	3.3	< 1	144.3
7/1/1990		8260	< 10	< 5	< 7	< 10	< 50	< 10	140	< 3	2900	100	< 10	3140
10/1/1990		8260	< 10	< 5	< 7	< 10	< 5	< 10	67	< 3	1100	3.7	< 10	1170.7
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	30	< 3	380	5.5	< 1	415.5
5/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	18	< 3	300	< 3	< 18	318
7/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	130	< 3.1	3900	150	< 18	4180
10/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	52	< 3	530	9.8	< 18	591.8
1/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 100	< 30	400	< 30	< 180	400
4/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 100	< 30	230	< 30	< 180	230
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 100	< 50	4500	< 30	< 180	4500
10/1/1992		8260	< 1.2	0.64	< 0.7	< 1.3	< 2.5	4.1	83	0.41	810	11	< 1.8	909.15
1/1/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	110	6.2 *	1800	92	< 18	2008.2
3/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	19	< 0.5	150	5.1	< 1.8	174.1
5/5/1993		8260	< 1.2	0.85	< 0.7	< 1.3	< 2.5	4.5	120	1.2	1100	24	< 1.8	1250.55
6/4/1993		8260	< 12	< 5	< 7	< 13	44	< 10	95	< 5	2300	34	< 18	2473
6/29/1993		8260	< 1.2	0.51	< 0.7	< 1.3	< 2.5	2.9	100	2.3	1100	14	< 1.8	1219.71
8/5/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	32	< 5	590	5.4	< 18	627.4
9/1/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	46	< 5	670	5.4	< 18	721.4
10/5/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	41	< 50	680	9.5	< 18	730.5
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	2.1	37	0.75	460	5.9	2.9	508.65
6/27/1995		8260	< 20	< 20	< 20	< 20	< 20	< 20	20	< 20	1700	< 20	< 40	1720
7/16/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	21	< 6.4	710	< 7.9	< 18	731
7/9/1997		8260	< 12	6.7	< 10	< 7	< 25	< 10	15	< 6.4	750	< 7.9	< 18	771.7
7/23/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	13	< 6.4	660	< 7.9	< 18	673
7/20/1999		8260	< 12	< 5	< 10	< 7	< 25	< 10	12	< 6.4	310	< 7.9	< 18	322
7/13/2000	A0492202	8021	< 4	< 4	< 4	< 4	9.7	< 4	27	< 4	430	< 4	< 4	466.7
7/10/2001	A1648706	8021	< 4	< 4	< 4	< 4	12	< 4	21	< 4	270	< 4	< 4	303
7/16/2002	A2722909	8021	< 20	< 20	< 20	< 20	< 20	< 20	230	< 20	1500	< 20	< 20	1730
7/10/2003	A3654302	8021	< 14	< 4.6	< 5	< 8.2	< 18	< 7.7	160	< 9.3	990	< 16	< 6.5	1150
7/7/2004	A4636802	8021	< 14	< 2.5	< 2.1	< 8.2	< 4.5	< 5	200	< 3	1600	35	< 8.9	1835
7/14/2005	A5740602	8260/5M	< 1.2	< 1	< 1	1.4	< 2.5	2.7	310 D	< 1	2000 D	87	1.3 J	2402.4
7/14/2006	6G14010-04	8260	< 10	< 10	< 10	< 10	< 20	< 10	189	< 10	1090	30	< 20	1309
7/16/2007	7G17015-08	8260	< 10	< 10	< 10	< 10	< 20	< 10	155	< 10	1150	67	< 20	1372
7/24/2008	5424624	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.87 J	170	< 0.8	700	21	< 1	891.87

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-11M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/7/2009	5718478	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.8 J	76	< 0.8	470	21	< 1	568.8
7/12/2010	6030557	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.5 J	83	< 0.8	500	26	< 1	610.5
7/18/2011	6348762	8260	< 1	< 0.8	< 1	< 0.8	< 2	2.1 J	60	< 0.8	370	20	< 1	452.1
7/10/2012	6716079	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.4 J	27	< 0.8	270	15	< 1	313.4
7/2/2013	7117036	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.3 J	< 0.8	81	4.4 J	< 1	89.7
7/9/2014	7527874	8260	< 0.5	21	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	2.3	< 0.5	< 0.5	23.3
7/6/2015	7956058	SW8260C	< 0.5	2.2	< 0.5	< 0.5	< 2	1	38	< 0.5	380	23	< 0.5	444.2
12/12/2016	240-73361-3	8260C	< 2.5	0.98 J	< 2.5	< 2.5	3.6	< 2.5	3.3	< 2.5	62	1.5 J	< 2.5	71.38
5/1/2017	240-78974-2	8260C	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	6.7	< 2.5	91	3.4	< 2.5	101.1
4/13/2018	240-94116-19	8260C	< 3.3	< 3.3	< 3.3	< 3.3	7.5	< 3.3	11	< 3.3	100	3.3	< 3.3	121.8
4/5/2019	240-110691-2	8260C	< 2.5	< 2.5	< 2.5	< 2.5	< 13	< 2.5	6.2	< 2.5	63	2.1 J	< 2.5	71.3
4/1/2020	240-128428-3	8260C	< 10	< 10	< 10	< 10	< 50	< 10	16	< 10	190	7.4 J	< 10	213.4
4/27/2021	240-148317-8	8260C	< 10	< 10	< 10	< 10	< 50	< 10	23	< 10	210	9.6 J	< 10	242.6
4/13/2022	240-165065-6	8260C	< 3.3	< 3.3	< 3.3	< 3.3	< 17	< 3.3	9.6	< 3.3	140	9.1	< 3.3	158.7
3/23/2023	240-182590-28	8260D	< 2.0	< 2.0	< 2.0	< 2.0	< 10	< 2.0	7.3	< 2.0	98	5.2	< 2.0	110.5
4/17/2024	240-203148-17	8260D	< 2.0	< 2.0	< 2.0	< 2.0	< 10	< 2.0	13	< 2.0	160	8.8	< 2.0	181.8

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-12M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1987		8260	< 0.4	< 2	11	< 0.8	< 0.2	< 5	95	13	80	< 5	4.8	203.8
4/1/1987		8260	< 0.2	< 0.2	7	< 0.2	< 0.2	< 5	91	7.8	130	< 5	< 0.2	235.8
7/1/1987		8260	< 20	< 400	250	< 40	61	< 5	11000	490	10000	< 5	62	21863
10/1/1987		8260	< 20	< 50	120	10	10	< 5	1600	140	9900	< 5	44	11824
2/1/1988		8260	< 1	< 4	15	< 2	< 1	< 5	280	20	890	< 5	13	1218
8/1/1988		8260	< 1	< 1	46	< 1	< 1	< 5	390	56	840	< 5	76	1408
11/1/1988		8260	< 10	< 10	120	38	< 10	< 5	6600	270	2200	< 5	1400	10628
1/1/1989		8260	< 1.2	< 5	47	7	0.8	23	700	80	870	< 0.3	28	1755.8
4/1/1989		8260	< 0.1	< 0.05	7	1.5	< 0.1	1.4	40	< 0.03	150	< 0.03	< 0.2	199.9
7/1/1989		8260	< 1.2	< 0.5	21	1.3	< 2.5	< 1	370	< 0.3	570	< 0.3	55	1017.3
10/1/1989		8260	< 25	< 13	160	23	< 25	14	1000	230	2500	< 7.5	100	4027
1/1/1990		8260	< 25	< 13	38	< 25	< 130	< 25	440	31	890	< 7.5	< 25	1399
4/1/1990		8260	< 5	< 2.5	25	< 5	< 25	< 5	240	26	410	< 1.5	< 5	701
7/1/1990		8260	< 5	< 2.5	41	< 5	< 25	< 5	490	29	640	< 1.5	32	1232
10/1/1990		8260	< 5	< 2.5	2200	73	< 5	17	1100	210	2200	< 1.5	75	5875
1/1/1991		8260	< 5	< 2.5	46	7.6	< 25	5	380	43	810	< 1.5	14	1305.6
5/1/1991		8260	< 120	< 50	< 70	< 130	< 25	< 100	370	42	910	< 30	< 180	1322
7/1/1991		8260	< 120	< 50	< 70	< 130	< 250	< 100	220	130	970	< 30	< 180	1320
10/1/1991		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	6600	< 300	7800	< 300	< 1800	14400
1/1/1992		8260	< 240	< 100	360	< 260	< 500	< 200	5800	540	8600	< 60	< 360	15300
4/1/1992		8260	< 240	< 100	< 140	< 260	< 500	< 200	580	< 60	1600	< 60	< 360	2180
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	570	< 100	1200	< 30	< 180	1770
10/1/1992		8260	< 12	< 5	14	< 13	< 25	< 10	310	27	810	< 3	< 18	1161
1/1/1993		8260	< 12	< 5	50	< 13	< 25	< 10	440	20	670	< 3	< 18	1180
3/30/1993		8260	< 12	< 5	58	19	< 25	15	2400	39	560	< 3	440	3531
6/3/1993		8260	< 12	< 5	120	56	30	78	12000	95	2200	< 3	1100	15679
6/28/1993		8260	< 24	< 10	120	< 26	< 50	42	5800	100	590	< 6	490	7142
7/18/2002	A2732704	8021	< 1.2	< 1	1	< 1	< 2.5	< 1	30	1.4	74	< 1	< 1.8	106.4
7/2/2003	A3639710	8021	< 1.2	< 1	8.3	1.8	< 2.5	3.8	87 D	26	82	< 1	< 1.8	208.9
6/29/2004	A4614512	8021	< 2.9	< 1	4	< 1.6	< 2.5	2.7	71	8.3	240	< 1	< 1.8	326
7/8/2005	A5715203	8260/5M	< 1.2	< 1	0.56 J	< 1	< 2.5	< 1	7.3	1.1	30	< 1	< 1.8	38.96
7/18/2006	6G19003-15	8260	< 1	< 1	9	3	5 B	4	164	8	581 D	< 1	6	780
7/9/2007	7G10002-04	8260	< 1	< 1	1	< 1	< 2	< 1	20	2	77	< 1	< 2	100
7/16/2008	5417452	8260	< 2	< 1.6	69	13	< 4	7.8 J	560	110	1600	< 1.6	17	2376.8
7/13/2009	5722292	8260	< 2	< 1.6	37	4.3 J	< 4	7.1 J	290	78	660	< 1.6	< 2	1076.4
7/12/2010	6030550	8260	< 2	< 1.6	34	8.5 J	< 4	6.4 J	370	64	1700	< 1.6	2.1 J	2185
7/13/2011	6343978	8260	< 2	< 1.6	8.9 J	2.7 J	< 4	3.2 J	120	14	650	< 1.6	< 2	798.8
7/16/2012	6722027	8260	< 1	< 0.8	29	7.8	< 2	8.6	280	35	1700	< 0.8	< 1	2060.4
7/9/2013	7122571	8260	< 1	< 0.8	4.7 J	1.8 J	< 2	2.1 J	80	8.8	490	< 0.8	< 1	587.4
7/8/2014	7526296	8260	< 0.5	< 0.5	2.4	1.1	< 2	1.5	53	2.7	320	< 0.5	< 0.5	380.7
7/8/2015	7960011	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1	< 0.5	7.9	< 0.5	< 0.5	8.9
5/2/2017	240-79083-3	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	14	1.1 J	140	< 4.0	< 4.0	155.1
11/2/2017	240-87694-1	8260C	< 4.0	< 4.0	2.7 J	< 4.0	< 4.0	1.5 J	53	4.3	300 D	< 4.0	< 4.0	361.5
4/17/2018	240-94331-13	8260C	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	10	0.79 J	82	< 2.5	< 2.5	92.79
4/9/2019	240-110803-17	8260C	< 10	< 10	8.2 J	2.2 J	< 50	< 10	49	54	250	< 10	< 10	363.4
11/22/2019	240-122893-9	624.1_L	< 4.0	< 4.0	2.7 J	1.1 J	< 20	0.93 J	39	12	200	< 4.0	< 4.0	255.73

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-12M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/1/2020	240-128428-2	8260C	< 5.0	< 5.0	1.7 J	< 5.0	< 25	< 5.0	26	5	150	< 5.0	< 5.0	182.7
4/23/2021	240-148185-3	8260C	< 5.0	< 5.0	2.7 J	1.2 J	< 25	1.2 J	71	4.9 J	440 D	< 5.0	< 5.0	521
10/28/2021	240-159076-15	8260C	< 10	< 10	6.5 J	< 10	< 50	< 10	150	27	1100 D	< 10	< 10	1283.5
4/14/2022	240-165119-7	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	29	2.4 J	160	< 4.0	< 4.0	191.4
3/23/2023	240-182590-4	8260D	< 10	< 10	< 10	< 10	< 50	< 10	29	< 10	160	< 10	< 10	189
10/18/2023	240-194049-9	8260D	< 10	< 10	< 10	< 10	< 50	< 10	110	< 10	630	< 10	< 10	740
4/18/2024	240-203148-33	8260D	< 3.3	< 3.3	< 3.3	< 3.3	< 17	< 3.3	12	< 3.3	79	< 3.3	< 3.3	91
10/23/2024	240-213779-6	8260D	< 2.0	< 2.0	3.4	2	< 2.0	1.7 J	98	3.9	570	< 2.0	2.5	681.5

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-13M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1987		8260	< 2	< 40	5.2	2.8	< 1	< 5	1800	8	160	< 5	54	2030
4/1/1987		8260	< 1	< 40	21	20	960	< 5	5000	28	640	< 5	840	7509
7/1/1987		8260	< 4	< 100	33	25	< 2	< 5	4600	37	280	< 5	270	5245
10/1/1987		8260	< 5	< 200	27	14	< 1	< 5	6900	37	640	< 5	200	7818
2/1/1988		8260	< 4	< 200	62	36	< 4	< 5	8800	39	570	< 5	510	10017
8/1/1988		8260	< 4	< 4	970	39	< 4	< 5	14000	48	670	< 5	1100	16827
11/1/1988		8260	< 20	< 40	110	63	47	< 5	21000	79	910	< 5	1400	23609
4/1/1989		8260	< 0.1	< 0.05	19	13	< 0.1	9.1	1800	< 0.03	210	< 0.03	170	2221.1
7/1/1989		8260	< 10	< 5	50	31	< 10	31	6300	< 3	430	< 3	730	7572
10/1/1989		8260	< 50	< 25	62	57	< 50	47	7700	< 15	500	< 15	730	9096
1/1/1990		8260	< 50	< 25	59	62	< 250	59	7800	< 15	450	< 15	500	8930
4/1/1990		8260	< 25	< 13	33	< 25	< 130	< 25	4700	< 7.5	150	< 7.5	370	5253
7/1/1990		8260	< 250	< 125	< 175	< 250	< 1300	< 250	11000	< 75	710	< 75	2300	14010
10/1/1990		8260	< 25	< 13	80	49	< 25	40	10000	210	270	< 7.5	980	11629
1/1/1991		8260	< 25	< 13	< 18	< 25	< 130	< 25	8000	110	220	< 7.5	500	8830
5/1/1991		8260	< 240	< 100	< 140	< 260	< 500	< 200	7100	< 60	< 240	< 60	830	7930
7/1/1991		8260	< 240	< 100	< 140	< 260	< 500	< 200	8700	< 60	300	< 60	810	9810
10/1/1991		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	7700	< 300	< 1200	< 300	< 1800	7700
1/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	4000	< 30	220	< 30	300	4520
4/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	8300	< 30	1500	< 30	1500	11300
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	4600	< 100	< 120	< 30	650	5250
10/1/1992		8260	< 12	< 5	61	28	< 25	14	6600	40	670	< 3	600	8013
1/1/1993		8260	< 12	< 5	37	15	< 25	14	3300	14	160	< 3	250	3790
3/29/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	1200	< 5	< 12	< 3	300	1500
5/5/1993		8260	< 12	< 5	92	65	< 25	54	1000	16	140	< 3	2700	4067
6/3/1993		8260	< 12	< 5	91	70	35	84	9200	16	110	< 3	9500	19106
6/28/1993		8260	< 120	< 50	150	< 130	< 250	100	11000	70	300	< 30	3400	15020
8/5/1993		8260	< 120	< 50	< 70	< 130	< 250	< 100	10000	< 50	< 160	< 30	1700	11700
10/7/1993		8260	< 120	< 50	< 70	< 130	< 250	< 100	10000	< 50	< 120	< 30	2000	12000
7/7/1994		8260	< 1.2	< 0.5	50	39	< 2.5	39	7500 E	4.8	240	< 0.3	660	8532.8
6/27/1995		8260	< 40	< 40	< 40	< 40	< 40	< 40	3200	< 40	200	< 40	< 80	3400
7/16/1996		8260	< 120	< 50	< 100	< 70	< 250	< 100	4000	< 64	410	< 79	< 180	4410
7/9/1997		8260	< 120	< 78	< 100	< 70	< 250	< 100	1300	< 64	280	< 79	< 180	1580
7/24/1998		8260	< 120	< 50	< 100	< 70	< 250	< 100	1700	< 64	310	< 79	< 180	2010
7/19/1999		8260	< 12	< 5	< 10	< 7	< 25	43	1300	< 6.4	280	< 7.9	< 18	1623
7/11/2000	A0483108	8021	< 1.2	< 1	5.8	3.4	< 2.5	21	510	0.57 J	120	< 1	0.76 J	661.53
4/19/2001	A1361310	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	2.6	67	< 1.1	12	< 1.1	< 1.8	81.6
7/12/2001	A1663807	8021	< 4	7.6	< 4	< 4	5.5	14	720	< 4	120	< 4	< 4	867.1
7/16/2002	A2722911	8021	< 4	< 4	< 4	< 4	14	18	1000	< 4	140	< 4	< 4	1172
4/22/2003	A3376301	8021	< 14	< 4.6	< 5	< 8.2	22	14	1400	< 9.3	1400	< 16	82	2918
7/18/2003	A3689003	8021	< 14	< 4.6	10	< 8.2	< 18	12	1300	< 9.3	470	< 16	48	1840
10/22/2003	A3A21905	8021	< 14	< 2.5	12	< 8.2	< 4.5	10	1600	< 3	310	< 1.1	71	2003
4/27/2004	A4387501	8021	< 14	< 2.5	< 2.1	< 8.2	< 4.5	16	1100	< 3	89	< 1.1	34	1239
7/13/2004	A4663801	8021	< 12	42	16	19	30	27	950	< 2.4	200	< 1	40	1324
10/13/2004	A4A09403	8021	< 1	< 1	18	5.8	1.5 B	14	760 D	2.4	250 D	< 1	21	1072.7
4/19/2005	A5387404	8260	< 1.9	< 3.2	21	6.9	< 4	10	1100 D	2.6	440 D	< 2.5	22	1602.5

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-13M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/21/2005	A5768401	8260/5M	< 2.7	< 3.4	8.5	8.4	< 4.4	24	640 D	< 2.6	300	< 3.6	9	989.9
10/20/2005	A5B92004	8260	< 2.7	< 3.4	6.7	< 2.9	6.5 B	20	640 D	< 2.6	210	< 3.6	13	896.2
1/24/2006	A6089113	8260	< 1.2	< 1.3	2.8	< 1.2	4.2	2.3	230	< 1	81	< 1.4	4.7	325
4/18/2006	6D19002-03	8260	< 1	< 1	3	1	< 2	5	321 D	< 1	137	< 1	5	472
7/14/2006	6G14010-05	8260	< 1	< 1	7	5	9	20	838 D	< 1	202	< 1	59	1140
10/11/2006	6J12003-01	8260	< 1	< 1	3	2	< 2	8	368 D	< 1	73	< 1	19	473
1/10/2007	7A11003-05	8260	< 1	< 1	2	< 1	< 2	2	225 D	< 1	84	< 1	7	320
4/12/2007	7D13007-01	8260	< 1	< 1	1	< 1	< 2	3	152	< 1	63	< 1	8	227
7/12/2007	7G13019-08	8260	< 1	< 1	3	2	< 2	10	437 D	< 1	127	< 1	25	604
10/9/2007	7J10006-02	8260	< 4	< 4	< 4	< 4	< 8	9	413	< 4	122	< 4	27	571
1/8/2008	8A09005-01	8260	< 5	< 5	< 5	< 5	< 10	< 5	241	< 5	59	< 5	< 10	300
4/10/2008	8D11008-03	8260	< 5	< 5	7	< 5	12	6	536	< 5	456	< 5	18	1035
7/24/2008	5424627	8260	< 1	< 0.8	4.4 J	4.2 J	< 2	14	660	< 0.8	210	< 0.8	33	925.6
10/15/2008	5499970	8260	< 1	< 0.8	3.7 J	2.6 J	< 2	12	470	< 0.8	180	< 0.8	6.1	674.4
1/14/2009	5577590	8260	< 1	< 0.8	4.9 J	2.1 J	< 2	3.6 J	260	3.4 J	270	< 0.8	3.4 J	547.4
4/14/2009	5646770	8260	< 1	< 0.8	5.2	3.1 J	< 2	7	460	3.2 J	460	< 0.8	17	955.5
7/9/2009	5720678	8260	< 1	< 0.8	4.7 J	3.7 J	< 2	14	640	0.92 J	230	< 0.8	39	932.32
10/5/2009	5797965	8260	< 1	< 0.8	4.5 J	3 J	< 2	9.7	520	< 0.8	180	< 0.8	33	750.2
1/25/2010	5892345	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	59	< 0.8	71	< 0.8	1.6 J	131.6
4/13/2010	5953086	8260	< 1	< 0.8	4.2 J	2.6 J	< 2	5.8	360	2.3 J	340	< 0.8	19	733.9
7/14/2010	6032692	8260	< 1	< 0.8	3.3 J	2 J	< 2	8	430	< 0.8	140	< 0.8	24	607.3
10/14/2010	6113372	8260	< 1	< 0.8	6	4.7 J	< 2	18	740	1.2 J	240	< 0.8	13	1022.9
1/25/2011	6191897	8260	< 1	< 0.8	3.4 J	0.8 J	< 2	2.7 J	200	< 0.8	68	< 0.8	4.5 J	279.4
4/18/2011	6261651	8260	< 1	< 0.8	22	4.7 J	< 2	4.8 J	500	3 J	490	< 0.8	15	1039.5
7/12/2011	6342652	8260	< 1	< 0.8	12	3.9 J	< 2	7.4	450	1.5 J	380	< 0.8	16	870.8
10/11/2011	6434702	8260	< 2	< 1.6	8.8 J	5.2 J	< 4	15	770	< 1.6	350	< 1.6	8.6 J	1157.6
1/25/2012	6532442	8260	< 1	< 0.8	47	10	< 2	9.6	780	5.2	870	0.91 J	24	1746.71
4/10/2012	6612005	8260	< 1	< 0.8	2 J	1.6 J	< 2	4.3 J	440	< 0.8	6	< 0.8	140	593.9
7/18/2012	6726437	8260	< 1	< 0.8	7.3	4.3 J	< 2	14	630	0.96 J	260	< 0.8	27	943.56
10/2/2012	6810732	8260	< 1	< 0.8	7.5	4.3 J	< 2	16	770	< 0.8	240	< 0.8	9.9	1047.7
1/22/2013	6931415	8260	< 1	< 0.8	30	4.4 J	< 2	4.8 J	420	5.5	420	< 0.8	15	899.7
4/3/2013	7010220	8260	< 1	< 0.8	21	3.6 J	< 2	4.6 J	370	4 J	380	< 0.8	32	815.2
7/8/2013	7120723	8260	< 1	< 0.8	26	5.2	< 2	4.2 J	460	4.2 J	610	1.5 J	17	1128.1
11/13/2013	7276545	8260	< 1	< 0.8	4.9 J	1 J	< 2	1.2 J	160	1.1 J	190	< 0.8	6.8	365
1/16/2014	7340024	8260	< 1	< 0.8	1.9 J	< 0.8	< 2	< 0.8	96	< 0.8	120	< 0.8	2.7 J	220.6
4/23/2014	7440680	8260	< 0.5	< 0.5	12	4.5	< 2	5.8	510	2.9	650	1.4	20	1206.6
7/8/2014	7526286	8260	< 0.5	< 0.5	1.5	0.62 J	< 2	1.6	96	< 0.5	90	< 0.5	3.4	193.12
10/3/2014	7625308	8260	< 0.5	< 0.5	0.98 J	< 0.5	< 2	1.2	91	< 0.5	44	< 0.5	1.3	138.48
1/7/2015	7732746	8260	< 0.5	< 0.5	1.9	0.72 J	< 2	1.4	120	0.87 J	140	< 0.5	8.2	273.09
4/16/2015	7850970	8260	1.4	< 0.5	18	5.8	< 2	5.9	530	7.9	1000	2	14	1585
7/8/2015	7960009	SW8260C	< 0.5	< 0.5	0.77 J	< 0.5	< 2	0.66 J	57	< 0.5	52	< 0.5	3.2	113.63
10/5/2015	8077927	SW8260C	< 0.5	< 0.5	4.5	3	< 2	10	450	1.2	240	< 0.5	16	724.7
1/6/2016	8197846	SW8260C	< 0.5	< 0.5	4.5	2.7	< 2	8.7	450	0.78 J	190	< 0.5	5.8	662.48
12/9/2016	240-73270-18	8260C	< 33	< 33	< 33	< 33	< 33	13 J	750	< 33	260	< 33	< 33	1023
4/26/2017	240-78855-6	8260C	< 13	< 13	10 J	< 13	< 13	5.5 J	390	< 13	260	< 13	8.7 J	674.2
4/16/2018	240-94331-4	8260C	< 20	< 20	17 J	< 20	< 20	< 20	440	< 20	560	< 20	41	1058
4/3/2019	240-110627-4	8260C	< 25	< 25	< 25	< 25	< 130	< 25	980	< 25	940	< 25	< 25	1920
3/30/2020	240-128375-6	8260C	< 20	< 20	47	12 J	< 100	8.1 J	990	12 J	2900 D	6.9 J	< 20	3976
10/27/2020	240-139061-9	8260C	< 13	< 13	5.6 J	3.9 J	< 63	15	580	< 13	280	< 13	4.8 J	889.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-13M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/22/2021	240-148022-3	8260C	< 13	< 13	16 D	7.5 J	< 63	7.9 J	630	4.4 J	810	3.0 J	16	1494.8
6/29/2021	240-152171-2	8260C	< 13	< 13	< 13	< 13	< 63	7.2 J	370	< 13	230	< 13	8.1 J	615.3
7/27/2021	240-153558-2	8260C	< 50	< 50	24 J	< 50	< 250	< 50	1100	26 J	1900	< 50	< 50	3050
8/23/2021	240-155063-2	8260C	< 50	< 50	< 50	< 50	< 250	< 50	660	< 50	960	< 50	< 50	1620
10/25/2021	240-158965-1	8260C	< 50	< 50	< 50	< 50	< 250	< 50	860	< 50	420	< 50	< 50	1280
4/14/2022	240-165119-4	8260C	< 13	< 13	10 J	< 13	< 63	< 13	530	< 13	640	< 13	15	1195
3/20/2023	240-182590-24	8260D	< 2.0	< 2.0	1.3 J	< 2.0	< 10	< 2.0	66	< 2.0	9.5	< 2.0	11	87.8
4/18/2024	240-203148-37	8260D	< 5.0	< 5.0	2.7 J	< 5.0	< 25	< 5.0	160	< 5.0	120	< 5.0	29	311.7

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-14M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	4	< 0.2	130	< 5	< 0.2	134
7/1/1987		8260	< 4	< 5	< 8	< 8	< 4	< 5	160	< 4	7700	< 5	< 10	7860
10/1/1987		8260	< 4	< 8	< 4	< 4	< 4	< 5	110	< 4	6600	< 5	< 8	6710
2/1/1988		8260	< 4	< 4	< 4	< 4	< 4	< 5	64	< 4	2400	< 5	19	2483
8/1/1988		8260	< 4	< 4	< 4	< 4	< 0.4	< 4	< 4	< 4	5300	< 5	< 8	5300
1/1/1989		8260	< 0.1	< 5	0.08	0.6	< 0.1	2.2	46	1.1	2900	< 0.03	< 0.2	2949.98
4/1/1989		8260	< 0.6	400	< 0.4	< 0.2	< 0.5	< 0.5	15	< 0.2	1300	< 0.2	< 0.9	1715
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	19	< 1.3	500	< 0.3	< 1.8	519
10/1/1989		8260	< 25	< 13	< 18	< 25	< 25	< 25	120	< 7.5	7500	< 7.5	< 25	7620
1/1/1990		8260	< 5	< 2.5	< 3.5	< 5	< 25	< 5	70	< 1.5	1500	2.1	< 5	1572.1
4/1/1990		8260	< 25	< 13	< 18	< 25	< 130	< 25	< 25	< 7.5	75	< 7.5	< 25	75
7/1/1990		8260	< 5	< 2.5	< 3.5	< 5	< 25	< 5	31	< 1.5	960	< 1.5	< 5	991
10/1/1990		8260	< 25	< 13	< 18	< 25	< 25	< 25	270	< 7.5	22000	< 7.5	< 25	22270
2/1/1991		8260	< 5	< 2.5	< 3.5	< 5	< 25	< 5	22	3.6	1500	< 1.5	< 5	1525.6
5/1/1991		8260	< 240	< 100	< 140	< 260	< 500	< 200	< 200	< 60	1800	< 60	< 390	1800
7/1/1991		8260	< 240	< 100	< 140	< 260	< 500	< 200	< 200	220	16000	< 60	< 360	16220
10/1/1991		8260	< 60	< 25	< 35	< 65	< 130	< 50	230	< 15	20000	< 15	< 90	20230
1/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 100	< 30	3000	< 30	< 180	3000
4/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 100	< 30	790	< 30	< 180	790
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 100	< 30	1400	< 30	< 180	1400
10/1/1992		8260	< 1.2	< 0.5	0.7	< 1.3	< 2.5	< 1	15	< 0.3	930	0.6	< 1.8	946.3
1/1/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	26	< 3	610	< 3	< 18	636
3/31/1993		8260	< 6	< 2.5	< 3	< 6.5	< 13	< 5	13	< 2.5	500	< 1.5	< 9	513
6/4/1993		8260	< 12	< 5	< 7	< 13	34	< 10	36	5.9	2300	< 7.5	< 18	2375.9
6/29/1993		8260	< 1.2	0.89	< 0.7	< 1.3	< 2.5	1.8	77	< 0.5	3800	6.5	< 1.8	3886.19
8/5/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	39	< 5	1600	< 3	< 18	1639
7/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	26	0.63	890	2.4	< 1.8	919.03
7/17/2002	A2732701	8021	< 8	< 8	< 8	< 8	< 8	< 8	160	< 8	730	< 8	< 8	890
7/2/2003	A3639711	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.83 J	39	< 1	260 D	< 1	< 1.8	299.83
6/29/2004	A4614507	8021	< 2.9	< 1	< 1	< 1.6	13	< 1	10	< 1	130	< 1	< 1.8	153
7/8/2005	A5715204	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	1.8	96	< 1	500 D	9	< 1.8	606.8
7/13/2006	6G14009-04	8260	< 5	< 5	< 5	< 5	< 10	< 5	306	< 5	1500 D	9	17	1832
7/10/2007	7G11015-02	8260	< 10	< 10	< 10	< 10	< 20	< 10	67	< 10	541	11	< 20	619
7/21/2008	5420898	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	130	< 0.8	300	3.9 J	< 1	435
7/18/2011	6348761	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	64	< 0.8	360	4.3 J	< 1	429.4
7/9/2013	7122569	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	28	< 0.8	54	< 0.8	< 1	82
7/9/2014	7527873	8260	< 0.5	18	< 0.5	< 0.5	< 2	< 0.5	5.8	< 0.5	51	< 0.5	0.58 J	75.38
7/6/2015	7956059	SW8260C	< 0.5	3.5	< 0.5	< 0.5	< 2	0.56 J	25	< 0.5	220	3.8	< 0.5	252.86
12/12/2016	240-73361-4	8260C	< 5.0	< 5.0	< 5.0	< 5.0	8	< 5.0	5.4	< 5.0	110	< 5.0	< 5.0	123.4
5/3/2017	240-79160-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.2	< 1.0	39	0.32 J	< 1.0	41.52
4/13/2018	240-94116-3	8260C	< 1.7	< 1.7	< 1.7	< 1.7	< 3.4	< 1.7	1.9	< 1.7	41	< 1.7	< 1.7	42.9
4/4/2019	240-110627-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.4	< 1.0	29	0.27 J	< 1.0	32.67
3/25/2020	240-128236-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.21 J	3.6	< 1.0	30	0.26 J	< 1.0	34.07
4/23/2021	240-148185-6	8260C	< 1.0	0.25 J	< 1.0	< 1.0	4.4 J	0.57 J	21	< 1.0	150 D	2.1	< 1.0	178.32
4/12/2022	240-165070-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.6	< 1.0	29	< 1.0	< 1.0	31.6
3/23/2023	240-182590-17	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.3	< 1.0	34	0.51 J	< 1.0	37.81

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-14M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/17/2024	240-203148-16	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	5	< 1.0	52	0.89 J	< 1.0	57.89

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-15M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
2/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	< 0.2	0
8/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	< 0.4	0
11/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 1	< 0.2	< 0.2	< 0.2	9	< 5	< 0.2	9
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	< 0.1	1	< 0.03	5.8	< 0.03	< 0.2	6.8
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	< 1	< 0.03	0.4	< 0.03	< 0.2	0.4
7/1/1989		8260	< 1.2	0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	1.2	< 1.2	< 0.3	< 1.8	1.7
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	1.2	< 1	< 0.3	< 1	1.2
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	0.5	< 1	< 0.3	< 1	0.5
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	0.3	< 1.8	0.3
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	0.7 A	< 1.2	< 0.3	< 1.8	0.7
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	0.31	< 1.2	< 0.3	< 1.8	0.31
4/2/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
10/4/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	0.62 *	< 1.2	< 0.3	< 1.8	0.62
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	1.6	1.6	< 1	< 2	3.2
7/17/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/11/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/20/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/19/2000	A0508906	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2001	A1663802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/9/2002	A2695507	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
8/5/2002	A2793603	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	1.4	< 1	< 1.8	1.4
7/15/2003	A3670606	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/15/2004	A4674101	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/15/2004	A4674101	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2005	A5762203	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-12	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2007	7G18027-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/21/2008	5420897	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719628	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2010	6036144	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2011	6342642	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2012	6717356	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123810	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2014	7534310	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-15M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/9/2015	7962638	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-16M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
2/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	1.1	< 5	< 0.2	1.1
8/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	3	< 0.2	< 0.2	< 5	< 0.2	3
11/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 1	< 0.2	< 0.2	< 0.2	2	< 5	< 0.2	2
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	< 0.1	< 1	< 0.03	3	< 0.03	< 0.2	3
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	< 1	< 0.03	7.7	< 0.03	< 0.2	7.7
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	1.2	< 0.3	< 1.8	1.2
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1990		8260	< 1	0.7	< 0.7	< 1	< 5	< 1	< 1	< 0.3	4.2	< 0.3	< 1	4.9
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	3	< 0.3	< 1	< 0.3	< 1	3
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	7.7	1.6	0.3	< 1	9.6
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
3/31/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	2.4	< 1.2	< 0.3	< 1.8	2.4
7/17/2002	A2732702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	2.3	< 1	< 1.8	2.3
7/2/2003	A3639712	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	4.7	< 1	< 1.8	4.7
6/29/2004	A4614510	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2005	A5715205	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.77 J	< 1	< 1.8	0.77
7/13/2006	6G14009-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/18/2007	7G19011-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2008	5418429	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719617	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2010	6030553	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/25/2011	6355558	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.1 J	< 0.8	< 1	< 0.8	< 1	1.1
7/10/2012	6716069	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.2 J	< 0.8	< 1	< 0.8	< 1	1.2
7/9/2013	7122570	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2014	7529504	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/13/2015	7965565	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
12/12/2016	240-73361-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.33 J	2.5	< 1.0	0.69 J	< 1.0	< 1.0	3.52
5/1/2017	240-78974-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/13/2018	240-94116-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/5/2019	240-110691-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.15 J	< 1.0	< 1.0	0.15
3/31/2020	240-128375-7	8260C	< 1	< 1	< 1.0	< 1.0	< 5	< 1.0	0.27 J	< 1.0	< 1.0	< 1.0	< 1.0	0.27
4/27/2021	240-148317-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.10 J	< 1.0	< 1.0	0.1
4/13/2022	240-165065-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.63 J	< 1.0	2.2	< 1.0	< 1.0	2.83
3/23/2023	240-182590-20	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/17/2024	240-203148-18	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-17M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/1988		8260	< 200	< 200	280	580	45	< 5	170000	350	160000	< 5	26000	357255
12/1/1988		8260	< 500	< 500	< 500	< 1000	2300	< 5	65000	< 500	150000	< 5	< 1500	217300
1/1/1989		8260	< 20	< 5	< 14	< 26	< 20	< 20	21000	1000	21000	< 6	< 1100	43000
4/1/1989		8260	< 3	< 1.2	260	120	< 2.5	< 78	16000	240	35000	< 0.8	1000	52620
7/1/1989		8260	< 200	< 100	280	98	< 200	< 200	16000	500	17000	< 60	2200	36078
10/1/1989		8260	< 200	< 100	880	750	< 200	440	83000	740	140000	< 60	7600	233410
1/1/1990		8260	< 100	< 50	360	< 100	< 500	140	13000	330	13000	< 30	1200	28030
4/1/1990		8260	< 250	< 130	210	< 250	< 1300	< 250	14000	< 75	15000	< 75	< 250	29210
7/1/1990		8260	< 250	< 130	360	< 250	< 1300	< 250	30000	500	29000	< 75	2900	62760
10/1/1990		8260	< 250	< 130	1600	730	< 250	680	77000	1700	89000	< 250	7500	178210
1/1/1991		8260	< 50	< 25	100	< 50	< 250	< 50	8900	270	9800	< 15	820	19890
5/1/1991		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	11000	300	23000	< 300	< 1800	34300
7/1/1991		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	58000	450	48000	440	4900	111790
10/1/1991		8260	< 1200	< 500	700	< 1300	< 2500	< 1000	70000	< 300	65000	< 300	16000	151700
1/1/1992		8260	< 6000	< 2500	< 3500	< 6500	< 13000	< 5000	130000	< 1500	160000	< 1500	12000	302000
4/1/1992		8260	< 6000	< 2500	< 3500	< 6500	< 13000	< 5000	23000	< 1500	29000	< 1500	< 9000	52000
7/1/1992		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	29000	< 1500	31000	< 300	< 1800	60000
10/1/1992		8260	< 120	< 50	320	160	< 250	150	42000	170	83000	< 30	3300	129100
1/1/1993		8260	< 300	< 130	530	330	< 630	270	67000	210	100000	< 75	7000	175340
3/29/1993		8260	< 120	< 50	150	340	< 250	130	51000	67	72000	< 30	3900	127587
5/5/1993		8260	< 120	< 50	< 70	< 130	440	< 100	16000	52	160000	< 30	800	177292
6/3/1993		8260	< 120	< 50	< 70	< 130	460	130	24000	< 50	230000	< 30	1300	255890
6/28/1993		8260	< 1200	< 500	< 700	< 1300	< 2500	< 1000	250000	< 500	370000	< 300	8100	628100
8/5/1993		8260	< 1200	< 500	< 700	< 1300	< 2500	1000	130000	< 500	83000	< 300	12000	226000
9/1/1993		8260	< 1200	< 500	< 700	< 1300	< 2500	1000	210000	< 500	160000	< 300	13000	384000
10/7/1993		8260	< 1200	730	< 700	< 1300	< 2500	< 1000	230000	< 500	180000	< 300	10000	420730
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	790 *	< 1	300000	< 0.5	160000	< 0.3	44000	504790
4/8/1994		8260	< 1.2	< 0.5	2.9	16	< 2.5	17	2200	2.4	8100	< 0.3	430	10768.3
7/6/1994		8260	< 1.2	< 0.5	59	89	< 2.5	110	18000	17	16000	0.54	3300	37575.54
10/7/1994		8260	< 120	< 50	< 70	200	< 250	100	8900	< 50	15000	< 30	930	25130
1/25/1995		8260	< 20	< 20	< 20	< 20	< 20	21	2400	< 20	3000	< 20	160	5581
4/5/1995		8260	< 200	< 200	< 200	< 200	< 200	< 200	7500	< 200	25000	< 200	< 400	32500
10/10/1995		8260	< 120	< 50	< 100	< 70	< 250	< 100	960	< 64	6200	< 79	< 180	7160
1/11/1996		8260	< 120	< 50	< 100	< 70	< 250	< 100	8100	< 64	9000	< 79	220	17320
4/2/1996		8260	< 120	< 50	< 100	< 70	< 250	< 100	5200	< 64	8000	< 79	< 180	13200
7/15/1996		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	23000	< 640	27000	< 790	< 1800	50000
10/4/1996		8260	< 1200	630	< 1000	< 700	< 2500	< 1000	14000	< 640	26000	< 790	< 1800	40630
1/29/1997		8260	< 120	< 50	< 100	< 70	< 250	< 100	3200	< 64	5300	< 79	< 180	8500
4/17/1997		8260	< 120	< 50	< 100	< 70	< 250	< 100	5300	< 64	8200	< 79	< 180	13500
7/15/1997		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	15000	< 640	33000	< 790	< 1800	48000
10/24/1997		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	17000	< 640	34000	< 790	< 1800	51000
1/21/1998		8260	< 120	< 50	< 100	< 70	< 250	< 100	4400	< 64	5900	< 79	< 180	10300
4/23/1998		8260	< 120	< 50	< 100	< 70	< 250	< 100	3000	< 64	7500	< 79	< 180	10500
7/31/1998		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	25000	< 640	52000	< 790	< 1800	77000
8/5/1998		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	23000	< 640	64000	< 790	< 1800	87000
8/11/1998		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	23000	< 640	89000	< 790	< 1800	112000

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-17M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/18/1998		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	9100	< 640	31000	< 790	< 1800	40100
8/25/1998		8260	< 120	< 50	< 100	< 70	< 250	< 100	2000	< 64	7900	< 79	< 180	9900
10/12/1998		8260	< 120	< 50	< 100	< 70	< 250	< 100	3500	< 64	10000	< 79	< 180	13500
4/15/1999		8260	< 120	110 J	< 100	< 70	< 250	< 100	1800	< 64	4200	< 79	< 180	6110
7/22/1999		8260	< 1200	< 500	< 1000	< 700	< 2500	< 1000	3600	< 640	19000	< 790	< 1800	22600
10/15/1999		8260	< 40	< 40	< 40	< 40	78	< 40	1600	< 40	4300	< 40	< 40	5978
1/12/2000	A0026405	8021	< 160	< 160	< 160	< 160	360	< 160	3100	< 160	22000	< 160	< 160	25460
4/18/2000	A0259409	8021	< 160	< 160	< 160	< 160	< 160	< 160	2900	< 160	7400	< 160	< 160	10300
7/20/2000	A0508912	8021	< 80	< 80	< 80	< 80	< 80	< 80	1200	< 80	2500	< 80	< 80	3700
10/20/2000	A0754604	8021	< 80	< 80	< 80	< 80	< 80	< 80	2500	< 80	11000	< 80	< 80	13500
1/13/2001	A1041308	8021	< 80	< 80	< 80	< 80	< 80	< 80	3100	< 80	8000	< 80	< 80	11100
4/20/2001	A1366401	624	< 1.2	< 1.5	100 E	9.7	< 2.5	30	1500 D	9.4	5300 D	3.6	6.1	6958.8
7/11/2001	A1648713	8021	< 80	< 80	< 80	< 80	180	< 80	3700	< 80	8400	< 80	< 80	12280
10/16/2001	A1A17410	8021	< 800	< 800	< 800	< 800	1000	< 800	2600	< 800	29000	< 800	< 800	32600
1/25/2002	A2081503	8021	< 80	140	< 80	< 80	140	< 80	4500	< 80	2800	< 80	91	7671
4/22/2002	A2391101	8021	< 50	< 50	< 50	< 50	76	< 50	12000	< 50	4300	< 50	2100	18476
7/17/2002	A2732601	8021	< 100	< 100	< 100	< 100	160	< 100	8600	< 100	5500	< 100	1800	16060
10/15/2002	A2A23603	8021	< 800	< 800	< 800	< 800	1000	< 800	49000	< 800	17000	< 800	4300	71300
1/24/2003	A3075207	8021	< 140	< 46	< 50	< 82	190	< 77	12000	< 93	7100	< 160	2600	21890
4/23/2003	A3376304	8021	< 140	< 46	< 50	< 82	< 180	< 77	12000	< 93	4400	< 160	1400	17800
7/22/2003	A3699406	8021	< 140	< 46	< 50	< 82	< 180	< 77	13000	< 93	3800	< 160	1100	17900
10/22/2003	A3A28302	8021	< 140	< 25	< 21	< 82	170	< 50	20000	< 30	2500	< 11	2600	25270
1/21/2004	A4053403	8021	< 140	< 25	< 21	< 82	< 45	< 50	7800	< 30	5600	< 11	620	14020
4/28/2004	A4387504	8021	< 140	< 25	< 21	< 82	< 45	< 50	8100	< 30	5300	< 11	700	14100
7/9/2004	A4647102	8021	< 140	< 25	120	220	< 45	< 50	14000	< 30	3500	< 11	1600	19440
10/8/2004	A4994203	8021	< 250	< 250	< 250	< 250	< 1200	< 250	7700	< 250	3300	< 250	640	11640
1/18/2005	A5051102	8260	< 48	< 80	100	52	< 99	< 81	9600	< 63	7800	< 64	1300	18852
4/19/2005	A5387401	8260	< 48	< 80	< 95	< 47	< 99	< 81	12000 D	< 63	6900	< 64	1300	20200
7/21/2005	A5768404	8260/5M	< 53	< 67	110	< 59	< 88	130	15000	< 53	8600	< 73	1500	25340
10/21/2005	A5B92803	8260	< 1.2	< 1	69	43	< 2.5	60	9500 D	140 D	8900 D	0.98 J	1000 D	19712.98
1/26/2006	A6102401	8260	< 27	< 34	67	< 29	< 44	< 33	4300	< 26	8400	< 36	470	13237
4/19/2006	6D20002-04	8260	< 20	< 20	48	39	< 40	60	9570 D	< 20	7730 D	< 20	1210	18657
7/18/2006	6G19003-05	8260	< 25	< 25	72	40	212 B	61	8250 D	34	8170 D	< 25	1320	18159
10/9/2006	6J10002-09	8260	< 25	< 25	66	28	129	36	6730 D	175	12000 D	< 25	798	19962
1/9/2007	7A10006-08	8260	< 25	< 25	< 25	< 25	227	< 25	5190	< 25	12800 D	< 25	372	18589
4/12/2007	7D13007-03	8260	< 100	< 100	< 100	< 100	< 200	< 100	3100	< 100	3100	< 100	475	6675
7/16/2007	7G17015-01	8260	< 100	< 100	< 100	< 100	< 200	< 100	8490	< 100	2940	< 100	1510	12940
10/9/2007	7J10006-08	8260	< 100	< 100	< 100	< 100	277	< 100	12300	< 100	3150	< 100	2540	18267
1/7/2008	8A08003-10	8260	< 100	< 100	129	< 100	350	< 100	4910	< 100	3070	< 100	718	9177
4/9/2008	8D10002-02	8260	< 50	< 50	184	< 50	468	< 50	5820	70	2530	< 50	1020	10092
7/25/2008	5426027	8260	< 10	< 8	71	44 J	< 20	45 J	8000	11 J	3800	< 8	1300	13271
10/14/2008	5498684	8260	< 10	< 8	100	50 J	< 20	52	11000	10 J	3900	< 8	1500	16612
1/14/2009	5577592	8260	< 5	< 4	180	39	< 10	34	5900	49	2800	5.8 J	910	9917.8
4/15/2009	5647720	8260	< 10	< 8	210	49 J	< 20	35 J	6600	75	3900	9.4 J	750	11628.4
7/7/2009	5718470	8260	< 5	< 4	120	50	< 10	62	14000	20 J	3700	< 4	2200	20152
10/7/2009	5800387	8260	< 1	< 0.8	84	52	< 2	44	7500	12	4900	2.3 J	960	13554.3
1/20/2010	5888921	8260	< 10	< 8	220	39 J	< 20	32 J	6300	67	3000	< 8	620	10278
4/12/2010	5951990	8260	< 10	< 8	260	65	< 20	39 J	7400	93	7900	14 J	820	16591
7/14/2010	6032688	8260	< 10	< 8	110	46 J	< 20	53	14000	14 J	4300	< 8	1700	20223

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-17M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/14/2010	6113376	8260	< 10	< 8	35 J	26 J	< 20	27 J	8600	< 8	4500	< 8	940	14128
1/25/2011	6191890	8260	< 10	< 8	90	35 J	< 20	42 J	7400	15 J	6100	< 8	720	14402
4/19/2011	6263087	8260	< 5	< 4	36	29	< 10	54	14000	21 J	5300	< 4	1400	20840
7/13/2011	6343974	8260	< 10	< 8	150	47 J	< 20	47 J	11000	32 J	6600	< 8	1200	19076
10/12/2011	6435901	8260	< 10	< 8	52	32 J	< 20	36 J	8500	< 8	6800	< 8	890	16310
1/16/2012	6523837	8260	< 10	< 8	130	40 J	< 20	35 J	7200	21 J	6100	< 8	790	14316
4/9/2012	6610602	8260	< 10	< 8	45 J	35 J	< 20	48 J	8900	< 8	7800	< 8	1200	18028
7/18/2012	6726431	8260	< 10	< 8	170	67	< 20	69	15000	20 J	6300	< 8	2200	23826
10/2/2012	6810730	8260	< 10	< 8	95	49 J	< 20	46 J	12000	9.1 J	4600	< 8	1600	18399.1
1/23/2013	6932578	8260	< 10	< 8	66	42 J	< 20	40 J	8000	15 J	6500	< 8	960	15623
4/4/2013	7011179	8260	< 5	< 4	54	36	< 10	41	9900	7.9 J	7900	< 4	1200	19138.9
7/8/2013	7120732	8260	< 2	< 1.6	76	47	< 4	51	10000	14	5200	4.1 J	1200	16592.1
11/12/2013	7275077	8260	< 10	< 8	75	47 J	< 20	50 J	11000	15 J	6700	< 8	1400	19287
1/16/2014	7340032	8260	< 10	< 8	110	34 J	< 20	31 J	6200	22 J	4200	10 J	500	11107
4/16/2014	7433449	8260	< 5	< 5	77	39	< 20	34	6300	17	8300	7.7 J	660	15434.7
7/11/2014	7531034	8260	< 5	< 5	83	40	< 20	34	7700	20	4600	15	1200	13692
10/6/2014	7626653	8260	< 2.5	< 2.5	63	30	< 10	26	5300	12	3100	11	1100	9642
1/7/2015	7732756	8260	< 2.5	< 2.5	120	32	< 10	21	4200	36	3100	18	470	7997
4/20/2015	7856493	8260	< 0.5	< 0.5	160	54	< 2	29	4400	36	3600	23	360	8662
7/7/2015	7958383	SW8260C	< 1	< 1	95	23	< 4	20	3300	17	2400	13	760	6628
10/5/2015	8077933	SW8260C	< 5	< 5	70	36	< 20	29	5700	50	6800	5.2 J	530	13220.2
1/5/2016	8197712	SW8260C	< 5	< 5	48	28	< 20	20	4300	39	6400	< 5	350	11185
12/9/2016	240-73270-19	8260C	< 200	< 200	< 200	< 200	150 J	< 200	4100	< 200	3200	< 200	1500	8950
4/26/2017	240-78855-1	8260C	< 250	< 250	65 J	< 250	< 250	< 250	4000	< 250	6400	< 250	510	10975
4/17/2018	240-94331-15	8260C	< 250	< 250	< 250	< 250	< 250	< 250	6700	< 250	4200	< 250	920	11820
4/3/2019	240-110627-1	8260C	< 250	< 250	82 J	< 250	< 1300	< 250	8300	< 250	4700	< 250	1300	14382
11/20/2019	240-122631-7	624.1_L	< 130	< 130	44 J	< 130	< 630	< 63	5000	< 130	3400	< 130	1200	9644
3/30/2020	240-128375-10	8260C	< 200	< 200	44 J	< 200	< 1000	< 200	5300	< 200	3900	< 200	950	10194
10/27/2020	240-139061-12	8260C	< 200	< 200	< 200	< 200	< 1000	< 200	3000	< 200	3900	< 200	230	7130
4/27/2021	240-148317-12	8260C	< 200	< 200	35 J	< 200	< 1000	< 200	4100	< 200	1500	< 200	2500	8135
4/11/2022	240-165070-4	8260C	< 200	< 200	< 200	< 200	< 1000	< 200	5200	< 200	2600	< 200	1300	9100
3/21/2023	240-182590-25	8260D	< 50	< 50	< 50	< 50	< 250	< 50	1500	< 50	780	< 50	650	2930
4/19/2024	240-203148-41	8260D	< 50	< 50	< 50	< 50	< 250	< 50	1800	< 50	1600	< 50	560	3960

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-18M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/1988		8260	< 0.2	0.6	< 0.2	< 0.2	< 1	< 0.2	< 0.2	< 0.2	1	< 5	< 0.2	1.6
12/1/1988		8260	< 0.5	< 0.5	< 0.5	< 1	2.3	< 5	1.4	< 0.5	5.2	< 5	< 2	8.9
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	< 0.1	1	< 0.03	61	< 0.03	< 0.2	62
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	< 1	< 0.03	< 0.1	< 0.03	< 0.2	0
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.5	0
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	2.8	< 1	< 1	< 0.3	< 1	< 0.3	< 1	2.8
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	230	< 1	< 0.3	< 1	230
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1993		8260	< 1.2	< 0.5	0.87	< 1.3	< 2.5	< 1	8.3	1.1	1.7	< 0.3	< 1.8	11.97
3/30/1993		8260	< 1.2	< 0.5	0.87	< 1.3	< 2.5	< 1	7.2	< 0.5	< 1.2	< 0.3	< 1.8	8.07
6/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.3	26	3.9	5.5	< 0.3	< 1.8	36.7
10/4/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	8.8	< 0.5	25	< 0.3	< 1.8	33.8
7/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.3	40	< 0.5	120	< 0.3	< 2.8	161.3
6/27/1995		8260	< 1	< 1	< 1	< 1	< 1	3	56	< 1	12	5.4	< 2	76.4
7/16/1996		8260	< 1.2	0.8	< 1	< 0.7	< 2.5	2.4	32	< 0.64	9.2	< 0.79	< 1.8	44.4
7/10/1997		8260	< 1.2	0.5	< 1	< 0.7	< 2.5	2.5	53	< 0.64	3.5	< 0.79	< 1.8	59.5
7/24/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2.1	51	< 0.64	9.7	< 0.79	< 1.8	62.8
7/20/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.4	29	< 0.64	9	< 0.79	3.5 J	42.9
10/12/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	31	< 1	< 1.2	< 1	7.1	38.1
1/27/2000	A0057803	8021	< 1.2	< 1	1.1	< 1	< 2.5	0.57 J	13	0.35 J	< 1.2	< 1	9.9	24.92
4/18/2000	A0259415	8021	< 1.2	< 1	5.1	< 1	< 2.5	4.8	37	< 1	< 1.2	< 1	9.9	56.8
7/13/2000	A0492201	8021	< 1.2	< 1	0.98 J	< 1	< 2.5	0.36 J	14	< 1	1.2	< 1	7.8	24.34
10/19/2000	A0751319	8021	< 1.2	< 1	1.4	< 1	< 2.5	0.48 J	12	0.32 J	0.24 J	< 1	11	25.44
1/11/2001	A1035105	8021	< 1.2	< 1	2.2	< 1	< 2.5	1.2	12	1.6	< 1.2	< 1	13	30
4/19/2001	A1361313	624	< 0.24	< 0.3	0.38	< 0.28	< 0.5	< 0.36	2.5	< 0.22	0.24	< 0.22	3.4	6.52
7/12/2001	A1663803	8021	< 1.2	< 1	1.9	< 1	< 2.5	0.51 J	12	0.47 J	0.56 J	< 1	15	30.44
10/12/2001	A1A01001	8021	< 1.2	< 1	1	< 1	< 2.5	1	28	< 1	0.71 J	< 1	13	43.71
1/14/2002	A2039402	8021	< 1.2	< 1	0.73 J	< 1	< 2.5	2.4	61 D	< 1	1.8	< 1	17	82.93
4/8/2002	A2332602	8260	< 1.2	< 1	0.59 J	< 1	< 2.5	2.8	56	< 1	1.7	< 1	12	73.09
7/8/2002	A2695503	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.9	59	< 1	< 1.2	< 1	22	82.9
10/2/2002	A2980603	8021	< 1.2	< 1	0.62 J	< 1	< 2.5	2.2	30	< 1	0.82 J	< 1	14	47.64
1/13/2003	A3038004	8021	< 1.2	< 1	0.62 J	< 1	< 2.5	1.4	18	< 1	< 1.2	< 1	14	34.02
4/21/2003	A3370801	8021	< 1.2	< 1	0.44 J	< 1	1.8 J	3.3	78	< 1	4.9	< 1	18	106.44
7/14/2003	A3670602	8021	< 1.2	< 1	< 1	< 1	< 2.5	2.6	78	< 1	< 1.2	< 1.3	12	92.6
10/15/2003	A3998705	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	36	< 1	< 1.2	< 1	19	55
1/7/2004	A4012302	8021	< 1.2	< 1	< 1	< 1	< 2.5	5.7	120	< 1	< 1.2	< 1	6.1	131.8

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-18M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/29/2004	A4402301	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.8	26	< 1	< 1.2	< 1	16	43.8
7/14/2004	A4664201	8021	< 1.2	< 1	< 1	< 1	< 2.5	2.4	13	< 1	< 1.2	< 1	11	26.4
10/15/2004	A4A20701	8021	< 1	< 1	< 1	< 1	1.2	1.4	33	< 1	< 1	< 1	9	44.6
1/12/2005	A5036402	8260	< 1.2	< 1	< 1	< 1	< 2.5	2.9	45	< 1	< 1.2	< 1	9	56.9
4/4/2005	A5307809	8260	< 1.2	< 1	< 1	< 1	< 2.5	4.7	72	< 1	< 1.2	< 1	11	87.7
7/15/2005	A5747001	8260	< 1.2	< 1	< 1	< 1	1.8 J	6.6	75 D	< 1	< 1.2	< 1	32	115.4
7/14/2006	6G14010-03	8260	< 1	< 1	< 1	< 1	< 2	2	23	< 1	1	< 1	9	35
7/5/2007	7G06018-01	8260	< 1	< 1	< 1	< 1	< 2	1	27	< 1	< 1	< 1	11	39
7/23/2008	5423260	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	26	< 0.8	< 1	< 0.8	11	38.1
7/7/2009	5718468	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	11	< 0.8	< 1	< 0.8	5.5	16.5
7/15/2010	6033922	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.5	< 0.8	< 1	< 0.8	5.4	11.9
7/18/2011	6348765	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	8.1	< 0.8	< 1	< 0.8	4.6 J	12.7
7/16/2012	6722031	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	7	< 0.8	< 1	< 0.8	4 J	11
7/2/2013	7117032	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.8	< 0.8	29	< 0.8	1.7 J	37.5
7/9/2014	7527877	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	1.7	40	< 0.5	4.5	< 0.5	14	60.2
7/13/2015	7965566	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.64 J	16	< 0.5	< 0.5	< 0.5	7.4	24.04
12/8/2016	240-73270-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.49 J	16	< 1.0	< 1.0	< 1.0	11	27.49
5/2/2017	240-79083-1	8260C	< 1.7	< 1.7	< 1.7	< 1.7	< 1.7	1.8	72	< 1.7	< 1.7	< 1.7	27	100.8
4/17/2018	240-94331-19	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.83 J	25	< 1.0	< 1.0	< 1.0	17	42.83
8/22/2018	240-100303-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.32 J	6.9	< 1.0	0.14 J	< 1.0	8	15.36
9/28/2018	240-102127-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	1.2	65	< 1.0	0.18 J	< 1.0	29	95.38
10/30/2018	240-103813-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	1.4	77	< 1.0	< 1.0	< 1.0	29	107.4
1/29/2019	240-107569-4	8260C	< 2.5	< 2.5	< 2.5	< 2.5	< 13	1.0 J	59	< 2.5	40	< 2.5	< 2.5	100
4/4/2019	240-110627-10	8260C	< 2.0	< 2.0	< 2.0	< 2.0	< 10	1.9 J	100	< 2.0	< 2.0	< 2.0	28	129.9
3/31/2020	240-128375-8	8260C	< 1	< 1	< 1.0	< 1.0	< 5	< 1.0	41	< 1.0	< 1.0	< 1.0	3	44
10/27/2020	240-139061-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.41 J	26	< 1.0	< 1.0	< 1.0	21	47.41
4/22/2021	240-148022-2	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	1.0 J	79	< 4.0	< 4.0	< 4.0	20	100
6/28/2021	240-152161-1	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	88	< 4.0	< 4.0	< 4.0	27	115
7/26/2021	240-153555-2	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	93	< 4.0	< 4.0	< 4.0	28	121
8/23/2021	240-155061-2	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	96	< 4.0	< 4.0	< 4.0	24	120
10/25/2021	240-158968-2	8260C	< 4.0	< 4.0	< 4.0	< 4.0	15 J	< 4.0	89	< 4.0	< 4.0	< 4.0	27	131
4/14/2022	240-165119-2	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	93	< 4.0	< 4.0	< 4.0	23	116
3/23/2023	240-182590-37	8260D	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	98	< 4.0	< 4.0	< 4.0	22	120
4/17/2024	240-203148-15	8260D	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	110	< 4.0	< 4.0	< 4.0	21 J	131

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-19M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/1988		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 5	< 1	3
12/1/1988		8260	< 0.5	< 0.5	15	< 1	2.1	< 5	30	14	7.6	< 5	< 2	68.7
1/1/1989		8260	< 0.1	< 5	11	< 0.1	0.2	0.5	27	23	17	< 0.03	4.2	82.9
4/1/1989		8260	< 0.1	< 0.05	66	4.8	< 0.1	0.5	100	70	120	< 0.03	6.9	368.2
7/1/1989		8260	< 1.2	< 0.5	41	2.8	< 2.5	2.1	140	55	320	< 0.3	11	571.9
10/1/1989		8260	< 1	< 0.5	41	2.2	< 1	2.6	100	47	260	< 0.3	3.4	456.2
1/1/1990		8260	< 5	19	150	16	< 25	6.2	220	200	310	< 1.5	31	952.2
4/1/1990		8260	< 5	< 2.5	82	5.9	< 25	< 5	300	140	820	4.6	19	1371.5
7/1/1990		8260	< 5	< 2.5	55	< 5	< 25	5.9	200	100	850	< 1.5	< 5	1210.9
10/1/1990		8260	< 5	< 2.5	89	27	< 5	< 5	180	110	570	< 1.5	< 5	976
1/1/1991		8260	< 10	< 5	150	< 10	< 50	< 10	400	300	890	< 3	24	1764
5/1/1991		8260	< 24	14	31	< 26	< 50	< 20	66	69	370	< 6	< 36	550
7/1/1991		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 100	170	940	< 30	< 180	1110
10/1/1991		8260	< 60	< 25	< 35	< 65	< 130	< 50	140	50	510	< 15	< 90	700
1/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	210	19	36	< 3	31	296
4/1/1992		8260	< 120	< 50	97	< 130	< 250	< 100	460	360	1500	< 30	< 180	2417
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	250	< 200	1700	< 30	< 180	1950
10/1/1992		8260	< 1.2	1.8	42	4.1	< 2.5	2.3	200	120	1100	< 0.3	5.3	1475.5
1/1/1993		8260	< 12	< 5	52	< 13	< 25	< 10	280	120	1300	< 3	< 18	1752
3/30/1993		8260	< 12	< 5	45	< 13	< 25	< 10	230	81	600	< 3	< 18	956
5/5/1993		8260	< 2.4	1.2	29	< 4.1	1.1	2.1	220	45	530	< 0.6	< 3.6	828.4
6/3/1993		8260	< 12	< 5	35	< 13	42	< 10	180	63	930	< 3	< 18	1250
6/28/1993		8260	< 12	< 5	24	< 13	< 25	< 10	160	38	410	< 3	< 18	632
8/5/1993		8260	< 1.2	< 0.5	1.3	< 1.3	< 2.5	< 1	17	1.8	18	< 0.3	< 1.8	38.1
10/7/1993		8260	< 1.2	< 0.5	2.6	< 1.3	< 2.5	< 1	37	3.4	21	< 0.3	< 1.8	64
7/7/1994		8260	< 1.2	< 0.5	1.1	< 1.3	< 2.5	< 1	7.8	1.5	8	< 0.3	1.8	20.2
6/27/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	2.9	< 1	1.3	< 1	< 2	4.2
7/16/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	11	1.2	1.6	< 0.79	< 1.8	13.8
7/14/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	4	< 0.64	1.8	< 0.79	< 1.8	5.8
7/24/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	5	< 0.64	< 1.2	< 0.79	< 1.8	5
7/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	0.79 J	< 1.2	< 0.79	< 1.8	3.79
10/13/1999		8260	< 1.2	< 1	1.9	< 1	< 2.5	< 1	21	1.6	0.84 J	< 1	9.8	35.14
1/27/2000	A0057802	8021	< 1.2	< 1	1	0.32 J	< 2.5	< 1	13	0.77 J	0.48 J	< 1	3.2	18.77
4/20/2000	A0263901	8021	< 1.2	< 1	2	< 1	< 2.5	< 1	23	1.5	2.6	< 1	4	33.1
7/17/2000	A0500404	8021	< 1.2	< 1	0.53 J	< 1	< 2.5	< 1	12	0.4 J	1.1 J	< 1	1.9	15.93
10/19/2000	A0751320	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.4	< 1	< 1.2	< 1	< 1.8	4.4
1/12/2001	A1035110	8021	< 1.2	< 1	1.4	< 1	< 2.5	< 1	6.4	1.5	0.32 J	< 1	1.4 J	11.02
4/19/2001	A1361309	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	1.3	< 0.22	< 0.24	< 0.22	< 0.36	1.3
7/12/2001	A1663806	8021	< 1.2	< 1	0.32 J	< 1	< 2.5	< 1	5.5	0.27 J	0.95 J	< 1	0.56 J	7.6
10/12/2001	A1A01005	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.4	< 1	0.25 J	< 1	0.24 J	2.89
1/14/2002	A2039401	8021	< 1.2	< 1	0.25 J	< 1	< 2.5	< 1	3.4	0.25 J	0.98 J	< 1	1 J	5.88
4/8/2002	A2332601	8260	< 1.2	< 1	0.37 J	< 1	< 2.5	< 1	3.4	0.22 J	0.37 J	0.24 J	0.35 J	4.95
7/8/2002	A2695501	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.6	< 1	< 1.2	< 1	< 1.8	4.6
10/2/2002	A2980601	8021	< 1.2	< 1	0.32 J	< 1	< 2.5	< 1	4.2	0.36 J	1.1 J	< 1	0.43 J	6.41
1/13/2003	A3038002	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.9	< 1	1.4	< 1	0.37 J	4.67
4/22/2003	A3376401	8021	< 1.2	< 1	0.31 J	< 1	< 2.5	< 1	4.6	0.33 J	< 1.2	< 1	0.92 J	6.16

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-19M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/14/2003	A3670601	8021	< 1.2	< 1	0.24 J	< 1	< 2.5	< 1	4.9	0.21 J	0.28 J	< 1	0.51 J	6.14
10/15/2003	A3998704	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.4	< 1	< 1.2	< 1	< 1.8	3.4
1/7/2004	A4012301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.4	< 1	< 1.2	< 1	< 1.8	2.4
4/27/2004	A4387401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.2	< 1	< 1.2	< 1	< 1.8	7.2
7/13/2004	A4664209	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5.4	< 1	< 1.2	< 1	< 1.8	5.4
10/13/2004	A4A09501	8021	< 1	< 1	< 1	< 1	< 1	< 1	11	0.57 J	< 1	< 1	1	12.57
1/12/2005	A5036401	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.7	< 1	0.41 J	< 1	0.98 J	5.09
4/4/2005	A5307808	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.7	< 1	0.32 BJ	< 1	0.75 J	4.77
7/21/2005	A5768301	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	6.3	< 1	< 1.2	< 1	1 J	7.3
10/20/2005	A5B91902	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4	< 1	0.51 J	< 1	0.92 J	5.43
1/24/2006	A6089112	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.2	< 1	0.56 J	< 1	1.3 J	6.06
4/18/2006	6D19002-04	8260	< 1	< 1	< 1	< 1	2	< 1	3	< 1	< 1	< 1	< 2	5
7/14/2006	6G14010-06	8260	< 1	< 1	< 1	< 1	8	< 1	3	< 1	< 1	< 1	< 2	11
10/11/2006	6J12003-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	5	< 1	1	< 1	< 2	6
1/8/2007	7A09003-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	< 1	< 1	< 2	3
4/12/2007	7D13007-02	8260	< 1	< 1	< 1	< 1	8	< 1	4	< 1	< 1	< 1	< 2	12
7/10/2007	7G11015-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	4	< 1	< 2	7
10/9/2007	7J10006-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	16	< 1	< 2	18
1/7/2008	8A08003-05	8260	< 1	< 1	< 1	< 1	2	< 1	3	< 1	< 1	< 1	< 2	5
4/10/2008	8D11008-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	< 1	< 1	< 2	4
7/16/2008	5417449	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.5 J	< 0.8	< 1	< 0.8	< 1	2.5
10/15/2008	5499969	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.8 J	< 0.8	2.2 J	< 0.8	< 1	6
1/14/2009	5577589	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.6 J	< 0.8	< 1	< 0.8	< 1	2.6
4/14/2009	5646769	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.5 J	< 0.8	< 1	< 0.8	1.3 J	4.8
7/9/2009	5720693	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.8 J	< 0.8	< 1	< 0.8	< 1	2.8
10/5/2009	5797964	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.7 J	< 0.8	< 1	< 0.8	< 1	2.7
1/25/2010	5892344	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.1 J	< 0.8	< 1	< 0.8	< 1	2.1
4/13/2010	5953087	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2 J	< 0.8	< 1	< 0.8	< 1	2
7/14/2010	6032693	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.8 J	< 0.8	< 1	< 0.8	< 1	2.8
10/14/2010	6113368	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.9 J	120	< 0.8	25	< 0.8	1.6 J	148.5
1/25/2011	6191896	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	15	< 0.8	1.9 J	< 0.8	< 1	16.9
4/18/2011	6261650	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.4 J	< 0.8	< 1	< 0.8	< 1	2.4
7/12/2011	6342653	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.8 J	< 0.8	< 1	< 0.8	< 1	2.8
10/11/2011	6434703	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.7 J	< 0.8	< 1	< 0.8	1.1 J	4.8
1/17/2012	6524429	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.9 J	< 0.8	< 1	< 0.8	< 1	2.9
4/10/2012	6612009	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.9 J	< 0.8	1.1 J	< 0.8	1.1 J	6.1
1/22/2013	6931416	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.81 J	< 0.8	< 1	< 0.8	< 1	0.81
4/3/2013	7010221	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.5 J	< 0.8	1.4 J	< 0.8	< 1	3.9
7/8/2013	7120734	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.9 J	< 0.8	< 1	< 0.8	< 1	2.9
11/13/2013	7276544	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.9 J	< 0.8	2.1 J	< 0.8	< 1	5
1/16/2014	7340026	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.1 J	< 0.8	1.9 J	< 0.8	< 1	5
4/24/2014	7442061	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.6	< 0.5	< 0.5	< 0.5	< 0.5	1.6
7/8/2014	7526294	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.8	< 0.5	0.95 J	< 0.5	< 0.5	3.75
10/3/2014	7625309	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.4	< 0.5	< 0.5	< 0.5	0.55 J	2.95
1/7/2015	7732745	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.2	< 0.5	0.54 J	< 0.5	0.76 J	3.5
4/16/2015	7850971	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.9	< 0.5	3.8	< 0.5	0.55 J	7.25
7/8/2015	7960008	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.1	< 0.5	< 0.5	< 0.5	< 0.5	1.1
4/26/2017	240-78855-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.1	< 1.0	< 1.0	< 1.0	0.71 J	1.81
4/16/2018	240-94331-5	8260C	< 1.0	< 1.0	0.26 J	< 1.0	< 1.0	< 1.0	2.6	< 1.0	< 1.0	< 1.0	0.64 J	3.5

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-19M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/9/2019	240-110803-16	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.80 J	< 1.0	0.31 J	< 1.0	< 1.0	1.11
3/30/2020	240-128375-9	8260C	< 1	< 1	0.21 J	< 1.0	< 5	< 1.0	2.2	< 1.0	< 1.0	< 1.0	0.76 J	3.17
4/22/2021	240-148022-4	8260C	< 1.0	< 1.0	0.33 J	< 1.0	< 5.0	< 1.0	3	< 1.0	0.21 J	< 1.0	0.89 J	4.43
6/28/2021	240-152171-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.8	< 1.0	< 1.0	< 1.0	0.71 J	2.51
7/26/2021	240-153558-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.8	< 1.0	< 1.0	< 1.0	0.91 J	3.71
8/24/2021	240-155063-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.1	< 1.0	< 1.0	< 1.0	1.3	3.4
10/25/2021	240-158965-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.8	< 1.0	< 1.0	< 1.0	0.91 J	3.71
4/14/2022	240-165119-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.6	< 1.0	< 1.0	< 1.0	1.9	4.5
3/20/2023	240-182590-38	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.7	< 1.0	< 1.0	< 1.0	1	2.7
4/18/2024	240-203148-36	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.2	< 1.0	< 1.0	< 1.0	1.1	3.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-20M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/1988		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 5	< 1	3
12/1/1988		8260	< 0.4	< 0.4	< 0.4	< 0.8	3.8	< 0.4	< 0.4	< 0.4	< 0.4	< 5	< 2	3.8
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	0.2	< 0.1	< 0.1	< 0.03	0.5	< 0.03	< 0.2	0.7
4/1/1989		8260	< 0.1	< 0.5	< 0.07	< 0.03	< 0.1	< 0.1	< 0.1	< 0.03	< 0.1	< 0.03	< 0.2	0
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	26	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	26
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1990		8260	< 1	0.6	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0.6
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	0.9 A	< 1.2	< 0.3	< 1.8	0.9
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
3/31/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
10/7/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/27/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
7/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/10/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/24/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/28/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/14/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/28/2000	A0057801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/19/2000	A0259403	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.26 J	< 1	< 1.8	0.26
7/11/2000	A0483112	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.67 J	< 1	< 1.8	0.67
10/20/2000	A0754602	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2001	A1043906	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/16/2001	A1345807	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	< 1.2	< 1.1	< 1.8	0
7/13/2001	A1663809	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/10/2001	A1994703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/17/2002	A2058502	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/9/2002	A2332612	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/9/2002	A2695510	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/3/2002	A2980611	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/15/2003	A3043008	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/14/2003	A3347502	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/15/2003	A3670608	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/16/2003	A3A08901	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2004	A4682902	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-20M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/22/2005	A5402101	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/22/2005	A5778401	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/18/2006	6G19003-10	8260	< 1	< 1	< 1	< 1	6 B	< 1	< 1	< 1	< 1	< 1	< 2	6
7/11/2007	7G12003-09	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/22/2008	5422165	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2009	5720683	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/20/2010	6038211	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/21/2011	6353675	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/17/2012	6723841	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2013	7128198	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2014	7529508	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/6/2015	7956061	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-21M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/1988		8260	< 1	< 1	< 1	< 1	2	< 5	3.2	< 1	8.2	< 5	< 1	13.4
12/1/1988		8260	< 0.2	< 0.2	< 0.2	< 0.4	1.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	< 0.6	1.2
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	0.1	< 0.1	< 1	< 0.03	2	< 0.03	< 0.2	2.1
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	2	< 0.03	6.8	< 0.03	< 0.2	8.8
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 0.1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 0.1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1990		8260	< 1	1	< 0.7	< 1	< 5	< 1	24	< 0.3	4.5	< 0.3	< 1	29.5
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	0.3	< 1	< 0.3	< 1	0.3
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	5.7	< 0.3	< 1.2	< 0.3	< 1.8	5.7
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	2.3 A	< 1.2	< 0.3	< 1.8	2.3
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/2/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
4/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
1/26/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
4/4/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/29/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/17/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/20/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/26/2000	A0275205	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/23/2001	A1375208	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/17/2001	A1A23304	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/17/2002	A2058505	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/10/2002	A2347901	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/9/2002	A2695511	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2003	A3056001	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/15/2003	A3356602	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/15/2003	A3670607	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/15/2003	A3998706	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/8/2004	A4026305	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/15/2004	A4674102	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/15/2004	A4674102	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/18/2004	A4A27801	8021	< 1	< 1	< 1	< 1	< 5	< 1	< 1	< 1	1.7	< 1	< 1	1.7
1/14/2005	A5038301	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	2.5	< 1	< 1.8	2.5
4/22/2005	A5402104	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/25/2005	A5790301	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/21/2005	A5B92301	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-21M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/24/2006	A6089101	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/13/2006	6D14002-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2006	6G18004-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/10/2006	6J11002-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	1	< 1	< 2	1
1/11/2007	7A12004-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
4/5/2007	7D06002-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/18/2007	7G19011-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/11/2007	7J12012-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
1/9/2008	8A10002-02	8260	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 2	2
4/7/2008	8D08002-02	8260	< 1	< 1	< 1	< 1	10 B	< 1	< 1	< 1	< 1	< 1	< 2	10
7/21/2008	5420899	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/15/2008	5499966	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/13/2009	5576506	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/20/2009	5651170	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/13/2009	5722289	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/6/2009	5799017	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/26/2010	5893229	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/7/2010	5948416	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2010	6033914	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/19/2010	6116884	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/27/2011	6194102	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/13/2011	6258133	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/25/2011	6355562	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/10/2011	6433660	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/18/2012	6526481	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.1 J	< 0.8	< 1	1.1
4/3/2012	6605291	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2012	6728257	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/3/2012	6812014	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/17/2013	6926976	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/9/2013	7016202	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2013	7125533	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
11/14/2013	7278192	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/20/2014	7342593	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/14/2014	7430450	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/14/2014	7532402	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/2/2014	7623661	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/6/2015	7731163	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
4/15/2015	7849423	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/13/2015	7965572	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/6/2015	8079116	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/6/2016	8197849	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
12/6/2016	240-73125-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/27/2017	240-78855-11	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
11/2/2017	240-87694-19	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/18/2018	240-94333-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
9/27/2018	240-102125-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.16 J	< 1.0	< 1.0	< 1.0	< 1.0	0.16
4/9/2019	240-110803-11	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
11/22/2019	240-122893-7	624.1_L	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 0.50	< 0.50	< 1.0	< 1.0	< 1.0	< 1.0	0
3/27/2020	240-128359-1	8260C	< 1	< 1	< 1.0	< 1.0	< 5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-21M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/28/2020	240-139252-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/26/2021	240-148317-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/26/2021	240-159076-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/15/2022	240-165253-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/17/2022	240-175103-13	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
3/21/2023	240-182590-13	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/19/2023	240-194049-13	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/16/2024	240-203148-3	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/24/2024	240-213779-9	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-22M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/1988		8260	< 1	< 1	< 1	< 1	3	< 5	220	< 1	23	< 5	< 1	246
12/1/1988		8260	< 1	< 1	< 1	< 2	3.5	< 5	130	< 1	12	< 5	< 3	145.5
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	0.5	24	< 0.03	4.5	< 0.03	2.3	31.3
4/1/1989		8260	< 0.1	67	3.3	2.9	< 0.1	5.3	280	< 0.03	19	< 0.03	3.8	381.3
7/1/1989		8260	< 10	< 5	19	12	< 10	15	2800	17	360	< 3	260	3483
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	17	< 0.3	< 1	< 0.3	< 1	17
1/1/1990		8260	< 1	< 0.5	25	19	< 5	24	4400	< 0.3	750	< 0.3	93	5311
4/1/1990		8260	< 10	< 5	14	< 10	< 50	< 10	1600	< 3	160	< 3	58	1832
7/1/1990		8260	< 10	< 5	< 70	< 10	< 50	< 10	630	< 3	55	< 3	< 10	685
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	48	< 0.3	1.5	< 0.3	< 1	49.5
1/1/1991		8260	< 1	< 0.5	3.3	< 1	< 5	7.2	430	5.5	110	< 0.3	< 1	556
5/1/1991		8260	< 12	< 5	44	23	< 25	35	5000	11	370	< 3	46	5529
7/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	97	3.8	< 12	< 3	< 18	100.8
10/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	540	5.4	43	< 3	< 18	588.4
1/1/1992		8260	< 24	< 10	< 14	< 26	< 50	< 20	660	< 6	54	< 6	< 36	714
4/1/1992		8260	< 24	< 10	21	< 26	< 50	< 20	2800	11	400	< 6	170	3402
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	250	< 200	< 120	< 30	< 180	250
10/1/1992		8260	< 12	< 5	< 7	12	< 25	< 10	4300	9	130	< 3	520	4971
1/1/1993		8260	< 24	< 10	29	< 26	< 50	< 20	2700	9.8	220	< 6	210	3168.8
4/2/1993		8260	< 24	< 10	< 14	< 26	< 50	< 20	2000	< 10	200	< 6	< 36	2200
6/3/1993		8260	< 2.4	< 1	1.6	< 2.6	< 5	4.3	280	< 1	410	< 0.6	< 3.6	695.9
7/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1	120	< 0.5	2.7	< 0.3	< 3.3	123.7
8/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	140	< 0.5	3.8	< 0.3	2.9	146.7
9/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	2.3	110	< 0.5	5.3	< 0.3	4.9	122.5
10/4/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	150	0.61 *	5.7	< 0.3	< 1.8	156.31
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	2.1	230	< 0.5	16	< 0.3	140	388.1
4/7/1994		8260	< 1.2	< 0.5	13	9.4	< 2.5	26	1900	1.6	160	< 0.3	17	2127
7/6/1994		8260	< 1.2	< 0.5	1.2	< 1.3	2.6 J	4.7	180	< 0.5	19	< 0.3	8.7	216.2
10/6/1994		8260	< 1.2	< 0.5	1.1	2.1	< 2.5	4.5	130	< 0.5	4.4	< 0.3	36	178.1
1/26/1995		8260	< 20	< 20	< 20	< 20	< 20	< 20	1900	< 20	190	< 20	< 40	2090
4/5/1995		8260	< 10	< 10	< 10	< 10	< 10	12	1500	< 10	150	< 10	< 20	1662
6/28/1995		8260	< 2	< 2	< 2	< 2	< 2	5.6	240	< 2	22	< 2	29	296.6
10/10/1995		8260	< 12	< 5	3	1.7	< 25	8	510	< 6.4	60	< 7.9	7.3	590
1/11/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	630	< 6.4	78	< 7.9	33	741
4/4/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	560	< 6.4	4.2	< 7.9	24	588.2
7/17/1996		8260	< 12	8	< 10	< 7	< 25	< 10	270	< 6.4	16	< 7.9	< 18	294
10/3/1996		8260	< 12	7.1	< 10	< 7	< 25	< 10	210	< 6.4	< 12	< 7.9	< 18	217.1
1/28/1997		8260	< 12	< 5	< 10	< 7	< 25	12	890	< 6.4	70	< 7.9	< 18	972
4/17/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	510	< 6.4	46	< 7.9	< 18	556
7/15/1997		8260	< 12	7.6	< 10	< 7	< 25	< 10	420	< 6.4	45	< 7.9	< 18	472.6
10/23/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1	130	< 0.64	8.2	< 0.79	< 1.8	139.2
1/21/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	740	< 6.4	72	< 7.9	< 18	812
4/22/1998		8260	< 12	< 5	< 10	< 7	< 25	14	910	< 6.4	86	< 7.9	< 18	1010
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	4.4	180	< 0.64	21	< 0.79	< 1.8	205.4
10/7/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 10	340	< 0.64	25	< 0.79	< 1.8	365
1/21/1999		8260	< 12	8.1 J	< 10	< 7	< 25	< 10	340	< 6.4	26	< 7.9	< 18	374.1

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-22M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.3	90	< 0.64	4.7	< 0.79	< 1.8	96
7/22/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	4.1	130	< 0.64	6.5	< 0.79	8.8	149.4
10/12/1999		8260	< 1.2	2.9	< 1	< 1	< 2.5	1.2	180	< 1	5.5	< 1	27	216.6
1/12/2000	A0026402	8021	< 1.2	< 1	< 1	< 1	2.9	< 1	120	< 1	3.4	< 1	2.9	129.2
4/26/2000	A0275203	8021	< 16	< 16	< 16	< 16	< 16	< 16	1400	< 16	220	< 16	< 16	1620
7/18/2000	A0500412	8021	< 1.6	< 1.6	< 1.6	< 1.6	< 2.5	2.3	170	< 1.6	9.7	< 1.6	< 1.8	182
10/19/2000	A0751302	8021	< 1.2	< 1	< 1	< 1	1.1 BJ	< 1	120	< 1	7.8	< 1	5	133.9
1/11/2001	A1035101	8021	< 1.2	1.3	< 1	< 1	4.2	< 1	110	< 1	4.4	< 1	9.6	129.5
4/23/2001	A1375207	8021	< 4	< 4	< 4	< 4	< 4	< 4	510	< 4	50	< 4	< 4	560
7/18/2001	A1682908	8021	< 1.2	< 1	< 1	< 1	2.5	1	130	< 1	13	< 1	7	153.5
10/17/2001	A1A23305	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.5	230	< 1	13	< 1	36	280.5
1/23/2002	A2076701	8021	< 1.2	< 1	7.6	4.6	2.1 J	21	1400 D	< 1	110 D	< 1	9.6	1554.9
4/18/2002	A2378801	8021	< 1.2	< 1	< 1	< 1	0.8 J	< 1	130	< 1	9.2	< 1	36	176
7/15/2002	A2722901	8021	< 1.2	< 1	< 1	< 1	2.2 J	1.4	91	< 1	4.9	< 1	8.1	107.6
10/15/2002	A2A23601	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	79	< 1	6.2	< 1	13	98.2
1/22/2003	A3068901	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.94 J	80	< 1	3.2	< 1	12	96.14
4/24/2003	A3389602	8021	< 1.2	< 1	< 1	< 1	1.6 J	< 1	130	< 1	13	< 1.3	30	174.6
7/17/2003	A3683901	8021	< 1.4	< 1	< 1	< 1	< 2.5	< 1	140	< 1	5	< 1.6	13	158
10/21/2003	A3A21902	8021	< 1.4	< 1	< 1	< 1	< 2.5	< 1	160	< 1	5.7	< 1	2.3	168
4/30/2004	A4402503	8021	< 1.4	< 1	< 1	< 1	< 2.5	< 1	99	< 1	< 1.2	< 1	40	139
7/15/2004	A4674303	8021	< 1.4	< 1	2.2	< 1	< 2.5	3.9 E	170 E	< 1	24	< 1	10 E	210.1
7/15/2004	A4674303	8260	< 1.2	< 1.6	< 1.9	< 1	4.3	< 1.6	130	< 1.3	23	< 1.3	< 2.9	157.3
10/18/2004	A4A27701	8021	< 2	< 2	< 2	< 2	< 10	< 2	90	< 2	13	< 2	< 2	103
1/20/2005	A5057501	8260	< 1.2	< 1	2.8	1.6	< 2.5	16	340 D	0.34 J	56 D	< 1	2.2	418.94
4/26/2005	A5414404	8260	< 1.9	< 3.2	< 3.8	< 1.9	< 4	7	250	< 2.5	33	< 2.5	< 5.9	290
7/25/2005	A5790401	8260/5M	< 1.2	< 1.1	< 1	< 1.2	< 2.5	1.6	110	< 1.1	14	< 1.3	7.8	133.4
10/21/2005	A5B92801	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.61 J	36	< 1	3.9	< 1	1.2 J	41.71
1/24/2006	A6089102	8260	< 1.2	< 1	2.9	1.4	< 2.5	15	460 D	< 1	90	< 1	3.1	572.4
4/19/2006	6D20002-01	8260	< 1	< 1	< 1	< 1	< 2	1	61	< 1	17	< 1	14	93
7/17/2006	6G18004-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	29	< 1	5	< 1	2	36
10/10/2006	6J11002-08	8260	< 1	< 1	< 1	< 1	< 2	1	66	< 1	10	< 1	4	81
1/11/2007	7A12004-02	8260	< 1	< 1	3	< 1	< 2	14	370 D	< 1	89	< 1	< 2	476
4/19/2007	7D20005-01	8260	< 1	< 1	< 1	< 1	< 2	5	136	< 1	35	< 1	5	181
7/18/2007	7G19011-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	26	< 1	5	< 1	< 2	31
10/11/2007	7J12012-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	24	< 1	4	< 1	< 2	28
1/9/2008	8A10002-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	17	< 1	3	< 1	3	23
4/8/2008	8D09003-07	8260	< 1	< 1	2	1	6	10	301 D	< 1	95	< 1	2	417
7/21/2008	5420900	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	24	< 0.8	4.9 J	< 0.8	1.2 J	30.1
10/15/2008	5499967	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	29	< 0.8	4.1 J	< 0.8	< 1	33.1
1/13/2009	5576505	8260	< 1	< 0.8	3.1 J	2 J	< 2	14	460	< 0.8	120	< 0.8	1 J	600.1
4/20/2009	5651167	8260	< 1	< 0.8	< 1	< 0.8	< 2	3.8 J	150	< 0.8	39	< 0.8	9.9	202.7
7/13/2009	5722290	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	27	< 0.8	4.8 J	< 0.8	1.6 J	33.4
10/6/2009	5799012	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.5 J	70	< 0.8	15	< 0.8	1.1 J	87.6
1/26/2010	5893228	8260	< 1	< 0.8	< 1	< 0.8	< 2	4.8 J	120	< 0.8	44	< 0.8	< 1	168.8
4/19/2010	5957668	8260	< 1	< 0.8	< 1	< 0.8	< 2	3.8 J	110	< 0.8	30	< 0.8	< 1	143.8
7/15/2010	6033915	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	38	< 0.8	7.2	< 0.8	< 1	45.2
10/19/2010	6116887	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	27	< 0.8	6.7	< 0.8	1.9 J	35.6
1/27/2011	6194103	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	64	< 0.8	15	< 0.8	1.3 J	81.6
4/14/2011	6259038	8260	< 1	< 0.8	2.5 J	1 J	< 2	7.7	280	< 0.8	97	< 0.8	< 1	388.2

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-22M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/25/2011	6355561	8260	< 1	< 0.8	< 1	< 0.8	< 2	2.3 J	93	< 0.8	26	< 0.8	1.3 J	122.6
10/10/2011	6433661	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.89 J	43	< 0.8	8.5	< 0.8	1.9 J	54.29
1/18/2012	6526482	8260	< 1	< 0.8	1.2 J	< 0.8	< 2	4.8 J	120	< 0.8	63	< 0.8	< 1	189
4/10/2012	6612011	8260	< 1	< 0.8	< 1	< 0.8	< 2	4 J	120	< 0.8	20	< 0.8	< 1	144
7/19/2012	6728258	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	42	< 0.8	9.8	< 0.8	< 1	51.8
10/3/2012	6812017	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	36	< 0.8	7.3	< 0.8	< 1	43.3
1/17/2013	6926979	8260	< 1	< 0.8	< 1	< 0.8	< 2	3.4 J	87	< 0.8	35	< 0.8	< 1	125.4
4/9/2013	7016198	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	40	< 0.8	9.1	< 0.8	8.8	57.9
7/11/2013	7125534	8260	< 1	< 0.8	1.2 J	< 0.8	< 2	5.7	150	< 0.8	53	< 0.8	< 1	209.9
11/14/2013	7278191	8260	< 1	< 0.8	1.7 J	< 0.8	< 2	6.6	210	< 0.8	83	< 0.8	< 1	301.3
1/20/2014	7342592	8260	< 1	< 0.8	< 1	< 0.8	< 2	4.9 J	130	< 0.8	41	< 0.8	< 1	175.9
4/24/2014	7442065	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	2.6	67	< 0.5	14	< 0.5	< 0.5	83.6
7/14/2014	7532401	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	19	< 0.5	8.4	< 0.5	1.9	29.3
10/2/2014	7623662	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	20	< 0.5	7.6	< 0.5	0.57 J	28.17
1/6/2015	7731162	8260	< 0.5	< 0.5	1.4	0.68 J	< 2	5.7	180	< 0.5	100	< 0.5	0.57 J	288.35
4/22/2015	7858498	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	2.8	81	< 0.5	29	< 0.5	< 0.5	112.8
7/13/2015	7965571	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.78 J	45	< 0.5	20	< 0.5	1 J	66.78
10/6/2015	8079115	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	28	< 0.5	7.1	< 0.5	0.55 J	35.65
1/6/2016	8197848	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	22	< 0.5	5	< 0.5	0.71 J	27.71
12/6/2016	240-73125-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.56 J	37	< 1.0	7.7	< 1.0	2.1	47.36
4/27/2017	240-78855-12	8260C	< 1.3	< 1.3	0.41 J	< 1.3	< 1.3	2.2	50	< 1.3	20	< 1.3	< 1.3	72.61
11/2/2017	240-87694-16	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.87 J	47	< 1.0	12	< 1.0	1.4	61.27
4/18/2018	240-94333-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.5	33	< 1.0	7.5	< 1.0	< 1.0	42
9/27/2018	240-102125-9	8260C	< 1.0	< 1.0	0.26 J	< 1.0	< 5.0	0.72 J	33	< 1.0	8	< 1.0	1.2	43.18
4/9/2019	240-110803-12	8260C	< 1.0	< 1.0	0.30 J	< 1.0	< 5.0	1.5	44	< 1.0	13	< 1.0	< 1.0	58.8
11/22/2019	240-122893-8	624.1_L	< 1.0	0.15 J	0.22 J	< 1.0	< 5.0	1.2	24	< 1.0	10	< 1.0	< 1.0	35.57
3/27/2020	240-128359-2	8260C	< 1	< 1	0.41 J	< 1.0	< 5	1.5	52	< 1.0	15	< 1.0	< 1.0	68.91
10/28/2020	240-139252-2	8260C	< 1.0	0.57 J	0.40 J	< 1.0	< 5.0	2	46	< 1.0	23	< 1.0	< 1.0	71.97
4/26/2021	240-148317-6	8260C	< 1.0	0.17 J	2.7	1	< 5.0	7.3	230 D	0.97 J	160 D	0.17 J	0.21 J	402.52
10/26/2021	240-159076-8	8260C	< 5.0	< 5.0	< 5.0	< 5.0	15 J	< 5.0	120	< 5.0	100	< 5.0	< 5.0	235
4/15/2022	240-165253-7	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	2.9 J	100	< 5.0	38	< 5.0	< 5.0	140.9
10/18/2022	240-175103-14	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.92 J	27	< 1.0	12	< 1.0	3.2	43.12
3/21/2023	240-182590-14	8260D	< 2.0	< 2.0	< 2.0	< 2.0	< 10	1.8 J	51	< 2.0	23	< 2.0	< 2.0	75.8
10/19/2023	240-194049-14	8260D	< 2.0	< 2.0	0.96 J	< 2.0	< 10	1.4 J	57	< 2.0	49	< 2.0	2.8	111.16
4/16/2024	240-203148-5	8260D	< 1.0	< 1.0	0.98 J	< 1.0	< 5.0	1.9	57	< 1.0	32	< 1.0	< 1.0	91.88
10/24/2024	240-213779-8	8260D	< 1.0	< 1.0	2.8	0.41 J	< 1.0	2.6	210	0.50 J	260	0.29 J	3.3	479.9

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-23M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1989		8260	< 0.1	< 5	2.4	2.6	< 0.1	4.7	900	< 0.03	2.6	< 0.03	46	958.3
4/1/1989		8260	< 0.1	< 0.05	4	3.7	< 0.1	< 0.1	720	< 0.03	2.1	< 0.03	66	795.8
7/1/1989		8260	< 1.2	< 0.5	3.5	3.9	< 2.5	3.8	1100	< 0.3	1.5	< 0.3	100	1212.7
10/1/1989		8260	< 10	< 5	< 7	4.7	< 10	14	750	< 3	13	< 3	65	846.7
1/1/1990		8260	< 10	< 5	7.7	< 10	71	20	2300	< 3	71	< 3	86	2555.7
4/1/1990		8260	< 10	< 5	< 7	< 10	< 50	< 10	1100	< 3	63	< 3	37	1200
7/1/1990		8260	< 10	< 5	< 7	< 10	< 50	< 10	1000	< 3	46	< 3	92	1138
10/1/1990		8260	< 5	< 2.5	5.3	< 5	< 5	5.3	650	< 1.5	< 5	< 1.5	68	728.6
1/1/1991		8260	< 5	< 2.5	< 3.5	< 5	< 25	5.7	1300	< 1.5	89	< 1.5	51	1445.7
5/1/1991		8260	< 60	< 25	< 35	< 65	< 125	< 50	1500	< 15	< 60	< 15	91	1591
7/1/1991		8260	< 60	< 25	< 35	< 65	< 130	< 50	770	< 15	< 60	< 15	< 90	770
10/1/1991		8260	< 120	< 50	< 70	< 130	< 250	< 100	960	< 30	< 120	< 30	< 180	960
1/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	1800	< 30	< 240	< 30	< 360	1800
4/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 1100	< 30	< 120	< 30	< 180	0
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	1600	< 30	< 120	< 30	< 180	1600
10/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	1100	< 3	< 12	4.1	72	1176.1
1/1/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	1100	< 3	63	< 3	24	1187
3/31/1993		8260	< 6	< 2.5	3.8	< 6.5	< 13	6.9	1100	< 2.5	12	< 1.5	95	1217.7
6/3/1993		8260	< 6	< 2.5	< 3.5	< 6.5	< 12	7.5	1100	< 2.5	8	< 1.5	72	1187.5
6/30/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	960	5.1	< 12	< 3	92	1057.1
8/5/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	990	< 5	< 12	< 3	73	1063
9/1/1993		8260	< 12	< 5	< 7	< 13	< 25	12	980	< 5	< 12	< 3	110	1102
10/5/1993		8260	< 12	5.6	< 7	< 13	< 25	< 10	1000	< 5	< 12	< 3	120	1125.6
1/26/1994		8260	< 1.2	< 0.5	< 2.2	< 1.3	< 2.5	5.4	1200	< 0.5	< 1.2	< 0.3	350	1555.4
4/6/1994		8260	< 1.2	< 0.5	4.8	2.4	< 2.5	20	1200	1.3	82	< 0.3	50	1360.5
7/8/1994		8260	< 12	< 5	< 7	< 13	< 25	< 10	900	< 5	< 12	< 3	39	939
10/6/1994		8260	< 12	< 5	< 7	21	< 25	22	1100	< 5	< 12	< 3	90	1233
1/25/1995		8260	< 5	< 5	< 5	< 5	< 5	5.9	530	< 5	22	< 5	26	583.9
4/4/1995		8260	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	6.5	220	< 2.5	67	< 2.5	< 5	293.5
6/28/1995		8260	< 5	< 5	< 5	< 5	< 5	< 5	380	< 5	7.9	< 5	15	402.9
10/4/1995		8260	< 1.2	< 0.5	2.7	2.8	< 2.5	9.4	860	< 0.64	15	< 0.79	58	947.9
1/9/1996		8260	< 12	< 5	< 10	< 7	< 25	10	330	< 6.4	88	< 7.9	< 18	428
4/3/1996		8260	< 12	< 5	< 10	< 7	< 25	14	480	< 6.4	130	< 7.9	< 18	624
7/10/1996		8260	< 12	< 5	< 10	< 7	< 25	11	930	< 6.4	26	< 7.9	26	993
10/3/1996		8260	< 12	9.3	< 10	< 7	< 25	13	420	< 6.4	110	< 7.9	< 18	552.3
1/27/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	240	< 6.4	79	< 7.9	< 18	319
4/16/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	240	< 6.4	60	< 7.9	< 18	300
7/10/1997		8260	< 12	7.6	< 10	< 7	< 25	< 10	420	< 6.4	45	< 7.9	< 18	472.6
10/22/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	820	< 6.4	12	< 7.9	20	852
1/20/1998		8260	< 12	9.1	< 10	< 7	< 25	< 10	470	< 6.4	130	< 7.9	< 18	609.1
4/23/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	230	< 6.4	68	< 7.9	< 18	298
7/22/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	520	< 0.64	20	< 0.79	< 1.8	540
10/9/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	440	< 0.64	12	< 0.79	27	479
1/22/1999		8260	< 12	20 J	< 10	< 7	< 25	< 10	620	< 6.4	< 1.2	< 7.9	< 18	640
4/19/1999		8260	< 12	13 J	< 10	< 7	< 25	< 10	430	< 6.4	52	< 7.9	< 18	495
7/21/1999		8260	< 12	< 5	< 10	< 7	< 25	11	490	< 6.4	18	< 7.9	26	545

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-23M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/11/1999		8260	< 1.2	< 1	0.84 J	0.94 J	< 2.5	3.7	280	< 1	7.2	< 1	11	303.68
1/10/2000	A0018403	8021	< 1.2	< 1	< 1	< 1	3.4	7	190	< 1	42	< 1	1.1 J	243.5
4/25/2000	A0275211	8021	< 1.2	< 1	6.4	< 1	< 2.5	10	280	< 1	36	< 1	12	344.4
7/12/2000	A0483117	8021	< 1.2	< 1	< 1	< 1	1.6 J	2.3	110	< 1	32	< 1	< 1.8	145.9
10/25/2000	A0767906	8021	< 1.2	< 1	< 1	< 1	< 2.5	4.5	200	< 1	18	< 1	12	234.5
1/16/2001	A1043902	8021	< 1.2	3.6	< 1	< 1	1.9 J	6.4	210	< 1	13	< 1	15	249.9
4/16/2001	A1345805	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	7	150 D	< 1.1	52	< 1.1	< 1.8	209
7/16/2001	A1674115	8021	< 1.2	4.9	< 1	< 1	2.8	5.5	230	< 1	23	< 1	8.5	274.7
10/18/2001	A1A23310	8021	< 2	< 2	< 2	< 2	3.5	< 2	280	< 2	11	< 2	< 2	294.5
1/23/2002	A2076703	8021	< 2	7.4	< 2	< 2	4.2	5	310	< 2	39	< 2	6.8	372.4
4/18/2002	A2378802	8021	< 2	< 2	< 2	< 2	< 2.5	< 2	350	< 2	< 2	< 2	22	372
7/15/2002	A2722903	8021	< 2	< 2	< 2	< 2	6	3.3	410	< 2	4.3	< 2	20	443.6
10/9/2002	A2A07510	8021	< 4	< 4	< 4	< 4	< 4	< 4	300	< 4	18	< 4	17	335
1/22/2003	A3068902	8021	< 2.9	2.7	< 1	< 1.6	< 3.7	4.8	140	< 1.9	45	< 3.3	< 1.8	192.5
4/21/2003	A3370901	8021	< 2.9	< 1	< 1	< 1.6	12	2.1	320	< 1.9	< 1.2	< 3.3	17	351.1
7/21/2003	A3699401	8021	< 2.9	< 1	< 1	< 1.6	< 3.7	2	370	< 1.9	2.7	< 3.3	15	389.7
10/20/2003	A3A13901	8021	< 2.9	< 1	< 1	< 1.6	< 2.5	< 1	320	< 1	3.8	< 1	15	338.8
1/29/2004	A4077603	8021	< 2.9	< 1	< 1	< 1.6	< 2.5	3	320	< 1	74	< 1	9.1	406.1
4/23/2004	A4373101	8021	< 2.9	< 1	< 1	< 1.6	< 2.5	< 1	400	< 1	< 1.2	< 1	28	428
7/21/2004	A4687101	8260	< 1.9	< 3.2	< 3.8	< 1.9	10	< 3.2	340	< 2.5	9.9	< 2.5	< 5.9	359.9
10/20/2004	A4A32301	8021	< 5	< 5	< 5	< 5	< 5	< 5	230	< 5	7.1	< 5	12	249.1
1/13/2005	A5036108	8260	< 1.9	< 3.2	< 3.8	< 1.9	< 4	< 3.2	360	< 2.5	53	< 2.5	5.9	418.9
4/19/2005	A5387405	8260	< 1.9	< 3.2	< 3.8	< 1.9	< 4	< 3.2	380	< 2.5	32	< 2.5	21	433
7/18/2005	A5753801	8260/5M	< 2	< 2.2	< 2.1	< 2.4	< 2.5	< 2.5	360	< 2.2	< 2.2	< 2.6	32	392
10/20/2005	A5B92001	8260	< 1.2	< 1	1.7	1.2	< 2.5	1.8	370 D	< 1	3	< 1	61	438.7
1/23/2006	A6084701	8260	< 1.3	< 1.7	< 1.4	< 1.5	< 2.5	3	300	< 1.3	96	< 1.8	9.3	408.3
4/21/2006	6D21017-01	8260	< 1	< 1	1	< 1	< 2	1	272 D	< 1	9	< 1	17	300
7/20/2006	6G21005-05	8260	< 5	< 5	< 5	< 5	25	< 5	309	< 5	< 5	< 5	39	373
10/10/2006	6J11002-02	8260	< 1	< 1	1	< 1	< 2	2	243 D	< 1	10	< 1	28	284
1/8/2007	7A09003-01	8260	< 5	< 5	< 5	< 5	< 10	< 5	238	< 5	182	< 5	< 10	420
4/18/2007	7D19009-01	8260	< 1	< 1	2	< 1	< 2	2	239 D	< 1	41	< 1	17	301
7/11/2007	7G12003-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	178	< 1	8	< 1	24	210
10/10/2007	7J11002-03	8260	< 1	< 1	1	< 1	< 2	< 1	272 D	< 1	2	< 1	34	309
1/8/2008	8A09005-04	8260	< 2	< 2	< 2	< 2	< 4	4	171	< 2	71	< 2	11	257
4/9/2008	8D10002-04	8260	< 1	< 1	2	1	2	2	292 D	< 1	21	< 1	24	344
7/25/2008	5426028	8260	< 1	< 0.8	1.1 J	< 0.8	< 2	0.87 J	270	< 0.8	1.8 J	< 0.8	58	331.77
10/17/2008	5502673	8260	< 1	< 0.8	1.2 J	< 0.8	< 2	0.9 J	280	< 0.8	1.5 J	< 0.8	37	320.6
1/13/2009	5576509	8260	< 1	< 0.8	2.2 J	0.96 J	< 2	2.3 J	270	< 0.8	53	< 0.8	17	345.46
4/13/2009	5647710	8260	< 1	< 0.8	1.4 J	< 0.8	< 2	1.6 J	260	< 0.8	21	< 0.8	11	295
7/14/2009	5723623	8260	< 1	< 0.8	1.2 J	< 0.8	< 2	0.93 J	290	< 0.8	2.8 J	< 0.8	33	327.93
10/5/2009	5797962	8260	< 1	< 0.8	1.1 J	< 0.8	< 2	0.93 J	260	< 0.8	4.8 J	< 0.8	29	295.83
1/21/2010	5889953	8260	< 1	< 0.8	2.4 J	0.87 J	< 2	2.5 J	240	1.8 J	110	< 0.8	9.7	367.27
4/19/2010	5957669	8260	< 1	< 0.8	1.7 J	0.91 J	< 2	1.3 J	280	< 0.8	22	< 0.8	28	333.91
7/13/2010	6031621	8260	< 1	< 0.8	1.3 J	< 0.8	< 2	0.95 J	270	< 0.8	8.2	< 0.8	40	320.45
10/18/2010	6115537	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.93 J	270	< 0.8	1.2 J	< 0.8	33	305.13
1/26/2011	6192948	8260	< 1	< 0.8	2.6 J	< 0.8	< 2	3.5 J	170	1.4 J	120	< 0.8	1.7 J	299.2
4/21/2011	6266004	8260	< 1	< 0.8	1.1 J	0.83 J	< 2	1 J	280	< 0.8	< 1	< 0.8	17	299.93
7/21/2011	6353678	8260	< 1	< 0.8	1.1 J	< 0.8	< 2	0.86 J	260	< 0.8	3.7 J	< 0.8	28	293.66
10/13/2011	6437681	8260	< 1	< 0.8	1.1 J	< 0.8	< 2	1 J	240	< 0.8	10	< 0.8	27	279.1

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-23M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/17/2012	6524418	8260	< 1	< 0.8	1.7 J	< 0.8	< 2	1.4 J	210	< 0.8	57	< 0.8	8.6	278.7
4/11/2012	6613966	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	250	< 0.8	1.3 J	< 0.8	23	274.3
7/12/2012	6719399	8260	< 1	< 0.8	1.1 J	< 0.8	< 2	0.91 J	240	< 0.8	4.8 J	< 0.8	25	271.81
10/3/2012	6812006	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	230	< 0.8	7.5	< 0.8	27	264.5
1/23/2013	6932570	8260	< 1	< 0.8	2.8 J	< 0.8	< 2	2 J	190	2 J	130	< 0.8	8.5	335.3
4/8/2013	7015024	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	220	< 0.8	3.7 J	< 0.8	28	251.7
7/16/2013	7129889	8260	< 1	< 0.8	3.4 J	0.91 J	< 2	2.2 J	190	1.4 J	170	< 0.8	9.3	377.21
11/13/2013	7276549	8260	< 1	< 0.8	2.6 J	1 J	< 2	2 J	250	1.2 J	170	< 0.8	11	437.8
1/17/2014	7341389	8260	< 1	< 0.8	2 J	< 0.8	< 2	1.8 J	170	0.83 J	130	< 0.8	1.1 J	305.73
4/24/2014	7442060	8260	< 0.5	< 0.5	1.2	0.62 J	< 2	1 J	210	< 0.5	27	< 0.5	11	250.82
7/16/2014	7535886	8260	< 0.5	< 0.5	2.1	0.84 J	< 2	3.4	160	1.2	220	< 0.5	3.1	390.64
10/2/2014	7623667	8260	< 0.5	< 0.5	0.93 J	< 0.5	< 2	0.81 J	190	< 0.5	13	< 0.5	26	230.74
1/8/2015	7734026	8260	< 0.5	< 0.5	2	0.71 J	< 2	2.5	140	1.3	160	< 0.5	3.4	309.91
4/22/2015	7858499	8260	< 0.5	< 0.5	1.6	0.6 J	< 2	1.4	190	< 0.5	62	< 0.5	3.1	258.7
7/14/2015	7967354	SW8260C	< 0.5	< 0.5	1.2	< 0.5	< 2	2.1	130	0.73 J	59	< 0.5	3.7	196.73
10/7/2015	8080775	SW8260C	< 0.5	< 0.5	1.7	0.58 J	< 2	1	170	0.81 J	32	< 0.5	18	224.09
1/7/2016	8199647	SW8260C	< 0.5	< 0.5	1.3	< 0.5	< 2	< 0.5	200	< 0.5	22	< 0.5	29	252.3
12/5/2016	240-73125-4	8260C	< 6.7	< 6.7	< 6.7	< 6.7	< 6.7	< 6.7	140	< 6.7	< 6.7	< 6.7	24	164
5/3/2017	240-79160-3	8260C	< 2.5	< 2.5	1.1 J	< 2.5	< 2.5	2.7	76	0.58 J	86	< 2.5	8.8	175.18
11/3/2017	240-87694-6	8260C	< 2.5	< 2.5	1.3 J	< 2.5	< 2.5	1.9 J	70	< 2.5	82	< 2.5	< 2.5	155.2
4/12/2018	240-94116-11	8260C	< 5.0	< 5.0	1.6 J	< 5.0	12	1.8 J	120	< 5.0	120	< 5.0	3.1 J	258.5
9/27/2018	240-102125-11	8260C	< 2.0	< 2.0	0.81 J	< 2.0	< 10	0.59 J	150	< 2.0	5.8	< 2.0	33	190.2
4/8/2019	240-110803-7	8260C	< 4.0	< 4.0	2.2 J	< 4.0	< 20	1.9 J	62	2.9 J	140	< 4.0	< 4.0	209
11/21/2019	240-122893-2	624.1_L	< 4.0	0.67 J	2.8 J	0.92 J	< 20	2.7	99	3.7 J	200	< 4.0	0.90 J	310.69
3/26/2020	240-128236-4	8260C	< 5.0	< 5.0	2.8 J	< 5.0	< 25	2.1 J	85	2.4 J	180	< 5.0	2.8 J	275.1
10/29/2020	240-139252-7	8260C	< 5.0	5.1	1.2 J	< 5.0	< 25	1.8 J	44	< 5.0	100	< 5.0	< 5.0	152.1
4/20/2021	240-147939-4	8260C	< 5.0	< 5.0	2.1 J	< 5.0	< 25	1.5 J	150	< 5.0	100	< 5.0	21	274.6
10/27/2021	240-159076-10	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	160	< 5.0	82	< 5.0	23	265
4/12/2022	240-165070-5	8260C	< 5.0	< 5.0	3.2 J	< 5.0	< 25	< 5.0	99	< 5.0	220	< 5.0	< 5.0	322.2
10/18/2022	240-175103-15	8260D	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	90	< 5.0	4.9 J	< 5.0	59	153.9
3/22/2023	240-182590-15	8260D	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	77	< 5.0	170	< 5.0	< 5.0	247
10/19/2023	240-194049-16	8260D	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	120	< 5.0	7.5	< 5.0	54	181.5
4/16/2024	240-203148-8	8260D	< 2.0	< 2.0	< 2.0	< 2.0	< 10	< 2.0	120	< 2.0	8.1	< 2.0	62	190.1
10/23/2024	240-213779-1	8260D	< 1.0	< 1.0	0.57 J	< 1.0	< 1.0	0.40 J	120	< 1.0	16 J	< 1.0	61	197.97

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-24M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	0.1	< 0.1	1	< 0.03	6	< 0.03	< 0.2	7.1
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	2	< 0.03	11	< 0.03	< 0.2	13
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	2.2	< 0.3	16	< 0.3	< 1.8	18.2
10/1/1989		8260	1.8	< 0.5	< 0.7	< 1	< 1	< 1	44	2.1	220	< 0.3	1.6	269.5
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	3.3	< 0.3	17	< 0.3	< 1	20.3
4/1/1990		8260	< 1	< 0.5	< 0.7	1	< 5	< 1	1.6	< 0.3	11	< 0.3	< 1	13.6
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	9.5	< 1	1.6	< 0.3	17	< 0.3	< 1	28.1
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	11	< 0.3	< 1	11
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	6.1	0.8	20	< 0.3	< 1	26.9
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.6	< 0.3	18	< 0.3	< 1.8	19.6
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	24	< 0.3	< 1.8	24
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	3.6	< 0.3	< 1.8	3.6
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	11	< 0.3	< 1.8	11
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	21	< 0.3	< 1.8	21
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.7	0.6 A	17	< 0.3	< 1.8	19.3
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.6	< 0.3	30	< 0.3	< 1.8	31.6
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 25	< 1	2.3	< 0.3	22	< 0.3	< 1.8	24.3
3/31/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	2.5	< 0.5	19	< 0.3	< 1.8	21.5
6/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	13	< 0.3	< 1.8	13
10/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 12	< 0.3	< 1.8	0
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	1.7	< 0.3	< 1.8	1.7
4/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	0.54	11	< 0.3	< 1.8	11.54
7/8/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
10/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	3	< 1	< 2	3
4/4/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
10/4/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/9/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/2/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/27/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/16/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/10/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/22/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/20/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/9/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/22/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/22/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/11/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/13/2000	A0026410	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/26/2000	A0275209	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2	< 1	4.9	< 1	< 1.8	6.9

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-24M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/13/2000	A0492204	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/25/2000	A0767903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/17/2001	A1052406	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.3 J	< 1	< 1.8	0.3
4/16/2001	A1345804	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	1.9	< 1.1	< 1.8	1.9
7/16/2001	A1674112	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/18/2001	A1A23309	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	15	< 1	< 1.8	15
1/22/2002	A2066009	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.1	< 1	3.6	< 1	< 1.8	4.7
4/17/2002	A2378402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.8	< 1	5.9	< 1	< 1.8	7.7
7/12/2002	A2713902	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.5	< 1	4.7	< 1	< 1.8	6.2
10/9/2002	A2A07702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/20/2003	A3060801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.27 J	< 1	1.9	< 1	< 1.8	2.17
4/9/2003	A3329507	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	6.5	< 1	< 1.8	7.7
7/8/2003	A3649105	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.1	< 1	3.3	< 1	< 1.8	4.4
10/13/2003	A3991402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/20/2004	A4356801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	3.7	< 1	< 1.8	4.9
7/13/2004	A4664001	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.4	< 1	4	< 1	< 1.8	5.4
10/20/2004	A4A32402	8021	< 1	< 1	< 1	< 1	< 1	< 1	1.3	< 1	4	< 1	< 1	5.3
1/12/2005	A5036204	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.79 J	< 1	4.1	< 1	< 1.8	4.89
4/6/2005	A5317804	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.63 J	< 1	3.4	< 1	< 1.8	4.03
7/12/2005	A5733203	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.97 J	< 1	3.5	< 1	< 1.8	4.47
10/5/2005	A5B10601	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	1.5	< 1	< 1.8	1.5
1/23/2006	A6084702	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	3.8	< 1	< 1.8	5.4
4/12/2006	6D13005-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	1	< 1	3	< 1	< 2	4
7/19/2006	6G20004-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	3	< 1	< 2	3
10/10/2006	6J11002-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	1	< 1	2	< 1	< 2	3
1/8/2007	7A09003-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	1	< 1	3	< 1	< 2	4
4/4/2007	7D05011-02	8260	< 1	< 1	< 1	< 1	3	< 1	1	< 1	3	< 1	< 2	7
7/11/2007	7G12003-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	3	< 1	< 2	3
10/10/2007	7J11002-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	1	< 1	< 2	1
1/8/2008	8A09005-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	6	< 1	12	< 1	< 2	18
4/7/2008	8D08002-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	1	< 1	4	< 1	< 2	5
7/28/2008	5426821	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.2 J	< 0.8	< 1	1.2
10/17/2008	5502674	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	4.3 J	< 0.8	< 1	4.3
1/13/2009	5576514	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.1 J	< 0.8	4.2 J	< 0.8	< 1	5.3
4/13/2009	5647711	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.99 J	< 0.8	3.2 J	< 0.8	< 1	4.19
7/15/2009	5724678	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.2 J	< 0.8	< 1	1.2
10/5/2009	5797963	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	2.3 J	< 0.8	< 1	2.3
1/21/2010	5889950	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.95 J	< 0.8	2.6 J	< 0.8	< 1	3.55
4/6/2010	5946905	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	2.7 J	< 0.8	< 1	2.7
7/20/2010	6038212	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	3.1 J	< 0.8	< 1	3.1
10/18/2010	6115538	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/26/2011	6192949	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.3 J	< 0.8	6	< 0.8	< 1	8.3
4/13/2011	6258126	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1 J	< 0.8	2.9 J	< 0.8	< 1	3.9
7/19/2011	6350144	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1 J	< 0.8	3.5 J	< 0.8	< 1	4.5
10/13/2011	6437682	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.5 J	< 0.8	< 1	1.5
1/17/2012	6524417	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.2 J	< 0.8	4.7 J	< 0.8	< 1	6.9
4/3/2012	6605297	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.3 J	< 0.8	3.1 J	< 0.8	< 1	4.4
7/12/2012	6719396	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	2.3 J	< 0.8	< 1	2.3
10/3/2012	6812008	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-24M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/23/2013	6932572	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.7 J	< 0.8	7.1	< 0.8	< 1	9.8
4/8/2013	7015026	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.1 J	< 0.8	5.2	< 0.8	< 1	7.3
7/16/2013	7129892	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.9 J	< 0.8	3.7 J	< 0.8	< 1	5.6
11/13/2013	7276547	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.4 J	< 0.8	5.4	< 0.8	< 1	8.8
1/20/2014	7342587	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.4 J	< 0.8	4.4 J	< 0.8	< 1	6.8
4/15/2014	7432582	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3.3	< 0.5	5.2	< 0.5	< 0.5	8.5
7/16/2014	7535890	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.2	< 0.5	3.5	< 0.5	< 0.5	5.7
10/2/2014	7623666	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.6	< 0.5	3.9	< 0.5	< 0.5	6.5
1/8/2015	7734025	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	4.7	< 0.5	7.7	< 0.5	< 0.5	12.4
4/14/2015	7847247	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	0.95 J	3.2	< 0.5	4.15
7/14/2015	7967351	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.7	< 0.5	3.9	< 0.5	< 0.5	6.6
10/7/2015	8080772	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	0.67 J	< 0.5	1.9	< 0.5	< 0.5	2.57
1/7/2016	8199643	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.1	< 0.5	4.6	< 0.5	< 0.5	6.7
12/6/2016	240-73125-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.1	< 1.0	1.6	< 1.0	< 1.0	3.7
5/3/2017	240-79160-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.8	< 1.0	4.2	< 1.0	< 1.0	6
4/12/2018	240-94116-12	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.6	< 1.0	7.5	< 1.0	< 1.0	9.1
4/8/2019	240-110803-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.4	< 1.0	5.1	< 1.0	< 1.0	6.5
3/26/2020	240-128236-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.63 J	< 1.0	3.2	< 1.0	< 1.0	3.83
4/20/2021	240-147939-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2	< 1.0	7.4	< 1.0	< 1.0	9.4
4/12/2022	240-165070-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.4	< 1.0	5.1	< 1.0	< 1.0	6.5
3/22/2023	240-182590-26	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.96 J	< 1.0	3.9	< 1.0	< 1.0	4.86
4/16/2024	240-203148-10	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.2	< 1.0	5.2	< 1.0	< 1.0	6.4

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-25M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	0.2	< 0.1	< 0.1	< 0.03	0.8	< 0.03	< 0.2	1
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	< 0.1	< 0.03	0.1	< 0.03	< 0.2	0.1
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	23	< 0.3	9.8	< 0.3	1.4	34.2
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	16	< 1	< 1	< 0.3	< 1	< 0.3	< 1	16
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	1.4	< 1	< 0.3	< 1	1.4
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	2.7 A	< 1.2	< 0.3	< 1.8	2.7
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
10/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
7/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/10/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/22/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/13/2000	A0492203	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/16/2001	A1674109	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/10/2002	A2708301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/2/2003	A3639714	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2004	A4664208	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.4	< 1	1.3	< 1	< 1.8	2.7
7/12/2005	A5733105	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.68 J	< 1	1.3	< 1	< 1.8	1.98

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-26M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	0.2	< 0.1	< 0.1	< 0.03	1.3	< 0.03	< 0.2	1.5
4/1/1989		8260	< 0.1	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	< 0.1	< 0.03	< 0.1	< 0.03	< 0.2	0
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	1.2	< 0.3	< 1.8	1.2
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	3.1	< 0.3	< 1	3.1
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	11	< 1	< 1	< 0.3	< 1	< 0.3	< 1	11
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	1.5 A	< 1.2	< 0.3	< 1.8	1.5
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	0.78	< 1.2	< 0.3	< 1.8	0.78
10/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
7/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/10/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/28/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/19/2000	A0508901	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/16/2001	A1674101	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/10/2002	A2708302	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/2/2003	A3639715	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2004	A4664207	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2005	A5715202	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2006	6G21005-03	8260	< 1	< 1	< 1	< 1	4	< 1	< 1	< 1	< 1	< 1	< 2	4
7/18/2007	7G19011-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/24/2008	5424621	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/14/2009	5723631	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/13/2010	6031619	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/18/2011	6348769	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	8.9	< 0.8	< 1	8.9
1/19/2012	6527708	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/4/2012	6607021	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/16/2012	6722034	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2013	7122565	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2014	7527867	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/15/2015	7968768	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-27M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/1/1989		8260	< 0.1	< 0.05	0.4	0.6	< 0.1	0.6	25	< 0.03	11	< 0.03	4.4	42
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1989		8260	< 200	< 100	< 140	73	< 200	< 200	8000	< 60	< 200	< 60	2000	10073
1/1/1990		8260	< 10	< 5	< 7	< 10	< 50	< 10	990	< 3	< 10	< 3	91	1081
4/1/1990		8260	< 10	< 5	< 7	< 10	< 50	< 10	530	< 3	< 10	< 3	74	604
7/1/1990		8260	< 2	< 1	2.9	3.6	7.1	21	550	4	9.6	< 0.6	130	728.2
10/1/1990		8260	< 10	< 5	62	79	< 10	63	9100	< 10	20	< 3	2000	11324
1/1/1991		8260	< 2	< 1	2	3.6	< 10	6.5	560	9	4.1	< 0.6	93	678.2
5/1/1991		8260	< 60	< 25	< 35	< 65	< 120	< 50	360	< 15	< 60	< 15	< 90	360
7/1/1991		8260	< 60	< 25	< 35	< 65	< 130	< 50	450	< 15	< 60	< 15	93	543
10/1/1991		8260	< 120	< 50	< 70	< 130	< 250	< 100	6200	< 30	1000	< 30	4500	11700
1/1/1992		8260	< 240	< 100	< 140	< 260	< 500	< 200	10000	< 150	< 240	< 60	5000	15000
4/1/1992		8260	< 240	< 100	< 140	< 260	< 500	< 200	730	< 60	< 240	< 60	< 240	730
7/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	640	< 10	< 12	< 3	210	850
10/1/1992		8260	6	< 2.5	< 7	< 6.5	< 13	< 5	300	< 1.5	< 6	< 1.5	170	476
1/1/1993		8260	< 12	< 5	180	250	< 25	140	13000	65	77	< 3	4700	18412
3/29/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	1100	< 5	< 12	< 3	410	1510
5/5/1993		8260	< 12	< 5	59	99	< 25	76	12000	21	37	< 3	3200	15492
6/3/1993		8260	< 12	< 5	80	100	33	120	12000	34	50	< 3	9500	21917
6/28/1993		8260	< 240	< 100	140	< 260	< 500	< 200	33000	110	660	< 60	4700	38610
8/5/1993		8260	< 120	< 50	< 70	< 130	< 250	< 100	6700	< 50	< 120	< 30	< 3500	6700
10/6/1993		8260	< 120	< 50	< 70	< 130	420	< 100	4300	< 50	< 120	< 30	< 180	4720
7/6/1994		8260	< 1.2	< 0.5	46	32	< 2.5	60	4300	6.3	62	< 0.3	< 1.8	4506.3
7/15/1996		8260	< 12	< 5	< 10	< 7	< 25	20	800	< 6.4	15	< 7.9	< 18	835
7/9/1997		8260	< 12	9.5	< 10	< 7	< 25	17	1100	< 6.4	45	< 7.9	< 18	1171.5
7/19/1999		8260	< 12	< 5	< 10	< 7	< 25	24	480	< 6.4	21	< 7.9	< 18	525
7/17/2000	A0500405	8021	< 4	< 4	< 4	< 4	5.6	6	480	< 4	< 4	< 4	< 4	491.6
7/12/2001	A1663805	8021	< 4	< 4	< 4	< 4	5.8	8.5	400	< 4	34	< 4	< 4	448.3
7/16/2002	A2722910	8021	< 1.6	< 1.6	< 1.6	< 1.6	5.7	9.4	240	< 1.6	18	< 1.6	14	287.1
7/10/2003	A3654301	8021	< 2.3	< 1	< 1	< 1.3	< 3	6.8	230	< 1.5	4.1	< 2.6	9	249.9
7/7/2004	A4636801	8021	< 1.2	< 1	< 1	1	< 2.5	4.4	80	< 1	4.8	< 1	4.1	94.3
7/14/2005	A5740601	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	3.3	50	< 1	5.3	< 1	2.3	60.9

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-28M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	2.6	0.3	< 1	< 0.3	< 1	2.9
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	0.3 A	< 1.2	< 0.3	< 1.8	0.3
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/2/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
10/4/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	5	< 0.3	< 1.8	5
4/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
10/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
1/26/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
4/5/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
10/9/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/4/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/17/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/30/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/17/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/11/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/24/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/20/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/7/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/22/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/12/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/12/2000	A0026401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.32 J	< 1	< 1.2	< 1	< 1.8	0.32
4/26/2000	A0275202	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3	< 1	< 1.2	< 1	< 1.8	3
7/18/2000	A0500413	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/19/2000	A0751301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/11/2001	A1035102	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.5	< 1	< 1.2	< 1	< 1.8	1.5
4/23/2001	A1375205	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.66 J	< 1	< 1.2	< 1	< 1.8	0.66
7/18/2001	A1682909	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-28M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/17/2001	A1A23303	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/17/2002	A2058506	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/10/2002	A2347902	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.25 J	< 1	< 1.8	0.25
7/10/2002	A2708304	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/3/2002	A2980610	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2003	A3056002	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/8/2003	A3329701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/3/2003	A3639703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/8/2003	A3978809	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/8/2004	A4026304	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/30/2004	A4619406	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/5/2005	A5317606	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/11/2005	A5724501	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/21/2005	A5B92302	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/24/2006	A6089103	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/13/2006	6D14002-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2006	6G18004-06	8260	< 1	< 1	< 1	< 1	4 B	< 1	< 1	< 1	< 1	< 1	< 2	4
10/10/2006	6J11002-09	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
1/11/2007	7A12004-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
4/5/2007	7D06002-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/18/2007	7G19011-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/11/2007	7J12012-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
1/9/2008	8A10002-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
4/7/2008	8D08002-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/21/2008	5420901	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/15/2008	5499968	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/13/2009	5576507	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/20/2009	5651173	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/13/2009	5722291	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/6/2009	5799013	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/26/2010	5893227	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/7/2010	5948415	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2010	6033916	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/19/2010	6116886	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/27/2011	6194104	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/13/2011	6258132	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/25/2011	6355560	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/10/2011	6433662	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/25/2012	6532444	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/3/2012	6605289	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2012	6728259	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/3/2012	6812018	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/17/2013	6926975	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/9/2013	7016203	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2013	7125535	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
11/14/2013	7278190	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/20/2014	7342591	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/14/2014	7430453	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/14/2014	7532400	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-28M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/2/2014	7623663	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/6/2015	7731161	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
4/15/2015	7849424	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/13/2015	7965570	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/6/2015	8079113	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/6/2016	8197847	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
12/7/2016	240-73270-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/27/2017	240-78855-13	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
11/2/2017	240-87694-20	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/18/2018	240-94333-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
9/28/2018	240-102125-13	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/9/2019	240-110803-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.13 J	< 1.0	< 1.0	0.13
11/21/2019	240-122893-1	624.1_L	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 0.50	< 0.50	< 1.0	< 1.0	< 1.0	< 1.0	0
3/27/2020	240-128359-3	8260C	< 1	< 1	< 1.0	< 1.0	< 5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/28/2020	240-139252-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/26/2021	240-148317-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/27/2021	240-159076-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/15/2022	240-165253-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/18/2022	240-175103-19	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.99 J	< 1.0	< 1.0	0.99
3/21/2023	240-182590-21	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/19/2023	240-194049-15	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/16/2024	240-203148-6	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/24/2024	240-213779-10	8260D	< 1.0	0.69 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.69

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-29M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1990		8260	< 1	< 0.5	1.3	< 1	< 5	3.6	290	< 0.3	12	< 0.3	16	322.9
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	73	< 0.3	2.8	< 0.3	2.6	78.4
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	2.9	110	< 0.3	6.3	< 0.3	13	132.2
10/1/1990		8260	< 1	< 0.5	2.3	< 1	< 1	4.1	250	< 0.3	15	< 0.3	15	286.4
1/1/1991		8260	< 1	< 0.5	< 0.7	1	< 5	< 1	23	< 0.3	< 1	< 0.3	< 1	24
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	35	< 0.3	1.3	< 0.3	< 1.8	36.3
7/1/1991		8260	< 1.2	< 0.5	1	< 1.3	< 2.5	1.9	230	< 0.3	7.7	< 0.3	7.4	248
10/1/1991		8260	< 6	< 2.5	< 3.5	< 6.5	< 13	< 5	180	< 1.5	20	< 1.5	10	210
1/1/1992		8260	< 24	< 10	< 14	< 26	< 50	< 20	220	< 6	< 24	< 6	< 36	220
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	12	< 0.3	< 1.2	< 0.3	< 1.8	12
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	46	1.6 A	< 1.2	< 0.3	2.6	50.2
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	19	< 0.3	< 1.2	< 0.3	< 1.8	19
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	28	< 0.3	< 1.2	< 0.3	< 1.8	28
3/31/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	56	1.4	1.2	< 0.3	< 1.8	58.6
6/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	70	< 0.5	< 1.2	< 0.3	3.5	73.5
10/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	64	< 0.5	< 1.2	< 0.3	< 1.8	64
1/26/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	60	< 0.5	< 1.2	< 0.3	4.7	64.7
4/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	16	0.55	< 1.2	< 0.3	< 1.8	16.55
7/8/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	84	< 0.5	< 1.2	< 0.3	1.9	85.9
10/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	38	< 0.5	< 1.2	< 0.3	1.3	39.3
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	13	< 1	< 1	< 1	< 2	13
4/4/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	25	< 1	< 1	< 1	< 2	25
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	56	1.3	1.1	< 1	4.3	62.7
10/4/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	61	< 0.64	< 1.2	< 0.79	2	63
1/9/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	61	< 0.64	< 1.2	< 0.79	2.4	63.4
4/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	51	< 0.64	< 1.2	< 0.79	2.7	53.7
7/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	83	< 0.64	< 1.2	< 0.79	< 1.8	83
10/2/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	85	< 0.64	< 1.2	< 0.79	2.2	87.2
1/27/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	61	< 0.64	< 1.2	< 0.79	3.7	64.7
4/16/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	50	< 0.64	< 1.2	< 0.79	< 1.8	50
7/8/1997		8260	< 1.2	0.5	< 1	< 0.7	< 2.5	< 1	59	< 0.64	1.6	< 0.79	< 1.8	61.1
10/23/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	71	< 0.64	< 1.2	< 0.79	< 1.8	71
1/20/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	58	< 0.64	< 1.2	< 0.79	< 1.8	58
4/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	31	< 0.64	< 1.2	< 0.79	< 1.8	31
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	41	< 0.64	< 1.2	< 0.79	< 1.8	41
10/9/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	35	< 0.64	< 1.2	< 0.79	2.2	37.2
1/22/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	52	< 0.64	< 1.2	< 0.79	6.6	58.6
4/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	49	< 0.64	< 1.2	< 0.79	2 J	51
7/29/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	27	< 0.64	< 1.2	< 0.79	2.3 J	29.3
10/11/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	26	< 1	< 1.2	< 1	1.3 J	27.3
1/10/2000	A0018404	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	27	< 1	< 1.2	< 1	1.7 J	28.7
4/25/2000	A0275210	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.3	< 1	< 1.2	< 1	< 1.8	4.3
7/12/2000	A0483116	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	14	< 1	< 1.2	< 1	0.64 J	14.64
10/25/2000	A0767905	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	12	< 1	1.1 J	< 1	0.61 J	13.71
1/16/2001	A1043901	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	16	< 1	0.29 J	< 1	1.8	18.09
4/16/2001	A1345806	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	11	< 1.1	< 1.2	< 1.1	< 1.8	11

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-29M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/16/2001	A1674114	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	21	< 1	1 J	< 1	1.1 J	23.1
10/18/2001	A1A23315	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	26	< 1	7.8	< 1	1.8	35.6
1/21/2002	A2066006	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	26	< 1	< 1.2	< 1	< 1.8	26
4/17/2002	A2378401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/11/2002	A2708316	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	32	< 1	0.88 J	< 1	2.5	35.38
10/9/2002	A2A07701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	34	< 1	< 1.2	< 1	4.5	38.5
1/16/2003	A3055802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	9	< 1	0.23 J	< 1	0.77 J	10
4/21/2003	A3371001	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	2.5	< 1	< 1.8	2.5
7/16/2003	A3683701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	12	< 1	< 1.2	< 1	0.68 J	12.68
10/20/2003	A3A13701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	47	< 1	1.5	< 1	3.8	52.3
1/29/2004	A4077402	8021	< 1.2	< 1	< 1	0.2 J	< 2.5	< 1	26	< 1	1.8	< 1	2.1	30.1
4/23/2004	A4373001	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	< 1.2	< 1	< 1.8	1.2
7/21/2004	A4687001	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	15	< 1	0.73 J	< 1	< 1.8	15.73
10/20/2004	A4A32401	8021	< 1	< 1	< 1	< 1	< 1	< 1	24	< 1	1.4	< 1	2.4	27.8
1/13/2005	A5036206	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	22	< 1	1.8	< 1	2.1	25.9
4/19/2005	A5387502	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	12	< 1	1.1 J	< 1	1.4 J	14.5
7/18/2005	A5753701	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	36	< 1	3.2	< 1	3.1	42.3
7/20/2006	6G21005-08	8260	< 1	< 1	< 1	< 1	3	< 1	43	< 1	8	< 1	3	57
7/11/2007	7G12003-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	30	< 1	6	< 1	3	39
7/25/2008	5426025	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	19	< 0.8	3 J	< 0.8	1.8 J	23.8
7/14/2009	5723624	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	17	< 0.8	1.7 J	< 0.8	2.6 J	21.3
7/13/2010	6031620	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.6	< 0.8	< 1	< 0.8	1 J	7.6
7/21/2011	6353677	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.8	< 0.8	< 1	< 0.8	< 1	5.8
7/12/2012	6719400	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	15	< 0.8	1.9 J	< 0.8	1.7 J	18.6
7/16/2013	7129890	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.93 J	< 0.8	< 1	< 0.8	< 1	0.93
7/16/2014	7535885	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2	< 0.5	< 0.5	< 0.5	0.57 J	2.57
7/14/2015	7967357	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.7	< 0.5	< 0.5	< 0.5	< 0.5	1.7
12/5/2016	240-73125-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	7	< 1.0	< 1.0	< 1.0	1.4	8.4
5/3/2017	240-79160-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.1	< 1.0	< 1.0	< 1.0	< 1.0	1.1
4/12/2018	240-94116-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.73 J	< 1.0	< 1.0	< 1.0	< 1.0	0.73
4/8/2019	240-110803-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.43 J	< 1.0	0.11 J	< 1.0	< 1.0	0.54
3/26/2020	240-128236-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.1	< 1.0	< 1.0	< 1.0	< 1.0	1.1
4/20/2021	240-147939-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.8	< 1.0	< 1.0	< 1.0	< 1.0	1.8
4/12/2022	240-165070-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.96 J	< 1.0	< 1.0	< 1.0	< 1.0	0.96
3/22/2023	240-182590-30	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/16/2024	240-203148-7	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-30M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	6.3	3.3	110	< 0.3	2	< 0.3	12	133.6
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	42	< 0.3	< 1	< 0.3	< 1	42
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	2	170	< 0.3	6.3	< 0.3	14	192.3
10/1/1990		8260	< 1	< 0.5	1.2	< 1	< 1	2.2	150	< 0.3	5.5	< 0.3	12	170.9
1/1/1991		8260	< 1	< 0.5	1.1	1.3	< 5	2.3	190	< 0.3	11	< 0.3	8.5	214.2
5/1/1991		8260	< 6	< 2.5	< 3.5	< 6.5	< 13	< 5	130	< 1.5	< 6	< 1.5	< 9	130
7/1/1991		8260	< 6	< 2.5	< 3.5	< 6.5	< 13	< 5	190	< 1.5	< 10	< 1.5	< 9	190
10/1/1991		8260	< 12	< 5	< 7	< 13	< 25	< 10	220	< 3	71	< 3	19	310
1/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	390	< 3	< 12	< 3	36	426
4/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	240	< 3	16	< 3	23	279
7/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	180	< 50	< 12	< 3	< 18	180
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	2.1	220	< 0.3	17	< 0.3	6.5	245.6
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.4	160	< 0.3	6.2	< 0.3	7.3	174.9
4/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.7	180	< 0.5	5.4	< 0.3	8.2	195.3
7/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	65	< 0.5	1.2	< 0.3	4.8	71
10/6/1993		8260	< 1.2	0.91	0.76	< 1.3	2.8	2.4	200	< 0.5	4.9	< 0.3	17	228.77
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.1	180	< 0.5	2.4	< 0.3	5.2	188.7
4/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.6	84	< 0.5	1.8	< 0.3	7.9	95.3
7/8/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	48	< 0.5	1.2	< 0.3	< 1.8	49.2
10/6/1994		8260	< 1.2	< 0.5	< 0.7	1.9	< 2.5	2.1	35	< 0.5	< 1.2	< 0.3	3.2	42.2
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	43	< 1	< 1	< 1	< 2	43
4/4/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	7.1	< 1	< 1	< 1	< 2	7.1
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	61	< 1	1.5	< 1	5.4	67.9
10/9/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2.2	140	< 0.64	2.7	< 0.79	16	160.9
1/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	26	< 0.64	< 1.2	< 0.79	< 1.8	26
4/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	76	< 0.64	5	< 0.79	3	84
7/10/1996		8260	< 1.2	0.8	< 1	< 0.7	< 2.5	< 1	29	< 0.64	< 1.2	< 0.79	< 1.8	29.8
10/2/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	29	< 0.64	< 1.2	< 0.79	< 1.8	29
1/30/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	15	< 0.64	< 1.2	< 0.79	< 1.8	15
4/16/1997		8260	< 1.2	0.6	< 1	< 0.7	< 2.5	< 1	37	< 0.64	2.1	< 0.79	< 1.8	39.7
7/8/1997		8260	< 1.2	0.5	< 1	< 0.7	< 2.5	1.3	55	< 0.64	1.8	< 0.79	< 1.8	58.6
10/22/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	27	< 0.64	< 1.2	< 0.79	< 1.8	27
1/20/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	34	< 0.64	< 1.2	< 0.79	< 1.8	34
4/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	28	< 0.64	< 1.2	< 0.79	< 1.8	28
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	63	< 0.64	2.2	< 0.79	< 1.8	65.2
10/9/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2.4	160	< 0.64	5.9	< 0.79	10	178.3
1/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	29	< 0.64	< 1.2	< 0.79	2.3 J	31.3
4/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	26	< 0.64	< 1.2	< 0.79	< 1.8	26
7/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2.2	95	< 0.64	3	< 0.79	9.2	109.4
10/11/1999		8260	< 1.2	< 1	0.44 J	0.21 J	< 2.5	2	150	< 1	4.6	< 1	6.6	163.85
1/14/2000	A0029301	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.88 J	42	< 1	1.2	< 1	1.6 J	45.68
4/26/2000	A0275208	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.8	< 1	< 1.2	< 1	< 1.8	4.8
7/19/2000	A0508907	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.6	< 1	< 1.2	< 1	< 1.8	3.6

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-31M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	5	< 1	2.7	< 0.3	9.1	< 0.3	< 1	16.8
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	2	< 0.3	6.9	< 0.3	< 1	8.9
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	1.9	< 0.3	11	< 0.3	< 10	12.9
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	< 1	< 0.3	4.9	< 0.3	< 1	4.9
1/1/1991		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	4.3	1.4	11	< 0.3	< 1	16.7
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	3.6	< 0.3	14	< 0.3	< 1.8	17.6
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	9.1	< 0.3	< 1.8	9.1
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.8	< 0.3	11	< 0.3	< 1.8	12.8
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	3.6	< 0.3	8	< 0.3	< 1.8	11.6
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	3.5	< 0.3	11	< 0.3	< 1.8	14.5
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	5.9	0.8 A	18	< 0.3	< 1.8	24.7
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	3	< 0.3	16	< 0.3	< 1.8	19
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	6.6	< 0.3	28	< 0.3	< 1.8	34.6
4/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	6.7	< 0.5	19	< 0.3	< 1.8	25.7
6/30/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	3.4	< 0.5	3.3	< 0.3	< 1.8	6.7
10/7/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	5.2	< 0.5	10	< 0.3	< 1.8	15.2
1/26/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	7.5	< 0.5	13	< 0.3	< 1.8	20.5
4/8/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	8.9	< 0.5	20	< 0.3	< 1.8	28.9
7/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	3.3	< 0.5	3.2	< 0.3	< 1.8	6.5
10/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	6.3	< 0.5	3.6	< 0.3	< 1.8	9.9
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	4.6	< 1	5.9	< 1	< 2	10.5
4/5/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	1.7	< 1	< 2	1.7
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	4.3	< 1	3.8	< 1	< 2	8.1
10/10/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	11	< 0.64	4.6	< 0.79	< 1.8	15.6
1/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	10	< 0.64	9.5	< 0.79	< 1.8	19.5
4/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	12	< 0.64	12	< 0.79	< 1.8	24
7/16/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	11	< 0.64	12	< 0.79	< 1.8	23
10/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	11	< 0.64	3.8	< 0.79	< 1.8	14.8
1/29/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	9	< 0.64	6.8	< 0.79	< 1.8	15.8
4/16/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	9	< 0.64	8.2	< 0.79	< 1.8	17.2
7/11/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	4	< 0.64	2.1	< 0.79	< 1.8	6.1
10/24/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	10	< 0.64	1.8	< 0.79	< 1.8	11.8
1/21/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	14	< 0.64	6.8	< 0.79	< 1.8	20.8
4/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	11	< 0.64	6.7	< 0.79	< 1.8	17.7
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	11	< 0.64	3.1	< 0.79	< 1.8	14.1
10/7/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	8	< 0.64	1.8	< 0.79	< 1.8	9.8
1/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	6	< 0.64	1.3	< 0.79	< 1.8	7.3
4/20/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	11	< 0.64	2.1	< 0.79	< 1.8	13.1
7/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	10	< 0.64	2.4	< 0.79	< 1.8	12.4
10/11/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	6.6	< 1	0.93 J	< 1	< 1.8	7.53
1/10/2000	A0018402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5.4	< 1	0.54 J	< 1	< 1.8	5.94
4/27/2000	A0284301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	8.3	< 1	2.6	< 1	< 1.8	10.9
7/18/2000	A0500415	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	6.4	< 1	< 1.2	< 1	0.21 J	6.61
10/20/2000	A0754603	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	8.6	< 1	1.8	< 1	0.32 J	10.72
1/15/2001	A1041302	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.6	< 1	1 J	< 1	< 1.8	5.6
4/24/2001	A1375201	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5.5	< 1	1.2	< 1	< 1.8	6.7

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-31M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/16/2001	A1674102	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.1	< 1	0.56 J	< 1	0.57 J	8.23
10/10/2001	A1994706	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.3	< 1	< 1.2	< 1	0.48 J	7.78
1/17/2002	A2058501	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.2 J	13	< 1	4	< 1	< 1.8	17.2
4/9/2002	A2332608	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.8	< 1	1.1 J	< 1	< 1.8	5.9
7/9/2002	A2695509	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.3	< 1	1.4	< 1	< 1.8	8.7
10/3/2002	A2980607	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	10	< 1	1.7	< 1	0.29 J	11.99
1/14/2003	A3043004	8021	< 1.2	0.78 J	< 1	< 1	< 2.5	< 1	6.5	< 1	1.2	< 1	< 1.8	8.48
4/7/2003	A3320702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	10	< 1	2.6	< 1	< 1.8	12.6
7/2/2003	A3639716	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.7	< 1	2.1	< 1	< 1.8	9.8
10/9/2003	A3978810	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	13	< 1	3.5	< 1	< 1.8	16.5
4/20/2004	A4356903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.9	< 1	< 1.2	< 1	< 1.8	2.9
7/14/2004	A4664203	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	8.8	< 1	3.8	< 1	< 1.8	12.6
10/25/2004	A4A54101	8021	< 1	< 1	< 1	< 1	< 1	< 1	13	< 1	4.5	< 1	< 1	17.5
1/19/2005	A5050909	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5.3	< 1	3.2	< 1	< 1.8	8.5
4/5/2005	A5317610	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.4	< 1	0.64 J	< 1	< 1.8	3.04
7/8/2005	A5715201	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	6.6	< 1	2.3	< 1	< 1.8	8.9
7/17/2006	6G18004-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	< 1	< 1	< 2	2
7/18/2007	7G19011-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	< 1	< 1	< 2	2
7/24/2008	5424622	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.1 J	< 0.8	1.1 J	< 0.8	< 1	4.2
7/14/2009	5723632	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	8.5	< 0.8	4 J	< 0.8	< 1	12.5
7/13/2010	6031618	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3 J	< 0.8	< 1	< 0.8	< 1	3
7/18/2011	6348770	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.1	< 0.8	< 1	< 0.8	< 1	5.1
7/16/2012	6722033	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.3 J	< 0.8	< 1	< 0.8	< 1	3.3
7/9/2013	7122566	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.4 J	< 0.8	< 1	< 0.8	< 1	3.4
7/9/2014	7527868	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3.7	< 0.5	< 0.5	< 0.5	< 0.5	3.7
7/15/2015	7968767	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3.3	< 0.5	0.98 J	< 0.5	< 0.5	4.28

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-32M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1992		8260	< 1.2	< 0.5	1.3	< 1.3	< 2.5	2.8	200	0.6 A	9.8	< 0.3	2.9	217.4
10/1/1992		8260	< 1.2	< 0.5	4.5	1.7	< 2.5	8.1	450	< 0.3	47	< 0.3	11	522.3
1/1/1993		8260	< 1.2	< 0.5	6.2	6.2	< 2.5	14	470	0.78	60	< 0.3	30	587.18
4/1/1993		8260	< 1.2	< 0.5	3.4	2.7	< 2.5	7.2	540	0.68	45	< 0.3	11	609.98
6/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.5	73	0.88	3.5	< 0.3	2.8	81.68
10/6/1993		8260	< 1.2	0.52	< 0.7	< 1.3	2.5	1.9	66	< 0.5	< 1.2	< 0.3	31	101.92
1/26/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	68	< 0.5	< 1.2	< 0.3	< 1.8	68
4/6/1994		8260	< 1.2	< 0.5	1.6	< 1.3	< 2.5	4.9	320	0.68	40	< 0.3	10	377.18
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.8	62	< 0.5	2.5	< 0.3	2.9	69.2
10/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	1.9	130	< 1	12	< 1	2.3	146.2
4/4/1995		8260	< 1	< 1	< 1	< 1	< 1	1.6	73	< 1	6.3	< 1	3.4	84.3
6/28/1995		8260	< 1	2.5	< 1	< 1	< 1	1.7	53	2	< 1	< 1	3.6	62.8
10/4/1995		8260	< 1.2	0.5	< 1	< 0.7	< 2.5	1.5	85	< 0.64	< 1.2	< 0.79	2.5	89.5
1/10/1996		8260	< 1.2	0.5	< 1	< 0.7	< 2.5	< 1	52	< 0.64	< 1.2	< 0.79	< 1.8	52.5
4/3/1996		8260	< 1.2	0.5	< 1	< 0.7	< 2.5	1.2	130	< 0.64	1.9	< 0.79	3	136.6
7/10/1996		8260	< 1.2	0.5	< 1	< 0.7	< 2.5	2.1	98	< 0.64	< 1.2	< 0.79	2.5	103.1
10/2/1996		8260	< 1.2	0.5	< 1	< 0.7	< 2.5	1.9	140	< 0.64	< 1.2	< 0.79	4.2	146.6
1/30/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.6	120	< 0.64	< 1.2	< 0.79	4.8	126.4
4/16/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2.2	100	< 0.64	4.6	< 0.79	1.9	108.7
7/8/1997		8260	< 1.2	0.7	< 1	< 0.7	< 2.5	2.9	91	< 0.64	< 1.2	< 0.79	3.7	98.3
10/22/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	130	< 0.64	< 1.2	< 0.79	4.7	134.7
1/20/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	110	< 0.64	6	< 0.79	2.7	118.7
4/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	69	< 0.64	3.4	< 0.79	2.8	75.2
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	70	< 0.64	< 1.2	< 0.79	5.1	75.1
10/12/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.1	61	< 0.64	< 1.2	< 0.79	8	70.1
1/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2.1	96	< 0.64	< 1.2	< 0.79	12	110.1
4/20/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.4	75	< 0.64	< 1.2	< 0.79	13	89.4
7/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.8	74	< 0.64	< 1.2	< 0.79	9.8	85.6
10/11/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	15	< 1	< 1.2	< 1	0.84 J	15.84
1/13/2000	A0026412	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.4	52	< 1	0.37 J	< 1	9.1	62.87
4/26/2000	A0275207	8021	< 1.2	< 1	1.3	1.4	< 2.5	1.6	58	< 1	3.1	< 1	3.3	68.7
7/19/2000	A0508902	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.64 J	41	< 1	< 1.2	< 1	6.7	48.34
10/24/2000	A0760709	8021	< 1.2	< 1	< 1	< 1	< 2.5	2	39	< 1	2	< 1	7.2	50.2
1/18/2001	A1052401	8021	< 1.2	< 1	0.29 J	0.23 J	< 2.5	1.8	47	< 1	0.67 J	< 1	7.5	57.49
4/18/2001	A1361303	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	0.48	10	< 0.22	< 0.24	< 0.22	1.1	11.58
7/18/2001	A1682902	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.61 J	38	< 1	< 1.2	< 1	9.3	47.91
10/19/2001	A1A28802	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.81 J	56	< 1	0.6 J	< 1	9.4	66.81
1/14/2002	A2039403	8021	< 1.2	< 1	< 1	< 1	0.54 J	0.56 J	28	< 1	1.1 J	< 1	3.9	34.1
4/8/2002	A2332603	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.71 J	57	< 1	0.68 J	< 1	4.8	63.19
4/16/2002	A2369801	8021	< 1.2	< 1	0.34 J	0.27 J	< 2.5	< 1	62 D	< 1	1.6	< 1	5.8	70.01
7/8/2002	A2695505	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	32	< 1	< 1.2	< 1	2.8	34.8
10/9/2002	A2A07901	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.93 J	56	< 1	< 1.2	< 1	9.7	66.63
1/13/2003	A3038005	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	42	< 1	1.9	< 1	5.2	49.1
4/24/2003	A3389501	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	56	< 1	< 1.2	< 1	4.9	60.9
7/16/2003	A3684101	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.74 J	42	< 1	0.51 J	< 1	2.8	46.05

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-32M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/21/2003	A3A22001	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.91 J	61	< 1	< 1.2	< 1	8.6	70.51
1/7/2004	A4012304	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	38	< 1	< 1.2	< 1	3.4	41.4
4/23/2004	A4372904	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	36	< 1	1.3	< 1	2.8	40.1
7/20/2004	A4682903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	39 E	< 1	< 1.2	< 1	2.5 E	41.5
7/20/2004	A4682903	8260	< 1.2	< 1	< 1	< 1	2.2 J	0.76 J	31	< 1	0.83 J	< 1	< 1.8	34.79
10/20/2004	A4A32101	8021	< 1	31	< 1	< 1	< 1	0.52 J	< 1	< 1	0.67 J	< 1	4.3	36.49
1/13/2005	A5036405	8260	< 1.2	< 1	0.81 J	0.61 J	< 2.5	1.3	69 D	< 1	17	< 1	3.4	92.12
4/19/2005	A5387302	8260	< 1.2	< 1	0.45 J	0.48 J	< 2.5	0.4 J	34 D	< 1	7.3	< 1	3.9	46.53
7/19/2005	A5762201	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	1.1	39	< 1	< 1.2	< 1	10	50.1
7/20/2006	6G21005-07	8260	< 1	< 1	< 1	< 1	2	1	35	< 1	< 1	< 1	7	45
7/10/2007	7G11015-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	28	< 1	< 1	< 1	5	33
7/25/2008	5426032	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.4 J	31	< 0.8	< 1	< 0.8	6.8	39.2
7/14/2009	5723630	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	21	< 0.8	< 1	< 0.8	10	31
7/13/2010	6031615	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.82 J	26	< 0.8	< 1	< 0.8	11	37.82
7/19/2011	6350148	8260	< 1	< 0.8	1 J	< 0.8	< 2	1.4 J	54	< 0.8	15	< 0.8	4.7 J	76.1
1/19/2012	6527709	8260	< 1	< 0.8	1.1 J	< 0.8	< 2	1.1 J	54	< 0.8	28	< 0.8	1.2 J	85.4
4/3/2012	6605293	8260	< 1	< 0.8	1.4 J	< 0.8	< 2	1.9 J	61	< 0.8	34	< 0.8	1.1 J	99.4
7/12/2012	6719401	8260	< 1	< 0.8	< 1	< 0.8	< 2	1 J	23	< 0.8	1.5 J	< 0.8	9.8	35.3
7/15/2013	7128195	8260	< 1	< 0.8	1.1 J	< 0.8	< 2	1.4 J	43	< 0.8	31	< 0.8	4.5 J	81
7/14/2014	7532404	8260	< 0.5	< 0.5	0.7 J	0.69 J	< 2	1.7	43	< 0.5	25	< 0.5	1.9	72.99
7/14/2015	7967361	SW8260C	< 0.5	< 0.5	< 0.5	0.65 J	< 2	3.5	37	< 0.5	16	< 0.5	2.6	59.75
12/5/2016	240-73125-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.90 J	21	< 1.0	2.2	< 1.0	10	34.1
4/28/2017	240-78929-1	8260C	< 1.0	< 1.0	0.83 J	0.69 J	< 1.0	0.92 J	42	< 1.0	21	< 1.0	1.9	67.34
4/18/2018	240-94333-2	8260C	< 1.0	< 1.0	0.44 J	0.59 J	< 1.0	0.76 J	24	< 1.0	22	< 1.0	2.7	50.49

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-33M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	1.4 A	< 1.2	< 0.3	< 1.8	1.4
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
12/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
10/6/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/8/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.5	< 0.5	5	< 0.3	< 1.8	6.5
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2	0
7/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/8/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/19/2000	A0508904	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/18/2001	A1682904	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/10/2002	A2708305	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2003	A3649207	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2004	A4664204	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/7/2005	A5706801	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2006	6G21005-06	8260	< 1	< 1	< 1	< 1	4	< 1	< 1	< 1	< 1	< 1	< 2	4
7/10/2007	7G11015-09	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/25/2008	5426033	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/14/2009	5723628	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/13/2010	6031616	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2011	6350147	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2012	6719402	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/16/2013	7129891	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/14/2014	7532397	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/14/2015	7967360	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
4/8/2019	240-110803-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.31 J	< 1.0	< 1.0	0.31
3/27/2020	240-128359-4	8260C	< 1	< 1	< 1.0	< 1.0	< 5	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/19/2021	240-147939-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/15/2022	240-165253-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
3/22/2023	240-182590-29	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/19/2024	240-203148-42	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	11	< 1.0	2	< 1.0	3.8	16.8

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-34M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	1.7 A	< 1.2	< 0.3	3.5	5.2
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	1.6	< 0.3	< 1.2	< 0.3	< 1.8	1.6
1/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
6/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	1.2	< 1.2	< 0.3	< 1.8	1.2
10/6/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	2.6	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	2.6
7/8/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	2.6	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	2.6
6/28/1995		8260	< 1	< 1	< 1	< 1	1	< 1	< 1	< 1	< 1	< 1	< 2	1
7/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/8/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/22/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/19/2000	A0508903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/18/2001	A1682903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/10/2002	A2708306	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-35M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
12/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/2/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
7/1/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
10/4/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	1.2 *	< 1.2	< 0.3	< 1.8	1.2
11/3/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.5	< 1.2	< 0.3	< 1.8	0
1/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/17/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/15/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
7/18/2000	A0500414	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/18/2001	A1682906	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/10/2002	A2708303	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-37M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
6/28/1993		8260	< 120	< 50	< 70	< 130	< 250	< 100	17000	54	230000	< 30	500	247554
7/7/1994		8260	< 1.2	< 0.5	< 0.7	2.4	< 2.5	2.1	460	0.7	4900	< 0.3	3.8	5369
7/3/2003	A3639717	8021	< 1.2	< 1	< 1	2.2	< 2.5	13	1500 D	1.8	64000 D	< 1	< 1.8	65517
6/29/2004	A4614513	8021	< 290	< 51	< 42	< 160	< 90	< 100	3400	< 59	24000	< 23	< 180	27400
7/8/2005	A5715207	8260/5M	< 1.2	< 1	< 1	1.7	< 2.5	19	1900 D	< 1	4900 D	< 1	< 1.8	6820.7

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-38M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/26/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	260	< 0.5	18	< 0.3	< 1.8	278
4/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	2.3	140	< 0.5	27	< 0.3	12	181.3
7/6/1994		8260	< 1.2	< 0.5	1.1	< 1.3	< 2.5	3.5	160	< 0.5	20	< 0.3	7.4	192
10/6/1994		8260	< 1.2	< 0.5	1.5	2.5	< 2.5	4.1	220	< 0.5	16	< 0.3	4.9	249
1/26/1995		8260	< 1	< 1	< 1	< 1	< 1	1.1	110	< 1	11	< 1	< 2	122.1
4/4/1995		8260	< 1	< 1	< 1	< 1	< 1	1	96	< 1	7	< 1	< 2	104
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	1.5	100	< 1	6.8	< 1	< 2	108.3
10/4/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2.7	160	< 0.64	13	3	< 1.8	178.7
1/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1	98	< 0.64	6.1	< 0.79	< 1.8	105.1
4/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2	142	< 0.64	7.7	< 0.79	< 1.8	151.7
7/17/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	110	< 6.4	< 12	< 7.9	< 18	110
10/2/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.7	130	< 0.64	5.8	< 0.79	< 1.8	137.5
1/29/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	120	< 6.4	< 12	< 7.9	< 18	120
4/16/1997		8260	< 1.2	1	< 1	< 0.7	< 2.5	2	100	< 0.64	3.9	< 0.79	< 1.8	106.9
7/15/1997		8260	< 1.2	0.7	< 1	< 0.7	< 2.5	1.4	140	< 0.64	5.3	< 0.79	< 1.8	147.4
10/24/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	51	5.8	3.8	< 0.79	< 1.8	60.6
1/21/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	110	< 0.64	2.5	< 0.79	< 1.8	112.5
4/24/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.3	89	< 0.64	2.5	< 0.79	< 1.8	92.8
7/23/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	65	< 0.64	1.9	< 0.79	< 1.8	66.9
10/12/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	79	< 0.64	3	< 0.79	< 1.8	82
1/26/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.3	130	< 0.64	3.7	< 0.79	< 1.8	135
4/20/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1	100	< 0.64	4.8	< 0.79	3.2 J	109
7/22/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	56	< 0.64	1.3	< 0.79	< 1.8	57.3
10/12/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	29	< 1	< 1.2	< 1	< 1.8	29
1/14/2000	A0029302	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.39 J	53	< 1	2.2	< 1	0.39 J	55.98
4/26/2000	A0275206	8021	< 1.2	< 1	1.3	< 1	< 2.5	1.3	52	< 1	2.4	< 1	2	59
7/18/2000	A0500411	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.75 J	48	< 1	1.9	< 1	< 1.8	50.65
10/19/2000	A0751303	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5.8	< 1	< 1.2	< 1	< 1.8	5.8
1/19/2001	A1056801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	45	< 1	0.4 J	< 1	< 1.8	45.4
4/24/2001	A1375202	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	48	< 1	2.5	< 1	< 1.8	50.5
7/18/2001	A1682907	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.26 J	44	< 1	1.8	< 1	< 1.8	46.06
10/19/2001	A1A28801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	43	< 1	4.9	< 1	1.1 J	49
1/21/2002	A2066004	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.51 J	48	< 1	3.2	< 1	< 1.8	51.71
4/16/2002	A2370103	8021	< 1.2	< 1	0.49 J	0.26 J	< 2.5	0.96 J	81 D	< 1	3.7	< 1	3.4	89.81
7/11/2002	A2708313	8021	< 1.2	< 1	0.42 J	< 1	< 2.5	1.1	84	< 1	5.1	< 1	< 1.8	90.62
10/8/2002	A2999309	8021	< 1.2	1.6	< 1	< 1	< 2.5	< 1	52	< 1	4.8	< 1	< 1.8	58.4
10/15/2002	A2A23604	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	41	< 1	4.6	< 1	< 1.8	45.6
1/16/2003	A3055801	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.54 J	80	< 1	7.8	< 1	1.4 J	89.74
4/8/2003	A3329506	8021	< 1.2	< 1	< 1	< 1	3.4	< 1	51	< 1	3.9	< 1	1.1 J	59.4
7/8/2003	A3649102	8021	< 1.2	< 1	< 1	< 1	2 J	< 1	71	< 1	2.8	< 1.3	< 1.8	75.8
10/13/2003	A3991401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	94	< 1	6.1	< 1	< 1.8	100.1
1/9/2004	A4026202	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	100	< 1	8	< 1	< 1.8	108
4/13/2004	A4331805	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.1	88	< 1	12	< 1	< 1.8	101.1
7/6/2004	A4636505	8021	< 1.2	< 1	1.6	1.9	< 2.5	1.9	110	< 1	23	< 1	2	140.4
10/26/2004	A4A60201	8021	< 1	< 1	1.2	0.57 J	< 1	1.3	140 E	< 1	21	< 1	0.85 J	164.92
1/20/2005	A5057701	8260	< 1.2	< 1	0.82 J	< 1	1.1 J	0.91 J	74	< 1	19	< 1	< 1.8	95.83

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-38M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/5/2005	A5317801	8260	< 1.2	< 1	1	0.63 J	< 2.5	1.6	73 D	< 1	31	< 1	1.8	109.03
7/11/2005	A5724702	8260/5M	< 1.2	< 1	0.81 J	0.71 J	< 2.5	1.3	73	< 1	24	< 1	< 1.8	99.82
10/21/2005	A5B92601	8260	< 1.2	< 1	0.84 J	0.74 J	< 2.5	1	78	< 1	27	< 1	1.8	109.38
1/24/2006	A6089104	8260	< 1.2	< 1	1.2	0.72 J	< 2.5	1.3	81	< 1	25	< 1	2	111.22
4/13/2006	6D14002-05	8260	< 1	< 1	1	< 1	< 2	2	82	< 1	33	< 1	< 2	118
7/17/2006	6G18004-04	8260	< 1	< 1	< 1	< 1	< 2	1	66	< 1	25	< 1	< 2	92
10/12/2006	6J16007-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	55	< 1	23	< 1	2	80
1/10/2007	7A11003-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	56	< 1	23	< 1	2	81
4/5/2007	7D06002-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	41	< 1	20	< 1	< 2	61
7/18/2007	7G19011-01	8260	< 1	< 1	< 1	< 1	< 2	1	58	< 1	32	< 1	< 2	91
10/11/2007	7J12012-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	36	< 1	21	< 1	< 2	57
1/9/2008	8A10002-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	63	< 1	29	< 1	3	95
4/8/2008	8D09003-01	8260	< 1	< 1	< 1	< 1	2 B	< 1	39	< 1	12	< 1	< 2	53
7/25/2008	5426024	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.88 J	48	< 0.8	21	< 0.8	< 1	69.88
10/14/2008	5498683	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	46	< 0.8	25	< 0.8	< 1	71
1/21/2009	5582432	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	54	< 0.8	19	< 0.8	1.4 J	74.4
4/20/2009	5651169	8260	< 1	< 0.8	< 1	< 0.8	< 2	1 J	64	< 0.8	23	< 0.8	2 J	90
7/13/2009	5722288	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	50	< 0.8	20	< 0.8	< 1	70
10/6/2009	5799015	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	41	< 0.8	17	< 0.8	< 1	58
1/21/2010	5889954	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.99 J	59	< 0.8	24	< 0.8	< 1	83.99
4/7/2010	5948418	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.93 J	41	< 0.8	19	< 0.8	< 1	60.93
7/15/2010	6033917	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	51	< 0.8	30	< 0.8	< 1	82.1
10/19/2010	6116888	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	37	< 0.8	27	< 0.8	< 1	64
1/26/2011	6192957	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	44	< 0.8	23	< 0.8	1 J	68
4/14/2011	6259036	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.95 J	47	< 0.8	20	< 0.8	< 1	67.95
7/25/2011	6355559	8260	< 1	< 0.8	1.1 J	< 0.8	< 2	1.1 J	51	< 0.8	28	< 0.8	2 J	83.2
10/10/2011	6433657	8260	< 1	< 0.8	< 1	0.91 J	< 2	1.1 J	53	< 0.8	39	< 0.8	2.4 J	96.41
1/19/2012	6527710	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.92 J	44	< 0.8	21	< 0.8	1.1 J	67.02
4/4/2012	6607028	8260	< 1	< 0.8	1.2 J	< 0.8	< 2	1.4 J	56	< 0.8	40	< 0.8	< 1	98.6
7/19/2012	6728256	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.83 J	45	< 0.8	39	< 0.8	1.1 J	85.93
10/3/2012	6812013	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	36	< 0.8	27	< 0.8	< 1	63
1/17/2013	6926980	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	48	< 0.8	24	< 0.8	< 1	73.1
4/9/2013	7016204	8260	< 1	< 0.8	1.4 J	< 0.8	< 2	1.4 J	59	< 0.8	44	< 0.8	< 1	105.8
7/11/2013	7125532	8260	< 1	< 0.8	1.6 J	0.94 J	< 2	1.4 J	60	< 0.8	52	< 0.8	1.9 J	117.84
11/14/2013	7278193	8260	< 1	< 0.8	1.2 J	0.9 J	< 2	< 0.8	60	< 0.8	51	< 0.8	1.9 J	115
1/20/2014	7342594	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.2 J	50	< 0.8	43	< 0.8	1.3 J	95.5
4/14/2014	7430447	8260	< 0.5	< 0.5	0.92 J	0.83 J	< 2	1.4	55	< 0.5	59	< 0.5	1.5	118.65
7/14/2014	7532403	8260	< 0.5	< 0.5	0.7 J	0.62 J	< 2	1.1	46	< 0.5	40	< 0.5	1.2	89.62
10/2/2014	7623660	8260	< 0.5	< 0.5	0.62 J	0.6 J	< 2	1	44	< 0.5	41	< 0.5	0.71 J	87.93
1/6/2015	7731164	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	37	< 0.5	30	< 0.5	2	69
4/15/2015	7849422	8260	< 0.5	< 0.5	0.53 J	0.81 J	< 2	0.95 J	43	< 0.5	31	< 0.5	2.4	78.69
7/13/2015	7965573	SW8260C	< 0.5	< 0.5	0.66 J	< 0.5	< 2	0.93 J	41	< 0.5	31	< 0.5	< 0.5	73.59
10/6/2015	8079117	SW8260C	< 0.5	< 0.5	0.55 J	0.53 J	< 2	0.9 J	41	< 0.5	38	< 0.5	< 0.5	80.98
1/6/2016	8197850	SW8260C	< 0.5	< 0.5	0.54 J	0.65 J	< 2	0.67 J	44	< 0.5	27	< 0.5	0.86 J	73.72
12/6/2016	240-73125-8	8260C	< 1.4	< 1.4	0.43 J	0.55 J	< 1.4	0.45 J	36	< 1.4	14	< 1.4	2.5	53.93
4/27/2017	240-78855-9	8260C	< 1.0	< 1.0	0.55 J	0.73 J	< 1.0	0.64 J	35	< 1.0	21	< 1.0	2.9	60.82
11/2/2017	240-87694-17	8260C	< 1.0	< 1.0	0.49 J	0.58 J	< 1.0	0.55 J	33	< 1.0	23	< 1.0	2.5	60.12
4/18/2018	240-94333-4	8260C	< 1.0	< 1.0	0.44 J	0.76 J	< 1.0	0.88 J	28	< 1.0	28	< 1.0	3.5	61.58
9/28/2018	240-102125-15	8260C	< 1.0	< 1.0	0.33 J	0.61 J	< 5.0	0.48 J	25	< 1.0	16	< 1.0	2.1	44.52

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-38M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/8/2019	240-110803-3	8260C	< 1.0	< 1.0	0.78 J	0.67 J	< 5.0	0.78 J	34	< 1.0	28	< 1.0	1.9	66.13
11/20/2019	240-122631-8	624.1_L	< 1.0	< 1.0	0.79 J	0.87 J	< 5.0	0.66	31	0.25 J	30	< 1.0	2.1	65.67
3/26/2020	240-128236-7	8260C	< 1.0	< 1.0	0.68 J	0.65 J	< 5.0	0.66 J	29	0.30 J	32	< 1.0	1.4	64.69
10/29/2020	240-139252-8	8260C	< 1.0	< 1.0	0.64 J	1.3	< 5.0	0.60 J	29	< 1.0	25	< 1.0	3.9	60.44
4/19/2021	240-147939-1	8260C	< 1.0	< 1.0	0.76 J	1.3	< 5.0	0.60 J	37	< 1.0	22	< 1.0	3.7	65.36
10/26/2021	240-159076-4	8260C	< 1.0	< 1.0	0.73 J	1	< 5.0	< 1.0	38	< 1.0	22	< 1.0	3.4	65.13
4/12/2022	240-165070-8	8260C	< 1.0	< 1.0	0.64 J	0.53 J	< 5.0	0.60 J	32	< 1.0	32	< 1.0	1.2	66.97
10/17/2022	240-175103-9	8260D	< 1.0	< 1.0	0.49 J	0.95 J	< 5.0	< 1.0	25	< 1.0	17	< 1.0	5.5	48.94
3/21/2023	240-182590-9	8260D	< 1.0	< 1.0	0.86 J	1.1	< 5.0	0.86 J	44	< 1.0	36	< 1.0	2.2	85.02
10/19/2023	240-194049-12	8260D	< 1.0	< 1.0	0.61 J	0.69 J	< 5.0	< 1.0	30	< 1.0	17	< 1.0	2.4	50.7
4/16/2024	240-203148-2	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/22/2024	240-213536-9	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.51 J	< 1.0	< 1.0	< 1.0	< 1.0	0.51

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-39M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/25/2000	A0275218	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.5	< 1	8.7	< 1	< 1.8	11.2
7/17/2000	A0500409	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.4	< 1	2.2	< 1	< 1.8	3.6
10/18/2000	A0751311	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1	< 1	1.5	< 1	< 1.8	2.5
1/11/2001	A1035106	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.21 J	4.5	< 1	8.7	< 1	< 1.8	13.41
4/19/2001	A1361308	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	< 0.28	< 0.22	0.32	< 0.22	< 0.36	0.32
7/10/2001	A1648711	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.84 J	< 1	2.6	< 1	< 1.8	3.44
10/18/2001	A1A23312	8021	< 1.6	< 1.6	< 1.6	< 1.6	< 2.5	< 1.6	11	< 1.6	97	< 1.6	< 1.8	108
1/24/2002	A2076707	8021	< 1.6	< 1.6	< 1.6	< 1.6	1.9 J	< 1.6	< 1.6	< 1.6	5.9	< 1.6	< 1.8	7.8
4/15/2002	A2370202	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	2.4	< 1	< 1.8	2.4
7/16/2002	A2722906	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.31 J	< 1	2	< 1	< 1.8	2.31
10/8/2002	A2999101	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.27 J	< 1	2.4	< 1	< 1.8	2.67
1/23/2003	A3075201	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	1.7	< 1	< 1.8	1.7
4/25/2003	A3389603	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.61 J	< 1	2.8	< 1	< 1.8	3.41
7/21/2003	A3699404	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	2.6	< 1	< 1.8	3.8
10/22/2003	A3A21903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5.4	< 1	7.4	< 1	< 1.8	12.8
1/21/2004	A4053401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.3	< 1	8.5	< 1	< 1.8	10.8
4/29/2004	A4402502	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	3.6	< 1	< 1.8	3.6
7/16/2004	A4674301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.9 E	< 1	8.4	< 1	< 1.8	13.3
7/16/2004	A4674301	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4	< 1	10	< 1	< 1.8	14
10/12/2004	A4A09405	8021	< 1	< 1	< 1	< 1	< 1	< 1	4	< 1	8.1	< 1	< 1	12.1
1/12/2005	A5036106	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.9	< 1	140 E	< 1	< 1.8	141.9
4/26/2005	A5414401	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.8 J	< 1	4.3	< 1	< 1.8	5.1
7/26/2005	A5791601	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.3	< 1	8.5	< 1	< 1.8	11.8
10/21/2005	A5B92802	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2	< 1	4.8	< 1	< 1.8	6.8
1/26/2006	A6102406	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2	< 1	7	< 1	< 1.8	9
4/20/2006	6D21003-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	7	< 1	< 2	9
7/18/2006	6G19003-03	8260	< 1	< 1	< 1	< 1	4 B	< 1	7	< 1	7	< 1	< 2	18
10/11/2006	6J12003-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	4	< 1	< 2	7
1/9/2007	7A10006-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	7	< 1	< 2	9
4/17/2007	7D18003-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	5	< 1	< 2	7
7/16/2007	7G17015-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	1	< 1	< 2	5
10/15/2007	7J16003-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	3	< 1	< 2	7
1/14/2008	8A15002-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	14	< 1	< 2	18
4/15/2008	8D16011-02	8260	< 1	< 1	< 1	< 1	5 B	< 1	< 1	< 1	3	< 1	< 2	8
7/24/2008	5424626	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.9 J	< 0.8	4.1 J	< 0.8	< 1	5
10/16/2008	5501559	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.87 J	< 0.8	3 J	< 0.8	< 1	3.87
1/21/2009	5582425	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.86 J	< 0.8	2.5 J	< 0.8	< 1	3.36
4/16/2009	5649168	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.7 J	< 0.8	4.1 J	< 0.8	< 1	5.8
7/7/2009	5718467	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.4 J	< 0.8	3 J	< 0.8	< 1	4.4
10/7/2009	5800391	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1 J	< 0.8	2 J	< 0.8	< 1	3
1/25/2010	5892341	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.4 J	< 0.8	5.9	< 0.8	< 1	8.3
4/15/2010	5955535	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.7 J	< 0.8	5.1	< 0.8	< 1	6.8
7/15/2010	6033921	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.9 J	< 0.8	4.4 J	< 0.8	< 1	6.3
10/18/2010	6115531	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.7 J	< 0.8	3.8 J	< 0.8	< 1	5.5
1/24/2011	6190817	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.3 J	< 0.8	3.6 J	< 0.8	< 1	4.9
4/20/2011	6264712	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.8 J	< 0.8	< 1	1.8

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-39M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/20/2011	6352281	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.88 J	< 0.8	2.2 J	< 0.8	< 1	3.08
10/11/2011	6434696	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.94 J	< 0.8	2.2 J	< 0.8	< 1	3.14
1/25/2012	6532443	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.1 J	< 0.8	4.8 J	< 0.8	< 1	5.9
4/5/2012	6608278	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.2 J	< 0.8	10	< 0.8	< 1	13.2
7/11/2012	6717363	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.8 J	< 0.8	7.3	< 0.8	< 1	10.1
10/4/2012	6814373	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.8 J	< 0.8	8.7	< 0.8	< 1	13.5
1/24/2013	6934228	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2 J	< 0.8	10	< 0.8	< 1	12
4/2/2013	7007573	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.8 J	< 0.8	8	< 0.8	< 1	9.8
7/2/2013	7117041	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.8 J	< 0.8	6.8	< 0.8	< 1	8.6
11/11/2013	7273093	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.7 J	< 0.8	5.3	< 0.8	< 1	7
1/17/2014	7341379	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.6 J	< 0.8	5.2	< 0.8	< 1	6.8
4/22/2014	7439162	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.6	< 0.5	7.5	< 0.5	< 0.5	10.1
7/11/2014	7531029	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.7	< 0.5	8.2	< 0.5	< 0.5	10.9
10/3/2014	7625305	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3.3	< 0.5	9.2	< 0.5	< 0.5	12.5
1/6/2015	7731154	8260	< 0.5	5.4	< 0.5	< 0.5	< 2	< 0.5	4.1	< 0.5	22	< 0.5	< 0.5	31.5
4/21/2015	7856505	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.4	< 0.5	5.9	< 0.5	< 0.5	7.3
7/7/2015	7958389	SW8260C	< 0.5	1.2	< 0.5	< 0.5	< 2	< 0.5	1.5	< 0.5	7	< 0.5	< 0.5	9.7
10/6/2015	8079107	SW8260C	< 0.5	0.95 J	< 0.5	< 0.5	< 2	< 0.5	1.8	< 0.5	7.3	< 0.5	< 0.5	10.05
1/5/2016	8197704	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.1	< 0.5	7.9	< 0.5	< 0.5	10
12/8/2016	240-73270-14	8260C	< 1.4	< 1.4	< 1.4	< 1.4	< 1.4	0.72 J	10	< 1.4	38	< 1.4	< 1.4	48.72
4/28/2017	240-78929-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.1	< 1.0	4.2	< 1.0	< 1.0	5.3
4/16/2018	240-94331-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1	< 1.0	3.6	< 1.0	< 1.0	4.6
4/10/2019	240-110803-20	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.1	< 1.0	3.3	< 1.0	< 1.0	4.4
3/27/2020	240-128359-5	8260C	< 1	< 1	< 1.0	< 1.0	< 5	< 1.0	0.75 J	< 1.0	2.3	< 1.0	< 1.0	3.05
4/26/2021	240-148317-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.5	< 1.0	7.8	< 1.0	< 1.0	10.3
4/15/2022	240-165253-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.89 J	< 1.0	3.1	< 1.0	< 1.0	3.99
3/23/2023	240-182590-31	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.4	< 1.0	5.2	< 1.0	< 1.0	6.6
4/17/2024	240-203148-22	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.8	< 1.0	4.2	< 1.0	< 1.0	6

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-40M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/25/2000	A0275217	8021	< 1.2	0.53 J	< 1	< 1	< 2.5	1.3	6.4	< 1	4.1	< 1	1.4 J	13.73
7/17/2000	A0500408	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.43 J	4	< 1	< 1.2	< 1	0.41 J	4.84
10/18/2000	A0751313	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.4	< 1	< 1.2	< 1	< 1.8	3.4
1/11/2001	A1035107	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.1	5.6	< 1	< 1.2	< 1	1.5 J	8.2
4/19/2001	A1361306	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	0.97	< 0.22	< 0.24	< 0.22	< 0.36	0.97
7/10/2001	A1648710	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.26 J	3.2	< 1	< 1.2	< 1	0.28 J	3.74
10/18/2001	A1A23311	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.3	< 1	41	< 1	< 1.8	44.3
1/22/2002	A2066012	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5.1	< 1	< 1.2	< 1	1.4 J	6.5
4/12/2002	A2351801	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.6 J	6	< 1	< 1.2	< 1	0.87 J	7.47
7/12/2002	A2713907	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5	< 1	< 1.2	< 1	< 1.8	5
10/8/2002	A2999308	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.7 J	6.9	< 1	0.58 J	< 1	1 J	9.18
1/20/2003	A3060804	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.43 J	4.5	< 1	0.29 J	< 1	0.75 J	5.97
4/25/2003	A3389401	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.48 J	4.4	< 1	< 1.2	< 1	0.58 J	5.46
7/17/2003	A3683703	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.38 J	3.8	< 1	< 1.2	< 1	0.22 J	4.4
10/17/2003	A3A09004	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.4	< 1	< 1.2	< 1	< 1.8	3.4
1/20/2004	A4053202	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.1	< 1	< 1.2	< 1	< 1.8	3.1
4/29/2004	A4402401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.1	< 1	< 1.2	< 1	< 1.8	2.1
7/16/2004	A4674201	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3 E	< 1	< 1.2	< 1	< 1.8	3
7/16/2004	A4674201	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.58 J	2.9	< 1	< 1.2	< 1	< 1.8	3.48
10/12/2004	A4A09702	8021	< 1	< 1	< 1	< 1	< 1	0.53 J	6.1	< 1	< 1	< 1	< 1	6.63
1/12/2005	A5036203	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.62 J	4.8	< 1	0.38 J	< 1	< 1.8	5.8
4/26/2005	A5414301	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.6 J	4.3	< 1	0.3 J	< 1	< 1.8	5.2
7/26/2005	A5791602	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.1	< 1	< 1.2	< 1	< 1.8	2.1
10/21/2005	A5B92602	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.73 J	4.8	< 1	0.91 J	< 1	< 1.8	6.44
1/27/2006	A6102501	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.64 J	5.4	< 1	1.6	< 1	< 1.8	7.64
4/20/2006	6D21003-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	< 1	< 1	< 2	3
7/18/2006	6G19003-04	8260	< 1	< 1	< 1	< 1	5 B	< 1	4	< 1	1	< 1	< 2	10
10/11/2006	6J12003-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	5	< 1	2	< 1	< 2	7
1/5/2007	7A05012-04	8260	< 1	< 1	< 1	< 1	3 B	< 1	6	< 1	3	< 1	< 2	12
4/17/2007	7D18003-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	2	< 1	< 2	6
7/16/2007	7G17015-10	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	< 1	< 1	< 2	3
10/15/2007	7J16003-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	2	< 1	< 2	6
1/9/2008	8A10002-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	2	< 1	< 2	6
4/15/2008	8D16011-03	8260	< 1	< 1	< 1	< 1	4 B	< 1	4	< 1	3	< 1	< 2	11
7/23/2008	5423261	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.1 J	< 0.8	1.6 J	< 0.8	< 1	4.7
10/16/2008	5501558	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.1	< 0.8	3.2 J	< 0.8	< 1	9.3
1/21/2009	5582426	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.9	< 0.8	2.9 J	< 0.8	< 1	8.8
4/16/2009	5649167	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.9 J	< 0.8	2.5 J	< 0.8	< 1	6.4
7/7/2009	5718466	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.7 J	< 0.8	1.7 J	< 0.8	< 1	4.4
10/7/2009	5800392	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.8 J	< 0.8	1.6 J	< 0.8	< 1	4.4
1/25/2010	5892342	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.1 J	< 0.8	2.6 J	< 0.8	< 1	6.7
4/15/2010	5955536	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.9 J	< 0.8	2.7 J	< 0.8	< 1	6.6
7/19/2010	6036148	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.7 J	< 0.8	2.5 J	< 0.8	< 1	6.2
10/18/2010	6115534	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.4 J	< 0.8	2 J	< 0.8	< 1	6.4
1/24/2011	6190816	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.6	< 0.8	4.2 J	< 0.8	< 1	10.8
4/20/2011	6264714	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.8 J	< 0.8	1.7 J	< 0.8	< 1	4.5

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-40M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/20/2011	6352282	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.4 J	< 0.8	2 J	< 0.8	< 1	5.4
10/11/2011	6434699	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.91 J	4.7 J	< 0.8	2.1 J	< 0.8	< 1	7.71
1/18/2012	6526477	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.2 J	< 0.8	1.8 J	< 0.8	< 1	6
4/5/2012	6608277	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.8 J	< 0.8	6.1	< 0.8	< 1	9.9
7/11/2012	6717361	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.6 J	< 0.8	2.1 J	< 0.8	< 1	4.7
10/4/2012	6814370	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.6 J	< 0.8	2.4 J	< 0.8	< 1	6
1/24/2013	6934227	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.3 J	< 0.8	2.2 J	< 0.8	< 1	5.5
4/2/2013	7007574	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.6 J	< 0.8	1.6 J	< 0.8	< 1	4.2
7/2/2013	7117040	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.6 J	< 0.8	2.6 J	< 0.8	< 1	5.2
11/11/2013	7273092	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.8 J	< 0.8	4.5 J	< 0.8	< 1	9.3
1/17/2014	7341381	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.4 J	< 0.8	3.2 J	< 0.8	< 1	6.6
4/22/2014	7439161	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.2	< 0.5	1.4	< 0.5	< 0.5	3.6
7/11/2014	7531030	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.88 J	5.6	< 0.5	6.9	< 0.5	< 0.5	13.38
10/3/2014	7625302	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.66 J	4.8	< 0.5	5.1	< 0.5	< 0.5	10.56
1/6/2015	7731155	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.58 J	4.6	< 0.5	6.6	< 0.5	< 0.5	11.78
4/21/2015	7856504	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3	< 0.5	1.9	< 0.5	< 0.5	4.9
7/7/2015	7958386	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.9	< 0.5	3.2	< 0.5	< 0.5	5.1
10/6/2015	8079108	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.74 J	5.2	< 0.5	5.8	< 0.5	< 0.5	11.74
1/5/2016	8197705	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.8 J	6	< 0.5	5.9	< 0.5	< 0.5	12.7
12/8/2016	240-73270-13	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.77 J	5.6	< 1.0	5.4	< 1.0	< 1.0	11.77
5/1/2017	240-78974-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.68 J	4.9	< 1.0	5	< 1.0	< 1.0	10.58
4/16/2018	240-94331-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.72 J	5.5	< 1.0	6.5	< 1.0	< 1.0	12.72
4/10/2019	240-110803-19	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.75 J	< 1.0	0.69 J	< 1.0	< 1.0	1.44
3/31/2020	240-128375-11	8260C	< 1	< 1	< 1.0	< 1.0	< 5	0.70 J	5.4	< 1.0	6.4	< 1.0	< 1.0	12.5
4/26/2021	240-148317-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.84 J	< 1.0	0.57 J	< 1.0	< 1.0	1.41
4/15/2022	240-165253-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.56 J	4.2	< 1.0	5.4	< 1.0	< 1.0	10.16
3/23/2023	240-182590-39	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.61 J	4.5	< 1.0	4.5	< 1.0	< 1.0	9.61
4/17/2024	240-203148-21	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.3	< 1.0	1.1	< 1.0	< 1.0	4.4

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-41M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/25/2000	A0275216	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.6	3.7	< 1	< 1.2	< 1	< 1.8	5.3
7/17/2000	A0500406	8021	< 1.2	< 1	< 1	< 1	< 2.5	1	3.4	< 1	4.6	< 1	< 1.8	9
10/18/2000	A0751306	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.5 J	2.1	< 1	0.93 J	< 1	< 1.8	3.53
1/12/2001	A1035108	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.3	3.1	< 1	0.37 J	< 1	< 1.8	4.77
4/19/2001	A1361312	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	0.45	< 0.22	< 0.24	< 0.22	< 0.36	0.45
7/10/2001	A1648709	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.55 J	1.6	< 1	0.38 J	< 1	< 1.8	2.53
10/18/2001	A1A23308	8021	< 2	< 2	< 2	< 2	< 2.5	< 2	< 2	< 2	100	< 2	< 2	100
1/23/2002	A2076802	8021	< 1.2	< 1	< 1	< 1	3.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	3.5
4/15/2002	A2370101	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.8	< 1	1 J	< 1	< 1.8	2.8
7/15/2002	A2723101	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	0.47 J	< 1	< 1.8	1.67
10/8/2002	A2999207	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.38 J	1.4	< 1	0.84 J	< 1	< 1.8	2.62
1/21/2003	A3069004	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.44 J	1.5	< 1	0.81 J	< 1	< 1.8	2.75
4/28/2003	A3399801	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.57 J	2.3	< 1	< 1.2	< 1	< 1.8	2.87
7/17/2003	A3683705	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.52 J	2.3	< 1	0.65 J	< 1	< 1.8	3.47
10/17/2003	A3A09005	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.7	< 1	< 1.2	< 1	< 1.8	2.7
1/21/2004	A4053204	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.4	< 1	< 1.2	< 1	< 1.8	2.4
4/30/2004	A4402402	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.2	3.1	< 1	< 1.2	< 1	< 1.8	4.3
7/16/2004	A4674202	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.1 E	2.6 E	< 1	< 1.2	< 1	< 1.8	3.7
7/16/2004	A4674202	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.9 J	2.3	< 1	0.3 J	< 1	< 1.8	3.5
10/12/2004	A4A09701	8021	< 1	< 1	< 1	< 1	< 1	1.3	6.7	< 1	< 1	< 1	< 1	8
1/18/2005	A5051003	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.75 J	2	< 1	0.38 J	< 1	< 1.8	3.13
4/26/2005	A5414302	8260	< 1.2	< 1	< 1	< 1	< 2.5	1.3	3.8	< 1	< 1.2	< 1	< 1.8	5.1
7/26/2005	A5791603	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	1.2	2.9	< 1	< 1.2	< 1	< 1.8	4.1
10/21/2005	A5B92603	8260	< 1.2	< 1	< 1	< 1	< 2.5	1	4.3	< 1	< 1.2	< 1	0.99 J	6.29
1/27/2006	A6102502	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.62 J	3.1	< 1	< 1.2	< 1	< 1.8	3.72
4/21/2006	6D21017-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	< 1	< 1	< 2	4
7/18/2006	6G19003-02	8260	< 1	< 1	< 1	< 1	4 B	< 1	5	< 1	< 1	< 1	< 2	9
10/12/2006	6J16007-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	< 1	< 1	< 2	3
1/9/2007	7A10006-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	1	< 1	< 2	5
4/17/2007	7D18003-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	5	< 1	< 1	< 1	< 2	5
7/16/2007	7G17015-09	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	< 1	< 1	< 2	4
10/15/2007	7J16003-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	< 1	< 1	< 2	3
1/9/2008	8A10002-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	< 1	< 1	< 2	3
4/16/2008	8D16026-01	8260	< 1	< 1	< 1	< 1	4 B	< 1	5	< 1	< 1	< 1	< 2	9
7/16/2008	5417443	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.5 J	< 0.8	< 1	< 0.8	< 1	2.5
10/16/2008	5501557	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.6 J	< 0.8	< 1	< 0.8	< 1	4.6
1/21/2009	5582427	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.9	< 0.8	< 1	< 0.8	1.5 J	7.4
4/16/2009	5649169	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.8	< 0.8	< 1	< 0.8	1.4 J	8.2
7/7/2009	5718464	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.3 J	< 0.8	< 1	< 0.8	< 1	4.3
10/7/2009	5800393	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.3 J	< 0.8	< 1	< 0.8	< 1	3.3
1/25/2010	5892343	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.4	< 0.8	< 1	< 0.8	< 1	5.4
4/15/2010	5955537	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6	< 0.8	< 1	< 0.8	1.8 J	7.8
7/19/2010	6036149	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.1 J	< 0.8	< 1	< 0.8	< 1	4.1
10/18/2010	6115535	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.1 J	< 0.8	< 1	< 0.8	< 1	3.1
1/24/2011	6190821	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.8 J	< 0.8	< 1	< 0.8	< 1	3.8
4/20/2011	6264717	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	7.4	< 0.8	< 1	< 0.8	2.9 J	10.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-41M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/20/2011	6352283	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.9 J	< 0.8	< 1	< 0.8	< 1	4.9
10/11/2011	6434700	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.4 J	< 0.8	< 1	< 0.8	< 1	4.4
1/18/2012	6526476	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.2	< 0.8	5.8	< 0.8	< 1	12
4/5/2012	6608276	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	7.9	< 0.8	10	< 0.8	< 1	17.9
7/11/2012	6717360	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.8	< 0.8	< 1	< 0.8	< 1	5.8
10/4/2012	6814365	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.6 J	< 0.8	< 1	< 0.8	< 1	4.6
1/24/2013	6934226	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	7.8	< 0.8	< 1	< 0.8	< 1	7.8
4/2/2013	7007575	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.8	< 0.8	< 1	< 0.8	< 1	6.8
7/2/2013	7117037	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.7	< 0.8	< 1	< 0.8	< 1	5.7
11/14/2013	7278189	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	7.2	< 0.8	< 1	< 0.8	2.5 J	9.7
1/17/2014	7341382	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.5	< 0.8	< 1	< 0.8	< 1	6.5
4/22/2014	7439160	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	7.9	< 0.5	< 0.5	< 0.5	0.84 J	8.74
7/11/2014	7531032	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	5.4	< 0.5	< 0.5	< 0.5	< 0.5	5.4
10/3/2014	7625301	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	4.6	< 0.5	< 0.5	< 0.5	< 0.5	4.6
1/6/2015	7731158	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	9.8	< 0.5	54	< 0.5	0.7 J	64.5
4/21/2015	7856503	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	8.2	< 0.5	0.98 J	< 0.5	< 0.5	9.18
7/7/2015	7958385	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	5.8	< 0.5	0.78 J	< 0.5	< 0.5	6.58
10/6/2015	8079109	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	6.1	< 0.5	< 0.5	< 0.5	1.1	7.2
1/5/2016	8197706	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	6.4	< 0.5	< 0.5	< 0.5	2.8	9.2
12/8/2016	240-73270-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	7.5	< 1.0	< 1.0	< 1.0	4.4	11.9
4/28/2017	240-78929-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	8.7	< 1.0	< 1.0	< 1.0	2.9	11.6
4/16/2018	240-94331-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.34 J	8.4	< 1.0	1.2	< 1.0	0.99 J	10.93
4/10/2019	240-110803-18	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	7.8	< 1.0	0.90 J	< 1.0	1	9.7
3/27/2020	240-128359-6	8260C	< 1	< 1	< 1.0	< 1.0	< 5	< 1.0	6.3	< 1.0	< 1.0	< 1.0	0.92 J	7.22
4/26/2021	240-148317-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	4.3	< 1.0	0.37 J	< 1.0	< 1.0	4.67
4/15/2022	240-165253-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	9.3	< 1.0	< 1.0	< 1.0	3	12.3
3/23/2023	240-182590-41	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	9.5	< 1.0	< 1.0	< 1.0	3.5	13
4/17/2024	240-203148-20	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	7	< 1.0	< 1.0	< 1.0	2.3	9.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-42M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/15/1999		8260	< 1.2	< 1	< 1	< 1	1.4 J	2.1	91	< 1	58	< 1	< 1.8	152.5
1/12/2000	A0026403	8021	< 1.2	< 1	< 1	< 1	0.57 J	0.88 J	32	< 1	23	< 1	< 1.8	56.45
4/18/2000	A0259410	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.3	22	< 1	14	< 1	< 1.8	37.3
7/20/2000	A0508910	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	120	< 1	66	< 1	4.9	190.9
10/20/2000	A0754605	8021	< 1.2	< 1	< 1	< 1	1.3 BJ	< 1	99	< 1	54	< 1	4.5	158.8
1/12/2001	A1035114	8021	< 1.2	< 1	< 1	< 1	2.1 J	1.2	51	< 1	23	< 1	< 1.8	77.3
4/20/2001	A1366404	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	39	< 1.1	380 D	< 1.1	< 1.8	419
7/11/2001	A1648704	8021	< 1.2	< 1	0.27 J	< 1	< 2.5	1.4	45	< 1	14	< 1	9.4	70.07
10/17/2001	A1A23307	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.4 J	12	< 1	3	< 1	< 1.8	15.4
11/12/2001	A1B23801	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.56 J	8	< 1	4	< 1	< 1.8	12.56
1/24/2002	A2076710	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.5 J	8.2	< 1	4.8	< 1	0.44 J	13.94
4/18/2002	A2378803	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.43 J	4.2	< 1	4.1	< 1	< 1.8	8.73
7/16/2002	A2722908	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.6 J	8.2	< 1	3.9	< 1	< 1.8	12.7
10/11/2002	A2A14401	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.5	16	< 1	6	< 1	< 1.8	23.5
1/23/2003	A3075204	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	8.9	< 1	12	< 1	< 1.8	20.9
4/23/2003	A3376302	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.2	12	< 1	6.9	< 1	0.67 J	20.77
7/22/2003	A3699405	8021	< 1.2	< 1	< 1	< 1	< 2.5	1	15	< 1	5.2	< 1	< 1.8	21.2
10/22/2003	A3A28303	8021	< 1.2	< 1	< 1	< 1	< 2.5	2	28	< 1	8.2	< 1	1.4 J	39.6
1/21/2004	A4053402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	11	< 1	6.9	< 1	< 1.8	17.9
4/28/2004	A4387603	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.1	10	< 1	4.9	< 1	< 1.8	16
7/9/2004	A4647101	8021	< 1.2	< 1	< 1	< 1	< 2.5	1	8.5	< 1	4.3	< 1	< 1.8	13.8
10/8/2004	A4994202	8021	< 1	< 1	< 1	< 1	< 5	< 1	6.2	< 1	3.5	< 1	< 1	9.7
1/18/2005	A5051101	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.34 J	2.6	< 1	2.6	< 1	< 1.8	5.54
4/26/2005	A5414403	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.43 J	5.1	< 1	3.6	< 1	< 1.8	9.13
7/26/2005	A5791701	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	1	8.2	< 1	3.9	< 1	< 1.8	13.1
10/20/2005	A5B92005	8260	< 1.2	< 1	< 1	< 1	< 2.5	1.5	13	< 1	5.9	< 1	2.2	22.6
1/24/2006	A6089108	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.1	< 1	2.9	< 1	< 1.8	7
4/19/2006	6D20002-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	6	< 1	4	< 1	< 2	10
7/18/2006	6G19003-08	8260	< 1	< 1	< 1	< 1	5 B	< 1	7	< 1	3	< 1	< 2	15
10/11/2006	6J12003-03	8260	< 1	< 1	< 1	< 1	< 2	1	10	< 1	4	< 1	< 2	15
1/10/2007	7A11003-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	2	< 1	< 2	5
4/16/2007	7D17002-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	5	< 1	3	< 1	< 2	8
7/16/2007	7G17015-02	8260	< 1	< 1	< 1	< 1	2	< 1	3	< 1	2	< 1	< 2	7
10/9/2007	7J10006-09	8260	< 1	< 1	< 1	< 1	< 2	< 1	4	< 1	3	< 1	< 2	7
1/14/2008	8A15002-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	8	< 1	4	< 1	< 2	12
4/14/2008	8D15002-01	8260	< 1	< 1	< 1	< 1	2 B	< 1	6	< 1	3	< 1	< 2	11
7/23/2008	5423257	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.81 J	6.8	< 0.8	2.4 J	< 0.8	< 1	10.01
10/16/2008	5501561	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	16	< 0.8	31	< 0.8	< 1	47
1/21/2009	5582431	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.8	< 0.8	5 J	< 0.8	< 1	11.8
4/15/2009	5647725	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	11	< 0.8	3.7 J	< 0.8	< 1	16
7/7/2009	5718476	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.98 J	7.8	< 0.8	2.7 J	< 0.8	< 1	11.48
10/7/2009	5800382	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.8	< 0.8	2.6 J	< 0.8	< 1	9.4
1/20/2010	5888920	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.81 J	8.3	< 0.8	2.6 J	< 0.8	< 1	11.71
4/13/2010	5953085	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.6 J	14	< 0.8	3.7 J	< 0.8	< 1	19.3
7/14/2010	6032685	8260	< 1	< 0.8	< 1	< 0.8	< 2	1 J	9.1	< 0.8	2.6 J	< 0.8	< 1	12.7
10/14/2010	6113373	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.9	< 0.8	2 J	< 0.8	< 1	8.9

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-42M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/25/2011	6191892	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	10	< 0.8	2.7 J	< 0.8	< 1	13.8
4/19/2011	6263086	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.2 J	10	< 0.8	3.8 J	< 0.8	< 1	15
7/13/2011	6343977	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.9	< 0.8	2.6 J	< 0.8	< 1	9.5
10/12/2011	6435897	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.3	< 0.8	1.9 J	< 0.8	< 1	7.2
1/18/2012	6526475	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.7	< 0.8	2.1 J	< 0.8	< 1	7.8
4/9/2012	6610605	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.7 J	16	< 0.8	13	< 0.8	1.2 J	31.9
7/18/2012	6726433	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.9 J	8.3	< 0.8	3.1 J	< 0.8	< 1	12.3
10/2/2012	6810726	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.83 J	6.5	< 0.8	2.3 J	< 0.8	< 1	9.63
1/22/2013	6931421	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.3	< 0.8	3.2 J	< 0.8	< 1	9.5
4/4/2013	7011181	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	11	< 0.8	7.7	< 0.8	< 1	20
7/8/2013	7120728	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.9 J	< 0.8	3.2 J	< 0.8	< 1	8.1
11/12/2013	7275074	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.7 J	< 0.8	1.9 J	< 0.8	< 1	4.6
1/16/2014	7340029	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.2 J	< 0.8	1.8 J	< 0.8	< 1	4
4/16/2014	7433452	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	1	7.8	< 0.5	9.3	< 0.5	< 0.5	18.1
7/11/2014	7531036	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3.9	< 0.5	2.8	< 0.5	< 0.5	6.7
10/6/2014	7626654	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3	< 0.5	2.4	< 0.5	< 0.5	5.4
1/7/2015	7732755	8260	< 0.5	1.6	< 0.5	< 0.5	< 2	< 0.5	5.8	< 0.5	3.8	< 0.5	< 0.5	11.2
4/20/2015	7856499	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.85 J	7.9	< 0.5	6.9	< 0.5	< 0.5	15.65
7/7/2015	7958381	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	6.3	< 0.5	3.7	< 0.5	< 0.5	10
10/5/2015	8077931	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.51 J	5.8	< 0.5	3.8	< 0.5	< 0.5	10.11
1/5/2016	8197714	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	5.4	< 0.5	2.9	< 0.5	< 0.5	8.3
12/9/2016	240-73270-25	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.5	16	< 1.0	7.3	< 1.0	1.2	26
4/26/2017	240-78855-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.92 J	8.1	< 1.0	4.9	< 1.0	< 1.0	13.92
4/17/2018	240-94331-21	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.89 J	5.5	< 1.0	5	< 1.0	< 1.0	11.39
4/3/2019	240-110627-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.51 J	5.6	< 1.0	4.4	< 1.0	0.27 J	10.78
3/30/2020	240-128375-12	8260C	< 1	< 1	< 1.0	< 1.0	< 5	0.47 J	3.7	< 1.0	3.8	< 1.0	< 1.0	7.97
4/20/2021	240-147939-13	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	1.1	7.1	< 1.0	3.8	< 1.0	0.70 J	12.7
4/15/2022	240-165253-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.64 J	4.7	< 1.0	3.8	< 1.0	< 1.0	9.14
3/21/2023	240-182590-32	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.70 J	5.9	< 1.0	3.2	< 1.0	< 1.0	9.8
4/19/2024	240-203148-38	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	0.67 J	5.5	< 1.0	3.5	< 1.0	< 1.0	9.67

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-43M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/15/1999		8260	< 1.2	0.26 J	0.41 J	< 1	< 2.5	< 1	12	< 1	1.2	< 1	1.5 J	15.37
1/12/2000	A0026406	8021	< 1.2	< 1	0.27 J	< 1	< 2.5	< 1	19	< 1	5.8	< 1	1.3 J	26.37
4/18/2000	A0259408	8021	< 1.2	< 1	1.3	< 1	< 2.5	< 1	11	< 1	3.1	< 1	1.2 J	16.6
7/20/2000	A0508909	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	5.6	< 1	11	< 1	< 1.8	16.6
10/20/2000	A0754606	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.4	< 1	2.5	< 1	0.33 J	6.23
1/12/2001	A1035113	8021	< 1.2	< 1	1.4	< 1	< 2.5	< 1	34	< 1	4.5	< 1	2.7	42.6
4/20/2001	A1366405	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	4.6	< 1.1	2.9	< 1.1	< 1.8	7.5
7/11/2001	A1648701	8021	< 1.2	< 1	0.35 J	< 1	< 2.5	< 1	2.1	< 1	0.83 J	< 1	0.3 J	3.58
11/12/2001	A1B23802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	14	< 1	6.4	< 1	0.37 J	20.77
1/21/2002	A2066007	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.61 J	13	< 1	6.1	< 1	< 1.8	19.71
4/11/2002	A2348302	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.61 J	11	< 1	6.3	< 1	< 1.8	17.91
7/11/2002	A2708317	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	10	< 1	5.4	< 1	< 1.8	15.4
10/8/2002	A2999303	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.38 J	6	< 1	4.3	< 1	0.29 J	10.97
1/16/2003	A3055804	8021	< 1.2	< 1	0.29 J	< 1	< 2.5	0.4 J	6.3	< 1	3.4	< 1	1.2 J	11.59
4/29/2003	A3398701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.8	< 1	2.4	< 1	0.34 J	6.54
7/17/2003	A3683706	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.1	< 1	1.1 J	< 1	< 1.8	3.2
10/16/2003	A3A09002	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.7	< 1	8.1	< 1	< 1.8	11.8
1/20/2004	A4053201	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	10	< 1	8.9	< 1	< 1.8	18.9
4/28/2004	A4387602	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2	< 1	1.4	< 1	< 1.8	3.4
7/9/2004	A4647301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.3	< 1	8.2	< 1	< 1.8	12.5
10/7/2004	A4994505	8021	< 1	< 1	< 1	< 1	< 5	< 1	7.4	< 1	36	< 1	< 1	43.4
1/18/2005	A5051001	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.82 J	8.9	< 1	5.5	< 1	1.5 J	16.72
4/21/2005	A5402202	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.83 J	10	< 1	34 D	< 1	< 1.8	44.83
7/26/2005	A5791702	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	1.6	17	< 1	79	< 1	< 1.8	97.6
10/20/2005	A5B91801	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.64 J	6	< 1	6.8	< 1	1.3 J	14.74
1/26/2006	A6102402	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.74 J	12	< 1	4.6	< 1	3.8	21.14
4/20/2006	6D21003-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	12	< 1	3	< 1	3	18
7/18/2006	6G19003-07	8260	< 1	< 1	< 1	< 1	4 B	< 1	8	< 1	4	< 1	< 2	16
10/11/2006	6J12003-02	8260	< 1	< 1	< 1	< 1	< 2	1	12	< 1	36	< 1	< 2	49
1/10/2007	7A11003-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	12	< 1	5	< 1	4	21
4/16/2007	7D17002-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	9	< 1	2	< 1	< 2	11
7/16/2007	7G17015-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	9	< 1	2	< 1	3	14
10/10/2007	7J11002-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	8	< 1	3	< 1	2	13
1/14/2008	8A15002-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	9	< 1	2	< 1	2	13
4/14/2008	8D15002-02	8260	< 1	< 1	< 1	< 1	3 B	< 1	5	< 1	< 1	< 1	< 2	8
7/23/2008	5423258	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	8.5	< 0.8	2.3 J	< 0.8	2.6 J	13.4
10/16/2008	5501560	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	10	< 0.8	2.8 J	< 0.8	3.1 J	15.9
1/15/2009	5578617	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	9.1	< 0.8	5.3	< 0.8	2.5 J	16.9
4/15/2009	5647721	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	7.2	< 0.8	< 1	< 0.8	2.2 J	9.4
7/7/2009	5718475	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	8.4	< 0.8	2 J	< 0.8	2.6 J	13
10/7/2009	5800384	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	7.7	< 0.8	2.7 J	< 0.8	2.1 J	12.5
1/20/2010	5888917	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6	< 0.8	1.7 J	< 0.8	1.5 J	9.2
4/13/2010	5953084	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.9	< 0.8	2.6 J	< 0.8	< 1	8.5
7/14/2010	6032683	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	9.9	< 0.8	2.8 J	< 0.8	3 J	15.7
10/12/2010	6109758	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	9.4	< 0.8	3.3 J	< 0.8	2.6 J	15.3
1/25/2011	6191891	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	9.8	< 0.8	3.1 J	< 0.8	2.7 J	15.6

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-43M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/19/2011	6263085	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.1 J	< 0.8	< 1	< 0.8	< 1	3.1
7/13/2011	6343976	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	11	< 0.8	3.8 J	< 0.8	5.1	19.9
10/12/2011	6435898	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	11	< 0.8	3.4 J	< 0.8	2.3 J	16.7
1/16/2012	6523836	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	10	< 0.8	3.3 J	< 0.8	4 J	17.3
4/9/2012	6610604	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	15	< 0.8	27	< 0.8	< 1	42
7/18/2012	6726434	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	11	< 0.8	3 J	< 0.8	4.3 J	18.3
10/2/2012	6810725	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	11	< 0.8	3.4 J	< 0.8	2.9 J	17.3
1/22/2013	6931417	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.9	< 0.8	1.6 J	< 0.8	3.1 J	10.6
4/4/2013	7011178	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	9.5	< 0.8	15	< 0.8	< 1	24.5
7/8/2013	7120729	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5	< 0.8	2.4 J	< 0.8	1.5 J	8.9
11/12/2013	7275073	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.8	< 0.8	1.4 J	< 0.8	5.3	13.5
1/16/2014	7340031	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	7.2	< 0.8	1.2 J	< 0.8	3.3 J	11.7
4/16/2014	7433451	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	5.2	< 0.5	13	< 0.5	1.5	19.7
7/11/2014	7531035	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	7.4	< 0.5	1	< 0.5	3.8	12.2
10/6/2014	7626657	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	6.8	< 0.5	< 0.5	< 0.5	3.5	10.3
1/7/2015	7732754	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	5.9	< 0.5	0.69 J	< 0.5	4.2	10.79
4/20/2015	7856498	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	7	< 0.5	11	< 0.5	< 0.5	18
7/7/2015	7958380	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	7.4	< 0.5	0.51 J	< 0.5	5	12.91
10/5/2015	8077932	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	8.8	< 0.5	< 0.5	< 0.5	4.6	13.4
1/5/2016	8197715	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	6	< 0.5	< 0.5	< 0.5	2.5	8.5
12/12/2016	240-73361-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	7.3	< 1.0	0.68 J	< 1.0	3.8	11.78
4/26/2017	240-78855-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	7.4	< 1.0	0.36 J	< 1.0	5.7	13.46
4/16/2018	240-94331-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	6.5	< 1.0	< 1.0	< 1.0	6.5	13
4/3/2019	240-110627-3	8260C	< 1.0	< 1.0	0.17 J	< 1.0	< 5.0	< 1.0	3.9	< 1.0	< 1.0	< 1.0	5	9.07
3/30/2020	240-128375-13	8260C	< 1	< 1	0.22 J	< 1.0	< 5	< 1.0	4.9	< 1.0	< 1.0	< 1.0	6.4	11.52
4/20/2021	240-147939-12	8260C	< 1.0	< 1.0	0.24 J	< 1.0	< 5.0	< 1.0	3.4	< 1.0	< 1.0	< 1.0	7.3	10.94
4/11/2022	240-165070-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.4	< 1.0	< 1.0	< 1.0	5.4	8.8
3/21/2023	240-182590-40	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.4	< 1.0	< 1.0	< 1.0	5.3	8.7
4/19/2024	240-203148-39	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.1	< 1.0	< 1.0	< 1.0	4.8	7.9

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-44M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/15/1999		8260	< 1.2	1.9	2.4	< 1	< 2.5	< 1	11	< 1	12	< 1	< 1.8	27.3
1/12/2000	A0026407	8021	< 1.2	0.23 J	4	< 1	< 2.5	< 1	26	< 1	2.4	< 1	1 J	33.63
4/19/2000	A0259413	8021	< 1.2	1.3	6	< 1	< 2.5	1.2	36	1.3	6	< 1	8.1	59.9
7/20/2000	A0508913	8021	< 1.2	< 1	2.3	< 1	< 2.5	< 1	18	< 1	3.4	< 1	0.81 J	24.51
10/24/2000	A0760705	8021	< 1.2	0.22 J	6.1	< 1	< 2.5	< 1	31	0.36 J	4.5	< 1	8.3	50.48
1/13/2001	A1041307	8021	< 1.2	< 1	7.6	1.2	< 2.5	1.1	38	1.9	8	< 1	15	72.8
4/25/2001	A1382101	8021	< 1.2	< 1	6	< 1	< 2.5	0.25 J	33	0.4 J	4.3	< 1	7.7	51.65
7/11/2001	A1648703	8021	< 1.2	< 1	4.5	< 1	< 2.5	< 1	23	< 1	3	< 1	2.4	32.9
11/12/2001	A1B23803	8021	< 1.2	< 1	6.1	< 1	< 2.5	< 1	33	< 1	27	< 1	4.5	70.6
1/22/2002	A2066013	8021	< 8	< 8	< 8	< 8	14	< 8	22	< 8	< 8	< 8	< 8	36
4/12/2002	A2351802	8021	< 1.2	< 1	7.6	< 1	< 2.5	< 1	33	< 1	5.9	< 1	5.6	52.1
7/15/2002	A2723103	8021	< 1.2	< 1	7.8	< 1	< 2.5	< 1	28	< 1	5.5	< 1	4.4	45.7
10/9/2002	A2A07501	8021	< 1.2	< 1	9.2	< 1	< 2.5	< 1	49	0.76 J	10	< 1	15	83.96
1/21/2003	A3069001	8021	< 1.2	0.54 J	7.4	< 1	< 2.5	< 1	25	< 1	5.5	< 1	4.9	43.34
4/29/2003	A3398702	8021	< 1.2	< 1	11	< 1	< 2.5	< 1	44	0.79 J	10	< 1	27	92.79
7/17/2003	A3683704	8021	< 1.2	< 1	8.3	< 1	< 2.5	< 1	36	0.45 J	4.8	< 1	13	62.55
10/17/2003	A3A09003	8021	< 1.2	< 1	8.4	< 1	< 2.5	< 1	26	< 1	1.6	< 1	20	56
1/20/2004	A4053203	8021	< 1.2	< 1	9.1	< 1	< 2.5	< 1	15	< 1	1.9	< 1	9.7	35.7
4/28/2004	A4387601	8021	< 1.2	< 1	8.5	< 1	< 2.5	< 1	27	< 1	3.2	< 1	23	61.7
7/9/2004	A4647302	8021	< 1.2	< 1	8	< 1	< 2.5	< 1	15	< 1	1.6	< 1	19	43.6
10/7/2004	A4994504	8021	< 1	< 1	6.3	< 1	< 5	< 1	5	< 1	2.4	< 1	5.6	19.3
1/18/2005	A5051002	8260	< 1.2	< 1	8.1	< 1	< 2.5	0.34 J	9.1	0.25 J	2.4	< 1	4.9	25.09
4/21/2005	A5402201	8260	< 1.2	< 1	7.3	< 1	< 2.5	0.47 J	21	0.49 J	5.8	< 1	15	50.06
7/22/2005	A5778502	8260/5M	< 1.2	< 1	5.9	< 1	< 2.5	< 1	14	< 1	3.6	< 1	5.5	29
10/21/2005	A5B92604	8260	< 1.2	< 1	8.7	< 1	< 2.5	< 1	9.1	< 1	3.7	< 1	6.6	28.1
1/26/2006	A6102403	8260	< 1.2	< 1	9.1	< 1	< 2.5	0.63 J	16	0.65 J	8.1	< 1	16	50.48
4/20/2006	6D21003-02	8260	< 1	< 1	7	< 1	< 2	< 1	7	< 1	2	< 1	8	24
7/18/2006	6G19003-06	8260	< 1	< 1	7	< 1	11 B	< 1	8	< 1	3	< 1	5	34
10/11/2006	6J12003-04	8260	< 1	< 1	8	< 1	< 2	< 1	12	< 1	6	< 1	9	35
1/10/2007	7A11003-03	8260	< 1	< 1	6	< 1	< 2	< 1	5	< 1	10	< 1	6	27
4/17/2007	7D18003-04	8260	< 1	< 1	5	< 1	< 2	< 1	1	< 1	< 1	< 1	3	9
7/16/2007	7G17015-04	8260	< 1	< 1	7	< 1	< 2	< 1	8	< 1	5	< 1	7	27
10/10/2007	7J11002-08	8260	< 1	< 1	6	< 1	< 2	< 1	7	< 1	4	< 1	4	21
1/14/2008	8A15002-04	8260	< 1	< 1	7	< 1	< 2	< 1	9	< 1	5	< 1	6	27
4/15/2008	8D16011-01	8260	< 1	< 1	5	< 1	4 B	< 1	4	< 1	2	< 1	4	19
7/28/2008	5426819	8260	< 1	< 0.8	7.7	< 0.8	< 2	< 0.8	8.1	< 0.8	5.2	< 0.8	7.2	28.2
10/16/2008	5501564	8260	< 1	< 0.8	9.6	< 0.8	< 2	< 0.8	11	< 0.8	6.7	< 0.8	7.5	34.8
1/15/2009	5578616	8260	< 1	< 0.8	8.3	< 0.8	< 2	< 0.8	8.9	< 0.8	7.4	< 0.8	6.3	30.9
4/15/2009	5647726	8260	< 1	< 0.8	7	< 0.8	< 2	< 0.8	5.8	< 0.8	4.4 J	< 0.8	5 J	22.2
7/7/2009	5718477	8260	< 1	< 0.8	8.6	< 0.8	< 2	< 0.8	9.5	< 0.8	5.7	< 0.8	6.9	30.7
10/7/2009	5800386	8260	< 1	< 0.8	9	< 0.8	< 2	< 0.8	9.3	< 0.8	5.7	< 0.8	9.1	33.1
1/20/2010	5888916	8260	< 1	< 0.8	10	< 0.8	< 2	< 0.8	11	< 0.8	6.8	< 0.8	7.3	35.1
4/12/2010	5951991	8260	< 1	< 0.8	7	< 0.8	< 2	< 0.8	5.7	< 0.8	3.4 J	< 0.8	6	22.1
7/14/2010	6032684	8260	< 1	< 0.8	9.3	< 0.8	< 2	< 0.8	10	< 0.8	5.6	< 0.8	6.9	31.8
10/12/2010	6109757	8260	< 1	< 0.8	11	< 0.8	< 2	< 0.8	11	< 0.8	6.3	< 0.8	7.9	36.2
1/25/2011	6191893	8260	< 1	< 0.8	8.8	< 0.8	< 2	< 0.8	10	< 0.8	5.5	< 0.8	7.1	31.4

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-44M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/19/2011	6263084	8260	< 1	< 0.8	6.7	< 0.8	< 2	< 0.8	2.8 J	< 0.8	1.5 J	< 0.8	4.3 J	15.3
7/13/2011	6343973	8260	< 1	< 0.8	11	< 0.8	< 2	< 0.8	12	< 0.8	5.9	< 0.8	7.1	36
10/12/2011	6435904	8260	< 1	< 0.8	9.9	< 0.8	< 2	0.82 J	12	< 0.8	6.1	< 0.8	6.6	35.42
1/16/2012	6523835	8260	< 1	< 0.8	8.6	< 0.8	< 2	< 0.8	11	< 0.8	5.5	< 0.8	5.7	30.8
4/9/2012	6610603	8260	< 1	< 0.8	7.2	< 0.8	< 2	< 0.8	53	< 0.8	68	< 0.8	6.5	134.7
7/18/2012	6726432	8260	< 1	< 0.8	8.7	< 0.8	< 2	< 0.8	6.5	< 0.8	3.2 J	< 0.8	3.7 J	22.1
10/2/2012	6810731	8260	< 1	< 0.8	9.3	< 0.8	< 2	< 0.8	13	< 0.8	5.2	< 0.8	7.4	34.9
1/24/2013	6934234	8260	< 1	< 0.8	8.4	< 0.8	< 2	< 0.8	11	< 0.8	4.8 J	< 0.8	4.8 J	29
4/4/2013	7011177	8260	< 1	< 0.8	6.6	< 0.8	< 2	< 0.8	26	< 0.8	46	< 0.8	4.7 J	83.3
7/8/2013	7120733	8260	< 1	< 0.8	7.7	< 0.8	< 2	< 0.8	10	< 0.8	4.5 J	< 0.8	5.1	27.3
11/12/2013	7275072	8260	< 1	< 0.8	9.3	< 0.8	< 2	< 0.8	11	< 0.8	4.6 J	< 0.8	6.8	31.7
1/16/2014	7340030	8260	< 1	< 0.8	6.8	< 0.8	< 2	< 0.8	11	< 0.8	3.8 J	< 0.8	4.4 J	26
4/16/2014	7433450	8260	< 0.5	< 0.5	6.3	< 0.5	< 2	0.6 J	20	< 0.5	53	< 0.5	2.7	82.6
7/11/2014	7531039	8260	< 0.5	< 0.5	6.9	< 0.5	< 2	0.57 J	10	< 0.5	4.1	< 0.5	3.8	25.37
10/6/2014	7626652	8260	< 0.5	< 0.5	7.6	< 0.5	< 2	0.59 J	10	< 0.5	4	< 0.5	4.3	26.49
1/7/2015	7732753	8260	< 0.5	< 0.5	7.3	< 0.5	< 2	0.57 J	9.4	< 0.5	3.8	< 0.5	< 0.5	21.07
4/20/2015	7856497	8260	< 0.5	< 0.5	7.9	< 0.5	< 2	0.68 J	26	< 0.5	36	< 0.5	2.8	73.38
7/7/2015	7958378	SW8260C	< 0.5	< 0.5	6.9	< 0.5	< 2	< 0.5	10	< 0.5	3.3	< 0.5	4.3	24.5
10/5/2015	8077928	SW8260C	< 0.5	< 0.5	9.2	< 0.5	< 2	0.75 J	12	< 0.5	4.1	< 0.5	4.7	30.75
1/5/2016	8197713	SW8260C	< 0.5	< 0.5	6.5	< 0.5	< 2	0.6 J	8.5	< 0.5	2.5	< 0.5	4	22.1
12/9/2016	240-73270-20	8260C	5.9	4.4 J	4.9 J	< 5.0	3.8 J	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	19
4/26/2017	240-78855-3	8260C	< 1.0	< 1.0	7.1	< 1.0	< 1.0	0.52 J	8.6	< 1.0	2.5	< 1.0	5.4	24.12
4/17/2018	240-94331-17	8260C	< 1.0	< 1.0	3.7	< 1.0	< 1.0	< 1.0	5.6	< 1.0	1.9	< 1.0	2.9	14.1
4/3/2019	240-110627-6	8260C	< 1.0	< 1.0	1.5	< 1.0	< 5.0	< 1.0	1.1	< 1.0	< 1.0	< 1.0	7.6	10.2
3/30/2020	240-128375-14	8260C	< 1	< 1	3	< 1.0	< 5	0.22 J	4.9	< 1.0	1.4	< 1.0	2.4	11.92
4/20/2021	240-147939-11	8260C	< 1.0	< 1.0	1.8	< 1.0	< 5.0	< 1.0	0.24 J	< 1.0	0.13 J	< 1.0	0.44 J	2.61
4/11/2022	240-165070-10	8260C	< 1.0	< 1.0	2.8	< 1.0	< 5.0	< 1.0	4.5	< 1.0	0.88 J	< 1.0	1.8	9.98
3/21/2023	240-182590-42	8260D	< 1.0	< 1.0	3.1	< 1.0	< 5.0	< 1.0	4.2	< 1.0	0.83 J	< 1.0	1.7	9.83
4/19/2024	240-203148-40	8260D	< 1.0	< 1.0	1.7	< 1.0	< 5.0	< 1.0	2.4	< 1.0	0.52 J	< 1.0	< 1.0	4.62

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-45M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/2000	A0784701	8021	< 1.2	4.1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	4.1
11/14/2000	A0833402	624	< 1.2	2.8	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	< 1.2	< 1.1	< 1.8	2.8
12/13/2000	A0910401	8021	< 1.2	1.3	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	1.3
1/18/2001	A1052404	8021	< 1.2	1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	1
4/18/2001	A1361301	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	< 0.28	< 0.22	< 0.24	< 0.22	< 0.36	0
7/18/2001	A1682901	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/12/2001	A1A01003	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/15/2002	A2039404	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.72 J	7.3	< 1	0.66 J	< 1	0.24 J	8.92
4/8/2002	A2332604	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.1	< 1	< 1.2	< 1	< 1.8	1.1
7/8/2002	A2695504	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/3/2002	A2980606	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.21 J	< 1	0.67 J	< 1	< 1.8	0.88
1/13/2003	A3038007	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	0.67 J	< 1	< 1.8	2.27
4/8/2003	A3329702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	< 1.2	< 1	< 1.8	1.2
7/3/2003	A3639718	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/10/2003	A3983802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/8/2004	A4026307	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/30/2004	A4619404	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/22/2004	A4A47804	8021	< 1	< 1	< 1	< 1	< 1	< 1	1.3	< 1	< 1	< 1	< 1	1.3
4/5/2005	A5317608	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.35 J	< 1	< 1.2	< 1	< 1.8	0.35
7/12/2005	A5733103	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2006	6G21005-02	8260	< 1	< 1	< 1	< 1	3	< 1	< 1	< 1	< 1	< 1	< 2	3
7/10/2007	7G11015-10	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/25/2008	5426026	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.3 J	< 0.8	< 1	1.3
7/14/2009	5723627	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/13/2010	6031613	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2011	6350146	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2012	6719393	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2013	7128196	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/14/2014	7532398	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/14/2015	7967358	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-46M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/2000	A0784702	8021	< 1.2	1.5	0.23 J	< 1	< 2.5	1.6	39	< 1	3.4	< 1	2.1	47.83
11/14/2000	A0833403	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	130 E	< 1.1	3.9	< 1.1	2.1	136
12/13/2000	A0910402	8021	< 1.6	< 1.6	< 1.6	< 1.6	3	2.4	130	< 1.6	7.2	< 1.6	5.2	147.8
1/17/2001	A1052405	8021	< 1.2	0.62 J	< 1	< 1	1.4 J	2.3	54	< 1	2.8	< 1	3.2	64.32
4/18/2001	A1361304	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	5.8	< 0.22	0.26	< 0.22	< 0.36	6.06
7/18/2001	A1682905	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.32 J	29	< 1	1.7	< 1	0.61 J	31.63
10/12/2001	A1A01004	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.46 J	41	< 1	1.1 J	< 1	2.3	44.86
1/15/2002	A2039405	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.46 J	31	< 1	1.3	< 1	1.7 J	34.46
4/9/2002	A2332611	8260	< 1.2	< 1	0.28 J	0.23 J	< 2.5	0.88 J	62 D	< 1	2.7	< 1	1.8	67.89
7/9/2002	A2695508	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	52	< 1	< 1.2	< 1	< 1.8	52
10/3/2002	A2980608	8021	< 1.6	< 1.6	< 1.6	< 1.6	< 2.5	< 1.6	120	< 1.6	6.6	< 1.6	3.3	129.9
1/14/2003	A3043003	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.1	58	< 1	3.4	< 1	2.9	65.4
4/8/2003	A3329705	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	12	< 1	0.44 J	< 1	0.52 J	12.96
7/2/2003	A3639701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	36	< 1	< 1.2	< 1	1.4 J	37.4
10/9/2003	A3978812	8021	< 2.3	< 1	< 1	< 1.3	< 2.5	< 1	150	< 1	5.1	< 1	3.8	158.9
1/8/2004	A4026306	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	23	< 1	1.5	< 1	1.1 J	25.6
4/13/2004	A4331506	8021	< 1.4	< 1	< 1	< 1	< 2.5	< 1	82	< 1	6.9	< 1	2.5	91.4
6/30/2004	A4619405	8021	< 1.4	< 1	1.3	< 1	< 2.5	2.6	120	< 1	8.7	< 1	6.4	139
10/22/2004	A4A47805	8021	< 1	< 1	0.67 J	< 1	< 1	1.7	130 D	< 1	9.2	< 1	4.1	145.67
1/13/2005	A5036407	8260	< 1.2	< 1.6	< 1.9	< 1	< 2.5	1.8	100	< 1.3	11	< 1.3	5.4	118.2
4/5/2005	A5317609	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.8	< 1	< 1.2	< 1	< 1.8	1.8
7/12/2005	A5733104	8260/5M	< 1.2	< 1	0.57 J	< 1	< 2.5	1.6	82	< 1	8.2	< 1	5.6	97.97
7/20/2006	6G21005-01	8260	< 1	< 1	< 1	< 1	3	1	59	< 1	7	< 1	4	74
7/10/2007	7G11015-11	8260	< 1	< 1	< 1	< 1	< 2	< 1	33	< 1	5	< 1	2	40
7/25/2008	5426034	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	18	< 0.8	1.2 J	< 0.8	2.7 J	21.9
7/14/2009	5723629	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	28	< 0.8	4.3 J	< 0.8	3.2 J	35.5
7/13/2010	6031617	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	29	< 0.8	7.7	< 0.8	2.7 J	39.4
7/19/2011	6350138	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	38	< 0.8	8.9	< 0.8	3 J	49.9
7/12/2012	6719403	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	46	< 0.8	10	< 0.8	3.3 J	59.3
7/15/2013	7128197	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	49	< 0.8	10	< 0.8	2.5 J	61.5
7/14/2014	7532399	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.51 J	32	< 0.5	5.1	< 0.5	1.9	39.51
7/14/2015	7967359	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	1.2	55	< 0.5	14	< 0.5	2.4	72.6
12/5/2016	240-73125-2	8260C	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3	0.97 J	66	< 3.3	14	< 3.3	7.6	88.57
4/28/2017	240-78929-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.67 J	16	< 1.0	8.9	< 1.0	0.80 J	26.37
4/12/2018	240-94116-14	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.81 J	37	< 1.0	8.3	< 1.0	2.7	48.81
4/8/2019	240-110803-8	8260C	< 2.0	< 2.0	1.0 J	< 2.0	< 10	1.5 J	41	0.84 J	55	< 2.0	0.45 J	99.79
3/27/2020	240-128359-7	8260C	< 2	0.3 J	1.1 J	< 2.0	< 10	1.6 J	59	0.95 J	68	< 2.0	2.1	133.05
4/20/2021	240-147939-9	8260C	< 1.0	0.58 J	0.52 J	0.21 J	< 5.0	1.4	47	0.28 J	28	< 1.0	3.4	81.39
4/12/2022	240-165066-1	8260C	< 2.0	< 2.0	< 2.0	< 2.0	< 10	1.3 J	36	< 2.0	72	< 2.0	< 2.0	109.3
3/21/2023	240-182590-33	8260D	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	78	< 4.0	110	< 4.0	2.6 J	190.6
4/16/2024	240-203148-11	8260D	< 4.0	< 4.0	< 4.0	< 4.0	< 20	3.0 J	200	< 4.0	8.8	< 4.0	26	237.8

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-48M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/20/2000	A0263903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	26	< 1	89	< 1	< 1.8	115
7/17/2000	A0500402	8021	< 1.2	< 1	< 1	< 1	2.9	< 1	32	< 1	48	< 1	5.9	88.8
10/24/2000	A0760706	8021	< 1.2	< 1	< 1	< 1	< 2.5	2.5	70	< 1	32	< 1	14	118.5
1/15/2001	A1041306	8021	< 1.2	< 1	< 1	< 1	< 2.5	5.8	77	< 1	31	< 1	18	131.8
4/25/2001	A1382104	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	10	< 1	37	< 1	< 1.8	47
7/11/2001	A1648712	8021	< 1.2	0.84 J	< 1	< 1	1.2 J	2.6	90	< 1	9.6	< 1	25	129.24
10/17/2001	A1A23302	8021	< 2	< 2	< 2	< 2	3.1	< 2	13	< 2	170	< 2	< 2	186.1
1/24/2002	A2076709	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.63 J	9.7	< 1	15	< 1	< 1.8	25.33
4/15/2002	A2370204	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.46 J	7.8	< 1	22	< 1	< 1.8	30.26
7/16/2002	A2722917	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.53 J	8.2	< 1	25	< 1	< 1.8	33.73
10/9/2002	A2A07505	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	8.2	< 1	17	< 1	< 1.8	25.2
1/23/2003	A3075203	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.9	< 1	15	< 1	< 1.8	22.9
4/28/2003	A3399701	8021	< 1.2	< 1	< 1	< 1	< 2.5	1	16	< 1	20	< 1	0.55 J	37.55
7/18/2003	A3689002	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.67 J	12	< 1	13	< 1	< 1.8	25.67
10/22/2003	A3A28304	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	10	< 1	13	< 1	< 1.8	23
1/22/2004	A4057103	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3	< 1	6.5	< 1	< 1.8	9.5
4/27/2004	A4387502	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.2	< 1	8.5	< 1	< 1.8	11.7
7/13/2004	A4663802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.6	< 1	6.7	< 1	< 1.8	9.3
10/13/2004	A4A09401	8021	< 1	< 1	< 1	< 1	< 1	< 1	4.1	< 1	6.6	< 1	< 1	10.7
1/12/2005	A5036102	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.4	< 1	5	< 1	< 1.8	6.4
4/21/2005	A5402002	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1	< 1	4.6	< 1	< 1.8	5.6
7/21/2005	A5768402	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	5.6	< 1	< 1.8	7.2
10/20/2005	A5B92002	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.3	< 1	6.1	< 1	< 1.8	8.4
1/24/2006	A6089114	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.79 J	< 1	2.2	< 1	< 1.8	2.99
4/18/2006	6D19002-01	8260	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	3	< 1	< 2	5
7/21/2006	6G21018-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	4	< 1	< 2	6
10/12/2006	6J16007-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	2	< 1	< 2	2
1/5/2007	7A05012-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	2	< 1	< 2	2
4/11/2007	7D12002-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	3	< 1	< 2	3
7/12/2007	7G13019-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	2	< 1	< 2	2
10/11/2007	7J12012-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	1	< 1	< 2	1
1/8/2008	8A09005-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	1	< 1	< 2	1
4/10/2008	8D11008-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	3	< 1	< 2	3
7/24/2008	5424628	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.95 J	< 0.8	2.9 J	< 0.8	< 1	3.85
10/15/2008	5499971	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.4 J	< 0.8	2.9 J	< 0.8	< 1	4.3
1/14/2009	5577591	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.3 J	< 0.8	2.7 J	< 0.8	< 1	4
4/14/2009	5646767	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1 J	< 0.8	2.9 J	< 0.8	< 1	3.9
7/9/2009	5720681	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.1 J	< 0.8	2.4 J	< 0.8	< 1	3.5
10/5/2009	5797960	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.91 J	< 0.8	2.3 J	< 0.8	< 1	3.21
1/21/2010	5889955	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/14/2010	5954142	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.7 J	< 0.8	< 1	1.7
7/14/2010	6032690	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.7 J	< 0.8	< 1	1.7
10/14/2010	6113374	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.5 J	< 0.8	< 1	1.5
1/25/2011	6191898	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/18/2011	6261654	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.5 J	< 0.8	< 1	1.5
7/20/2011	6352284	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.2 J	< 0.8	< 1	1.2

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-48M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/11/2011	6434705	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/18/2012	6526474	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/10/2012	6612012	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	2.1 J	< 0.8	< 1	2.1
7/18/2012	6726438	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/2/2012	6810735	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/22/2013	6931411	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1 J	< 0.8	< 1	1
4/3/2013	7010222	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.8 J	< 0.8	< 1	1.8
7/9/2013	7122577	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.2 J	< 0.8	< 1	1.2
11/13/2013	7276543	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/16/2014	7340028	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/23/2014	7440681	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	3.3	< 0.5	< 0.5	3.3
7/8/2014	7526292	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	0.86 J	< 0.5	< 0.5	0.86
10/3/2014	7625311	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	0.76 J	< 0.5	< 0.5	0.76
1/7/2015	7732750	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	1.2	< 0.5	< 0.5	1.2
4/16/2015	7850968	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	1.2	< 0.5	< 0.5	1.2
7/8/2015	7960002	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	0.77 J	< 0.5	< 0.5	0.77
10/5/2015	8077925	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/6/2016	8197843	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	0.5 J	< 0.5	< 0.5	0.5
12/9/2016	240-73270-17	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.33 J	< 1.0	0.66 J	< 1.0	< 1.0	0.99
5/2/2017	240-79083-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.57 J	< 1.0	< 1.0	0.57
4/17/2018	240-94331-12	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.68 J	< 1.0	< 1.0	0.68
4/9/2019	240-110803-13	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.27 J	< 1.0	0.73 J	< 1.0	< 1.0	1
3/30/2020	240-128375-15	8260C	< 1	< 1	< 1.0	< 1.0	< 5	< 1.0	0.22 J	< 1.0	< 1.0	< 1.0	< 1.0	0.22
4/22/2021	240-148022-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.34 J	< 1.0	0.72 J	< 1.0	< 1.0	1.06
4/14/2022	240-165119-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.63 J	< 1.0	< 1.0	0.63
3/20/2023	240-182590-34	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/18/2024	240-203148-35	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	0.46 J	< 1.0	< 1.0	0.46

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-49M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/20/2000	A0263902	8021	< 1.2	1.4	< 1	< 1	< 2.5	< 1	2	< 1	8	< 1	< 1.8	11.4
7/17/2000	A0500401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2	< 1	1.6	< 1	< 1.8	3.6
10/24/2000	A0760707	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	1.1 J	< 1	< 1.8	1.1
1/15/2001	A1041305	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.2	< 1	0.55 J	< 1	< 1.8	2.75
4/25/2001	A1382103	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.72 J	< 1	2.3	< 1	< 1.8	3.02
7/11/2001	A1648717	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.74 J	< 1	1.8	< 1	< 1.8	2.54
10/17/2001	A1A23301	8021	< 2	< 2	< 2	< 2	< 2.5	< 2	2.2	< 2	120	< 2	< 2	122.2
1/24/2002	A2076706	8021	< 2	< 2	< 2	< 2	3.2	< 2	< 2	< 2	< 2	< 2	< 2	3.2
4/15/2002	A2370201	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.45 J	< 1	< 1.8	0.45
7/15/2002	A2722904	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/9/2002	A2A07504	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/22/2003	A3068903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/23/2003	A3376303	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/18/2003	A3689001	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.31 J	< 1	< 1.8	0.31
10/22/2003	A3A21904	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/22/2004	A4057102	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/13/2004	A4663803	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/13/2004	A4A09402	8021	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 1	0
1/12/2005	A5036103	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/21/2005	A5402003	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/21/2005	A5768403	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.51 J	< 1	2.6	< 1	< 1.8	3.11
10/20/2005	A5B92003	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/24/2006	A6089115	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/18/2006	6D19002-02	8260	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 2	2
7/21/2006	6G21018-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/12/2006	6J16007-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
1/5/2007	7A05012-02	8260	< 1	< 1	< 1	< 1	5 B	< 1	< 1	< 1	< 1	< 1	< 2	5
4/11/2007	7D12002-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/12/2007	7G13019-09	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/11/2007	7J12012-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
1/8/2008	8A09005-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	1	< 1	< 2	1
4/10/2008	8D11008-05	8260	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 2	2
7/16/2008	5417445	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/15/2008	5499972	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/14/2009	5577588	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/14/2009	5646768	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2009	5720679	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/5/2009	5797959	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/21/2010	5889957	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/14/2010	5954141	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/14/2010	6032691	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/14/2010	6113375	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/25/2011	6191901	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/18/2011	6261655	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/20/2011	6352287	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/11/2011	6434706	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-49M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/17/2012	6524428	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/11/2012	6613965	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.8 J	< 0.8	< 1	1.8
7/18/2012	6726440	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/2/2012	6810736	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/22/2013	6931412	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/3/2013	7010223	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2013	7122574	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
11/13/2013	7276542	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/16/2014	7340034	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/23/2014	7440683	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	1.6	< 0.5	< 0.5	1.6
7/8/2014	7526293	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/3/2014	7625310	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/7/2015	7732747	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
4/16/2015	7850969	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/8/2015	7960013	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/5/2015	8077924	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/6/2016	8197842	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
12/9/2016	240-73270-16	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	0
4/26/2017	240-78855-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.38 J	< 1.0	< 1.0	< 1.0	< 1.0	0.38
4/17/2018	240-94331-16	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.39 J	< 1.0	< 1.0	< 1.0	< 1.0	0.39
4/9/2019	240-110803-14	8260C	< 1.0	< 1.0	0.26 J	< 1.0	< 5.0	< 1.0	0.61 J	< 1.0	0.10 J	< 1.0	< 1.0	0.97
3/30/2020	240-128375-16	8260C	< 1	< 1	0.24 J	< 1.0	< 5	< 1.0	0.50 J	< 1.0	< 1.0	< 1.0	< 1.0	0.74
4/22/2021	240-148022-5	8260C	< 1.0	< 1.0	0.32 J	< 1.0	< 5.0	< 1.0	0.68 J	< 1.0	0.11 J	< 1.0	< 1.0	1.11
4/14/2022	240-165119-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.57 J	< 1.0	< 1.0	< 1.0	< 1.0	0.57
3/20/2023	240-182590-43	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.61 J	< 1.0	< 1.0	< 1.0	< 1.0	0.61
4/18/2024	240-203148-34	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.62 J	< 1.0	< 1.0	< 1.0	< 1.0	0.62

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-50M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/14/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.3	< 1	13	< 1	< 1.8	14.3
1/11/2000	A0018406	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	12	< 1	< 1.8	13.6
4/19/2000	A0259401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.9	< 1	11	< 1	< 1.8	12.9
7/11/2000	A0483114	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.39 J	< 1	8.3	< 1	< 1.8	8.69
10/18/2000	A0751308	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.28 J	< 1	6.9	< 1	< 1.8	7.18
1/16/2001	A1043903	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.7	< 1	5.8	< 1	< 1.8	7.5
4/17/2001	A1345703	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	8.6	< 1.1	< 1.8	8.6
7/13/2001	A1663810	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.32 J	< 1	6	< 1	< 1.8	6.32
10/10/2001	A1994704	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.38 J	< 1	6.1	< 1	< 1.8	6.48
1/22/2002	A2066011	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.2	< 1	10	< 1	< 1.8	12.2
4/11/2002	A2348303	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	4.7	< 1	16	< 1	< 1.8	20.7
7/12/2002	A2713908	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	7.2	< 1	19	< 1	< 1.8	26.2
10/8/2002	A2999310	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.26 J	6	< 1	10	< 1	< 1.8	16.26
1/20/2003	A3060802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.9	< 1	9.8	< 1	< 1.8	11.7
4/29/2003	A3398703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.4	< 1	18	< 1	< 1.8	20.4
7/16/2003	A3683702	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.2 J	3.6	< 1	14	< 1	< 1.8	17.8
10/16/2003	A3A09001	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/23/2004	A4373002	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	23	< 1	28	< 1	< 1.8	51
7/20/2004	A4682801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	20 E	< 1	30 E	< 1	< 1.8	50
7/20/2004	A4682801	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.98 J	19	< 1	34	< 1	0.92 J	54.9
10/22/2004	A4A48002	8021	< 1	< 1	< 1	< 1	< 1	0.87 J	23	< 1	32	< 1	0.59 J	56.46
1/17/2005	A5044301	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.67 J	12	< 1	27	< 1	< 1.8	39.67
4/19/2005	A5387501	8260	< 1.2	< 1	< 1	< 1	< 2.5	1.1	16	< 1	55 D	< 1	< 1.8	72.1
7/22/2005	A5778501	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	1.2	15	< 1	51	< 1	< 1.8	67.2
7/18/2006	6G19003-11	8260	< 1	< 1	< 1	< 1	< 2	< 1	14	< 1	44	< 1	< 2	58
7/12/2007	7G13019-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	19	< 1	69	< 1	< 2	88
7/22/2008	5422168	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.6 J	25	< 0.8	91	< 0.8	< 1	117.6
7/9/2009	5720686	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	9.2	< 0.8	51	< 0.8	< 1	60.2
7/20/2010	6038215	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.9 J	10	< 0.8	49	< 0.8	< 1	59.9
7/21/2011	6353676	8260	< 1	< 0.8	< 1	< 0.8	< 2	1 J	13	< 0.8	53	< 0.8	< 1	67
7/17/2012	6723847	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	13	< 0.8	58	< 0.8	< 1	72.1
7/15/2013	7128201	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.4 J	20	< 0.8	83	< 0.8	< 1	104.4
7/10/2014	7529505	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	1.6	25	< 0.5	100	< 0.5	< 0.5	126.6
7/6/2015	7956064	SW8260C	< 0.5	0.65 J	< 0.5	< 0.5	< 2	1.5	23	< 0.5	89	< 0.5	< 0.5	114.15
12/7/2016	240-73270-4	8260C	< 3.3	< 3.3	< 3.3	< 3.3	< 3.3	1.2 J	15	< 3.3	78	< 3.3	< 3.3	94.2
5/4/2017	240-79160-9	8260C	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	1.3 J	17	< 2.5	75	< 2.5	< 2.5	93.3
11/3/2017	240-87694-5	8260C	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	1.6 J	20	< 2.5	86	< 2.5	< 2.5	107.6
4/13/2018	240-94116-17	8260C	< 5.0	< 5.0	< 5.0	< 5.0	16	1.8 J	21	< 5.0	130	< 5.0	< 5.0	168.8
9/28/2018	240-102125-17	8260C	< 2.0	0.30 J	< 2.0	< 2.0	< 10	1.6 J	20	< 2.0	94	< 2.0	< 2.0	115.9
4/4/2019	240-110627-13	8260C	< 2.0	0.32 J	< 2.0	< 2.0	< 10	1.7 J	25	< 2.0	88	< 2.0	0.43 J	115.45
11/21/2019	240-122893-4	624.1_L	< 2.5	< 2.5	< 2.5	< 2.5	< 13	2.1	28	< 2.5	130	< 2.5	< 2.5	160.1
3/25/2020	240-128236-8	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	2.0 J	24	< 5.0	120	< 5.0	< 5.0	146
10/29/2020	240-139252-6	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	1.8 J	18	< 5.0	110	< 5.0	< 5.0	129.8
4/23/2021	240-148185-4	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	1.5 J	20	< 5.0	94	< 5.0	< 5.0	115.5
10/27/2021	240-159076-12	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	28	< 5.0	130	< 5.0	< 5.0	158
4/13/2022	240-165066-9	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	26	< 5.0	130	< 5.0	< 5.0	156

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-50M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/19/2022	240-175103-11	8260D	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	18	< 5.0	110	< 5.0	< 5.0	128
3/24/2023	240-182590-11	8260D	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	31	< 5.0	140	< 5.0	< 5.0	171
10/20/2023	240-194049-19	8260D	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	29	< 5.0	150	< 5.0	< 5.0	179
4/18/2024	240-203148-31	8260D	< 5.0	< 5.0	< 5.0	< 5.0	< 25	< 5.0	34	< 5.0	160	< 5.0	< 5.0	194
10/23/2024	240-213779-3	8260D	< 1.0	< 1.0	< 1.0	0.38 J	< 1.0	2.6	33 J	< 1.0	170	< 1.0	0.44 J	206.42

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: B-51M

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/14/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/11/2000	A0018405	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/19/2000	A0259402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/11/2000	A0483113	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/18/2000	A0751307	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2001	A1043904	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/17/2001	A1345701	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	< 1.2	< 1.1	< 1.8	0
7/13/2001	A1663815	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/10/2001	A1994705	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/17/2002	A2058503	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/9/2002	A2332610	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/10/2002	A2708307	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/3/2002	A2980613	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/15/2003	A3043009	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/17/2003	A3361703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/15/2003	A3670610	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/16/2003	A3A08902	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2004	A4682901	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/22/2005	A5402102	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/22/2005	A5778403	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/18/2006	6G19003-12	8260	< 1	< 1	< 1	< 1	4 B	< 1	< 1	< 1	< 1	< 1	< 2	4
7/11/2007	7G12003-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/22/2008	5422169	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2009	5720688	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: B-52M

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/14/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/11/2000	A0018411	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/25/2000	A0275213	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2000	A0483102	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/24/2000	A0760704	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/18/2001	A1052402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/17/2001	A1345706	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	< 1.2	< 1.1	< 1.8	0
7/16/2001	A1674107	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/16/2001	A1A17407	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/17/2002	A2058504	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/16/2002	A2369802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/11/2002	A2708308	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/11/2002	A2A14501	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2003	A3056005	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/7/2003	A3320705	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/2/2003	A3639702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/10/2003	A3983801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/30/2004	A4619401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/6/2005	A5317601	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/7/2005	A5706804	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/12/2007	7G13019-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/22/2008	5422160	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2009	5720691	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/20/2010	6038217	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/21/2011	6353671	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/17/2012	6723842	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2013	7128207	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2014	7529513	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/6/2015	7956065	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
12/7/2016	240-73270-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
5/4/2017	240-79160-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/13/2018	240-94116-18	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/4/2019	240-110627-11	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.27 J	< 1.0	< 1.0	< 1.0	< 1.0	0.27
3/25/2020	240-128236-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/23/2021	240-148185-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	4.5 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	4.5
4/13/2022	240-165066-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
3/24/2023	240-182590-27	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/18/2024	240-203148-28	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.57 J	< 1.0	0.82 J	< 1.0	< 1.0	1.39

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-53M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/14/1999		8260	< 1.2	4.5	< 1	< 1	< 2.5	< 1	< 1	< 1	2.3	< 1	< 1.8	6.8
1/11/2000	A0018410	8021	< 1.2	0.23 J	< 1	< 1	< 2.5	< 1	0.54 J	< 1	7.5	< 1	< 1.8	8.27
4/25/2000	A0275215	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.21 J	< 1	7.1	< 1	< 1.8	7.31
7/12/2000	A0483101	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	4.8	< 1	< 1.8	4.8
10/24/2000	A0760703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	5.1	< 1	< 1.8	5.1
1/18/2001	A1052403	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.44 J	< 1	4.6	< 1	< 1.8	5.04
4/17/2001	A1345705	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	5.8	< 1.1	< 1.8	5.8
7/16/2001	A1674105	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.2 J	< 1	3.8	< 1	< 1.8	4
10/16/2001	A1A17408	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.32 J	< 1	7.1	< 1	< 1.8	7.42
1/22/2002	A2066010	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	3.8	< 1	< 1.8	3.8
4/17/2002	A2378403	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.4	< 1	4.2	< 1	< 1.8	5.6
7/12/2002	A2713905	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	5.1	< 1	< 1.8	6.7
10/11/2002	A2A14601	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	12	< 1	< 1.8	13.6
1/20/2003	A3060803	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.4	< 1	7.4	< 1	< 1.8	8.8
4/9/2003	A3329508	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.6	< 1	11	< 1	< 1.8	12.6
7/8/2003	A3649107	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.6 J	< 1	8	< 1	< 1.8	8.6
10/13/2003	A3991404	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	7.6	< 1	< 1.8	8.8
4/13/2004	A4331801	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.6	< 1	4.9	< 1	< 1.8	7.5
7/7/2004	A4636501	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.5	< 1	4.6	< 1	< 1.8	7.1
10/22/2004	A4A48003	8021	< 1	< 1	< 1	< 1	< 1	< 1	1.9	< 1	9.8	< 1	< 1	11.7
1/13/2005	A5036205	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.1	< 1	3.5	< 1	1 J	6.6
4/6/2005	A5317805	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.8	< 1	2.1	< 1	< 1.8	3.9
7/7/2005	A5706901	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.9	< 1	1.8	< 1	< 1.8	3.7
7/19/2006	6G20004-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	2	< 1	< 2	4
7/12/2007	7G13019-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	2	< 1	2	< 1	< 2	4
7/22/2008	5422161	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.9	< 0.8	26	< 0.8	< 1	32.9
7/9/2009	5720692	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.9 J	< 0.8	9.4	< 0.8	< 1	12.3
7/20/2010	6038218	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.7 J	< 0.8	13	< 0.8	< 1	14.7
4/13/2011	6258129	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3 J	< 0.8	16	< 0.8	< 1	19
7/21/2011	6353670	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2 J	< 0.8	9.3	< 0.8	< 1	11.3
7/17/2012	6723845	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3 J	< 0.8	12	< 0.8	< 1	15
7/15/2013	7128206	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.3 J	< 0.8	6.7	< 0.8	< 1	8
7/10/2014	7529514	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	0.94 J	< 0.5	1.6	< 0.5	< 0.5	2.54
7/6/2015	7956068	SW8260C	< 0.5	1.8	< 0.5	< 0.5	< 2	< 0.5	1.2	< 0.5	3.4	< 0.5	< 0.5	6.4
12/7/2016	240-73270-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	4.3	< 1.0	12	< 1.0	0.48 J	16.78
5/4/2017	240-79160-8	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.2	< 1.0	3.7	< 1.0	0.61 J	6.51
4/13/2018	240-94116-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.7	< 1.0	2.5	< 1.0	0.74 J	5.94
4/4/2019	240-110627-12	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.2	< 1.0	3.9	< 1.0	0.34 J	6.44
3/25/2020	240-128236-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.3	< 1.0	1.6	< 1.0	0.61 J	4.51
4/23/2021	240-148185-2	8260C	< 1.0	< 1.0	< 1.0	< 1.0	4.5 J	< 1.0	2	< 1.0	5.4	< 1.0	< 1.0	11.9
4/13/2022	240-165065-1	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.1	< 1.0	1.5	< 1.0	0.68 J	4.28
3/24/2023	240-182590-35	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2.6	< 1.0	2.5	< 1.0	0.50 J	5.6
4/18/2024	240-203148-29	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	1.8	< 1.0	4	< 1.0	< 1.0	5.8

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-54M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/18/1999		8260	< 1.2	0.35 J	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0.35
1/11/2000	A0018409	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/25/2000	A0275214	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.1	< 1	9.1	< 1	< 1.8	11.2
7/12/2000	A0483115	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.74 J	< 1	< 1.8	0.74
10/24/2000	A0760702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/22/2001	A1063401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/18/2001	A1361305	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	< 0.28	< 0.22	< 0.24	< 0.22	< 0.36	0
7/16/2001	A1674104	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/11/2001	A1994708	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/15/2002	A2039406	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/8/2002	A2332605	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/9/2002	A2695506	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/3/2002	A2980604	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/14/2003	A3043001	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/8/2003	A3320707	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2003	A3649205	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/10/2003	A3983805	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/30/2004	A4619402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/6/2005	A5317602	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/7/2005	A5706803	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/12/2007	7G13019-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/22/2008	5422162	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2009	5720689	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/22/2010	6040538	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/21/2011	6353669	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/17/2012	6723846	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2013	7128205	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2014	7529511	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/6/2015	7956067	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-55M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/18/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/12/2000	A0026408	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/25/2000	A0275212	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2000	A0508908	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/24/2000	A0760701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/22/2001	A1063402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/18/2001	A1361302	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	< 0.28	< 0.22	< 0.24	< 0.22	< 0.36	0
7/16/2001	A1674103	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/11/2001	A1994707	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/15/2002	A2039407	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/9/2002	A2332607	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/9/2002	A2695512	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/3/2002	A2980605	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/14/2003	A3043002	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/8/2003	A3320706	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2003	A3649206	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/10/2003	A3983804	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/30/2004	A4619403	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/6/2005	A5317603	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/7/2005	A5706802	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-09	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/12/2007	7G13019-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/22/2008	5422163	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/9/2009	5720690	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/22/2010	6040537	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/21/2011	6353668	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/17/2012	6723848	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2013	7128204	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2014	7529512	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/6/2015	7956066	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-56M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/28/2000	A0284304	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.68 J	42	< 1	47	< 1	< 1.8	89.68
7/13/2000	A0492205	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	70	< 1	43	< 1	< 1.8	113
10/25/2000	A0767904	8021	< 1.2	< 1	< 1	< 1	< 2.5	1.1	64	< 1	32	< 1	< 1.8	97.1
1/17/2001	A1052409	8021	< 1.2	1	0.48 J	< 1	0.56 J	2.7	71	< 1	28	< 1	2.4	106.14
4/16/2001	A1345803	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	18	< 1.1	27	< 1.1	< 1.8	45
7/16/2001	A1674111	8021	< 1.2	2.1	0.51 J	< 1	1 J	2	95	< 1	46	< 1	< 1.8	146.61
10/11/2001	A1994710	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.74 J	43	< 1	31 D	< 1	< 1.8	74.74
1/24/2002	A2076708	8021	< 2	2.3	< 2	< 2	2.5	< 2	63	< 2	280	< 2	< 2	347.8
4/15/2002	A2370203	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	9.8	< 1	44	< 1	< 1.8	53.8
7/16/2002	A2722905	8021	< 1.2	< 1	< 1	< 1	3	< 1	16	< 1	74	< 1	< 1.8	93
10/9/2002	A2A07502	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	9.5	< 1	39	< 1	< 1.8	48.5
1/23/2003	A3075202	8021	< 1.4	< 1	< 1	< 1	< 2.5	< 1	86	6.6	150	< 1.6	< 1.8	242.6
4/15/2003	A3356603	8021	< 1.4	< 1	< 1	< 1	86	1.4	29	1	80	< 1.6	< 1.8	197.4
7/21/2003	A3699403	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	29	< 1	71	< 1.3	< 1.8	100
10/21/2003	A3A21901	8021	< 2.3	< 1	< 1	< 1.3	2.3 J	< 1	48	< 1	110	< 1	< 1.8	160.3
1/28/2004	A4077601	8021	< 2.3	< 1	< 1	< 1.3	< 2.5	1.7	52	< 1	200	< 1	< 1.8	253.7
4/21/2004	A4356601	8021	< 1.4	< 1	< 1	< 1	1.8 J	< 1	16	< 1	68	< 1	< 1.8	85.8
7/21/2004	A4687102	8260	< 1.2	< 1.6	< 1.9	< 1	5.1	< 1.6	19	< 1.3	110	< 1.3	< 2.9	134.1
10/20/2004	A4A32302	8021	< 2	< 2	< 2	< 2	< 2	< 2	16	< 2	84	< 2	< 2	100
1/13/2005	A5036107	8260	< 1.2	< 1	< 1	< 1	< 2.5	1.1	22	0.64 J	160 E	< 1	< 1.8	183.74
4/22/2005	A5402001	8260	< 1.2	< 1	< 1	< 1	< 2.5	0.7 J	9.9	< 1	63	< 1	< 1.8	73.6
7/19/2005	A5762301	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	0.95 J	14	< 1	78	< 1	< 1.8	92.95
10/20/2005	A5B91901	8260	< 1.2	< 1	< 1	< 1	< 2.5	1.5	20	0.56 J	82 D	< 1	0.63 J	104.69
1/23/2006	A6084703	8260	< 1.2	< 1	< 1	< 1	< 2.5	1	17	< 1	94 D	< 1	< 1.8	112
4/12/2006	6D13005-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	7	< 1	40	< 1	< 2	47
7/19/2006	6G20004-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	13	< 1	74	< 1	< 2	87
10/10/2006	6J11002-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	9	< 1	35	< 1	< 2	44
1/8/2007	7A09003-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	13	< 1	< 2	16
4/4/2007	7D05011-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	1	< 1	8	< 1	< 2	9
7/11/2007	7G12003-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	3	< 1	16	< 1	< 2	19
10/10/2007	7J11002-06	8260	< 1	< 1	< 1	< 1	2 B	< 1	6	< 1	27	< 1	< 2	35
1/8/2008	8A09005-07	8260	< 1	< 1	1	< 1	4	< 1	23	2	60	< 1	< 2	90
4/7/2008	8D08002-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	6	< 1	20	< 1	< 2	26
7/28/2008	5426818	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	6.9	< 0.8	19	< 0.8	< 1	25.9
10/17/2008	5502675	8260	< 1	< 0.8	2 J	< 0.8	< 2	1.4 J	41	2 J	110	< 0.8	1.2 J	157.6
1/13/2009	5576512	8260	< 1	< 0.8	1 J	< 0.8	< 2	< 0.8	23	1.3 J	73	< 0.8	< 1	98.3
4/13/2009	5647712	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	17	< 0.8	64	< 0.8	< 1	81
7/15/2009	5724675	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.87 J	21	< 0.8	82	< 0.8	< 1	103.87
10/5/2009	5797969	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	17	< 0.8	72	< 0.8	< 1	89
1/21/2010	5889952	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	5.3	< 0.8	32	< 0.8	< 1	37.3
4/6/2010	5946902	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	16	< 0.8	97	< 0.8	< 1	113
7/20/2010	6038213	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	25	0.91 J	150	< 0.8	< 1	177.01
10/18/2010	6115540	8260	< 1	< 0.8	3.1 J	0.89 J	< 2	2.4 J	62	2.5 J	290	< 0.8	3.2 J	364.09
1/26/2011	6192952	8260	< 1	< 0.8	2.7 J	0.94 J	< 2	2.7 J	77	3.1 J	300	< 0.8	1.5 J	387.94
4/13/2011	6258128	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	34	1.1 J	180	< 0.8	< 1	216.4
7/19/2011	6350139	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	23	< 0.8	140	< 0.8	< 1	164.1

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-56M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/13/2011	6437684	8260	< 1	< 0.8	2.8 J	< 0.8	< 2	2.6 J	69	2 J	240	< 0.8	1.9 J	318.3
1/17/2012	6524416	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.83 J	21	< 0.8	160	< 0.8	< 1	181.83
4/3/2012	6605298	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	10	< 0.8	64	< 0.8	< 1	74
7/12/2012	6719398	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.2 J	25	< 0.8	190	< 0.8	< 1	216.2
10/3/2012	6812007	8260	< 1	< 0.8	1.8 J	0.97 J	< 2	1.7 J	200	1.7 J	99	< 0.8	2 J	307.17
1/23/2013	6932574	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	15	< 0.8	45	< 0.8	< 1	60
4/8/2013	7015029	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.97 J	27	< 0.8	110	< 0.8	< 1	137.97
7/16/2013	7129886	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4.6 J	< 0.8	21	< 0.8	< 1	25.6
11/13/2013	7276550	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	8.2	< 0.8	46	< 0.8	< 1	54.2
1/20/2014	7342588	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	9.7	< 0.8	51	< 0.8	< 1	60.7
4/15/2014	7432581	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	3.9	< 0.5	21	< 0.5	< 0.5	24.9
7/16/2014	7535891	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.52 J	9.1	< 0.5	49	< 0.5	< 0.5	58.62
10/2/2014	7623664	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	9.4	< 0.5	47	< 0.5	< 0.5	56.4
1/8/2015	7734024	8260	< 0.5	0.55 J	< 0.5	< 0.5	< 2	< 0.5	3.3	< 0.5	19	< 0.5	< 0.5	22.85
4/14/2015	7847250	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	8.8	< 0.5	44	< 0.5	< 0.5	52.8
7/14/2015	7967353	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	2.3	< 0.5	13	< 0.5	< 0.5	15.3
10/7/2015	8080771	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	0.69 J	14	< 0.5	67	< 0.5	< 0.5	81.69
1/7/2016	8199644	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	23	< 0.5	99	< 0.5	< 0.5	122
12/6/2016	240-73125-5	8260C	< 14	< 14	< 14	< 14	< 14	< 14	48	< 14	330	< 14	< 14	378
5/3/2017	240-79160-5	8260C	< 10	< 10	< 10	< 10	< 10	< 10	26	< 10	290	< 10	< 10	316
4/12/2018	240-94116-13	8260C	< 8.0	< 8.0	< 8.0	< 8.0	20	< 8.0	19	< 8.0	210	< 8.0	< 8.0	249
4/8/2019	240-110803-4	8260C	< 5.0	< 5.0	< 5.0	< 5.0	< 25	1.3 J	27	< 5.0	150	< 5.0	< 5.0	178.3
3/26/2020	240-128236-11	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	0.92 J	16	< 4.0	98	< 4.0	< 4.0	114.92
4/20/2021	240-147939-8	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	1.9 J	52	< 4.0	230	< 4.0	< 4.0	283.9
4/12/2022	240-165066-2	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	22	< 4.0	120	< 4.0	< 4.0	142
3/22/2023	240-182590-36	8260D	< 4.0	< 4.0	< 4.0	< 4.0	< 20	< 4.0	36	< 4.0	170	< 4.0	< 4.0	206
4/16/2024	240-203148-9	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.1	< 1.0	5.6	< 1.0	< 1.0	8.7

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-57M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/28/2000	A0284303	8021	< 1.2	0.4 J	< 1	< 1	< 2.5	< 1	10	< 1	13	< 1	< 1.8	23.4
7/13/2000	A0492207	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.91 J	< 1	4.6	< 1	< 1.8	5.51
10/26/2000	A0767901	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/18/2001	A1052407	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3.2	< 1	1.5	< 1	< 1.8	4.7
4/16/2001	A1345802	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	< 1.2	< 1.1	< 1.8	0
7/16/2001	A1674108	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/11/2001	A1994709	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/18/2002	A2058507	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/10/2002	A2347903	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/11/2002	A2708309	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/4/2002	A2986404	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2003	A3056003	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/7/2003	A3320703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2003	A3649203	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/9/2003	A3978811	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/13/2004	A4664210	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/6/2005	A5317604	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2005	A5733101	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/5/2005	A5B10501	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/23/2006	A6084704	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/12/2006	6D13005-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/19/2006	6G20004-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/10/2006	6J11002-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
1/8/2007	7A09003-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
4/4/2007	7D05011-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/11/2007	7G12003-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/10/2007	7J11002-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
1/8/2008	8A09005-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
4/7/2008	8D08002-03	8260	< 1	< 1	< 1	< 1	3 B	< 1	< 1	< 1	< 1	< 1	< 2	3
7/28/2008	5426820	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/17/2008	5502678	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/13/2009	5576515	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	1.6 J	< 0.8	< 1	1.6
4/13/2009	5647716	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2009	5724674	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/5/2009	5797968	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/21/2010	5889951	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/6/2010	5946908	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/20/2010	6038208	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/18/2010	6115539	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/26/2011	6192953	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/13/2011	6258125	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2011	6350145	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/13/2011	6437687	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/17/2012	6524415	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/3/2012	6605299	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2012	6719395	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **B-57M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/3/2012	6812010	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/23/2013	6932573	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/8/2013	7015030	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/16/2013	7129885	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
11/13/2013	7276548	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
1/20/2014	7342586	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/15/2014	7432580	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/16/2014	7535888	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/2/2014	7623665	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/8/2015	7734027	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
4/14/2015	7847246	8260	< 0.5	1.8	< 0.5	< 0.5	< 2	0.69 J	21	< 0.5	240	< 0.5	< 0.5	263.49
7/14/2015	7967352	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/7/2015	8080770	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
1/7/2016	8199642	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-58M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/27/2000	A0284302	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/13/2000	A0492206	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.86 J	< 1	< 1.8	0.86
10/25/2000	A0767902	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.79 J	< 1	2.8	< 1	< 1.8	3.59
1/17/2001	A1052408	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/16/2001	A1345801	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	< 1.4	< 1.1	< 1.2	< 1.1	< 1.8	0
7/16/2001	A1674110	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/12/2001	A1A01002	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/18/2002	A2058508	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/10/2002	A2347904	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/11/2002	A2708310	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/4/2002	A2986405	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2003	A3056004	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/7/2003	A3320704	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2003	A3649204	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/9/2003	A3978813	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/13/2004	A4664211	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/6/2005	A5317605	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	0.69 J	< 1	< 1.8	0.69
7/12/2005	A5733102	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/11/2007	7G12003-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/28/2008	5426822	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2009	5724673	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/20/2010	6038214	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2011	6350142	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2012	6719394	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/16/2013	7129893	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/16/2014	7535889	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/14/2015	7967350	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-59M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/17/2002	A2732710	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	2.5	< 1	< 1.8	2.5
8/5/2002	A2793604	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/7/2002	A2999201	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2003	A3056008	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/17/2003	A3361701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2003	A3670605	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/14/2003	A3998703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/7/2004	A4012312	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2004	A4664202	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/25/2005	A5408101	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2005	A5762204	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-14	8260	< 1	< 1	< 1	< 1	4	< 1	3	< 1	3	< 1	< 2	10
7/17/2007	7G18027-09	8260	< 1	< 1	< 1	< 1	< 2	1	4	< 1	3	< 1	< 2	8
7/21/2008	5420892	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.8 J	1.1 J	< 0.8	< 1	< 0.8	< 1	1.9
7/8/2009	5719627	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2010	6036152	8260	< 1	< 0.8	< 1	< 0.8	< 2	2.2 J	6.9	< 0.8	< 1	< 0.8	3 J	12.1
4/13/2011	6258124	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.2 J	< 0.8	< 1	< 0.8	< 1	1.2
7/12/2011	6342643	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2012	6717359	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.4 J	< 0.8	< 1	< 0.8	2.7 J	6.1
7/10/2013	7123808	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	0.9 J	< 0.8	< 1	< 0.8	< 1	0.9
7/15/2014	7534319	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962641	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	5.9	< 0.5	< 0.5	< 0.5	4.8	10.7

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-60M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/17/2002	A2732708	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	3.8	< 1	< 1.8	3.8
8/5/2002	A2793610	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/4/2002	A2986402	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2003	A3056006	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/17/2003	A3361702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2003	A3670604	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/14/2003	A3998702	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/8/2004	A4026302	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2004	A4664205	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/22/2005	A5402103	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2005	A5762205	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-10	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2007	7G18027-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/21/2008	5420895	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719625	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2010	6036153	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2011	6342644	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2012	6717358	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123811	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2014	7534312	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962640	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-61M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/18/2002	A2732705	8021	< 1.2	5	< 1	< 1	< 2.5	< 1	4.8	< 1	26	< 1	< 1.8	35.8
8/5/2002	A2793611	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/3/2002	A2980612	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/16/2003	A3056007	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/14/2003	A3347501	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2003	A3670603	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/14/2003	A3998701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/8/2004	A4026301	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/14/2004	A4664206	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/25/2005	A5408102	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/20/2005	A5762206	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-11	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2007	7G18027-07	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/21/2008	5420896	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719626	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2010	6036154	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/12/2011	6342645	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2012	6717357	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123809	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2014	7534313	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962639	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-62M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/17/2002	A2732712	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.2	< 1	7.4	< 1	< 1.8	9.6
8/5/2002	A2793609	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.86 J	< 1	3.1	< 1	< 1.8	3.96
10/4/2002	A2986403	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	1.2	< 1	< 1.8	1.2
1/17/2003	A3056009	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/3/2003	A3315007	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2003	A3649202	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/8/2003	A3978808	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/7/2004	A4012309	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/29/2004	A4614509	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/4/2005	A5307806	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2005	A5725406	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/21/2006	6G21018-03	8260	< 1	< 1	< 1	< 1	4	< 1	< 1	< 1	< 1	< 1	< 2	4
7/17/2007	7G18027-03	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2008	5418423	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719616	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/22/2010	6040536	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/26/2011	6357495	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2012	6716076	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123803	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2014	7534320	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962635	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-63M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/17/2002	A2732709	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
8/5/2002	A2793605	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/13/2003	A3038006	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/3/2003	A3315004	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/8/2003	A3649201	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/8/2003	A3978807	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/7/2004	A4012305	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/28/2004	A4614504	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/4/2005	A5307805	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2005	A5725405	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/19/2006	6G20004-13	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/18/2007	7G19011-08	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2008	5418424	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719620	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/22/2010	6040535	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/26/2011	6357496	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2012	6716070	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123802	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2014	7534316	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962634	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-64M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/17/2002	A2732711	8021	< 1.2	17	< 1	< 1	< 2.5	< 1	< 1	< 1	8.7	< 1	< 1.8	25.7
8/5/2002	A2793606	8021	< 1.2	9.4	< 1	< 1	< 2.5	< 1	3.7	< 1	6.8	< 1	< 1.8	19.9
10/7/2002	A2999204	8021	< 1.2	0.9 J	< 1	< 1	< 2.5	< 1	0.3 J	< 1	0.96 J	< 1	< 1.8	2.16
1/15/2003	A3043011	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/3/2003	A3315005	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/3/2003	A3639706	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/8/2003	A3978805	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.1	< 1	< 1.2	< 1	< 1.8	1.1
1/7/2004	A4012307	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/28/2004	A4614502	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/4/2005	A5307804	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2005	A5725404	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/21/2006	6G21018-04	8260	< 1	< 1	< 1	< 1	5 B	< 1	< 1	< 1	< 1	< 1	< 2	5
7/17/2007	7G18027-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2008	5418425	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719619	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/22/2010	6040531	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/26/2011	6357497	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2012	6716071	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123804	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2014	7534317	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962633	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-65M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/17/2002	A2732713	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	2.6	< 1	< 1.8	2.6
8/5/2002	A2793607	8021	< 1.2	0.24 J	< 1	< 1	< 2.5	< 1	< 1	< 1	0.49 J	< 1	< 1.8	0.73
10/7/2002	A2999203	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/15/2003	A3043010	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/3/2003	A3315006	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/3/2003	A3639707	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/8/2003	A3978806	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/7/2004	A4012308	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/29/2004	A4614508	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/4/2005	A5307803	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2005	A5725403	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/21/2006	6G21018-05	8260	< 1	< 1	< 1	< 1	3 B	< 1	< 1	< 1	< 1	< 1	< 2	3
7/17/2007	7G18027-02	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2008	5418426	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719618	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/22/2010	6040539	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/26/2011	6357501	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2012	6716072	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123805	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/15/2014	7534318	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962632	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-66M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/18/2002	A2732706	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	5.2	< 1	< 1.8	5.2
8/5/2002	A2793608	8021	< 1.2	0.35 J	< 1	< 1	< 2.5	< 1	< 1	< 1	2.6	< 1	< 1.8	2.95
10/7/2002	A2999202	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/14/2003	A3043005	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.38 J	< 1	0.24 J	< 1	< 1.8	0.62
4/7/2003	A3320701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/3/2003	A3639704	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/8/2003	A3978803	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/7/2004	A4012311	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/28/2004	A4614505	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/4/2005	A5307802	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2005	A5725402	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/13/2006	6G14009-01	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2007	7G18027-05	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2008	5418427	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719614	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2010	6036147	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/26/2011	6357502	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2012	6716077	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123806	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2014	7531028	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962630	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **B-67M**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/17/2002	A2732707	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
8/5/2002	A2793613	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/4/2002	A2986401	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/14/2003	A3043006	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/3/2003	A3315001	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/3/2003	A3639705	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/8/2003	A3978802	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
1/7/2004	A4012310	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
6/28/2004	A4614506	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/4/2005	A5307801	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/12/2005	A5725401	8260/5M	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/13/2006	6G14009-02	8260	< 1	< 1	< 1	< 1	3	< 1	< 1	< 1	< 1	< 1	< 2	3
7/17/2007	7G18027-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
7/17/2008	5418428	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/8/2009	5719615	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/19/2010	6036146	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/26/2011	6357503	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2012	6716078	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/10/2013	7123807	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
7/11/2014	7531027	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
7/9/2015	7962631	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **DNAPL SUMP**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/20/2000	A0508914	8021	< 20	< 20	< 20	< 20	< 20	< 20	1500	< 20	400	< 20	< 20	1900
4/25/2001	A1382102	8021	< 20	< 20	< 20	< 20	< 20	< 20	2300	< 20	14000 D	< 20	56	16356
7/12/2001	A1663804	8021	< 1.2	< 1	< 1	< 1	1.7 J	< 1	120	< 1	63	< 1	2.5	187.2
1/25/2002	A2081502	8021	< 1.2	< 1	< 1	13	1 J	15	4900 D	< 1	1600 D	1.3	9.1	6539.4
4/19/2002	A2384301	8021	< 40	< 40	< 40	< 40	< 40	< 40	5900	< 40	5000	< 40	130	11030
7/16/2002	A2722915	8021	< 40	< 40	< 40	< 40	160	< 40	3000	< 40	5500	< 40	240	8900
10/9/2002	A2A07506	8021	< 100	< 100	< 100	< 100	< 100	< 100	4400	< 100	6600	< 100	< 100	11000
1/23/2003	A3075206	8021	< 290	< 91	< 99	< 160	< 370	< 150	2800	< 190	16000	< 330	< 130	18800
4/10/2003	A3335401	8021	< 29	< 9.1	< 9.9	< 16	180	< 15	2100	< 19	2400	< 33	190	4870
7/10/2003	A3654306	8021	< 58	< 18	< 20	< 33	< 74	< 31	1700	< 37	3400	< 66	110	5210

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **P-2**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
8/1/1984		8260		8	46	0.03	9	< 5	52	320	340	< 5	7	782.03
3/1/1985		8260	< 5	< 5	< 5	< 10	< 5	< 5	24	< 5	81	< 5	< 5	105
5/1/1985		8260	< 40	< 20	< 40	< 100	< 20	< 60	< 60	< 60	58	< 5	< 40	58
12/1/1985		8260	< 2.8	< 1.6	< 4.7	< 2.8	< 0.4	< 5	3.4	< 3.8	57	< 5	< 10	60.4
4/1/1986		8260	< 0.4	< 0.2	< 0.4	< 0.4	< 0.2	< 5	6.2	< 0.2	32	< 5	< 0.4	38.2
7/1/1986		8260	< 0.4	< 0.2	1.2	< 0.4	< 0.2	< 5	97	0.4	300	< 5	0.6	399.2
10/1/1986		8260	< 1	1.5	< 1	< 1	< 3	< 5	12	< 1	180	< 5	< 1	193.5
4/1/1987		8260	< 0.2	< 0.2	< 0.2	< 0.2	< 0.2	< 5	4.8	< 0.2	21	< 5	< 0.2	25.8
7/1/1987		8260	< 1	< 0.6	4.9	< 0.4	< 0.2	< 5	54	29	490	< 5	< 1.3	577.9
10/1/1987		8260	< 100	90	1200	67	42	< 5	3600	3700	19000	< 5	150	27849
2/1/1988		8260	< 1	< 1	< 1	< 2	< 1	< 5	32	< 1	110	< 5	< 2	142
8/1/1988		8260	< 1	8	11	< 1	< 1	< 5	39	7	82	< 5	< 2	147
11/1/1988		8260	< 0.2	< 0.2	2	0.2	0.7	< 5	190	3.6	1600	< 5	7.6	1804.1
1/1/1989		8260	< 0.1	< 5	2.6	0.4	< 0.1	2.4	48	9.5	560	0.3	1.4	624.6
4/1/1989		8260	26	< 0.05	< 0.07	< 0.03	< 0.1	< 0.1	5	< 0.03	< 0.1	< 0.03	< 0.2	31
7/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	12	< 0.3	93	< 0.3	< 1.8	105
10/1/1989		8260	< 1	< 0.5	110	6.7	< 1	1.9	140	240	1200	< 0.3	19	1717.6
1/1/1990		8260	< 5	< 2.5	< 3.5	< 5	< 25	< 5	21	< 1	190	< 1.5	< 5	211
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	3.9	< 0.3	30	< 0.3	< 1	33.9
7/1/1990		8260	< 1	< 0.5	5.4	< 1	< 5	< 1	15	16	140	< 0.3	< 1	176.4
10/1/1990		8260	< 5	7.9	720	210	< 5	11	1200	1200	1800	< 1.5	41	5189.9
1/1/1991		8260	< 1	< 0.5	< 0.7	3.1	< 5	< 1	19	4.7	170	< 0.3	< 1	196.8
4/1/1991		8260	< 6	< 2.5	< 3.5	< 6.5	< 12	< 5	9.8	2	79	< 1.5	< 9	90.8
7/1/1991		8260	< 6	3	5.8	< 6.5	< 13	< 5	120	19	920	< 1.5	< 9	1067.8
10/1/1991		8260	< 12	11	240	36	< 25	< 10	750	750	8300	< 3	42	10129
1/1/1992		8260	< 120	< 50	880	< 130	< 250	< 100	1300	2200	11000	< 30	< 180	15380
4/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	< 100	< 30	510	< 30	< 180	510
7/1/1992		8260	< 120	< 50	< 70	< 130	< 250	< 100	230	< 200	2100	< 30	< 180	2330
10/1/1992		8260	< 1.2	1.2	5.1	1.6	< 2.5	< 1	120	18	520	< 0.3	7.6	673.5
2/26/1993		8260	< 1.2	< 0.5	4.6	< 1.3	< 2.5	< 1	27	12	390	< 0.3	3.7	437.3
3/5/1993		8260	< 1.2	< 0.5	3	< 1.3	< 2.5	1	36	7.1	500	< 0.3	4.2	551.3
3/11/1993		8260	< 1.2	1.1	2.4	< 1.3	< 2.5	< 1	35	6	480	< 0.3	3.8	528.3
3/16/1993		8260	< 1.2	0.54	2.2	< 1.3	< 2.5	< 1	29	5.5	450	0.36	3.4	491
3/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	2.9	< 0.5	51	< 0.3	< 1.8	53.9
4/15/1993		8260	< 1.2	< 0.5	3.6	< 1.3	< 2.5	< 1	8	10	110	< 0.3	< 1.8	131.6
5/6/1993		8260	< 1.2	< 0.5	3.5	< 1.3	< 2.5	< 1	23	12	350	< 0.3	< 1.8	388.5
6/4/1993		8260	< 1.2	< 0.5	8.6	< 1.3	4.1	< 1	27	26	1100	0.63	< 1.8	1166.33
6/29/1993		8260	< 1.2	< 0.5	9.8	< 1.3	< 2.5	< 1	54	27	550	< 0.3	< 1.8	640.8
8/4/1993		8260	< 1.2	< 0.5	5.5	< 1.3	7.3	1.1	66	9.9	530	< 0.3	6.2	626
9/1/1993		8260	< 12	< 5	< 7	< 13	< 25	< 10	82	7.1	480	< 3	< 18	569.1
10/6/1993		8260	< 12	< 5	< 7	< 13	29	< 1	76	5.3	690	< 3	< 18	800.3
12/31/1993		8260	< 0.5	< 0.5	1.1	< 0.5	1.1 *	< 0.5	16	0.77	330	< 0.5	3.8	352.77
1/1/1994		8260	< 5	< 5	< 5	< 5	< 5	< 5	30	< 5	300	< 5	< 10	330
1/2/1994		8260	< 5	< 5	< 5	< 5	< 5	< 5	29	< 5	690	< 5	< 10	719
1/3/1994		8260	< 0.5	< 0.5	4.2	< 0.5	0.6 *	< 0.5	37	7.4	730	< 0.5	8.2	787.4
1/4/1994		8260	< 0.5	< 0.5	11	0.6	1.2 *	< 0.5	53	25	750	< 0.5	7.7	848.5

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **P-2**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/6/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	56	14	860	< 0.5	9.5	939.5
1/7/1994		8260	< 0.5	< 0.5	4.7	< 0.5	1 *	< 0.5	36	9	610	< 0.5	2.9	663.6
1/11/1994		8260	< 0.5	< 0.5	3.6	< 0.5	< 0.5	< 0.5	51	16	660	< 0.5	1.1	731.7
1/13/1994		8260	< 0.5	< 0.5	6.2	1.1	0.92 *	0.66	54	13.2	890	< 0.5	4.5	970.58
1/20/1994		8260	< 1.2	< 0.5	11	< 1.3	< 2.5	1.1	57	20	630	< 0.3	11	730.1
1/27/1994		8260	< 1.2	< 0.5	8.1	< 1.3	< 2.5	< 1	120	14	830	< 0.3	17	989.1
6/10/1994		8260	< 12	7.2	26	13	270	< 10	38	53	750	< 3	22	1179.2
7/6/1994		8260	< 1.2	< 0.5	3	< 1.3	< 2.5	1	57	8.9	810	< 0.3	2.2	882.1
8/16/1994		8260	< 12	< 5	9.8	< 13	< 25	< 10	74	28	500	< 3	< 18	611.8
10/7/1994		8260	< 12	< 5	< 7	< 13	< 25	< 10	61	< 5	610	< 3	< 18	671
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	4.2	4.3	96	< 1	< 2	104.5
4/4/1995		8260	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	32	< 2.5	340	< 2.5	< 5	372
6/27/1995		8260	< 10	< 10	< 10	< 10	< 10	< 10	56	< 10	860	< 10	< 20	916
10/10/1995		8260	< 12	< 5	18	< 7	< 25	< 10	130	32	790	< 7.9	< 18	970
1/11/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	33	< 6.4	480	< 7.9	< 18	513
4/2/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	28	< 6.4	490	< 7.9	< 18	518
7/11/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	48	< 6.4	510	< 7.9	< 18	558
10/4/1996		8260	< 12	5.5	< 10	< 7	< 25	< 10	31	< 6.4	620	< 7.9	< 18	656.5
1/29/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	25	< 6.4	600	< 7.9	< 18	625
4/16/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	26	< 6.4	420	< 7.9	< 18	446
7/16/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	39	< 6.4	610	< 7.9	< 18	649
10/24/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	70	< 6.4	820	< 7.9	< 18	890
1/19/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	15	< 6.4	480	< 7.9	< 18	495
4/24/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	14	< 6.4	410	< 7.9	< 18	424
7/31/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	38	< 6.4	300	< 7.9	< 18	338
10/8/1998		8260	< 60	< 25	< 50	< 35	< 130	< 50	180	< 32	1600	< 40	< 90	1780
1/21/1999		8260	< 12	5 J	< 10	< 7	< 25	< 10	120	< 6.4	1100	< 7.9	< 18	1225
4/15/1999		8260	< 12	5.7 J	< 10	< 7	< 25	< 10	45	< 6.4	320	< 7.9	< 18	370.7
7/19/1999		8260	< 12	< 5	< 10	< 7	< 25	< 10	48	< 6.4	280	< 7.9	< 18	328
10/11/1999		8260	< 1.2	< 1	< 1	< 1	1.5 J	< 1	56	< 1	430	< 1	< 1.8	487.5
1/11/2000	A0018412	8021	< 3.2	< 3.2	< 3.2	< 3.2	9	< 3.2	27	< 3.2	340	< 3.2	< 3.2	376
4/18/2000	A0259411	8021	< 1.2	< 1	1.3	< 1	< 2.5	< 1	13	9.3	140 D	< 1	< 1.8	163.6
7/12/2000	A0483106	8021	< 2	< 2	< 2	< 2	2.5	< 2	18	< 2	190	< 2	< 2	210.5
10/18/2000	A0751318	8021	< 4	< 4	< 4	< 4	6	< 4	61	< 4	350	< 4	< 4	417
1/15/2001	A1041303	8021	< 4	< 4	< 4	< 4	< 4	< 4	74	< 4	340	< 4	< 4	414
4/20/2001	A1366406	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	35	< 1.1	320 D	< 1.1	< 1.8	355
7/13/2001	A1663813	8021	< 2	< 2	< 2	< 2	3.9	< 2	39	< 2	230	< 2	< 2	272.9
9/6/2001	A1858801	8021	< 50	< 50	< 50	< 50	110	< 50	500	< 50	4800	< 50	< 50	5410
10/15/2001	A1A17406	8021	< 50	< 50	< 50	< 50	58	< 50	150	< 50	3900	< 50	< 50	4108
1/24/2002	A2076711	8021	< 160	< 160	< 160	< 160	310	< 160	740	560	8000	< 160	< 160	9610
4/19/2002	A2384302	8021	< 100	< 100	< 100	< 100	< 100	< 100	600	190	15000	< 100	< 100	15790
7/16/2002	A2722916	8021	< 160	< 160	< 160	< 160	610	< 160	1500	1000	16000	< 160	< 160	19110
10/9/2002	A2A07507	8021	< 100	< 100	< 100	< 100	< 100	< 100	540	< 100	12000	< 100	< 100	12540
4/9/2003	A3329402	8021	< 29	< 9.1	210	22	110	< 15	390	1800	1200	< 33	< 13	3732
7/10/2003	A3654303	8021	< 120	< 36	< 40	< 66	< 150	< 62	860	400	7700	< 130	< 52	8960
10/13/2003	A3991301	8021	< 120	< 20	120	< 66	100	< 40	1200	870	7500	< 9.2	< 71	9790
1/7/2004	A4012402	8021	< 120	< 20	270	< 66	< 36	< 40	1000	1800	7800	< 9.2	120	10990
4/14/2004	A4331402	8021	< 120	< 20	180	< 66	< 36	< 40	960	1800	9700	< 9.2	< 71	12640
7/7/2004	A4636803	8021	< 140	< 25	220	< 82	< 45	< 50	1100	1100	12000	< 11	< 89	14420

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **P-2**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/8/2004	A4994502	8021	< 250	< 250	< 250	< 250	< 1200	< 250	760	760	10000	< 250	< 250	11520
1/18/2005	A5051103	8260	< 95	< 160	< 190	< 94	< 200	< 160	860	1400	12000	< 130	< 290	14260
4/4/2005	A5307503	8260	< 1.2	0.68 J	170 E	66 E	< 2.5	7.7	580 D	1300 D	8200 D	1.9	20	10346.28
7/11/2005	A5724601	8260/5M	< 64	< 70	70	< 75	< 69	< 79	710	280	9200	< 80	< 79	10260
10/5/2005	A5B10701	8260	< 27	< 34	180	< 29	< 44	< 33	530	1000	5400	< 36	< 24	7110
1/24/2006	A6089106	8260	< 33	< 42	170	< 37	< 55	< 42	770	1200	8500	< 46	< 30	10640
4/12/2006	6D13005-04	8260	< 5	< 5	124	24	11	7	638	1020	7800 D	< 5	18	9642
7/11/2006	6G12005-03	8260	< 5	< 5	102	14	22	< 5	621	411	6850 D	< 5	13	8033
10/9/2006	6J10002-03	8260	< 5	< 5	146	23	< 10	6	322	1130 D	2770 D	< 5	12	4409
1/10/2007	7A11003-04	8260	< 5	< 5	135	17	12	< 5	368	919	4950 D	< 5	10	6411
4/3/2007	7D04039-01	8260	< 5	< 5	110	23	164	9	792	897	9730 D	< 5	24	11749
7/5/2007	7G06018-04	8260	< 100	< 100	148	< 100	< 200	< 100	10400	936	372	< 100	< 200	11856
10/10/2007	7J11002-01	8260	< 25	< 25	36	< 25	< 50	< 25	2190	50	3380	< 25	80	5736
1/7/2008	8A08003-09	8260	< 25	< 25	86	< 25	86	< 25	629	722	524	< 25	< 50	2047
4/8/2008	8D09003-04	8260	< 10	< 10	102	15	< 20	< 10	1290	382	366	< 10	90	2245
7/16/2008	5417447	8260	< 5	< 4	120	11 J	< 10	6 J	2000	210	95	< 4	390	2832
10/14/2008	5498678	8260	< 2	< 1.6	190	3.1 J	< 4	5 J	1200	120	97	< 1.6	21	1636.1
1/21/2009	5582428	8260	< 1	< 0.8	86	7.6	< 2	5	920	100	280	< 0.8	70	1468.6
4/16/2009	5649165	8260	< 1	< 0.8	190	31	< 2	5.1	780	1100	260	< 0.8	160	2526.1
7/13/2009	5722296	8260	< 2	< 1.6	82	19	< 4	7.9 J	1700	350	420	< 1.6	150	2728.9
10/7/2009	5800381	8260	< 2	< 1.6	460	62	< 4	2.9 J	500	2800	250	< 1.6	65	4139.9
1/26/2010	5893226	8260	< 5	< 4	270	39	< 10	< 4	490	2300	320	< 4	39	3458
4/7/2010	5948423	8260	< 1	0.98 J	270	81	< 2	9.5	910	2200	2400	0.82 J	85	5957.3
7/21/2010	6039078	8260	< 2	< 1.6	180	31	< 4	7.8 J	1100	1100	2300	< 1.6	60	4778.8
10/12/2010	6109750	8260	< 5	< 4	580	88	< 10	12 J	1700	4700	3400	< 4	94	10574
1/24/2011	6190814	8260	< 2.5	< 2	280	47	< 5	5.6 J	800	2100	1700	< 2	31	4963.6
4/12/2011	6256723	8260	< 5	< 4	150	30	< 10	7.6 J	1100	1100	5400	< 4	41	7828.6
7/20/2011	6352280	8260	< 5	< 4	98	25	< 10	11 J	1600	630	6000	< 4	57	8421
10/12/2011	6435908	8260	< 5	< 4	210	41	< 10	9.9 J	980	1600	3700	< 4	42	6582.9
1/19/2012	6527711	8260	< 2	< 1.6	82	22	< 4	2.4 J	500	560	1600	< 1.6	5.7 J	2772.1
4/4/2012	6607024	8260	< 2	< 1.6	77	15	< 4	4.1 J	710	560	2700	< 1.6	20	4086.1
7/19/2012	6728260	8260	< 5	< 4	150	26	< 10	10 J	1700	970	7800	< 4	48	10704
10/4/2012	6814368	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.7 J	5.7	75	< 0.8	< 1	83.4
1/24/2013	6934232	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	12	2.6 J	36	< 0.8	< 1	50.6
4/4/2013	7011183	8260	< 2	< 1.6	81	22	< 4	7.9 J	640	590	6300	< 1.6	18	7658.9
7/11/2013	7125530	8260	< 1	< 0.8	77	21	< 2	9.1	780	530	8700	1.3 J	44	10162.4
11/12/2013	7275078	8260	< 5	< 4	61	15 J	< 10	4.7 J	530	390	4400	< 4	18 J	5418.7
1/17/2014	7341390	8260	< 1	< 0.8	33	9	< 2	2.5 J	260	260	2500	< 0.8	3 J	3067.5
4/14/2014	7430456	8260	< 2.5	< 2.5	94	27	< 10	4.7 J	490	790	4900	< 2.5	6.2	6311.9
7/10/2014	7529502	8260	< 5	< 5	86	28	< 20	6.2 J	720	700	6500	< 5	24	8064.2
10/6/2014	7626647	8260	< 5	< 5	87	35	< 20	6.3 J	750	550	6700	< 5	34	8162.3
1/8/2015	7734020	8260	< 2.5	< 2.5	21	7.3	< 10	4.7 J	590	120	4800	< 2.5	8.5	5551.5
4/15/2015	7849427	8260	< 0.5	0.68 J	81	28	< 2	4.5	400	480	3200	1 J	16	4211.18
7/13/2015	7965563	SW8260C	< 5	< 5	20	11	< 20	5.3 J	520	63	5700	< 5	8.2 J	6327.5
10/7/2015	8080779	SW8260C	< 1	< 1	68	22	< 4	6.5	560	450	4300	< 1	25	5431.5
1/6/2016	8197839	SW8260C	< 2.5	< 2.5	340	69	< 10	4.9 J	510	2500	2600	< 2.5	15	6038.9
12/8/2016	240-73270-12	8260C	< 200	< 200	190 J	60 J	< 200	< 200	540	1200	5100	< 200	< 200	7090
5/2/2017	240-79083-8	8260C	< 130	< 130	79 J	< 130	< 130	< 130	350	470	4500	< 130	< 130	5399
11/1/2017	240-87694-10	8260C	< 200	< 200	< 200	< 200	< 200	< 200	580	620	5800	< 200	< 200	7000

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **P-2**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/13/2018	240-94116-6	8260C	< 500	< 500	< 500	< 500	< 500	< 500	650	510	6800	< 500	< 500	7960
8/20/2018	240-100225-2	624.1_P	< 50	< 50	12 J	< 50	< 100	< 25	310	72	1800	< 50	< 100	2194
9/26/2018	240-102125-3	8260C	< 50	< 50	12 J	< 50	< 250	< 50	380	64	1600	< 50	< 50	2056
4/10/2019	240-110803-22	8260C	< 2.0	< 2.0	0.87 J	< 2.0	< 10	< 2.0	12	3.1	43	< 2.0	< 2.0	58.97
11/20/2019	240-122631-2	624.1_L	< 2.0	< 2.0	0.92 J	0.38 J	< 10	< 1.0	10	6.3	110	< 2.0	< 2.0	127.6
4/1/2020	240-128428-7	8260C	< 100	< 100	50 J	< 100	< 500	< 100	820	470	2700	< 100	< 100	4040
10/26/2020	240-139061-5	8260C	< 250	< 250	170 J	< 250	< 1300	< 250	2400	1200	11000	< 250	< 250	14770
4/21/2021	240-147939-15	8260C	< 100	< 100	80 J	24 J	< 500	< 100	470	630	1800	< 100	< 100	3004
10/28/2021	240-159076-16	8260C	< 50	< 50	86	< 50	< 250	< 50	490	1000	1200	< 50	< 50	2776
4/13/2022	240-165065-2	8260C	< 50	< 50	42 J	< 50	< 250	< 50	320	420	1500	< 50	< 50	2282
10/17/2022	240-175103-2	8260D	< 50	< 50	42 J	< 50	< 250	< 50	1900	240	6100 JD	< 50	< 50	8282
3/20/2023	240-182590-2	8260D	< 20	< 20	100	19 J	< 100	< 20	140	810	380	< 20	< 20	1449
10/18/2023	240-194049-3	8260D	< 20	< 20	110	35	< 100	12 J	1500	950	6300 D	< 20	43	8950
10/22/2024	240-213536-1	8260D	< 330	< 330	< 330	< 330	< 1700	< 330	1600	970	5800	< 330	< 330	8370

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **P-3**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
11/1/1988		8260	< 1	< 1	< 1	< 1	1.4	< 5	21	< 1	< 1	< 5	< 1	22.4
12/1/1988		8260	< 0.4	< 0.4	< 0.4	< 0.8	2.5	< 0.3	< 0.3	< 0.4	0.6	< 5	< 2	3.1
1/1/1989		8260	< 0.1	< 5	< 0.07	< 0.1	< 0.1	< 0.1	< 1	0.5	< 0.1	< 0.03	< 0.2	0.5
4/1/1989		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	40	< 0.3	< 1	< 0.3	6.5	46.5
10/1/1989		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	2.1	< 0.3	< 1	< 0.3	< 1	2.1
1/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	< 1	< 0.3	< 1	< 0.3	< 1	0
4/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	1.5	< 0.3	< 1	< 0.3	< 1	1.5
7/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 1	< 1	1.1	< 0.3	< 1	< 0.3	< 1	1.1
10/1/1990		8260	< 1	< 0.5	< 0.7	< 1	< 5	< 1	2	< 0.3	< 1	< 0.3	< 1	2
1/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
5/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
10/1/1991		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
1/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.4	< 1.2	< 0.3	< 1.8	0
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	< 1	< 0.3	< 1.2	< 0.3	< 1.8	0
2/26/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	16	0.63	1.3	< 0.3	12	29.93
3/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	15	0.58	1.6	< 0.3	9.5	26.68
3/11/1993		8260	< 1.2	1	< 0.7	< 1.3	< 2.5	< 1	10	0.59	1.3	< 0.3	7.7	20.59
3/16/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	6	< 0.5	< 1.2	< 0.3	3.5	9.5
3/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	2.2	< 0.5	< 1.2	< 0.3	< 1.8	2.2
4/15/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	4.3	0.66	< 1.2	< 0.3	2.4	7.36
5/5/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	8	< 0.5	1.2	< 0.3	3.6	12.8
6/3/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	55	1.1	65	< 0.3	19	140.1
6/28/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	50	< 0.5	6.3	< 0.3	13	69.3
8/4/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	13	< 0.5	1.7	< 0.3	5.5	20.2
10/6/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	3.8	< 1	15	< 0.5	< 1.2	< 0.3	3.8	22.6
12/31/1993		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	15	0.5	18	< 0.5	16	49.5
1/1/1994		8260	< 5	< 5	< 5	< 5	0.61 *	< 5	13	< 5	15	< 5	6.4	35.01
1/2/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	0.5 *	< 0.5	9.7	< 0.5	12	< 0.5	3.8	26
1/3/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	0.5 *	< 0.5	8.6	< 0.5	9.5	< 0.5	11	29.6
1/4/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	0.67 *	< 0.5	11	< 0.5	17	< 0.5	12	40.67
1/6/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	10	< 0.5	19	< 0.5	14	43
1/7/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	5.8	< 0.5	8.6	< 0.5	4.5	18.9
1/11/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	4.4	< 0.5	13	< 0.5	1	18.4
1/13/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	0.75 *	< 0.5	7.2	< 0.5	13	< 1	3.7	24.65
1/20/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	8.1	< 0.5	7.6	< 0.3	3.5	19.2
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	4 *	< 1	16	< 0.5	5.3	< 0.3	8.6	33.9
6/10/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	5.4	1.4	5.5	< 0.3	2.5	14.8
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	6.7	< 0.5	5.1	< 0.3	3	14.8
8/16/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	7	0.79	3.1	< 0.3	< 1.8	10.89
10/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	3.2	< 0.5	1.8	< 0.3	1.2	6.2
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	1.1	< 1	< 1	< 1	< 2	1.1
4/4/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	1.3	< 1	1	< 1	< 2	2.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **P-3**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
6/28/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	3.4	< 1	1.4	< 1	< 2	4.8
10/10/1995		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	2.4	< 0.79	< 1.8	2.4
4/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	1.6	< 0.79	< 1.8	4.6
7/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/10/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	2.5	< 0.79	4	9.5
1/29/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	1.3	< 0.79	< 1.8	4.3
4/16/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	2.5	< 0.79	< 1.8	5.5
7/16/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	2	< 0.64	1.5	< 0.79	< 1.8	3.5
10/24/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
1/21/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	< 1.2	< 0.79	< 1.8	3
4/24/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	1.3	< 0.79	< 1.8	4.3
7/31/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/8/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	7	< 0.64	< 1.2	< 0.79	< 1.8	7
1/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
4/15/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	1	< 0.64	< 1.2	< 0.79	< 1.8	1
7/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/13/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.3	< 1	0.95 J	< 1	< 1.8	2.25
1/11/2000	A0018413	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	3	< 1	0.62 J	< 1	< 1.8	3.62
4/19/2000	A0259406	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.8	< 1	2	< 1	< 1.8	4.8
7/12/2000	A0483104	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.8	< 1	1.5	< 1	< 1.8	3.3
10/18/2000	A0751315	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	0.98 J	< 1	0.77 J	< 1	< 1.8	1.75
1/15/2001	A1041304	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.4	< 1	0.42 J	< 1	< 1.8	2.82
4/20/2001	A1366407	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	< 1.8	1.6	< 1.1	1.5	< 1.1	< 1.8	3.1
7/11/2001	A1648715	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	1.2	< 1	0.38 J	< 1	< 1.8	1.58
10/16/2001	A1A17404	8021	< 2	< 2	< 2	< 2	< 2.5	5.2	210	< 2	69	< 2	3.5	287.7
1/21/2002	A2066001	8021	< 2	< 2	< 2	< 2	< 2.5	6.5	140	< 2	< 2	< 2	< 2	146.5
4/11/2002	A2348304	8021	< 2	< 2	< 2	< 2	< 2.5	4.9	170	< 2	< 2	< 2	8.4	183.3
7/12/2002	A2713910	8021	< 1.2	< 1	< 1	< 1	< 2.5	5.8	120	< 1	4	< 1	3.5	133.3
10/8/2002	A2999305	8021	< 1.2	< 1	1.1	< 1	< 2.5	10	300	< 1	4	< 1	< 1.8	315.1
4/9/2003	A3329502	8021	< 1.4	< 1	< 1	< 1	16	< 1	52	< 1	< 1.2	< 1.6	1.8	69.8
7/8/2003	A3649104	8021	< 2.9	< 1	< 1	< 1.6	3.8	6	230	< 1.9	< 1.2	< 3.3	< 1.8	239.8
10/13/2003	A3991407	8021	< 2.9	< 1	< 1	< 1.6	< 2.5	8.2	230	< 1	< 1.2	< 1	< 1.8	238.2
1/9/2004	A4026203	8021	< 1.4	< 1	< 1	< 1	< 2.5	3.1	110	< 1	< 1.2	< 1	3.1	116.2
4/14/2004	A4331803	8021	< 1.4	< 1	< 1	< 1	< 2.5	2.4	100	< 1	4.3	< 1	< 1.8	106.7
7/6/2004	A4636509	8021	< 1.4	< 1	< 1	2.5	< 2.5	9.2	230 D	< 1	3.1	< 1	3	247.8
10/8/2004	A4994501	8021	< 5	< 5	< 5	< 5	< 25	< 5	200	< 5	< 5	< 5	< 5	200
1/12/2005	A5036201	8260	< 1.2	< 1.3	< 1.5	< 1	< 2.5	2.8	98	< 1	< 1.2	< 1	< 2.4	100.8
4/4/2005	A5307703	8260	< 1.2	< 1	< 1	< 1	< 2.5	3.2	90 D	< 1	0.43 J	< 1	1.9	95.53
7/8/2005	A5715301	8260/5M	< 1.2	< 1.1	< 1	< 1.2	1.2 J	5.7	140	< 1.1	< 1.2	< 1.3	< 1.8	146.9
10/5/2005	A5B10603	8260	< 1.2	< 1	0.55 J	< 1	< 2.5	6	120 D	< 1	0.69 J	< 1	0.98 J	128.22
1/24/2006	A6089110	8260	< 1.2	< 1	< 1	< 1	< 2.5	2.2	69	< 1	0.52 J	< 1	1.1 J	72.82
4/12/2006	6D13005-01	8260	< 1	< 1	< 1	< 1	< 2	2	63	< 1	< 1	< 1	< 2	65
7/11/2006	6G12005-04	8260	< 1	< 1	< 1	< 1	< 2	5	123	< 1	1	< 1	< 2	129
10/9/2006	6J10002-04	8260	< 1	< 1	< 1	< 1	< 2	4	88	< 1	1	< 1	< 2	93
1/9/2007	7A10006-01	8260	< 1	< 1	< 1	< 1	< 2	1	49	< 1	1	< 1	< 2	51
4/3/2007	7D04039-02	8260	< 1	< 1	< 1	< 1	25 B	1	42	< 1	< 1	< 1	< 2	68
7/5/2007	7G06018-06	8260	< 1	< 1	< 1	< 1	< 2	3	85	< 1	< 1	< 1	< 2	88
10/10/2007	7J11002-09	8260	< 1	< 1	< 1	< 1	< 2	3	61	< 1	< 1	< 1	< 2	64
1/7/2008	8A08003-07	8260	< 1	< 1	< 1	< 1	< 2	1	25	< 1	< 1	< 1	< 2	26

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **P-3**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/8/2008	8D09003-02	8260	< 1	< 1	< 1	< 1	3 B	2	67	< 1	< 1	< 1	< 2	72
7/16/2008	5417454	8260	< 1	< 0.8	< 1	< 0.8	< 2	3.6 J	92	< 0.8	< 1	< 0.8	< 1	95.6
10/14/2008	5498679	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.5 J	55	< 0.8	< 1	< 0.8	< 1	56.5
1/21/2009	5582429	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	33	< 0.8	< 1	< 0.8	1.2 J	35.5
4/15/2009	5647723	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.6 J	46	< 0.8	< 1	< 0.8	1.7 J	49.3
7/8/2009	5719622	8260	< 1	< 0.8	< 1	< 0.8	< 2	5.4	120	< 0.8	< 1	< 0.8	< 1	125.4
10/5/2009	5797970	8260	< 1	< 0.8	< 1	< 0.8	< 2	4 J	90	< 0.8	< 1	< 0.8	< 1	94
1/25/2010	5892347	8260	< 1	< 0.8	< 1	< 0.8	< 2	2 J	60	< 0.8	< 1	< 0.8	2.3 J	64.3
4/6/2010	5946898	8260	< 1	< 0.8	< 1	< 0.8	< 2	2.5 J	90	< 0.8	< 1	< 0.8	2.3 J	94.8
7/21/2010	6039076	8260	< 1	< 0.8	< 1	< 0.8	< 2	5.4	100	< 0.8	< 1	< 0.8	1.3 J	106.7
10/12/2010	6109756	8260	< 1	< 0.8	< 1	< 0.8	< 2	2.7 J	110	< 0.8	< 1	< 0.8	< 1	112.7
1/26/2011	6192954	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	27	< 0.8	< 1	< 0.8	1.4 J	29.5
4/12/2011	6256721	8260	< 1	< 0.8	< 1	< 0.8	< 2	3 J	100	< 0.8	1.1 J	< 0.8	2 J	106.1
7/12/2011	6342651	8260	< 1	< 0.8	< 1	< 0.8	< 2	4.8 J	110	< 0.8	1 J	< 0.8	< 1	115.8
10/13/2011	6437683	8260	< 1	< 0.8	< 1	< 0.8	< 2	3.4 J	97	< 0.8	< 1	< 0.8	< 1	100.4
1/17/2012	6524421	8260	< 10	< 8	< 10	< 8	< 20	< 8	29 J	< 8	21 J	< 8	< 10	50
4/4/2012	6607022	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.3 J	38	< 0.8	< 1	< 0.8	< 1	39.3
7/16/2012	6722029	8260	< 1	< 0.8	< 1	< 0.8	< 2	3.9 J	83	< 0.8	1.2 J	< 0.8	< 1	88.1
10/4/2012	6814367	8260	< 1	< 0.8	< 1	< 0.8	< 2	2.7 J	77	< 0.8	< 1	< 0.8	< 1	79.7
1/24/2013	6934233	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	32	< 0.8	< 1	< 0.8	< 1	33.1
4/3/2013	7010226	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.2 J	30	< 0.8	< 1	< 0.8	1.6 J	32.8
7/8/2013	7120726	8260	< 1	< 0.8	< 1	< 0.8	< 2	3.7 J	100	< 0.8	2.2 J	< 0.8	1.6 J	107.5
11/12/2013	7275080	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	46	< 0.8	< 1	< 0.8	2.6 J	48.6
1/16/2014	7340033	8260	< 1	< 0.8	< 1	< 0.8	< 2	1 J	27	< 0.8	< 1	< 0.8	< 1	28
4/15/2014	7432587	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	2	71	< 0.5	1.6	< 0.5	0.94 J	75.54
7/8/2014	7526289	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	6.4	66	< 0.5	1.2	< 0.5	11	84.6
10/6/2014	7626650	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	4.8	50	< 0.5	0.98 J	< 0.5	7.6	63.38
1/8/2015	7734023	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	3.4	39	< 0.5	0.77 J	< 0.5	7.4	50.57
4/14/2015	7847242	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	3.4	45	< 0.5	< 0.5	< 0.5	7.9	56.3
7/8/2015	7960006	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	3.3	41	< 0.5	0.72 J	< 0.5	5.7	50.72
10/5/2015	8077923	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	4.7	43	< 0.5	0.78 J	< 0.5	4.2	52.68
1/6/2016	8197840	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	3.2	34	< 0.5	< 0.5	< 0.5	2.9	40.1
12/9/2016	240-73270-21	8260C	< 1.4	< 1.4	< 1.4	< 1.4	0.80 J	3.5	45	< 1.4	0.61 J	< 1.4	2.2	52.11
5/2/2017	240-79083-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.8	33	< 1.0	0.78 J	< 1.0	7.2	43.78
11/1/2017	240-87694-12	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.2	28	< 1.0	0.45 J	< 1.0	2	32.65
4/13/2018	240-94116-4	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	3	37	< 1.0	0.80 J	< 1.0	5.5	46.3
8/20/2018	240-100225-3	624.1_P	< 5	< 5.0	< 5.0	< 5.0	< 10	2.9	34	< 5.0	2.8 J	< 5.0	2.1 J	41.8
9/26/2018	240-102125-1	8260C	< 1.0	< 1.0	0.28 J	< 1.0	< 5.0	3.1	39	< 1.0	0.66 J	< 1.0	1	44.04
4/10/2019	240-110803-24	8260C	< 1.0	< 1.0	0.18 J	< 1.0	< 5.0	2.4	31	< 1.0	0.82 J	< 1.0	3.3	37.7
11/20/2019	240-122631-12	624.1_L	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	2.4	26	< 1.0	0.78 J	< 1.0	3	32.18
4/1/2020	240-128428-5	8260C	< 1.0	< 1.0	0.17 J	< 1.0	< 5.0	2.2	34	< 1.0	< 1.0	< 1.0	2.5	38.87
10/27/2020	240-139061-13	8260C	< 1.0	< 1.0	0.24 J	< 1.0	< 5.0	3	30	< 1.0	0.68 J	< 1.0	0.50 J	34.42
4/21/2021	240-147939-16	8260C	< 1.0	< 1.0	0.33 J	0.29 J	< 5.0	3.7	41	< 1.0	1.6	< 1.0	3.2	50.12
10/27/2021	240-159076-14	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	3	38	< 1.0	1.9	< 1.0	1.5	44.4
4/11/2022	240-165066-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	2	25	< 1.0	0.88 J	< 1.0	2.6	30.48
10/17/2022	240-175103-5	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	2.6	32	< 1.0	0.51 J	< 1.0	1.9	37.01
3/20/2023	240-182590-5	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	2.7	39	< 1.0	4	< 1.0	2.8	48.5
10/18/2023	240-194049-6	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	2.4	22	< 1.0	2.5	< 1.0	2.1	29
4/17/2024	240-203148-25	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	2	24	< 1.0	1.2	< 1.0	3.1	30.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **P-3**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/22/2024	240-213536-4	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	1.9	19	< 1.0	1.1	< 1.0	1.4	23.4

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **P-4**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/1/1992		8260	< 12	< 5	< 7	< 13	< 25	< 10	150	< 3	< 12	< 3	71	221
4/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	12	< 0.3	< 1.2	< 0.3	2.8	14.8
7/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	11	< 0.9	< 1.2	< 0.3	2.4	13.4
10/1/1992		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1.5	5.2	< 0.3	< 1.2	< 0.3	< 1.8	5.2
2/26/1993		8260	< 1.2	< 0.5	1.1	1.3	< 2.5	1.9	79	1.2	33	< 0.3	47	164.5
3/5/1993		8260	< 1.2	< 0.5	1.8	1.3	< 2.5	1.9	120	1.5	44	< 0.3	45	215.5
3/11/1993		8260	< 1.2	0.98	2.4	1.6	< 2.5	1.7	140	2	71	< 0.3	49	268.68
3/16/1993		8260	< 1.2	0.81	1.9	1.5	< 2.5	1.7	130	1.5	55	< 0.3	44	236.41
3/29/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	15	< 0.5	13	< 0.3	< 1.8	28
4/15/1993		8260	< 1.2	< 0.5	< 0.7	2.3	< 2.5	2	390	1.7	20	< 0.3	37	453
5/5/1993		8260	< 1.2	< 0.5	0.91	< 1.3	< 2.5	1.1	130	0.5	25	< 0.3	30	187.51
6/3/1993		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	15	< 0.5	6.6	< 0.3	9.9	31.5
6/28/1993		8260	< 1.2	< 0.5	2.5	1.7	< 2.5	2.6	270	2.7	210	< 0.3	56	545.5
12/31/1993		8260	< 0.5	< 0.5	1.5	< 0.5	< 0.5	2.6	150	< 0.5	250	< 0.5	60	464.1
1/1/1994		8260	< 5	< 5	< 5	< 5	< 5	< 5	120	< 5	220	< 5	70	410
1/2/1994		8260	< 5	< 5	< 5	< 5	< 5	< 5	85	< 5	190	< 5	31	306
1/3/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	95	< 0.5	200	< 0.5	45	340
1/4/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	2.6	120	0.74	250	< 0.5	38	411.34
1/6/1994		8260	< 0.5	< 0.5	0.76	< 0.5	< 0.5	< 0.5	96	< 0.5	210	< 0.5	19	325.76
1/7/1994		8260	< 0.5	< 0.5	0.65	< 0.5	0.59 *	1.3	60	0.77	140	< 0.5	18	221.31
1/11/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.67	53	0.83	190	< 0.5	19	263.5
1/13/1994		8260	< 0.5	< 0.5	0.88	0.69	0.5 *	1.5	58	1.3	150	< 0.5	20	232.87
1/20/1994		8260	< 1.2	< 0.5	1	< 1.3	< 2.5	1.3	47	1.1	100	< 0.3	18	168.4
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	2.5 *	1.2	340	1.3	400	< 0.3	59	804
6/10/1994		8260	< 1.2	< 0.5	11	3.5	< 2.5	2.3	45	26	220	< 0.3	5.1	312.9
7/6/1994		8260	< 1.2	< 0.5	12	3.6	< 2.5	2.3	78	28	200	< 0.3	15	338.9
10/7/1994		8260	< 1.2	< 0.5	2.1	2	< 2.5	2.8	37	3.5	68	< 0.3	7	122.4
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	18	< 1	49	< 1	< 2	67
4/4/1995		8260	< 1	< 1	1.2	< 1	< 1	< 1	33	2.3	74	< 1	3.7	114.2
6/28/1995		8260	< 1	< 1	1.2	< 1	< 1	< 1	20	2.8	31	< 1	2.2	57.2
10/10/1995		8260	< 1.2	< 0.5	2	< 0.7	< 2.5	1.2	35	2.2	56	< 0.79	< 1.8	96.4
1/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	21	1.3	55	< 0.79	< 1.8	77.3
4/3/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.6	46	1.6	180	< 0.79	< 1.8	229.2
7/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.1	31	0.9	97	< 0.79	3.5	133.5
10/4/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	34	0.93	56	< 0.79	4	94.93
1/29/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	2.2	73	< 0.64	160	< 0.79	8.5	243.7
4/16/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.2	24	0.97	140	< 0.79	< 1.8	166.17
7/16/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.9	41	< 0.64	72	< 0.79	4.4	119.3
10/24/1997		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.2	51	0.8	65	< 0.79	2.2	120.2
1/21/1998		8260	< 1.2	< 0.5	1	< 0.7	< 2.5	< 1	44	1.6	59	< 0.79	4.1	109.7
4/24/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	32	1.9	92	< 0.79	< 1.8	125.9
7/31/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	34	< 0.64	45	< 0.79	< 1.8	79
10/8/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	41	0.68	5.4	< 0.79	< 1.8	47.08
1/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	9	< 0.64	21	< 0.79	< 1.8	30
4/15/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	25	0.65 J	27	< 0.79	< 1.8	52.65
7/19/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	1.1	29	1.2 J	28	< 0.79	3.1 J	62.4

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **P-4**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/13/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	0.86 J	33	< 1	42	< 1	2.5	78.36
1/11/2000	A0018414	8021	< 1.2	< 1	< 1	< 1	2 J	< 1	25	< 1	37	< 1	1.2 J	65.2
4/18/2000	A0259407	8021	< 1.2	< 1	< 1	< 1	< 2.5	4.6	23	< 1	49	< 1	< 1.8	76.6
7/12/2000	A0483105	8021	< 1.2	< 1	< 1	< 1	1.2 J	< 1	27	2	54	< 1	0.99 J	85.19
10/18/2000	A0751314	8021	< 1.2	< 1	< 1	< 1	0.67 J	0.5 J	18	< 1	29	< 1	0.7 J	48.87
1/12/2001	A1035111	8021	< 1.2	< 1	< 1	< 1	1.8 J	0.66 J	18	< 1	26	< 1	2.6	49.06
4/19/2001	A1361311	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	2.9	0.23	9.6	< 0.22	< 0.36	12.73
7/11/2001	A1648714	8021	< 1.2	< 1	< 1	< 1	< 2.5	0.23 J	18	< 1	4.9	< 1	< 1.8	23.13
10/16/2001	A1A17403	8021	< 1.2	< 1	< 1	< 1	1.3 J	2	220	< 1	42	< 1	< 1.8	265.3
1/21/2002	A2066002	8021	< 1.2	< 1	7.7	5.4	2.4 J	12	1600 D	3.8	490 D	< 1	17	2138.3
4/11/2002	A2348305	8021	< 10	< 10	< 10	< 10	< 10	< 10	1000	< 10	940	< 10	< 10	1940
7/12/2002	A2713911	8021	< 5	< 5	7.3	< 5	< 5	< 5	1200	< 5	360	< 5	< 5	1567.3
10/8/2002	A2999306	8021	< 8	15	< 8	< 8	< 8	< 8	480	< 8	140	< 8	< 8	635
4/9/2003	A3329503	8021	< 12	< 3.6	< 4	< 6.6	33	< 6.2	510	< 7.5	620	< 13	< 5.2	1163
7/8/2003	A3649106	8021	< 12	< 3.6	< 4	< 6.6	< 15	< 6.2	710	15	1000	< 13	< 5.2	1725
10/13/2003	A3991408	8021	< 12	< 2	23	< 6.6	9.2	17	1700	25	920	< 1	< 7.1	2694.2
1/9/2004	A4026204	8021	< 14	< 2.5	26	< 8.2	< 4.5	14	1300	22	1400	< 1.1	23	2785
4/14/2004	A4331804	8021	< 7.3	< 1.3	20	< 4.1	< 2.5	8	720	9.8	770	< 1	15	1542.8
7/6/2004	A4636507	8021	< 29	< 5.1	40	< 16	< 9	< 10	1300	31	1400	< 2.3	49	2820
10/8/2004	A4994503	8021	< 25	< 25	31	< 25	< 120	< 25	1100	< 25	1200	< 25	33	2364
1/12/2005	A5036202	8260	< 9.5	< 16	< 19	< 9.4	< 20	< 16	650	< 13	1200	< 13	43	1893
4/4/2005	A5307702	8260	< 4.8	< 8	13	< 4.7	< 9.9	< 8.1	560	< 6.3	870	< 6.4	26	1469
7/11/2005	A5724701	8260/5M	< 5.1	< 5.6	21	6.7	< 5.5	12	830	8.2	880	< 6.4	10	1767.9
10/5/2005	A5B10604	8260	< 1.3	< 1.7	33	9.3	< 2.5	16	1200 D	20	910 D	< 1.8	< 1.8	2188.3
1/23/2006	A6084706	8260	< 5.3	< 6.7	20	< 5.9	< 8.8	11	850	13	1500	< 7.3	32	2426
4/12/2006	6D13005-02	8260	< 1	< 1	15	< 1	< 2	8	583 D	10	998	< 1	11	1625
7/11/2006	6G12005-05	8260	< 1	< 1	20	6	4	12	700 D	9	869 D	< 1	< 2	1620
10/9/2006	6J10002-05	8260	< 1	< 1	30	8	< 2	16	1180 D	27	1100 D	< 1	< 2	2361
1/5/2007	7A05012-05	8260	< 1	< 1	23	6	2 B	11	734 D	20	2080 D	< 1	26	2902
4/3/2007	7D04039-03	8260	< 1	< 1	7	3	< 2	7	394 D	7	1190 D	< 1	6	1614
7/5/2007	7G06018-07	8260	< 10	< 10	< 10	< 10	< 20	< 10	499	< 10	579	< 10	< 20	1078
10/9/2007	7J10006-04	8260	< 5	< 5	9	< 5	< 10	8	570	< 5	636	< 5	< 10	1223
1/7/2008	8A08003-06	8260	< 5	< 5	15	< 5	22	10	689	8	601	< 5	< 10	1345
4/8/2008	8D09003-06	8260	< 5	< 5	12	< 5	< 10	7	431	13	1680 D	< 5	< 10	2143
7/16/2008	5417453	8260	< 1	< 0.8	9.6	3 J	< 2	7	470	6.3	610	< 0.8	< 1	1105.9
10/14/2008	5498682	8260	< 1	< 0.8	8	1.7 J	< 2	8	460	5.1	530	< 0.8	< 1	1012.8
1/14/2009	5577587	8260	< 1	< 0.8	24	7.9	< 2	11	720	38	1200	< 0.8	2 J	2002.9
4/14/2009	5646771	8260	< 2	< 1.6	12	3.5 J	< 4	6.1 J	370	23	1600	< 1.6	3.9 J	2018.5
7/9/2009	5720680	8260	< 1	< 0.8	6.6	2.3 J	< 2	6.8	390	5.6	490	< 0.8	< 1	901.3
10/5/2009	5797961	8260	< 2	< 1.6	10	3.1 J	< 4	6.7 J	560	9.2 J	780	< 1.6	< 2	1369
1/21/2010	5889956	8260	< 5	< 4	17 J	4.9 J	< 10	8.8 J	460	32	2100	< 4	< 5	2622.7
4/6/2010	5946899	8260	< 2	< 1.6	9.5 J	2.8 J	< 4	5.6 J	390	13	1600	< 1.6	6.4 J	2027.3
7/13/2010	6031624	8260	< 1	< 0.8	6.9	3.4 J	< 2	7.7	460	5.4	760	< 0.8	< 1	1243.4
10/12/2010	6109755	8260	< 1	< 0.8	6.5	1.6 J	< 2	7.1	360	6.2	530	< 0.8	< 1	911.4
1/26/2011	6192955	8260	< 2	< 1.6	36	6.8 J	< 4	11	790	14	1500	< 1.6	3.8 J	2361.6
4/12/2011	6256718	8260	< 2	< 1.6	65	12	< 4	14	1500	20	3700	1.7 J	27	5339.7
7/20/2011	6352288	8260	< 2	< 1.6	29	7.8 J	< 4	10	750	7.8 J	1400	< 1.6	< 2	2204.6
10/11/2011	6434704	8260	< 2	< 1.6	25	5.8 J	< 4	11	870	6.1 J	1200	< 1.6	< 2	2117.9
1/17/2012	6524420	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	35	< 0.8	< 1	< 0.8	1.2 J	37.3

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **P-4**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/4/2012	6607020	8260	< 2	< 1.6	24	5.1 J	< 4	6.7 J	530	8.6 J	1400	< 1.6	7.6 J	1982
7/17/2012	6723838	8260	< 1	< 0.8	22	5.2	< 2	11	580	6.2	890	< 0.8	< 1	1514.4
10/2/2012	6810734	8260	< 1	< 0.8	19	3.6 J	< 2	9.2	580	4.9 J	850	< 0.8	< 1	1466.7
1/22/2013	6931414	8260	< 1	< 0.8	52	11	< 2	10	620	42	2100	2 J	19	2856
4/3/2013	7010225	8260	< 1	< 0.8	40	7.1	< 2	8.5	520	28	1900	1.9 J	11	2516.5
7/9/2013	7122573	8260	< 5	< 4	39	8.4 J	< 10	7.8 J	700	18 J	2500	< 4	16 J	3289.2
11/12/2013	7275081	8260	< 2	< 1.6	38	10	< 4	9.5 J	750	16	2700	3.4 J	31	3557.9
1/16/2014	7340027	8260	< 1	< 0.8	10	4.1 J	< 2	5.4	330	7.6	1500	1.7 J	4.9 J	1863.7
4/15/2014	7432586	8260	< 0.5	< 0.5	11	4.2	< 2	5.7	330	6.5	1200	1.5	6.5	1565.4
7/8/2014	7526290	8260	< 0.5	< 0.5	7.1	3.2	< 2	5.7	300	4.9	1100	1.9	2.8	1425.6
10/3/2014	7625312	8260	< 0.5	0.6 J	6.5	3.4	< 2	5.1	280	3.7	1000	1.1	2.7	1303.1
1/7/2015	7732751	8260	< 0.5	2.5	14	4.3	< 2	5.1	270	40	1300	0.9 J	0.9 J	1637.7
4/14/2015	7847241	8260	< 0.5	0.87 J	14	3.8	< 2	4.9	270	15	1300	1.3	0.87 J	1610.74
7/8/2015	7960007	SW8260C	< 1	< 1	15	4.2	< 4	4	290	60	1400	< 1	1.7 J	1774.9
10/5/2015	8077926	SW8260C	< 0.5	< 0.5	21	5.6	< 2	7.8	570	35	990	0.96 J	1.3	1631.66
1/6/2016	8197841	SW8260C	< 0.5	< 0.5	22	5.1	< 2	8.7	590	20	860	0.77 J	1.4	1507.97
12/8/2016	240-73270-11	8260C	< 14	< 14	16	< 14	< 14	< 14	52	< 14	140	< 14	10 J	218
5/2/2017	240-79083-6	8260C	< 25	< 25	10 J	< 25	< 25	< 25	250	< 25	1200	< 25	< 25	1460
11/1/2017	240-87694-13	8260C	< 40	< 40	< 40	< 40	< 40	< 40	410	< 40	1300	< 40	< 40	1710
4/17/2018	240-94331-22	8260C	< 20	< 20	17 J	< 20	< 20	< 20	280	< 20	1200	< 20	< 20	1497
8/20/2018	240-100225-4	624.1_P	< 40	< 40	15 J	< 40	< 80	7.3 J	420	13 J	750	< 40	< 80	1205.3
9/26/2018	240-102125-6	8260C	< 20	< 20	10 J	< 20	< 100	4.9 J	370	4.8 J	650	< 20	< 20	1039.7
4/10/2019	240-110803-25	8260C	< 20	< 20	28	5.5 J	< 100	4.6 J	370	53	1500	< 20	< 20	1961.1
11/21/2019	240-122893-5	624.1_L	< 40	< 40	22 J	8.4 J	< 200	8.0 J	500	34 J	2100	< 40	< 40	2672.4
3/30/2020	240-128375-18	8260C	< 40	< 40	27 J	< 40	< 200	< 40	420	15 J	1800	< 40	< 40	2262
10/26/2020	240-139061-1	8260C	< 40	< 40	15 J	< 40	< 200	< 40	360	< 40	990	< 40	< 40	1365
4/21/2021	240-147939-17	8260C	< 40	< 40	39 J	12 J	< 200	13 J	680	17 J	1800	< 40	< 40	2561
6/15/2021	480-186147-1	8260C	< 20	< 20	31	6.5 J	< 20	< 20	680	26	1600	< 20	< 20	2343.5
6/29/2021	240-152171-3	8260C	< 40	< 40	21 J	< 40	< 200	< 40	630	20 J	1300	< 40	< 40	1971
7/27/2021	240-153558-3	8260C	< 40	< 40	26 J	< 40	< 200	< 40	980	29 J	2000	< 40	< 40	3035
8/23/2021	240-155063-1	8260C	< 40	< 40	21 J	< 40	< 200	< 40	730	25 J	2000	< 40	< 40	2776
10/25/2021	240-158965-3	8260C	< 40	< 40	19 J	< 40	< 200	< 40	1300	19 J	1300	< 40	< 40	2638
4/14/2022	240-165119-6	8260C	< 40	< 40	24 J	< 40	< 200	< 40	520	< 40	1600	< 40	< 40	2144
10/17/2022	240-175103-16	8260D	< 2.0	< 2.0	1.3 J	< 2.0	< 10	< 2.0	65	< 2.0	100	< 2.0	< 2.0	166.3
3/20/2023	240-182590-18	8260D	< 50	< 50	26 J	< 50	< 250	< 50	650	< 50	2100	< 50	< 50	2776
10/18/2023	240-194049-7	8260D	< 50	< 50	26 J	< 50	< 250	< 50	910	< 50	2300	< 50	< 50	3236
4/17/2024	240-203148-26	8260D	< 50	< 50	< 50	< 50	< 250	< 50	900	< 50	3400	< 50	< 50	4300
10/22/2024	240-213536-5	8260D	< 170	< 170	< 170	< 170	< 830	< 170	1600	< 170	3800 J	< 170	< 170	5400

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **PW-1**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
12/31/1993		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.97	170	< 0.5	466	< 0.5	20	656.97
1/1/1994		8260	< 5	< 5	< 5	< 5	< 5	< 5	97	< 5	380	< 5	< 10	477
1/2/1994		8260	< 5	< 5	< 5	< 5	< 5	< 5	61	< 5	270	< 5	< 10	331
1/3/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0.64	49	< 0.5	250	< 0.5	11	310.64
1/7/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	0.59 *	< 0.5	68	< 0.5	240	< 0.5	7.8	316.39
1/11/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	72	< 0.5	400	< 0.5	12	484
1/13/1994		8260	< 0.5	< 0.5	0.88	< 0.5	0.71 *	0.82	99	0.79	350	< 0.5	15	467.2
1/20/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1	100	< 0.5	770	< 0.3	3.6	874.6
1/27/1994		8260	< 1.2	< 0.87	< 0.7	< 1.3	< 2.5	1.1	240	0.77	170	< 0.3	17	428.87
6/10/1994		8260	< 1.2	< 0.5	3.6	5	20	5.1	990	2.8	1600	< 0.3	87	2713.5
7/6/1994		8260	< 1.2	1	5.5	< 1.3	< 2.5	1.6	150	< 0.5	150	< 0.3	19	327.1
10/7/1994		8260	< 1.2	< 0.5	0.82	1.9	< 2.5	2.6	72	0.95	97	< 0.3	3.8	179.07
1/25/1995		8260	< 2	< 2	< 2	< 2	< 2	< 2	190	< 2	240	< 2	8.7	438.7
4/4/1995		8260	< 2	< 2	< 2	< 2	< 2	< 2	58	< 2	220	< 2	< 4	278
6/27/1995		8260	< 2	< 2	< 2	< 2	< 2	< 2	72	< 2	140	< 2	< 4	212
10/10/1995		8260	< 12	< 5	< 10	< 7	< 25	< 10	200	< 6.4	880	< 7.9	< 18	1080
1/11/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	100	< 6.4	330	< 7.9	< 18	430
4/2/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	160	< 6.4	890	< 7.9	< 18	1050
7/11/1996		8260	< 12	6.9	< 10	< 7	< 25	< 10	110	< 6.4	270	< 7.9	< 18	386.9
10/4/1996		8260	< 12	8.5	< 10	< 7	< 25	< 10	240	< 6.4	780	< 7.9	< 18	1028.5
1/29/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	55	< 6.4	160	< 7.9	< 18	215
4/16/1997		8260	< 12	5	< 10	< 7	< 25	< 10	190	< 6.4	680	< 7.9	< 18	875
7/16/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	140	< 6.4	1000	< 7.9	< 18	1140
10/24/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	170	< 6.4	1000	< 7.9	< 18	1170
1/19/1998		8260	< 12	6.5	< 10	< 7	< 25	< 10	250	< 6.4	1300	< 7.9	< 18	1556.5
4/24/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	120	< 6.4	570	< 7.9	< 18	690
7/24/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	170	< 6.4	420	< 7.9	< 18	590
10/8/1998		8260	< 12	< 5	< 10	< 7	< 25	< 10	110	< 6.4	430	< 7.9	< 18	540
1/21/1999		8260	< 12	5.9 J	< 10	< 7	< 25	< 10	150	< 6.4	290	< 7.9	< 18	445.9
4/15/1999		8260	< 12	8.1 J	< 10	< 7	< 25	< 10	140	< 6.4	320	< 7.9	< 18	468.1
7/19/1999		8260	< 12	< 5	< 10	< 7	< 25	< 10	180	< 6.4	310	< 7.9	< 18	490
10/13/1999		8260	< 1.2	< 1	1.2	0.32 J	< 2.5	2.8	180	< 1	270	< 1	0.86 J	455.18
1/12/2000	A0026404	8021	< 4	< 4	< 4	< 4	8.8	< 4	130	< 4	240	< 4	< 4	378.8
4/19/2000	A0259412	8021	< 4	< 4	< 4	< 4	4.5	< 4	110	< 4	500	< 4	< 4	614.5
7/12/2000	A0483103	8021	< 2	< 2	< 2	< 2	2.4 J	< 2	70	< 2	150	< 2	< 2	222.4
10/18/2000	A0751316	8021	< 2	< 2	< 2	< 2	2.8	< 2	120	< 2	240	< 2	2	364.8
1/12/2001	A1035112	8021	< 2	< 2	< 2	< 2	5.6	< 2	71	< 2	150	< 2	< 2	226.6
4/20/2001	A1366403	624	< 1.2	< 1.5	< 1.8	< 1.4	< 2.5	2.4	84	< 1.1	330 D	< 1.1	1.9	418.3
7/11/2001	A1648702	8021	< 1.2	< 1	< 1	< 1	2.9	1.3	83	< 1	140	< 1	4.7	231.9
9/7/2001	A1863501	8021	< 25	< 25	< 25	< 25	38	< 25	1500	< 25	2500	< 25	< 25	4038
10/16/2001	A1A17402	8021	< 800	< 800	< 800	< 800	< 800	< 800	2700	< 800	40000	< 800	< 800	42700
1/23/2002	A2076705	8021	< 800	< 800	< 800	< 800	1500	< 800	880	< 800	2000	< 800	< 800	4380
4/18/2002	A2378804	8021	< 16	< 16	< 16	< 16	23	< 16	240	< 16	1200	< 16	< 16	1463
7/16/2002	A2722914	8021	< 16	< 16	< 16	< 16	60	< 16	520	< 16	1800	< 16	< 16	2380
10/9/2002	A2A07508	8021	< 2000	< 2000	< 2000	< 2000	< 2000	< 2000	27000	< 2000	140000	< 2000	< 2000	167000
1/24/2003	A3075208	8021	< 23	< 7.3	< 7.9	< 13	< 30	< 12	920	< 15	2100	< 26	26	3046

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **PW-1**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/9/2003	A3329403	8021	< 23	< 7.3	< 7.9	< 13	< 30	< 12	560	< 15	1900	< 26	< 10	2460
7/10/2003	A3654305	8021	< 58	< 18	< 20	< 33	< 74	< 31	1200	< 37	3800	< 66	< 26	5000
10/13/2003	A3991302	8021	< 58	< 10	< 8.4	< 33	< 18	< 20	1200	< 12	3600	< 4.6	< 35	4800
1/9/2004	A4026101	8021	< 23	< 4.1	< 3.4	< 13	< 7.2	18	380	< 4.8	1300	< 1.8	25	1723
4/14/2004	A4331403	8021	< 120	< 20	< 17	< 66	< 36	< 40	1400	< 24	4500	< 9.2	< 71	5900
7/6/2004	A4636805	8021	< 23	< 4.1	< 3.4	< 13	< 7.2	< 8	540	< 4.8	1600	< 1.8	43	2183
10/7/2004	A4994204	8021	< 10	< 10	< 10	< 10	< 50	< 10	170	< 10	130	< 10	< 10	300
1/12/2005	A5036101	8260	< 1.9	< 3.2	6.9	4.5	< 4	6.1	600 D	5.5	2400 D	< 2.5	< 5.9	3023
4/4/2005	A5307501	8260	< 1.2	< 1	1.2	0.61 J	< 2.5	1.9	350 D	0.71 J	1500 BD	2	6.8	1863.22
7/11/2005	A5724602	8260/5M	< 5.1	< 5.6	5.3	< 6	< 5.5	< 6.3	410	< 5.6	870 D	< 6.4	18	1303.3
10/5/2005	A5B10702	8260	< 5.3	< 6.7	< 5.5	< 5.9	< 8.8	< 6.6	390	11	1300	< 7.3	13	1714
1/26/2006	A6102404	8260	< 1.2	< 1	2.3	0.69 J	< 2.5	1.9	200 D	2.5	900 D	< 1	2.4	1109.79
4/13/2006	6D14002-07	8260	< 1	< 1	2	< 1	< 2	2	146	< 1	636 D	< 1	6	792
7/11/2006	6G12005-01	8260	< 1	< 1	2	< 1	4	2	143	2	449 D	< 1	< 2	602
10/9/2006	6J10002-02	8260	< 1	< 1	< 1	< 1	< 2	2	114	< 1	871 D	< 1	3	990
1/9/2007	7A10006-02	8260	< 1	< 1	3	< 1	< 2	2	185	3	638 D	< 1	7	838
4/3/2007	7D04039-04	8260	< 1	< 1	6	2	< 2	3	302 D	6	1040 D	< 1	20	1379
7/5/2007	7G06018-05	8260	< 2	< 2	< 2	< 2	< 4	< 2	68	< 2	235	< 2	6	309
10/9/2007	7J10006-07	8260	< 2	< 2	4	< 2	< 4	3	304	< 2	1090 D	< 2	13	1414
1/7/2008	8A08003-08	8260	< 10	< 10	< 10	< 10	31	< 10	84	< 10	463	< 10	< 20	578
4/8/2008	8D09003-03	8260	< 5	< 5	12	< 5	16 B	< 5	455	7	1690 D	< 5	31	2211
7/21/2008	5420903	8260	< 1	< 0.8	1.3 J	< 0.8	< 2	1.6 J	120	< 0.8	1500	< 0.8	7.5	1630.4
10/14/2008	5498687	8260	< 50	< 40	110 J	54 J	< 100	60 J	10000	< 40	41000	< 40	180 J	51404
1/13/2009	5576508	8260	< 1	< 0.8	18	5	< 2	5.6	570	17	2100	< 0.8	30	2745.6
4/15/2009	5647722	8260	< 2	< 1.6	11	2.8 J	< 4	3.6 J	400	11	1300	< 1.6	19	1747.4
7/7/2009	5718471	8260	< 1	< 0.8	1.6 J	< 0.8	< 2	1.6 J	110	1.1 J	430	< 0.8	5.6	549.9
10/7/2009	5800383	8260	< 1	< 0.8	2.3 J	0.85 J	< 2	1.9 J	160	2 J	470	< 0.8	9.3	646.35
1/20/2010	5888923	8260	< 2	< 1.6	11	1.8 J	< 4	2.6 J	340	11	1200	< 1.6	11	1577.4
4/7/2010	5948422	8260	< 1	< 0.8	11	3.4 J	< 2	3.6 J	370	7.2	1300	< 0.8	24	1719.2
7/14/2010	6032689	8260	< 1	< 0.8	3 J	1.2 J	< 2	2 J	180	2.1 J	470	< 0.8	6.7	665
10/12/2010	6109752	8260	< 1	< 0.8	2.6 J	0.98 J	< 2	2.8 J	290	< 0.8	420	< 0.8	4.7 J	721.08
1/25/2011	6191894	8260	< 2.5	< 2	8.2 J	3 J	< 5	4 J	400	5.7 J	1800	< 2	12 J	2232.9
4/12/2011	6256717	8260	< 1	< 0.8	3.2 J	1.4 J	< 2	2.4 J	260	2.8 J	1400	< 0.8	2.9 J	1672.7
7/13/2011	6343975	8260	< 1	< 0.8	10	4.3 J	< 2	4.7 J	460	5.6	1700	< 0.8	42	2226.6
10/12/2011	6435899	8260	< 1	< 0.8	1.8 J	< 0.8	< 2	2.1 J	120	< 0.8	530	< 0.8	6.7	660.6
1/16/2012	6523838	8260	< 1	< 0.8	8.6	2.4 J	< 2	3.2 J	300	4.9 J	1400	< 0.8	14	1733.1
4/4/2012	6607023	8260	< 1	< 0.8	8.9	3 J	< 2	3.1 J	340	4.3 J	1400	< 0.8	18	1777.3
7/18/2012	6726430	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.92 J	58	< 0.8	210	< 0.8	2.5 J	271.42
10/2/2012	6810729	8260	< 1	< 0.8	1.3 J	0.99 J	< 2	2 J	230	1.1 J	860	< 0.8	1.6 J	1096.99
1/22/2013	6931418	8260	< 1	< 0.8	4.4 J	1.6 J	< 2	2.5 J	250	3.8 J	810	< 0.8	12	1084.3
4/4/2013	7011182	8260	< 1	< 0.8	2.1 J	1.1 J	< 2	1.7 J	220	1.5 J	610	< 0.8	9.4	845.8
7/8/2013	7120731	8260	< 1	< 0.8	2.6 J	1.5 J	< 2	2 J	260	1.1 J	660	< 0.8	14	941.2
11/12/2013	7275070	8260	< 1	< 0.8	1.4 J	0.86 J	< 2	1.4 J	180	< 0.8	560	< 0.8	8.5	752.16
1/16/2014	7340021	8260	< 10	< 8	32 J	10 J	< 20	10 J	1700	12 J	4700	< 8	66	6530
4/15/2014	7432588	8260	< 0.5	< 0.5	5.8	1.7	< 2	1.8	240	1.9	710	0.72 J	9.4	971.32
7/11/2014	7531033	8260	< 0.5	< 0.5	4	1.8	< 2	1.9	280	1.7	730	0.73 J	13	1033.13
10/6/2014	7626651	8260	< 0.5	0.63 J	1	0.55 J	< 2	0.83 J	83	< 0.5	250	< 0.5	3.9	339.91
1/7/2015	7732752	8260	< 0.5	3.9	6.5	1.6	< 2	1.9	260	6.1	680	0.8 J	10	970.8
4/15/2015	7849426	8260	< 1	< 1	55	15	< 4	12	1500	31	4500	5.6	110	6228.6

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **PW-1**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
7/7/2015	7958382	SW8260C	< 0.5	< 0.5	2.1	< 0.5	< 2	0.83 J	94	2.5	290	< 0.5	2.9	392.33
10/5/2015	8077930	SW8260C	< 0.5	< 0.5	1.9	0.59 J	< 2	1.4	150	3.6	380	< 0.5	3.5	540.99
1/5/2016	8197709	SW8260C	< 0.5	< 0.5	1.2	< 0.5	< 2	0.75 J	41	4.9	280	< 0.5	< 0.5	327.85
12/9/2016	240-73270-23	8260C	< 200	< 200	< 200	< 200	150 J	< 200	430	< 200	2200	< 200	< 200	2780
5/2/2017	240-79083-7	8260C	< 25	< 25	< 25	< 25	< 25	< 25	210	< 25	850	< 25	< 25	1060
11/1/2017	240-87694-14	8260C	< 50	< 50	< 50	< 50	< 50	< 50	340	< 50	1800	< 50	< 50	2140
4/17/2018	240-94331-23	8260C	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	33	< 2.0	69	< 2.0	< 2.0	102
8/20/2018	240-100225-5	624.1_P	< 50	< 50	< 50	< 50	< 100	< 25	240	< 50	1100	< 50	< 100	1340
9/26/2018	240-102125-2	8260C	< 25	< 25	< 25	< 25	< 130	< 25	170	< 25	740	< 25	< 25	910
4/3/2019	240-110627-5	8260C	< 63	< 63	11 J	< 63	< 310	< 63	430	17 J	1800	< 63	< 63	2258
11/20/2019	240-122631-1	624.1_L	< 100	< 100	< 100	< 100	< 500	< 50	840	25 J	4500	< 100	26 J	5391
3/30/2020	240-128375-17	8260C	< 50	< 50	< 50	< 50	< 250	< 50	620	< 50	3300	< 50	16 J	3936
10/26/2020	240-139061-3	8260C	< 20	< 20	< 20	< 20	< 100	< 20	120	6.4 J	740	< 20	< 20	866.4
4/21/2021	240-147939-18	8260C	< 400	< 400	< 400	< 400	< 2000	< 400	2200	< 400	15000	< 400	< 400	17200
10/28/2021	240-159076-17	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	87 D	< 1.0	130 D	< 1.0	0.91 J	217.91
4/11/2022	240-165066-4	8260C	< 50	< 50	< 50	< 50	< 250	< 50	360	< 50	1700	< 50	< 50	2060
10/17/2022	240-175103-7	8260D	< 50	< 50	< 50	< 50	< 250	< 50	180	< 50	1600	< 50	< 50	1780
3/20/2023	240-182590-7	8260D	< 100	< 100	< 100	< 100	< 500	< 100	610	< 100	4600	< 100	< 100	5210
10/18/2023	240-194049-5	8260D	< 100	< 100	< 100	< 100	< 500	< 100	2500	< 100	12000 D	< 100	< 100	14500
4/17/2024	240-203148-24	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	120	< 1.0	130	< 1.0	4.7	254.7
10/22/2024	240-213536-6	8260D	< 500	< 500	< 500	< 500	< 2500	< 500	4100	< 500	12000	< 500	< 500	16100

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **PW-2**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
12/31/1993		8260	< 0.5	< 0.5	< 0.5	< 0.5	0.73 *	< 0.5	14	< 0.5	290	< 0.5	1	305.73
1/1/1994		8260	< 5	< 5	< 5	< 5	< 5	< 5	< 5	< 5	210	< 5	< 10	210
1/2/1994		8260	< 5	< 5	< 5	< 5	< 5	< 5	6.2	< 5	210	< 5	< 10	216.2
1/3/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	4.2 *	< 0.5	15	< 0.5	250	< 0.5	3.7	272.9
1/4/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	22	< 0.5	200	< 0.5	4.4	226.4
1/7/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	0.73 *	< 0.5	29	< 0.5	700	< 0.5	0.84	730.57
1/11/1994		8260	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	48	0.67	320	< 0.5	2	370.67
1/13/1994		8260	< 0.5	< 0.5	1.1	< 0.5	0.76 *	< 0.5	35	0.94	190	< 0.5	7.6	235.4
1/20/1994		8260	< 1.2	< 0.5	0.72	< 1.3	< 2.5	< 1	22	0.58	50	< 0.3	4	77.3
1/27/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	20	< 0.5	210	< 0.3	2.1	232.1
4/8/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	< 1	7.1	< 0.5	104	< 0.3	< 1.8	111.1
6/10/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	22	1.2	13	< 0.5	280	< 0.3	2.3	318.5
7/6/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	1.2	38	0.67	260	< 0.3	2.4	302.27
8/16/1994		8260	< 12	5.2	< 7	< 13	< 25	< 10	120	5.2	760	< 3	< 18	890.4
10/7/1994		8260	< 1.2	< 0.5	< 0.7	< 1.3	< 2.5	0.86	39	< 0.5	26	< 0.3	2.2	68.06
1/25/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	4.7	< 1	38	< 1	< 2	42.7
4/4/1995		8260	< 1	< 1	< 1	< 1	< 1	< 1	48	< 1	160	< 1	< 2	208
6/27/1995		8260	< 5	< 5	< 5	< 5	< 5	< 5	44	< 5	520	< 5	< 10	564
10/10/1995		8260	< 12	< 5	< 10	< 7	< 25	< 10	110	< 6.4	900	< 7.9	< 18	1010
1/11/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	51	< 6.4	820	< 7.9	< 18	871
4/3/1996		8260	< 12	< 5	< 10	< 7	< 25	< 10	< 10	< 6.4	120	< 7.9	< 18	120
7/11/1996		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	28	< 0.64	83	< 0.79	< 1.8	111
10/4/1996		8260	< 12	7.6	< 10	< 7	< 25	< 10	100	< 6.4	280	< 7.9	< 18	387.6
1/29/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	11	< 6.4	450	< 7.9	< 18	461
4/16/1997		8260	< 120	< 50	< 100	< 70	< 250	< 100	180	< 64	8900	< 79	< 180	9080
7/16/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	27	< 6.4	350	< 7.9	< 18	377
10/24/1997		8260	< 12	< 5	< 10	< 7	< 25	< 10	120	< 6.4	1000	< 7.9	< 18	1120
1/19/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	3	< 0.64	81	< 0.79	< 1.8	84
4/24/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	11	< 0.64	110	< 0.79	< 1.8	121
7/24/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	28	< 0.64	26	< 0.79	< 1.8	54
10/8/1998		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	44	< 0.64	54	< 0.79	2.1	100.1
1/21/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	19	< 0.64	23	< 0.79	< 1.8	42
4/15/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	17	< 0.64	39	< 0.79	< 1.8	56
7/19/1999		8260	< 12	< 5	< 10	< 7	< 25	< 10	19	< 6.4	140	< 7.9	< 18	159
10/11/1999		8260	< 2	< 2	< 2	< 2	3.3	< 1	75	< 2	310	< 2	< 2	388.3
1/11/2000	A0018415	8021	< 4	< 4	< 4	< 4	14	< 4	230	< 4	1500 D	< 4	< 4	1744
4/19/2000	A0259417	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	11	< 1	49	< 1	< 1.8	60
7/12/2000	A0483107	8021	< 2	< 2	< 2	< 2	2.4 J	< 2	25	< 2	140	< 2	< 2	167.4
10/18/2000	A0751317	8021	< 2	< 2	< 2	< 2	2.9	< 2	28	< 2	130	< 2	< 2	160.9
1/15/2001	A1041301	8021	< 1.2	< 1	< 1	< 1	1.6 J	< 1	24	< 1	44	< 1	< 1.8	69.6
4/19/2001	A1361314	624	< 0.24	< 0.3	< 0.36	< 0.28	< 0.5	< 0.36	1.4	< 0.22	17	< 0.22	< 0.36	18.4
7/13/2001	A1663811	8021	< 1.2	1.5	< 1	< 1	5.3	< 1	24	< 1	88	< 1	< 1.8	118.8
10/15/2001	A1A17405	8021	< 80	< 80	< 80	< 80	< 80	< 80	370	< 80	3700	< 80	< 80	4070
1/23/2002	A2076704	8021	< 1.2	< 1	< 1	< 1	2 J	< 1	7.8	< 1	55	< 1	< 1.8	64.8
4/18/2002	A2378805	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	2.4	< 1	17	< 1	< 1.8	19.4
7/16/2002	A2722913	8021	< 1.2	< 1	< 1	< 1	2.6	< 1	16	< 1	110	< 1	< 1.8	128.6

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **PW-2**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/9/2002	A2A07509	8021	< 5	< 5	< 5	< 5	< 5	< 5	88	< 5	640	< 5	< 5	728
1/23/2003	A3075205	8021	< 5.8	< 1.8	< 2	< 3.3	< 7.4	< 3.1	31	< 3.7	270	< 6.6	< 2.6	301
4/9/2003	A3329401	8021	< 1.4	< 1	< 1	< 1	< 2.5	< 1	5	< 1	85	< 1.6	< 1.8	90

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **PW-3**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/13/2003	A3991406	8021	< 1.2	< 1	< 1	5	< 2.5	4.8	840 D	< 1	1500 D	2.8	40 D	2392.6
1/7/2004	A4012401	8021	< 29	< 5.1	< 4.2	< 16	< 9	< 10	490	< 5.9	1800	< 2.3	< 18	2290
4/14/2004	A4331401	8021	< 58	< 10	< 8.4	< 33	< 18	< 20	460	< 12	2400	< 4.6	< 35	2860
7/7/2004	A4636804	8021	< 23	< 4.1	< 3.4	< 13	< 7.2	< 8	440	< 4.8	1300	20	36	1796
10/13/2004	A4A09404	8021	< 1	< 1	< 1	3.1	< 1	2.5	490 D	< 1	1200 D	4.1	3.1	1702.8
1/12/2005	A5036105	8260	< 9.5	< 16	< 19	< 9.4	< 20	< 16	700	< 13	2200 D	< 13	< 29	2900
4/4/2005	A5307502	8260	< 1.2	< 1	< 1	2	< 2.5	3.8	500 D	< 1	3700 BD	35	4.9	4245.7
7/11/2005	A5724603	8260/5M	< 26	< 28	< 26	< 30	< 28	< 31	1400	< 28	3200	< 32	36	4636
10/5/2005	A5B10703	8260	< 5.3	< 6.7	< 5.5	< 5.9	< 8.8	< 6.6	800	< 5.3	1500	< 7.3	< 4.8	2300
1/24/2006	A6089105	8260	< 5.3	< 6.7	< 5.5	< 5.9	< 8.8	< 6.6	450	< 5.3	3700 D	18	< 4.8	4168
4/13/2006	6D14002-06	8260	< 1	< 1	< 1	< 1	< 2	1	298 D	< 1	946 D	10	4	1259
7/11/2006	6G12005-02	8260	< 1	< 1	< 1	5	3	5	1150 D	< 1	3150 D	8	5	4326
10/9/2006	6J10002-06	8260	< 1	< 1	< 1	4	< 2	6	1550 D	< 1	4620 D	3	4	6187
1/9/2007	7A10006-05	8260	< 5	< 5	< 5	< 5	39	< 5	437	< 5	1940 D	21	< 10	2437
4/3/2007	7D04039-05	8260	< 1	< 1	< 1	2	< 2	3	540 D	< 1	2250 D	18	9	2822
7/5/2007	7G06018-02	8260	< 20	< 20	< 20	< 20	< 40	< 20	1320	< 20	3120	< 20	61	4501
10/9/2007	7J10006-06	8260	< 20	< 20	< 20	< 20	< 40	< 20	1400	< 20	4220 D	< 20	< 40	5620
1/7/2008	8A08003-04	8260	< 5	< 5	< 5	< 5	< 10	< 5	849	< 5	362	< 5	24	1235
4/8/2008	8D09003-05	8260	< 10	< 10	< 10	< 10	35 B	12	2910 D	< 10	2120 D	< 10	154	5231
7/16/2008	5417446	8260	< 1	< 0.8	< 1	8	< 2	5.2	770	< 0.8	630	< 0.8	130	1543.2
10/14/2008	5498677	8260	< 2	< 1.6	< 2	10 J	< 4	6.4 J	1000	< 1.6	1400	< 1.6	31	2447.4
1/15/2009	5578620	8260	< 2	< 1.6	< 2	3.2 J	< 4	2.7 J	630	< 1.6	2000	< 1.6	48	2683.9
4/13/2009	5647718	8260	< 5	< 4	< 5	4.5 J	< 10	< 4	730	< 4	2200	< 4	50	2984.5
7/7/2009	5718469	8260	< 10	< 8	< 10	19 J	< 20	15 J	2600	< 8	5000	< 8	17 J	7651
10/6/2009	5799011	8260	< 5	< 4	< 5	11 J	< 10	8.6 J	1700	< 4	5500	< 4	8 J	7227.6
1/25/2010	5892346	8260	< 10	< 8	< 10	< 8	< 20	< 8	1400	< 8	6300	< 8	49 J	7749
4/6/2010	5946901	8260	< 5	< 4	< 5	4.3 J	< 10	5.1 J	940	< 4	4300	< 4	40	5289.4
7/21/2010	6039079	8260	< 5	< 4	< 5	28	< 10	20 J	2500	< 4	4000	< 4	13 J	6561
10/12/2010	6109759	8260	< 5	< 4	< 5	8.5 J	< 10	6.8 J	1400	< 4	3100	< 4	7 J	4522.3
1/24/2011	6190813	8260	< 5	< 4	< 5	4.5 J	< 10	4.2 J	970	< 4	3400	< 4	22 J	4400.7
4/12/2011	6256722	8260	< 2	< 1.6	< 2	3 J	< 4	4.3 J	560	< 1.6	2600	1.8 J	< 2	3169.1
7/18/2011	6348763	8260	< 5	< 4	< 5	8.7 J	< 10	6.9 J	1300	< 4	3100	< 4	26	4441.6
10/12/2011	6435906	8260	< 5	< 4	< 5	7.2 J	< 10	6.9 J	1100	< 4	2900	< 4	< 5	4014.1
1/19/2012	6527712	8260	< 2	< 1.6	< 2	2.3 J	< 4	2.7 J	500	< 1.6	2000	< 1.6	2.3 J	2507.3
4/4/2012	6607030	8260	< 2	< 1.6	< 2	3 J	< 4	3.4 J	570	< 1.6	2700	< 1.6	3.9 J	3280.3
7/10/2012	6716080	8260	< 1	< 0.8	< 1	9.5	< 2	8.2	1400	< 0.8	2900	2.4 J	4.1 J	4324.2
10/4/2012	6814362	8260	< 1	< 0.8	< 1	3.2 J	< 2	2.7 J	510	< 0.8	760	3.2 J	7.5	1286.6
1/24/2013	6934231	8260	< 1	< 0.8	< 1	< 0.8	< 2	1.1 J	160	< 0.8	740	4.1 J	1.4 J	906.6
4/2/2013	7007578	8260	< 1	< 0.8	< 1	0.81 J	< 2	1.1 J	170	< 0.8	510	8.2	1.7 J	691.81
7/2/2013	7117031	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	120	< 0.8	410	5.1	2.7 J	537.8
11/11/2013	7273098	8260	< 1	2.4 J	< 1	1 J	< 2	1.3 J	200	< 0.8	740	4.3 J	1.9 J	950.9
1/17/2014	7341386	8260	< 1	5.8	< 1	< 0.8	< 2	1.4 J	170	< 0.8	800	2.9 J	< 1	980.1
4/14/2014	7430458	8260	< 0.5	8.5	< 0.5	< 0.5	< 2	0.65 J	64	< 0.5	430	4.2	< 0.5	507.35
7/9/2014	7527875	8260	< 0.5	15	< 0.5	< 0.5	< 2	< 0.5	37	< 0.5	260	7	< 0.5	319
10/6/2014	7626649	8260	< 0.5	4.4	< 0.5	< 0.5	< 2	< 0.5	46	< 0.5	160	3.4	< 0.5	213.8
1/6/2015	7731159	8260	< 0.5	7	< 0.5	< 0.5	< 2	< 0.5	43	< 0.5	260	2.4	< 0.5	312.4

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **PW-3**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/15/2015	7849425	8260	< 0.5	2.4	< 0.5	< 0.5	< 2	0.75 J	81	< 0.5	560	16	< 0.5	660.15
7/13/2015	7965569	SW8260C	< 1	< 1	< 1	2.2	< 4	2.6	630	< 1	1200	4.8	25	1864.6
10/7/2015	8080778	SW8260C	< 0.5	< 0.5	< 0.5	3.2	< 2	4.2	1100	< 0.5	1300	3.1	1.5	2412
1/5/2016	8197707	SW8260C	< 1	< 1	< 1	1.9 J	< 4	2.8	680	< 1	1300	1.4 J	1.5 J	1987.6
12/8/2016	240-73270-10	8260C	< 33	< 33	< 33	< 33	< 33	< 33	350	< 33	920	< 33	< 33	1270
5/1/2017	240-78974-5	8260C	< 10	< 10	< 10	< 10	< 10	< 10	37	< 10	380	8.7 J	< 10	425.7
11/1/2017	240-87694-11	8260C	< 25	< 25	< 25	< 25	< 25	< 25	270	< 25	830	8.2 J	< 25	1108.2
4/13/2018	240-94116-7	8260C	< 100	< 100	< 100	< 100	< 100	< 100	250	< 100	1900	< 100	< 100	2150
7/16/2018	240-98766-2	8260C	< 25	< 25	< 25	< 25	< 130	< 25	620	< 25	950	8.7 J	13 J	1591.7
8/22/2018	240-100303-4	8260C	< 20	7.8 J	< 20	< 20	< 100	< 20	< 20	< 20	< 20	< 20	< 20	7.8
9/28/2018	240-102125-19	8260C	< 40	< 40	< 40	< 40	< 200	19 J	1400	< 40	1300	9.6 J	80	2808.6
10/30/2018	240-103813-5	8260C	< 25	< 25	< 25	< 25	< 130	11 J	1200	< 25	1400	5.5 J	27	2643.5
1/29/2019	240-107569-5	8260C	< 100	< 100	< 100	< 100	< 500	< 100	1400	< 100	410	< 100	96 J	1906
4/10/2019	240-110803-21	8260C	< 10	< 10	< 10	< 10	< 50	4.8 J	430	< 10	95	< 10	130	659.8
11/20/2019	240-122631-4	624.1_L	< 20	< 20	< 20	< 20	< 100	< 10	140	< 20	390	3.5 J	12 J	545.5
3/31/2020	240-128375-1	8260C	< 10	< 10	< 10	12	< 50	11	2800 D	< 10	1300 D	12	420	4555
10/27/2020	240-139061-11	8260C	< 25	< 25	< 25	< 25	< 130	< 25	560	< 25	1100	< 25	< 25	1660
4/21/2021	240-147939-19	8260C	< 200	< 200	< 200	67 J	< 1000	61 J	8900	< 200	8200	< 200	1700	18928
6/15/2021	480-186147-2	8260C	< 40	< 40	< 40	< 40	< 40	< 40	1400	< 40	1500	< 40	88	2988
6/29/2021	240-152161-3	8260C	< 20	< 20	< 20	< 20	< 100	< 20	570	< 20	750	< 20	15 J	1335
7/26/2021	240-153555-1	8260C	< 20	< 20	< 20	< 20	< 100	< 20	980	< 20	1300	< 20	98	2378
8/23/2021	240-155061-1	8260C	< 20	< 20	< 20	13 J	< 100	19 J	2900 D	< 20	2600 D	< 20	220	5752
10/25/2021	240-158968-3	8260C	< 100	< 100	< 100	< 100	< 500	< 100	2900	< 100	690	< 100	210	3800
4/14/2022	240-165119-3	8260C	< 200	< 200	< 200	< 200	< 1000	< 200	4400	< 200	5500	< 200	630	10530
10/17/2022	240-175103-6	8260D	< 20	< 20	< 20	< 20	< 100	< 20	1100	< 20	40	< 20	68	1208
3/20/2023	240-182590-6	8260D	< 400	< 400	< 400	< 400	< 2000	< 400	5700	< 400	11000	< 400	730	17430
10/18/2023	240-194049-2	8260D	< 40	< 40	< 40	< 40	< 200	< 40	2000	< 40	1400	< 40	130	3530
4/17/2024	240-203148-27	8260D	< 40	< 40	< 40	65	< 200	71	4700	< 40	12000	< 40	520	17356
10/22/2024	240-213536-3	8260D	< 63	< 63	< 63	< 63	< 310	< 63	1300	< 63	360	< 63	< 63	1660

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **PW-4**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/21/2009	5582430	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	8.4	< 0.8	55	< 0.8	< 1	63.4
4/16/2009	5649166	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.7 J	< 0.8	21	< 0.8	< 1	23.7
7/13/2009	5722294	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	62	< 0.8	350	< 0.8	1.4 J	413.4
10/6/2009	5799007	8260	< 1	< 0.8	1.2 J	< 0.8	< 2	< 0.8	62	6.3	480	< 0.8	1.5 J	551
1/26/2010	5893225	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.4 J	< 0.8	29	< 0.8	< 1	31.4
4/7/2010	5948424	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.1 J	< 0.8	26	< 0.8	< 1	29.1
7/21/2010	6039077	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	44	< 0.8	320	< 0.8	< 1	364
10/12/2010	6109760	8260	< 2	< 1.6	50	4.4 J	< 4	4 J	1000	27	59	< 1.6	150	1294.4
1/24/2011	6190812	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	16	< 0.8	140	< 0.8	< 1	156
4/12/2011	6256725	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.5 J	< 0.8	26	< 0.8	< 1	28.5
7/20/2011	6352279	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	13	< 0.8	110	< 0.8	< 1	123
10/12/2011	6435907	8260	< 1	< 0.8	< 1	< 0.8	< 2	0.93 J	59	< 0.8	480	< 0.8	< 1	539.93
1/19/2012	6527713	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	1.8 J	< 0.8	23	< 0.8	< 1	24.8
4/4/2012	6607025	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	3.7 J	< 0.8	29	< 0.8	< 1	32.7
7/19/2012	6728261	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	22	< 0.8	260	< 0.8	< 1	282
10/4/2012	6814369	8260	< 2	< 1.6	40	11	< 4	11	2200	14	380	< 1.6	310	2966
1/24/2013	6934235	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	36	< 0.8	38	< 0.8	2.3 J	76.3
4/2/2013	7007577	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	4 J	< 0.8	41	< 0.8	< 1	45
7/11/2013	7125531	8260	< 1	< 0.8	1.2 J	< 0.8	< 2	< 0.8	44	1.5 J	2 J	< 0.8	3 J	51.7
11/12/2013	7275079	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	17	< 0.8	5.5	< 0.8	1.3 J	23.8
1/17/2014	7341391	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	2.3 J	< 0.8	19	< 0.8	< 1	21.3
4/14/2014	7430457	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.7	< 0.5	16	< 0.5	< 0.5	17.7
7/10/2014	7529503	8260	< 0.5	2.9	< 0.5	< 0.5	< 2	< 0.5	1.3	< 0.5	6.9	< 0.5	< 0.5	11.1
10/6/2014	7626648	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	1.8	< 0.5	3.7	< 0.5	< 0.5	5.5
1/8/2015	7734022	8260	< 0.5	8.6	< 0.5	< 0.5	< 2	< 0.5	10	< 0.5	82	< 0.5	< 0.5	100.6
4/14/2015	7847240	8260	< 0.5	0.7 J	< 0.5	< 0.5	< 2	< 0.5	1.7	< 0.5	19	< 0.5	< 0.5	21.4
7/13/2015	7965562	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	4.7	< 0.5	21	< 0.5	< 0.5	25.7
10/7/2015	8080780	SW8260C	< 0.5	< 0.5	13	< 0.5	< 2	0.57 J	23	3	64	< 0.5	4.9	108.47
1/6/2016	8197838	SW8260C	< 0.5	< 0.5	53	4.4	< 2	2.4	270	110	460	0.69 J	75	975.49
12/9/2016	240-73270-22	8260C	< 18	< 18	6.6 J	< 18	12 J	< 18	340	< 18	480	< 18	< 18	838.6
5/2/2017	240-79083-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.6	< 1.0	20	< 1.0	< 1.0	21.6
11/1/2017	240-87694-15	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.2	0.84 J	14	< 1.0	< 1.0	16.04
4/13/2018	240-94116-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.2	< 1.0	14	< 1.0	< 1.0	15.2
9/26/2018	240-102125-4	8260C	< 20	< 20	18 J	< 20	< 100	< 20	260	45	620	3.1 J	5.5 J	951.6
4/10/2019	240-110803-23	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	5.7	0.55 J	21	< 1.0	< 1.0	27.25
11/20/2019	240-122631-5	624.1_L	< 2.0	< 2.0	4.2	0.56 J	< 10	< 1.0	23	13	62	< 2.0	< 2.0	102.76
4/1/2020	240-128428-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	2	0.28 J	9.8	< 1.0	< 1.0	12.08
10/26/2020	240-139061-4	8260C	< 13	< 13	2.9 J	< 13	< 63	< 13	76	< 13	680	< 13	4.4 J	763.3
4/21/2021	240-147939-20	8260C	< 50	< 50	< 50	< 50	< 250	< 50	300	29 J	1600	< 50	< 50	1929
10/28/2021	240-159076-18	8260C	< 10	< 10	< 10	< 10	< 50	< 10	87	11	300	< 10	< 10	398
4/13/2022	240-165065-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.4	1.6	18	< 1.0	< 1.0	23
10/17/2022	240-175103-17	8260D	< 1.0	< 1.0	25	3.1	< 5.0	2.2	240 D	76	1700 D	3	19	2068.3
3/20/2023	240-182590-19	8260D	< 1.0	< 1.0	0.63 J	< 1.0	< 5.0	< 1.0	8.7	7	40	< 1.0	< 1.0	56.33
10/18/2023	240-194049-4	8260D	< 1.0	< 1.0	1.6	< 1.0	< 5.0	< 1.0	37	3.2	350 D	0.83 J	< 1.0	392.63
4/19/2024	240-203148-44	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	3.7	2.2	18	< 1.0	< 1.0	23.9
10/22/2024	240-213536-2	8260D	< 1.0	< 1.0	2.4	0.56 J	< 5.0	1.3	130 D	3.3	790 D	1.4	< 1.0	928.96

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: QUARRY POND

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
4/20/1999		8260	< 1.2	< 0.5	< 1	< 0.7	< 2.5	< 1	< 1	< 0.64	< 1.2	< 0.79	< 1.8	0
10/12/1999		8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/26/2000	A0275219	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/18/2000	A0500410	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/19/2000	A0751305	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/24/2001	A1375203	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/19/2001	A1A28803	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/12/2002	A2351701	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
7/11/2002	A2708312	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/7/2002	A2999206	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/8/2003	A3329703	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/10/2003	A3983803	8021	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/5/2005	A5317607	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
10/6/2005	A5B19701	8260	< 1.2	< 1	< 1	< 1	< 2.5	< 1	< 1	< 1	< 1.2	< 1	< 1.8	0
4/13/2006	6D14002-04	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/10/2006	6J11002-10	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
4/4/2007	7D05011-06	8260	< 1	< 1	< 1	< 1	< 2	< 1	< 1	< 1	< 1	< 1	< 2	0
10/11/2007	7J12012-06	8260	< 1	< 1	< 1	< 1	2	< 1	< 1	< 1	< 1	< 1	< 2	2
4/16/2008	8D16026-02	8260	< 1	< 1	< 1	< 1	3 B	< 1	< 1	< 1	< 1	< 1	< 2	3
10/14/2008	5498681	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/20/2009	5651168	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/6/2009	5799014	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/7/2010	5948421	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/19/2010	6116889	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/14/2011	6259037	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/10/2011	6433656	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/4/2012	6607029	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
10/3/2012	6812012	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/9/2013	7016205	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
11/14/2013	7278194	8260	< 1	< 0.8	< 1	< 0.8	< 2	< 0.8	< 0.8	< 0.8	< 1	< 0.8	< 1	0
4/14/2014	7430448	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/2/2014	7623658	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
4/15/2015	7849421	8260	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
10/6/2015	8079118	SW8260C	< 0.5	< 0.5	< 0.5	< 0.5	< 2	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	0
12/6/2016	240-73125-7	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/27/2017	240-78855-10	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
11/2/2017	240-87694-18	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/18/2018	240-94333-3	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
9/28/2018	240-102125-16	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.16 J	< 1.0	< 1.0	< 1.0	< 1.0	0.16
4/5/2019	240-110803-1	8260C	< 1.0	0.18 J	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.18
11/20/2019	240-122631-9	624.1_L	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 0.50	< 0.50	< 1.0	< 1.0	< 1.0	< 1.0	0
3/26/2020	240-128236-12	8260C	< 1.0	0.24 J	< 1.0	< 1.0	< 5.0	< 1.0	0.24 J	< 1.0	< 1.0	< 1.0	< 1.0	0.48
10/29/2020	240-139252-9	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	0.29 J	< 1.0	0.16 J	< 1.0	< 1.0	0.45
4/19/2021	240-147939-2	8260C	< 1.0	0.58 J	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.58
10/26/2021	240-159076-6	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/12/2022	240-165066-5	8260C	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Well ID: **QUARRY POND**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
10/17/2022	240-175103-10	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
3/21/2023	240-182590-10	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/19/2023	240-194049-11	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
4/15/2024	240-203148-1	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0
10/22/2024	240-213536-8	8260D	< 1.0	< 1.0	< 1.0	< 1.0	< 5.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:

1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

MONITORING WELL GROUNDWATER ANALYTICAL RESULT SUMMARY
FORMER CARBORUNDUM COMPANY
SANBORN, NEW YORK

Well ID: **T-002**

Date	Lab Sample ID	Method	Carbon tetrachloride (µg/L)	Chloroform (µg/L)	1,1-Dichloroethane (µg/L)	1,1-Dichloroethene (µg/L)	Methylene chloride (µg/L)	trans-1,2-Dichloroethene (µg/L)	cis-1,2-Dichloroethene (µg/L)	1,1,1-Trichloroethane (µg/L)	Trichloroethene (µg/L)	Tetrachloroethene (µg/L)	Vinyl chloride (µg/L)	Total
1/23/2013	6932569	8260	< 1	< 0.8	74	11	< 2	4.8 J	580	440	1400	8	21	2538.8
4/8/2013	7015034	8260	< 1	< 0.8	46	< 0.8	< 2	1.4 J	300	5.3	780	3.9 J	30	1166.6
7/11/2013	7125537	8260	< 5	< 4	18 J	< 4	< 10	< 4	300	< 4	580	< 4	15 J	913
11/12/2013	7275082	8260	< 1	< 0.8	24	3.2 J	< 2	3.2 J	640	54	530	4.5 J	65	1323.9
1/20/2014	7342584	8260	< 1	< 0.8	32	5 J	< 2	3.7 J	970	88	540	4.2 J	84	1726.9
4/15/2014	7432589	8260	< 0.5	< 0.5	14	2.4	< 2	2.3	440	23	450	3.8	38	973.5
7/15/2014	7534321	8260	< 0.5	< 0.5	6.7	1.3	< 2	2.1	320	3.7	600	3.3	29	966.1
10/2/2014	7623671	8260	< 0.5	< 0.5	2.2	1.6	< 2	3.3	280	4.9	1400	5.9	1.2	1699.1
1/6/2015	7731165	8260	< 0.5	0.57 J	19	2.4	< 2	2.7	290	31	820	9.3	52	1226.97
4/15/2015	7849428	8260	< 0.5	0.52 J	9.1	1.7	< 2	2.5	360	11	960	8	22	1374.82
7/15/2015	7968766	SW8260C	< 0.5	< 0.5	5.2	0.71 J	< 2	1.7	250	5.6	630	4.6	17	914.81
10/7/2015	8080781	SW8260C	< 0.5	< 0.5	2.7	< 0.5	< 2	0.7 J	130	1.1	140	0.59 J	1.7	276.79
1/7/2016	8199641	SW8260C	< 0.5	< 0.5	9	1.6	< 2	1.1	210	2.3	96	< 0.5	25	345
1/10/2017	240-74284-2	8260C	< 4.0	< 4.0	3.0 J	< 4.0	5.6 B	< 4.0	93	< 4.0	50	< 4.0	2.2 J	153.8
5/3/2017	240-79160-6	8260C	< 10	< 10	3.5 J	< 10	< 10	< 10	180	< 10	300	< 10	8.6 J	492.1
11/3/2017	240-87694-7	8260C	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	< 4.0	190	< 4.0	380 D	4.2	6.9	581.1
4/17/2018	240-94331-11	8260C	< 25	< 25	< 25	< 25	< 25	< 25	220	< 25	640	< 25	11 J	871
8/20/2018	240-100225-1	624.1_P	< 5	< 5.0	4.4 J	0.91 J	< 10	3.6	230	1.1 J	240	3.2 J	7.1 J	490.31
9/26/2018	240-102125-8	8260C	< 10	< 10	7.1 J	< 10	< 50	< 10	400	< 10	160	1.9 J	19	588
4/10/2019	240-110803-26	8260C	< 13	< 13	8.9 J	2.7 J	< 63	4.1 J	640	< 13	670	3.5 J	36	1365.2
11/20/2019	240-122631-13	624.1_L	< 20	< 20	9.4 J	< 20	< 100	< 10	460	< 20	750	4.4 J	28	1251.8
4/1/2020	240-128428-8	8260C	< 10	< 10	7.1 J	2.0 J	< 50	3.2 J	430	< 10	790	4.3 J	25	1261.6
10/26/2020	240-139061-6	8260C	< 1.0	< 1.0	0.19 J	< 1.0	< 5.0	0.21 J	21	0.29 J	120 D	2.9	0.36 J	144.95
4/21/2021	240-147939-14	8260C	< 10	< 10	22	4.9 J	< 50	3.8 J	710	< 10	320	< 10	42	1102.7
10/25/2021	240-159076-2	8260C	< 10	< 10	< 10	< 10	34 J	< 10	260	< 10	760 D	< 10	11	1065
4/11/2022	240-165066-6	8260C	< 50	< 50	< 50	< 50	< 250	< 50	810	< 50	510	< 50	71	1391
10/17/2022	240-175103-12	8260D	< 5.0	< 5.0	8.2	< 5.0	< 25	< 5.0	340 D	< 5.0	48	< 5.0	58	454.2
3/20/2023	240-182590-12	8260D	< 50	< 50	< 50	< 50	< 250	< 50	580	< 50	1200	< 50	< 50	1780
10/18/2023	240-194049-1	8260D	< 10	< 10	13	< 10	< 50	< 10	710	< 10	740	5.4 J	51	1519.4
4/19/2024	240-203148-43	8260D	< 1.0	< 1.0	0.92 J	1.5	< 5.0	3.7	250	2	2000 J	14	0.53 J	2272.65
10/22/2024	240-213536-7	8260D	< 25	< 25	< 25	< 25	< 130	< 25	500	< 25	530	< 25	28	1058

< - Indicates parameter was analyzed for, but not detected at or above the reporting limit
To Address the NYSDEC concerns regarding the presentation and plotting of non-detected values, the data for 2001 to 2004 has been reevaluated and interpreted as follows:
1) Non-detected concentrations have been represented as '<' for reporting purposes.
2) Total VOCs have been recalculated and represented as the sum of the detected parameters shown on this table.
3) The method change to 8260 was approved by the NYSDEC and changed in January 2005.

B - The analyte is present in the associated method blank.
D - Result reported from a secondary dilution analysis.
E - Concentration exceeds the calibration range; Result is estimated.
J - Indicates an estimated value.
µg/L - micrograms per liter

Appendix E

SPDES Permit and 2024 Submittals

New York State Department of Environmental Conservation
Division of Environmental Permits, 4th Floor
625 Broadway, Albany, NY 12233-1750
Phone: (518) 402-9167 • **Fax:** (518) 402-9168
Website: www.dec.ny.gov

DEC - 7 2011

Joe Martens
Commissioner

William B. Barber
Elm Holdings Inc c/o BP Exploration
4850 E 49th St Rm MBC3-147
Cuyahoga Heights, OH 44125

FACILITY INFORMATION

NAME: Former Carborundum Complex – Cory Rd
LOCATION: Wheatfield (T)
COUNTY: Niagara
SPDES NO: NY 000 1988
DEC ID NO.: 9-2940-00059/00003

Dear SPDES Permittee:

Enclosed please find a validated NOTICE/RENEWAL APPLICATION/PERMIT form renewing your State Pollutant Discharge Elimination System (SPDES) permit for the referenced facility. This validated form, together with the previously issued permit (see issuance date of this permit in Part 3 of the NOTICE/RENEWAL APPLICATION/PERMIT form), and any subsequent permit modifications constitute authorization to discharge wastewater in accordance with all terms, conditions and limitations specified therein.

The instructions and other information that you received with the NOTICE/RENEWAL APPLICATION/PERMIT package fully described procedures for renewal and modification of your SPDES permit under the Environmental Benefit Permit Strategy (EBPS). As a reminder, SPDES permits are renewed at a central location in Albany in order to make the process more efficient. All other concerns with your permit such as applications for permit modifications, permit transfers to a new owner, name changes, and other questions should be directed to the Regional Permit Administrator at the following address:

Dave Denk
NYSDEC-Region 9
270 Michigan Avenue
Buffalo, NY 14203-2999
(716)851-7165

If you have already filed an application for modification of your permit, it will be processed separately through our regional office. If you have questions concerning this permit renewal, please contact Lindy Sue Czubernat at (518) 402-9165.

Sincerely,

Lindy Sue Czubernat

Agency Program Aide

Enclosure

cc: RPA
RWE
BWP

91-20-5 (5/97)

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
State Pollutant Discharge Elimination System (SPDES)
NOTICE / RENEWAL APPLICATION / PERMIT

Please read **ALL** instructions on the back before completing this application form. Please **TYPE** or **PRINT** clearly in ink.

PART 1 - NOTICE 05/10/2011

Permittee Contact Name, Title Address

ELM HOLDINGS INC C/O BP EXPLORATION
WILLIAM B. BARBER
4850 E 49TH ST, RM MBC3-147
CUYAHOGA HEIGHTSOH 44125

Facility and SPDES Permit Information

Name: FORMER CARBORUNDUM COMPLEX - CORY
Ind. Code: 9511 County: NIAGARA
DEC No.: 9-2940-00059/00003
SPDES No.: NY 000 1988
Expiration Date: 03/31/2012
Application Due By: 10/03/2011

Are these name(s) & address(es) correct? if not, please write corrections above

The State Pollutant Discharge Elimination System Permit for the facility referenced above expires on the date indicated. You are required by law to file a complete renewal application **at least 180 days prior to expiration of your current permit**. **Note the "Application Due By" date above**

CAUTION: This short application form and attached questionnaire are the only forms acceptable for permit renewal. Sign Part 2 below and mail only this form and the completed questionnaire using the enclosed envelope *Effective April 1, 1994 the Department no longer assesses SPDES application fees*

If there are changes to your discharge, or to operations affecting the discharge, then in addition to this renewal application, you must also submit a separate permit modification application to the Regional Permit Administrator for the DEC region in which the facility is located, as required by your current permit See the reverse side of this page for instructions on filing a modification request.

PART 2 - RENEWAL APPLICATION

CERTIFICATION: I hereby affirm that under penalty of perjury that the information provided on this form and all attachments submitted herewith is true to the best of my knowledge and belief. False statements made herein are punishable as a Class A misdemeanor pursuant to section 210 45 of the Penal Law.

William B. Barber — Name of person signing application (see instructions on back)

Project Manager — Title

William B Barber — Signature

Sept. 28, 2011 — Date

PART 3 - PERMIT (Below this line - Official Use Only)

Effective Date: 4/1/12 **Expiration Date:** 3/31/17

Stuart Fox
Permit Administrator

Address: NYSDEC - Division of Environmental Permits
Bureau of Environmental Analysis
625 Broadway, Albany, NY 12233-1750

Stuart M. Fox
Signature

DEC - 7 2011
Date

This permit together with the previous valid permit for this facility issued 4/1/07 and subsequent modifications constitute authorization to discharge wastewater in accordance with all terms, conditions and limitations specified in the previously issued valid permit, modifications thereof or issued as part of this permit, including any special or general conditions attached hereto. Nothing in this permit shall be deemed to waive the Department's authority to initiate a modification of this permit on the grounds specified in 6NYCRR §621 14, 6NYCRR §754 4 or 6NYCRR §757 1 existing at the time this permit is issued or which arise thereafter.

~~Attachments: General Conditions dated __/__~~

11 SEP 29 P1 2:22

91-20-5a (5/97)

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Please enter the numbers from your current permit:

DEC Number 9 - 2940 - 00059 / 0000 - 3

SPDES Number NY 000 1988

SPDES RENEWAL APPLICATION QUESTIONNAIRE

THIS PAGE MUST BE COMPLETED AND RETURNED WITH YOUR COMPLETED APPLICATION

Please TYPE or PRINT neatly using adequate pressure to make ALL copies legible Keep a copy for your records

1 Has the SPDES permit for your facility been modified in the past 5 years ☒ YES ☐ NO

2 Dischargers who use, manufacture, store, handle or discharge toxic or hazardous pollutants are subject to Industrial Best Management Practices (BMP) plan requirements for toxic or hazardous substances. A BMP plan prevents or minimizes the potential for release of pollutants to receiving waters from such ancillary industrial activities, including material storage areas; plant site runoff; in-plant transfer; process and material storage areas; loading and unloading operations, and sludge and waste disposal areas

Does your facility conduct ancillary activities as described above, which are not covered by BMP requirements in your current permit? ☐ YES ☒ NO

Please indicate which of the following best describes the situation at your facility:

☐ None of the concerns on the "Self Evaluation List" seem to apply to my facility at this time and I will not be applying for a modification of the SPDES permit in the foreseeable future

☐ Yes, some of the items on the "Self Evaluation List" have led me to believe that the permit for this facility needs to be modified I already have a complete modification application pending with the Department

☐ Yes, some of the items on the "Self Evaluation List" have led me to believe that the SPDES permit for this facility may need to be Modified I have requested the appropriate forms by phone OR I have completed and attached the "Request For SPDES Application Forms" (included in this renewal package) to allow me to submit a permittee-initiated Modification application See The "Request For SPDES Application Forms" page for a toll free 800 number

☒ The items on the "Self Evaluation List" have left me unable to conclude whether my permit needs to be modified at this time I am reporting the following general concerns about my permit:

A vault water collection and conveyance system was approved by the NYSDEC in July 2011. The vault water collection and conveyance piping will route the collected water to the current groundwater treatment system. A copy of the approved system design can be transmitted to NYSDEC if requested. Operation of the vault water collection system is estimated to begin in the spring of 2012. After vault water collection system installation the operating parameters of the recovery system will be evaluated to determine if permit modifications are warranted. At present flow is anticipated to remain within current permit limits and no changes in water chemistry are anticipated.

DISTRIBUTION: Regional Water Engineer
Regional Permit Administrator
Central Office (BWP)

DMR Copy of Record

Permit					
Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		
Report Dates & Status					
Monitoring Period:	**From 01/01/24 to 01/31/24**	**DMR Due Date:**	**02/28/24**	**Status:**	**NetDMR Validated**
Considerations for Form Completion					
PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.					
Principal Executive Officer					
First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				
No Data Indicator (NODI)					
Form NODI:	--				

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	57.6	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	39644.0	=	41857.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.19			=	7.79	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								=	1.1	=	1.6	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								=	2.3	=	3.6	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	1.1	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										=	3.1	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										=	0.077	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	19.0	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															

01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.2	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.3	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample								<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample								<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample								<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI															
46000	**Phenols**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample										<	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI															
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample								=	0.65	=	0.69	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ELM HOLDINGS, INC

User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-02-28 15:04 (Time Zone: -05:00)

Report Last Signed By

User:	james.kaczor@aecom.com

Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-02-28 15:23 (Time Zone: -05:00)

DMR Copy of Record

Permit					
Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		
Report Dates & Status					
Monitoring Period:	**From 02/01/24 to 02/29/24**	**DMR Due Date:**	**03/28/24**	**Status:**	**NetDMR Validated**
Considerations for Form Completion					
PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.					
Principal Executive Officer					
First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				
No Data Indicator (NODI)					
Form NODI:	--				

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	59.0	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	53937.0	=	73329.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.17			=	7.86	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<	0.4	=	0.4	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								=	1.6	=	1.9	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	0.46	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	1.6	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															

01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.77	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.85	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample								<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample								<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample								<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI															
46000	**Phenols**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample										<	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI															
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample								<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ELM HOLDINGS, INC

User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-03-28 16:05 (Time Zone: -04:00)

Report Last Signed By

User:	james.kaczor@aecom.com

Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-03-28 16:06 (Time Zone: -04:00)

DMR Copy of Record

Permit					
Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		
Report Dates & Status					
Monitoring Period:	**From 03/01/24 to 03/31/24**	**DMR Due Date:**	**04/28/24**	**Status:**	**NetDMR Validated**
Considerations for Form Completion					
PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.					
Principal Executive Officer					
First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				
No Data Indicator (NODI)					
Form NODI:	--				

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	62.2	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	55760.0	=	63095.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.73			=	7.99	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<=	0.4	=	0.4	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								=	2.25	=	2.4	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	0.57	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	4.1	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															

01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.99	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.0	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI															
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample								<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample								<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample								<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample								<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI															
46000	**Phenols**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample										=	0.03	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI															
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample								<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample								<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.									Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By

ELM HOLDINGS, INC

User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-04-24 16:30 (Time Zone: -04:00)

Report Last Signed By

User:	james.kaczor@aecom.com

Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-04-25 09:10 (Time Zone: -04:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 04/01/24 to 04/30/24**	**DMR Due Date:**	**05/28/24**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	61.3	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	54635.0	=	62040.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.45			=	8.5	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<=	0.95	=	1.5	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								=	1.75	=	1.8	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	0.82	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24

					Value NODI																
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	2.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.0	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.0	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI																
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI																
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											<	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI																
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
ELM HOLDINGS, INC	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-05-28 16:11 (Time Zone: -04:00)
Report Last Signed By	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-05-28 17:09 (Time Zone: -04:00)

AECOM
50 Lakefront Boulevard, Suite 111
Buffalo, New York 14202

716-856-5636 tel
www.aecom.com

SUBMITTED VIA ELECTRONIC MAIL

April 2, 2024

Ms. Denine Jackson, EIT
New York State Department of Environmental Conservation
Division of Water, Region 9
700 Delaware Avenue
Buffalo, NY 14209

Subject: Groundwater Remediation System Mitigation Progress
Response to NYSDEC Notice of Violation
Former Carborundum Facility, Village of Sanborn, Town of Wheatfield, New York
SPDES Permit No. NY0001988

Dear Ms. Jackson,

On behalf of Elm Holdings Inc. (an affiliate of bp's Remediation Management Services Company [RMSC]), AECOM Technical Services, Inc. (AECOM) is providing this update to New York State Department of Environmental Conservation (NYSDEC) regarding remediation at the above-referenced site in furtherance of AECOM's response to the Notice of Violation dated July 11, 2023 (NOV). The NOV was issued as a result of exceedances of the permitted discharge limit for lead (Pb) of 25 micrograms per liter (µg/l) in the groundwater remediation system (GRS) effluent at the former Carborundum Facility in Sanborn, New York in November 2022 (57 µg/l) and January 2023 (30 µg/l).

On August 15, 2023, AECOM presented a response on behalf of Elm Holdings Inc. to the NOV to NYSDEC. The response letter included:

- An evaluation of State Pollution Discharge Elimination System (SPDES) sampling results.
- A summary of additional samples collected at multiple locations within the GRS to identify potential Pb sources.
- A list of potential sources identified.
- Actions AECOM intended to take to mitigate the SPDES Pb exceedances.

Since submittal of the August 15, 2023 letter, the SPDES Pb levels were below the discharge limit of 25 µg/l in July, August, September, and December 2023 and January 2024 (15 µg/l, 11 µg/l, 12 µg/l, 11 µg/l and 19 µg/l, respectively). In October (88 µg/l) and November 2023 (63 µg/l), the SPDES Pb levels exceeded the discharge limit. As further detailed below, no exceedances have occurred since November 2023.

AECOM has continued efforts to identify the sources of the elevated effluent Pb levels and mitigate them. One potential source is particulates possibly related to the granular activated (GAC) vessels in the GRS treatment train. AECOM evaluated alternatives to the existing GAC vessels that would provide a similar or greater level of treatment and developed design options. AECOM subsequently evaluated subcontractor and vendor bids and procured the subcontractors and materials for installation.

As described in AECOM's email correspondence dated February 27, 2024, a new 2,000-lb. GAC vessel was installed into the GRS on February 1 and 2, 2024. The new GAC vessel was installed in a configuration that allowed the air stripper effluent to run through the new vessel as an alternate to

the existing GAC vessels, which were considered potential sources of Pb. Since February 2, 2024, the effluent has been run only through the new GAC vessel, bypassing the older vessels. The older vessels remain in-place and are available for use if needed. In addition, on February 2, 2024, sediment was removed from effluent tank T-802, and the tank was pressure-washed. The sediment in tank T-802 was surmised to be a possible source of elevated Pb in effluent samples.

On February 15, 2024, the first effluent sample following the GAC vessel installation and tank clean-out was collected. The total Pb result in the effluent sample was 1.6 µg/l, which is the lowest effluent total Pb concentration since November 2016. The SPDES Discharge Monitoring Report DMR including this result was submitted via EPA's NetDMR on March 28, 2024. The March 2024 effluent sample was collected on March 7, 2024. The total Pb result from the March effluent sample is 4.1 µg/L.

The first two Pb sample results following installation of the new GAC vessel and cleaning of the effluent tank have been among the lowest observed for several years. AECOM will continue to operate the GRS in the current configuration through 2024 to evaluate whether additional alterations to the GRS are warranted.

Another potential Pb source is the vaults in the Metaullics building located north of the GRS building. Sumps in the vaults collect water that could be impacted by Pyrotek's manufacturing processes. This water is relayed through the Vault Water Collection and Conveyance System (VWCCS) to Tank T-001 in the GRS. This potential source is beyond the immediate, reasonable control of Elm Holdings Inc. AECOM has requested that Pyrotek clean out the vaults that collect water that is pumped to the GRS. To date, Pyrotek has been unwilling to do so. AECOM also requested Safety Data Sheets (SDSs) for the materials used around the vaults, but Pyrotek has not provided that information. AECOM will continue its efforts to secure the cooperation of Pyrotek to clean out the vaults to address this potential source of Pb.

Lastly, it bears reiterating that Pb is naturally occurring in the subsurface, beyond any party's control. The levels of naturally occurring Pb in groundwater recovered by the GRS have been observed above the discharge limit of 25 ug/l in individual extraction wells since 2010.

Elm Holdings Inc. and AECOM will continue its evaluation and efforts to prevent further exceedances and comply with the NYSDEC requirements in the future. Effluent sample results will be submitted in the monthly SPDES DMRs and details of continued GRS operations will be summarized in the 2024 Periodic Review Report. Please feel free to contact me via e-mail or at (973) 883-8500, or James Kaczor via email or at (716) 856-5636, if you have any questions regarding this submittal.

Sincerely yours,

Mark T. Becker, PG
Sanborn Site Leader
mark.becker@aecom.com

James L. Kaczor, PG
Sanborn Deputy Site Leader
james.kaczor@aecom.com

cc: Jim Smith, Elm Holdings Inc.
Lauren Roberts, AECOM
Project File 60481767/Sanborn

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Water, Region 9
700 Delaware Avenue, Buffalo, NY 14209
P: (716) 851-7070 | F: (716) 851-7009
www.dec.ny.gov

April 30, 2024

James L. Kaczor, P.G.
AECOM
50 Lakefront Blvd
Suite 111
Buffalo, New York 14202

Elm Holdings, Inc.
4850 East 49th Street
MBC3-147
Cleveland, Ohio 44125

Dear James Kaczor:

Annual Compliance Inspection
Elm Holdings Inc.
Former Carborundum Complex
SPDES No. NY0001988

On April 25, 2024, I conducted an annual compliance inspection at Elm Holdings Inc. (Elm Holdings), Former Carborundum Complex, for compliance with the requirements of its State Pollutant Discharge Elimination System (SPDES) permit. The inspection included a visual inspection of the wastewater treatment system. No samples of the treatment plant influent or effluent were collected by this Department at the time of the inspection.

A review of the facility's Discharge Monitoring Reports (DMRs) submitted since the last inspection indicated that Elm Holdings reported eight effluent permit violations: seven violations for Total Lead and one violation for one violation for Zinc.

A Notice of Violation (NOV) was sent July 11, 2023 citing the violation of ECL 17-0509 (Minimum treatment required) and the requirement to comply with all terms and conditions of the permit, as outlined in 6 NYCRR 750-2.1(e) for lead violations between November 2022 through January 2023.

Elm Holdings responded to this NOV on August 15, 2023, with a thorough investigation of possible sources of lead and corrective actions that would attempt to resolve the consistent lead effluent violations.

On April 2, 2024, Elm Holdings submitted the findings of their evaluations and corrective actions. Particulates related to the granular activated (GAC) vessels in the groundwater remediation system (GRS) treatment train were identified as a source of accumulated lead that resulted in increased lead levels in the effluent.

On February 1 and 2, 2024 a new 2,000 lb GAC vessel was installed into the GRS. Sediment was removed from the T-802 effluent tank and the tank was pressure-washed. Effluent samples taken since the introduction of the new GAC vessel and the removal of sediment from the T-802 effluent tank have been below the effluent limit, indicating the corrective actions were successful in mitigating increased levels of lead in the untreated wastewater.

As of the date of this letter, Elm Holdings has satisfied the requirements of the NOV and has returned to compliance with the SPDES permit.

The sampling program for the storm sewers has concluded. The plan is to evaluate a pathway for permanent shutdown of the GRS and move to treating the groundwater in-situ to address any contamination that would end up in the storm sewers. This will be coordinated with Elm Holdings, AECOM, and NYSDEC Division of Environmental Remediation.

Based on the results of the inspection and except as noted above, this office has determined that Elm Holdings is in substantial compliance with the requirements of its SPDES permit. Contact me at (716) 851-7090 or at denine.jackson@dec.ny.gov if you have any questions or concerns.

Sincerely,

Denine N. Jackson

Denine N. Jackson
Assistant Engineer

DNJ/sed

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 05/01/24 to 05/31/24**	**DMR Due Date:**	**06/28/24**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	64.2	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	23726.0	=	44326.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.12			=	7.99	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<	0.4	=	0.4	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								<	1.0	<	1.0	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										<	0.76	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24

					Value NODI																
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	5.0	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.92	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.93	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI																
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI																
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											<	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI																
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
ELM HOLDINGS, INC	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-06-26 15:14 (Time Zone: -04:00)
Report Last Signed By	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-06-29 09:04 (Time Zone: -04:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 06/01/24 to 06/30/24**	**DMR Due Date:**	**07/28/24**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	69.1	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	32274.0	=	32407.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.81			=	7.91	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<=	0.5	=	0.6	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								=	1.05	=	1.1	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	0.82	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										=	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24

					Value NODI																
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	5.9	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.1	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.99	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI																
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<=	2.3	=	2.6	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI																
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											<	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI																
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
ELM HOLDINGS, INC	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-07-26 15:27 (Time Zone: -04:00)
Report Last Signed By	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-07-28 08:52 (Time Zone: -04:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 07/01/24 to 07/31/24**	**DMR Due Date:**	**08/28/24**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	70.3	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	17220.0	=	33651.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.33			=	7.84	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<	0.75	=	1.1	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								<	1.1	=	1.2	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	1.0	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24

					Value NODI																
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	5.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.1	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.1	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI																
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI																
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											<	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI																
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
ELM HOLDINGS, INC	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-08-26 14:13 (Time Zone: -04:00)
Report Last Signed By	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-08-28 14:23 (Time Zone: -04:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 08/01/24 to 08/31/24**	**DMR Due Date:**	**09/28/24**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	72.5	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	28475.0	=	31911.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.19			=	7.72	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<	0.55	=	0.7	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								=	1.25	=	1.4	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	0.95	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										=	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24

					Value NODI																
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										=	8.6	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										=	0.11	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	13.0	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.96	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.2	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI																
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI																
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											<	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI																
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
ELM HOLDINGS, INC	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-09-27 17:00 (Time Zone: -04:00)
Report Last Signed By	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-09-27 17:00 (Time Zone: -04:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 09/01/24 to 09/30/24**	**DMR Due Date:**	**10/28/24**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	66.7	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	48233.0	=	49715.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.25			=	7.41	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								=	0.95	=	1.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
X 00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								=	20.8	=	40.0	19 - mg/L	1	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	0.91	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24

					Value NODI																
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										=	2.3	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	5.9	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.91	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.98	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI																
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI																
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											=	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI																
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Parameter		Monitoring Location	Field	Type	Description	Acknowledge
Code	Name					
00556	Oil & Grease	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. Please verify that the value you have provided is correct.	Yes

Comments

Condition noted on 9/5/24 cleared not later than next sample event on 9/17/24. Additional details provided in attached non-compliance report.

Attachments

Name	Type	Size
NY0001988_noncomprep_p-e_2024-09-30_Oil-Grease.pdf	pdf	306921.0

Report Last Saved By

ELM HOLDINGS, INC

User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-10-28 18:29 (Time Zone: -04:00)

Report Last Signed By

User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-10-28 18:29 (Time Zone: -04:00)

Appendix B

SECTION 1

New York State Department of Environmental Conservation
Division of Water

Report of Noncompliance Event

To: DEC Water Contact Denine Jackson ***DEC Region:*** 9

Report Type: ___ *5 Day* ___ *Permit Violation* ___ *Order Violation* ___ *Anticipated Noncompliance* ___ *Bypass/Overflow* ✔ *Other*

SECTION 2

SPDES #: NY- NY0001988 **Facility:** Former Carborundum Complex

Date of noncompliance: 09/05/2024 **Location (Outfall, Treatment Unit, or Pump Station):** 01-A

Description of noncompliance(s) and cause(s): Bi-monthly oil and grease sample collected on 9/5/24 measured 40 mg/L (max discharge criterion 15 mg/L). Follow-up bi-monthly sample collected on 9/17/24 measured 1.6 mg/L. Potential causes for event were evaluated including possible contribution from VWCC system vaults. No evidence of a specific event was identified.

Has event ceased? Yes **If so, when?** 9/17/24 **Was event due to plant upset?** No **SPDES limits violated?** Yes

Start date, time of event: 09/05/2024, 10:00 am **End date, time of event:** 09/17/2024 10:00 am

Date, time oral notification made to DEC? 10/28/2024, 5:00 pm **DEC Official contacted:** Denine Jackson

Immediate corrective actions: Sorbent socks in VWCC system tanks T-001 and T-002 were inspected and found to be in serviceable condition but were replaced as a preventative maintenance action.

Preventive (long term) corrective actions: Ensure sorbent socks in VWCC tanks T-001 and T-002 are inspected and replaced in accordance with regular inspection and maintenance cycle.

SECTION 3

Complete this section if event was a bypass:

Bypass amount: _____ Was prior DEC authorization received for this event? No

DEC Official contacted: _____ Date of DEC approval: _____

Describe event in "Description of noncompliance and cause" area in Section 2. Detail the start and end dates and times in Section 2 also.

SECTION 4

Facility Representative: James Kaczor **Title:** Attorney-in-Fact for Elm Holdings Inc. **Date:** 10/28/24

Phone #: (716-856-5636 **Fax #:** (N/A)

I Certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

✔ _____

Signature of Principal Executive Officer or Authorized Agent

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 10/01/24 to 10/31/24**	**DMR Due Date:**	**11/28/24**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	65.5	15 - deg F	0	01/30 - Monthly	GR - GRAB
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - GRAB
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	16734.0	=	20385.0	07 - gal/d								0	99/99 - Continuous	MT - METER
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - METER
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	6.6			=	7.36	12 - SU	0	01/07 - Weekly	GR - GRAB
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - GRAB
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<	0.4	=	0.4	19 - mg/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								=	1.3	=	1.4	19 - mg/L	0	02/30 - Twice Per Month	GR - GRAB
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - GRAB
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	0.89	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24

					Value NODI																
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	3.1	28 - ug/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.94	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	0.88	19 - mg/L	0	01/30 - Monthly	24 - COMP24
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - COMP24
					Value NODI																
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - COMP-8
					Value NODI																
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - COMP24
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - COMP24
					Value NODI																
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											<	0.01	19 - mg/L	0	01/30 - Monthly	GR - GRAB
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - GRAB
					Value NODI																
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - COMP-8
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - COMP-8
					Value NODI																

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
ELM HOLDINGS, INC	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-11-24 20:07 (Time Zone: -05:00)
Report Last Signed By	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-11-26 20:26 (Time Zone: -05:00)

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 11/01/24 to 11/30/24**	**DMR Due Date:**	**12/28/24**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	64.6	15 - deg F	0	01/30 - Monthly	GR - Grab
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - Grab
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	1056.0	=	1420.0	07 - gal/d								0	99/99 - Continuous	MT - Meter
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - Meter
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - 24 Hour Composite
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - 24 Hour Composite
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	6.63			=	8.0	12 - SU	0	01/07 - Weekly	GR - Grab
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - Grab
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								=	0.55	=	0.7	19 - mg/L	0	02/30 - Twice Per Month	24 - 24 Hour Composite
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - 24 Hour Composite
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								<=	1.74	=	2.5	19 - mg/L	0	02/30 - Twice Per Month	GR - Grab
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - Grab
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	2.3	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite

					Value NODI															
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample									<	1.7	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite	
					Permit Req.									<=	19.0 DAILY MX	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite	
					Value NODI															
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample									<	0.047	19 - mg/L		01/30 - Monthly	24 - 24 Hour Composite	
					Permit Req.									<=	1.0 DAILY MX	19 - mg/L	0	01/30 - Monthly	24 - 24 Hour Composite	
					Value NODI															
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample									=	2.4	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite	
					Permit Req.									<=	25.0 DAILY MX	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite	
					Value NODI															
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample									=	2.2	19 - mg/L		01/30 - Monthly	24 - 24 Hour Composite	
					Permit Req.										Req Mon DAILY MX	19 - mg/L	0	01/30 - Monthly	24 - 24 Hour Composite	
					Value NODI															
X 01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample									=	2.2	19 - mg/L		01/30 - Monthly	24 - 24 Hour Composite	
					Permit Req.									<=	2.0 DAILY MX	19 - mg/L	1	01/30 - Monthly	24 - 24 Hour Composite	
					Value NODI															
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	02/30 - Twice Per Month	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	02/30 - Twice Per Month	08 - 8 Hour Composite
					Value NODI															
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<	2.0	<	2.0	28 - ug/L	02/30 - Twice Per Month	24 - 24 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L	0	02/30 - Twice Per Month	24 - 24 Hour Composite
					Value NODI															
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											<	0.01	19 - mg/L	01/30 - Monthly	GR - Grab
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L	0	01/30 - Monthly	GR - Grab
					Value NODI															
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

Parameter		Monitoring Location	Field	Type	Description	Acknowledge
Code	Name					
01092	Zinc, total [as Zn]	1 - Effluent Gross	Quality or Concentration Sample Value 3	Soft	The provided sample value is outside the permit limit. Please verify that the value you have provided is correct.	Yes

Comments

See attachment for details regarding total Zn result.

Attachments

Name	Type	Size
NY0001988_noncomprep_2024-12_28_Zn.pdf	pdf	308814.0

Report Last Saved By

ELM HOLDINGS, INC

User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-12-28 18:18 (Time Zone: -05:00)

Report Last Signed By

User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2024-12-28 18:18 (Time Zone: -05:00)

Appendix B

SECTION 1

New York State Department of Environmental Conservation
Division of Water

Report of Noncompliance Event

To: DEC Water Contact Denine Jackson ***DEC Region:*** 9

Report Type: ___ *5 Day* ___ *Permit Violation* ___ *Order Violation* ___ *Anticipated Noncompliance* ___ *Bypass/Overflow* ✔ *Other*

SECTION 2

SPDES #: NY- NY0001988 **Facility:** Former Carborundum Complex

Date of noncompliance: 09/05/2024 **Location (Outfall, Treatment Unit, or Pump Station):** 01-A

Description of noncompliance(s) and cause(s): Bi-monthly oil and grease sample collected on 9/5/24 measured 40 mg/L (max discharge criterion 15 mg/L). Follow-up bi-monthly sample collected on 9/17/24 measured 1.6 mg/L. Potential causes for event were evaluated including possible contribution from VWCC system vaults. No evidence of a specific event was identified.

Has event ceased? Yes **If so, when?** 9/17/24 **Was event due to plant upset?** No **SPDES limits violated?** Yes

Start date, time of event: 09/05/2024, 10:00 am **End date, time of event:** 09/17/2024 10:00 am

Date, time oral notification made to DEC? 10/28/2024, 5:00 pm **DEC Official contacted:** Denine Jackson

Immediate corrective actions: Sorbent socks in VWCC system tanks T-001 and T-002 were inspected and found to be in serviceable condition but were replaced as a preventative maintenance action.

Preventive (long term) corrective actions: Ensure sorbent socks in VWCC tanks T-001 and T-002 are inspected and replaced in accordance with regular inspection and maintenance cycle.

SECTION 3

Complete this section if event was a bypass:

Bypass amount: _____ Was prior DEC authorization received for this event? No

DEC Official contacted: _____ Date of DEC approval: _____

Describe event in "Description of noncompliance and cause" area in Section 2. Detail the start and end dates and times in Section 2 also.

SECTION 4

Facility Representative: James Kaczor **Title:** Attorney-in-Fact for Elm Holdings Inc. **Date:** 10/28/24

Phone #: (716-856-5636) **Fax #:** (N/A)

I Certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

✔ _____

Signature of Principal Executive Officer or Authorized Agent

INSTRUCTIONS

The Division of Water developed this standardized form to simplify the reporting of noncompliance events. The SPDES Permit General Conditions, require that certain discharges of untreated or partially treated sewage must be reported orally within either 2 hours[1] or 24 hours and also in writing within five (5) days as required by the appropriate regulation. All other permit noncompliance shall be reported as attachments to the Discharge Monitoring Report (DMR). This form should be used for these events as well as to report noncompliance relating to consent orders, scheduled events and bypass events.

All necessary information can readily be reported to DEC on this form. Additional information required to describe the event can be attached. **Please make additional copies of this form and use as needed**. Instructions are provided below. For questions on form use please contact the appropriate office listed below for the county where your permitted facility is located. Thank you for your cooperation.

Instructions to complete and submit Noncompliance Report

1. Provide facility information and all applicable event details in Sections 1 through 3. Dates should be completed in month/day/year format.

2. Provide your name, title, business phone number, and date report was completed in Section 4. Use additional sheets as needed to provide full detail of the event in Section 2.

3. For 5-day written reports, mail or fax the completed form to the appropriate DEC Regional Office listed below. Attach all other noncompliance reports to the DMR submittal (be sure to attach to each set of DMR copies) or mail separately if related to consent order/scheduled event noncompliance. After hours and weekend reporting of unusual discharge events of other noncompliance must be reported through the DEC Telephone Hotline, which is 1-800-457-7362.

DEC Regional Offices:

REGION 1 Regional Water Engineer NYS SUNY , Bldg. 40 Loop Road Stony Brook, NY 11790-2356 Phone: 631-444-0405 Fax: 631-444-0373 **Counties:** Nassau Suffolk	**REGION 2** Regional Water Engineer One Hunters Point Plaza 47-40 21st St. Long Island City, NY 11101-5407 Phone: 718-482-4900 Fax: 718-482-6516 **Counties:** Queens Bronx New York Richmond Kings	**REGION 3** ** Regional Water Engineer 21 So. Putt Corners Rd New Paltz, NY 12561-1696 Phone: 845-256-3000 Fax: 845-255-0714 **Counties:** Rockland Dutchess Sullivan Orange Ulster Putnam Westchester
REGION 4 Regional Water Engineer 1150 North Westcott Rd. Schenectady, NY 12306-2014 Phone: 518-357-2045 Fax: 518-357-2398 **Counties:** Montgomery Albany Otsego Rensselaer Columbia Delaware Schoharie Greene Schenectady	**REGION 5** ** Regional Water Engineer Route 86, P.O. Box 296 Ray Brook N.Y. 12977-0296 Phone: 518-897-1241 Fax: 518-897-1245 **Counties:** Clinton Hamilton Franklin Essex Saratoga Warren Fulton Washington	**REGION 6** ** Regional Water Engineer Region 6 Suboffice State Office Bldg. 207 Genesee St. Utica, NY 13500 Phone: 315-793-2554 Fax: 315-793-2748 **Counties:** Lewis Jefferson Herkimer Oneida St. Lawrence
REGION 7 Regional Water Engineer 615 Erie Blvd West Syracuse, NY 13204-2400 Phone: 315-426-7506 Fax: 315-426-7402 **Counties:** Madison Cayuga Broome Onondaga Oswego Chenango Tioga Tompkins Cortland	**REGION 8** Regional Water Engineer 6274 East Avon-Lima Rd Avon, NY 14414-9519 Phone: 585-226-2466 Fax: 585-226-2830 **Counties:** Orleans Genessee Chemung Schuyler Seneca Livingston Steuben Ontario Monroe Wayne Yates	**REGION 9** Regional Water Engineer 270 Michigan Avenue Buffalo, NY 14203-2999 Phone: 716-851-7070 Fax: 716-851-7009 **Counties:** Allegany Erie Cattaraugus Niagara Wyoming Chautauqua

** **REGION 3 Suboffice**
Regional Water Staff
200 White Plains Rd.., 5th Floor
Tarrytown, NY 10591-5805
Phone: 914-332-1835
Fax: 914-332-4670

REGION 5 Suboffice
Regional Water Staff
Box 220, Hudson St Extension
Warrensburg, NY 12885-0220
Phone: 518-623-1200
Fax: 518-623-4193

REGION 6 Suboffice
Regional Water Staff
317 Washington St.
Watertown, NY 13601-3787
Phone: 315-785-2513
Fax: 315-785-2422

[1] This requirement reflects proposed pending regulations.

DMR Copy of Record

Form Approved OMB No. 2040-0004 expires on 07/31/2026

EPA may make all the information submitted through this form (including all attachments) available to the public without further notice to you. Do not use this online form to submit personal information (e.g., non-business cell phone number or non-business email address), confidential business information (CBI), or if you intend to assert a CBI claim on any of the submitted information. Pursuant to 40 CFR 2.203(a), EPA is providing you with notice that all CBI claims must be asserted at the time of submission. EPA cannot accommodate a late CBI claim to cover previously submitted information because efforts to protect the information are not administratively practicable since it may already be disclosed to the public. Although we do not foresee a need for persons to assert a claim of CBI based on the types of information requested in this form, if persons wish to assert a CBI claim we direct submitters to contact the NPDES eReporting Help Desk for further guidance. Please note that EPA may contact you after you submit this report for more information.

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2040-0004). Responses to this collection of information are mandatory in accordance with this permit and EPA NPDES regulations 40 CFR 122.41(l)(4)(i). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information are estimated to average 2 hours per outfall. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.

Permit

Permit #:	**NY0001988**	**Permittee:**	ELM HOLDINGS, INC	**Facility:**	FORMER CARBORUNDUM COMPLEX
Major:	Yes	**Permittee Address:**	4850 EAST 49TH ST, MBC3-147 CUYAHOGA HEIGHTS, OH 44125	**Facility Location:**	2040 CORY DRIVE SANBORN, NY 14132
Permitted Feature:	01A External Outfall	**Discharge:**	**01A-M** GROUNDWATER TREATMENT SYSTEM		

Report Dates & Status

Monitoring Period:	**From 12/01/24 to 12/31/24**	**DMR Due Date:**	**01/28/25**	**Status:**	**NetDMR Validated**

Considerations for Form Completion

PLEASE REVIEW FOOTNOTES #1, #2, AND #3 OF PERMIT FOR DETAILED INSTRUCTIONS, AND ALSO REVIEW SPECIAL CONDITIONS INVOLVING CERTAIN PARAMETERS.

Principal Executive Officer

First Name:	William	**Title:**	Proj Mgr	**Telephone:**	216-271-8038
Last Name:	Barber				

No Data Indicator (NODI)

Form NODI: --

Parameter		Monitoring Location	Season #	Param. NODI		Quantity or Loading					Quality or Concentration							# of Ex.	Frequency of Analysis	Sample Type
Code	Name					Qualifier 1	Value 1	Qualifier 2	Value 2	Units	Qualifier 1	Value 1	Qualifier 2	Value 2	Qualifier 3	Value 3	Units			
00011	**Temperature, water deg. fahrenheit**	1 - Effluent Gross	0	--	Sample										=	58.6	15 - deg F	0	01/30 - Monthly	GR - Grab
					Permit Req.										<=	90.0 DAILY MX	15 - deg F		01/30 - Monthly	GR - Grab
					Value NODI															
00056	**Flow rate**	1 - Effluent Gross	0	--	Sample	=	1497.0	=	1897.0	07 - gal/d								0	99/99 - Continuous	MT - Meter
					Permit Req.		Req Mon DAILY AV	<=	144000.0 DAILY MX	07 - gal/d									99/99 - Continuous	MT - Meter
					Value NODI															
00310	**BOD, 5-day, 20 deg. C**	1 - Effluent Gross	0	--	Sample								<	2.0	<	2.0	19 - mg/L	0	02/30 - Twice Per Month	24 - 24 Hour Composite
					Permit Req.									Req Mon DAILY AV	<=	5.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - 24 Hour Composite
					Value NODI															
00400	**pH**	1 - Effluent Gross	0	--	Sample						=	7.59			=	7.85	12 - SU	0	01/07 - Weekly	GR - Grab
					Permit Req.						>=	6.5 MINIMUM			<=	8.5 MAXIMUM	12 - SU		01/07 - Weekly	GR - Grab
					Value NODI															
00530	**Solids, total suspended**	1 - Effluent Gross	0	--	Sample								<	0.7	=	0.6	19 - mg/L	0	02/30 - Twice Per Month	24 - 24 Hour Composite
					Permit Req.								<=	20.0 DAILY AV	<=	40.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	24 - 24 Hour Composite
					Value NODI															
00556	**Oil & Grease**	1 - Effluent Gross	0	--	Sample								<	1.15	=	1.3	19 - mg/L	0	02/30 - Twice Per Month	GR - Grab
					Permit Req.									Req Mon DAILY AV	<=	15.0 DAILY MX	19 - mg/L		02/30 - Twice Per Month	GR - Grab
					Value NODI															
01002	**Arsenic, total [as As]**	1 - Effluent Gross	0	--	Sample										<	0.75	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	150.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01027	**Cadmium, total [as Cd]**	1 - Effluent Gross	0	--	Sample										=	1.3	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	3.9 DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01034	**Chromium, total [as Cr]**	1 - Effluent Gross	0	--	Sample										<	1.2	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	50.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01040	**Copper, dissolved [as Cu]**	1 - Effluent Gross	0	--	Sample										<	1.7	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.											Req Mon DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite

					Value NODI															
01042	**Copper, total [as Cu]**	1 - Effluent Gross	0	--	Sample										=	1.7	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	19.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01045	**Iron, total [as Fe]**	1 - Effluent Gross	0	--	Sample										<	0.047	19 - mg/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	1.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01051	**Lead, total [as Pb]**	1 - Effluent Gross	0	--	Sample										=	2.4	28 - ug/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	25.0 DAILY MX	28 - ug/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01090	**Zinc, dissolved [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.6	19 - mg/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.											Req Mon DAILY MX	19 - mg/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
01092	**Zinc, total [as Zn]**	1 - Effluent Gross	0	--	Sample										=	1.6	19 - mg/L	0	01/30 - Monthly	24 - 24 Hour Composite
					Permit Req.										<=	2.0 DAILY MX	19 - mg/L		01/30 - Monthly	24 - 24 Hour Composite
					Value NODI															
32103	**1,2-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
32106	**Chloroform**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34423	**Methylene chloride**	1 - Effluent Gross	0	--	Sample									<	2.6	<	2.6	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34496	**1,1-Dichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.47	<	0.47	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34501	**1,1-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.49	<	0.49	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34506	**1,1,1-Trichloroethane**	1 - Effluent Gross	0	--	Sample									<	0.48	<	0.48	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
34546	**trans-1,2-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.51	<	0.51	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
39175	**Vinyl chloride**	1 - Effluent Gross	0	--	Sample									<	0.45	<	0.45	28 - ug/L	0	02/30 - Twice Per Month	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	08 - 8 Hour Composite
					Value NODI															
46000	**Phenols**	1 - Effluent Gross	0	--	Sample									<	2.0	<	2.0	28 - ug/L	0	02/30 - Twice Per Month	24 - 24 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	5.0 DAILY MX	28 - ug/L		02/30 - Twice Per Month	24 - 24 Hour Composite
					Value NODI															
50060	**Chlorine, total residual**	1 - Effluent Gross	0	--	Sample											<	0.01	19 - mg/L	0	01/30 - Monthly	GR - Grab
					Permit Req.											<=	0.1 DAILY MX	19 - mg/L		01/30 - Monthly	GR - Grab
					Value NODI															
78391	**Trichloroethene**	1 - Effluent Gross	0	--	Sample									<	0.44	<	0.44	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															
81574	**1,2-cis-Dichloroethylene**	1 - Effluent Gross	0	--	Sample									<	0.46	<	0.46	28 - ug/L	0	01/07 - Weekly	08 - 8 Hour Composite
					Permit Req.										Req Mon DAILY AV	<=	10.0 DAILY MX	28 - ug/L		01/07 - Weekly	08 - 8 Hour Composite
					Value NODI															

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Attachments

No attachments.

Report Last Saved By	
ELM HOLDINGS, INC	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2025-01-28 08:12 (Time Zone: -05:00)
Report Last Signed By	
User:	james.kaczor@aecom.com
Name:	James Kaczor
E-Mail:	james.kaczor@aecom.com
Date/Time:	2025-01-28 18:35 (Time Zone: -05:00)

Appendix F

Groundwater Sampling Field Forms (October 2024)

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	P-2	8 inch

Samplers:
Ethan Smith
Chris Finn

Weather: 57° mostly sunny wind SSW 8 mph

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data: feet below top of inner casing

Method: Peri / Bladder (NA) | Date: - | Time: (hhmm) -

Initial Depth to Water	Depth to Bottom
21.29	26.10

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
0857	21.29	-	-	15.4	1.875	5.88	7.21	189.9	24.88	-

Sample Collection Method: Peri / Bladder (Bailer) | **Date:** 10-22-24 | **Time:** 0900 | **Total Volume of Water Purged (gal):** -

Hach Test Kits

Alkalinity (mg/L)	-
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments: -

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	PW-4	8 in.

Samplers:
Ethan Smith
Chris Finn

Weather: 57°, mostly sunny, wind SSW 8 mph

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: Peri / Bladder | Date: 10-22-24 | Time: (hhmm) 0910

feet below top of inner casing

Initial Depth to Water	Depth to Bottom
16.35	32.80

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
0910	16.35	-	-	16.41	0.631	3.01	7.75	-39.7	63.50	-

Sample Collection Method: Peri/ Bladder (Bailer) | **Date:** 10-22-24 | **Time:** ~~0915~~ 0915 | **Total Volume of Water Purged (gal):** -

Hach Test Kits

Alkalinity (mg/L)	-
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments:
-

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300 0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name: IP-BP Sanborn

Well ID: PW-3

Well Diameter: 8 inch

Samplers:
Ethan Smith
Chris Finn

Weather: 60°, wind SSW 8 mph, sunny

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) x Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: Peri / Bladder

Date: - Time: (hhmm) -

feet below top of inner casing

Initial Depth to Water: 10.31

Depth to Bottom: 18.50

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
0930	10.31	-	-	16.90	0.888	3.47	7.79	121.9	1.43	-

Sample Collection Method: Peri / Bladder (Bailer)

Date: 10-22-24 Time: 0940

Total Volume of Water Purged (gal): -

Hach Test Kits

Alkalinity (mg/L)	-
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments: -

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	P-3	8 in.

Samplers:
Ethan Smith
Chris Finn

Weather: 63°, wind SSW 9 mph, sunny, no precip

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data: feet below top of inner casing

Method: Peri / Bladder

Date: 10-22-24 Time: (hhmm) 1005

Initial Depth to Water: 27.06

Depth to Bottom: 29.15

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1005	~~29.15~~	-	-	14.10	1.251	5.88	7.29	169.3	29.39	-

Sample Collection Method: Peri / Bladder

Date: 10-22-24

Time: 1015

Total Volume of Water Purged (gal): —

Hach Test Kits

Alkalinity (mg/L)	—
Carbon Dioxide (mg/L)	—
Ferrous Iron (mg/L)	—
Hydrogen Sulfide (mg/L)	—
DTW	—

Comments: —

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	P-4	10 in.

Samplers:
Ethan Smith
Chris Finn

Weather: 63°, wind SSW 9 mph. sunny

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data: feet below top of inner casing

Method: Peri / Bladder | Date: 10-22-24 | Time: 1025 (hhmm)

Initial Depth to Water	Depth to Bottom
28.59	33.96

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1025	28.59	-	-	14.1	1.303	8.61	7.42	181.6	4.81	-

Sample Collection Method: Peri / Bladder (Bailer) | **Date:** 10-22-24 | **Time:** 1035 | **Total Volume of Water Purged (gal):** -

Hach Test Kits

Alkalinity (mg/L)	
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments: -

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	PW-1	12 in.

Samplers:
Ethan Smith
Chris Finn

Weather: 69°, mod SW 10 mph, sunny

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: Peri / Bladder

Date: 10-22-24 Time: (hhmm) 1055

feet below top of inner casing

Initial Depth to Water	Depth to Bottom
17.33	28.24

Time (hhmm)	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1055	17.33	–	–	19.4	0.667	3.33	7.34	175.9	3.26	See below

Sample Collection Method: Peri / Bladder ~~Bailer~~

Date: 10-22-24 Time: 1140 Total Volume of Water Purged (gal): –

Hach Test Kits

Alkalinity (mg/L)	–
Carbon Dioxide (mg/L)	–
Ferrous Iron (mg/L)	–
Hydrogen Sulfide (mg/L)	–
DTW	–

Comments: Bailer deployed to well to collect sample and believed to have gotten stuck on pump. R. Murphy not Prod leaving Bailer in well until further notice at 1120

1130 - R. Murphy spoke w/ J. Stybel Not Prod team to leave bailer in well and turn pump back on.

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanbom	T-002	–

Samplers:
Ethan Smith
Chris Finn

Weather: 69°, mid SW 10mph, sunny

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) x Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data: feet below top of inner casing

Method:	Date:	Time: (hhmm)	Initial Depth to Water	Depth to Bottom
Peri / Bladder	10-22-24	1155	–	–

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
~~1155~~ 1155	–	–	–	18.0	2.114	6.28	7.51	196.3	8.12	–

Sample Collection Method:	Date:	Time:	Total Volume of Water Purged (gal):
Peri / Bladder	10-22-24	1200 ~~1140~~	–

Hach Test Kits –

Alkalinity (mg/L)	–
Carbon Dioxide (mg/L)	–
Ferrous Iron (mg/L)	–
Hydrogen Sulfide (mg/L)	–
DTW	–

Comments: –

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	Quarry	–

Samplers:
Ethan Smith
Chris Finn

Weather: 71°, wind SSW 10 mph, clear, no precip

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data: feet below top of inner casing

Method: Peri / Bladder | Date: 10-22-24 | Time: (hhmm) 1305 | Initial Depth to Water: – | Depth to Bottom: –

Time (hhmm)	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1305	–	–	–	18.8	2.086	10.25	7.94	199.5	37.42	–

Sample Collection Method: Peri / Bladder – | **Date:** 10-22-24 | **Time:** 1310 | **Total Volume of Water Purged (gal):** –

Hach Test Kits

Alkalinity (mg/L)	–
Carbon Dioxide (mg/L)	–
Ferrous Iron (mg/L)	–
Hydrogen Sulfide (mg/L)	–
DTW	–

Comments: –

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-38M	2 in.

Samplers:
Ethan Smith
Chris Finn

Weather: 72°, wind SSW 10 mph, clear, sunny

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data: feet below top of inner casing

Method: Peri / Bladder | Date: 10-22-24 | Time: (hhmm) 1330 | Initial Depth to Water: 28.63 | Depth to Bottom: 41.46

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1425	28.68	200	0.25	18.4	2.646	9.78	7.56	130.4	242.78	-
1430	28.75	200	0.50	15.1	2.653	10.8	7.69	136.2	157.7	-
1435	28.83	200	0.75	13.9	2.614	11.10	7.71	148.2	126.26	-
1440	28.74	200	1.00	13.6	2.597	10.9	7.80	155.0	110.12	-
1445	28.79	200	1.25	13.3	2.596	11.01	7.77	160.1	89.62	-
1450	28.79	200	1.50	13.4	2.610	10.91	7.75	161.7	84.31	-
1455	28.79	200	1.75	13.6	2.599	11.00	7.77	160.4	80.10	-
										-

Sample Collection Method: Peri / Bladder | **Date:** 10-22-24 | **Time:** 1500 | **Total Volume of Water Purged (gal):** 1.75

Hach Test Kits

Alkalinity (mg/L)	-
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments: Time between initial ~~bladder~~ water level and beginning purge data due to time it took to set up bladder

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name: IP-BP Sanborn	**Well ID:** B-23M	**Well Diameter:** 2 in.

Samplers: Ethan Smith; Chris Finn

Weather: 59°, wind SSW 12 mph. partly cloudy

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: (Peri) / Bladder

Date: 10-23-24 Time: (hhmm) 0808

Initial Depth to Water	Depth to Bottom
25.57 feet below top of inner casing	32.05

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
0822	26.74	200	-	13.0	1.134	4.30	6.03	213.9	33.01	-
0827	27.13	200	0.25	12.9	1.100	4.19	6.59	205.6	17.92	-
0832	27.35	200	0.5	12.9	1.078	4.61	6.95	199.7	12.51	-
0837	27.40	200	0.75	13.1	1.095	3.70	6.99	196.0	12.41	-
0842	27.44	200	1.0	13.1	1.121	1.84	6.74	192.6	20.51	-
0847	27.52	200	1.25	13.2	1.138	0.76	6.62	186.5	42.88	-
0852	27.43	200	1.50	13.3	1.143	0.45	6.60	180.4	45.10	-
0857	27.40	200	1.75	13.4	1.147	0.40	6.59	179.6	40.10	-

Sample Collection Method: (Peri) / Bladder

Date: 10-23-24 Time: 0900 Total Volume of Water Purged (gal): 1.75

Hach Test Kits

Alkalinity (mg/L)	-
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments: Associated w/ FD-20241023

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-50M	2 inch

Samplers: Ethan Smith; Chris Finn

Weather: 64°, wind SW 16 mph, partly cloudy

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) x Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data: feet below top of inner casing

Method: (Peri) / Bladder | Date: 10-23-24 | Time: 0855 (hhmm) | Initial Depth to Water: 12.81 | Depth to Bottom: 36.15

Time (hhmm)	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
0957	12.81	250	-	12.4	0.921	0.90	6.68	194.5	4.72	-
1002	12.83	250	.25	12.4	0.919	0.27	6.66	196.8	28.12	-
1010	12.83	250	.75	12.3	0.915	0.02	6.50	190.19	117.91	-
1015	12.83	250	1.00	12.3	0.915	0.02	6.53	185.6	138.97	-
1020	12.83	250	1.50	12.4	0.915	0.05	6.55	177.9	190.5	Water visually clear
1025	12.83	250	1.75	12.4	0.914	0.06	6.56	172.5	93.76	"
~~1030~~ 1030	12.83	250	2.0	12.6	0.917	0.07	6.57	170.9	117.12	-

Sample Collection Method: (Peri) / Bladder | Date: 10-23-24 | Time: 1030 | Total Volume of Water Purged (gal): 2.0

Hach Test Kits

Alkalinity (mg/L)	-
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments: Took MS/MSD @ location (B-50M-MS + B-50M-MSD)

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-6M	2 in.

Samplers:
Ethan Smith
Chris Finn

Weather: 64°, wind SW 16mph, partly cloudy

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: (Peri) / Bladder

Date: 10-23-24 Time: (hhmm) 1103

feet below top of inner casing

Initial Depth to Water: 11.59

Depth to Bottom: 19.50

Time (hhmm)	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1105	12.43	250	-	13.1	1.710	0.82	6.62	-85.1	11.10	-
1110	13.33	250	0.5	12.9	1.730	0.31	6.60	-94.2	18.92	-
1115	13.66	200	0.75	13.0	1.741	0.20	6.60	-99.0	16.71	-
1120	13.72	200	1.00	13.1	1.744	0.16	6.61	-102.0	12.30	-
1125	13.72	200	1.25	13.1	1.724	0.14	6.61	-104.2	21.60	-
1130	13.79	200	1.50	13.1	1.714	0.11	6.62	-105.2	12.81	-
1135	13.79	200	1.75	13.1	1.719	0.10	6.63	-106.9	13.72	-

Sample Collection Method: (Peri) / Bladder

Date: 10-23-24 Time: 1140

Total Volume of Water Purged (gal): 2.0

Hach Test Kits

Alkalinity (mg/L)	-
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments: Tubing replaced @ location

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-9M	

Samplers: Ethan Smith; Chris Finn

Weather: 67°, wind SW 19 mph, partly cloudy

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: (Peri) / Bladder

Date: 10-23-24 Time: 1205 (hhmm)

feet below top of inner casing

Initial Depth to Water: ~~14.46~~ 14.35

Depth to Bottom: 20.4

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1212	14.67	200	-	13.2	0.997	2.80	6.90	107.0	9.61	-
1217	14.90	200	.25	13.3	0.980	2.03	6.80	103.7	8.96	-
1222	15.39	200	.25	13.3	0.976	2.03	6.80	101.8	9.82	-
1227	15.98	200	.25	13.3	0.976	2.17	6.81	101.1	9.19	-
1232	16.58	200	.25	13.2	0.987	2.46	6.80	101.9	6.01	-
1237	17.09	200	.25	13.3	0.995	2.80	6.80	101.7	4.85	-
1242	17.29	200	.25	13.5	1002	2.82	6.80	102.2	3.66	-
1247	17.60	200	.25	13.3	1.003	2.81	6.80	104.5	3.21	-

Sample Collection Method: (Peri) / Bladder

Date: 10/23/24 Time: 1250

Total Volume of Water Purged (gal): 2.00

Hach Test Kits

Alkalinity (mg/L)	
Carbon Dioxide (mg/L)	
Ferrous Iron (mg/L)	
Hydrogen Sulfide (mg/L)	
DTW	

Comments:

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-12M	2 in

Samplers:
Ethan Smith
Chris Finn

Weather: 68°, wind SW 20mph partly cloudy

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) x Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: Peri / Bladder

Date: 10-23-24 Time: (hhmm) 1318

feet below top of inner casing

Initial Depth to Water: 17.23

Depth to Bottom: 17.94

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1328	17.57	200	-	16.2	0.946	2.32	6.55	98.1	355.16	-
1333	17.55	200	.25	15.8	0.933	0.31	6.58	60.0	19.17	-
~~1340~~ 1338	17.56	200	.25	15.5	0.920	0.13	6.65	47.7	6.39	-
1343	17.55	200	.25	15.5	0.917	0.12	6.66	44.8	5.20	-
1348	17.55	200	.25	15.8	0.915	0.13	6.67	41.9	4.46	-
1353	17.57	200	.25	15.5	0.919	0.11	6.68	40.9	3.82	-

Sample Collection Method: Peri / Bladder

Date: 10-23-24 Time: 1355

Total Volume of Water Purged (gal): 1.25

Hach Test Kits

Alkalinity (mg/L)	—
Carbon Dioxide (mg/L)	—
Ferrous Iron (mg/L)	—
Hydrogen Sulfide (mg/L)	—
DTW	—

Comments:

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-3M	2 in.

Samplers: Ethan Smith; Chris Finn

Weather: 44°, mod N 7 mph, cloudy, no precip

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: (Peri) / Bladder

Date: 10-24-24 Time: 0815 (hhmm)

feet below top of inner casing

Initial Depth to Water	Depth to Bottom
20.90	25.15

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
0820	20.92	240	-	12.2	2.205	2.00	6.52	-25.3	19.39	Sulfur like odor faint
0825	20.93	240	0.5	12.0	2.243	0.28	6.86	-112.2	17.15	No odor
0830	20.93	240	0.75	12.0	2.092	0.20	6.89	-127.7	18.49	—
0835	20.94	240	1.0	12.1	1.813	0.20	6.84	-122.6	12.45	-
0840	20.95	240	1.25	12.1	1.761	0.19	6.81	-111.1	8.88	-
0845	20.92	240	1.50	12.1	1.757	0.19	6.80	-102.2	7.39	-
0850	20.92	240	1.75	12.1	1.761	0.15	6.79	-93.5	7.18	-
0855	20.93	240	2.00	12.2	1.761	0.14	6.79	-87.7	6.65	-
0900	20.93	240	2.25	12.1	1.757	0.12	6.79	-83.8	6.50	-

Sample Collection Method: (Peri) / Bladder

Date: 10-24-24 Time: 0900

Total Volume of Water Purged (gal): 2.25

Hach Test Kits

Alkalinity (mg/L)	/
Carbon Dioxide (mg/L)	/
Ferrous Iron (mg/L)	/
Hydrogen Sulfide (mg/L)	/
DTW	/

Comments: —

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1-250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-22M	2 in

Samplers:
Ethan Smith
Chris Finn

Weather: 46°, wind NNE 7mph, cloudy

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data: feet below top of inner casing

Method: Peri / Bladder | Date: 10-24-24 | Time: (hhmm) 0925

Initial Depth to Water	Depth to Bottom
28.53	36.10

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
0930	29.58	240	–	13.1	1.753	7.79	7.17	~~50~~ 57.5	590.3	–
0935	30.16	240	0.5	12.8	1.816	7.47	7.15	8.1	466.66	–
0940	30.57	240	0.75	13.0	1.829	7.19	7.14	4.8	414.57	–
0945	30.99	240	1.0	13.0	1.839	6.14	7.06	5.7	286.06	–
0950	31.39	240	1.25	13.1	1.826	4.05	6.93	-51.9	250.97	–
0955	31.42	240	1.50	13.1	1.822	2.60	6.90	-60.3	240.84	–
1000	31.43	240	1.75	13.1	1.822	2.00	6.89	-71.4	225.18	–

Sample Collection Method: Peri / Bladder | **Date:** 10-24-24 | **Time:** 1000 | **Total Volume of Water Purged (gal):** 1.75

Hach Test Kits

Alkalinity (mg/L)	/
Carbon Dioxide (mg/L)	/
Ferrous Iron (mg/L)	/
Hydrogen Sulfide (mg/L)	/
DTW	/

Comments: Water visually clear, ~~sediment~~ some sed entrained in YSI

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-21M	2 in.

Samplers: Ethan Smith; Chris Finn

Weather: 47°, wind NNE 6mph, cloudy

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: Peri / Bladder | Date: 10-24-24 | Time: (hhmm) 1015

feet below top of inner casing

Initial Depth to Water	Depth to Bottom
17.53	26.55

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1025	17.67	250	0.25	14.5	0.862	5.42	6.66	71.3	38.34	–
1030	17.67	250	0.50	14.4	0.874	4.83	6.69	71.9	17.33	–
1035	17.71	250	~~1.0~~ 0.75	14.4	0.881	4.75	6.70	73.9	14.74	–
1040	17.72	250	1.0	14.3	0.885	4.72	6.70	75.4	11.52	–
1045	17.71	250	1.25	14.3	0.888	4.60	6.70	76.5	7.66	–
1050	17.72	250	1.50	14.4	0.888	4.45	6.70	77.3	6.73	–
1055	17.74	250	1.75	14.4	0.886	4.27	6.70	78.2	4.82	–
1100	17.73	250	2.0	14.4	0.886	4.23	6.70	78.2	4.18	–

Sample Collection Method:	Date:	Time:	Total Volume of Water Purged (gal):
Peri / Bladder	10-24-24	1105	2

Hach Test Kits

Alkalinity (mg/L)	-
Carbon Dioxide (mg/L)	-
Ferrous Iron (mg/L)	-
Hydrogen Sulfide (mg/L)	-
DTW	-

Comments: —

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

AECOM

GROUNDWATER SAMPLING LOG

Low Flow Sampling Record

bp

Site Name:	Well ID:	Well Diameter:
IP-BP Sanborn	B-28M	2 in

Samplers: Ethan Smith; Chris Finn

Weather: 49°, wind N 5mph, cloudy, no precip

Water Volume Calculation

1 inch= 0.041	6 inch= 1.4
1.5 inch= 0.092	8 inch= 2.5
2 inch= 0.163	10 inch= 4
4 inch= 0.64	

gal = (Total Depth of Well - Depth to Water) × Casing volume per foot

Acceptance Criteria:

Temp	± 3%
pH	± 0.1 unit
Sp. Cond.	± 3%
ORP	± 10mV
DO	± 10%
Turbidity	<50 NTU
Drawdown	<0.3 ft

Purging Data:

Method: Peri / Bladder

Date: 10-24-24 Time: (hhmm) 1117

feet below top of inner casing

Initial Depth to Water: 21.25

Depth to Bottom: 33.20

Time hhmm	DTW (ft)	Pump Rate (ml/min)	Volume (gal.)	Temp (C°)	Sp. Cond (ms/cm)	DO (mg/L)	pH	ORP (mV)	Turb (NTU)	Comments:
1125	21.60	240	0.25	13.5	0.646	2.06	6.81	78.7	101.37	–
1130	22.36	240	0.5	13.4	0.661	1.87	6.79	70.9	88.74	–
1135	22.99	240	0.75	13.3	0.685	2.45	6.80	69.6	92.95	–
1140	23.58	240	1.0	13.4	0.673	2.05	6.80	71.5	89.21	–
1145	23.90	240	1.25	13.4	0.647	1.37	6.81	70.3	90.38	–
1150	24.14	240	1.50	13.3	0.646	1.31	6.81	69.9	86.76	–
1155	24.28	240	1.75	13.3	0.648	1.29	6.81	69.5	98.75	–

Sample Collection Method: Peri / Bladder

Date: 10-24-24 Time: 1200

Total Volume of Water Purged (gal): 1.75

Hach Test Kits

Alkalinity (mg/L)	/
Carbon Dioxide (mg/L)	/
Ferrous Iron (mg/L)	/
Hydrogen Sulfide (mg/L)	/
DTW	/

Comments: –

Sample Set

Parameter		Bottle	Pres.	Method
VOCs	☑	3-40 mL glass vial	HCL	8260C
Dissolved Fe & Mn	☐	1-500 mL poly(field filtered)	HNO3	6010C
TOC	☐	2-40mL amber glass vial	H2SO4	9060A
M.E.E	☐	3-40 mL glass vial	HCL	RSK-175 mod
Sulfide	☐	1- 250mL glass (field filtered)	NaOH/Zn Acetate	SM 4500 S2
Sulfate	☐	2-40 mL glass vial (field filtered)	unpreserved	300.0
Microbial Population	☐	In-line filter	N/A	CENSUS

Appendix G

Analytical Laboratory Data Reports (October 2024)

AECOM
50 Lakefront Drive
Suite 111
Buffalo, New York 14202
www.aecom.com

716 856 5636 tel
716 856 2545 fax

Memorandum

To	James Kaczor	Page	1
CC			
Subject	Analytical Data Review BP- Sanborn Site October 2024 Groundwater Sampling Event		
From	Ann Marie Kropovitch		
Date	November 11, 2024		

Eighteen water samples, one field duplicate, one matrix spike/matrix spike duplicate (MS/MSD) pair, and two trip blanks were collected from the BP – Sanborn Site on October 22 thru 24, 2024 by AECOM and sent to Eurofins Laboratories, Inc. (Barberton, OH) for analysis. The samples were received by the laboratory intact, properly preserved, and under proper chain-of-custody (COC). The samples were analyzed for volatile organic compounds (VOCs) by USEPA Method 8260C. The analytical results were provided in Eurofins report number 240-213536-1 and 240-213779-1.

In accordance with the *Site Management Plan*, a limited data review was performed on all samples for completeness of deliverables, and for compliance with method criteria, which includes reporting limits (RL), holding times, method blanks, surrogate recoveries, internal standard recoveries, MS/MSD recoveries (%Rs), and laboratory control sample (LCS) recoveries.

All samples were analyzed within holding times, with compliant surrogate, internal standard MS/MSD and LCS recoveries.

Several samples were only analyzed at a dilution due to the high concentration of target compounds. The RLs for the non-detect compounds are the lowest achievable at the diluted level. Results reported by the laboratory with a 'J' qualifier have concentrations between the method detection limit and RL. Those results being reported from a secondary dilution (where an undiluted analysis was performed initially) have been qualified 'D.'

The %R of trichloroethene (TCE) was below the QC limit in the MS performed on sample P-4. The %R of TCE was acceptable in the MSD and LCS. The result for TCE in sample P-4 has been qualified 'J'.

The %Rs of 1,2-dichloroethene (cis) (c-1,2-DCE) were below the QC limit in the MS/MSD performed on sample B-50M. The %R of c-1,2-DCE was acceptable in the LCS. The result for c-1,2-DCE in sample B-50M has been qualified 'J'

The relative percent differences (RPD) between parent sample B-23M and it's field duplicate FD-20241023 were acceptable (i.e., < 25%), with the exception noted below. All data are usable as reported.

The RPD of TCE was greater than the QC limit. The results for TCE in both samples were qualified 'J.'

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Ann Marie Kropovitch
AECOM
50 Lakefront Boulevard
Suite 111
Buffalo, New York 14202

Generated 11/5/2024 6:29:43 AM

JOB DESCRIPTION

BP Sanborn - Fall Event

JOB NUMBER

240-213536-1

Eurofins Cleveland
180 S. Van Buren Avenue
Barberton OH 44203

See page two for job notes and contact information.

myEOL

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
11/5/2024 6:29:43 AM

Authorized for release by
Opal Johnson, Project Manager II
Opal.Johnson@et.eurofinsus.com
(330)966-9279

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Method Summary 6
Sample Summary 7
Detection Summary 8
Client Sample Results 10
Surrogate Summary 20
QC Sample Results 21
QC Association Summary 26
Lab Chronicle 27
Certification Summary 29
Chain of Custody 30

Definitions/Glossary

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
E	Result exceeded calibration range.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-213536-1 — Eurofins Cleveland

Job Narrative
240-213536-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt
The samples were received on 10/23/2024 9:45 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.3°C.

GC/MS VOA
Method 8260D: The continuing calibration verification (CCV) analyzed in batch 240-633465 was outside the method criteria for the following analyte(s): 1,1-Dichloroethene. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET CLE
5030C	Purge and Trap	SW846	EET CLE

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Sample Summary

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-213536-1	P-2	Water	10/22/24 09:00	10/23/24 09:45
240-213536-2	PW-4	Water	10/22/24 09:15	10/23/24 09:45
240-213536-3	PW-3	Water	10/22/24 09:40	10/23/24 09:45
240-213536-4	P-3	Water	10/22/24 10:15	10/23/24 09:45
240-213536-5	P-4	Water	10/22/24 10:35	10/23/24 09:45
240-213536-6	PW-1	Water	10/22/24 11:40	10/23/24 09:45
240-213536-7	T-002	Water	10/22/24 12:00	10/23/24 09:45
240-213536-8	QUARRY	Water	10/22/24 13:10	10/23/24 09:45
240-213536-9	B-38M	Water	10/22/24 15:00	10/23/24 09:45
240-213536-10	TB-20241022	Water	10/22/24 00:00	10/23/24 09:45

Detection Summary

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: P-2 — Lab Sample ID: 240-213536-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1,1-Trichloroethane	970		330	160	ug/L	333.33		8260D	Total/NA
cis-1,2-Dichloroethene	1600		330	150	ug/L	333.33		8260D	Total/NA
Trichloroethene	5800		330	150	ug/L	333.33		8260D	Total/NA

Client Sample ID: PW-4 — Lab Sample ID: 240-213536-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1,1-Trichloroethane	3.3		1.0	0.48	ug/L	1		8260D	Total/NA
1,1-Dichloroethane	2.4		1.0	0.47	ug/L	1		8260D	Total/NA
1,1-Dichloroethene	0.56	J	1.0	0.49	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	130		20	9.2	ug/L	20		8260D	Total/NA
Tetrachloroethene	1.4		1.0	0.44	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.3		1.0	0.51	ug/L	1		8260D	Total/NA
Trichloroethene	790		20	8.8	ug/L	20		8260D	Total/NA

Client Sample ID: PW-3 — Lab Sample ID: 240-213536-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1300		20	9.2	ug/L	20		8260D	Total/NA
Trichloroethene	360		20	8.8	ug/L	20		8260D	Total/NA

Client Sample ID: P-3 — Lab Sample ID: 240-213536-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	19		1.0	0.46	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	1.9		1.0	0.51	ug/L	1		8260D	Total/NA
Trichloroethene	1.1		1.0	0.44	ug/L	1		8260D	Total/NA
Vinyl chloride	1.4		1.0	0.45	ug/L	1		8260D	Total/NA

Client Sample ID: P-4 — Lab Sample ID: 240-213536-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1600	F2	170	77	ug/L	166.67		8260D	Total/NA
Trichloroethene	3800	F1 F2	170	73	ug/L	166.67		8260D	Total/NA

Client Sample ID: PW-1 — Lab Sample ID: 240-213536-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4100		500	230	ug/L	500		8260D	Total/NA
Trichloroethene	12000		500	220	ug/L	500		8260D	Total/NA

Client Sample ID: T-002 — Lab Sample ID: 240-213536-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	500		25	12	ug/L	25		8260D	Total/NA
Trichloroethene	530		25	11	ug/L	25		8260D	Total/NA
Vinyl chloride	28		25	11	ug/L	25		8260D	Total/NA

Client Sample ID: QUARRY — Lab Sample ID: 240-213536-8

No Detections.

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Detection Summary

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-38M
Lab Sample ID: 240-213536-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.51	J	1.0	0.46	ug/L	1		8260D	Total/NA

Client Sample ID: TB-20241022
Lab Sample ID: 240-213536-10

No Detections.

This Detection Summary does not include radiochemical test results.

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: P-2
Lab Sample ID: 240-213536-1
Date Collected: 10/22/24 09:00
Matrix: Water
Date Received: 10/23/24 09:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	**970**		330	160	ug/L			11/01/24 13:39	333.33
1,1-Dichloroethane	ND		330	160	ug/L			11/01/24 13:39	333.33
1,1-Dichloroethene	ND		330	160	ug/L			11/01/24 13:39	333.33
1,2-Dichloroethane	ND		330	150	ug/L			11/01/24 13:39	333.33
Carbon tetrachloride	ND		330	87	ug/L			11/01/24 13:39	333.33
Chloroform	ND		330	160	ug/L			11/01/24 13:39	333.33
cis-1,2-Dichloroethene	**1600**		330	150	ug/L			11/01/24 13:39	333.33
Methylene Chloride	ND		1700	870	ug/L			11/01/24 13:39	333.33
Tetrachloroethene	ND		330	150	ug/L			11/01/24 13:39	333.33
trans-1,2-Dichloroethene	ND		330	170	ug/L			11/01/24 13:39	333.33
Trichloroethene	**5800**		330	150	ug/L			11/01/24 13:39	333.33
Vinyl chloride	ND		330	150	ug/L			11/01/24 13:39	333.33

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*100*		*78 - 122*		*11/01/24 13:39*	*333.33*
Dibromofluoromethane (Surr)	*87*		*73 - 120*		*11/01/24 13:39*	*333.33*
4-Bromofluorobenzene (Surr)	*90*		*56 - 136*		*11/01/24 13:39*	*333.33*
1,2-Dichloroethane-d4 (Surr)	*85*		*62 - 137*		*11/01/24 13:39*	*333.33*

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: PW-4
Lab Sample ID: 240-213536-2
Date Collected: 10/22/24 09:15
Matrix: Water
Date Received: 10/23/24 09:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	**3.3**		1.0	0.48	ug/L			11/01/24 14:03	1
1,1-Dichloroethane	**2.4**		1.0	0.47	ug/L			11/01/24 14:03	1
1,1-Dichloroethene	**0.56**	**J**	1.0	0.49	ug/L			11/01/24 14:03	1
1,2-Dichloroethane	ND		1.0	0.46	ug/L			11/01/24 14:03	1
Carbon tetrachloride	ND		1.0	0.26	ug/L			11/01/24 14:03	1
Chloroform	ND		1.0	0.47	ug/L			11/01/24 14:03	1
cis-1,2-Dichloroethene	**130**		20	9.2	ug/L			11/02/24 15:55	20
Methylene Chloride	ND		5.0	2.6	ug/L			11/01/24 14:03	1
Tetrachloroethene	**1.4**		1.0	0.44	ug/L			11/01/24 14:03	1
trans-1,2-Dichloroethene	**1.3**		1.0	0.51	ug/L			11/01/24 14:03	1
Trichloroethene	**790**		20	8.8	ug/L			11/02/24 15:55	20
Vinyl chloride	ND		1.0	0.45	ug/L			11/01/24 14:03	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*103*		*78 - 122*		*11/01/24 14:03*	*1*
Toluene-d8 (Surr)	*105*		*78 - 122*		*11/02/24 15:55*	*20*
Dibromofluoromethane (Surr)	*88*		*73 - 120*		*11/01/24 14:03*	*1*
Dibromofluoromethane (Surr)	*87*		*73 - 120*		*11/02/24 15:55*	*20*
4-Bromofluorobenzene (Surr)	*91*		*56 - 136*		*11/01/24 14:03*	*1*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*11/02/24 15:55*	*20*
1,2-Dichloroethane-d4 (Surr)	*85*		*62 - 137*		*11/01/24 14:03*	*1*
1,2-Dichloroethane-d4 (Surr)	*86*		*62 - 137*		*11/02/24 15:55*	*20*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213536-1

Client Sample ID: PW-3
Date Collected: 10/22/24 09:40
Date Received: 10/23/24 09:45

Lab Sample ID: 240-213536-3
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		63	30	ug/L			11/01/24 14:27	62.5
1,1-Dichloroethane	ND		63	29	ug/L			11/01/24 14:27	62.5
1,1-Dichloroethene	ND		63	31	ug/L			11/01/24 14:27	62.5
1,2-Dichloroethane	ND		63	28	ug/L			11/01/24 14:27	62.5
Carbon tetrachloride	ND		63	16	ug/L			11/01/24 14:27	62.5
Chloroform	ND		63	29	ug/L			11/01/24 14:27	62.5
cis-1,2-Dichloroethene	**1300**		20	9.2	ug/L			11/02/24 16:19	20
Methylene Chloride	ND		310	160	ug/L			11/01/24 14:27	62.5
Tetrachloroethene	ND		63	28	ug/L			11/01/24 14:27	62.5
trans-1,2-Dichloroethene	ND		63	32	ug/L			11/01/24 14:27	62.5
Trichloroethene	**360**		20	8.8	ug/L			11/02/24 16:19	20
Vinyl chloride	ND		63	28	ug/L			11/01/24 14:27	62.5

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*104*		*78 - 122*		*11/01/24 14:27*	*62.5*
Toluene-d8 (Surr)	*107*		*78 - 122*		*11/02/24 16:19*	*20*
Dibromofluoromethane (Surr)	*91*		*73 - 120*		*11/01/24 14:27*	*62.5*
Dibromofluoromethane (Surr)	*90*		*73 - 120*		*11/02/24 16:19*	*20*
4-Bromofluorobenzene (Surr)	*94*		*56 - 136*		*11/01/24 14:27*	*62.5*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*11/02/24 16:19*	*20*
1,2-Dichloroethane-d4 (Surr)	*88*		*62 - 137*		*11/01/24 14:27*	*62.5*
1,2-Dichloroethane-d4 (Surr)	*88*		*62 - 137*		*11/02/24 16:19*	*20*

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: P-3
Lab Sample ID: 240-213536-4
Date Collected: 10/22/24 10:15
Matrix: Water
Date Received: 10/23/24 09:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.48	ug/L			11/01/24 14:50	1
1,1-Dichloroethane	ND		1.0	0.47	ug/L			11/01/24 14:50	1
1,1-Dichloroethene	ND		1.0	0.49	ug/L			11/01/24 14:50	1
1,2-Dichloroethane	ND		1.0	0.46	ug/L			11/01/24 14:50	1
Carbon tetrachloride	ND		1.0	0.26	ug/L			11/01/24 14:50	1
Chloroform	ND		1.0	0.47	ug/L			11/01/24 14:50	1
cis-1,2-Dichloroethene	**19**		1.0	0.46	ug/L			11/01/24 14:50	1
Methylene Chloride	ND		5.0	2.6	ug/L			11/01/24 14:50	1
Tetrachloroethene	ND		1.0	0.44	ug/L			11/01/24 14:50	1
trans-1,2-Dichloroethene	**1.9**		1.0	0.51	ug/L			11/01/24 14:50	1
Trichloroethene	**1.1**		1.0	0.44	ug/L			11/02/24 16:43	1
Vinyl chloride	**1.4**		1.0	0.45	ug/L			11/01/24 14:50	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*102*		*78 - 122*		*11/01/24 14:50*	*1*
Toluene-d8 (Surr)	*103*		*78 - 122*		*11/02/24 16:43*	*1*
Dibromofluoromethane (Surr)	*91*		*73 - 120*		*11/01/24 14:50*	*1*
Dibromofluoromethane (Surr)	*88*		*73 - 120*		*11/02/24 16:43*	*1*
4-Bromofluorobenzene (Surr)	*92*		*56 - 136*		*11/01/24 14:50*	*1*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*11/02/24 16:43*	*1*
1,2-Dichloroethane-d4 (Surr)	*87*		*62 - 137*		*11/01/24 14:50*	*1*
1,2-Dichloroethane-d4 (Surr)	*87*		*62 - 137*		*11/02/24 16:43*	*1*

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: P-4
Lab Sample ID: 240-213536-5
Date Collected: 10/22/24 10:35
Matrix: Water
Date Received: 10/23/24 09:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		170	80	ug/L			11/01/24 18:46	166.67
1,1-Dichloroethane	ND	F2	170	78	ug/L			11/01/24 18:46	166.67
1,1-Dichloroethene	ND		170	82	ug/L			11/01/24 18:46	166.67
1,2-Dichloroethane	ND	F2	170	76	ug/L			11/01/24 18:46	166.67
Carbon tetrachloride	ND		170	43	ug/L			11/01/24 18:46	166.67
Chloroform	ND	F2	170	78	ug/L			11/01/24 18:46	166.67
cis-1,2-Dichloroethene	**1600**	**F2**	170	77	ug/L			11/01/24 18:46	166.67
Methylene Chloride	ND	F2	830	440	ug/L			11/01/24 18:46	166.67
Tetrachloroethene	ND	F2	170	73	ug/L			11/01/24 18:46	166.67
trans-1,2-Dichloroethene	ND	F2	170	85	ug/L			11/01/24 18:46	166.67
Trichloroethene	**3800**	**F1 F2**	170	73	ug/L			11/01/24 18:46	166.67
Vinyl chloride	ND		170	75	ug/L			11/01/24 18:46	166.67

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*101*		*78 - 122*		*11/01/24 18:46*	*166.67*
Dibromofluoromethane (Surr)	*104*		*73 - 120*		*11/01/24 18:46*	*166.67*
4-Bromofluorobenzene (Surr)	*83*		*56 - 136*		*11/01/24 18:46*	*166.67*
1,2-Dichloroethane-d4 (Surr)	*108*		*62 - 137*		*11/01/24 18:46*	*166.67*

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: PW-1
Lab Sample ID: 240-213536-6
Date Collected: 10/22/24 11:40
Matrix: Water
Date Received: 10/23/24 09:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		500	240	ug/L			11/01/24 19:11	500
1,1-Dichloroethane	ND		500	240	ug/L			11/01/24 19:11	500
1,1-Dichloroethene	ND		500	250	ug/L			11/01/24 19:11	500
1,2-Dichloroethane	ND		500	230	ug/L			11/01/24 19:11	500
Carbon tetrachloride	ND		500	130	ug/L			11/01/24 19:11	500
Chloroform	ND		500	240	ug/L			11/01/24 19:11	500
cis-1,2-Dichloroethene	**4100**		500	230	ug/L			11/01/24 19:11	500
Methylene Chloride	ND		2500	1300	ug/L			11/01/24 19:11	500
Tetrachloroethene	ND		500	220	ug/L			11/01/24 19:11	500
trans-1,2-Dichloroethene	ND		500	260	ug/L			11/01/24 19:11	500
Trichloroethene	**12000**		500	220	ug/L			11/01/24 19:11	500
Vinyl chloride	ND		500	230	ug/L			11/01/24 19:11	500

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*99*		*78 - 122*		*11/01/24 19:11*	*500*
Dibromofluoromethane (Surr)	*102*		*73 - 120*		*11/01/24 19:11*	*500*
4-Bromofluorobenzene (Surr)	*83*		*56 - 136*		*11/01/24 19:11*	*500*
1,2-Dichloroethane-d4 (Surr)	*106*		*62 - 137*		*11/01/24 19:11*	*500*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213536-1

Client Sample ID: T-002
Date Collected: 10/22/24 12:00
Date Received: 10/23/24 09:45

Lab Sample ID: 240-213536-7
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		25	12	ug/L			11/01/24 19:37	25
1,1-Dichloroethane	ND		25	12	ug/L			11/01/24 19:37	25
1,1-Dichloroethene	ND		25	12	ug/L			11/01/24 19:37	25
1,2-Dichloroethane	ND		25	11	ug/L			11/01/24 19:37	25
Carbon tetrachloride	ND		25	6.5	ug/L			11/01/24 19:37	25
Chloroform	ND		25	12	ug/L			11/01/24 19:37	25
cis-1,2-Dichloroethene	**500**		25	12	ug/L			11/01/24 19:37	25
Methylene Chloride	ND		130	66	ug/L			11/01/24 19:37	25
Tetrachloroethene	ND		25	11	ug/L			11/01/24 19:37	25
trans-1,2-Dichloroethene	ND		25	13	ug/L			11/01/24 19:37	25
Trichloroethene	**530**		25	11	ug/L			11/01/24 19:37	25
Vinyl chloride	**28**		25	11	ug/L			11/01/24 19:37	25

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*102*		*78 - 122*		*11/01/24 19:37*	*25*
Dibromofluoromethane (Surr)	*104*		*73 - 120*		*11/01/24 19:37*	*25*
4-Bromofluorobenzene (Surr)	*81*		*56 - 136*		*11/01/24 19:37*	*25*
1,2-Dichloroethane-d4 (Surr)	*108*		*62 - 137*		*11/01/24 19:37*	*25*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213536-1

Client Sample ID: QUARRY
Date Collected: 10/22/24 13:10
Date Received: 10/23/24 09:45

Lab Sample ID: 240-213536-8
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.48	ug/L			11/01/24 20:02	1
1,1-Dichloroethane	ND		1.0	0.47	ug/L			11/01/24 20:02	1
1,1-Dichloroethene	ND		1.0	0.49	ug/L			11/01/24 20:02	1
1,2-Dichloroethane	ND		1.0	0.46	ug/L			11/01/24 20:02	1
Carbon tetrachloride	ND		1.0	0.26	ug/L			11/01/24 20:02	1
Chloroform	ND		1.0	0.47	ug/L			11/01/24 20:02	1
cis-1,2-Dichloroethene	ND		1.0	0.46	ug/L			11/01/24 20:02	1
Methylene Chloride	ND		5.0	2.6	ug/L			11/01/24 20:02	1
Tetrachloroethene	ND		1.0	0.44	ug/L			11/01/24 20:02	1
trans-1,2-Dichloroethene	ND		1.0	0.51	ug/L			11/01/24 20:02	1
Trichloroethene	ND		1.0	0.44	ug/L			11/01/24 20:02	1
Vinyl chloride	ND		1.0	0.45	ug/L			11/01/24 20:02	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*102*		*78 - 122*		*11/01/24 20:02*	*1*
Dibromofluoromethane (Surr)	*106*		*73 - 120*		*11/01/24 20:02*	*1*
4-Bromofluorobenzene (Surr)	*79*		*56 - 136*		*11/01/24 20:02*	*1*
1,2-Dichloroethane-d4 (Surr)	*108*		*62 - 137*		*11/01/24 20:02*	*1*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213536-1

Client Sample ID: B-38M
Date Collected: 10/22/24 15:00
Date Received: 10/23/24 09:45

Lab Sample ID: 240-213536-9
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.48	ug/L			11/01/24 20:27	1
1,1-Dichloroethane	ND		1.0	0.47	ug/L			11/01/24 20:27	1
1,1-Dichloroethene	ND		1.0	0.49	ug/L			11/01/24 20:27	1
1,2-Dichloroethane	ND		1.0	0.46	ug/L			11/01/24 20:27	1
Carbon tetrachloride	ND		1.0	0.26	ug/L			11/01/24 20:27	1
Chloroform	ND		1.0	0.47	ug/L			11/01/24 20:27	1
cis-1,2-Dichloroethene	**0.51**	**J**	1.0	0.46	ug/L			11/01/24 20:27	1
Methylene Chloride	ND		5.0	2.6	ug/L			11/01/24 20:27	1
Tetrachloroethene	ND		1.0	0.44	ug/L			11/01/24 20:27	1
trans-1,2-Dichloroethene	ND		1.0	0.51	ug/L			11/01/24 20:27	1
Trichloroethene	ND		1.0	0.44	ug/L			11/01/24 20:27	1
Vinyl chloride	ND		1.0	0.45	ug/L			11/01/24 20:27	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*100*		*78 - 122*		*11/01/24 20:27*	*1*
Dibromofluoromethane (Surr)	*104*		*73 - 120*		*11/01/24 20:27*	*1*
4-Bromofluorobenzene (Surr)	*81*		*56 - 136*		*11/01/24 20:27*	*1*
1,2-Dichloroethane-d4 (Surr)	*108*		*62 - 137*		*11/01/24 20:27*	*1*

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: TB-20241022
Lab Sample ID: 240-213536-10
Date Collected: 10/22/24 00:00
Matrix: Water
Date Received: 10/23/24 09:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.48	ug/L			11/01/24 20:53	1
1,1-Dichloroethane	ND		1.0	0.47	ug/L			11/01/24 20:53	1
1,1-Dichloroethene	ND		1.0	0.49	ug/L			11/01/24 20:53	1
1,2-Dichloroethane	ND		1.0	0.46	ug/L			11/01/24 20:53	1
Carbon tetrachloride	ND		1.0	0.26	ug/L			11/01/24 20:53	1
Chloroform	ND		1.0	0.47	ug/L			11/01/24 20:53	1
cis-1,2-Dichloroethene	ND		1.0	0.46	ug/L			11/01/24 20:53	1
Methylene Chloride	ND		5.0	2.6	ug/L			11/01/24 20:53	1
Tetrachloroethene	ND		1.0	0.44	ug/L			11/01/24 20:53	1
trans-1,2-Dichloroethene	ND		1.0	0.51	ug/L			11/01/24 20:53	1
Trichloroethene	ND		1.0	0.44	ug/L			11/01/24 20:53	1
Vinyl chloride	ND		1.0	0.45	ug/L			11/01/24 20:53	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*100*		*78 - 122*		*11/01/24 20:53*	*1*
Dibromofluoromethane (Surr)	*105*		*73 - 120*		*11/01/24 20:53*	*1*
4-Bromofluorobenzene (Surr)	*83*		*56 - 136*		*11/01/24 20:53*	*1*
1,2-Dichloroethane-d4 (Surr)	*108*		*62 - 137*		*11/01/24 20:53*	*1*

Surrogate Summary

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213536-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	DBFM	BFB	DCA
Lab Sample ID	Client Sample ID	(78-122)	(73-120)	(56-136)	(62-137)
240-213536-1	P-2	100	87	90	85
240-213536-2	PW-4	103	88	91	85
240-213536-2	PW-4	105	87	87	86
240-213536-3	PW-3	104	91	94	88
240-213536-3	PW-3	107	90	87	88
240-213536-3 MS	PW-3	104	86	86	84
240-213536-3 MSD	PW-3	107	89	89	85
240-213536-4	P-3	102	91	92	87
240-213536-4	P-3	103	88	87	87
240-213536-5	P-4	101	104	83	108
240-213536-5 MS	P-4	98	95	90	98
240-213536-5 MSD	P-4	99	95	88	99
240-213536-6	PW-1	99	102	83	106
240-213536-7	T-002	102	104	81	108
240-213536-8	QUARRY	102	106	79	108
240-213536-9	B-38M	100	104	81	108
240-213536-10	TB-20241022	100	105	83	108
LCS 240-633453/5	Lab Control Sample	109	92	98	84
LCS 240-633465/6	Lab Control Sample	102	96	94	96
LCS 240-633647/5	Lab Control Sample	102	87	86	83
MB 240-633453/9	Method Blank	101	89	92	85
MB 240-633465/10	Method Blank	98	101	71	104
MB 240-633647/9	Method Blank	103	87	87	85

Surrogate Legend

TOL = Toluene-d8 (Surr)
DBFM = Dibromofluoromethane (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 240-633453/9
Matrix: Water
Analysis Batch: 633453

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.48	ug/L			11/01/24 11:40	1
1,1-Dichloroethane	ND		1.0	0.47	ug/L			11/01/24 11:40	1
1,1-Dichloroethene	ND		1.0	0.49	ug/L			11/01/24 11:40	1
1,2-Dichloroethane	ND		1.0	0.46	ug/L			11/01/24 11:40	1
Carbon tetrachloride	ND		1.0	0.26	ug/L			11/01/24 11:40	1
Chloroform	ND		1.0	0.47	ug/L			11/01/24 11:40	1
cis-1,2-Dichloroethene	ND		1.0	0.46	ug/L			11/01/24 11:40	1
Methylene Chloride	ND		5.0	2.6	ug/L			11/01/24 11:40	1
Tetrachloroethene	ND		1.0	0.44	ug/L			11/01/24 11:40	1
trans-1,2-Dichloroethene	ND		1.0	0.51	ug/L			11/01/24 11:40	1
Trichloroethene	ND		1.0	0.44	ug/L			11/01/24 11:40	1
Vinyl chloride	ND		1.0	0.45	ug/L			11/01/24 11:40	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*101*		*78 - 122*		*11/01/24 11:40*	*1*
Dibromofluoromethane (Surr)	*89*		*73 - 120*		*11/01/24 11:40*	*1*
4-Bromofluorobenzene (Surr)	*92*		*56 - 136*		*11/01/24 11:40*	*1*
1,2-Dichloroethane-d4 (Surr)	*85*		*62 - 137*		*11/01/24 11:40*	*1*

Lab Sample ID: LCS 240-633453/5
Matrix: Water
Analysis Batch: 633453

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	18.5		ug/L		93	64 - 131
1,1-Dichloroethane	20.0	19.9		ug/L		100	72 - 127
1,1-Dichloroethene	20.0	21.4		ug/L		107	63 - 134
1,2-Dichloroethane	20.0	16.2		ug/L		81	66 - 128
Carbon tetrachloride	20.0	18.9		ug/L		94	55 - 137
Chloroform	20.0	17.6		ug/L		88	74 - 122
cis-1,2-Dichloroethene	20.0	19.6		ug/L		98	77 - 123
Methylene Chloride	20.0	19.2		ug/L		96	71 - 125
Tetrachloroethene	20.0	21.9		ug/L		109	76 - 123
trans-1,2-Dichloroethene	20.0	19.8		ug/L		99	75 - 124
Trichloroethene	20.0	19.0		ug/L		95	70 - 122
Vinyl chloride	20.0	19.0		ug/L		95	60 - 144

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*109*		*78 - 122*
Dibromofluoromethane (Surr)	*92*		*73 - 120*
4-Bromofluorobenzene (Surr)	*98*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*84*		*62 - 137*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-633465/10
Matrix: Water
Analysis Batch: 633465

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.48	ug/L			11/01/24 12:49	1
1,1-Dichloroethane	ND		1.0	0.47	ug/L			11/01/24 12:49	1
1,1-Dichloroethene	ND		1.0	0.49	ug/L			11/01/24 12:49	1
1,2-Dichloroethane	ND		1.0	0.46	ug/L			11/01/24 12:49	1
Carbon tetrachloride	ND		1.0	0.26	ug/L			11/01/24 12:49	1
Chloroform	ND		1.0	0.47	ug/L			11/01/24 12:49	1
cis-1,2-Dichloroethene	ND		1.0	0.46	ug/L			11/01/24 12:49	1
Methylene Chloride	ND		5.0	2.6	ug/L			11/01/24 12:49	1
Tetrachloroethene	ND		1.0	0.44	ug/L			11/01/24 12:49	1
trans-1,2-Dichloroethene	ND		1.0	0.51	ug/L			11/01/24 12:49	1
Trichloroethene	ND		1.0	0.44	ug/L			11/01/24 12:49	1
Vinyl chloride	ND		1.0	0.45	ug/L			11/01/24 12:49	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*98*		*78 - 122*		*11/01/24 12:49*	*1*
Dibromofluoromethane (Surr)	*101*		*73 - 120*		*11/01/24 12:49*	*1*
4-Bromofluorobenzene (Surr)	*71*		*56 - 136*		*11/01/24 12:49*	*1*
1,2-Dichloroethane-d4 (Surr)	*104*		*62 - 137*		*11/01/24 12:49*	*1*

Lab Sample ID: LCS 240-633465/6
Matrix: Water
Analysis Batch: 633465

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	16.4		ug/L		82	64 - 131
1,1-Dichloroethane	20.0	19.1		ug/L		95	72 - 127
1,1-Dichloroethene	20.0	19.9		ug/L		100	63 - 134
1,2-Dichloroethane	20.0	17.2		ug/L		86	66 - 128
Carbon tetrachloride	20.0	17.2		ug/L		86	55 - 137
Chloroform	20.0	17.6		ug/L		88	74 - 122
cis-1,2-Dichloroethene	20.0	18.0		ug/L		90	77 - 123
Methylene Chloride	20.0	20.2		ug/L		101	71 - 125
Tetrachloroethene	20.0	18.9		ug/L		95	76 - 123
trans-1,2-Dichloroethene	20.0	19.0		ug/L		95	75 - 124
Trichloroethene	20.0	17.0		ug/L		85	70 - 122
Vinyl chloride	20.0	18.4		ug/L		92	60 - 144

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*102*		*78 - 122*
Dibromofluoromethane (Surr)	*96*		*73 - 120*
4-Bromofluorobenzene (Surr)	*94*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*96*		*62 - 137*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-213536-5 MS
Matrix: Water
Analysis Batch: 633465

Client Sample ID: P-4
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	ND		3330	2570		ug/L		77	60 - 130
1,1-Dichloroethane	ND	F2	3330	3100		ug/L		93	68 - 125
1,1-Dichloroethene	ND		3330	3110		ug/L		93	56 - 135
1,2-Dichloroethane	ND	F2	3330	2740		ug/L		82	63 - 126
Carbon tetrachloride	ND		3330	2670		ug/L		80	51 - 133
Chloroform	ND	F2	3330	2740		ug/L		82	70 - 122
cis-1,2-Dichloroethene	1600	F2	3330	4200		ug/L		78	66 - 128
Methylene Chloride	ND	F2	3330	3330		ug/L		100	62 - 129
Tetrachloroethene	ND	F2	3330	2690		ug/L		81	62 - 131
trans-1,2-Dichloroethene	ND	F2	3330	2980		ug/L		90	56 - 136
Trichloroethene	3800	F1 F2	3330	5790	F1	ug/L		58	61 - 124
Vinyl chloride	ND		3330	3000		ug/L		90	43 - 157

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Toluene-d8 (Surr)	*98*		*78 - 122*
Dibromofluoromethane (Surr)	*95*		*73 - 120*
4-Bromofluorobenzene (Surr)	*90*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*98*		*62 - 137*

Lab Sample ID: 240-213536-5 MSD
Matrix: Water
Analysis Batch: 633465

Client Sample ID: P-4
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane	ND		3330	2910		ug/L		87	60 - 130	12	17
1,1-Dichloroethane	ND	F2	3330	3740	F2	ug/L		112	68 - 125	19	13
1,1-Dichloroethene	ND		3330	3840		ug/L		115	56 - 135	21	26
1,2-Dichloroethane	ND	F2	3330	3300	F2	ug/L		99	63 - 126	19	12
Carbon tetrachloride	ND		3330	3060		ug/L		92	51 - 133	14	24
Chloroform	ND	F2	3330	3330	F2	ug/L		100	70 - 122	19	14
cis-1,2-Dichloroethene	1600	F2	3330	5050	F2	ug/L		104	66 - 128	19	14
Methylene Chloride	ND	F2	3330	4070	F2	ug/L		122	62 - 129	20	17
Tetrachloroethene	ND	F2	3330	3350	F2	ug/L		100	62 - 131	22	20
trans-1,2-Dichloroethene	ND	F2	3330	3590	F2	ug/L		108	56 - 136	18	15
Trichloroethene	3800	F1 F2	3330	6780	F2	ug/L		88	61 - 124	16	15
Vinyl chloride	ND		3330	3580		ug/L		107	43 - 157	18	24

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*99*		*78 - 122*
Dibromofluoromethane (Surr)	*95*		*73 - 120*
4-Bromofluorobenzene (Surr)	*88*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*99*		*62 - 137*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 240-633647/9
Matrix: Water
Analysis Batch: 633647

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.48	ug/L			11/02/24 12:45	1
1,1-Dichloroethane	ND		1.0	0.47	ug/L			11/02/24 12:45	1
1,1-Dichloroethene	ND		1.0	0.49	ug/L			11/02/24 12:45	1
1,2-Dichloroethane	ND		1.0	0.46	ug/L			11/02/24 12:45	1
Carbon tetrachloride	ND		1.0	0.26	ug/L			11/02/24 12:45	1
Chloroform	ND		1.0	0.47	ug/L			11/02/24 12:45	1
cis-1,2-Dichloroethene	ND		1.0	0.46	ug/L			11/02/24 12:45	1
Methylene Chloride	ND		5.0	2.6	ug/L			11/02/24 12:45	1
Tetrachloroethene	ND		1.0	0.44	ug/L			11/02/24 12:45	1
trans-1,2-Dichloroethene	ND		1.0	0.51	ug/L			11/02/24 12:45	1
Trichloroethene	ND		1.0	0.44	ug/L			11/02/24 12:45	1
Vinyl chloride	ND		1.0	0.45	ug/L			11/02/24 12:45	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*103*		*78 - 122*		*11/02/24 12:45*	*1*
Dibromofluoromethane (Surr)	*87*		*73 - 120*		*11/02/24 12:45*	*1*
4-Bromofluorobenzene (Surr)	*87*		*56 - 136*		*11/02/24 12:45*	*1*
1,2-Dichloroethane-d4 (Surr)	*85*		*62 - 137*		*11/02/24 12:45*	*1*

Lab Sample ID: LCS 240-633647/5
Matrix: Water
Analysis Batch: 633647

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	16.5		ug/L		83	64 - 131
1,1-Dichloroethane	20.0	17.5		ug/L		88	72 - 127
1,1-Dichloroethene	20.0	18.6		ug/L		93	63 - 134
1,2-Dichloroethane	20.0	14.5		ug/L		72	66 - 128
Carbon tetrachloride	20.0	16.7		ug/L		83	55 - 137
Chloroform	20.0	15.6		ug/L		78	74 - 122
cis-1,2-Dichloroethene	20.0	17.5		ug/L		88	77 - 123
Methylene Chloride	20.0	16.5		ug/L		82	71 - 125
Tetrachloroethene	20.0	20.3		ug/L		101	76 - 123
trans-1,2-Dichloroethene	20.0	17.7		ug/L		89	75 - 124
Trichloroethene	20.0	17.4		ug/L		87	70 - 122
Vinyl chloride	20.0	16.7		ug/L		83	60 - 144

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*102*		*78 - 122*
Dibromofluoromethane (Surr)	*87*		*73 - 120*
4-Bromofluorobenzene (Surr)	*86*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*83*		*62 - 137*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-213536-3 MS
Matrix: Water
Analysis Batch: 633647

Client Sample ID: PW-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	ND		400	365		ug/L		91	60 - 130
1,1-Dichloroethane	ND		400	401		ug/L		100	68 - 125
1,1-Dichloroethene	11	J	400	422		ug/L		103	56 - 135
1,2-Dichloroethane	ND		400	334		ug/L		83	63 - 126
Carbon tetrachloride	ND		400	368		ug/L		92	51 - 133
Chloroform	ND		400	356		ug/L		89	70 - 122
cis-1,2-Dichloroethene	1300		400	1610	E	ug/L		81	66 - 128
Methylene Chloride	ND		400	386		ug/L		97	62 - 129
Tetrachloroethene	ND		400	449		ug/L		112	62 - 131
trans-1,2-Dichloroethene	ND		400	405		ug/L		101	56 - 136
Trichloroethene	360		400	708		ug/L		88	61 - 124
Vinyl chloride	29		400	375		ug/L		87	43 - 157

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Toluene-d8 (Surr)	*104*		*78 - 122*
Dibromofluoromethane (Surr)	*86*		*73 - 120*
4-Bromofluorobenzene (Surr)	*86*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*84*		*62 - 137*

Lab Sample ID: 240-213536-3 MSD
Matrix: Water
Analysis Batch: 633647

Client Sample ID: PW-3
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane	ND		400	323		ug/L		81	60 - 130	12	17
1,1-Dichloroethane	ND		400	360		ug/L		90	68 - 125	11	13
1,1-Dichloroethene	11	J	400	373		ug/L		91	56 - 135	12	26
1,2-Dichloroethane	ND		400	295		ug/L		74	63 - 126	12	12
Carbon tetrachloride	ND		400	317		ug/L		79	51 - 133	15	24
Chloroform	ND		400	321		ug/L		80	70 - 122	10	14
cis-1,2-Dichloroethene	1300		400	1570		ug/L		71	66 - 128	3	14
Methylene Chloride	ND		400	345		ug/L		86	62 - 129	11	17
Tetrachloroethene	ND		400	395		ug/L		99	62 - 131	13	20
trans-1,2-Dichloroethene	ND		400	352		ug/L		88	56 - 136	14	15
Trichloroethene	360		400	666		ug/L		77	61 - 124	6	15
Vinyl chloride	29		400	351		ug/L		81	43 - 157	7	24

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*107*		*78 - 122*
Dibromofluoromethane (Surr)	*89*		*73 - 120*
4-Bromofluorobenzene (Surr)	*89*		*56 - 136*
1,2-Dichloroethane-d4 (Surr)	*85*		*62 - 137*

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

GC/MS VOA

Analysis Batch: 633453

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213536-1	P-2	Total/NA	Water	8260D	
240-213536-2	PW-4	Total/NA	Water	8260D	
240-213536-3	PW-3	Total/NA	Water	8260D	
240-213536-4	P-3	Total/NA	Water	8260D	
MB 240-633453/9	Method Blank	Total/NA	Water	8260D	
LCS 240-633453/5	Lab Control Sample	Total/NA	Water	8260D	

Analysis Batch: 633465

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213536-5	P-4	Total/NA	Water	8260D	
240-213536-6	PW-1	Total/NA	Water	8260D	
240-213536-7	T-002	Total/NA	Water	8260D	
240-213536-8	QUARRY	Total/NA	Water	8260D	
240-213536-9	B-38M	Total/NA	Water	8260D	
240-213536-10	TB-20241022	Total/NA	Water	8260D	
MB 240-633465/10	Method Blank	Total/NA	Water	8260D	
LCS 240-633465/6	Lab Control Sample	Total/NA	Water	8260D	
240-213536-5 MS	P-4	Total/NA	Water	8260D	
240-213536-5 MSD	P-4	Total/NA	Water	8260D	

Analysis Batch: 633647

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213536-2	PW-4	Total/NA	Water	8260D	
240-213536-3	PW-3	Total/NA	Water	8260D	
240-213536-4	P-3	Total/NA	Water	8260D	
MB 240-633647/9	Method Blank	Total/NA	Water	8260D	
LCS 240-633647/5	Lab Control Sample	Total/NA	Water	8260D	
240-213536-3 MS	PW-3	Total/NA	Water	8260D	
240-213536-3 MSD	PW-3	Total/NA	Water	8260D	

Client Sample ID: P-2
Lab Sample ID: 240-213536-1
Date Collected: 10/22/24 09:00
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		333.33	633453	HMB	EET CLE	11/01/24 13:39

Client Sample ID: PW-4
Lab Sample ID: 240-213536-2
Date Collected: 10/22/24 09:15
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	633453	HMB	EET CLE	11/01/24 14:03
Total/NA	Analysis	8260D		20	633647	HMB	EET CLE	11/02/24 15:55

Client Sample ID: PW-3
Lab Sample ID: 240-213536-3
Date Collected: 10/22/24 09:40
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		62.5	633453	HMB	EET CLE	11/01/24 14:27
Total/NA	Analysis	8260D		20	633647	HMB	EET CLE	11/02/24 16:19

Client Sample ID: P-3
Lab Sample ID: 240-213536-4
Date Collected: 10/22/24 10:15
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	633453	HMB	EET CLE	11/01/24 14:50
Total/NA	Analysis	8260D		1	633647	HMB	EET CLE	11/02/24 16:43

Client Sample ID: P-4
Lab Sample ID: 240-213536-5
Date Collected: 10/22/24 10:35
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		166.67	633465	HMB	EET CLE	11/01/24 18:46

Client Sample ID: PW-1
Lab Sample ID: 240-213536-6
Date Collected: 10/22/24 11:40
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		500	633465	HMB	EET CLE	11/01/24 19:11

Client Sample ID: T-002
Lab Sample ID: 240-213536-7
Date Collected: 10/22/24 12:00
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		25	633465	HMB	EET CLE	11/01/24 19:37

Lab Chronicle

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: QUARRY
Lab Sample ID: 240-213536-8
Date Collected: 10/22/24 13:10
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	633465	HMB	EET CLE	11/01/24 20:02

Client Sample ID: B-38M
Lab Sample ID: 240-213536-9
Date Collected: 10/22/24 15:00
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	633465	HMB	EET CLE	11/01/24 20:27

Client Sample ID: TB-20241022
Lab Sample ID: 240-213536-10
Date Collected: 10/22/24 00:00
Matrix: Water
Date Received: 10/23/24 09:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	633465	HMB	EET CLE	11/01/24 20:53

Laboratory References:

EET CLE = Eurofins Cleveland, 180 S. Van Buren Avenue, Barberton, OH 44203, TEL (330)497-9396

Accreditation/Certification Summary

Client: AECOM
Job ID: 240-213536-1
Project/Site: BP Sanborn - Fall Event

Laboratory: Eurofins Cleveland

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10975	04-02-25

Eurofins Cleveland
180 S. Van Buren Avenue
Barberton, OH 44203
Phone: 330-497-9396 Fax: 330-497-0772

Chain of Custody Record

3-2/3-3

eurofins | Environment Testing

Client Information	Sampler: E. Smith / C. Finn	Lab PM: Johnson, Opal	Carrier Tracking No(s):	COC No: 240-124899-43557.1
Client Contact: Ms. Ann Marie Kropovitch	Phone: (716) 912-4456	E-Mail: Opal.Johnson@et.eurofinsus.com	State of Origin: NY	Page: ~~Page 1 of 2~~ 1 of 1
Company: AECOM	PWSID:	Analysis Requested		Job #:
Address: 50 Lakefront Boulevard Suite 111	Due Date Requested: STANDARD			Preservation Codes: A - HCL
City: Buffalo	TAT Requested (days): STANDARD			
State, Zip: NY, 14202	Compliance Project: Δ Yes Δ No			
Phone: 716-923-1137(Tel)	PO #: 143920, Line 14			
Email: ann.marie.kropovitch@aecom.com	WO #:			Other:
Project Name: BP Sanborn - Fall Event	Project #: 24017387			
Site:	SSOW#:			

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS (Yes	8260D - (MOD) TCL OLM03.1/4.2 Volatile Analyte L	8260D - TRIP BLANK	Total Number of containers	Special Instructions/Note:
			Preservation Code				A	A		
P-2	10-22-24	0900	G	Water			X		3	
PW-4	10-22-24	0915	G	Water			X		3	
PW-3	10-22-24	0940	G	Water			X		3	
P-3	10-22-24	1015	G	Water			X		3	
P-4	10-22-24	1035	G	Water			X		3	
PW-1	10-22-24	1140	G	Water			X		3	
T-002	10-22-24	1200	G	Water			X		3	
Quarry	10-22-24	1310	G	Water			X		3	
B-38M	10-22-24	1500	G	Water			X		3	
TB-20241022	10-22-24	—	G	Water				X	2	
				Water						

240-213536 COC

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements: Please reference task number 102.23.09.H

Empty Kit Relinquished by: | Date: | Time: | Method of Shipment: FedEx Tracking 7415 6794 5312

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
	10/22/24 1700	AECOM	KATHARINE MARTIN	10/23/24 945	EUL
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.: | Cooler Temperature(s) °C and Other Remarks:

Eurofins – Cleveland Sample Receipt Form/Narrative **Login # :** _____
Barberton Facility

Client AECOM Site Name _____ Cooler unpacked by: KM

Cooler Received on 10/23/24 Opened on 10/23/24

FedEx: 1st Grd (Exp) UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours: Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____

Packing material used: (Bubble Wrap) Foam Plastic Bag None Other _____

COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1. Cooler temperature upon receipt ☐ See Multiple Cooler Form

IR GUN # 17 (CF +0.1 °C) Observed Cooler Temp. 3.2 °C Corrected Cooler Temp. 3.3 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	(Yes) No	**Tests that are not checked for pH by Receiving:**
-Were the seals on the outside of the cooler(s) signed & dated?	(Yes) No NA	
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes (No)	**VOAs**
-Were tamper/custody seals intact and uncompromised?	(Yes) No NA	**Oil and Grease**
3. Shippers' packing slip attached to the cooler(s)?	(Yes) No	**TOC**
4. Did custody papers accompany the sample(s)?	(Yes) No	
5. Were the custody papers relinquished & signed in the appropriate place?	(Yes) No	
6. Was/were the person(s) who collected the samples clearly identified on the COC?	(Yes) No	
7. Did all bottles arrive in good condition (Unbroken)?	(Yes) No	
8. Could all bottle labels (ID/Date/Time) be reconciled with the COC?	(Yes) No	
9. For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp (Y/N)?		
10. Were correct bottle(s) used for the test(s) indicated?	(Yes) No	
11. Sufficient quantity received to perform indicated analyses?	(Yes) No	
12. Are these work share samples and all listed on the COC?	Yes (No)	
If yes, Questions 13-17 have been checked at the originating laboratory.		
13. Were all preserved sample(s) at the correct pH upon receipt?	Yes No (NA)	pH Strip Lot# HC447997
14. Were VOAs on the COC?	(Yes) No	
15. Were air bubbles >6 mm in any VOA vials? ● ⬅ Larger than this.	Yes (No) NA	
16. Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A	(Yes) No	
17. Was a LL Hg or Me Hg trip blank present? _____	Yes (No)	

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page | Samples processed by:

_____

_____

_____

_____

19. SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.

Sample(s) _____ were received in a broken container.

Sample(s) _____ were received with bubble >6 mm in diameter. (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory.

Time preserved: _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen: _____

10/23/2024

Login Container Summary Report

240-213536

11/5/2024

Temperature readings: _____

Client Sample ID	Lab ID	Container Type	Container pH	Container Temp	Preservation Added	Preservation Lot Number
P-2	240-213536-A-1	Voa Vial 40ml - Hydrochloric Acid				
P-2	240-213536-B-1	Voa Vial 40ml - Hydrochloric Acid				
P-2	240-213536-C-1	Voa Vial 40ml - Hydrochloric Acid				
PW-4	240-213536-A-2	Voa Vial 40ml - Hydrochloric Acid				
PW-4	240-213536-B-2	Voa Vial 40ml - Hydrochloric Acid				
PW-4	240-213536-C-2	Voa Vial 40ml - Hydrochloric Acid				
PW-3	240-213536-A-3	Voa Vial 40ml - Hydrochloric Acid				
PW-3	240-213536-B-3	Voa Vial 40ml - Hydrochloric Acid				
PW-3	240-213536-C-3	Voa Vial 40ml - Hydrochloric Acid				
P-3	240-213536-A-4	Voa Vial 40ml - Hydrochloric Acid				
P-3	240-213536-B-4	Voa Vial 40ml - Hydrochloric Acid				
P-3	240-213536-C-4	Voa Vial 40ml - Hydrochloric Acid				
P-4	240-213536-A-5	Voa Vial 40ml - Hydrochloric Acid				
P-4	240-213536-B-5	Voa Vial 40ml - Hydrochloric Acid				
P-4	240-213536-C-5	Voa Vial 40ml - Hydrochloric Acid				
PW-1	240-213536-A-6	Voa Vial 40ml - Hydrochloric Acid				
PW-1	240-213536-B-6	Voa Vial 40ml - Hydrochloric Acid				
PW-1	240-213536-C-6	Voa Vial 40ml - Hydrochloric Acid				
T-002	240-213536-A-7	Voa Vial 40ml - Hydrochloric Acid				
T-002	240-213536-B-7	Voa Vial 40ml - Hydrochloric Acid				
T-002	240-213536-C-7	Voa Vial 40ml - Hydrochloric Acid				
QUARRY	240-213536-A-8	Voa Vial 40ml - Hydrochloric Acid				
QUARRY	240-213536-B-8	Voa Vial 40ml - Hydrochloric Acid				
QUARRY	240-213536-C-8	Voa Vial 40ml - Hydrochloric Acid				
B-38M	240-213536-A-9	Voa Vial 40ml - Hydrochloric Acid				
B-38M	240-213536-B-9	Voa Vial 40ml - Hydrochloric Acid				
B-38M	240-213536-C-9	Voa Vial 40ml - Hydrochloric Acid				
TB-20241022	240-213536-A-10	Voa Vial 40ml - Hydrochloric Acid				
TB-20241022	240-213536-B-10	Voa Vial 40ml - Hydrochloric Acid				

ANALYTICAL REPORT

PREPARED FOR

Attn: Ms. Ann Marie Kropovitch
AECOM
50 Lakefront Boulevard
Suite 111
Buffalo, New York 14202

Generated 11/7/2024 2:23:20 AM

JOB DESCRIPTION

BP Sanborn - Fall Event

JOB NUMBER

240-213779-1

Eurofins Cleveland
180 S. Van Buren Avenue
Barberton OH 44203

See page two for job notes and contact information.

my EOL

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing North Central, LLC Project Manager.

Authorization



Generated
11/7/2024 2:23:20 AM

Authorized for release by
Opal Johnson, Project Manager II
Opal.Johnson@et.eurofinsus.com
(330)966-9279

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Method Summary 6
Sample Summary 7
Detection Summary 8
Client Sample Results 10
Surrogate Summary 21
QC Sample Results 22
QC Association Summary 26
Lab Chronicle 27
Certification Summary 29
Chain of Custody 30
Receipt Checklists 38

Definitions/Glossary

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 240-213779-1 — Eurofins Cleveland

Job Narrative
240-213779-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt
The samples were received on 10/25/2024 9:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.3°C.

GC/MS VOA
Method 8260D: The following samples were diluted to bring the concentration of target analytes within the calibration range: B-12M (240-213779-6) and B-3M (240-213779-7). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Method Summary

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
5030C	Purge and Trap	SW846	EET EDI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
240-213779-1	B-23M	Water	10/23/24 09:00	10/25/24 09:30
240-213779-2	FD-20241023	Water	10/23/24 00:00	10/25/24 09:30
240-213779-3	B-50M	Water	10/23/24 10:30	10/25/24 09:30
240-213779-4	B-6M	Water	10/23/24 11:40	10/25/24 09:30
240-213779-5	B-9M	Water	10/23/24 12:50	10/25/24 09:30
240-213779-6	B-12M	Water	10/23/24 13:55	10/25/24 09:30
240-213779-7	B-3M	Water	10/24/24 09:00	10/25/24 09:30
240-213779-8	B-22M	Water	10/24/24 10:00	10/25/24 09:30
240-213779-9	B-21M	Water	10/24/24 11:05	10/25/24 09:30
240-213779-10	B-28M	Water	10/24/24 12:00	10/25/24 09:30
240-213779-11	TB-20241024	Water	10/24/24 00:00	10/25/24 09:30

Detection Summary

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-23M — Lab Sample ID: 240-213779-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	0.57	J	1.0	0.26	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	120		1.0	0.22	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	0.40	J	1.0	0.24	ug/L	1		8260D	Total/NA
Trichloroethene	16		1.0	0.31	ug/L	1		8260D	Total/NA
Vinyl chloride	61		1.0	0.17	ug/L	1		8260D	Total/NA

Client Sample ID: FD-20241023 — Lab Sample ID: 240-213779-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethane	0.67	J	1.0	0.26	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	110		1.0	0.22	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	0.44	J	1.0	0.24	ug/L	1		8260D	Total/NA
Trichloroethene	25		1.0	0.31	ug/L	1		8260D	Total/NA
Vinyl chloride	55		1.0	0.17	ug/L	1		8260D	Total/NA

Client Sample ID: B-50M — Lab Sample ID: 240-213779-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	0.38	J	1.0	0.26	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	33	F1	1.0	0.22	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	2.6		1.0	0.24	ug/L	1		8260D	Total/NA
Trichloroethene	170		1.0	0.31	ug/L	1		8260D	Total/NA
Vinyl chloride	0.44	J	1.0	0.17	ug/L	1		8260D	Total/NA

Client Sample ID: B-6M — Lab Sample ID: 240-213779-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3.7		1.0	0.22	ug/L	1		8260D	Total/NA
Trichloroethene	25		1.0	0.31	ug/L	1		8260D	Total/NA

Client Sample ID: B-9M — Lab Sample ID: 240-213779-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	0.30	J	1.0	0.22	ug/L	1		8260D	Total/NA
Tetrachloroethene	0.92	J	1.0	0.25	ug/L	1		8260D	Total/NA
Trichloroethene	1.1		1.0	0.31	ug/L	1		8260D	Total/NA

Client Sample ID: B-12M — Lab Sample ID: 240-213779-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1,1-Trichloroethane	3.9		2.0	0.48	ug/L	2		8260D	Total/NA
1,1-Dichloroethane	3.4		2.0	0.53	ug/L	2		8260D	Total/NA
1,1-Dichloroethene	2.0		2.0	0.53	ug/L	2		8260D	Total/NA
cis-1,2-Dichloroethene	98		2.0	0.44	ug/L	2		8260D	Total/NA
trans-1,2-Dichloroethene	1.7	J	2.0	0.47	ug/L	2		8260D	Total/NA
Trichloroethene	570		2.0	0.63	ug/L	2		8260D	Total/NA
Vinyl chloride	2.5		2.0	0.34	ug/L	2		8260D	Total/NA

Client Sample ID: B-3M — Lab Sample ID: 240-213779-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1,1-Trichloroethane	2.6		2.0	0.48	ug/L	2		8260D	Total/NA
1,1-Dichloroethane	6.1		2.0	0.53	ug/L	2		8260D	Total/NA
1,1-Dichloroethene	2.7		2.0	0.53	ug/L	2		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Cleveland

Client Sample ID: B-3M (Continued)
Lab Sample ID: 240-213779-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	410		2.0	0.44	ug/L	2		8260D	Total/NA
Tetrachloroethene	2.8		2.0	0.50	ug/L	2		8260D	Total/NA
trans-1,2-Dichloroethene	6.8		2.0	0.47	ug/L	2		8260D	Total/NA
Trichloroethene	420		2.0	0.63	ug/L	2		8260D	Total/NA
Vinyl chloride	6.3		2.0	0.34	ug/L	2		8260D	Total/NA

Client Sample ID: B-22M
Lab Sample ID: 240-213779-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1,1-Trichloroethane	0.50	J	1.0	0.24	ug/L	1		8260D	Total/NA
1,1-Dichloroethane	2.8		1.0	0.26	ug/L	1		8260D	Total/NA
1,1-Dichloroethene	0.41	J	1.0	0.26	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	210		1.0	0.22	ug/L	1		8260D	Total/NA
Tetrachloroethene	0.29	J	1.0	0.25	ug/L	1		8260D	Total/NA
trans-1,2-Dichloroethene	2.6		1.0	0.24	ug/L	1		8260D	Total/NA
Trichloroethene	260		1.0	0.31	ug/L	1		8260D	Total/NA
Vinyl chloride	3.3		1.0	0.17	ug/L	1		8260D	Total/NA

Client Sample ID: B-21M
Lab Sample ID: 240-213779-9

No Detections.

Client Sample ID: B-28M
Lab Sample ID: 240-213779-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.69	J	1.0	0.33	ug/L	1		8260D	Total/NA

Client Sample ID: TB-20241024
Lab Sample ID: 240-213779-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methylene Chloride	1.2		1.0	0.32	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-23M
Lab Sample ID: 240-213779-1
Date Collected: 10/23/24 09:00
Matrix: Water
Date Received: 10/25/24 09:30

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 08:35	1
1,1-Dichloroethane	**0.57**	**J**	1.0	0.26	ug/L			11/04/24 08:35	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/04/24 08:35	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 08:35	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 08:35	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 08:35	1
cis-1,2-Dichloroethene	**120**		1.0	0.22	ug/L			11/04/24 08:35	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 08:35	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 08:35	1
trans-1,2-Dichloroethene	**0.40**	**J**	1.0	0.24	ug/L			11/04/24 08:35	1
Trichloroethene	**16**		1.0	0.31	ug/L			11/04/24 08:35	1
Vinyl chloride	**61**		1.0	0.17	ug/L			11/04/24 08:35	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*94*		*80 - 120*		*11/04/24 08:35*	*1*
4-Bromofluorobenzene	*106*		*76 - 120*		*11/04/24 08:35*	*1*
Dibromofluoromethane (Surr)	*100*		*77 - 132*		*11/04/24 08:35*	*1*
1,2-Dichloroethane-d4 (Surr)	*91*		*70 - 128*		*11/04/24 08:35*	*1*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213779-1

Client Sample ID: FD-20241023
Date Collected: 10/23/24 00:00
Date Received: 10/25/24 09:30

Lab Sample ID: 240-213779-2
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 09:00	1
1,1-Dichloroethane	**0.67**	**J**	1.0	0.26	ug/L			11/04/24 09:00	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/04/24 09:00	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 09:00	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 09:00	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 09:00	1
cis-1,2-Dichloroethene	**110**		1.0	0.22	ug/L			11/04/24 09:00	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 09:00	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 09:00	1
trans-1,2-Dichloroethene	**0.44**	**J**	1.0	0.24	ug/L			11/04/24 09:00	1
Trichloroethene	**25**		1.0	0.31	ug/L			11/04/24 09:00	1
Vinyl chloride	**55**		1.0	0.17	ug/L			11/04/24 09:00	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*80 - 120*		*11/04/24 09:00*	*1*
4-Bromofluorobenzene	*102*		*76 - 120*		*11/04/24 09:00*	*1*
Dibromofluoromethane (Surr)	*98*		*77 - 132*		*11/04/24 09:00*	*1*
1,2-Dichloroethane-d4 (Surr)	*95*		*70 - 128*		*11/04/24 09:00*	*1*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213779-1

Client Sample ID: B-50M
Date Collected: 10/23/24 10:30
Date Received: 10/25/24 09:30

Lab Sample ID: 240-213779-3
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 14:08	1
1,1-Dichloroethane	ND		1.0	0.26	ug/L			11/04/24 14:08	1
1,1-Dichloroethene	**0.38**	**J**	1.0	0.26	ug/L			11/04/24 14:08	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 14:08	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 14:08	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 14:08	1
cis-1,2-Dichloroethene	**33**	**F1**	1.0	0.22	ug/L			11/04/24 14:08	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 14:08	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 14:08	1
trans-1,2-Dichloroethene	**2.6**		1.0	0.24	ug/L			11/04/24 14:08	1
Trichloroethene	**170**		1.0	0.31	ug/L			11/04/24 14:08	1
Vinyl chloride	**0.44**	**J**	1.0	0.17	ug/L			11/04/24 14:08	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*85*		*80 - 120*		*11/04/24 14:08*	*1*
4-Bromofluorobenzene	*103*		*76 - 120*		*11/04/24 14:08*	*1*
Dibromofluoromethane (Surr)	*104*		*77 - 132*		*11/04/24 14:08*	*1*
1,2-Dichloroethane-d4 (Surr)	*92*		*70 - 128*		*11/04/24 14:08*	*1*

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-6M
Lab Sample ID: 240-213779-4
Date Collected: 10/23/24 11:40
Matrix: Water
Date Received: 10/25/24 09:30

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 13:43	1
1,1-Dichloroethane	ND		1.0	0.26	ug/L			11/04/24 13:43	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/04/24 13:43	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 13:43	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 13:43	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 13:43	1
cis-1,2-Dichloroethene	**3.7**		1.0	0.22	ug/L			11/04/24 13:43	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 13:43	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 13:43	1
trans-1,2-Dichloroethene	ND		1.0	0.24	ug/L			11/04/24 13:43	1
Trichloroethene	**25**		1.0	0.31	ug/L			11/04/24 13:43	1
Vinyl chloride	ND		1.0	0.17	ug/L			11/04/24 13:43	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*80 - 120*		*11/04/24 13:43*	*1*
4-Bromofluorobenzene	*105*		*76 - 120*		*11/04/24 13:43*	*1*
Dibromofluoromethane (Surr)	*104*		*77 - 132*		*11/04/24 13:43*	*1*
1,2-Dichloroethane-d4 (Surr)	*95*		*70 - 128*		*11/04/24 13:43*	*1*

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-9M
Lab Sample ID: 240-213779-5
Date Collected: 10/23/24 12:50
Matrix: Water
Date Received: 10/25/24 09:30

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/05/24 02:05	1
1,1-Dichloroethane	ND		1.0	0.26	ug/L			11/05/24 02:05	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/05/24 02:05	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/05/24 02:05	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/05/24 02:05	1
Chloroform	ND		1.0	0.33	ug/L			11/05/24 02:05	1
cis-1,2-Dichloroethene	**0.30**	**J**	1.0	0.22	ug/L			11/05/24 02:05	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/05/24 02:05	1
Tetrachloroethene	**0.92**	**J**	1.0	0.25	ug/L			11/05/24 02:05	1
trans-1,2-Dichloroethene	ND		1.0	0.24	ug/L			11/05/24 02:05	1
Trichloroethene	**1.1**		1.0	0.31	ug/L			11/05/24 02:05	1
Vinyl chloride	ND		1.0	0.17	ug/L			11/05/24 02:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*93*		*80 - 120*		*11/05/24 02:05*	*1*
4-Bromofluorobenzene	*105*		*76 - 120*		*11/05/24 02:05*	*1*
Dibromofluoromethane (Surr)	*100*		*77 - 132*		*11/05/24 02:05*	*1*
1,2-Dichloroethane-d4 (Surr)	*86*		*70 - 128*		*11/05/24 02:05*	*1*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213779-1

Client Sample ID: B-12M

Date Collected: 10/23/24 13:55
Date Received: 10/25/24 09:30

Lab Sample ID: 240-213779-6

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	**3.9**		2.0	0.48	ug/L			11/04/24 14:59	2
1,1-Dichloroethane	**3.4**		2.0	0.53	ug/L			11/04/24 14:59	2
1,1-Dichloroethene	**2.0**		2.0	0.53	ug/L			11/04/24 14:59	2
1,2-Dichloroethane	ND		2.0	0.86	ug/L			11/04/24 14:59	2
Carbon tetrachloride	ND		2.0	0.42	ug/L			11/04/24 14:59	2
Chloroform	ND		2.0	0.65	ug/L			11/04/24 14:59	2
cis-1,2-Dichloroethene	**98**		2.0	0.44	ug/L			11/04/24 14:59	2
Methylene Chloride	ND		2.0	0.63	ug/L			11/04/24 14:59	2
Tetrachloroethene	ND		2.0	0.50	ug/L			11/04/24 14:59	2
trans-1,2-Dichloroethene	**1.7**	**J**	2.0	0.47	ug/L			11/04/24 14:59	2
Trichloroethene	**570**		2.0	0.63	ug/L			11/04/24 14:59	2
Vinyl chloride	**2.5**		2.0	0.34	ug/L			11/04/24 14:59	2

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*91*		*80 - 120*		*11/04/24 14:59*	*2*
4-Bromofluorobenzene	*105*		*76 - 120*		*11/04/24 14:59*	*2*
Dibromofluoromethane (Surr)	*102*		*77 - 132*		*11/04/24 14:59*	*2*
1,2-Dichloroethane-d4 (Surr)	*97*		*70 - 128*		*11/04/24 14:59*	*2*

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-3M
Lab Sample ID: 240-213779-7
Date Collected: 10/24/24 09:00
Matrix: Water
Date Received: 10/25/24 09:30

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	**2.6**		2.0	0.48	ug/L			11/04/24 15:25	2
1,1-Dichloroethane	**6.1**		2.0	0.53	ug/L			11/04/24 15:25	2
1,1-Dichloroethene	**2.7**		2.0	0.53	ug/L			11/04/24 15:25	2
1,2-Dichloroethane	ND		2.0	0.86	ug/L			11/04/24 15:25	2
Carbon tetrachloride	ND		2.0	0.42	ug/L			11/04/24 15:25	2
Chloroform	ND		2.0	0.65	ug/L			11/04/24 15:25	2
cis-1,2-Dichloroethene	**410**		2.0	0.44	ug/L			11/04/24 15:25	2
Methylene Chloride	ND		2.0	0.63	ug/L			11/04/24 15:25	2
Tetrachloroethene	**2.8**		2.0	0.50	ug/L			11/04/24 15:25	2
trans-1,2-Dichloroethene	**6.8**		2.0	0.47	ug/L			11/04/24 15:25	2
Trichloroethene	**420**		2.0	0.63	ug/L			11/04/24 15:25	2
Vinyl chloride	**6.3**		2.0	0.34	ug/L			11/04/24 15:25	2

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*80 - 120*		*11/04/24 15:25*	*2*
4-Bromofluorobenzene	*105*		*76 - 120*		*11/04/24 15:25*	*2*
Dibromofluoromethane (Surr)	*104*		*77 - 132*		*11/04/24 15:25*	*2*
1,2-Dichloroethane-d4 (Surr)	*94*		*70 - 128*		*11/04/24 15:25*	*2*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213779-1

Client Sample ID: B-22M
Date Collected: 10/24/24 10:00
Date Received: 10/25/24 09:30

Lab Sample ID: 240-213779-8
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	**0.50**	**J**	1.0	0.24	ug/L			11/04/24 14:34	1
1,1-Dichloroethane	**2.8**		1.0	0.26	ug/L			11/04/24 14:34	1
1,1-Dichloroethene	**0.41**	**J**	1.0	0.26	ug/L			11/04/24 14:34	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 14:34	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 14:34	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 14:34	1
cis-1,2-Dichloroethene	**210**		1.0	0.22	ug/L			11/04/24 14:34	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 14:34	1
Tetrachloroethene	**0.29**	**J**	1.0	0.25	ug/L			11/04/24 14:34	1
trans-1,2-Dichloroethene	**2.6**		1.0	0.24	ug/L			11/04/24 14:34	1
Trichloroethene	**260**		1.0	0.31	ug/L			11/04/24 14:34	1
Vinyl chloride	**3.3**		1.0	0.17	ug/L			11/04/24 14:34	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*80 - 120*		*11/04/24 14:34*	*1*
4-Bromofluorobenzene	*106*		*76 - 120*		*11/04/24 14:34*	*1*
Dibromofluoromethane (Surr)	*100*		*77 - 132*		*11/04/24 14:34*	*1*
1,2-Dichloroethane-d4 (Surr)	*94*		*70 - 128*		*11/04/24 14:34*	*1*

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-21M
Lab Sample ID: 240-213779-9
Date Collected: 10/24/24 11:05
Matrix: Water
Date Received: 10/25/24 09:30

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 09:52	1
1,1-Dichloroethane	ND		1.0	0.26	ug/L			11/04/24 09:52	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/04/24 09:52	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 09:52	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 09:52	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 09:52	1
cis-1,2-Dichloroethene	ND		1.0	0.22	ug/L			11/04/24 09:52	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 09:52	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 09:52	1
trans-1,2-Dichloroethene	ND		1.0	0.24	ug/L			11/04/24 09:52	1
Trichloroethene	ND		1.0	0.31	ug/L			11/04/24 09:52	1
Vinyl chloride	ND		1.0	0.17	ug/L			11/04/24 09:52	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*88*		*80 - 120*		*11/04/24 09:52*	*1*
4-Bromofluorobenzene	*100*		*76 - 120*		*11/04/24 09:52*	*1*
Dibromofluoromethane (Surr)	*98*		*77 - 132*		*11/04/24 09:52*	*1*
1,2-Dichloroethane-d4 (Surr)	*92*		*70 - 128*		*11/04/24 09:52*	*1*

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-28M
Lab Sample ID: 240-213779-10
Date Collected: 10/24/24 12:00
Matrix: Water
Date Received: 10/25/24 09:30

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 10:17	1
1,1-Dichloroethane	ND		1.0	0.26	ug/L			11/04/24 10:17	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/04/24 10:17	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 10:17	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 10:17	1
Chloroform	**0.69**	**J**	1.0	0.33	ug/L			11/04/24 10:17	1
cis-1,2-Dichloroethene	ND		1.0	0.22	ug/L			11/04/24 10:17	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 10:17	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 10:17	1
trans-1,2-Dichloroethene	ND		1.0	0.24	ug/L			11/04/24 10:17	1
Trichloroethene	ND		1.0	0.31	ug/L			11/04/24 10:17	1
Vinyl chloride	ND		1.0	0.17	ug/L			11/04/24 10:17	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*92*		*80 - 120*		*11/04/24 10:17*	*1*
4-Bromofluorobenzene	*106*		*76 - 120*		*11/04/24 10:17*	*1*
Dibromofluoromethane (Surr)	*103*		*77 - 132*		*11/04/24 10:17*	*1*
1,2-Dichloroethane-d4 (Surr)	*96*		*70 - 128*		*11/04/24 10:17*	*1*

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213779-1

Client Sample ID: TB-20241024
Date Collected: 10/24/24 00:00
Date Received: 10/25/24 09:30

Lab Sample ID: 240-213779-11
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 06:52	1
1,1-Dichloroethane	ND		1.0	0.26	ug/L			11/04/24 06:52	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/04/24 06:52	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 06:52	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 06:52	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 06:52	1
cis-1,2-Dichloroethene	ND		1.0	0.22	ug/L			11/04/24 06:52	1
Methylene Chloride	**1.2**		1.0	0.32	ug/L			11/04/24 06:52	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 06:52	1
trans-1,2-Dichloroethene	ND		1.0	0.24	ug/L			11/04/24 06:52	1
Trichloroethene	ND		1.0	0.31	ug/L			11/04/24 06:52	1
Vinyl chloride	ND		1.0	0.17	ug/L			11/04/24 06:52	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*91*		*80 - 120*		*11/04/24 06:52*	*1*
4-Bromofluorobenzene	*104*		*76 - 120*		*11/04/24 06:52*	*1*
Dibromofluoromethane (Surr)	*104*		*77 - 132*		*11/04/24 06:52*	*1*
1,2-Dichloroethane-d4 (Surr)	*94*		*70 - 128*		*11/04/24 06:52*	*1*

Surrogate Summary

Client: AECOM
Project/Site: BP Sanborn - Fall Event

Job ID: 240-213779-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	BFB	DBFM	DCA
Lab Sample ID	Client Sample ID	(80-120)	(76-120)	(77-132)	(70-128)
240-213779-1	B-23M	94	106	100	91
240-213779-2	FD-20241023	92	102	98	95
240-213779-3	B-50M	85	103	104	92
240-213779-3 MS	B-50M-MS	86	108	102	87
240-213779-3 MSD	B-50M-MSD	92	107	98	90
240-213779-4	B-6M	92	105	104	95
240-213779-5	B-9M	93	105	100	86
240-213779-6	B-12M	91	105	102	97
240-213779-7	B-3M	92	105	104	94
240-213779-8	B-22M	92	106	100	94
240-213779-9	B-21M	88	100	98	92
240-213779-10	B-28M	92	106	103	96
240-213779-11	TB-20241024	91	104	104	94
LCS 460-1005058/3	Lab Control Sample	90	106	101	87
LCS 460-1005200/3	Lab Control Sample	93	108	92	80
LCSD 460-1005200/4	Lab Control Sample Dup	92	105	94	84
MB 460-1005058/8	Method Blank	88	100	102	100
MB 460-1005200/8	Method Blank	91	103	94	88

Surrogate Legend

TOL = Toluene-d8 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)
DCA = 1,2-Dichloroethane-d4 (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-1005058/8
Matrix: Water
Analysis Batch: 1005058

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 06:26	1
1,1-Dichloroethane	ND		1.0	0.26	ug/L			11/04/24 06:26	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/04/24 06:26	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 06:26	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 06:26	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 06:26	1
cis-1,2-Dichloroethene	ND		1.0	0.22	ug/L			11/04/24 06:26	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 06:26	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 06:26	1
trans-1,2-Dichloroethene	ND		1.0	0.24	ug/L			11/04/24 06:26	1
Trichloroethene	ND		1.0	0.31	ug/L			11/04/24 06:26	1
Vinyl chloride	ND		1.0	0.17	ug/L			11/04/24 06:26	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*88*		*80 - 120*		*11/04/24 06:26*	*1*
4-Bromofluorobenzene	*100*		*76 - 120*		*11/04/24 06:26*	*1*
Dibromofluoromethane (Surr)	*102*		*77 - 132*		*11/04/24 06:26*	*1*
1,2-Dichloroethane-d4 (Surr)	*100*		*70 - 128*		*11/04/24 06:26*	*1*

Lab Sample ID: LCS 460-1005058/3
Matrix: Water
Analysis Batch: 1005058

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	19.2		ug/L		96	72 - 128
1,1-Dichloroethane	20.0	17.8		ug/L		89	73 - 130
1,1-Dichloroethene	20.0	20.3		ug/L		101	68 - 133
1,2-Dichloroethane	20.0	17.5		ug/L		87	66 - 129
Carbon tetrachloride	20.0	20.5		ug/L		103	65 - 131
Chloroform	20.0	18.0		ug/L		90	78 - 125
cis-1,2-Dichloroethene	20.0	17.9		ug/L		90	78 - 121
Methylene Chloride	20.0	19.2		ug/L		96	74 - 127
Tetrachloroethene	20.0	18.5		ug/L		93	70 - 127
trans-1,2-Dichloroethene	20.0	19.6		ug/L		98	70 - 126
Trichloroethene	20.0	20.4		ug/L		102	73 - 121
Vinyl chloride	20.0	22.7		ug/L		114	55 - 144

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*90*		*80 - 120*
4-Bromofluorobenzene	*106*		*76 - 120*
Dibromofluoromethane (Surr)	*101*		*77 - 132*
1,2-Dichloroethane-d4 (Surr)	*87*		*70 - 128*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 240-213779-3 MS
Matrix: Water
Analysis Batch: 1005058

Client Sample ID: B-50M-MS
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	ND		20.0	19.5		ug/L		98	72 - 128
1,1-Dichloroethane	ND		20.0	17.1		ug/L		86	73 - 130
1,1-Dichloroethene	0.38	J	20.0	19.6		ug/L		96	68 - 133
1,2-Dichloroethane	ND		20.0	18.1		ug/L		91	66 - 129
Carbon tetrachloride	ND		20.0	21.3		ug/L		106	65 - 131
Chloroform	ND		20.0	17.8		ug/L		89	78 - 125
cis-1,2-Dichloroethene	33	F1	20.0	46.3	F1	ug/L		65	78 - 121
Methylene Chloride	ND		20.0	18.5		ug/L		93	74 - 127
Tetrachloroethene	ND		20.0	20.8		ug/L		104	70 - 127
trans-1,2-Dichloroethene	2.6		20.0	21.3		ug/L		94	70 - 126
Trichloroethene	170		20.0	164	4	ug/L		-11	73 - 121
Vinyl chloride	0.44	J	20.0	20.4		ug/L		100	55 - 144

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Toluene-d8 (Surr)	*86*		*80 - 120*
4-Bromofluorobenzene	*108*		*76 - 120*
Dibromofluoromethane (Surr)	*102*		*77 - 132*
1,2-Dichloroethane-d4 (Surr)	*87*		*70 - 128*

Lab Sample ID: 240-213779-3 MSD
Matrix: Water
Analysis Batch: 1005058

Client Sample ID: B-50M-MSD
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane	ND		20.0	20.1		ug/L		101	72 - 128	3	30
1,1-Dichloroethane	ND		20.0	18.7		ug/L		93	73 - 130	9	30
1,1-Dichloroethene	0.38	J	20.0	19.9		ug/L		97	68 - 133	1	30
1,2-Dichloroethane	ND		20.0	19.0		ug/L		95	66 - 129	5	30
Carbon tetrachloride	ND		20.0	20.6		ug/L		103	65 - 131	4	30
Chloroform	ND		20.0	19.1		ug/L		96	78 - 125	7	30
cis-1,2-Dichloroethene	33	F1	20.0	47.5	F1	ug/L		71	78 - 121	3	30
Methylene Chloride	ND		20.0	19.3		ug/L		97	74 - 127	4	30
Tetrachloroethene	ND		20.0	19.8		ug/L		99	70 - 127	5	30
trans-1,2-Dichloroethene	2.6		20.0	21.6		ug/L		95	70 - 126	1	30
Trichloroethene	170		20.0	174	4	ug/L		37	73 - 121	6	30
Vinyl chloride	0.44	J	20.0	17.8		ug/L		87	55 - 144	13	30

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*92*		*80 - 120*
4-Bromofluorobenzene	*107*		*76 - 120*
Dibromofluoromethane (Surr)	*98*		*77 - 132*
1,2-Dichloroethane-d4 (Surr)	*90*		*70 - 128*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-1005200/8
Matrix: Water
Analysis Batch: 1005200

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.24	ug/L			11/04/24 20:05	1
1,1-Dichloroethane	ND		1.0	0.26	ug/L			11/04/24 20:05	1
1,1-Dichloroethene	ND		1.0	0.26	ug/L			11/04/24 20:05	1
1,2-Dichloroethane	ND		1.0	0.43	ug/L			11/04/24 20:05	1
Carbon tetrachloride	ND		1.0	0.21	ug/L			11/04/24 20:05	1
Chloroform	ND		1.0	0.33	ug/L			11/04/24 20:05	1
cis-1,2-Dichloroethene	ND		1.0	0.22	ug/L			11/04/24 20:05	1
Methylene Chloride	ND		1.0	0.32	ug/L			11/04/24 20:05	1
Tetrachloroethene	ND		1.0	0.25	ug/L			11/04/24 20:05	1
trans-1,2-Dichloroethene	ND		1.0	0.24	ug/L			11/04/24 20:05	1
Trichloroethene	ND		1.0	0.31	ug/L			11/04/24 20:05	1
Vinyl chloride	ND		1.0	0.17	ug/L			11/04/24 20:05	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
Toluene-d8 (Surr)	*91*		*80 - 120*		*11/04/24 20:05*	*1*
4-Bromofluorobenzene	*103*		*76 - 120*		*11/04/24 20:05*	*1*
Dibromofluoromethane (Surr)	*94*		*77 - 132*		*11/04/24 20:05*	*1*
1,2-Dichloroethane-d4 (Surr)	*88*		*70 - 128*		*11/04/24 20:05*	*1*

Lab Sample ID: LCS 460-1005200/3
Matrix: Water
Analysis Batch: 1005200

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	18.9		ug/L		95	72 - 128
1,1-Dichloroethane	20.0	16.3		ug/L		82	73 - 130
1,1-Dichloroethene	20.0	19.6		ug/L		98	68 - 133
1,2-Dichloroethane	20.0	16.9		ug/L		85	66 - 129
Carbon tetrachloride	20.0	19.9		ug/L		99	65 - 131
Chloroform	20.0	17.3		ug/L		87	78 - 125
cis-1,2-Dichloroethene	20.0	17.8		ug/L		89	78 - 121
Methylene Chloride	20.0	17.1		ug/L		85	74 - 127
Tetrachloroethene	20.0	21.6		ug/L		108	70 - 127
trans-1,2-Dichloroethene	20.0	19.0		ug/L		95	70 - 126
Trichloroethene	20.0	22.9		ug/L		114	73 - 121
Vinyl chloride	20.0	17.7		ug/L		89	55 - 144

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*93*		*80 - 120*
4-Bromofluorobenzene	*108*		*76 - 120*
Dibromofluoromethane (Surr)	*92*		*77 - 132*
1,2-Dichloroethane-d4 (Surr)	*80*		*70 - 128*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1005200/4
Matrix: Water
Analysis Batch: 1005200

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane			20.0	18.9		ug/L		95	72 - 128	0	30
1,1-Dichloroethane			20.0	17.4		ug/L		87	73 - 130	7	30
1,1-Dichloroethene			20.0	17.3		ug/L		86	68 - 133	13	30
1,2-Dichloroethane			20.0	17.7		ug/L		88	66 - 129	4	30
Carbon tetrachloride			20.0	19.1		ug/L		95	65 - 131	4	30
Chloroform			20.0	17.6		ug/L		88	78 - 125	2	30
cis-1,2-Dichloroethene			20.0	17.3		ug/L		86	78 - 121	3	30
Methylene Chloride			20.0	18.0		ug/L		90	74 - 127	5	30
Tetrachloroethene			20.0	20.3		ug/L		101	70 - 127	7	30
trans-1,2-Dichloroethene			20.0	19.3		ug/L		97	70 - 126	2	30
Trichloroethene			20.0	19.6		ug/L		98	73 - 121	15	30
Vinyl chloride			20.0	15.8		ug/L		79	55 - 144	11	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*92*		*80 - 120*
4-Bromofluorobenzene	*105*		*76 - 120*
Dibromofluoromethane (Surr)	*94*		*77 - 132*
1,2-Dichloroethane-d4 (Surr)	*84*		*70 - 128*

QC Association Summary

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

GC/MS VOA

Analysis Batch: 1005058

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213779-1	B-23M	Total/NA	Water	8260D	
240-213779-2	FD-20241023	Total/NA	Water	8260D	
240-213779-3	B-50M	Total/NA	Water	8260D	
240-213779-4	B-6M	Total/NA	Water	8260D	
240-213779-6	B-12M	Total/NA	Water	8260D	
240-213779-7	B-3M	Total/NA	Water	8260D	
240-213779-8	B-22M	Total/NA	Water	8260D	
240-213779-9	B-21M	Total/NA	Water	8260D	
240-213779-10	B-28M	Total/NA	Water	8260D	
240-213779-11	TB-20241024	Total/NA	Water	8260D	
MB 460-1005058/8	Method Blank	Total/NA	Water	8260D	
LCS 460-1005058/3	Lab Control Sample	Total/NA	Water	8260D	
240-213779-3 MS	B-50M-MS	Total/NA	Water	8260D	
240-213779-3 MSD	B-50M-MSD	Total/NA	Water	8260D	

Analysis Batch: 1005200

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
240-213779-5	B-9M	Total/NA	Water	8260D	
MB 460-1005200/8	Method Blank	Total/NA	Water	8260D	
LCS 460-1005200/3	Lab Control Sample	Total/NA	Water	8260D	
LCSD 460-1005200/4	Lab Control Sample Dup	Total/NA	Water	8260D	

Lab Chronicle

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-23M
Lab Sample ID: 240-213779-1
Date Collected: 10/23/24 09:00
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005058	KLB	EET EDI	11/04/24 08:35

Client Sample ID: FD-20241023
Lab Sample ID: 240-213779-2
Date Collected: 10/23/24 00:00
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005058	KLB	EET EDI	11/04/24 09:00

Client Sample ID: B-50M
Lab Sample ID: 240-213779-3
Date Collected: 10/23/24 10:30
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005058	KLB	EET EDI	11/04/24 14:08

Client Sample ID: B-6M
Lab Sample ID: 240-213779-4
Date Collected: 10/23/24 11:40
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005058	KLB	EET EDI	11/04/24 13:43

Client Sample ID: B-9M
Lab Sample ID: 240-213779-5
Date Collected: 10/23/24 12:50
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005200	MZS	EET EDI	11/05/24 02:05

Client Sample ID: B-12M
Lab Sample ID: 240-213779-6
Date Collected: 10/23/24 13:55
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		2	1005058	KLB	EET EDI	11/04/24 14:59

Client Sample ID: B-3M
Lab Sample ID: 240-213779-7
Date Collected: 10/24/24 09:00
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		2	1005058	KLB	EET EDI	11/04/24 15:25

Lab Chronicle

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Client Sample ID: B-22M
Lab Sample ID: 240-213779-8
Date Collected: 10/24/24 10:00
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005058	KLB	EET EDI	11/04/24 14:34

Client Sample ID: B-21M
Lab Sample ID: 240-213779-9
Date Collected: 10/24/24 11:05
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005058	KLB	EET EDI	11/04/24 09:52

Client Sample ID: B-28M
Lab Sample ID: 240-213779-10
Date Collected: 10/24/24 12:00
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005058	KLB	EET EDI	11/04/24 10:17

Client Sample ID: TB-20241024
Lab Sample ID: 240-213779-11
Date Collected: 10/24/24 00:00
Matrix: Water
Date Received: 10/25/24 09:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1005058	KLB	EET EDI	11/04/24 06:52

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: AECOM
Job ID: 240-213779-1
Project/Site: BP Sanborn - Fall Event

Laboratory: Eurofins Edison

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Connecticut	State	PH-0818	09-30-26
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	01-02-25
Georgia	State	12028 (NJ)	07-01-25
Massachusetts	State	M-NJ312	07-01-25
New Jersey	NELAP	12028	06-30-25
New York	NELAP	11452	04-01-25
Pennsylvania	NELAP	68-00522	02-28-25
Rhode Island	State	LAO00376	12-31-24
USDA	US Federal Programs	525-24-149-77606	05-21-27

Eurofins Cleveland
180 S. Van Buren Avenue
Barberton, OH 44203
Phone: 330-497-9396 Fax: 330-497-0772

Chain of Custody Record

4.2/4.3

eurofins | Environment Testing

Client Information	Sampler: E. Smith / C. Finn	Lab PM: Johnson, Opal	Carrier Tracking No(s): 7415 6794 5323	COC No: 240-124899-43557.2
Client Contact: Ms. Ann Marie Kropovitch	Phone: (716)912-4456	E-Mail: Opal.Johnson@et.eurofinsus.com	State of Origin: NY	Page: ~~Page 2 of 3~~ 1 of 2
Company: AECOM	PWSID:			Job #:
Address: 50 Lakefront Boulevard Suite 111	Due Date Requested: Standard			
City: Buffalo	TAT Requested (days): Standard			
State, Zip: NY, 14202	Compliance Project: Δ Yes Δ No			
Phone: 716-923-1137(Tel)	PO #: 143920, Line 14			
Email: ann.marie.kropovitch@aecom.com	WO #:			
Project Name: BP Sanborn - Fall Event	Project #: 24017387			
Site:	SSOW#:			

Analysis Requested

240-213779 COC

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260D - (MOD) TCL OLM03.1/4.2 Volatile Analyte L	8260D - TRIP BLANK	Total Number of containers	Special Instructions/Note:
			Preservation Code:				A	A		
B-23M	10-23-24	0900	G	Water			X		3	
FD-20241023	10-23-24	-	G	Water			X		3	
B-50M	10-23-24	1030	G	Water			X		3	
B-50M-MS	10-23-24	1030	G	Water			X		3	
B-50M-MSD	10-23-24	1030	G	Water			X		3	
B-6M	10-23-24	1140	G	Water			X		3	
B-9M	10-23-24	1250	G	Water			X		3	
B-12M	10-23-24	1355	G	Water			X		3	
B-3M	10-24-24	0900	G	Water			X		3	
B-22M	10-24-24	1000	G	Water			X		3	
B-21M	10-24-24	1105	G	Water			X		3	

Preservation Codes: A - HCL
Other:

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify)

Special Instructions/QC Requirements: Please reference Task # 102.23.09.H

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment: FedEx

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
1	[signature]	10-24-24 1400	AECOM	KATHARINE MARTIN	10/25/24 930	EUR
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
3	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.: | Cooler Temperature(s) °C and Other Remarks:

Eurofins Cleveland
180 S. Van Buren Avenue
Barberton, OH 44203
Phone: 330-497-9396 Fax: 330-497-0772

Chain of Custody Record

eurofins | Environment Testing

Client Information	Sampler: E Smith / C Fan	Lab PM: Johnson, Opal	Carrier Tracking No(s): 7415 6794 5323	COC No: 240-124899-43557 1
Client Contact: Ms. Ann Marie Kropovitch	Phone: (716) 912-4456	E-Mail: Opal.Johnson@et.eurofinsus.com	State of Origin: NY	Page: ~~Page 1 of 3~~ 2 of 2
Company: AECOM	PWSID:			Job #:
Address: 50 Lakefront Boulevard Suite 111	Due Date Requested: Standard			
City: Buffalo	TAT Requested (days): Standard			
State, Zip: NY 14202	Compliance Project: Δ Yes Δ No			
Phone: 716-923-1137(Tel)	PO #: 143920, Line 141			
Email: ann.marie.kropovitch@aecom.com	WO #:			
Project Name: BP Sanborn Fall Event	Project #: 24017387			
Site:	SSOW#:			

Analysis Requested

Preservation Codes:
A HCL

Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	8260D (MOD) TCL OLM03.1/4.2 Volatile Analyte L	8260D TRIP BLANK	Perform MS/MSD (Yes or No)	Special Instructions/Note:
			Preservation Code:						
B-28M	10 24-24	1200	G	Water		X			
TB-20241024	10 24 24	—	G	Water			X		
				Water					
				Water					
				Water					
				Water					
				Water					
				Water					
				Water					
				Water					
				Water					

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III IV Other (specify)

Special Instructions/QC Requirements:
Please reference Task # 102.23 09 H

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by:	Date/Time: 10-24-24 1400	Company	Received by: KATHARINE MARTIN
Relinquished by:	Date/Time:	Company	Received by:
Relinquished by:	Date/Time:	Company	Received by:

Date/Time: 10/25/24 930	Company EVR	Date/Time:	Company	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.

Cooler Temperature(s) °C and Other Remarks:

Eurofins – Cleveland Sample Receipt Form/Narrative **Login # :** _____
Barberton Facility

Client AECOM Site Name _____ Cooler unpacked by: KM

Cooler Received on 10/25/24 Opened on 10/26/24

FedEx· 1st Grd (Exp) UPS FAS Waypoint Client Drop Off Eurofins Courier Other _____

Receipt After-hours Drop-off Date/Time _____ Storage Location _____

Eurofins Cooler # EC Foam Box Client Cooler Box Other _____

Packing material used: (Bubble Wrap) Foam Plastic Bag None Other _____

COOLANT: (Wet Ice) Blue Ice Dry Ice Water None

1 Cooler temperature upon receipt ☐ See Multiple Cooler Form

IR GUN # 17 (CF +0.1 °C) Observed Cooler Temp 4.2 °C Corrected Cooler Temp. 4.3 °C

2. Were tamper/custody seals on the outside of the cooler(s)? If Yes Quantity 1	(Yes)	No
-Were the seals on the outside of the cooler(s) signed & dated?	(Yes)	No NA
-Were tamper/custody seals on the bottle(s) or bottle kits (LLHg/MeHg)?	Yes	(No)
-Were tamper/custody seals intact and uncompromised?	(Yes)	No NA
3 Shippers' packing slip attached to the cooler(s)?	(Yes)	No
4. Did custody papers accompany the sample(s)?	(Yes)	No
5 Were the custody papers relinquished & signed in the appropriate place?	(Yes)	No
6. Was/were the person(s) who collected the samples clearly identified on the COC?	(Yes)	No
7 Did all bottles arrive in good condition (Unbroken)?	(Yes)	No
8 Could all bottle labels (ID/Date/Time) be reconciled with the COC?	(Yes)	No
9 For each sample, does the COC specify preservatives (Y/N), # of containers (Y/N), and sample type of grab/comp(Y/N)?	(Y/N)	
10 Were correct bottle(s) used for the test(s) indicated?	(Yes)	No
11 Sufficient quantity received to perform indicated analyses?	(Yes)	No
12. Are these work share samples and all listed on the COC?	Yes	(No)
If yes, Questions 13-17 have been checked at the originating laboratory		
13 Were all preserved sample(s) at the correct pH upon receipt?	Yes No	(NA) pH Strip Lot# HC447997
14 Were VOAs on the COC?	(Yes)	No
15 Were air bubbles >6 mm in any VOA vials? ● ← Larger than this.	Yes	(No) NA
16 Was a VOA trip blank present in the cooler(s)? Trip Blank Lot # N/A	(Yes)	No
17 Was a LL Hg or Me Hg trip blank present? _____	Yes	(No)

Tests that are not checked for pH by Receiving:
VOAs
Oil and Grease
TOC

Contacted PM _____ Date _____ by _____ via Verbal Voice Mail Other

Concerning _____

18. CHAIN OF CUSTODY & SAMPLE DISCREPANCIES ☐ additional next page | Samples processed by·

19 SAMPLE CONDITION

Sample(s) _____ were received after the recommended holding time had expired.
Sample(s) _____ were received in a broken container
Sample(s) _____ were received with bubble >6 mm in diameter (Notify PM)

20. SAMPLE PRESERVATION

Sample(s) _____ were further preserved in the laboratory
Time preserved· _____ Preservative(s) added/Lot number(s): _____

VOA Sample Preservation - Date/Time VOAs Frozen. _____

10/26/2024

Login Container Summary Report


240-213779

11/7/2024

Temperature readings. _____

Client Sample ID	Lab ID	Container Type	Container pH	Container Temp	Preservation Added	Preservation Lot Number
B-23M	240-213779-A-1	Voa Vial 40ml - Hydrochloric Acid				
B-23M	240-213779-B-1	Voa Vial 40ml - Hydrochloric Acid				
B-23M	240-213779-C-1	Voa Vial 40ml - Hydrochloric Acid				
FD-20241023	240-213779-A-2	Voa Vial 40ml - Hydrochloric Acid				
FD-20241023	240-213779-B-2	Voa Vial 40ml - Hydrochloric Acid				
FD-20241023	240-213779-C-2	Voa Vial 40ml - Hydrochloric Acid				
B-50M	240-213779-A-3	Voa Vial 40ml - Hydrochloric Acid				
B-50M-MS	240-213779-A-3 MS	Voa Vial 40ml - Hydrochloric Acid				
B-50M-MSD	240-213779-A-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
B-50M	240-213779-B-3	Voa Vial 40ml - Hydrochloric Acid				
B-50M-MS	240-213779-B-3 MS	Voa Vial 40ml - Hydrochloric Acid				
B-50M-MSD	240-213779-B-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
B-50M	240-213779-C-3	Voa Vial 40ml - Hydrochloric Acid				
B-50M-MS	240-213779-C-3 MS	Voa Vial 40ml - Hydrochloric Acid				
B-50M-MSD	240-213779-C-3 MSD	Voa Vial 40ml - Hydrochloric Acid				
B-6M	240-213779-A-4	Voa Vial 40ml - Hydrochloric Acid				
B-6M	240-213779-B-4	Voa Vial 40ml - Hydrochloric Acid				
B-6M	240-213779-C-4	Voa Vial 40ml - Hydrochloric Acid				
B-9M	240-213779-A-5	Voa Vial 40ml - Hydrochloric Acid				
B-9M	240-213779-B-5	Voa Vial 40ml - Hydrochloric Acid				
B-9M	240-213779-C-5	Voa Vial 40ml - Hydrochloric Acid				
B-12M	240-213779-A-6	Voa Vial 40ml - Hydrochloric Acid				
B-12M	240-213779-B-6	Voa Vial 40ml - Hydrochloric Acid				
B-12M	240-213779-C-6	Voa Vial 40ml - Hydrochloric Acid				
B-3M	240-213779-A-7	Voa Vial 40ml - Hydrochloric Acid				
B-3M	240-213779-B-7	Voa Vial 40ml - Hydrochloric Acid				
B-3M	240-213779-C-7	Voa Vial 40ml - Hydrochloric Acid				
B-22M	240-213779-A-8	Voa Vial 40ml - Hydrochloric Acid				
B-22M	240-213779-B-8	Voa Vial 40ml - Hydrochloric Acid				
B-22M	240-213779-C-8	Voa Vial 40ml - Hydrochloric Acid				
B-21M	240-213779-A-9	Voa Vial 40ml - Hydrochloric Acid				
B-21M	240-213779-B-9	Voa Vial 40ml - Hydrochloric Acid				
B-21M	240-213779-C-9	Voa Vial 40ml - Hydrochloric Acid				

Client Sample ID	Lab ID	Container Type	Container pH	Container Temp	Preservation Added	Preservation Lot Number
B-28M	240-213779-A-10	Voa Vial 40ml - Hydrochloric Acid				
B-28M	240-213779-B-10	Voa Vial 40ml - Hydrochloric Acid				
B-28M	240-213779-C-10	Voa Vial 40ml - Hydrochloric Acid				
TB-20241024	240-213779-A-11	Voa Vial 40ml - Hydrochloric Acid				
TB-20241024	240-213779-B-11	Voa Vial 40ml - Hydrochloric Acid				



240-213779 Wayt

Eurofins Cleveland
180 S. Van Buren Avenue
Barberton, OH 44203
Phone: 330-497-9396 Fax: 330-497-0772

Chain of Custody Record

eurofins | Environment Testing

Client Information (Sub Contract Lab)	Sampler: N/A	Lab PM: Johnson, Opal	Carrier Tracking No(s): N/A	COC No: 240-192999.1
Client Contact: Shipping/Receiving	Phone: N/A	E-Mail: Opal.Johnson@et.eurofinsus.com	State of Origin: New York	Page: Page 1 of 2
Company: Eurofins Environment Testing Northeast L		Accreditations Required (See note): NELAP New York		Job #: 240-213779-1
Address: 777 New Durham Road,	Due Date Requested: 11/7/2024			Preservation Codes:
City: Edison	TAT Requested (days): N/A			
State, Zip: NJ, 08817				
Phone: 732-549-3900(Tel) 732-549-3679(Fax)	PO #: N/A			
Email: N/A	WO #: N/A			
Project Name: BP Sanborn - Fall Event	Project #: 24017387			
Site: N/A	SSOW#: N/A			Other: N/A

Sample Identification Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260D/5030C (MOD) TCL OLM03.1/4.2 Volatile Analyte	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
B-23M (240-213779-1)	10/23/24	09:00 Eastern	G	Water			X	3	
FD-20241023 (240-213779-2)	10/23/24	Eastern	G	Water			X	3	
B-50M (240-213779-3)	10/23/24	10:30 Eastern	G	Water			X	3	
B-50M-MS (240-213779-3MS)	10/23/24	10:30 Eastern	G	Water			X	3	
B-50M-MSD (240-213779-3MSD)	10/23/24	10:30 Eastern	G	Water			X	3	
B-6M (240-213779-4)	10/23/24	11:40 Eastern	G	Water			X	3	
B-9M (240-213779-5)	10/23/24	12:50 Eastern	G	Water			X	3	
B-12M (240-213779-6)	10/23/24	13:55 Eastern	G	Water			X	3	
B-3M (240-213779-7)	10/24/24	09:00 Eastern	G	Water			X	3	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Unconfirmed	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I, II, III, IV Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
MALISSA LOAR	10/30/24		Fed Ex	10/31/24 1040	ETA
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.	Cooler Temperature(s) °C and Other Remarks: 0.5/0.7 IR9

Ver: 10/10/2024

Eurofins Cleveland
180 S. Van Buren Avenue
Barberton, OH 44203
Phone: 330-497-9396 Fax: 330-497-0772

Chain of Custody Record

eurofins | Environment Testing

Client Information (Sub Contract Lab)	Sampler: N/A	Lab PM: Johnson, Opal	Carrier Tracking No(s): N/A	COC No: 240-192999.2
Client Contact: Shipping/Receiving	Phone: N/A	E-Mail: Opal.Johnson@et.eurofinsus.com	State of Origin: New York	Page: Page 2 of 2
Company: Eurofins Environment Testing Northeast L		Accreditations Required (See note): NELAP New York		Job #: 240-213779-1
Address: 777 New Durham Road,	Due Date Requested: 11/7/2024			
City: Edison	TAT Requested (days): N/A			
State, Zip: NJ 08817				
Phone: 732-549-3900(Tel) 732-549-3679(Fax)	PO #: N/A			
Email: N/A	WO #: N/A			
Project Name: BP Sanborn Fall Event	Project #: 24017387			
Site: N/A	SSOW#: N/A			

Analysis Requested

Preservation Codes.

Other: N/A

Sample Identification Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260D/5030C (MOD) TCL OLM03.1/4.2 Volatile Analyte L	Total Number of containers	Special Instructions/Note:
			Preservation Code:						
B-22M (240-213779-8)	10/24/24	10:00 Eastern	G	Water			X	3	
B-21M (240-213779-9)	10/24/24	11:05 Eastern	G	Water			X	3	
B-28M (240-213779-10)	10/24/24	12:00 Eastern	G	Water			X	3	
TB-20241024 (240-213779-11)	10/24/24	Eastern	G	Water			X	2	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing North Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing North Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing North Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing North Central, LLC.

Possible Hazard Identification	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
Unconfirmed	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months
Deliverable Requested: I II, III, IV Other (specify) Primary Deliverable Rank: 2	Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
1	MALISSA LOAR	10/30/24		[illegible]	10/31/24 1040	ETA
2	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
3	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.	Cooler Temperature(s) °C and Other Remarks: 0.5/0.7 IR-9

Ver: 10/10/2024

Login Sample Receipt Checklist

Client: AECOM

Job Number: 240-213779-1

Login Number: 213779
List Number: 2
Creator: Armbruster, Chris

List Source: Eurofins Edison
List Creation: 10/31/24 11:55 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	0.5/0.7°C IR9
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	