



**COMMUNITY AIR MONITORING LOG**

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 12/13/2011  
 REP: MFP

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	

Calibration - TSI DustTrak Model 8520 Particulate Meter				
Time	Serial Number	With Zero Air Filter	Background	Location
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector			
Time	Model	Serial Number	Zero (Ambient) Air
			ppm
			ppm

Notes/Activities: *NO VOC Reading Required due to no intrusive work*

See map on back for location information.



COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 12-14-2011  
REP: MFP

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
	From SW							

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
0800	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	0-1
0800	8530114715	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	4-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
			ppm
			ppm

Notes/Activities: NO VOC monitoring needed

---

---

---

See map on back for location information.



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 12-16-2011  
 REP: EPS

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	(ppm)
0800	West		0.012	0.0				
0830			0.014					
0900			0.011					
0930			0.012					
1000			0.011					
1030			0.012					
1100			0.010					
1130			0.011					
1200			0.011					
1230			0.011					
1300			0.014					
1330			0.016					
1400			0.017					
1430			0.011					
1500			0.013					
			<del>0.011</del>					

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
0900	85 30114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
0900	85 30114715	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
			ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 12-27-11  
 REP: S. Davis

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	(ppm)
830	SW		0.012	0.0		0.018	0.0	
930			0.013	<del>0.0</del>		0.016		
1030			0.014	<del>0.0</del>		0.018		
1130			0.015	<del>0.0</del>		0.019		

Calibration - TSI DustTrak Model 8520 Particulate Meter				
Time	Serial Number	With Zero Air Filter	Background	Location
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector			
Time	Model	Serial Number	Zero (Ambient) Air
			ppm
			ppm

Notes/Activities: *Began raining inside ~12:00pm; brought Dust meters*



## COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 12-28-11  
REP: S. Davis

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
900	SW		0.018	0.0		0.016	0.0	
1000			0.023			0.020		
1100			0.016			0.016		
1200			0.020			0.022		
1300			0.012			0.014		

Time	Serial Number	With Zero Air Filter	Background	Location
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Time	Model	Serial Number	Zero (Ambient) Air
			ppm
			ppm

Notes/Activities: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 1-10-2012  
REP: MFP

Time	Wind Direction	Location	Upwind		Location	Downwind		Work Area
			Particulates (mg/m <sup>3</sup> )	VOCs (ppm)		Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
0830	From SW	U-1	.047	0	D-1	.038	0	0
0930	↓		.039			.036		
1030			.014			.008		
1130			.011			.011		
1230			.016			.008		
1330			.016			.010		
1430	↓		.017			.013		

### Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter		Background		Location
0730	8530 114322	0	mg/m <sup>3</sup>		mg/m <sup>3</sup>	U-1
0730	8530 114718	0	mg/m <sup>3</sup>		mg/m <sup>3</sup>	D-1
			mg/m <sup>3</sup>		mg/m <sup>3</sup>	

### Calibration - Photolization Detector

Time	Model	Serial Number	Zero (Ambient) Air
0730	Minirac Lite	590-000415	0 ppm
			ppm

Notes/Activities:

Backfill and grade Arc 3A

# Test 012

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/10/2012
Instrument S/N	8530114718	Start Time	08:20:10
		Stop Date	01/10/2012
		Stop Time	15:20:10
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.015 mg/m <sup>3</sup>
Max	0.038 mg/m <sup>3</sup>
Max Date	01/10/2012
Max Time	08:35:10
Min	0.007 mg/m <sup>3</sup>
Min Date	01/10/2012
Min Time	12:50:10
TWA (8 hr)	0.013
TWA Start Date	01/10/2012
TWA Start Time	08:20:10
TWA End Time	15:20:10

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/10/2012	08:35:10	0.038
2	01/10/2012	08:50:10	0.038
3	01/10/2012	09:05:10	0.038
4	01/10/2012	09:20:10	0.036
5	01/10/2012	09:35:10	0.034
6	01/10/2012	09:50:10	0.031
7	01/10/2012	10:05:10	0.013
8	01/10/2012	10:20:10	0.008
9	01/10/2012	10:35:10	0.009
10	01/10/2012	10:50:10	0.009
11	01/10/2012	11:05:10	0.010
12	01/10/2012	11:20:10	0.011
13	01/10/2012	11:35:10	0.010
14	01/10/2012	11:50:10	0.009
15	01/10/2012	12:05:10	0.009
16	01/10/2012	12:20:10	0.008
17	01/10/2012	12:35:10	0.008
18	01/10/2012	12:50:10	0.007
19	01/10/2012	13:05:10	0.007
20	01/10/2012	13:20:10	0.010
21	01/10/2012	13:35:10	0.010
22	01/10/2012	13:50:10	0.011
23	01/10/2012	14:05:10	0.014
24	01/10/2012	14:20:10	0.013
25	01/10/2012	14:35:10	0.013
26	01/10/2012	14:50:10	0.009
27	01/10/2012	15:05:10	0.007
28	01/10/2012	15:20:10	0.007

# Test 002

u-1

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/10/2012
Instrument S/N	8530114322	Start Time	08:12:19
		Stop Date	01/10/2012
		Stop Time	15:12:19
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.020 mg/m <sup>3</sup>
Max	0.047 mg/m <sup>3</sup>
Max Date	01/10/2012
Max Time	08:27:19
Min	0.009 mg/m <sup>3</sup>
Min Date	01/10/2012
Min Time	12:42:19
TWA (8 hr)	0.017
TWA Start Date	01/10/2012
TWA Start Time	08:12:19
TWA End Time	15:12:19

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/10/2012	08:27:19	0.047
2	01/10/2012	08:42:19	0.045
3	01/10/2012	08:57:19	0.043
4	01/10/2012	09:12:19	0.040
5	01/10/2012	09:27:19	0.039
6	01/10/2012	09:42:19	0.045
7	01/10/2012	09:57:19	0.026
8	01/10/2012	10:12:19	0.011
9	01/10/2012	10:27:19	0.014
10	01/10/2012	10:42:19	0.012
11	01/10/2012	10:57:19	0.012
12	01/10/2012	11:12:19	0.010
13	01/10/2012	11:27:19	0.011
14	01/10/2012	11:42:19	0.012
15	01/10/2012	11:57:19	0.012
16	01/10/2012	12:12:19	0.010
17	01/10/2012	12:27:19	0.010
18	01/10/2012	12:42:19	0.009
19	01/10/2012	12:57:19	0.010
20	01/10/2012	13:12:19	0.017
21	01/10/2012	13:27:19	0.016
22	01/10/2012	13:42:19	0.015
23	01/10/2012	13:57:19	0.011
24	01/10/2012	14:12:19	0.021
25	01/10/2012	14:27:19	0.017
26	01/10/2012	14:42:19	0.014
27	01/10/2012	14:57:19	0.013
28	01/10/2012	15:12:19	0.012



Associates, P.C.

**COMMUNITY AIR MONITORING LOG**

**300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110**

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 1-11-2012  
 REP: MFP

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
1000	From SW	U-1	.032	0	D-1	.028	0	0
1100			.031	0		.033	0	0
1200			.028	0		.042	0	0
1300			.020	0		.041	0	0
1400			.017	0		.036	0	0
1500			.017	0		.039	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Location
0730	8530114322	0 mg/m <sup>3</sup>	U-1
	8530114718	0 mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Ambient Air
0730	Photo Monitor	590-600415	0 PPM
			PPM

Notes/Activities: Grade AOC 7A

---



---



---

# Test 013

D-1

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/11/2012
Instrument S/N	8530114718	Start Time	11:31:30
		Stop Date	01/11/2012
		Stop Time	14:46:30
		Total Time	0:03:15:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/11/2012	11:46:30	0.044
2	01/11/2012	12:01:30	0.045
3	01/11/2012	12:16:30	0.045
4	01/11/2012	12:31:30	0.045
5	01/11/2012	12:46:30	0.041
6	01/11/2012	13:01:30	0.040
7	01/11/2012	13:16:30	0.038
8	01/11/2012	13:31:30	0.034
9	01/11/2012	13:46:30	0.036
10	01/11/2012	14:01:30	0.035
11	01/11/2012	14:16:30	0.032
12	01/11/2012	14:31:30	0.038
13	01/11/2012	14:46:30	0.039

# Test 003

U-1

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/11/2012
Instrument S/N	8530114322	Start Time	11:26:16
		Stop Date	01/11/2012
		Stop Time	14:56:16
		Total Time	0:03:30:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/11/2012	11:41:16	0.025
2	01/11/2012	11:56:16	0.020
3	01/11/2012	12:11:16	0.020
4	01/11/2012	12:26:16	0.022
5	01/11/2012	12:41:16	0.022
6	01/11/2012	12:56:16	0.021
7	01/11/2012	13:11:16	0.019
8	01/11/2012	13:26:16	0.017
9	01/11/2012	13:41:16	0.017
10	01/11/2012	13:56:16	0.017
11	01/11/2012	14:11:16	0.016
12	01/11/2012	14:26:16	0.017
13	01/11/2012	14:41:16	0.020
14	01/11/2012	14:56:16	0.022





# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 1-9-2012  
REP: MFP

Time	Wind Direction	Location	Upwind		Downwind		Work Area	
			Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)	
1000	From SW	4-1	1.025	0	10-1	1.028	0	0
1100	↓	↓	1.025	0	↓	1.025	0	0
1200	↓	↓	1.018	0	↓	1.025	0	0
1300	↓	↓	1.014	0	↓	1.016	0	0
1400	↓	↓	1.017	0	↓	1.016	0	0
1500	↓	↓	1.015	0	↓	1.022	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
6730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	4-1
6730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	10-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photolization Detector

Time	Model	Serial Number	Zero (Ambient) Air
6730	Minirol LK	590-600415	ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 011

D-1

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/09/2012
Instrument S/N	8530114718	Start Time	09:26:00
		Stop Date	01/09/2012
		Stop Time	15:11:00
		Total Time	0:05:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.021 mg/m <sup>3</sup>
Max	0.042 mg/m <sup>3</sup>
Max Date	01/09/2012
Max Time	14:11:00
Min	0.014 mg/m <sup>3</sup>
Min Date	01/09/2012
Min Time	12:56:00
TWA (8 hr)	0.015
TWA Start Date	01/09/2012
TWA Start Time	09:26:00
TWA End Time	15:11:00

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/09/2012	09:41:00	0.027
2	01/09/2012	09:56:00	0.028
3	01/09/2012	10:11:00	0.027
4	01/09/2012	10:26:00	0.026
5	01/09/2012	10:41:00	0.025
6	01/09/2012	10:56:00	0.025
7	01/09/2012	11:11:00	0.029
8	01/09/2012	11:26:00	0.023
9	01/09/2012	11:41:00	0.019
10	01/09/2012	11:56:00	0.020
11	01/09/2012	12:11:00	0.019
12	01/09/2012	12:26:00	0.018
13	01/09/2012	12:41:00	0.015
14	01/09/2012	12:56:00	0.014
15	01/09/2012	13:11:00	0.015
16	01/09/2012	13:26:00	0.014
17	01/09/2012	13:41:00	0.017
18	01/09/2012	13:56:00	0.016
19	01/09/2012	14:11:00	0.042
20	01/09/2012	14:26:00	0.015
21	01/09/2012	14:41:00	0.015
22	01/09/2012	14:56:00	0.022
23	01/09/2012	15:11:00	0.015

# Test 001

U-1

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/09/2012
Instrument S/N	8530114322	Start Time	09:28:45
		Stop Date	01/09/2012
		Stop Time	14:58:45
		Total Time	0:05:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.020 mg/m <sup>3</sup>
Max	0.030 mg/m <sup>3</sup>
Max Date	01/09/2012
Max Time	09:43:45
Min	0.014 mg/m <sup>3</sup>
Min Date	01/09/2012
Min Time	12:58:45
TWA (8 hr)	0.013
TWA Start Date	01/09/2012
TWA Start Time	09:28:45
TWA End Time	14:58:45

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/09/2012	09:43:45	0.030
2	01/09/2012	09:58:45	0.028
3	01/09/2012	10:13:45	0.025
4	01/09/2012	10:28:45	0.023
5	01/09/2012	10:43:45	0.023
6	01/09/2012	10:58:45	0.025
7	01/09/2012	11:13:45	0.025
8	01/09/2012	11:28:45	0.021
9	01/09/2012	11:43:45	0.020
10	01/09/2012	11:58:45	0.018
11	01/09/2012	12:13:45	0.018
12	01/09/2012	12:28:45	0.018
13	01/09/2012	12:43:45	0.015
14	01/09/2012	12:58:45	0.014
15	01/09/2012	13:13:45	0.016
16	01/09/2012	13:28:45	0.017
17	01/09/2012	13:43:45	0.016
18	01/09/2012	13:58:45	0.017
19	01/09/2012	14:13:45	0.017
20	01/09/2012	14:28:45	0.015
21	01/09/2012	14:43:45	0.015
22	01/09/2012	14:58:45	0.015



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 1-19-2012  
REP: MFP

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
0830	FROM W	U-1	.022	0	D-1	.028	0	0
0930	↓	↓	.023	0	↓	.017	0	0
1030	↓	↓	.025	0	↓	.015	0	0
1130	↓	↓	.020	0	↓	.015	0	0
1230	↓	↓	.019	0	↓	.015	0	0
1330	↓	↓	.019	0	↓	.015	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter		Location
0730	8530114322	0	mg/m <sup>3</sup>	U-1
0730	8530114718	0	mg/m <sup>3</sup>	D-1
			mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Ambient Air	
0730	Miniac Lite	596-000415	0	PPM
			0	PPM

Notes/Activities: Work on removing Acc 2/Jan 2

---



---



---

See map on back for location information.

# Test 004

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/19/2012
Instrument S/N	8530114322	Start Time	07:36:47
		Stop Date	01/19/2012
		Stop Time	13:51:47
		Total Time	0:06:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.021 mg/m <sup>3</sup>
Max	0.025 mg/m <sup>3</sup>
Max Date	01/19/2012
Max Time	10:21:47
Min	0.019 mg/m <sup>3</sup>
Min Date	01/19/2012
Min Time	11:51:47
TWA (8 hr)	0.016
TWA Start Date	01/19/2012
TWA Start Time	07:36:47
TWA End Time	13:51:47

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/19/2012	07:51:47	0.022
2	01/19/2012	08:06:47	0.022
3	01/19/2012	08:21:47	0.022
4	01/19/2012	08:36:47	0.021
5	01/19/2012	08:51:47	0.021
6	01/19/2012	09:06:47	0.021
7	01/19/2012	09:21:47	0.023
8	01/19/2012	09:36:47	0.021
9	01/19/2012	09:51:47	0.021
10	01/19/2012	10:06:47	0.022
11	01/19/2012	10:21:47	0.025
12	01/19/2012	10:36:47	0.023
13	01/19/2012	10:51:47	0.020
14	01/19/2012	11:06:47	0.020
15	01/19/2012	11:21:47	0.020
16	01/19/2012	11:36:47	0.020
17	01/19/2012	11:51:47	0.019
18	01/19/2012	12:06:47	0.020
19	01/19/2012	12:21:47	0.019
20	01/19/2012	12:36:47	0.019
21	01/19/2012	12:51:47	0.020
22	01/19/2012	13:06:47	0.020
23	01/19/2012	13:21:47	0.022
24	01/19/2012	13:36:47	0.020
25	01/19/2012	13:51:47	0.019

# Test 014

D-1

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/19/2012
Instrument S/N	8530114718	Start Time	07:58:31
		Stop Date	01/19/2012
		Stop Time	13:43:31
		Total Time	0:05:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.018 mg/m <sup>3</sup>
Max	0.028 mg/m <sup>3</sup>
Max Date	01/19/2012
Max Time	08:28:31
Min	0.015 mg/m <sup>3</sup>
Min Date	01/19/2012
Min Time	10:28:31
TWA (8 hr)	0.013
TWA Start Date	01/19/2012
TWA Start Time	07:58:31
TWA End Time	13:43:31

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/19/2012	08:13:31	0.017
2	01/19/2012	08:28:31	0.028
3	01/19/2012	08:43:31	0.022
4	01/19/2012	08:58:31	0.026
5	01/19/2012	09:13:31	0.023
6	01/19/2012	09:28:31	0.017
7	01/19/2012	09:43:31	0.018
8	01/19/2012	09:58:31	0.017
9	01/19/2012	10:13:31	0.016
10	01/19/2012	10:28:31	0.015
11	01/19/2012	10:43:31	0.016
12	01/19/2012	10:58:31	0.017
13	01/19/2012	11:13:31	0.015
14	01/19/2012	11:28:31	0.015
15	01/19/2012	11:43:31	0.015
16	01/19/2012	11:58:31	0.015
17	01/19/2012	12:13:31	0.015
18	01/19/2012	12:28:31	0.015
19	01/19/2012	12:43:31	0.024
20	01/19/2012	12:58:31	0.021
21	01/19/2012	13:13:31	0.016
22	01/19/2012	13:28:31	0.016
23	01/19/2012	13:43:31	0.016



Associates, P.C.

### COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 1-27-2012  
REP: MFP

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	
1030	FROM W	U-1	.020	0	D-1	.028	0	0
1130	↓	↓	.003	0	↓	.014	0	0
1230			.004	0		.010	0	0
1330			.005	0		.013	0	0
1430	↓	↓	.007	0	↓	.013	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter				
Time	Serial Number	With Zero Air Filter		Location
0730	8530114322	0	mg/m <sup>3</sup>	D-1
0730	8530114718	0	mg/m <sup>3</sup>	U-1
			mg/m <sup>3</sup>	

Calibration - Photoionization Detector			
Time	Model	Serial Number	Ambient Air
0730	Minirae LR	590-00915	0 PPM
			PPM

Notes/Activities: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

See map on back for location information.



DOWNWIND  
**Test 006**

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/27/2012
Instrument S/N	8530114322	Start Time	10:06:24
		Stop Date	01/27/2012
		Stop Time	15:06:24
		Total Time	0:05:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.014 mg/m <sup>3</sup>
Max	0.028 mg/m <sup>3</sup>
Max Date	01/27/2012
Max Time	10:21:24
Min	0.010 mg/m <sup>3</sup>
Min Date	01/27/2012
Min Time	12:21:24
TWA (8 hr)	0.009
TWA Start Date	01/27/2012
TWA Start Time	10:06:24
TWA End Time	15:06:24

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/27/2012	10:21:24	0.028
2	01/27/2012	10:36:24	0.016
3	01/27/2012	10:51:24	0.017
4	01/27/2012	11:06:24	0.011
5	01/27/2012	11:21:24	0.014
6	01/27/2012	11:36:24	0.014
7	01/27/2012	11:51:24	0.012
8	01/27/2012	12:06:24	0.016
9	01/27/2012	12:21:24	0.010
10	01/27/2012	12:36:24	0.010
11	01/27/2012	12:51:24	0.011
12	01/27/2012	13:06:24	0.010
13	01/27/2012	13:21:24	0.013
14	01/27/2012	13:36:24	0.015
15	01/27/2012	13:51:24	0.021
16	01/27/2012	14:06:24	0.012
17	01/27/2012	14:21:24	0.013
18	01/27/2012	14:36:24	0.014
19	01/27/2012	14:51:24	0.014
20	01/27/2012	15:06:24	0.017

UPWIND

# Test 016

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/27/2012
Instrument S/N	8530114718	Start Time	10:07:01
		Stop Date	01/27/2012
		Stop Time	15:07:01
		Total Time	0:05:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.006 mg/m <sup>3</sup>
Max	0.020 mg/m <sup>3</sup>
Max Date	01/27/2012
Max Time	10:22:01
Min	0.003 mg/m <sup>3</sup>
Min Date	01/27/2012
Min Time	11:07:01
TWA (8 hr)	0.004
TWA Start Date	01/27/2012
TWA Start Time	10:07:01
TWA End Time	15:07:01

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/27/2012	10:22:01	0.020
2	01/27/2012	10:37:01	0.006
3	01/27/2012	10:52:01	0.005
4	01/27/2012	11:07:01	0.003
5	01/27/2012	11:22:01	0.003
6	01/27/2012	11:37:01	0.003
7	01/27/2012	11:52:01	0.003
8	01/27/2012	12:07:01	0.003
9	01/27/2012	12:22:01	0.004
10	01/27/2012	12:37:01	0.004
11	01/27/2012	12:52:01	0.004
12	01/27/2012	13:07:01	0.005
13	01/27/2012	13:22:01	0.005
14	01/27/2012	13:37:01	0.006
15	01/27/2012	13:52:01	0.006
16	01/27/2012	14:07:01	0.006
17	01/27/2012	14:22:01	0.007
18	01/27/2012	14:37:01	0.007
19	01/27/2012	14:52:01	0.008
20	01/27/2012	15:07:01	0.009



**COMMUNITY AIR MONITORING LOG**

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 1-30-12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
1245	From W	U-1	0.017	0	D-1	0.074	0	0
1345	"	"	0.016	0	"	0.022	0	0
1445	"	"	0.015	0	"	0.034	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter					
Time	Serial Number	With Zero Air Filter	Background	Location	
0730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1	
0730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1	
		mg/m <sup>3</sup>	mg/m <sup>3</sup>		

Calibration - Photolization Detector			
Time	Model	Serial Number	Zero (Ambient) Air
0730	Mira LK	590-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

See map on back for location information.

# Test 007

U-1

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/30/2012
Instrument S/N	8530114322	Start Time	12:16:25
		Stop Date	01/30/2012
		Stop Time	15:31:25
		Total Time	0:03:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.016 mg/m <sup>3</sup>
Max	0.018 mg/m <sup>3</sup>
Max Date	01/30/2012
Max Time	15:31:25
Min	0.014 mg/m <sup>3</sup>
Min Date	01/30/2012
Min Time	13:46:25
TWA (8 hr)	0.007
TWA Start Date	01/30/2012
TWA Start Time	12:16:25
TWA End Time	15:31:25

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/30/2012	12:31:25	0.017
2	01/30/2012	12:46:25	0.017
3	01/30/2012	13:01:25	0.017
4	01/30/2012	13:16:25	0.016
5	01/30/2012	13:31:25	0.016
6	01/30/2012	13:46:25	0.014
7	01/30/2012	14:01:25	0.014
8	01/30/2012	14:16:25	0.014
9	01/30/2012	14:31:25	0.015
10	01/30/2012	14:46:25	0.016
11	01/30/2012	15:01:25	0.017
12	01/30/2012	15:16:25	0.017
13	01/30/2012	15:31:25	0.018

# Test 017

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/30/2012
Instrument S/N	8530114718	Start Time	12:19:55
		Stop Date	01/30/2012
		Stop Time	15:19:55
		Total Time	0:03:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.036 mg/m <sup>3</sup>
Max	0.074 mg/m <sup>3</sup>
Max Date	01/30/2012
Max Time	12:49:55
Min	0.009 mg/m <sup>3</sup>
Min Date	01/30/2012
Min Time	13:34:55
TWA (8 hr)	0.014
TWA Start Date	01/30/2012
TWA Start Time	12:19:55
TWA End Time	15:19:55

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/30/2012	12:34:55	0.053
2	01/30/2012	12:49:55	0.074
3	01/30/2012	13:04:55	0.052
4	01/30/2012	13:19:55	0.031
5	01/30/2012	13:34:55	0.009
6	01/30/2012	13:49:55	0.022
7	01/30/2012	14:04:55	0.012
8	01/30/2012	14:19:55	0.022
9	01/30/2012	14:34:55	0.037
10	01/30/2012	14:49:55	0.034
11	01/30/2012	15:04:55	0.035
12	01/30/2012	15:19:55	0.054



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 1-31-12  
 REP: \_\_\_\_\_

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
0830	From W	U-1	1.085	0			0	0
0930	"	↓	.062	0	D-1	0.048	0	0
1030	"		.034	0		0.014	0	0
1130	"		.053	0		0.014	0	0
1230	"		.108	0		0.014	0	0
1330	"		.020	0		0.016	0	0
1430	"		.027	0		0.017	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
0730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
0730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
0730	MiniView LK	590-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# Test 008

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/31/2012
Instrument S/N	8530114322	Start Time	08:06:40
		Stop Date	01/31/2012
		Stop Time	14:36:40
		Total Time	0:06:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.054 mg/m <sup>3</sup>
Max	0.108 mg/m <sup>3</sup>
Max Date	01/31/2012
Max Time	12:21:40
Min	0.025 mg/m <sup>3</sup>
Min Date	01/31/2012
Min Time	10:36:40
TWA (8 hr)	0.044
TWA Start Date	01/31/2012
TWA Start Time	08:06:40
TWA End Time	14:36:40

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/31/2012	08:21:40	0.085
2	01/31/2012	08:36:40	0.083
3	01/31/2012	08:51:40	0.083
4	01/31/2012	09:06:40	0.073
5	01/31/2012	09:21:40	0.062
6	01/31/2012	09:36:40	0.058
7	01/31/2012	09:51:40	0.040
8	01/31/2012	10:06:40	0.051
9	01/31/2012	10:21:40	0.034
10	01/31/2012	10:36:40	0.025
11	01/31/2012	10:51:40	0.043
12	01/31/2012	11:06:40	0.038
13	01/31/2012	11:21:40	0.053
14	01/31/2012	11:36:40	0.079
15	01/31/2012	11:51:40	0.029
16	01/31/2012	12:06:40	0.096
17	01/31/2012	12:21:40	0.108
18	01/31/2012	12:36:40	0.081
19	01/31/2012	12:51:40	0.035
20	01/31/2012	13:06:40	0.076
21	01/31/2012	13:21:40	0.030
22	01/31/2012	13:36:40	0.029
23	01/31/2012	13:51:40	0.034
24	01/31/2012	14:06:40	0.028
25	01/31/2012	14:21:40	0.027
26	01/31/2012	14:36:40	0.027



# Test 018

Instrument		Data Properties	
Model	DustTrak II	Start Date	01/31/2012
Instrument S/N	8530114718	Start Time	09:12:35
		Stop Date	01/31/2012
		Stop Time	14:42:35
		Total Time	0:05:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.018 mg/m <sup>3</sup>
Max	0.048 mg/m <sup>3</sup>
Max Date	01/31/2012
Max Time	09:27:35
Min	0.013 mg/m <sup>3</sup>
Min Date	01/31/2012
Min Time	10:57:35
TWA (8 hr)	0.012
TWA Start Date	01/31/2012
TWA Start Time	09:12:35
TWA End Time	14:42:35

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	01/31/2012	09:27:35	0.048
2	01/31/2012	09:42:35	0.036
3	01/31/2012	09:57:35	0.020
4	01/31/2012	10:12:35	0.014
5	01/31/2012	10:27:35	0.014
6	01/31/2012	10:42:35	0.014
7	01/31/2012	10:57:35	0.013
8	01/31/2012	11:12:35	0.014
9	01/31/2012	11:27:35	0.014
10	01/31/2012	11:42:35	0.014
11	01/31/2012	11:57:35	0.014
12	01/31/2012	12:12:35	0.014
13	01/31/2012	12:27:35	0.014
14	01/31/2012	12:42:35	0.014
15	01/31/2012	12:57:35	0.014
16	01/31/2012	13:12:35	0.016
17	01/31/2012	13:27:35	0.016
18	01/31/2012	13:42:35	0.017
19	01/31/2012	13:57:35	0.017
20	01/31/2012	14:12:35	0.017
21	01/31/2012	14:27:35	0.017
22	01/31/2012	14:42:35	0.017



**COMMUNITY AIR MONITORING LOG**

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 2-1-12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
0900	From NW	U-1	1.044	0	D-1	0.038	0	0
1000	↓	↓	1.054	0	↓	0.056	0	0
1100	↓	↓	1.055	0	↓	0.53	0	0
1200	↓	↓	1.054	0	↓	0.067	0	0
1300	↓	↓	1.067	0	↓	0.056	0	0
1400	↓	↓	1.039	0	↓	0.037	0	0
1500	↓	↓	1.042	0	↓	0.036	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Background	Location
0730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
0730	4530114716	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Zero (Ambient) Air
0730	Minimate Lite	596-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

See map on back for location information.

# Site-Specific Community Air Monitoring Plan

Location:

Former Photech Imaging Site  
1000 Driving Park Avenue  
Rochester, New York

Prepared For:

City of Rochester  
Division of Environmental Quality  
30 Church Street, Room 300B  
Rochester, New York 14614

LaBella Project No. 209288

April 2012

# Site-Specific Community Air Monitoring Plan

Location:

Former Photech Imaging Site  
1000 Driving Park Avenue  
Rochester, New York

Prepared For:

City of Rochester  
Division of Environmental Quality  
30 Church Street, Room 300B  
Rochester, New York 14614

LaBella Project No. 209288

April 2012

LaBella Associates, P.C.  
300 State Street  
Rochester, New York 14614

# Table of Contents

	<b>Page</b>
<b>1.0 INTRODUCTION .....</b>	<b>1</b>
<b>2.0 PURPOSE.....</b>	<b>1</b>
<b>3.0 METHODOLOGY .....</b>	<b>1</b>
3.1 Site Background Monitoring.....	2
3.2 Downwind Perimeter Monitoring .....	3
3.3 Nearest Potential Receptor Monitoring .....	5
<b>4.0 VAPOR EMISSION TO SENSITIVE RECEPTORS RESPONSE PLAN .....</b>	<b>5</b>

## **1.0 INTRODUCTION**

This Site Specific Community Air Monitoring Plan (CAMP) has been prepared by LaBella Associates, P.C. (LaBella) on behalf of the City of Rochester. This CAMP addresses potential Volatile Organic Compound (VOC) vapor and particulate emissions that may occur during implementation of the Remedial Measures at the former Photech Imaging Site located at 1000 Driving Park Avenue, Rochester, New York which encompasses approximately 12.5 acres located in a commercial/industrial zoned area in the northwest quadrant of the City of Rochester, Monroe County, New York herein after referred to as the “Site.”

## **2.0 PURPOSE**

Various levels of VOCs, semi-VOCs, and metals (collectively referred to as “constituents of concern” (COCs)) have been detected in the soil and groundwater at the Site or are suspected to be contained in the soil and/or groundwater at the Site. The presence of these COCs through disturbance of soil and groundwater at the Site can potentially result in nuisance odors or fugitive emissions to the neighborhood in the immediate vicinity of the Site as well as to the various occupants of the Site. However, it should be noted that this CAMP is in-place as a precautionary measure.

This CAMP is specific to activities being conducted as part of the Post Remediation Groundwater Sampling Work Plan and all ground intrusive activities at the Site. The CAMP describes the air monitoring activities to be completed in order to provide a measure of protection for any downwind receptors including Site occupants and occupants of neighboring properties. This CAMP is not intended to provide action levels for respiratory protection of workers involved with the building demolition.

This CAMP is based on the air monitoring specified in the New York State Department of Health (NYSDOH) Generic CAMP (included as Appendix 1A of the DER-10 NYSDEC Technical Guidance for Site Investigation and Remediation. However, this CAMP also includes more stringent (i.e., lower level) criteria for VOC monitoring as an added level of protection for Site occupants.

## **3.0 METHODOLOGY**

This CAMP has been designed for all ground intrusive activities at the Site. The CAMP is arranged in the following sections:

- Section 3.1: Site Background Monitoring – This section identifies the background monitoring (VOC and fugitive dust) to be completed at the beginning of each day and periodically throughout the day when ground intrusive activities are being conducted. The background monitoring is used for comparing readings from the other monitoring locations.
- Section 3.2: Downwind Perimeter Monitoring – This section identifies the downwind perimeter work area monitoring (VOC and fugitive dust) to be completed continuously during the ground intrusive activities. Action levels are identified in this section.

- Section 3.3: Nearest Potential Receptor Monitoring – This section identifies additional VOC monitoring that will be completed during ground intrusive activities to provide an added measure of protection at this Site that would not normally be required by NYSDEC or NYSDOH (i.e., this is above and beyond the NYSDOH Generic CAMP). Action levels are identified in this section.

It should be noted that based on the type of work, the various monitoring locations will be moved throughout the day to comply with the appropriate testing location.

In addition to the above, this CAMP also contains a Vapor Emission to Sensitive Receptors Response Plan (Section 4.0). This includes actions to be taken in the event that sustained exceedances of the specified action levels occur.

### **3.1 Site Background Monitoring**

At the beginning of each day of field work during ground intrusive activities, a wind sock or flag will be used to monitor wind direction in the work areas. Based upon daily wind conditions, a background monitoring location will be established. [*Note: In the event that the wind direction changes, the background monitoring location will be moved to an appropriate upwind location.*] The background monitoring location will be at least 25 feet from the work area in an upwind location. Subsequent to establishing the initial background measurements (VOC and particulate, see below), background measurements will be collected every 60 minutes throughout the duration of the building demolition activities for that day. The specific background monitoring is defined below:

#### *Background VOC Monitoring:*

A photo-ionization Detector (PID) capable of data logging will be used to screen the ambient air or VOCs in the background location (i.e., upwind). The PID will be calibrated daily (in accordance with the manufacturer's specifications) prior to collecting the background readings. The background readings will be collected by a 15-minute running average which will be used for comparison to the downwind perimeter monitoring (refer to Section 3.2) and the nearest potential receptor monitoring (refer to Section 3.3). After the initial reading, periodic background readings will be collected every 60-minutes.

#### *Background Fugitive Dust Monitoring:*

A DustTrak™ Model 8520 aerosol monitor or equivalent will be used for measuring particulates. The meter must be capable of measuring matter less than 10 micrometers in size (PM-10). The dust monitor will be calibrated daily (in accordance with the manufacturer's specifications) prior to collecting the background readings. The background dust monitoring will consist of collecting measurements integrated over a 15 minute period and will be used for comparison to the downwind perimeter monitoring (refer to Section 3.2). After the initial reading, periodic background readings will be collected every 60-minutes.



### 3.2 Downwind Perimeter Monitoring

Subsequent to collecting the initial Background Monitoring measurements, continuous monitoring of the downwind perimeter of the work area (i.e., exclusion zone) will be conducted throughout the duration of the ground intrusive activities that day. The downwind perimeter will vary depending on the work; however, in general this will be approximately 30 feet from the location of the work being completed. For example, in the event a groundwater monitoring well is being completed, the downwind perimeter monitoring would be conducted approximately 30-ft. from the well location.

#### Downwind Perimeter VOC Monitoring:

A MiniRae Lite PID or equivalent will be used to continuously monitor for VOCs at the downwind perimeter location. The PID will be calibrated daily (in accordance with the manufacturer's specifications) at the beginning of each day. An audible alarm will be set on the PID to sound in the event that total organic vapors exceed 5 parts per million (ppm) above the background readings. For example, if the background reading is 2 ppm, then the alarm will be set for 7 ppm.

#### Actions for Elevated VOC Readings

1. In the event that the action level of 5 ppm above background is exceeded, then work activities will be temporarily halted and monitoring continued. If the total organic vapor level readily decreases (per instantaneous readings) below 5 ppm over background, work activities can resume with continued monitoring.
2. If total organic vapor levels at the downwind perimeter of the work area persist at levels in excess of 5 ppm over background but less than 25 ppm, work activities must be halted, the source of vapors identified, corrective actions taken to abate emissions (refer to Section 3.0 for engineering controls), and monitoring continued. After these steps, work activities can resume provided that the total organic vapor level 200-feet downwind of the work area or half the distance to the nearest potential receptor or residential/commercial structure, whichever is less – but in no case less than 20 feet, is below 5 ppm over background (background based on the 15-minute average).
3. If the organic vapor level is above 25 ppm at the perimeter of the work area, activities must be shutdown and the Vapor Emission to Sensitive Receptors Response Plan initiated, refer to Section 3.0.

All of the 15-minute readings will be recorded and will be available to NYSDEC and NYSDOH for viewing upon request. Instantaneous readings, if any, that are used for decision purposes will also be recorded.

Downwind Perimeter Fugitive Dust Monitoring:

A DustTrak™ Model 8520 aerosol monitor or equivalent will be used for measuring particulates. The dust meter must be capable of measuring matter less than 10 micrometers in size (PM-10) and be equipped with an audible alarm. The dust meter will be calibrated daily (in accordance with the manufacturer's specifications) prior to collecting readings. The dust monitoring will be conducted continuously and the measurements integrated over a 15 minute period. The results will be compared to the background monitoring (refer to Section 3.1). An audible alarm will be set on the dust meter to sound in the event that particulate levels exceed 100 micrograms per cubic meter ( $\mu\text{g}/\text{m}^3$ ) greater than background for the 15-minute period. For example, if the background reading is  $100 \mu\text{g}/\text{m}^3$ , then the alarm will be set for  $200 \mu\text{g}/\text{m}^3$ .

Actions for Elevated Particulate Readings

1. If the downwind PM-10 particulate level is 100 micrograms per cubic meter ( $\text{mcg}/\text{m}^3$ ) greater than background (upwind) for the 15-minute period or if airborne dust is observed leaving the work area, then Fugitive Dust Control Techniques must be employed (see below). Work may continue with dust suppression techniques provided that downwind PM-10 particulate levels do not exceed  $150 \mu\text{g}/\text{m}^3$  above the upwind level and provided that no visible dust is migrating from the work area.
2. If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than  $150 \mu\text{g}/\text{m}^3$  above the upwind level, work must be stopped and the Fugitive Dust Control Techniques identified below will be reevaluated. In this event the NYSDEC Project Manager will be contacted immediately. Work can resume provided that dust suppression measures and other controls are successful in reducing the downwind PM-10 particulate concentration to within  $150 \mu\text{g}/\text{m}^3$  of the upwind level and in preventing visible dust migration.

All of the 15-minute readings will be recorded and will be available to NYSDEC and NYSDOH for viewing upon request.

Fugitive Dust Control Techniques

One or more of the following dust control measures will be implemented in the event that the above action levels are exceeded:

- Apply water on exposed soils.
- Wetting equipment and test pit faces.
- Reducing test pit sizes.
- Immediately placing any investigation derived waste in drums and/or covering with plastic sheeting.

### 3.3 Nearest Potential Receptor Monitoring

A MiniRae Lite PID or equivalent will be used to continuously monitor for VOCs between the nearest potential receptor and the work area. Specifically, the MiniRae Lite PID or equivalent will be located half the distance between the perimeter of the work area (exclusion zone) and the nearest potential receptor, hereinafter referred to as the “Nearest Potential Receptor Monitoring Location”. It should be noted that this location is not dependent on wind direction. The MiniRae Lite PID or equivalent will be calibrated daily (in accordance with the manufacturer’s specifications) prior to collecting readings. The MiniRae Lite PID or equivalent will be operated in continuous mode and evaluate 15-minute running averages to account for any drift. An audible alarm will be set on the MiniRae Lite PID or equivalent to sound in the event that total organic vapors exceed 1 ppm above the background readings. For example, if the background reading is 2 ppm, then the alarm will be set for 3 ppm.

#### Actions for Elevated VOC Readings

1. In the event that the action level of 1 ppm above background is exceeded, then work activities will be temporarily halted and monitoring continued. If the total organic vapor level readily decreases (per instantaneous readings) below 1 ppm over background at the Nearest Potential Receptor Monitoring Location work activities can resume with continued monitoring (assuming the downwind perimeter location is also below it’s action level, refer to Section 3.2).
2. If total organic vapor levels at the Nearest Potential Receptor Monitoring Location persist at levels in excess of 1 ppm over background but less than 3 ppm, work activities must be halted, the source of vapors identified, corrective actions taken to abate emissions (refer to Section 4.0 for engineering controls), and monitoring continued. After these steps, work activities can resume provided that the total organic vapor level at the Nearest Potential Receptor Monitoring Location is below 10 ppm over background (background based on the 15-minute average).
3. If the organic vapor level is above 3 ppm at the Nearest Potential Receptor Monitoring Location, activities must be shutdown and the Vapor Emission to Sensitive Receptors Response Plan initiated, refer to Section 4.0.

All of the 15-minute readings will be recorded and will be available to NYSDEC and NYSDOH for viewing upon request. Instantaneous readings, if any, that are used for decision purposes will also be recorded.

### 4.0 VAPOR EMISSION TO SENSITIVE RECEPTORS RESPONSE PLAN

Engineering controls to abate VOC emissions source will immediately be put into effect if the action levels for VOC monitoring identified in Sections 3.2 and 3.3 are exceeded. These engineering controls may include:

- Vapor suppression utilizing foam vapor suppressants, polyethylene sheeting, or water.

- Backfilling of excavations (test pits).
- Covering emission sources with stockpiled materials.

If the measures taken to abate the emission source are ineffective and the total organic vapor readings continue to be above the specified action levels for more than 15 minutes (5 ppm at the downwind perimeter monitoring location or 1 ppm at the Nearest Potential Receptor Monitoring Location), then the following actions shall be placed into effect.

- Occupants of the residential and commercial buildings will be advised to stay inside their respective structure and to close all windows.
- All personnel listed in the Emergency Contacts section of the HASP for this project will be contacted.
- The Site Safety Supervisor will immediately contact the local authorities (fire department) and advise them of the circumstances.
- Continuous air monitoring will be conducted at the Downwind Perimeter Location, the Nearest Potential Receptor Monitoring Location and within the work zone and 1 minute average measurements will be recorded every 15 minutes. Air monitoring may be halted or modified by the Site Safety Supervisor when two successive measurements are below the specified action levels.

If readings remain elevated above the specified action levels for a period of 60 minutes (5 ppm at the downwind perimeter monitoring location or 1 ppm at the Nearest Potential Receptor Monitoring Location) the Site Safety Officer will request that local authorities evacuate the occupants of the buildings.

Y:\ROCHESTER, CITY\209288 PHOTECH\WORK PLANS\WP7.GW.MONITORING\APP3.CAMP.DOC

# Test 054

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/26/2012
Instrument S/N	8530114322	Start Time	06:43:14
		Stop Date	04/26/2012
		Stop Time	13:58:14
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.017 mg/m <sup>3</sup>
Max	0.027 mg/m <sup>3</sup>
Max Date	04/26/2012
Max Time	07:13:14
Min	0.015 mg/m <sup>3</sup>
Min Date	04/26/2012
Min Time	09:13:14
TWA (8 hr)	0.016
TWA Start Date	04/26/2012
TWA Start Time	06:43:14
TWA End Time	13:58:14

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/26/2012	06:58:14	0.023
2	04/26/2012	07:13:14	0.027
3	04/26/2012	07:28:14	0.022
4	04/26/2012	07:43:14	0.021
5	04/26/2012	07:58:14	0.023
6	04/26/2012	08:13:14	0.018
7	04/26/2012	08:28:14	0.017
8	04/26/2012	08:43:14	0.019
9	04/26/2012	08:58:14	0.018
10	04/26/2012	09:13:14	0.015
11	04/26/2012	09:28:14	0.017
12	04/26/2012	09:43:14	0.016
13	04/26/2012	09:58:14	0.016
14	04/26/2012	10:13:14	0.016
15	04/26/2012	10:28:14	0.015
16	04/26/2012	10:43:14	0.015
17	04/26/2012	10:58:14	0.015
18	04/26/2012	11:13:14	0.015
19	04/26/2012	11:28:14	0.015
20	04/26/2012	11:43:14	0.016
21	04/26/2012	11:58:14	0.015
22	04/26/2012	12:13:14	0.017
23	04/26/2012	12:28:14	0.017
24	04/26/2012	12:43:14	0.017
25	04/26/2012	12:58:14	0.016
26	04/26/2012	13:13:14	0.015
27	04/26/2012	13:28:14	0.016
28	04/26/2012	13:43:14	0.015
29	04/26/2012	13:58:14	0.017

# Test 066

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/26/2012
Instrument S/N	8530114718	Start Time	06:49:01
		Stop Date	04/26/2012
		Stop Time	14:04:01
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.023 mg/m <sup>3</sup>
Max	0.041 mg/m <sup>3</sup>
Max Date	04/26/2012
Max Time	12:34:01
Min	0.014 mg/m <sup>3</sup>
Min Date	04/26/2012
Min Time	10:49:01
TWA (8 hr)	0.021
TWA Start Date	04/26/2012
TWA Start Time	06:49:01
TWA End Time	14:04:01

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/26/2012	07:04:01	0.025
2	04/26/2012	07:19:01	0.026
3	04/26/2012	07:34:01	0.026
4	04/26/2012	07:49:01	0.027
5	04/26/2012	08:04:01	0.032
6	04/26/2012	08:19:01	0.023
7	04/26/2012	08:34:01	0.022
8	04/26/2012	08:49:01	0.024
9	04/26/2012	09:04:01	0.021
10	04/26/2012	09:19:01	0.027
11	04/26/2012	09:34:01	0.023
12	04/26/2012	09:49:01	0.020
13	04/26/2012	10:04:01	0.021
14	04/26/2012	10:19:01	0.017
15	04/26/2012	10:34:01	0.021
16	04/26/2012	10:49:01	0.014
17	04/26/2012	11:04:01	0.014
18	04/26/2012	11:19:01	0.015
19	04/26/2012	11:34:01	0.027
20	04/26/2012	11:49:01	0.020
21	04/26/2012	12:04:01	0.027
22	04/26/2012	12:19:01	0.021
23	04/26/2012	12:34:01	0.041
24	04/26/2012	12:49:01	0.019
25	04/26/2012	13:04:01	0.025
26	04/26/2012	13:19:01	0.023
27	04/26/2012	13:34:01	0.018
28	04/26/2012	13:49:01	0.019
29	04/26/2012	14:04:01	0.021



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 5/2/12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7	E	U-1	0.058	0	D-1	0.059	0	0
8			0.045	0		0.045	0	0
9			0.043	0		0.047	0	0
10			0.037	0		0.043	0	0
11			0.028	0		0.034	0	0
12			0.028	0		0.039	0	0
1			0.027	0		0.033	0	0
2			0.027	0		0.048	0	0
3			0.027	0		0.034	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter		Background	Location
7:00	8530114322	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
7:00	8530114718	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
			mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
7:00	Mini Rae Lite	590-0415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# Test 055

Instrument		Data Properties	
Model	DustTrak II	Start Date	05/02/2012
Instrument S/N	8530114322	Start Time	06:31:35
		Stop Date	05/02/2012
		Stop Time	14:46:35
		Total Time	0:08:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.044 mg/m <sup>3</sup>
Max	0.061 mg/m <sup>3</sup>
Max Date	05/02/2012
Max Time	06:46:35
Min	0.033 mg/m <sup>3</sup>
Min Date	05/02/2012
Min Time	13:01:35
TWA (8 hr)	0.044
TWA Start Date	05/02/2012
TWA Start Time	06:31:35
TWA End Time	14:46:35

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	05/02/2012	06:46:35	0.061
2	05/02/2012	07:01:35	0.059
3	05/02/2012	07:16:35	0.056
4	05/02/2012	07:31:35	0.051
5	05/02/2012	07:46:35	0.047
6	05/02/2012	08:01:35	0.045
7	05/02/2012	08:16:35	0.047
8	05/02/2012	08:31:35	0.048
9	05/02/2012	08:46:35	0.048
10	05/02/2012	09:01:35	0.047
11	05/02/2012	09:16:35	0.047
12	05/02/2012	09:31:35	0.045
13	05/02/2012	09:46:35	0.043
14	05/02/2012	10:01:35	0.043
15	05/02/2012	10:16:35	0.042
16	05/02/2012	10:31:35	0.035
17	05/02/2012	10:46:35	0.035
18	05/02/2012	11:01:35	0.034
19	05/02/2012	11:16:35	0.036
20	05/02/2012	11:31:35	0.039
21	05/02/2012	11:46:35	0.038
22	05/02/2012	12:01:35	0.039
23	05/02/2012	12:16:35	0.037
24	05/02/2012	12:31:35	0.038
25	05/02/2012	12:46:35	0.036
26	05/02/2012	13:01:35	0.033
27	05/02/2012	13:16:35	0.033
28	05/02/2012	13:31:35	0.058
29	05/02/2012	13:46:35	0.052
30	05/02/2012	14:01:35	0.048
31	05/02/2012	14:16:35	0.054
32	05/02/2012	14:31:35	0.042
33	05/02/2012	14:46:35	0.036



# Test 067

Instrument		Data Properties	
Model	DustTrak II	Start Date	05/02/2012
Instrument S/N	8530114718	Start Time	06:39:17
		Stop Date	05/02/2012
		Stop Time	14:54:17
		Total Time	0:08:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.036 mg/m <sup>3</sup>
Max	0.060 mg/m <sup>3</sup>
Max Date	05/02/2012
Max Time	06:54:17
Min	0.026 mg/m <sup>3</sup>
Min Date	05/02/2012
Min Time	13:39:17
TWA (8 hr)	0.036
TWA Start Date	05/02/2012
TWA Start Time	06:39:17
TWA End Time	14:54:17

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	05/02/2012	06:54:17	0.060
2	05/02/2012	07:09:17	0.056
3	05/02/2012	07:24:17	0.051
4	05/02/2012	07:39:17	0.048
5	05/02/2012	07:54:17	0.045
6	05/02/2012	08:09:17	0.046
7	05/02/2012	08:24:17	0.047
8	05/02/2012	08:39:17	0.049
9	05/02/2012	08:54:17	0.046
10	05/02/2012	09:09:17	0.043
11	05/02/2012	09:24:17	0.044
12	05/02/2012	09:39:17	0.041
13	05/02/2012	09:54:17	0.040
14	05/02/2012	10:09:17	0.037
15	05/02/2012	10:24:17	0.034
16	05/02/2012	10:39:17	0.030
17	05/02/2012	10:54:17	0.029
18	05/02/2012	11:09:17	0.028
19	05/02/2012	11:24:17	0.028
20	05/02/2012	11:39:17	0.027
21	05/02/2012	11:54:17	0.028
22	05/02/2012	12:09:17	0.028
23	05/02/2012	12:24:17	0.028
24	05/02/2012	12:39:17	0.028
25	05/02/2012	12:54:17	0.028
26	05/02/2012	13:09:17	0.027
27	05/02/2012	13:24:17	0.027
28	05/02/2012	13:39:17	0.026
29	05/02/2012	13:54:17	0.026
30	05/02/2012	14:09:17	0.027
31	05/02/2012	14:24:17	0.027
32	05/02/2012	14:39:17	0.027
33	05/02/2012	14:54:17	0.027



Associates, P.C.

# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 5/3/12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	(ppm)
7:00	SE	U-1	0.084	0	D-1	0.084	6	0
8:00			0.067	6		0.076	6	0
9:00			0.046	6		0.055	6	0
10:00			0.046	6		0.061	6	0
11:00			0.04	6		0.052	6	0
12:00			0.035	6		0.046	6	0
1:00			0.014	6		0.024	6	0
2:00			0.019	6		0.032	6	0
3:00			0.076	0		0.036	6	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
1:00	8530114322	0 mg/m <sup>3</sup>	0 mg/m <sup>3</sup>	D-1
7:00	8530114718	0 mg/m <sup>3</sup>	0 mg/m <sup>3</sup>	U-1

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
3:00	Mini Rae Lde	590-0415	0 ppm

Notes/Activities: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

See map on back for location information.

# Test 056

Instrument		Data Properties	
Model	DustTrak II	Start Date	05/03/2012
Instrument S/N	8530114322	Start Time	06:58:30
		Stop Date	05/03/2012
		Stop Time	15:28:30
		Total Time	0:08:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.049 mg/m <sup>3</sup>
Max	0.086 mg/m <sup>3</sup>
Max Date	05/03/2012
Max Time	07:13:30
Min	0.024 mg/m <sup>3</sup>
Min Date	05/03/2012
Min Time	12:58:30
TWA (8 hr)	0.050
TWA Start Date	05/03/2012
TWA Start Time	06:58:30
TWA End Time	15:28:30

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	05/03/2012	07:13:30	0.086
2	05/03/2012	07:28:30	0.080
3	05/03/2012	07:43:30	0.082
4	05/03/2012	07:58:30	0.077
5	05/03/2012	08:13:30	0.076
6	05/03/2012	08:28:30	0.075
7	05/03/2012	08:43:30	0.069
8	05/03/2012	08:58:30	0.055
9	05/03/2012	09:13:30	0.050
10	05/03/2012	09:28:30	0.048
11	05/03/2012	09:43:30	0.054
12	05/03/2012	09:58:30	0.061
13	05/03/2012	10:13:30	0.058
14	05/03/2012	10:28:30	0.058
15	05/03/2012	10:43:30	0.051
16	05/03/2012	10:58:30	0.052
17	05/03/2012	11:13:30	0.050
18	05/03/2012	11:28:30	0.047
19	05/03/2012	11:43:30	0.042
20	05/03/2012	11:58:30	0.046
21	05/03/2012	12:13:30	0.046
22	05/03/2012	12:28:30	0.031
23	05/03/2012	12:43:30	0.027
24	05/03/2012	12:58:30	0.024
25	05/03/2012	13:13:30	0.024
26	05/03/2012	13:28:30	0.032
27	05/03/2012	13:43:30	0.026
28	05/03/2012	13:58:30	0.029
29	05/03/2012	14:13:30	0.032
30	05/03/2012	14:28:30	0.034
31	05/03/2012	14:43:30	0.034
32	05/03/2012	14:58:30	0.036
33	05/03/2012	15:13:30	0.039
34	05/03/2012	15:28:30	0.039

# Test 068

Instrument		Data Properties	
Model	DustTrak II	Start Date	05/03/2012
Instrument S/N	8530114718	Start Time	06:35:12
		Stop Date	05/03/2012
		Stop Time	15:35:12
		Total Time	0:09:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.040 mg/m <sup>3</sup>
Max	0.089 mg/m <sup>3</sup>
Max Date	05/03/2012
Max Time	06:50:12
Min	0.014 mg/m <sup>3</sup>
Min Date	05/03/2012
Min Time	13:05:12
TWA (8 hr)	0.042
TWA Start Date	05/03/2012
TWA Start Time	06:35:12
TWA End Time	15:35:12

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	05/03/2012	06:50:12	0.089
2	05/03/2012	07:05:12	0.083
3	05/03/2012	07:20:12	0.081
4	05/03/2012	07:35:12	0.073
5	05/03/2012	07:50:12	0.071
6	05/03/2012	08:05:12	0.067
7	05/03/2012	08:20:12	0.068
8	05/03/2012	08:35:12	0.065
9	05/03/2012	08:50:12	0.056
10	05/03/2012	09:05:12	0.046
11	05/03/2012	09:20:12	0.042
12	05/03/2012	09:35:12	0.042
13	05/03/2012	09:50:12	0.042
14	05/03/2012	10:05:12	0.048
15	05/03/2012	10:20:12	0.044
16	05/03/2012	10:35:12	0.044
17	05/03/2012	10:50:12	0.040
18	05/03/2012	11:05:12	0.039
19	05/03/2012	11:20:12	0.038
20	05/03/2012	11:35:12	0.032
21	05/03/2012	11:50:12	0.027
22	05/03/2012	12:05:12	0.023
23	05/03/2012	12:20:12	0.022
24	05/03/2012	12:35:12	0.020
25	05/03/2012	12:50:12	0.016
26	05/03/2012	13:05:12	0.014
27	05/03/2012	13:20:12	0.014
28	05/03/2012	13:35:12	0.014
29	05/03/2012	13:50:12	0.016
30	05/03/2012	14:05:12	0.019
31	05/03/2012	14:20:12	0.023
32	05/03/2012	14:35:12	0.022
33	05/03/2012	14:50:12	0.025
34	05/03/2012	15:05:12	0.027
35	05/03/2012	15:20:12	0.032
36	05/03/2012	15:35:12	0.030

# Test 058

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/09/2012
Instrument S/N	8530114718	Start Time	07:18:00
		Stop Date	04/09/2012
		Stop Time	14:18:00
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.043 mg/m <sup>3</sup>
Max	0.204 mg/m <sup>3</sup>
Max Date	04/09/2012
Max Time	14:03:00
Min	0.013 mg/m <sup>3</sup>
Min Date	04/09/2012
Min Time	08:33:00
TWA (8 hr)	0.037
TWA Start Date	04/09/2012
TWA Start Time	07:18:00
TWA End Time	14:18:00

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/09/2012	07:33:00	0.019
2	04/09/2012	07:48:00	0.019
3	04/09/2012	08:03:00	0.030
4	04/09/2012	08:18:00	0.024
5	04/09/2012	08:33:00	0.013
6	04/09/2012	08:48:00	0.019
7	04/09/2012	09:03:00	0.016
8	04/09/2012	09:18:00	0.031
9	04/09/2012	09:33:00	0.024
10	04/09/2012	09:48:00	0.021
11	04/09/2012	10:03:00	0.021
12	04/09/2012	10:18:00	0.021
13	04/09/2012	10:33:00	0.038
14	04/09/2012	10:48:00	0.044
15	04/09/2012	11:03:00	0.024
16	04/09/2012	11:18:00	0.034
17	04/09/2012	11:33:00	0.043
18	04/09/2012	11:48:00	0.018
19	04/09/2012	12:03:00	0.039
20	04/09/2012	12:18:00	0.023
21	04/09/2012	12:33:00	0.018
22	04/09/2012	12:48:00	0.021
23	04/09/2012	13:03:00	0.039
24	04/09/2012	13:18:00	0.036
25	04/09/2012	13:33:00	0.087
26	04/09/2012	13:48:00	0.134
27	04/09/2012	14:03:00	0.204
28	04/09/2012	14:18:00	0.140

# Test 046

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/09/2012
Instrument S/N	8530114322	Start Time	07:15:27
		Stop Date	04/09/2012
		Stop Time	14:15:27
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.015 mg/m <sup>3</sup>
Max	0.032 mg/m <sup>3</sup>
Max Date	04/09/2012
Max Time	13:30:27
Min	0.008 mg/m <sup>3</sup>
Min Date	04/09/2012
Min Time	09:00:27
TWA (8 hr)	0.013
TWA Start Date	04/09/2012
TWA Start Time	07:15:27
TWA End Time	14:15:27

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/09/2012	07:30:27	0.014
2	04/09/2012	07:45:27	0.011
3	04/09/2012	08:00:27	0.014
4	04/09/2012	08:15:27	0.014
5	04/09/2012	08:30:27	0.010
6	04/09/2012	08:45:27	0.010
7	04/09/2012	09:00:27	0.008
8	04/09/2012	09:15:27	0.010
9	04/09/2012	09:30:27	0.009
10	04/09/2012	09:45:27	0.014
11	04/09/2012	10:00:27	0.014
12	04/09/2012	10:15:27	0.017
13	04/09/2012	10:30:27	0.012
14	04/09/2012	10:45:27	0.011
15	04/09/2012	11:00:27	0.014
16	04/09/2012	11:15:27	0.013
17	04/09/2012	11:30:27	0.014
18	04/09/2012	11:45:27	0.016
19	04/09/2012	12:00:27	0.018
20	04/09/2012	12:15:27	0.012
21	04/09/2012	12:30:27	0.015
22	04/09/2012	12:45:27	0.016
23	04/09/2012	13:00:27	0.014
24	04/09/2012	13:15:27	0.021
25	04/09/2012	13:30:27	0.032
26	04/09/2012	13:45:27	0.027
27	04/09/2012	14:00:27	0.022
28	04/09/2012	14:15:27	0.025



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 4/10/12  
REP:

Time	Wind Direction	Upwind		Downwind			Work Area	
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7:00	E	U-1	0.0011	6	D-1	0.015	0	0
8:00			0.009	0		0.013	6	6
9:00			0.009	0		Err	0	0
10:00			0.013	6			0	0
11:00			0.016	0			0	0
12:00			0.016	0			0	0
1:00			0.02	0			0	0
2:00			0.024	0			0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
7:00	853011 4322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
7:00	853011 4718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
7:00	Mini Rae Lite	590-0415	0 ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 059

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/10/2012
Instrument S/N	8530114718	Start Time	06:37:17
		Stop Date	04/10/2012
		Stop Time	14:23:17
		Total Time	0:07:46:00
		Logging Interval	900 seconds

Statistics	
	AEROSOL
Avg	0.012 mg/m <sup>3</sup>
Max	0.019 mg/m <sup>3</sup>
Max Date	04/10/2012
Max Time	07:52:17
Min	0.000 mg/m <sup>3</sup>
Min Date	04/10/2012
Min Time	14:23:18
TWA (8 hr)	0.012
TWA Start Date	04/10/2012
TWA Start Time	06:37:17
TWA End Time	14:23:17

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/10/2012	06:52:17	0.015
2	04/10/2012	07:07:17	0.013
3	04/10/2012	07:22:17	0.012
4	04/10/2012	07:37:17	0.013
5	04/10/2012	07:52:17	0.019
6	04/10/2012	08:07:17	0.013
7	04/10/2012	14:23:18	0.000



# Test 047

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/10/2012
Instrument S/N	8530114322	Start Time	06:36:50
		Stop Date	04/10/2012
		Stop Time	14:06:50
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.015 mg/m <sup>3</sup>
Max	0.025 mg/m <sup>3</sup>
Max Date	04/10/2012
Max Time	13:51:50
Min	0.008 mg/m <sup>3</sup>
Min Date	04/10/2012
Min Time	08:06:50
TWA (8 hr)	0.014
TWA Start Date	04/10/2012
TWA Start Time	06:36:50
TWA End Time	14:06:50

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/10/2012	06:51:50	0.011
2	04/10/2012	07:06:50	0.010
3	04/10/2012	07:21:50	0.009
4	04/10/2012	07:36:50	0.009
5	04/10/2012	07:51:50	0.009
6	04/10/2012	08:06:50	0.008
7	04/10/2012	08:21:50	0.008
8	04/10/2012	08:36:50	0.009
9	04/10/2012	08:51:50	0.009
10	04/10/2012	09:06:50	0.010
11	04/10/2012	09:21:50	0.013
12	04/10/2012	09:36:50	0.011
13	04/10/2012	09:51:50	0.012
14	04/10/2012	10:06:50	0.013
15	04/10/2012	10:21:50	0.014
16	04/10/2012	10:36:50	0.014
17	04/10/2012	10:51:50	0.023
18	04/10/2012	11:06:50	0.017
19	04/10/2012	11:21:50	0.018
20	04/10/2012	11:36:50	0.012
21	04/10/2012	11:51:50	0.020
22	04/10/2012	12:06:50	0.016
23	04/10/2012	12:21:50	0.018
24	04/10/2012	12:36:50	0.015
25	04/10/2012	12:51:50	0.019
26	04/10/2012	13:06:50	0.020
27	04/10/2012	13:21:50	0.023
28	04/10/2012	13:36:50	0.021
29	04/10/2012	13:51:50	0.025
30	04/10/2012	14:06:50	0.024



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 4/12/12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7:00	NE	U-1	0.01	0	D-1	0.006	0	0
8:00	↓	↓	0.007	0	↓	0.004	0	0
9:00	↓	↓	0.005	0	↓	0.005	0	0
10:00	↓	↓	0.005	0	↓	0.009	0	0
11:00	↓	↓	0.01	0	↓	0.007	0	0
12:00	↓	↓	0.009	0	↓	0.009	0	0
1:00	↓	↓	0.004	0	↓	0.007	0	0
2:00	↓	↓	0.006	0	↓	0.007	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
7	8530114323	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
7	8530114708	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
7	Mini Ra Lite	590-0415	0 ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 060

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/12/2012
Instrument S/N	8530114718	Start Time	06:59:50
		Stop Date	04/12/2012
		Stop Time	13:44:50
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.006 mg/m <sup>3</sup>
Max	0.011 mg/m <sup>3</sup>
Max Date	04/12/2012
Max Time	07:14:50
Min	0.004 mg/m <sup>3</sup>
Min Date	04/12/2012
Min Time	09:59:50
TWA (8 hr)	0.005
TWA Start Date	04/12/2012
TWA Start Time	06:59:50
TWA End Time	13:44:50

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/12/2012	07:14:50	0.011
2	04/12/2012	07:29:50	0.006
3	04/12/2012	07:44:50	0.005
4	04/12/2012	07:59:50	0.007
5	04/12/2012	08:14:50	0.007
6	04/12/2012	08:29:50	0.008
7	04/12/2012	08:44:50	0.008
8	04/12/2012	08:59:50	0.005
9	04/12/2012	09:14:50	0.005
10	04/12/2012	09:29:50	0.005
11	04/12/2012	09:44:50	0.005
12	04/12/2012	09:59:50	0.004
13	04/12/2012	10:14:50	0.006
14	04/12/2012	10:29:50	0.004
15	04/12/2012	10:44:50	0.006
16	04/12/2012	10:59:50	0.010
17	04/12/2012	11:14:50	0.008
18	04/12/2012	11:29:50	0.007
19	04/12/2012	11:44:50	0.005
20	04/12/2012	11:59:50	0.009
21	04/12/2012	12:14:50	0.009
22	04/12/2012	12:29:50	0.007
23	04/12/2012	12:44:50	0.007
24	04/12/2012	12:59:50	0.004
25	04/12/2012	13:14:50	0.004
26	04/12/2012	13:29:50	0.005
27	04/12/2012	13:44:50	0.006

# Test 048

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/12/2012
Instrument S/N	8530114322	Start Time	06:59:19
		Stop Date	04/12/2012
		Stop Time	13:44:19
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.007 mg/m <sup>3</sup>
Max	0.016 mg/m <sup>3</sup>
Max Date	04/12/2012
Max Time	11:14:19
Min	0.003 mg/m <sup>3</sup>
Min Date	04/12/2012
Min Time	07:44:19
TWA (8 hr)	0.006
TWA Start Date	04/12/2012
TWA Start Time	06:59:19
TWA End Time	13:44:19

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/12/2012	07:14:19	0.006
2	04/12/2012	07:29:19	0.004
3	04/12/2012	07:44:19	0.003
4	04/12/2012	07:59:19	0.004
5	04/12/2012	08:14:19	0.006
6	04/12/2012	08:29:19	0.005
7	04/12/2012	08:44:19	0.003
8	04/12/2012	08:59:19	0.005
9	04/12/2012	09:14:19	0.005
10	04/12/2012	09:29:19	0.004
11	04/12/2012	09:44:19	0.007
12	04/12/2012	09:59:19	0.009
13	04/12/2012	10:14:19	0.009
14	04/12/2012	10:29:19	0.007
15	04/12/2012	10:44:19	0.010
16	04/12/2012	10:59:19	0.007
17	04/12/2012	11:14:19	0.016
18	04/12/2012	11:29:19	0.008
19	04/12/2012	11:44:19	0.010
20	04/12/2012	11:59:19	0.009
21	04/12/2012	12:14:19	0.006
22	04/12/2012	12:29:19	0.006
23	04/12/2012	12:44:19	0.006
24	04/12/2012	12:59:19	0.007
25	04/12/2012	13:14:19	0.004
26	04/12/2012	13:29:19	0.007
27	04/12/2012	13:44:19	0.007



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 4/16/12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7 <sup>00</sup>	SW	U-1	0.04	0	D-1	0.04	0	0
8 <sup>00</sup>			0.043	0		0.041	0	0
9 <sup>00</sup>			0.035	0		0.034	0	0
10 <sup>00</sup>			0.037	0		0.05	0	0
11 <sup>00</sup>			0.035	0		0.034	0	0
12 <sup>00</sup>			0.04	0		0.04	0	0
1 <sup>00</sup>			0.038	0		0.044	0	0
2 <sup>00</sup>			0.039	0		0.065	0	0
3 <sup>00</sup>			0.034	0		0.035	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
7:	853014322	0 mg/m <sup>3</sup>	0 mg/m <sup>3</sup>	U-1
7:	853014718	0 mg/m <sup>3</sup>	0 mg/m <sup>3</sup>	D-1

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
7:	Mini Rae Lite	590-0415	0 ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 049

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/16/2012
Instrument S/N	8530114322	Start Time	07:10:33
		Stop Date	04/16/2012
		Stop Time	15:10:33
		Total Time	0:08:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.037 mg/m <sup>3</sup>
Max	0.047 mg/m <sup>3</sup>
Max Date	04/16/2012
Max Time	07:40:33
Min	0.033 mg/m <sup>3</sup>
Min Date	04/16/2012
Min Time	11:25:33
TWA (8 hr)	0.037
TWA Start Date	04/16/2012
TWA Start Time	07:10:33
TWA End Time	15:10:33

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/16/2012	07:25:33	0.041
2	04/16/2012	07:40:33	0.047
3	04/16/2012	07:55:33	0.044
4	04/16/2012	08:10:33	0.037
5	04/16/2012	08:25:33	0.037
6	04/16/2012	08:40:33	0.037
7	04/16/2012	08:55:33	0.035
8	04/16/2012	09:10:33	0.034
9	04/16/2012	09:25:33	0.035
10	04/16/2012	09:40:33	0.035
11	04/16/2012	09:55:33	0.036
12	04/16/2012	10:10:33	0.037
13	04/16/2012	10:25:33	0.039
14	04/16/2012	10:40:33	0.035
15	04/16/2012	10:55:33	0.036
16	04/16/2012	11:10:33	0.035
17	04/16/2012	11:25:33	0.033
18	04/16/2012	11:40:33	0.034
19	04/16/2012	11:55:33	0.045
20	04/16/2012	12:10:33	0.037
21	04/16/2012	12:25:33	0.038
22	04/16/2012	12:40:33	0.041
23	04/16/2012	12:55:33	0.040
24	04/16/2012	13:10:33	0.037
25	04/16/2012	13:25:33	0.039
26	04/16/2012	13:40:33	0.035
27	04/16/2012	13:55:33	0.034
28	04/16/2012	14:10:33	0.039
29	04/16/2012	14:25:33	0.038
30	04/16/2012	14:40:33	0.036
31	04/16/2012	14:55:33	0.034
32	04/16/2012	15:10:33	0.034

# Test 061

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/16/2012
Instrument S/N	8530114718	Start Time	06:52:08
		Stop Date	04/16/2012
		Stop Time	15:07:08
		Total Time	0:08:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.049 mg/m <sup>3</sup>
Max	0.135 mg/m <sup>3</sup>
Max Date	04/16/2012
Max Time	14:22:08
Min	0.032 mg/m <sup>3</sup>
Min Date	04/16/2012
Min Time	11:07:08
TWA (8 hr)	0.049
TWA Start Date	04/16/2012
TWA Start Time	06:52:08
TWA End Time	15:07:08

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/16/2012	07:07:08	0.049
2	04/16/2012	07:22:08	0.041
3	04/16/2012	07:37:08	0.044
4	04/16/2012	07:52:08	0.047
5	04/16/2012	08:07:08	0.043
6	04/16/2012	08:22:08	0.046
7	04/16/2012	08:37:08	0.036
8	04/16/2012	08:52:08	0.035
9	04/16/2012	09:07:08	0.034
10	04/16/2012	09:22:08	0.034
11	04/16/2012	09:37:08	0.048
12	04/16/2012	09:52:08	0.052
13	04/16/2012	10:07:08	0.039
14	04/16/2012	10:22:08	0.046
15	04/16/2012	10:37:08	0.036
16	04/16/2012	10:52:08	0.034
17	04/16/2012	11:07:08	0.032
18	04/16/2012	11:22:08	0.044
19	04/16/2012	11:37:08	0.055
20	04/16/2012	11:52:08	0.070
21	04/16/2012	12:07:08	0.042
22	04/16/2012	12:22:08	0.040
23	04/16/2012	12:37:08	0.036
24	04/16/2012	12:52:08	0.041
25	04/16/2012	13:07:08	0.044
26	04/16/2012	13:22:08	0.060
27	04/16/2012	13:37:08	0.054
28	04/16/2012	13:52:08	0.052
29	04/16/2012	14:07:08	0.067
30	04/16/2012	14:22:08	0.135
31	04/16/2012	14:37:08	0.105
32	04/16/2012	14:52:08	0.039
33	04/16/2012	15:07:08	0.035



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 4/17/12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7:00	DE	U-1	0.009	0	D-1	0.011	0	0
8:00			0.008	0		0.015	0	0
9:00			0.009	0		0.012	0	0
10:00			0.01	0		0.012	0	0
11:00			0.01	0		0.015	0	0
12:00			0.016	0		0.017	0	0
1:00			0.014	0		0.022	0	0
2:00			0.017	0		0.017	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
7:	853014322	0 mg/m <sup>3</sup>	0 mg/m <sup>3</sup>	U-1
7:	853014218	0 mg/m <sup>3</sup>	0 mg/m <sup>3</sup>	D-1

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
7:	Mini Real Life	590-0415	0 ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# Test 050

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/17/2012
Instrument S/N	8530114322	Start Time	06:29:58
		Stop Date	04/17/2012
		Stop Time	14:14:58
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.013 mg/m <sup>3</sup>
Max	0.020 mg/m <sup>3</sup>
Max Date	04/17/2012
Max Time	13:14:58
Min	0.008 mg/m <sup>3</sup>
Min Date	04/17/2012
Min Time	06:44:58
TWA (8 hr)	0.012
TWA Start Date	04/17/2012
TWA Start Time	06:29:58
TWA End Time	14:14:58

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/17/2012	06:44:58	0.008
2	04/17/2012	06:59:58	0.009
3	04/17/2012	07:14:58	0.010
4	04/17/2012	07:29:58	0.010
5	04/17/2012	07:44:58	0.009
6	04/17/2012	07:59:58	0.008
7	04/17/2012	08:14:58	0.011
8	04/17/2012	08:29:58	0.008
9	04/17/2012	08:44:58	0.009
10	04/17/2012	08:59:58	0.009
11	04/17/2012	09:14:58	0.009
12	04/17/2012	09:29:58	0.013
13	04/17/2012	09:44:58	0.010
14	04/17/2012	09:59:58	0.010
15	04/17/2012	10:14:58	0.011
16	04/17/2012	10:29:58	0.014
17	04/17/2012	10:44:58	0.015
18	04/17/2012	10:59:58	0.010
19	04/17/2012	11:14:58	0.010
20	04/17/2012	11:29:58	0.011
21	04/17/2012	11:44:58	0.014
22	04/17/2012	11:59:58	0.016
23	04/17/2012	12:14:58	0.017
24	04/17/2012	12:29:58	0.019
25	04/17/2012	12:44:58	0.019
26	04/17/2012	12:59:58	0.019
27	04/17/2012	13:14:58	0.020
28	04/17/2012	13:29:58	0.018
29	04/17/2012	13:44:58	0.018
30	04/17/2012	13:59:58	0.017
31	04/17/2012	14:14:58	0.017

# Test 062

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/17/2012
Instrument S/N	8530114718	Start Time	06:32:11
		Stop Date	04/17/2012
		Stop Time	14:17:11
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.015 mg/m <sup>3</sup>
Max	0.022 mg/m <sup>3</sup>
Max Date	04/17/2012
Max Time	13:02:11
Min	0.011 mg/m <sup>3</sup>
Min Date	04/17/2012
Min Time	06:47:11
TWA (8 hr)	0.015
TWA Start Date	04/17/2012
TWA Start Time	06:32:11
TWA End Time	14:17:11

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/17/2012	06:47:11	0.011
2	04/17/2012	07:02:11	0.012
3	04/17/2012	07:17:11	0.013
4	04/17/2012	07:32:11	0.013
5	04/17/2012	07:47:11	0.014
6	04/17/2012	08:02:11	0.015
7	04/17/2012	08:17:11	0.015
8	04/17/2012	08:32:11	0.013
9	04/17/2012	08:47:11	0.013
10	04/17/2012	09:02:11	0.012
11	04/17/2012	09:17:11	0.011
12	04/17/2012	09:32:11	0.013
13	04/17/2012	09:47:11	0.014
14	04/17/2012	10:02:11	0.012
15	04/17/2012	10:17:11	0.017
16	04/17/2012	10:32:11	0.014
17	04/17/2012	10:47:11	0.013
18	04/17/2012	11:02:11	0.015
19	04/17/2012	11:17:11	0.015
20	04/17/2012	11:32:11	0.014
21	04/17/2012	11:47:11	0.016
22	04/17/2012	12:02:11	0.017
23	04/17/2012	12:17:11	0.019
24	04/17/2012	12:32:11	0.021
25	04/17/2012	12:47:11	0.019
26	04/17/2012	13:02:11	0.022
27	04/17/2012	13:17:11	0.022
28	04/17/2012	13:32:11	0.019
29	04/17/2012	13:47:11	0.018
30	04/17/2012	14:02:11	0.017
31	04/17/2012	14:17:11	0.017



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 4/19/12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
8 <sup>00</sup>	NW	U-1	0.025	0	D-1	0.025	0	0
9 <sup>00</sup>	↓	↓	0.027	0	↓	0.038	0	0
10 <sup>00</sup>			0.03	0		0.031	0	0
11 <sup>00</sup>			0.021	0		0.031	0	0
12 <sup>00</sup>			0.022	0		0.075	0	0
1 <sup>00</sup>			0.04	0		0.025	0	0
130			0.046	0		0.025	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter		Background		Location
7:	8530114322	0	mg/m <sup>3</sup>	0	mg/m <sup>3</sup>	D-1
7	8530114718	0	mg/m <sup>3</sup>	0	mg/m <sup>3</sup>	U-1
			mg/m <sup>3</sup>		mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air	
7	Min Pa Lite	590-0415	0	ppm
				ppm

Notes/Activities:

---



---



---



---

# Test 063

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/19/2012
Instrument S/N	8530114718	Start Time	07:29:37
		Stop Date	04/19/2012
		Stop Time	13:29:37
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.026 mg/m <sup>3</sup>
Max	0.040 mg/m <sup>3</sup>
Max Date	04/19/2012
Max Time	12:59:37
Min	0.017 mg/m <sup>3</sup>
Min Date	04/19/2012
Min Time	13:29:37
TWA (8 hr)	0.019
TWA Start Date	04/19/2012
TWA Start Time	07:29:37
TWA End Time	13:29:37

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/19/2012	07:44:37	0.025
2	04/19/2012	07:59:37	0.025
3	04/19/2012	08:14:37	0.029
4	04/19/2012	08:29:37	0.026
5	04/19/2012	08:44:37	0.027
6	04/19/2012	08:59:37	0.027
7	04/19/2012	09:14:37	0.025
8	04/19/2012	09:29:37	0.033
9	04/19/2012	09:44:37	0.027
10	04/19/2012	09:59:37	0.030
11	04/19/2012	10:14:37	0.029
12	04/19/2012	10:29:37	0.026
13	04/19/2012	10:44:37	0.025
14	04/19/2012	10:59:37	0.021
15	04/19/2012	11:14:37	0.026
16	04/19/2012	11:29:37	0.022
17	04/19/2012	11:44:37	0.023
18	04/19/2012	11:59:37	0.023
19	04/19/2012	12:14:37	0.022
20	04/19/2012	12:29:37	0.021
21	04/19/2012	12:44:37	0.023
22	04/19/2012	12:59:37	0.040
23	04/19/2012	13:14:37	0.020
24	04/19/2012	13:29:37	0.017

# Test 051

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/19/2012
Instrument S/N	8530114322	Start Time	07:46:36
		Stop Date	04/19/2012
		Stop Time	14:31:36
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.030 mg/m <sup>3</sup>
Max	0.076 mg/m <sup>3</sup>
Max Date	04/19/2012
Max Time	12:16:36
Min	0.021 mg/m <sup>3</sup>
Min Date	04/19/2012
Min Time	13:16:36
TWA (8 hr)	0.025
TWA Start Date	04/19/2012
TWA Start Time	07:46:36
TWA End Time	14:31:36

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/19/2012	08:01:36	0.025
2	04/19/2012	08:16:36	0.031
3	04/19/2012	08:31:36	0.040
4	04/19/2012	08:46:36	0.033
5	04/19/2012	09:01:36	0.038
6	04/19/2012	09:16:36	0.029
7	04/19/2012	09:31:36	0.031
8	04/19/2012	09:46:36	0.033
9	04/19/2012	10:01:36	0.029
10	04/19/2012	10:16:36	0.031
11	04/19/2012	10:31:36	0.028
12	04/19/2012	10:46:36	0.033
13	04/19/2012	11:01:36	0.031
14	04/19/2012	11:16:36	0.029
15	04/19/2012	11:31:36	0.035
16	04/19/2012	11:46:36	0.026
17	04/19/2012	12:01:36	0.029
18	04/19/2012	12:16:36	0.076
19	04/19/2012	12:31:36	0.024
20	04/19/2012	12:46:36	0.024
21	04/19/2012	13:01:36	0.025
22	04/19/2012	13:16:36	0.021
23	04/19/2012	13:31:36	0.021
24	04/19/2012	13:46:36	0.023
25	04/19/2012	14:01:36	0.021
26	04/19/2012	14:16:36	0.022
27	04/19/2012	14:31:36	0.025



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 9/20/12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area		
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)		
7	E	U-1	0.024	0	D-1	0.027	0	0		
8	↓	↓	0.027	0	↓	0.028	0	0		
9			0.032	0		0.036	0	0		
10			0.027	6		0.037	6	0		
11			0.019	0		0.04	0	0		
12			0.02	0		0.025	0	0		
1			0.016	0		0.022	0	0		
2			0.019	0		0.022	0	0		

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter		Background		Location
7:00	8530114322	0	mg/m <sup>3</sup>	0	mg/m <sup>3</sup>	D-1
7:00	8530114718	0	mg/m <sup>3</sup>	0	mg/m <sup>3</sup>	U-1
			mg/m <sup>3</sup>		mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air	
7:00	Mini Ra Lite	590-0415	0	ppm
				ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# Test 052

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/20/2012
Instrument S/N	8530114322	Start Time	06:41:38
		Stop Date	04/20/2012
		Stop Time	14:26:38
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.027 mg/m <sup>3</sup>
Max	0.040 mg/m <sup>3</sup>
Max Date	04/20/2012
Max Time	11:11:38
Min	0.020 mg/m <sup>3</sup>
Min Date	04/20/2012
Min Time	14:26:38
TWA (8 hr)	0.026
TWA Start Date	04/20/2012
TWA Start Time	06:41:38
TWA End Time	14:26:38

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/20/2012	06:56:38	0.028
2	04/20/2012	07:11:38	0.025
3	04/20/2012	07:26:38	0.023
4	04/20/2012	07:41:38	0.025
5	04/20/2012	07:56:38	0.028
6	04/20/2012	08:11:38	0.030
7	04/20/2012	08:26:38	0.035
8	04/20/2012	08:41:38	0.038
9	04/20/2012	08:56:38	0.036
10	04/20/2012	09:11:38	0.038
11	04/20/2012	09:26:38	0.032
12	04/20/2012	09:41:38	0.028
13	04/20/2012	09:56:38	0.028
14	04/20/2012	10:11:38	0.026
15	04/20/2012	10:26:38	0.025
16	04/20/2012	10:41:38	0.025
17	04/20/2012	10:56:38	0.030
18	04/20/2012	11:11:38	0.040
19	04/20/2012	11:26:38	0.024
20	04/20/2012	11:41:38	0.024
21	04/20/2012	11:56:38	0.023
22	04/20/2012	12:11:38	0.023
23	04/20/2012	12:26:38	0.022
24	04/20/2012	12:41:38	0.022
25	04/20/2012	12:56:38	0.022
26	04/20/2012	13:11:38	0.022
27	04/20/2012	13:26:38	0.023
28	04/20/2012	13:41:38	0.022
29	04/20/2012	13:56:38	0.022
30	04/20/2012	14:11:38	0.021
31	04/20/2012	14:26:38	0.020

# Test 064

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/20/2012
Instrument S/N	8530114718	Start Time	06:47:09
		Stop Date	04/20/2012
		Stop Time	14:17:09
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.023 mg/m <sup>3</sup>
Max	0.033 mg/m <sup>3</sup>
Max Date	04/20/2012
Max Time	08:32:09
Min	0.015 mg/m <sup>3</sup>
Min Date	04/20/2012
Min Time	11:32:09
TWA (8 hr)	0.021
TWA Start Date	04/20/2012
TWA Start Time	06:47:09
TWA End Time	14:17:09

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/20/2012	07:02:09	0.026
2	04/20/2012	07:17:09	0.026
3	04/20/2012	07:32:09	0.024
4	04/20/2012	07:47:09	0.025
5	04/20/2012	08:02:09	0.028
6	04/20/2012	08:17:09	0.032
7	04/20/2012	08:32:09	0.033
8	04/20/2012	08:47:09	0.033
9	04/20/2012	09:02:09	0.032
10	04/20/2012	09:17:09	0.033
11	04/20/2012	09:32:09	0.028
12	04/20/2012	09:47:09	0.026
13	04/20/2012	10:02:09	0.027
14	04/20/2012	10:17:09	0.022
15	04/20/2012	10:32:09	0.022
16	04/20/2012	10:47:09	0.019
17	04/20/2012	11:02:09	0.018
18	04/20/2012	11:17:09	0.017
19	04/20/2012	11:32:09	0.015
20	04/20/2012	11:47:09	0.016
21	04/20/2012	12:02:09	0.022
22	04/20/2012	12:17:09	0.016
23	04/20/2012	12:32:09	0.018
24	04/20/2012	12:47:09	0.016
25	04/20/2012	13:02:09	0.016
26	04/20/2012	13:17:09	0.016
27	04/20/2012	13:32:09	0.016
28	04/20/2012	13:47:09	0.019
29	04/20/2012	14:02:09	0.020
30	04/20/2012	14:17:09	0.015





300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

**COMMUNITY AIR MONITORING LOG**

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 4/25/12  
 REP: \_\_\_\_\_

Time	Wind Direction	Upwind			Downwind			Work Area VOCs (ppm)
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	
7:45	N		U-1	0.021		0	D-1	0.012
8:45			0.007	0		0.012	0	0
9:45			0.009	0		0.012	0	0
10:45			0.01	0		0.014	0	0
11:45			0.012	0		0.015	0	0
12:15	↓	↓	0.015	0	↓	0.019	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter		Background		Location
7:00	8530114322	0	mg/m <sup>3</sup>	0	mg/m <sup>3</sup>	U-1
7:00	8530114718	0	mg/m <sup>3</sup>	0	mg/m <sup>3</sup>	D-1
			mg/m <sup>3</sup>		mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Zero (Ambient) Air	
7:00	Min. Rec. Lite	590-0415	0	ppm
				ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

See map on back for location information.

# Test 053

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/25/2012
Instrument S/N	8530114322	Start Time	07:27:39
		Stop Date	04/25/2012
		Stop Time	12:12:39
		Total Time	0:04:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.010 mg/m <sup>3</sup>
Max	0.021 mg/m <sup>3</sup>
Max Date	04/25/2012
Max Time	07:42:39
Min	0.007 mg/m <sup>3</sup>
Min Date	04/25/2012
Min Time	07:57:39
TWA (8 hr)	0.006
TWA Start Date	04/25/2012
TWA Start Time	07:27:39
TWA End Time	12:12:39

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/25/2012	07:42:39	0.021
2	04/25/2012	07:57:39	0.007
3	04/25/2012	08:12:39	0.008
4	04/25/2012	08:27:39	0.008
5	04/25/2012	08:42:39	0.007
6	04/25/2012	08:57:39	0.008
7	04/25/2012	09:12:39	0.007
8	04/25/2012	09:27:39	0.007
9	04/25/2012	09:42:39	0.008
10	04/25/2012	09:57:39	0.011
11	04/25/2012	10:12:39	0.010
12	04/25/2012	10:27:39	0.011
13	04/25/2012	10:42:39	0.011
14	04/25/2012	10:57:39	0.010
15	04/25/2012	11:12:39	0.011
16	04/25/2012	11:27:39	0.011
17	04/25/2012	11:42:39	0.012
18	04/25/2012	11:57:39	0.013
19	04/25/2012	12:12:39	0.015

# Test 065

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/25/2012
Instrument S/N	8530114718	Start Time	07:28:36
		Stop Date	04/25/2012
		Stop Time	12:13:36
		Total Time	0:04:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.014 mg/m <sup>3</sup>
Max	0.019 mg/m <sup>3</sup>
Max Date	04/25/2012
Max Time	12:13:36
Min	0.011 mg/m <sup>3</sup>
Min Date	04/25/2012
Min Time	07:58:36
TWA (8 hr)	0.008
TWA Start Date	04/25/2012
TWA Start Time	07:28:36
TWA End Time	12:13:36

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/25/2012	07:43:36	0.012
2	04/25/2012	07:58:36	0.011
3	04/25/2012	08:13:36	0.012
4	04/25/2012	08:28:36	0.013
5	04/25/2012	08:43:36	0.012
6	04/25/2012	08:58:36	0.013
7	04/25/2012	09:13:36	0.013
8	04/25/2012	09:28:36	0.013
9	04/25/2012	09:43:36	0.012
10	04/25/2012	09:58:36	0.014
11	04/25/2012	10:13:36	0.015
12	04/25/2012	10:28:36	0.015
13	04/25/2012	10:43:36	0.014
14	04/25/2012	10:58:36	0.013
15	04/25/2012	11:13:36	0.015
16	04/25/2012	11:28:36	0.017
17	04/25/2012	11:43:36	0.015
18	04/25/2012	11:58:36	0.018
19	04/25/2012	12:13:36	0.019



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 4/26/12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7 <sup>00</sup>	NE	U-1	0.023	0	D-1	0.025	0	0
8 <sup>00</sup>	↓	↓	0.021	0	↓	0.03	0	0
9 <sup>00</sup>	↓	↓	0.018	0	↓	0.021	0	0
10 <sup>00</sup>	↓	↓	0.016	0	↓	0.021	0	0
11 <sup>00</sup>	↓	↓	0.015	0	↓	0.014	0	0
12 <sup>00</sup>	↓	↓	0.015	0	↓	0.027	0	0
1 <sup>00</sup>	↓	↓	0.017	0	↓	0.025	0	0
2 <sup>00</sup>	↓	↓	0.017	0	↓	0.021	0	0

### Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
7:00	8530114322	0 mg/m <sup>3</sup>	0.0 mg/m <sup>3</sup>	U-1
7:00	8530114718	0 mg/m <sup>3</sup>	0 mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

### Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
7:00	Mim Pro Lite	590-6415	0 ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 039

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/26/2012
Instrument S/N	8530114322	Start Time	06:35:09
		Stop Date	03/27/2012
		Stop Time	07:22:09
		Total Time	1:00:47:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.011 mg/m <sup>3</sup>
Max	0.025 mg/m <sup>3</sup>
Max Date	03/26/2012
Max Time	13:20:09
Min	0.000 mg/m <sup>3</sup>
Min Date	03/27/2012
Min Time	07:22:38
TWA (8 hr)	0.000
TWA Start Date	03/26/2012
TWA Start Time	06:35:09
TWA End Time	07:22:09

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/26/2012	06:50:09	0.013
2	03/26/2012	07:05:09	0.011
3	03/26/2012	07:20:09	0.019
4	03/26/2012	07:35:09	0.015
5	03/26/2012	07:50:09	0.014
6	03/26/2012	08:05:09	0.017
7	03/26/2012	08:20:09	0.015
8	03/26/2012	08:35:09	0.018
9	03/26/2012	08:50:09	0.018
10	03/26/2012	09:05:09	0.014
11	03/26/2012	09:20:09	0.018
12	03/26/2012	09:35:09	0.020
13	03/26/2012	09:50:09	0.014
14	03/26/2012	10:05:09	0.014
15	03/26/2012	10:20:09	0.015
16	03/26/2012	10:35:09	0.015
17	03/26/2012	10:50:09	0.014
18	03/26/2012	11:05:09	0.016
19	03/26/2012	11:20:09	0.013
20	03/26/2012	11:35:09	0.013
21	03/26/2012	11:50:09	0.011
22	03/26/2012	12:05:09	0.012
23	03/26/2012	12:20:09	0.019
24	03/26/2012	12:35:09	0.012

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
25	03/26/2012	12:50:09	0.019
26	03/26/2012	13:05:09	0.020
27	03/26/2012	13:20:09	0.025
28	03/26/2012	13:35:09	0.010
29	03/26/2012	13:50:09	0.017
30	03/26/2012	14:05:09	0.012
31	03/26/2012	14:20:09	0.012
32	03/26/2012	14:35:09	0.012
33	03/26/2012	14:50:09	0.010
34	03/26/2012	15:05:09	0.014
35	03/26/2012	15:20:09	0.009
36	03/26/2012	15:35:09	0.011
37	03/26/2012	15:50:09	0.007
38	03/26/2012	16:05:09	0.013
39	03/26/2012	16:20:09	0.006
40	03/26/2012	16:35:09	0.006
41	03/26/2012	16:50:09	0.006
42	03/26/2012	17:05:09	0.004
43	03/26/2012	17:20:09	0.004
44	03/26/2012	17:35:09	0.005
45	03/26/2012	17:50:09	0.005
46	03/26/2012	18:05:09	0.004
47	03/26/2012	18:20:09	0.004
48	03/26/2012	18:35:09	0.005
49	03/26/2012	18:50:09	0.005
50	03/26/2012	19:05:09	0.005
51	03/26/2012	19:20:09	0.006
52	03/26/2012	19:35:09	0.006
53	03/26/2012	19:50:09	0.006
54	03/26/2012	20:05:09	0.006
55	03/26/2012	20:20:09	0.007
56	03/26/2012	20:35:09	0.007
57	03/26/2012	20:50:09	0.008
58	03/26/2012	21:05:09	0.008
59	03/26/2012	21:20:09	0.008
60	03/26/2012	21:35:09	0.008
61	03/26/2012	21:50:09	0.008
62	03/26/2012	22:05:09	0.008
63	03/26/2012	22:20:09	0.008
64	03/26/2012	22:35:09	0.008
65	03/26/2012	22:50:09	0.008
66	03/26/2012	23:05:09	0.008
67	03/26/2012	23:20:09	0.009
68	03/26/2012	23:35:09	0.009
69	03/26/2012	23:50:09	0.010
70	03/27/2012	00:05:09	0.012
71	03/27/2012	00:20:09	0.012
72	03/27/2012	00:35:09	0.012
73	03/27/2012	00:50:09	0.012

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
74	03/27/2012	01:05:09	0.012
75	03/27/2012	01:20:09	0.012
76	03/27/2012	01:35:09	0.012
77	03/27/2012	01:50:09	0.012
78	03/27/2012	02:05:09	0.012
79	03/27/2012	02:20:09	0.012
80	03/27/2012	02:35:09	0.012
81	03/27/2012	07:22:38	0.000

# Test 050

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/26/2012
Instrument S/N	8530114718	Start Time	06:39:41
		Stop Date	03/27/2012
		Stop Time	07:26:41
		Total Time	1:00:47:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.013 mg/m <sup>3</sup>
Max	0.045 mg/m <sup>3</sup>
Max Date	03/26/2012
Max Time	12:54:41
Min	0.000 mg/m <sup>3</sup>
Min Date	03/27/2012
Min Time	07:27:04
TWA (8 hr)	0.000
TWA Start Date	03/26/2012
TWA Start Time	06:39:41
TWA End Time	07:26:41

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/26/2012	06:54:41	0.009
2	03/26/2012	07:09:41	0.011
3	03/26/2012	07:24:41	0.013
4	03/26/2012	07:39:41	0.013
5	03/26/2012	07:54:41	0.013
6	03/26/2012	08:09:41	0.013
7	03/26/2012	08:24:41	0.014
8	03/26/2012	08:39:41	0.014
9	03/26/2012	08:54:41	0.015
10	03/26/2012	09:09:41	0.014
11	03/26/2012	09:24:41	0.014
12	03/26/2012	09:39:41	0.016
13	03/26/2012	09:54:41	0.016
14	03/26/2012	10:09:41	0.016
15	03/26/2012	10:24:41	0.016
16	03/26/2012	10:39:41	0.023
17	03/26/2012	10:54:41	0.019
18	03/26/2012	11:09:41	0.014
19	03/26/2012	11:24:41	0.014
20	03/26/2012	11:39:41	0.014
21	03/26/2012	11:54:41	0.013
22	03/26/2012	12:09:41	0.014
23	03/26/2012	12:24:41	0.012



Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
24	03/26/2012	12:39:41	0.012
25	03/26/2012	12:54:41	0.045
26	03/26/2012	13:09:41	0.013
27	03/26/2012	13:24:41	0.016
28	03/26/2012	13:39:41	0.015
29	03/26/2012	13:54:41	0.027
30	03/26/2012	14:09:41	0.015
31	03/26/2012	14:24:41	0.012
32	03/26/2012	14:39:41	0.035
33	03/26/2012	14:54:41	0.011
34	03/26/2012	15:09:41	0.010
35	03/26/2012	15:24:41	0.017
36	03/26/2012	15:39:41	0.011
37	03/26/2012	15:54:41	0.011
38	03/26/2012	16:09:41	0.011
39	03/26/2012	16:24:41	0.009
40	03/26/2012	16:39:41	0.009
41	03/26/2012	16:54:41	0.009
42	03/26/2012	17:09:41	0.008
43	03/26/2012	17:24:41	0.008
44	03/26/2012	17:39:41	0.008
45	03/26/2012	17:54:41	0.008
46	03/26/2012	18:09:41	0.008
47	03/26/2012	18:24:41	0.008
48	03/26/2012	18:39:41	0.008
49	03/26/2012	18:54:41	0.008
50	03/26/2012	19:09:41	0.008
51	03/26/2012	19:24:41	0.009
52	03/26/2012	19:39:41	0.009
53	03/26/2012	19:54:41	0.009
54	03/26/2012	20:09:41	0.009
55	03/26/2012	20:24:41	0.009
56	03/26/2012	20:39:41	0.010
57	03/26/2012	20:54:41	0.010
58	03/26/2012	21:09:41	0.010
59	03/26/2012	21:24:41	0.010
60	03/26/2012	21:39:41	0.010
61	03/27/2012	07:27:04	0.000



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3/28/12  
 REP:

Time	Wind Direction	Location	Upwind		Location	Downwind		Work Area
			Particulates (mg/m <sup>3</sup> )	VOCs (ppm)		Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7	NE	U-1	Elar	0	D-1	0.018	0	0
8	↓	↓		0	↓	0.018	0	0
9				0		0.028	0	0
10				0		0.026	0	0
11				0		0.029	0	0
12				0		0.055	0	0
1	↓	↓	8	8	↓	0.027	0	0
2						0.031	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Background	Location
730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Zero (Ambient) Air
730	Mini Rae Lite	590-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# Test 051

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/28/2012
Instrument S/N	8530114718	Start Time	06:36:14
		Stop Date	03/28/2012
		Stop Time	14:06:14
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.028 mg/m <sup>3</sup>
Max	0.055 mg/m <sup>3</sup>
Max Date	03/28/2012
Max Time	12:06:14
Min	0.016 mg/m <sup>3</sup>
Min Date	03/28/2012
Min Time	07:06:14
TWA (8 hr)	0.026
TWA Start Date	03/28/2012
TWA Start Time	06:36:14
TWA End Time	14:06:14

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/28/2012	06:51:14	0.018
2	03/28/2012	07:06:14	0.016
3	03/28/2012	07:21:14	0.020
4	03/28/2012	07:36:14	0.017
5	03/28/2012	07:51:14	0.020
6	03/28/2012	08:06:14	0.018
7	03/28/2012	08:21:14	0.020
8	03/28/2012	08:36:14	0.021
9	03/28/2012	08:51:14	0.022
10	03/28/2012	09:06:14	0.033
11	03/28/2012	09:21:14	0.027
12	03/28/2012	09:36:14	0.023
13	03/28/2012	09:51:14	0.027
14	03/28/2012	10:06:14	0.027
15	03/28/2012	10:21:14	0.030
16	03/28/2012	10:36:14	0.031
17	03/28/2012	10:51:14	0.054
18	03/28/2012	11:06:14	0.029
19	03/28/2012	11:21:14	0.028
20	03/28/2012	11:36:14	0.025
21	03/28/2012	11:51:14	0.033
22	03/28/2012	12:06:14	0.055
23	03/28/2012	12:21:14	0.026
24	03/28/2012	12:36:14	0.024
25	03/28/2012	12:51:14	0.024
26	03/28/2012	13:06:14	0.027
27	03/28/2012	13:21:14	0.030
28	03/28/2012	13:36:14	0.045
29	03/28/2012	13:51:14	0.033
30	03/28/2012	14:06:14	0.031



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3/30/12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7 <sup>00</sup>	E	U-1	0.015	0	D-1	0.011	0	0
8 <sup>00</sup>	↓	↓	0.006	0	↓	0.004	0	0
9 <sup>00</sup>			0.006	0		0.002	0	0
10 <sup>00</sup>			0.005	0		0.003	0	0
11 <sup>00</sup>			0.006	0		0.004	0	0
12 <sup>00</sup>			0.005	0		0.004	0	0
1 <sup>00</sup>			0.005	0		0.006	0	0
2 <sup>00</sup>			0.006	0		0.007	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Background	Location
7:	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
7:	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Zero (Ambient) Air
7:	Mini Raec Lite	590-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# Test 052

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/30/2012
Instrument S/N	8530114718	Start Time	06:54:35
		Stop Date	03/30/2012
		Stop Time	14:24:35
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.006 mg/m <sup>3</sup>
Max	0.015 mg/m <sup>3</sup>
Max Date	03/30/2012
Max Time	07:09:35
Min	0.005 mg/m <sup>3</sup>
Min Date	03/30/2012
Min Time	08:24:35
TWA (8 hr)	0.006
TWA Start Date	03/30/2012
TWA Start Time	06:54:35
TWA End Time	14:24:35

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/30/2012	07:09:35	0.015
2	03/30/2012	07:24:35	0.007
3	03/30/2012	07:39:35	0.007
4	03/30/2012	07:54:35	0.006
5	03/30/2012	08:09:35	0.006
6	03/30/2012	08:24:35	0.005
7	03/30/2012	08:39:35	0.005
8	03/30/2012	08:54:35	0.005
9	03/30/2012	09:09:35	0.006
10	03/30/2012	09:24:35	0.006
11	03/30/2012	09:39:35	0.006
12	03/30/2012	09:54:35	0.006
13	03/30/2012	10:09:35	0.005
14	03/30/2012	10:24:35	0.006
15	03/30/2012	10:39:35	0.006
16	03/30/2012	10:54:35	0.005
17	03/30/2012	11:09:35	0.006
18	03/30/2012	11:24:35	0.005
19	03/30/2012	11:39:35	0.006
20	03/30/2012	11:54:35	0.006
21	03/30/2012	12:09:35	0.006
22	03/30/2012	12:24:35	0.008
23	03/30/2012	12:39:35	0.005
24	03/30/2012	12:54:35	0.006
25	03/30/2012	13:09:35	0.005
26	03/30/2012	13:24:35	0.006
27	03/30/2012	13:39:35	0.006
28	03/30/2012	13:54:35	0.006
29	03/30/2012	14:09:35	0.007
30	03/30/2012	14:24:35	0.006

# Test 041

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/30/2012
Instrument S/N	8530114322	Start Time	06:55:49
		Stop Date	03/30/2012
		Stop Time	14:25:49
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.005 mg/m <sup>3</sup>
Max	0.011 mg/m <sup>3</sup>
Max Date	03/30/2012
Max Time	07:10:49
Min	0.002 mg/m <sup>3</sup>
Min Date	03/30/2012
Min Time	08:40:49
TWA (8 hr)	0.004
TWA Start Date	03/30/2012
TWA Start Time	06:55:49
TWA End Time	14:25:49

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/30/2012	07:10:49	0.011
2	03/30/2012	07:25:49	0.009
3	03/30/2012	07:40:49	0.006
4	03/30/2012	07:55:49	0.004
5	03/30/2012	08:10:49	0.003
6	03/30/2012	08:25:49	0.003
7	03/30/2012	08:40:49	0.002
8	03/30/2012	08:55:49	0.002
9	03/30/2012	09:10:49	0.003
10	03/30/2012	09:25:49	0.004
11	03/30/2012	09:40:49	0.003
12	03/30/2012	09:55:49	0.003
13	03/30/2012	10:10:49	0.003
14	03/30/2012	10:25:49	0.003
15	03/30/2012	10:40:49	0.003
16	03/30/2012	10:55:49	0.004
17	03/30/2012	11:10:49	0.004
18	03/30/2012	11:25:49	0.003
19	03/30/2012	11:40:49	0.004
20	03/30/2012	11:55:49	0.004
21	03/30/2012	12:10:49	0.005
22	03/30/2012	12:25:49	0.005
23	03/30/2012	12:40:49	0.004
24	03/30/2012	12:55:49	0.005
25	03/30/2012	13:10:49	0.008
26	03/30/2012	13:25:49	0.005
27	03/30/2012	13:40:49	0.005
28	03/30/2012	13:55:49	0.009
29	03/30/2012	14:10:49	0.007
30	03/30/2012	14:25:49	0.007



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 4/2/12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
806	SE	U-1	0.016	0	D-1	0.015	0	0
906			0.008	0		0.01	0	0
1000			0.01	0		0.01	0	0
1100			0.006	0		0.018	0	0
1200			0.006	0		0.01	0	0
100			0.007	0		0.009	0	0
200			0.007	0		0.01	0	0
300			0.007	0		0.012	0	0
400			0.007	0		0.011	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
7:	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
7:	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
7:	Mini Rae Lite	590-00415	0 ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 053

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/02/2012
Instrument S/N	8530114718	Start Time	07:47:56
		Stop Date	04/02/2012
		Stop Time	14:47:56
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.012 mg/m <sup>3</sup>
Max	0.020 mg/m <sup>3</sup>
Max Date	04/02/2012
Max Time	11:02:56
Min	0.007 mg/m <sup>3</sup>
Min Date	04/02/2012
Min Time	11:17:56
TWA (8 hr)	0.010
TWA Start Date	04/02/2012
TWA Start Time	07:47:56
TWA End Time	14:47:56

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/02/2012	08:02:56	0.015
2	04/02/2012	08:17:56	0.015
3	04/02/2012	08:32:56	0.013
4	04/02/2012	08:47:56	0.010
5	04/02/2012	09:02:56	0.010
6	04/02/2012	09:17:56	0.014
7	04/02/2012	09:32:56	0.014
8	04/02/2012	09:47:56	0.015
9	04/02/2012	10:02:56	0.010
10	04/02/2012	10:17:56	0.009
11	04/02/2012	10:32:56	0.010
12	04/02/2012	10:47:56	0.017
13	04/02/2012	11:02:56	0.020
14	04/02/2012	11:17:56	0.007
15	04/02/2012	11:32:56	0.010
16	04/02/2012	11:47:56	0.009
17	04/02/2012	12:02:56	0.010
18	04/02/2012	12:17:56	0.009
19	04/02/2012	12:32:56	0.007
20	04/02/2012	12:47:56	0.010
21	04/02/2012	13:02:56	0.009
22	04/02/2012	13:17:56	0.010
23	04/02/2012	13:32:56	0.012
24	04/02/2012	13:47:56	0.019
25	04/02/2012	14:02:56	0.010
26	04/02/2012	14:17:56	0.012
27	04/02/2012	14:32:56	0.014
28	04/02/2012	14:47:56	0.014



# Test 042

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/02/2012
Instrument S/N	8530114322	Start Time	07:45:31
		Stop Date	04/02/2012
		Stop Time	14:45:31
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.008 mg/m <sup>3</sup>
Max	0.016 mg/m <sup>3</sup>
Max Date	04/02/2012
Max Time	08:00:31
Min	0.006 mg/m <sup>3</sup>
Min Date	04/02/2012
Min Time	11:00:31
TWA (8 hr)	0.007
TWA Start Date	04/02/2012
TWA Start Time	07:45:31
TWA End Time	14:45:31

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/02/2012	08:00:31	0.016
2	04/02/2012	08:15:31	0.014
3	04/02/2012	08:30:31	0.011
4	04/02/2012	08:45:31	0.009
5	04/02/2012	09:00:31	0.008
6	04/02/2012	09:15:31	0.008
7	04/02/2012	09:30:31	0.011
8	04/02/2012	09:45:31	0.011
9	04/02/2012	10:00:31	0.010
10	04/02/2012	10:15:31	0.009
11	04/02/2012	10:30:31	0.008
12	04/02/2012	10:45:31	0.007
13	04/02/2012	11:00:31	0.006
14	04/02/2012	11:15:31	0.006
15	04/02/2012	11:30:31	0.006
16	04/02/2012	11:45:31	0.006
17	04/02/2012	12:00:31	0.006
18	04/02/2012	12:15:31	0.007
19	04/02/2012	12:30:31	0.007
20	04/02/2012	12:45:31	0.007
21	04/02/2012	13:00:31	0.007
22	04/02/2012	13:15:31	0.007
23	04/02/2012	13:30:31	0.007
24	04/02/2012	13:45:31	0.007
25	04/02/2012	14:00:31	0.007
26	04/02/2012	14:15:31	0.007
27	04/02/2012	14:30:31	0.007
28	04/02/2012	14:45:31	0.007

## COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 4/3/12  
REP:

Time	Wind Direction	Location	Upwind		Location	Downwind		Work Area
			Particulates (mg/m <sup>3</sup> )	VOCs (ppm)		Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
10:00	NA	U-1	ERR	0	D-1	0.008	0	0
11:00	↓	↑	1	0	↓	0.009	0	0
12:00	↓	↓	1	0	↓	0.01	0	0
1:00	↓	↓	1	0	↓	0.01	0	0
2:00	↓	↓	1	0	↓	0.008	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter						
Time	Serial Number	With Zero Air Filter		Background		Location
7:	8530114322	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
7:	8530114718	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
			mg/m <sup>3</sup>		mg/m <sup>3</sup>	

Calibration - Photoionization Detector				
Time	Model	Serial Number	Zero (Ambient) Air	
7:	Mini Rae Lite	590-00415	0	ppm
				ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# Test 054

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/03/2012
Instrument S/N	8530114718	Start Time	10:08:39
		Stop Date	04/03/2012
		Stop Time	14:08:39
		Total Time	0:04:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.021 mg/m <sup>3</sup>
Max	0.065 mg/m <sup>3</sup>
Max Date	04/03/2012
Max Time	12:53:39
Min	0.007 mg/m <sup>3</sup>
Min Date	04/03/2012
Min Time	10:53:39
TWA (8 hr)	0.010
TWA Start Date	04/03/2012
TWA Start Time	10:08:39
TWA End Time	14:08:39

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/03/2012	10:23:39	0.008
2	04/03/2012	10:38:39	0.008
3	04/03/2012	10:53:39	0.007
4	04/03/2012	11:08:39	0.008
5	04/03/2012	11:23:39	0.018
6	04/03/2012	11:38:39	0.012
7	04/03/2012	11:53:39	0.055
8	04/03/2012	12:08:39	0.010
9	04/03/2012	12:23:39	0.009
10	04/03/2012	12:38:39	0.039
11	04/03/2012	12:53:39	0.065
12	04/03/2012	13:08:39	0.011
13	04/03/2012	13:23:39	0.007
14	04/03/2012	13:38:39	0.057
15	04/03/2012	13:53:39	0.008
16	04/03/2012	14:08:39	0.007



### COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 4/4/12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
9:00	N	U-1	0.018	0	D-1	0.024	0	0
10:00	↓		0.014	0		0.016	0	0
11:00	↓		0.014	0		0.019	0	0
12:00	NE		0.023	0		0.025	0	0
1:00	↓		0.018	0		0.027	0	0
2:00	↓		0.02	0		0.022	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Background	Location
7:	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
7:	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Zero (Ambient) Air
7:	Metric Zee Lite	590-00415	0 ppm

Notes/Activities:

---



---



---



---

# Test 043

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/04/2012
Instrument S/N	8530114322	Start Time	08:30:28
		Stop Date	04/04/2012
		Stop Time	14:30:28
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.025 mg/m <sup>3</sup>
Max	0.045 mg/m <sup>3</sup>
Max Date	04/04/2012
Max Time	11:30:28
Min	0.016 mg/m <sup>3</sup>
Min Date	04/04/2012
Min Time	10:00:28
TWA (8 hr)	0.018
TWA Start Date	04/04/2012
TWA Start Time	08:30:28
TWA End Time	14:30:28

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/04/2012	08:45:28	0.025
2	04/04/2012	09:00:28	0.023
3	04/04/2012	09:15:28	0.020
4	04/04/2012	09:30:28	0.019
5	04/04/2012	09:45:28	0.028
6	04/04/2012	10:00:28	0.016
7	04/04/2012	10:15:28	0.018
8	04/04/2012	10:30:28	0.017
9	04/04/2012	10:45:28	0.019
10	04/04/2012	11:00:28	0.019
11	04/04/2012	11:15:28	0.022
12	04/04/2012	11:30:28	0.045
13	04/04/2012	11:45:28	0.022
14	04/04/2012	12:00:28	0.026
15	04/04/2012	12:15:28	0.035
16	04/04/2012	12:30:28	0.040
17	04/04/2012	12:45:28	0.031
18	04/04/2012	13:00:28	0.027
19	04/04/2012	13:15:28	0.030
20	04/04/2012	13:30:28	0.026
21	04/04/2012	13:45:28	0.021
22	04/04/2012	14:00:28	0.022
23	04/04/2012	14:15:28	0.018
24	04/04/2012	14:30:28	0.020

# Test 055

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/04/2012
Instrument S/N	8530114718	Start Time	08:33:50
		Stop Date	04/04/2012
		Stop Time	14:33:50
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.023 mg/m <sup>3</sup>
Max	0.062 mg/m <sup>3</sup>
Max Date	04/04/2012
Max Time	14:33:50
Min	0.012 mg/m <sup>3</sup>
Min Date	04/04/2012
Min Time	10:48:50
TWA (8 hr)	0.017
TWA Start Date	04/04/2012
TWA Start Time	08:33:50
TWA End Time	14:33:50

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/04/2012	08:48:50	0.019
2	04/04/2012	09:03:50	0.018
3	04/04/2012	09:18:50	0.017
4	04/04/2012	09:33:50	0.016
5	04/04/2012	09:48:50	0.016
6	04/04/2012	10:03:50	0.013
7	04/04/2012	10:18:50	0.013
8	04/04/2012	10:33:50	0.013
9	04/04/2012	10:48:50	0.012
10	04/04/2012	11:03:50	0.014
11	04/04/2012	11:18:50	0.012
12	04/04/2012	11:33:50	0.021
13	04/04/2012	11:48:50	0.015
14	04/04/2012	12:03:50	0.025
15	04/04/2012	12:18:50	0.037
16	04/04/2012	12:33:50	0.026
17	04/04/2012	12:48:50	0.024
18	04/04/2012	13:03:50	0.018
19	04/04/2012	13:18:50	0.015
20	04/04/2012	13:33:50	0.032
21	04/04/2012	13:48:50	0.050
22	04/04/2012	14:03:50	0.022
23	04/04/2012	14:18:50	0.034
24	04/04/2012	14:33:50	0.062



**COMMUNITY AIR MONITORING LOG**

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 4/5/12  
 REP: \_\_\_\_\_

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7	E	U-1	0.003	0	D-1	0.013	0	0
8			0.002	0		0.014	0	0
9			0.002	0		0.008	0	0
10			0.002	0		0.010	0	0
11			0.002	0		0.01	0	0
12			0.003	0		0.015	0	0
1			0.003	0		0.02	0	0
2			0.006	0		0.026	0	0
3								

Calibration - TSI DustTrak Model 8520 Particulate Meter						
Time	Serial Number	With Zero Air Filter		Background		Location
7:0	8530114322	0	mg/m <sup>3</sup>		mg/m <sup>3</sup>	U-1
7:	8530114718	0	mg/m <sup>3</sup>		mg/m <sup>3</sup>	D-1
			mg/m <sup>3</sup>		mg/m <sup>3</sup>	

Calibration - Photoionization Detector				
Time	Model	Serial Number	Zero (Ambient) Air	
7:	Mini Pae Lite	590-00415	0	ppm
				ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

See map on back for location information.

# Test 044

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/05/2012
Instrument S/N	8530114322	Start Time	06:30:46
		Stop Date	04/05/2012
		Stop Time	13:45:46
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.004 mg/m <sup>3</sup>
Max	0.011 mg/m <sup>3</sup>
Max Date	04/05/2012
Max Time	12:15:46
Min	0.002 mg/m <sup>3</sup>
Min Date	04/05/2012
Min Time	07:45:46
TWA (8 hr)	0.003
TWA Start Date	04/05/2012
TWA Start Time	06:30:46
TWA End Time	13:45:46

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/05/2012	06:45:46	0.006
2	04/05/2012	07:00:46	0.003
3	04/05/2012	07:15:46	0.003
4	04/05/2012	07:30:46	0.003
5	04/05/2012	07:45:46	0.002
6	04/05/2012	08:00:46	0.002
7	04/05/2012	08:15:46	0.003
8	04/05/2012	08:30:46	0.004
9	04/05/2012	08:45:46	0.002
10	04/05/2012	09:00:46	0.002
11	04/05/2012	09:15:46	0.002
12	04/05/2012	09:30:46	0.002
13	04/05/2012	09:45:46	0.002
14	04/05/2012	10:00:46	0.002
15	04/05/2012	10:15:46	0.003
16	04/05/2012	10:30:46	0.002
17	04/05/2012	10:45:46	0.002
18	04/05/2012	11:00:46	0.002
19	04/05/2012	11:15:46	0.002
20	04/05/2012	11:30:46	0.003
21	04/05/2012	11:45:46	0.003
22	04/05/2012	12:00:46	0.003
23	04/05/2012	12:15:46	0.011
24	04/05/2012	12:30:46	0.004
25	04/05/2012	12:45:46	0.011
26	04/05/2012	13:00:46	0.004
27	04/05/2012	13:15:46	0.008
28	04/05/2012	13:30:46	0.011
29	04/05/2012	13:45:46	0.003



# Test 056

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/05/2012
Instrument S/N	8530114718	Start Time	06:32:20
		Stop Date	04/05/2012
		Stop Time	13:47:20
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.017 mg/m <sup>3</sup>
Max	0.039 mg/m <sup>3</sup>
Max Date	04/05/2012
Max Time	07:17:20
Min	0.007 mg/m <sup>3</sup>
Min Date	04/05/2012
Min Time	11:17:20
TWA (8 hr)	0.015
TWA Start Date	04/05/2012
TWA Start Time	06:32:20
TWA End Time	13:47:20

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/05/2012	06:47:20	0.009
2	04/05/2012	07:02:20	0.013
3	04/05/2012	07:17:20	0.039
4	04/05/2012	07:32:20	0.020
5	04/05/2012	07:47:20	0.009
6	04/05/2012	08:02:20	0.014
7	04/05/2012	08:17:20	0.028
8	04/05/2012	08:32:20	0.016
9	04/05/2012	08:47:20	0.009
10	04/05/2012	09:02:20	0.008
11	04/05/2012	09:17:20	0.010
12	04/05/2012	09:32:20	0.013
13	04/05/2012	09:47:20	0.011
14	04/05/2012	10:02:20	0.010
15	04/05/2012	10:17:20	0.039
16	04/05/2012	10:32:20	0.015
17	04/05/2012	10:47:20	0.010
18	04/05/2012	11:02:20	0.016
19	04/05/2012	11:17:20	0.007
20	04/05/2012	11:32:20	0.009
21	04/05/2012	11:47:20	0.010
22	04/05/2012	12:02:20	0.015
23	04/05/2012	12:17:20	0.016
24	04/05/2012	12:32:20	0.015
25	04/05/2012	12:47:20	0.030
26	04/05/2012	13:02:20	0.021
27	04/05/2012	13:17:20	0.027
28	04/05/2012	13:32:20	0.021
29	04/05/2012	13:47:20	0.031



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 9/6/12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	(ppm)
7:00	SE	U-1	0.007	0	D-1	0.011	0	0
8:00	↓	↓	0.0025	0	↓	0.003	0	0
9:00	↓	↓	0.019	0	↓	0.01	0	0
10:00	↓	↓	0.011	0	↓	0.012	0	0
11:00	↓	↓	0.011	0	↓	0.025	0	0

Time	Serial Number	With Zero Air Filter	Background	Location
7:00	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
7:00	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Time	Model	Serial Number	Zero (Ambient) Air
7:00	MiniRae Lite	590-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

See map on back for location information.

# Test 045

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/06/2012
Instrument S/N	8530114322	Start Time	06:43:52
		Stop Date	04/06/2012
		Stop Time	10:43:52
		Total Time	0:04:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.011 mg/m <sup>3</sup>
Max	0.035 mg/m <sup>3</sup>
Max Date	04/06/2012
Max Time	09:28:52
Min	0.002 mg/m <sup>3</sup>
Min Date	04/06/2012
Min Time	08:13:52
TWA (8 hr)	0.006
TWA Start Date	04/06/2012
TWA Start Time	06:43:52
TWA End Time	10:43:52

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/06/2012	06:58:52	0.011
2	04/06/2012	07:13:52	0.005
3	04/06/2012	07:28:52	0.013
4	04/06/2012	07:43:52	0.008
5	04/06/2012	07:58:52	0.003
6	04/06/2012	08:13:52	0.002
7	04/06/2012	08:28:52	0.002
8	04/06/2012	08:43:52	0.011
9	04/06/2012	08:58:52	0.003
10	04/06/2012	09:13:52	0.012
11	04/06/2012	09:28:52	0.035
12	04/06/2012	09:43:52	0.005
13	04/06/2012	09:58:52	0.024
14	04/06/2012	10:13:52	0.012
15	04/06/2012	10:28:52	0.004
16	04/06/2012	10:43:52	0.031

# Test 057

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/06/2012
Instrument S/N	8530114718	Start Time	06:28:53
		Stop Date	04/06/2012
		Stop Time	10:58:53
		Total Time	0:04:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.014 mg/m <sup>3</sup>
Max	0.033 mg/m <sup>3</sup>
Max Date	04/06/2012
Max Time	07:13:53
Min	0.007 mg/m <sup>3</sup>
Min Date	04/06/2012
Min Time	06:43:53
TWA (8 hr)	0.008
TWA Start Date	04/06/2012
TWA Start Time	06:28:53
TWA End Time	10:58:53

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	04/06/2012	06:43:53	0.007
2	04/06/2012	06:58:53	0.010
3	04/06/2012	07:13:53	0.033
4	04/06/2012	07:28:53	0.018
5	04/06/2012	07:43:53	0.013
6	04/06/2012	07:58:53	0.008
7	04/06/2012	08:13:53	0.008
8	04/06/2012	08:28:53	0.008
9	04/06/2012	08:43:53	0.013
10	04/06/2012	08:58:53	0.020
11	04/06/2012	09:13:53	0.016
12	04/06/2012	09:28:53	0.016
13	04/06/2012	09:43:53	0.014
14	04/06/2012	09:58:53	0.011
15	04/06/2012	10:13:53	0.011
16	04/06/2012	10:28:53	0.009
17	04/06/2012	10:43:53	0.017
18	04/06/2012	10:58:53	0.011

## COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 4/9/12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
8 <sup>00</sup>	SE	U-1	0.013	0	D-1	0.026	0	0
9 <sup>00</sup>			0.009	0		0.017	0	0
10 <sup>00</sup>			0.012	0		0.021	0	0
11 <sup>00</sup>			0.014	0		0.024	0	0
12 <sup>00</sup>			0.015	0		0.029	0	0
1 <sup>00</sup>			0.014	0		0.033	0	0
2 <sup>00</sup>			0.02	0		0.19	0	0

Time	Serial Number	With Zero Air Filter	Background	Location
7:	8530114327	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
7:	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Time	Model	Serial Number	Zero (Ambient) Air
7:	590 Mini Rae	590-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

See map on back for location information.

# Test 031

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/14/2012
Instrument S/N	8530114322	Start Time	06:54:15
		Stop Date	03/14/2012
		Stop Time	13:09:15
		Total Time	0:06:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.020 mg/m <sup>3</sup>
Max	0.039 mg/m <sup>3</sup>
Max Date	03/14/2012
Max Time	07:09:15
Min	0.009 mg/m <sup>3</sup>
Min Date	03/14/2012
Min Time	10:24:15
TWA (8 hr)	0.016
TWA Start Date	03/14/2012
TWA Start Time	06:54:15
TWA End Time	13:09:15

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/14/2012	07:09:15	0.039
2	03/14/2012	07:24:15	0.036
3	03/14/2012	07:39:15	0.033
4	03/14/2012	07:54:15	0.031
5	03/14/2012	08:09:15	0.030
6	03/14/2012	08:24:15	0.028
7	03/14/2012	08:39:15	0.021
8	03/14/2012	08:54:15	0.016
9	03/14/2012	09:09:15	0.017
10	03/14/2012	09:24:15	0.019
11	03/14/2012	09:39:15	0.026
12	03/14/2012	09:54:15	0.015
13	03/14/2012	10:09:15	0.019
14	03/14/2012	10:24:15	0.009
15	03/14/2012	10:39:15	0.014
16	03/14/2012	10:54:15	0.016
17	03/14/2012	11:09:15	0.020
18	03/14/2012	11:24:15	0.012
19	03/14/2012	11:39:15	0.010
20	03/14/2012	11:54:15	0.013
21	03/14/2012	12:09:15	0.015
22	03/14/2012	12:24:15	0.018

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
23	03/14/2012	12:39:15	0.016
24	03/14/2012	12:54:15	0.021
25	03/14/2012	13:09:15	0.012



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3-15-12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
730	NE	U-1	0.019	0	D-1	-	0	0
830			0.016	0		-	0	0
930			0.019	0		-	0	0
1030			0.020	0		0.025	0	0
1130			0.019	0		0.031	0	0
1230			0.023	0		0.029	0	0
130			0.019	0		0.019	0	0
230								

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Background	Location
730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Zero (Ambient) Air
730	MiniRae Lite	590-046	0 ppm
			ppm

Notes/Activities:

---



---



---



---



# Test 043

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/15/2012
Instrument S/N	8530114718	Start Time	07:11:14
		Stop Date	03/15/2012
		Stop Time	13:41:14
		Total Time	0:06:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.020 mg/m <sup>3</sup>
Max	0.027 mg/m <sup>3</sup>
Max Date	03/15/2012
Max Time	12:56:14
Min	0.016 mg/m <sup>3</sup>
Min Date	03/15/2012
Min Time	08:26:14
TWA (8 hr)	0.016
TWA Start Date	03/15/2012
TWA Start Time	07:11:14
TWA End Time	13:41:14

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/15/2012	07:26:14	0.019
2	03/15/2012	07:41:14	0.019
3	03/15/2012	07:56:14	0.019
4	03/15/2012	08:11:14	0.018
5	03/15/2012	08:26:14	0.016
6	03/15/2012	08:41:14	0.016
7	03/15/2012	08:56:14	0.019
8	03/15/2012	09:11:14	0.020
9	03/15/2012	09:26:14	0.019
10	03/15/2012	09:41:14	0.022
11	03/15/2012	09:56:14	0.017
12	03/15/2012	10:11:14	0.019
13	03/15/2012	10:26:14	0.020
14	03/15/2012	10:41:14	0.020
15	03/15/2012	10:56:14	0.019
16	03/15/2012	11:11:14	0.022
17	03/15/2012	11:26:14	0.019
18	03/15/2012	11:41:14	0.017
19	03/15/2012	11:56:14	0.018
20	03/15/2012	12:11:14	0.020
21	03/15/2012	12:26:14	0.023

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/15/2012	12:41:14	0.026
23	03/15/2012	12:56:14	0.027
24	03/15/2012	13:11:14	0.026
25	03/15/2012	13:26:14	0.019
26	03/15/2012	13:41:14	0.017

# Test 032

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/15/2012
Instrument S/N	8530114322	Start Time	10:16:43
		Stop Date	03/15/2012
		Stop Time	14:01:43
		Total Time	0:03:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.026 mg/m <sup>3</sup>
Max	0.033 mg/m <sup>3</sup>
Max Date	03/15/2012
Max Time	11:16:43
Min	0.019 mg/m <sup>3</sup>
Min Date	03/15/2012
Min Time	13:31:43
TWA (8 hr)	0.012
TWA Start Date	03/15/2012
TWA Start Time	10:16:43
TWA End Time	14:01:43

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/15/2012	10:31:43	0.025
2	03/15/2012	10:46:43	0.023
3	03/15/2012	11:01:43	0.026
4	03/15/2012	11:16:43	0.033
5	03/15/2012	11:31:43	0.031
6	03/15/2012	11:46:43	0.026
7	03/15/2012	12:01:43	0.023
8	03/15/2012	12:16:43	0.026
9	03/15/2012	12:31:43	0.029
10	03/15/2012	12:46:43	0.032
11	03/15/2012	13:01:43	0.030
12	03/15/2012	13:16:43	0.028
13	03/15/2012	13:31:43	0.019
14	03/15/2012	13:46:43	0.019
15	03/15/2012	14:01:43	0.019



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 3-16-12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	(ppm)
930	SW	U-1	0.025	0	D-1	0.031	0	0
1030	↓	↓	0.044	0	↓	0.040	0	0
1130	↓	↓	0.046	0	↓	0.040	0	0
1230	↓	↓	0.046	0	↓	0.035	0	0
130	↓	↓	0.049	0	↓	0.042	0	0

### Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	

### Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
730	Mini Real Lite	590-0045	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

See map on back for location information.

# Test 033

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/16/2012
Instrument S/N	8530114322	Start Time	09:20:09
		Stop Date	03/16/2012
		Stop Time	13:35:09
		Total Time	0:04:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.043 mg/m <sup>3</sup>
Max	0.055 mg/m <sup>3</sup>
Max Date	03/16/2012
Max Time	12:20:09
Min	0.025 mg/m <sup>3</sup>
Min Date	03/16/2012
Min Time	09:35:09
TWA (8 hr)	0.023
TWA Start Date	03/16/2012
TWA Start Time	09:20:09
TWA End Time	13:35:09

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/16/2012	09:35:09	0.025
2	03/16/2012	09:50:09	0.025
3	03/16/2012	10:05:09	0.028
4	03/16/2012	10:20:09	0.028
5	03/16/2012	10:35:09	0.044
6	03/16/2012	10:50:09	0.046
7	03/16/2012	11:05:09	0.046
8	03/16/2012	11:20:09	0.047
9	03/16/2012	11:35:09	0.046
10	03/16/2012	11:50:09	0.046
11	03/16/2012	12:05:09	0.052
12	03/16/2012	12:20:09	0.055
13	03/16/2012	12:35:09	0.046
14	03/16/2012	12:50:09	0.053
15	03/16/2012	13:05:09	0.049
16	03/16/2012	13:20:09	0.050
17	03/16/2012	13:35:09	0.049

# Test 044

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/16/2012
Instrument S/N	8530114718	Start Time	09:20:32
		Stop Date	03/16/2012
		Stop Time	13:35:32
		Total Time	0:04:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.039 mg/m <sup>3</sup>
Max	0.044 mg/m <sup>3</sup>
Max Date	03/16/2012
Max Time	11:20:32
Min	0.025 mg/m <sup>3</sup>
Min Date	03/16/2012
Min Time	09:50:32
TWA (8 hr)	0.020
TWA Start Date	03/16/2012
TWA Start Time	09:20:32
TWA End Time	13:35:32

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/16/2012	09:35:32	0.031
2	03/16/2012	09:50:32	0.025
3	03/16/2012	10:05:32	0.036
4	03/16/2012	10:20:32	0.037
5	03/16/2012	10:35:32	0.040
6	03/16/2012	10:50:32	0.040
7	03/16/2012	11:05:32	0.041
8	03/16/2012	11:20:32	0.044
9	03/16/2012	11:35:32	0.040
10	03/16/2012	11:50:32	0.041
11	03/16/2012	12:05:32	0.038
12	03/16/2012	12:20:32	0.038
13	03/16/2012	12:35:32	0.035
14	03/16/2012	12:50:32	0.040
15	03/16/2012	13:05:32	0.044
16	03/16/2012	13:20:32	0.043
17	03/16/2012	13:35:32	0.042



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3-19-12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7:00	SE	U-1	0.059	0	D-1	0.060	0	0
8:00	↓	↓	0.038	0	↓	0.038	0	0
9:00	↓	↓	0.032	0	↓	0.039	0	0
10:00	↓	↓	0.033	0	↓	0.039	0	0
11:00	↓	↓	0.026	0	↓	0.032	0	0
12:00	↓	↓	0.025	0	↓	0.039	0	0
1:00	↓	↓	0.022	0	↓	0.036	0	0
2:00	↓	↓	0.032	0	↓	0.047	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Background	Location
730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Zero (Ambient) Air
730	4mi Rec Lite	590-00415	0 ppm
			ppm

Notes/Activities:

---



---



---



---

See map on back for location information.

# Test 045

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/19/2012
Instrument S/N	8530114718	Start Time	06:28:24
		Stop Date	03/19/2012
		Stop Time	13:58:24
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.034 mg/m <sup>3</sup>
Max	0.060 mg/m <sup>3</sup>
Max Date	03/19/2012
Max Time	07:28:24
Min	0.021 mg/m <sup>3</sup>
Min Date	03/19/2012
Min Time	13:13:24
TWA (8 hr)	0.032
TWA Start Date	03/19/2012
TWA Start Time	06:28:24
TWA End Time	13:58:24

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/19/2012	06:43:24	0.051
2	03/19/2012	06:58:24	0.059
3	03/19/2012	07:13:24	0.058
4	03/19/2012	07:28:24	0.060
5	03/19/2012	07:43:24	0.054
6	03/19/2012	07:58:24	0.038
7	03/19/2012	08:13:24	0.034
8	03/19/2012	08:28:24	0.035
9	03/19/2012	08:43:24	0.038
10	03/19/2012	08:58:24	0.032
11	03/19/2012	09:13:24	0.033
12	03/19/2012	09:28:24	0.040
13	03/19/2012	09:43:24	0.037
14	03/19/2012	09:58:24	0.033
15	03/19/2012	10:13:24	0.031
16	03/19/2012	10:28:24	0.031
17	03/19/2012	10:43:24	0.027
18	03/19/2012	10:58:24	0.026
19	03/19/2012	11:13:24	0.027
20	03/19/2012	11:28:24	0.027
21	03/19/2012	11:43:24	0.026



<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/19/2012	11:58:24	0.025
23	03/19/2012	12:13:24	0.025
24	03/19/2012	12:28:24	0.025
25	03/19/2012	12:43:24	0.023
26	03/19/2012	12:58:24	0.022
27	03/19/2012	13:13:24	0.021
28	03/19/2012	13:28:24	0.025
29	03/19/2012	13:43:24	0.031
30	03/19/2012	13:58:24	0.032

# Test 034

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/19/2012
Instrument S/N	8530114322	Start Time	06:37:01
		Stop Date	03/19/2012
		Stop Time	13:52:01
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.042 mg/m <sup>3</sup>
Max	0.067 mg/m <sup>3</sup>
Max Date	03/19/2012
Max Time	07:22:01
Min	0.032 mg/m <sup>3</sup>
Min Date	03/19/2012
Min Time	11:07:01
TWA (8 hr)	0.038
TWA Start Date	03/19/2012
TWA Start Time	06:37:01
TWA End Time	13:52:01

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/19/2012	06:52:01	0.059
2	03/19/2012	07:07:01	0.060
3	03/19/2012	07:22:01	0.067
4	03/19/2012	07:37:01	0.061
5	03/19/2012	07:52:01	0.044
6	03/19/2012	08:07:01	0.038
7	03/19/2012	08:22:01	0.039
8	03/19/2012	08:37:01	0.047
9	03/19/2012	08:52:01	0.037
10	03/19/2012	09:07:01	0.039
11	03/19/2012	09:22:01	0.046
12	03/19/2012	09:37:01	0.047
13	03/19/2012	09:52:01	0.040
14	03/19/2012	10:07:01	0.039
15	03/19/2012	10:22:01	0.042
16	03/19/2012	10:37:01	0.036
17	03/19/2012	10:52:01	0.035
18	03/19/2012	11:07:01	0.032
19	03/19/2012	11:22:01	0.034
20	03/19/2012	11:37:01	0.036
21	03/19/2012	11:52:01	0.038
22	03/19/2012	12:07:01	0.039
23	03/19/2012	12:22:01	0.039
24	03/19/2012	12:37:01	0.036
25	03/19/2012	12:52:01	0.034
26	03/19/2012	13:07:01	0.036
27	03/19/2012	13:22:01	0.035
28	03/19/2012	13:37:01	0.045
29	03/19/2012	13:52:01	0.047



300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

### COMMUNITY AIR MONITORING LOG

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3-20-12  
 REP:

Time	Wind Direction	Location	Upwind		Location	Downwind		Work Area
			Particulates (mg/m <sup>3</sup> )	VOCs (ppm)		Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
8 <sup>00</sup>	NE	U-1	0.027	0	D-1	0.036	0	0
9 <sup>00</sup>			0.024	0		0.030	0	0
10 <sup>00</sup>			0.027	0		0.030	0	0
11 <sup>00</sup>			0.026	0		0.034	0	0
12 <sup>00</sup>			0.020	0		0.030	0	0
1 <sup>00</sup>			0.024	0		0.035	0	0
2 <sup>00</sup>			0.018	0		0.029	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
730	853014322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
730	853014718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
730	M. 2. 11c	590-0215	0 ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 046

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/20/2012
Instrument S/N	8530114718	Start Time	07:47:49
		Stop Date	03/20/2012
		Stop Time	13:47:49
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.024 mg/m <sup>3</sup>
Max	0.027 mg/m <sup>3</sup>
Max Date	03/20/2012
Max Time	08:02:49
Min	0.017 mg/m <sup>3</sup>
Min Date	03/20/2012
Min Time	13:47:49
TWA (8 hr)	0.018
TWA Start Date	03/20/2012
TWA Start Time	07:47:49
TWA End Time	13:47:49

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/20/2012	08:02:49	0.027
2	03/20/2012	08:17:49	0.026
3	03/20/2012	08:32:49	0.027
4	03/20/2012	08:47:49	0.026
5	03/20/2012	09:02:49	0.024
6	03/20/2012	09:17:49	0.026
7	03/20/2012	09:32:49	0.026
8	03/20/2012	09:47:49	0.026
9	03/20/2012	10:02:49	0.027
10	03/20/2012	10:17:49	0.026
11	03/20/2012	10:32:49	0.026
12	03/20/2012	10:47:49	0.027
13	03/20/2012	11:02:49	0.026
14	03/20/2012	11:17:49	0.023
15	03/20/2012	11:32:49	0.024
16	03/20/2012	11:47:49	0.021
17	03/20/2012	12:02:49	0.020
18	03/20/2012	12:17:49	0.022
19	03/20/2012	12:32:49	0.023
20	03/20/2012	12:47:49	0.022
21	03/20/2012	13:02:49	0.024
22	03/20/2012	13:17:49	0.024
23	03/20/2012	13:32:49	0.023
24	03/20/2012	13:47:49	0.017

# Test 035

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/20/2012
Instrument S/N	8530114322	Start Time	07:45:43
		Stop Date	03/20/2012
		Stop Time	13:45:43
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.033 mg/m <sup>3</sup>
Max	0.038 mg/m <sup>3</sup>
Max Date	03/20/2012
Max Time	09:15:43
Min	0.029 mg/m <sup>3</sup>
Min Date	03/20/2012
Min Time	13:45:43
TWA (8 hr)	0.025
TWA Start Date	03/20/2012
TWA Start Time	07:45:43
TWA End Time	13:45:43

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/20/2012	08:00:43	0.036
2	03/20/2012	08:15:43	0.031
3	03/20/2012	08:30:43	0.032
4	03/20/2012	08:45:43	0.032
5	03/20/2012	09:00:43	0.030
6	03/20/2012	09:15:43	0.038
7	03/20/2012	09:30:43	0.036
8	03/20/2012	09:45:43	0.036
9	03/20/2012	10:00:43	0.036
10	03/20/2012	10:15:43	0.035
11	03/20/2012	10:30:43	0.036
12	03/20/2012	10:45:43	0.035
13	03/20/2012	11:00:43	0.034
14	03/20/2012	11:15:43	0.030
15	03/20/2012	11:30:43	0.031
16	03/20/2012	11:45:43	0.030
17	03/20/2012	12:00:43	0.030
18	03/20/2012	12:15:43	0.031
19	03/20/2012	12:30:43	0.033
20	03/20/2012	12:45:43	0.032
21	03/20/2012	13:00:43	0.035
22	03/20/2012	13:15:43	0.034
23	03/20/2012	13:30:43	0.034
24	03/20/2012	13:45:43	0.029



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3-21-12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	(ppm)
7	SW	U-1	0.024	0	D-1	0.032	0	0
8			0.025	0		0.030	0	0
9			0.020	0		0.025	0	0
10			0.018	0		0.025	0	0
11			0.015	0		0.024	0	0
12			0.020	0		0.027	0	0
1			0.015	0		0.026	0	0
2			0.019	0		0.034	0	0

Time	Serial Number	With Zero Air Filter	Background	Location
730	8530114327	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Time	Model	Serial Number	Zero (Ambient) Air
730	Mini Ra Lite	590-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

See map on back for location information.

# Test 047

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/21/2012
Instrument S/N	8530114718	Start Time	06:53:55
		Stop Date	03/21/2012
		Stop Time	14:08:55
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.020 mg/m <sup>3</sup>
Max	0.034 mg/m <sup>3</sup>
Max Date	03/21/2012
Max Time	12:08:55
Min	0.011 mg/m <sup>3</sup>
Min Date	03/21/2012
Min Time	12:38:55
TWA (8 hr)	0.018
TWA Start Date	03/21/2012
TWA Start Time	06:53:55
TWA End Time	14:08:55

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/21/2012	07:08:55	0.024
2	03/21/2012	07:23:55	0.024
3	03/21/2012	07:38:55	0.023
4	03/21/2012	07:53:55	0.028
5	03/21/2012	08:08:55	0.025
6	03/21/2012	08:23:55	0.022
7	03/21/2012	08:38:55	0.021
8	03/21/2012	08:53:55	0.020
9	03/21/2012	09:08:55	0.020
10	03/21/2012	09:23:55	0.019
11	03/21/2012	09:38:55	0.019
12	03/21/2012	09:53:55	0.019
13	03/21/2012	10:08:55	0.018
14	03/21/2012	10:23:55	0.018
15	03/21/2012	10:38:55	0.017
16	03/21/2012	10:53:55	0.015
17	03/21/2012	11:08:55	0.015
18	03/21/2012	11:23:55	0.017
19	03/21/2012	11:38:55	0.016
20	03/21/2012	11:53:55	0.019
21	03/21/2012	12:08:55	0.034
22	03/21/2012	12:23:55	0.019
23	03/21/2012	12:38:55	0.011
24	03/21/2012	12:53:55	0.022
25	03/21/2012	13:08:55	0.015
26	03/21/2012	13:23:55	0.014
27	03/21/2012	13:38:55	0.018
28	03/21/2012	13:53:55	0.022
29	03/21/2012	14:08:55	0.020

# Test 036

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/21/2012
Instrument S/N	8530114322	Start Time	06:51:04
		Stop Date	03/22/2012
		Stop Time	06:36:04
		Total Time	0:23:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.029 mg/m <sup>3</sup>
Max	0.059 mg/m <sup>3</sup>
Max Date	03/21/2012
Max Time	21:06:04
Min	0.000 mg/m <sup>3</sup>
Min Date	03/22/2012
Min Time	06:37:03
TWA (8 hr)	0.000
TWA Start Date	03/21/2012
TWA Start Time	06:51:04
TWA End Time	06:36:04

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/21/2012	07:06:04	0.032
2	03/21/2012	07:21:04	0.029
3	03/21/2012	07:36:04	0.029
4	03/21/2012	07:51:04	0.028
5	03/21/2012	08:06:04	0.030
6	03/21/2012	08:21:04	0.028
7	03/21/2012	08:36:04	0.027
8	03/21/2012	08:51:04	0.026
9	03/21/2012	09:06:04	0.025
10	03/21/2012	09:21:04	0.025
11	03/21/2012	09:36:04	0.025
12	03/21/2012	09:51:04	0.025
13	03/21/2012	10:06:04	0.025
14	03/21/2012	10:21:04	0.025
15	03/21/2012	10:36:04	0.026
16	03/21/2012	10:51:04	0.023
17	03/21/2012	11:06:04	0.024
18	03/21/2012	11:21:04	0.026
19	03/21/2012	11:36:04	0.027
20	03/21/2012	11:51:04	0.028
21	03/21/2012	12:06:04	0.026
22	03/21/2012	12:21:04	0.025
23	03/21/2012	12:36:04	0.022
24	03/21/2012	12:51:04	0.023



Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
25	03/21/2012	13:06:04	0.026
26	03/21/2012	13:21:04	0.041
27	03/21/2012	13:36:04	0.033
28	03/21/2012	13:51:04	0.030
29	03/21/2012	14:06:04	0.034
30	03/21/2012	14:21:04	0.026
31	03/21/2012	14:36:04	0.025
32	03/21/2012	14:51:04	0.025
33	03/21/2012	15:06:04	0.025
34	03/21/2012	15:21:04	0.025
35	03/21/2012	15:36:04	0.025
36	03/21/2012	15:51:04	0.026
37	03/21/2012	16:06:04	0.025
38	03/21/2012	16:21:04	0.024
39	03/21/2012	16:36:04	0.023
40	03/21/2012	16:51:04	0.023
41	03/21/2012	17:06:04	0.025
42	03/21/2012	17:21:04	0.026
43	03/21/2012	17:36:04	0.025
44	03/21/2012	17:51:04	0.025
45	03/21/2012	18:06:04	0.025
46	03/21/2012	18:21:04	0.027
47	03/21/2012	18:36:04	0.032
48	03/21/2012	18:51:04	0.036
49	03/21/2012	19:06:04	0.037
50	03/21/2012	19:21:04	0.039
51	03/21/2012	19:36:04	0.038
52	03/21/2012	19:51:04	0.042
53	03/21/2012	20:06:04	0.042
54	03/21/2012	20:21:04	0.047
55	03/21/2012	20:36:04	0.045
56	03/21/2012	20:51:04	0.054
57	03/21/2012	21:06:04	0.059
58	03/21/2012	21:21:04	0.055
59	03/21/2012	21:36:04	0.046
60	03/21/2012	21:51:04	0.038
61	03/21/2012	22:06:04	0.028
62	03/21/2012	22:21:04	0.023
63	03/21/2012	22:36:04	0.022
64	03/21/2012	22:51:04	0.021
65	03/21/2012	23:06:04	0.022
66	03/21/2012	23:21:04	0.022
67	03/21/2012	23:36:04	0.022
68	03/21/2012	23:51:04	0.022
69	03/22/2012	00:06:04	0.023
70	03/22/2012	00:21:04	0.023
71	03/22/2012	00:36:04	0.023
72	03/22/2012	00:51:04	0.024
73	03/22/2012	01:06:04	0.025

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
74	03/22/2012	01:21:04	0.026
75	03/22/2012	01:36:04	0.028
76	03/22/2012	01:51:04	0.030
77	03/22/2012	02:06:04	0.030
78	03/22/2012	02:21:04	0.031
79	03/22/2012	02:36:04	0.030
80	03/22/2012	02:51:04	0.032
81	03/22/2012	03:06:04	0.032
82	03/22/2012	06:37:03	0.000



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PROTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3-22-12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7:30	U	U-1	0.036	0	P-1	0.040	0	0
8:30	↓	↓	0.042	0	↓	0.042	0	0
9:30	↓	↓	0.033	0	↓	0.035	0	0
10:30	↓	↓	0.027	0	↓	0.034	0	0
11:30	↓	↓	0.022	0	↓	-	0	0
12:30	↓	↓	0.023	0	↓	-	0	0
1:30	↓	↓	0.023	0	↓	0.0101	0	0

Time	Serial Number	With Zero Air Filter		Background	Location
7:30	853014322	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	P-1
7:30	8503114718	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
			mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Time	Model	Serial Number	Zero (Ambient) Air	
7:30	Mini Radtek	590-00415	0	ppm
				ppm

Notes/Activities: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

# Test 048

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/22/2012
Instrument S/N	8530114718	Start Time	07:14:42
		Stop Date	03/22/2012
		Stop Time	13:14:42
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.029 mg/m <sup>3</sup>
Max	0.042 mg/m <sup>3</sup>
Max Date	03/22/2012
Max Time	08:29:42
Min	0.022 mg/m <sup>3</sup>
Min Date	03/22/2012
Min Time	11:29:42
TWA (8 hr)	0.022
TWA Start Date	03/22/2012
TWA Start Time	07:14:42
TWA End Time	13:14:42

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/22/2012	07:29:42	0.036
2	03/22/2012	07:44:42	0.039
3	03/22/2012	07:59:42	0.037
4	03/22/2012	08:14:42	0.040
5	03/22/2012	08:29:42	0.042
6	03/22/2012	08:44:42	0.035
7	03/22/2012	08:59:42	0.033
8	03/22/2012	09:14:42	0.035
9	03/22/2012	09:29:42	0.033
10	03/22/2012	09:44:42	0.031
11	03/22/2012	09:59:42	0.031
12	03/22/2012	10:14:42	0.028
13	03/22/2012	10:29:42	0.027
14	03/22/2012	10:44:42	0.024
15	03/22/2012	10:59:42	0.023
16	03/22/2012	11:14:42	0.023
17	03/22/2012	11:29:42	0.022
18	03/22/2012	11:44:42	0.022
19	03/22/2012	11:59:42	0.023
20	03/22/2012	12:14:42	0.026
21	03/22/2012	12:29:42	0.023
22	03/22/2012	12:44:42	0.023
23	03/22/2012	12:59:42	0.023
24	03/22/2012	13:14:42	0.023

# Test 037

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/22/2012
Instrument S/N	8530114322	Start Time	07:44:31
		Stop Date	03/22/2012
		Stop Time	13:29:31
		Total Time	0:05:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.039 mg/m <sup>3</sup>
Max	0.101 mg/m <sup>3</sup>
Max Date	03/22/2012
Max Time	13:29:31
Min	0.000 mg/m <sup>3</sup>
Min Date	03/22/2012
Min Time	13:28:36
TWA (8 hr)	0.028
TWA Start Date	03/22/2012
TWA Start Time	07:44:31
TWA End Time	13:29:31

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/22/2012	07:59:31	0.045
2	03/22/2012	08:14:31	0.041
3	03/22/2012	08:29:31	0.042
4	03/22/2012	08:44:31	0.039
5	03/22/2012	08:59:31	0.037
6	03/22/2012	09:14:31	0.036
7	03/22/2012	09:29:31	0.035
8	03/22/2012	09:44:31	0.036
9	03/22/2012	09:59:31	0.036
10	03/22/2012	10:14:31	0.035
11	03/22/2012	10:29:31	0.034
12	03/22/2012	10:44:31	0.033
13	03/22/2012	13:28:36	0.000
14	03/22/2012	13:29:31	0.101



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3-23-12  
 REP: \_\_\_\_\_

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
8 <sup>00</sup>	W	U-1	0.017	0	D-1	0.018	0	0
9 <sup>00</sup>			0.012	0		0.014	0	0
10 <sup>00</sup>			0.037	0		0.021	0	0
11 <sup>00</sup>			0.014	0		-	0	0
12 <sup>00</sup>			0.012	0		-	0	0
1 <sup>00</sup>			0.013	0		-	0	0
2 <sup>00</sup>			0.015	0		-	0	0
3 <sup>00</sup>								

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
730	Mins Rae Ltd	590-6045	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

# Test 049

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/23/2012
Instrument S/N	8530114718	Start Time	07:58:23
		Stop Date	03/23/2012
		Stop Time	13:58:23
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.015 mg/m <sup>3</sup>
Max	0.037 mg/m <sup>3</sup>
Max Date	03/23/2012
Max Time	09:58:23
Min	0.011 mg/m <sup>3</sup>
Min Date	03/23/2012
Min Time	13:43:23
TWA (8 hr)	0.011
TWA Start Date	03/23/2012
TWA Start Time	07:58:23
TWA End Time	13:58:23

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/23/2012	08:13:23	0.017
2	03/23/2012	08:28:23	0.013
3	03/23/2012	08:43:23	0.012
4	03/23/2012	08:58:23	0.012
5	03/23/2012	09:13:23	0.012
6	03/23/2012	09:28:23	0.014
7	03/23/2012	09:43:23	0.015
8	03/23/2012	09:58:23	0.037
9	03/23/2012	10:13:23	0.020
10	03/23/2012	10:28:23	0.025
11	03/23/2012	10:43:23	0.016
12	03/23/2012	10:58:23	0.014
13	03/23/2012	11:13:23	0.014
14	03/23/2012	11:28:23	0.016
15	03/23/2012	11:43:23	0.012
16	03/23/2012	11:58:23	0.012
17	03/23/2012	12:13:23	0.013
18	03/23/2012	12:28:23	0.013
19	03/23/2012	12:43:23	0.013
20	03/23/2012	12:58:23	0.013
21	03/23/2012	13:13:23	0.012
22	03/23/2012	13:28:23	0.016
23	03/23/2012	13:43:23	0.011
24	03/23/2012	13:58:23	0.015

# Test 038

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/23/2012
Instrument S/N	8530114322	Start Time	09:06:45
		Stop Date	03/23/2012
		Stop Time	10:36:45
		Total Time	0:01:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.018 mg/m <sup>3</sup>
Max	0.022 mg/m <sup>3</sup>
Max Date	03/23/2012
Max Time	10:36:45
Min	0.014 mg/m <sup>3</sup>
Min Date	03/23/2012
Min Time	09:51:45
TWA (8 hr)	0.003
TWA Start Date	03/23/2012
TWA Start Time	09:06:45
TWA End Time	10:36:45

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/23/2012	09:21:45	0.019
2	03/23/2012	09:36:45	0.015
3	03/23/2012	09:51:45	0.014
4	03/23/2012	10:06:45	0.015
5	03/23/2012	10:21:45	0.020
6	03/23/2012	10:36:45	0.022





# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 3-26-10  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7 <sup>00</sup>	SE	U-1	0.011	0	D-1	0.009	0	0
8 <sup>00</sup>			0.017	0		0.013	0	0
9 <sup>00</sup>			0.014	0		0.014	0	0
10 <sup>00</sup>			0.014	0		0.016	0	0
11 <sup>00</sup>			0.016	0		0.014	0	0
12 <sup>00</sup>			0.012	0		0.014	0	0
1 <sup>00</sup>			0.020	0		0.013	0	0
2 <sup>00</sup>			0.012	0		0.015	0	0
3 <sup>00</sup>			0.014	0		0.010	0	0
4 <sup>00</sup>			0.013	0		0.011	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
730	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
730	Mini Rae Lite	590-00415	0 ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 024

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/01/2012
Instrument S/N	8530114322	Start Time	09:21:59
		Stop Date	03/01/2012
		Stop Time	15:36:59
		Total Time	0:06:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.018 mg/m <sup>3</sup>
Max	0.027 mg/m <sup>3</sup>
Max Date	03/01/2012
Max Time	15:21:59
Min	0.009 mg/m <sup>3</sup>
Min Date	03/01/2012
Min Time	10:21:59
TWA (8 hr)	0.014
TWA Start Date	03/01/2012
TWA Start Time	09:21:59
TWA End Time	15:36:59

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/01/2012	09:36:59	0.016
2	03/01/2012	09:51:59	0.014
3	03/01/2012	10:06:59	0.011
4	03/01/2012	10:21:59	0.009
5	03/01/2012	10:36:59	0.009
6	03/01/2012	10:51:59	0.010
7	03/01/2012	11:06:59	0.011
8	03/01/2012	11:21:59	0.011
9	03/01/2012	11:36:59	0.014
10	03/01/2012	11:51:59	0.017
11	03/01/2012	12:06:59	0.020
12	03/01/2012	12:21:59	0.021
13	03/01/2012	12:36:59	0.020
14	03/01/2012	12:51:59	0.022
15	03/01/2012	13:06:59	0.025
16	03/01/2012	13:21:59	0.023
17	03/01/2012	13:36:59	0.018
18	03/01/2012	13:51:59	0.015
19	03/01/2012	14:06:59	0.021
20	03/01/2012	14:21:59	0.023
21	03/01/2012	14:36:59	0.024

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/01/2012	14:51:59	0.024
23	03/01/2012	15:06:59	0.025
24	03/01/2012	15:21:59	0.027
25	03/01/2012	15:36:59	0.026

# Test 035

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/01/2012
Instrument S/N	8530114718	Start Time	09:24:18
		Stop Date	03/01/2012
		Stop Time	15:46:18
		Total Time	0:06:22:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.015 mg/m <sup>3</sup>
Max	0.023 mg/m <sup>3</sup>
Max Date	03/01/2012
Max Time	12:24:18
Min	0.000 mg/m <sup>3</sup>
Min Date	03/01/2012
Min Time	15:46:49
TWA (8 hr)	0.012
TWA Start Date	03/01/2012
TWA Start Time	09:24:18
TWA End Time	15:46:18

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/01/2012	09:39:18	0.014
2	03/01/2012	09:54:18	0.014
3	03/01/2012	10:09:18	0.011
4	03/01/2012	10:24:18	0.010
5	03/01/2012	10:39:18	0.010
6	03/01/2012	10:54:18	0.012
7	03/01/2012	11:09:18	0.013
8	03/01/2012	11:24:18	0.014
9	03/01/2012	11:39:18	0.016
10	03/01/2012	11:54:18	0.019
11	03/01/2012	12:09:18	0.021
12	03/01/2012	12:24:18	0.023
13	03/01/2012	12:39:18	0.022
14	03/01/2012	12:54:18	0.023
15	03/01/2012	15:46:49	0.000



# Test 025

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/02/2012
Instrument S/N	8530114322	Start Time	08:36:25
		Stop Date	03/02/2012
		Stop Time	14:21:25
		Total Time	0:05:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.022 mg/m <sup>3</sup>
Max	0.034 mg/m <sup>3</sup>
Max Date	03/02/2012
Max Time	09:06:25
Min	0.016 mg/m <sup>3</sup>
Min Date	03/02/2012
Min Time	12:36:25
TWA (8 hr)	0.016
TWA Start Date	03/02/2012
TWA Start Time	08:36:25
TWA End Time	14:21:25

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/02/2012	08:51:25	0.033
2	03/02/2012	09:06:25	0.034
3	03/02/2012	09:21:25	0.034
4	03/02/2012	09:36:25	0.030
5	03/02/2012	09:51:25	0.024
6	03/02/2012	10:06:25	0.022
7	03/02/2012	10:21:25	0.023
8	03/02/2012	10:36:25	0.021
9	03/02/2012	10:51:25	0.022
10	03/02/2012	11:06:25	0.019
11	03/02/2012	11:21:25	0.019
12	03/02/2012	11:36:25	0.018
13	03/02/2012	11:51:25	0.019
14	03/02/2012	12:06:25	0.018
15	03/02/2012	12:21:25	0.018
16	03/02/2012	12:36:25	0.016
17	03/02/2012	12:51:25	0.017
18	03/02/2012	13:06:25	0.018
19	03/02/2012	13:21:25	0.021
20	03/02/2012	13:36:25	0.028
21	03/02/2012	13:51:25	0.017
22	03/02/2012	14:06:25	0.018
23	03/02/2012	14:21:25	0.018

# Test 036

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/02/2012
Instrument S/N	8530114718	Start Time	08:40:50
		Stop Date	03/02/2012
		Stop Time	14:10:50
		Total Time	0:05:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.022 mg/m <sup>3</sup>
Max	0.033 mg/m <sup>3</sup>
Max Date	03/02/2012
Max Time	09:25:50
Min	0.016 mg/m <sup>3</sup>
Min Date	03/02/2012
Min Time	12:40:50
TWA (8 hr)	0.015
TWA Start Date	03/02/2012
TWA Start Time	08:40:50
TWA End Time	14:10:50

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/02/2012	08:55:50	0.031
2	03/02/2012	09:10:50	0.032
3	03/02/2012	09:25:50	0.033
4	03/02/2012	09:40:50	0.029
5	03/02/2012	09:55:50	0.025
6	03/02/2012	10:10:50	0.023
7	03/02/2012	10:25:50	0.024
8	03/02/2012	10:40:50	0.022
9	03/02/2012	10:55:50	0.021
10	03/02/2012	11:10:50	0.020
11	03/02/2012	11:25:50	0.019
12	03/02/2012	11:40:50	0.022
13	03/02/2012	11:55:50	0.019
14	03/02/2012	12:10:50	0.017
15	03/02/2012	12:25:50	0.018
16	03/02/2012	12:40:50	0.016
17	03/02/2012	12:55:50	0.019
18	03/02/2012	13:10:50	0.019
19	03/02/2012	13:25:50	0.020
20	03/02/2012	13:40:50	0.026
21	03/02/2012	13:55:50	0.016
22	03/02/2012	14:10:50	0.017





# Test 026

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/05/2012
Instrument S/N	8530114322	Start Time	08:09:02
		Stop Date	03/05/2012
		Stop Time	16:24:02
		Total Time	0:08:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.011 mg/m <sup>3</sup>
Max	0.016 mg/m <sup>3</sup>
Max Date	03/05/2012
Max Time	15:54:02
Min	0.008 mg/m <sup>3</sup>
Min Date	03/05/2012
Min Time	13:54:02
TWA (8 hr)	0.010
TWA Start Date	03/05/2012
TWA Start Time	08:09:02
TWA End Time	16:24:02

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/05/2012	08:24:02	0.011
2	03/05/2012	08:39:02	0.011
3	03/05/2012	08:54:02	0.012
4	03/05/2012	09:09:02	0.012
5	03/05/2012	09:24:02	0.012
6	03/05/2012	09:39:02	0.012
7	03/05/2012	09:54:02	0.010
8	03/05/2012	10:09:02	0.010
9	03/05/2012	10:24:02	0.010
10	03/05/2012	10:39:02	0.009
11	03/05/2012	10:54:02	0.009
12	03/05/2012	11:09:02	0.009
13	03/05/2012	11:24:02	0.009
14	03/05/2012	11:39:02	0.009
15	03/05/2012	11:54:02	0.010
16	03/05/2012	12:09:02	0.009
17	03/05/2012	12:24:02	0.009
18	03/05/2012	12:39:02	0.009
19	03/05/2012	12:54:02	0.010
20	03/05/2012	13:09:02	0.010
21	03/05/2012	13:24:02	0.009

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/05/2012	13:39:02	0.010
23	03/05/2012	13:54:02	0.008
24	03/05/2012	14:09:02	0.009
25	03/05/2012	14:24:02	0.010
26	03/05/2012	14:39:02	0.009
27	03/05/2012	14:54:02	0.010
28	03/05/2012	15:09:02	0.012
29	03/05/2012	15:24:02	0.014
30	03/05/2012	15:39:02	0.013
31	03/05/2012	15:54:02	0.016
32	03/05/2012	16:09:02	0.013
33	03/05/2012	16:24:02	0.014

# Test 037

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/05/2012
Instrument S/N	8530114718	Start Time	08:10:50
		Stop Date	03/05/2012
		Stop Time	16:10:50
		Total Time	0:08:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.016 mg/m <sup>3</sup>
Max	0.022 mg/m <sup>3</sup>
Max Date	03/05/2012
Max Time	09:25:50
Min	0.012 mg/m <sup>3</sup>
Min Date	03/05/2012
Min Time	12:25:50
TWA (8 hr)	0.016
TWA Start Date	03/05/2012
TWA Start Time	08:10:50
TWA End Time	16:10:50

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/05/2012	08:25:50	0.014
2	03/05/2012	08:40:50	0.013
3	03/05/2012	08:55:50	0.017
4	03/05/2012	09:10:50	0.019
5	03/05/2012	09:25:50	0.022
6	03/05/2012	09:40:50	0.022
7	03/05/2012	09:55:50	0.018
8	03/05/2012	10:10:50	0.018
9	03/05/2012	10:25:50	0.015
10	03/05/2012	10:40:50	0.014
11	03/05/2012	10:55:50	0.015
12	03/05/2012	11:10:50	0.016
13	03/05/2012	11:25:50	0.022
14	03/05/2012	11:40:50	0.015
15	03/05/2012	11:55:50	0.014
16	03/05/2012	12:10:50	0.014
17	03/05/2012	12:25:50	0.012
18	03/05/2012	12:40:50	0.014
19	03/05/2012	12:55:50	0.016
20	03/05/2012	13:10:50	0.016
21	03/05/2012	13:25:50	0.014

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/05/2012	13:40:50	0.013
23	03/05/2012	13:55:50	0.013
24	03/05/2012	14:10:50	0.013
25	03/05/2012	14:25:50	0.014
26	03/05/2012	14:40:50	0.014
27	03/05/2012	14:55:50	0.014
28	03/05/2012	15:10:50	0.014
29	03/05/2012	15:25:50	0.022
30	03/05/2012	15:40:50	0.016
31	03/05/2012	15:55:50	0.017
32	03/05/2012	16:10:50	0.018



# Test 027

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/06/2012
Instrument S/N	8530114322	Start Time	08:00:24
		Stop Date	03/06/2012
		Stop Time	15:45:24
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.022 mg/m <sup>3</sup>
Max	0.039 mg/m <sup>3</sup>
Max Date	03/06/2012
Max Time	08:15:24
Min	0.012 mg/m <sup>3</sup>
Min Date	03/06/2012
Min Time	15:30:24
TWA (8 hr)	0.021
TWA Start Date	03/06/2012
TWA Start Time	08:00:24
TWA End Time	15:45:24

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/06/2012	08:15:24	0.039
2	03/06/2012	08:30:24	0.035
3	03/06/2012	08:45:24	0.030
4	03/06/2012	09:00:24	0.029
5	03/06/2012	09:15:24	0.028
6	03/06/2012	09:30:24	0.024
7	03/06/2012	09:45:24	0.022
8	03/06/2012	10:00:24	0.024
9	03/06/2012	10:15:24	0.027
10	03/06/2012	10:30:24	0.026
11	03/06/2012	10:45:24	0.023
12	03/06/2012	11:00:24	0.022
13	03/06/2012	11:15:24	0.022
14	03/06/2012	11:30:24	0.022
15	03/06/2012	11:45:24	0.021
16	03/06/2012	12:00:24	0.019
17	03/06/2012	12:15:24	0.020
18	03/06/2012	12:30:24	0.022
19	03/06/2012	12:45:24	0.019
20	03/06/2012	13:00:24	0.017
21	03/06/2012	13:15:24	0.020

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
22	03/06/2012	13:30:24	0.017
23	03/06/2012	13:45:24	0.015
24	03/06/2012	14:00:24	0.016
25	03/06/2012	14:15:24	0.017
26	03/06/2012	14:30:24	0.014
27	03/06/2012	14:45:24	0.018
28	03/06/2012	15:00:24	0.019
29	03/06/2012	15:15:24	0.017
30	03/06/2012	15:30:24	0.012
31	03/06/2012	15:45:24	0.014

# Test 038

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/06/2012
Instrument S/N	8530114718	Start Time	08:06:58
		Stop Date	03/06/2012
		Stop Time	16:06:58
		Total Time	0:08:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.023 mg/m <sup>3</sup>
Max	0.033 mg/m <sup>3</sup>
Max Date	03/06/2012
Max Time	09:06:58
Min	0.014 mg/m <sup>3</sup>
Min Date	03/06/2012
Min Time	15:06:58
TWA (8 hr)	0.023
TWA Start Date	03/06/2012
TWA Start Time	08:06:58
TWA End Time	16:06:58

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/06/2012	08:21:58	0.032
2	03/06/2012	08:36:58	0.029
3	03/06/2012	08:51:58	0.031
4	03/06/2012	09:06:58	0.033
5	03/06/2012	09:21:58	0.031
6	03/06/2012	09:36:58	0.027
7	03/06/2012	09:51:58	0.028
8	03/06/2012	10:06:58	0.027
9	03/06/2012	10:21:58	0.031
10	03/06/2012	10:36:58	0.030
11	03/06/2012	10:51:58	0.025
12	03/06/2012	11:06:58	0.024
13	03/06/2012	11:21:58	0.026
14	03/06/2012	11:36:58	0.029
15	03/06/2012	11:51:58	0.023
16	03/06/2012	12:06:58	0.020
17	03/06/2012	12:21:58	0.022
18	03/06/2012	12:36:58	0.026
19	03/06/2012	12:51:58	0.020
20	03/06/2012	13:06:58	0.020
21	03/06/2012	13:21:58	0.024



<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/06/2012	13:36:58	0.020
23	03/06/2012	13:51:58	0.020
24	03/06/2012	14:06:58	0.018
25	03/06/2012	14:21:58	0.018
26	03/06/2012	14:36:58	0.016
27	03/06/2012	14:51:58	0.016
28	03/06/2012	15:06:58	0.014
29	03/06/2012	15:21:58	0.020
30	03/06/2012	15:36:58	0.022
31	03/06/2012	15:51:58	0.014
32	03/06/2012	16:06:58	0.014



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 3-7-12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	
8:30	W	U-1	0.016	0	D-1	0.020	0	0
9:30	↓		0.018	0		0.018	0	0
10:30			0.019	0		0.021	0	0
11:30			0.024	0		0.028	0	0
12:30			0.025	0		0.030	0	0
1:30			0.027	0		0.033	0	0
2:30			0.030	0		0.035	0	0
3:30			0.030	0		0.041	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Background	Location
7:30	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
7:30	" 4322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

**Calibration - Photolization Detector**

Time	Model	Serial Number	Zero (Ambient) Air
7:30	Mini	590-00460	0 ppm
			ppm

Notes/Activities:

---



---



---



---

# Test 039

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/07/2012
Instrument S/N	8530114718	Start Time	08:18:19
		Stop Date	03/07/2012
		Stop Time	15:18:19
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.024 mg/m <sup>3</sup>
Max	0.031 mg/m <sup>3</sup>
Max Date	03/07/2012
Max Time	14:03:19
Min	0.016 mg/m <sup>3</sup>
Min Date	03/07/2012
Min Time	08:48:19
TWA (8 hr)	0.021
TWA Start Date	03/07/2012
TWA Start Time	08:18:19
TWA End Time	15:18:19

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/07/2012	08:33:19	0.018
2	03/07/2012	08:48:19	0.016
3	03/07/2012	09:03:19	0.019
4	03/07/2012	09:18:19	0.018
5	03/07/2012	09:33:19	0.018
6	03/07/2012	09:48:19	0.016
7	03/07/2012	10:03:19	0.017
8	03/07/2012	10:18:19	0.017
9	03/07/2012	10:33:19	0.019
10	03/07/2012	10:48:19	0.019
11	03/07/2012	11:03:19	0.024
12	03/07/2012	11:18:19	0.022
13	03/07/2012	11:33:19	0.024
14	03/07/2012	11:48:19	0.023
15	03/07/2012	12:03:19	0.023
16	03/07/2012	12:18:19	0.023
17	03/07/2012	12:33:19	0.025
18	03/07/2012	12:48:19	0.026
19	03/07/2012	13:03:19	0.027
20	03/07/2012	13:18:19	0.029
21	03/07/2012	13:33:19	0.027

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/07/2012	13:48:19	0.029
23	03/07/2012	14:03:19	0.031
24	03/07/2012	14:18:19	0.030
25	03/07/2012	14:33:19	0.030
26	03/07/2012	14:48:19	0.030
27	03/07/2012	15:03:19	0.029
28	03/07/2012	15:18:19	0.030

# Test 028

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/07/2012
Instrument S/N	8530114322	Start Time	08:07:09
		Stop Date	03/07/2012
		Stop Time	15:22:09
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.028 mg/m <sup>3</sup>
Max	0.041 mg/m <sup>3</sup>
Max Date	03/07/2012
Max Time	15:22:09
Min	0.018 mg/m <sup>3</sup>
Min Date	03/07/2012
Min Time	09:22:09
TWA (8 hr)	0.026
TWA Start Date	03/07/2012
TWA Start Time	08:07:09
TWA End Time	15:22:09

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/07/2012	08:22:09	0.020
2	03/07/2012	08:37:09	0.019
3	03/07/2012	08:52:09	0.025
4	03/07/2012	09:07:09	0.021
5	03/07/2012	09:22:09	0.018
6	03/07/2012	09:37:09	0.019
7	03/07/2012	09:52:09	0.018
8	03/07/2012	10:07:09	0.019
9	03/07/2012	10:22:09	0.021
10	03/07/2012	10:37:09	0.027
11	03/07/2012	10:52:09	0.026
12	03/07/2012	11:07:09	0.027
13	03/07/2012	11:22:09	0.026
14	03/07/2012	11:37:09	0.028
15	03/07/2012	11:52:09	0.027
16	03/07/2012	12:07:09	0.027
17	03/07/2012	12:22:09	0.028
18	03/07/2012	12:37:09	0.030
19	03/07/2012	12:52:09	0.040
20	03/07/2012	13:07:09	0.031
21	03/07/2012	13:22:09	0.033

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/07/2012	13:37:09	0.034
23	03/07/2012	13:52:09	0.036
24	03/07/2012	14:07:09	0.036
25	03/07/2012	14:22:09	0.035
26	03/07/2012	14:37:09	0.035
27	03/07/2012	14:52:09	0.034
28	03/07/2012	15:07:09	0.035
29	03/07/2012	15:22:09	0.041



COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 3-9-12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
8:00	E	U-1	0.014	0	D-1	0.015	0	0
9:00			0.010	0		0.014	0	0
10:00			0.017	0		0.025	0	0
11:00			0.027	0		0.028	0	0
12:00			0.019	0		0.020	0	0
1:00			0.020	0		0.019	0	0
2:00			0.000	0		0.016	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
7:30	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
7:30	" 4322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
7:30	Mini	590-0046	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

# Test 029

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/09/2012
Instrument S/N	8530114322	Start Time	07:42:37
		Stop Date	03/09/2012
		Stop Time	14:12:37
		Total Time	0:06:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.020 mg/m <sup>3</sup>
Max	0.044 mg/m <sup>3</sup>
Max Date	03/09/2012
Max Time	11:27:37
Min	0.000 mg/m <sup>3</sup>
Min Date	03/09/2012
Min Time	14:12:38
TWA (8 hr)	0.016
TWA Start Date	03/09/2012
TWA Start Time	07:42:37
TWA End Time	14:12:37

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/09/2012	07:57:37	0.014
2	03/09/2012	08:12:37	0.014
3	03/09/2012	08:27:37	0.013
4	03/09/2012	08:42:37	0.013
5	03/09/2012	08:57:37	0.010
6	03/09/2012	09:12:37	0.011
7	03/09/2012	09:27:37	0.012
8	03/09/2012	09:42:37	0.014
9	03/09/2012	09:57:37	0.017
10	03/09/2012	10:12:37	0.020
11	03/09/2012	10:27:37	0.025
12	03/09/2012	10:42:37	0.030
13	03/09/2012	10:57:37	0.027
14	03/09/2012	11:12:37	0.037
15	03/09/2012	11:27:37	0.044
16	03/09/2012	11:42:37	0.028
17	03/09/2012	11:57:37	0.019
18	03/09/2012	12:12:37	0.021
19	03/09/2012	12:27:37	0.023
20	03/09/2012	12:42:37	0.020
21	03/09/2012	14:12:38	0.000



# Test 040

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/09/2012
Instrument S/N	8530114718	Start Time	07:49:41
		Stop Date	03/09/2012
		Stop Time	13:49:41
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
AEROSOL	
Avg	0.022 mg/m <sup>3</sup>
Max	0.037 mg/m <sup>3</sup>
Max Date	03/09/2012
Max Time	10:49:41
Min	0.013 mg/m <sup>3</sup>
Min Date	03/09/2012
Min Time	08:34:41
TWA (8 hr)	0.016
TWA Start Date	03/09/2012
TWA Start Time	07:49:41
TWA End Time	13:49:41

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/09/2012	08:04:41	0.015
2	03/09/2012	08:19:41	0.014
3	03/09/2012	08:34:41	0.013
4	03/09/2012	08:49:41	0.014
5	03/09/2012	09:04:41	0.014
6	03/09/2012	09:19:41	0.013
7	03/09/2012	09:34:41	0.017
8	03/09/2012	09:49:41	0.021
9	03/09/2012	10:04:41	0.025
10	03/09/2012	10:19:41	0.034
11	03/09/2012	10:34:41	0.030
12	03/09/2012	10:49:41	0.037
13	03/09/2012	11:04:41	0.028
14	03/09/2012	11:19:41	0.032
15	03/09/2012	11:34:41	0.028
16	03/09/2012	11:49:41	0.020
17	03/09/2012	12:04:41	0.020
18	03/09/2012	12:19:41	0.021
19	03/09/2012	12:34:41	0.022
20	03/09/2012	12:49:41	0.018
21	03/09/2012	13:04:41	0.019

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	03/09/2012	13:19:41	0.022
23	03/09/2012	13:34:41	0.023
24	03/09/2012	13:49:41	0.016



# Test 041

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/12/2012
Instrument S/N	8530114718	Start Time	08:50:17
		Stop Date	03/12/2012
		Stop Time	14:50:17
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.013 mg/m <sup>3</sup>
Max	0.018 mg/m <sup>3</sup>
Max Date	03/12/2012
Max Time	09:05:17
Min	0.000 mg/m <sup>3</sup>
Min Date	03/12/2012
Min Time	14:50:23
TWA (8 hr)	0.010
TWA Start Date	03/12/2012
TWA Start Time	08:50:17
TWA End Time	14:50:17

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/12/2012	09:05:17	0.018
2	03/12/2012	09:20:17	0.017
3	03/12/2012	09:35:17	0.016
4	03/12/2012	09:50:17	0.015
5	03/12/2012	14:50:23	0.000

# Test 030

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/12/2012
Instrument S/N	8530114322	Start Time	08:42:51
		Stop Date	03/12/2012
		Stop Time	14:42:51
		Total Time	0:06:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.022 mg/m <sup>3</sup>
Max	0.051 mg/m <sup>3</sup>
Max Date	03/12/2012
Max Time	14:42:51
Min	0.017 mg/m <sup>3</sup>
Min Date	03/12/2012
Min Time	11:42:51
TWA (8 hr)	0.016
TWA Start Date	03/12/2012
TWA Start Time	08:42:51
TWA End Time	14:42:51

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/12/2012	08:57:51	0.023
2	03/12/2012	09:12:51	0.019
3	03/12/2012	09:27:51	0.018
4	03/12/2012	09:42:51	0.018
5	03/12/2012	09:57:51	0.019
6	03/12/2012	10:12:51	0.018
7	03/12/2012	10:27:51	0.021
8	03/12/2012	10:42:51	0.020
9	03/12/2012	10:57:51	0.022
10	03/12/2012	11:12:51	0.020
11	03/12/2012	11:27:51	0.019
12	03/12/2012	11:42:51	0.017
13	03/12/2012	11:57:51	0.018
14	03/12/2012	12:12:51	0.022
15	03/12/2012	12:27:51	0.021
16	03/12/2012	12:42:51	0.017
17	03/12/2012	12:57:51	0.020
18	03/12/2012	13:12:51	0.023
19	03/12/2012	13:27:51	0.023
20	03/12/2012	13:42:51	0.020
21	03/12/2012	13:57:51	0.020
22	03/12/2012	14:12:51	0.032
23	03/12/2012	14:27:51	0.024
24	03/12/2012	14:42:51	0.051



# Test 042

Instrument		Data Properties	
Model	DustTrak II	Start Date	03/13/2012
Instrument S/N	8530114718	Start Time	08:55:05
		Stop Date	03/13/2012
		Stop Time	14:10:05
		Total Time	0:05:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.018 mg/m <sup>3</sup>
Max	0.026 mg/m <sup>3</sup>
Max Date	03/13/2012
Max Time	14:10:05
Min	0.012 mg/m <sup>3</sup>
Min Date	03/13/2012
Min Time	12:25:05
TWA (8 hr)	0.012
TWA Start Date	03/13/2012
TWA Start Time	08:55:05
TWA End Time	14:10:05

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	03/13/2012	09:10:05	0.024
2	03/13/2012	09:25:05	0.022
3	03/13/2012	09:40:05	0.021
4	03/13/2012	09:55:05	0.021
5	03/13/2012	10:10:05	0.023
6	03/13/2012	10:25:05	0.022
7	03/13/2012	10:40:05	0.018
8	03/13/2012	10:55:05	0.016
9	03/13/2012	11:10:05	0.015
10	03/13/2012	11:25:05	0.015
11	03/13/2012	11:40:05	0.016
12	03/13/2012	11:55:05	0.015
13	03/13/2012	12:10:05	0.013
14	03/13/2012	12:25:05	0.012
15	03/13/2012	12:40:05	0.014
16	03/13/2012	12:55:05	0.021
17	03/13/2012	13:10:05	0.018
18	03/13/2012	13:25:05	0.018
19	03/13/2012	13:40:05	0.016
20	03/13/2012	13:55:05	0.016
21	03/13/2012	14:10:05	0.026





# Test 034

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/29/2012
Instrument S/N	8530114718	Start Time	08:45:25
		Stop Date	03/01/2012
		Stop Time	07:30:25
		Total Time	0:22:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.012 mg/m <sup>3</sup>
Max	0.059 mg/m <sup>3</sup>
Max Date	02/29/2012
Max Time	16:30:25
Min	0.000 mg/m <sup>3</sup>
Min Date	02/29/2012
Min Time	16:18:07
TWA (8 hr)	0.033
TWA Start Date	02/29/2012
TWA Start Time	08:45:25
TWA End Time	07:30:25

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/29/2012	16:18:07	0.000
2	02/29/2012	16:30:25	0.059
3	02/29/2012	16:45:25	0.040
4	02/29/2012	17:00:25	0.031
5	02/29/2012	17:15:25	0.025
6	02/29/2012	17:30:25	0.021
7	02/29/2012	17:45:25	0.019
8	02/29/2012	18:00:25	0.016
9	02/29/2012	18:15:25	0.012
10	02/29/2012	18:30:25	0.013
11	02/29/2012	18:45:25	0.012
12	02/29/2012	19:00:25	0.009
13	02/29/2012	19:15:25	0.012
14	02/29/2012	19:30:25	0.012
15	02/29/2012	19:45:25	0.009
16	02/29/2012	20:00:25	0.011
17	02/29/2012	20:15:25	0.011
18	02/29/2012	20:30:25	0.008
19	02/29/2012	20:45:25	0.009
20	02/29/2012	21:00:25	0.011
21	02/29/2012	21:15:25	0.008

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
22	02/29/2012	21:30:25	0.010
23	02/29/2012	21:45:25	0.011
24	02/29/2012	22:00:25	0.009
25	02/29/2012	22:15:25	0.009
26	02/29/2012	22:30:25	0.012
27	02/29/2012	22:45:25	0.011
28	02/29/2012	23:00:25	0.009
29	02/29/2012	23:15:25	0.012
30	02/29/2012	23:30:25	0.012
31	02/29/2012	23:45:25	0.009
32	03/01/2012	00:00:25	0.011
33	03/01/2012	00:15:25	0.012
34	03/01/2012	00:30:25	0.010
35	03/01/2012	00:45:25	0.009
36	03/01/2012	01:00:25	0.009
37	03/01/2012	01:15:25	0.009
38	03/01/2012	01:30:25	0.008
39	03/01/2012	01:45:25	0.010
40	03/01/2012	02:00:25	0.012
41	03/01/2012	02:15:25	0.010
42	03/01/2012	02:30:25	0.009
43	03/01/2012	02:45:25	0.012
44	03/01/2012	03:00:25	0.013
45	03/01/2012	03:15:25	0.010
46	03/01/2012	03:30:25	0.009
47	03/01/2012	03:45:25	0.011
48	03/01/2012	04:00:25	0.013
49	03/01/2012	04:15:25	0.010
50	03/01/2012	04:30:25	0.011
51	03/01/2012	04:45:25	0.012
52	03/01/2012	05:00:25	0.012
53	03/01/2012	05:15:25	0.009
54	03/01/2012	05:30:25	0.009
55	03/01/2012	05:45:25	0.009
56	03/01/2012	06:00:25	0.008
57	03/01/2012	06:15:25	0.006
58	03/01/2012	06:30:25	0.006
59	03/01/2012	06:45:25	0.006
60	03/01/2012	07:00:25	0.006
61	03/01/2012	07:15:25	0.007
62	03/01/2012	07:30:25	0.007

**COMMUNITY AIR MONITORING LOG**

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 3-01-12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
9:30	SW	U-1	0.016	0	D-1	0.014	0	0
10:30			0.009	0		0.010	0	0
11:30			0.014	0		0.016	0	0
12:30			0.020	0		0.022	0	0
1:30			0.019	0		0.023	0	0
2:30			0.024	0		0.021	0	0
3:30	↓	↓	0.026	0	↓	0.00	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter					
Time	Serial Number	With Zero Air Filter		Background	Location
7:30	8530114718	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
"	" 4322	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
			mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photolization Detector			
Time	Model	Serial Number	Zero (Ambient) Air
7:30	M11	590-0046	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# Test 016

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/14/2012
Instrument S/N	8530114322	Start Time	09:05:53
		Stop Date	02/14/2012
		Stop Time	15:20:53
		Total Time	0:06:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.019 mg/m <sup>3</sup>
Max	0.031 mg/m <sup>3</sup>
Max Date	02/14/2012
Max Time	09:20:53
Min	0.015 mg/m <sup>3</sup>
Min Date	02/14/2012
Min Time	10:50:53
TWA (8 hr)	0.015
TWA Start Date	02/14/2012
TWA Start Time	09:05:53
TWA End Time	15:20:53

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/14/2012	09:20:53	0.031
2	02/14/2012	09:35:53	0.024
3	02/14/2012	09:50:53	0.022
4	02/14/2012	10:05:53	0.017
5	02/14/2012	10:20:53	0.018
6	02/14/2012	10:35:53	0.018
7	02/14/2012	10:50:53	0.015
8	02/14/2012	11:05:53	0.016
9	02/14/2012	11:20:53	0.019
10	02/14/2012	11:35:53	0.019
11	02/14/2012	11:50:53	0.019
12	02/14/2012	12:05:53	0.019
13	02/14/2012	12:20:53	0.019
14	02/14/2012	12:35:53	0.020
15	02/14/2012	12:50:53	0.021
16	02/14/2012	13:05:53	0.021
17	02/14/2012	13:20:53	0.019
18	02/14/2012	13:35:53	0.018
19	02/14/2012	13:50:53	0.017
20	02/14/2012	14:05:53	0.015
21	02/14/2012	14:20:53	0.018

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/14/2012	14:35:53	0.018
23	02/14/2012	14:50:53	0.020
24	02/14/2012	15:05:53	0.020
25	02/14/2012	15:20:53	0.023



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 2-15-12  
REP:

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	(ppm)
9:30	SW	U-1	0.057	0	D-1	0.063	0	0
10:30			0.059	0		0.055	0	0
11:30			0.056	0		0.055	0	0
12:30			0.049	0		0.047	0	0
1:30			0.045	0		0.040	0	0
2:30			0.036	0		0.030	0	0
3:30	↓		0.030	0		0.031	0	0

Time	Serial Number	With Zero Air Filter	Location
7:30	8530114718	0 mg/m <sup>3</sup>	U-1
7:30	8530114322	0 mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	

Time	Model	Serial Number	Ambient Air
7:30	Mimi	590-0045	0 PPM
			PPM

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

# Test 028

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/15/2012
Instrument S/N	8530114718	Start Time	09:06:50
		Stop Date	02/15/2012
		Stop Time	15:51:50
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.047 mg/m <sup>3</sup>
Max	0.060 mg/m <sup>3</sup>
Max Date	02/15/2012
Max Time	09:51:50
Min	0.030 mg/m <sup>3</sup>
Min Date	02/15/2012
Min Time	15:36:50
TWA (8 hr)	0.040
TWA Start Date	02/15/2012
TWA Start Time	09:06:50
TWA End Time	15:51:50

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/15/2012	09:21:50	0.057
2	02/15/2012	09:36:50	0.057
3	02/15/2012	09:51:50	0.060
4	02/15/2012	10:06:50	0.060
5	02/15/2012	10:21:50	0.057
6	02/15/2012	10:36:50	0.059
7	02/15/2012	10:51:50	0.051
8	02/15/2012	11:06:50	0.051
9	02/15/2012	11:21:50	0.052
10	02/15/2012	11:36:50	0.056
11	02/15/2012	11:51:50	0.056
12	02/15/2012	12:06:50	0.058
13	02/15/2012	12:21:50	0.056
14	02/15/2012	12:36:50	0.049
15	02/15/2012	12:51:50	0.042
16	02/15/2012	13:06:50	0.045
17	02/15/2012	13:21:50	0.045
18	02/15/2012	13:36:50	0.045
19	02/15/2012	13:51:50	0.041
20	02/15/2012	14:06:50	0.041
21	02/15/2012	14:21:50	0.038

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/15/2012	14:36:50	0.036
23	02/15/2012	14:51:50	0.038
24	02/15/2012	15:06:50	0.033
25	02/15/2012	15:21:50	0.031
26	02/15/2012	15:36:50	0.030
27	02/15/2012	15:51:50	0.033



# Test 017

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/15/2012
Instrument S/N	8530114322	Start Time	08:38:53
		Stop Date	02/15/2012
		Stop Time	15:38:53
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.048 mg/m <sup>3</sup>
Max	0.066 mg/m <sup>3</sup>
Max Date	02/15/2012
Max Time	08:53:53
Min	0.027 mg/m <sup>3</sup>
Min Date	02/15/2012
Min Time	15:23:53
TWA (8 hr)	0.042
TWA Start Date	02/15/2012
TWA Start Time	08:38:53
TWA End Time	15:38:53

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/15/2012	08:53:53	0.066
2	02/15/2012	09:08:53	0.064
3	02/15/2012	09:23:53	0.063
4	02/15/2012	09:38:53	0.063
5	02/15/2012	09:53:53	0.062
6	02/15/2012	10:08:53	0.063
7	02/15/2012	10:23:53	0.060
8	02/15/2012	10:38:53	0.055
9	02/15/2012	10:53:53	0.050
10	02/15/2012	11:08:53	0.063
11	02/15/2012	11:23:53	0.053
12	02/15/2012	11:38:53	0.055
13	02/15/2012	11:53:53	0.054
14	02/15/2012	12:08:53	0.054
15	02/15/2012	12:23:53	0.050
16	02/15/2012	12:38:53	0.047
17	02/15/2012	12:53:53	0.048
18	02/15/2012	13:08:53	0.039
19	02/15/2012	13:23:53	0.041
20	02/15/2012	13:38:53	0.040
21	02/15/2012	13:53:53	0.038

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/15/2012	14:08:53	0.040
23	02/15/2012	14:23:53	0.033
24	02/15/2012	14:38:53	0.030
25	02/15/2012	14:53:53	0.031
26	02/15/2012	15:08:53	0.029
27	02/15/2012	15:23:53	0.027
28	02/15/2012	15:38:53	0.031



### COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 2-17-12  
 REP:

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
8:00	W	U-1	0.001	0	D-1	0.054	0	0
9:00			-	0		0.058	0	0
10:00			-	0		0.059	0	0
11:00			-	0		0.057	0	0
12:00			-	0		0.056	0	0
1:00			-	0		0.050	0	0
2:00	↓		-	0		0.054	0	0
3:00			-	0		0.056	0	0
4:00			-	0		0.047	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter				
Time	Serial Number	With Zero Air Filter		Location
7:30	8530114718	0	mg/m <sup>3</sup>	U-1
"	" 4322	0	mg/m <sup>3</sup>	D-1
			mg/m <sup>3</sup>	

Calibration - Photoionization Detector			
Time	Model	Serial Number	Ambient Air
7:30	Mini	590-0045	0 PPM
			PPM

Notes/Activities:

---



---



---



---

See map on back for location information.

# Test 029

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/16/2012
Instrument S/N	8530114718	Start Time	08:08:48
		Stop Date	02/17/2012
		Stop Time	07:38:48
		Total Time	0:23:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.001 mg/m <sup>3</sup>
Max	0.003 mg/m <sup>3</sup>
Max Date	02/16/2012
Max Time	14:58:46
Min	0.000 mg/m <sup>3</sup>
Min Date	02/17/2012
Min Time	07:28:03
TWA (8 hr)	0.001
TWA Start Date	02/16/2012
TWA Start Time	08:08:48
TWA End Time	07:38:48

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/16/2012	14:58:46	0.003
2	02/17/2012	07:28:03	0.000
3	02/17/2012	07:38:48	0.001

# Test 018

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/17/2012
Instrument S/N	8530114322	Start Time	08:00:22
		Stop Date	02/18/2012
		Stop Time	04:00:22
		Total Time	0:20:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.039 mg/m <sup>3</sup>
Max	0.086 mg/m <sup>3</sup>
Max Date	02/17/2012
Max Time	17:00:22
Min	0.016 mg/m <sup>3</sup>
Min Date	02/17/2012
Min Time	21:15:22
TWA (8 hr)	0.000
TWA Start Date	02/17/2012
TWA Start Time	08:00:22
TWA End Time	04:00:22

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/17/2012	08:15:22	0.059
2	02/17/2012	08:30:22	0.060
3	02/17/2012	08:45:22	0.059
4	02/17/2012	09:00:22	0.058
5	02/17/2012	09:15:22	0.055
6	02/17/2012	09:30:22	0.056
7	02/17/2012	09:45:22	0.059
8	02/17/2012	10:00:22	0.059
9	02/17/2012	10:15:22	0.061
10	02/17/2012	10:30:22	0.060
11	02/17/2012	10:45:22	0.058
12	02/17/2012	11:00:22	0.057
13	02/17/2012	11:15:22	0.056
14	02/17/2012	11:30:22	0.053
15	02/17/2012	11:45:22	0.048
16	02/17/2012	12:00:22	0.056
17	02/17/2012	12:15:22	0.058
18	02/17/2012	12:30:22	0.057
19	02/17/2012	12:45:22	0.058
20	02/17/2012	13:00:22	0.050
21	02/17/2012	13:15:22	0.050

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
22	02/17/2012	13:30:22	0.056
23	02/17/2012	13:45:22	0.058
24	02/17/2012	14:00:22	0.054
25	02/17/2012	14:15:22	0.051
26	02/17/2012	14:30:22	0.051
27	02/17/2012	14:45:22	0.050
28	02/17/2012	15:00:22	0.053
29	02/17/2012	15:15:22	0.053
30	02/17/2012	15:30:22	0.051
31	02/17/2012	15:45:22	0.045
32	02/17/2012	16:00:22	0.047
33	02/17/2012	16:15:22	0.060
34	02/17/2012	16:30:22	0.058
35	02/17/2012	16:45:22	0.067
36	02/17/2012	17:00:22	0.086
37	02/17/2012	17:15:22	0.065
38	02/17/2012	17:30:22	0.051
39	02/17/2012	17:45:22	0.054
40	02/17/2012	18:00:22	0.060
41	02/17/2012	18:15:22	0.028
42	02/17/2012	18:30:22	0.021
43	02/17/2012	18:45:22	0.017
44	02/17/2012	19:00:22	0.017
45	02/17/2012	19:15:22	0.018
46	02/17/2012	19:30:22	0.021
47	02/17/2012	19:45:22	0.020
48	02/17/2012	20:00:22	0.020
49	02/17/2012	20:15:22	0.020
50	02/17/2012	20:30:22	0.021
51	02/17/2012	20:45:22	0.021
52	02/17/2012	21:00:22	0.024
53	02/17/2012	21:15:22	0.016
54	02/17/2012	21:30:22	0.016
55	02/17/2012	21:45:22	0.016
56	02/17/2012	22:00:22	0.017
57	02/17/2012	22:15:22	0.017
58	02/17/2012	22:30:22	0.017
59	02/17/2012	22:45:22	0.017
60	02/17/2012	23:00:22	0.017
61	02/17/2012	23:15:22	0.018
62	02/17/2012	23:30:22	0.019
63	02/17/2012	23:45:22	0.020
64	02/18/2012	00:00:22	0.021
65	02/18/2012	00:15:22	0.022
66	02/18/2012	00:30:22	0.023
67	02/18/2012	00:45:22	0.024

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
68	02/18/2012	01:00:22	0.024
69	02/18/2012	01:15:22	0.024
70	02/18/2012	01:30:22	0.023
71	02/18/2012	01:45:22	0.025
72	02/18/2012	02:00:22	0.025
73	02/18/2012	02:15:22	0.027
74	02/18/2012	02:30:22	0.029
75	02/18/2012	02:45:22	0.029
76	02/18/2012	03:00:22	0.029
77	02/18/2012	03:15:22	0.032
78	02/18/2012	03:30:22	0.034
79	02/18/2012	03:45:22	0.038
80	02/18/2012	04:00:22	0.044



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 2-21-12  
 REP:

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
8 <sup>00</sup>	SW	U-1	0.019	0	D-1	0.021	0	0
9 <sup>00</sup>	↓	↓	0.039	0	↓	0.20	0	0
10 <sup>00</sup>	↓	↓	0.015	0	↓	0.021	0	0
11 <sup>00</sup>	↓	↓	0.016	0	↓	0.032	0	0
12 <sup>00</sup>	↓	↓	0.017	0	↓	0.018	0	0
13 <sup>00</sup>	↓	↓	0.018	0	↓	0.024	0	0
14 <sup>00</sup>	↓	↓	0.019	0	↓	0.021	0	0
15 <sup>00</sup>	↓	↓	0.021	0	↓	0.032	0	0
16 <sup>00</sup>	↓	↓	0.021	0	↓	0.023	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Location
	8530114718	0 mg/m <sup>3</sup>	D-1
	" 4322	0 mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Ambient Air
730	Mwi	590-0045	0 PPM
			PPM

Notes/Activities:

---



---



---



---

See map on back for location information.



# Test 019

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/21/2012
Instrument S/N	8530114322	Start Time	08:03:59
		Stop Date	02/21/2012
		Stop Time	16:18:59
		Total Time	0:08:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.020 mg/m <sup>3</sup>
Max	0.034 mg/m <sup>3</sup>
Max Date	02/21/2012
Max Time	09:03:59
Min	0.015 mg/m <sup>3</sup>
Min Date	02/21/2012
Min Time	10:03:59
TWA (8 hr)	0.020
TWA Start Date	02/21/2012
TWA Start Time	08:03:59
TWA End Time	16:18:59

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/21/2012	08:18:59	0.019
2	02/21/2012	08:33:59	0.016
3	02/21/2012	08:48:59	0.027
4	02/21/2012	09:03:59	0.034
5	02/21/2012	09:18:59	0.018
6	02/21/2012	09:33:59	0.020
7	02/21/2012	09:48:59	0.017
8	02/21/2012	10:03:59	0.015
9	02/21/2012	10:18:59	0.019
10	02/21/2012	10:33:59	0.017
11	02/21/2012	10:48:59	0.017
12	02/21/2012	11:03:59	0.016
13	02/21/2012	11:18:59	0.017
14	02/21/2012	11:33:59	0.017
15	02/21/2012	11:48:59	0.017
16	02/21/2012	12:03:59	0.017
17	02/21/2012	12:18:59	0.022
18	02/21/2012	12:33:59	0.032
19	02/21/2012	12:48:59	0.023
20	02/21/2012	13:03:59	0.018
21	02/21/2012	13:18:59	0.020

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/21/2012	13:33:59	0.019
23	02/21/2012	13:48:59	0.018
24	02/21/2012	14:03:59	0.019
25	02/21/2012	14:18:59	0.023
26	02/21/2012	14:33:59	0.019
27	02/21/2012	14:48:59	0.020
28	02/21/2012	15:03:59	0.021
29	02/21/2012	15:18:59	0.020
30	02/21/2012	15:33:59	0.022
31	02/21/2012	15:48:59	0.020
32	02/21/2012	16:03:59	0.021
33	02/21/2012	16:18:59	0.023

# Test 030

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/21/2012
Instrument S/N	8530114718	Start Time	08:10:56
		Stop Date	02/21/2012
		Stop Time	16:10:56
		Total Time	0:08:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.025 mg/m <sup>3</sup>
Max	0.065 mg/m <sup>3</sup>
Max Date	02/21/2012
Max Time	14:55:56
Min	0.018 mg/m <sup>3</sup>
Min Date	02/21/2012
Min Time	08:55:56
TWA (8 hr)	0.025
TWA Start Date	02/21/2012
TWA Start Time	08:10:56
TWA End Time	16:10:56

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/21/2012	08:25:56	0.021
2	02/21/2012	08:40:56	0.020
3	02/21/2012	08:55:56	0.018
4	02/21/2012	09:10:56	0.020
5	02/21/2012	09:25:56	0.024
6	02/21/2012	09:40:56	0.027
7	02/21/2012	09:55:56	0.021
8	02/21/2012	10:10:56	0.021
9	02/21/2012	10:25:56	0.022
10	02/21/2012	10:40:56	0.020
11	02/21/2012	10:55:56	0.023
12	02/21/2012	11:10:56	0.032
13	02/21/2012	11:25:56	0.028
14	02/21/2012	11:40:56	0.025
15	02/21/2012	11:55:56	0.023
16	02/21/2012	12:10:56	0.018
17	02/21/2012	12:25:56	0.019
18	02/21/2012	12:40:56	0.022
19	02/21/2012	12:55:56	0.024
20	02/21/2012	13:10:56	0.024
21	02/21/2012	13:25:56	0.024

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/21/2012	13:40:56	0.023
23	02/21/2012	13:55:56	0.024
24	02/21/2012	14:10:56	0.021
25	02/21/2012	14:25:56	0.022
26	02/21/2012	14:40:56	0.025
27	02/21/2012	14:55:56	0.065
28	02/21/2012	15:10:56	0.032
29	02/21/2012	15:25:56	0.029
30	02/21/2012	15:40:56	0.025
31	02/21/2012	15:55:56	0.023
32	02/21/2012	16:10:56	0.023



COMMUNITY AIR MONITORING LOG

300 STATE STREET
ROCHESTER, NY
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY
DATE: 2-22-12
REP:

Main data table with columns: Time, Wind Direction, Upwind-1 (Location, Particulates, VOCs), Downwind-1 (Location, Particulates, VOCs), Work Area (VOCs). Contains handwritten data for times 8:30 to 3:30.

Calibration - TSI DustTrak Model 8520 Particulate Meter

Table with columns: Time, Serial Number, With Zero Air Filter (mg/m3), Location. Contains calibration data for times 7:30 and 7:30.

Calibration - Photoionization Detector

Table with columns: Time, Model, Serial Number, Ambient Air (PPM). Contains calibration data for time 7:30.

Notes/Activities: [Blank lines for handwritten notes]

See map on back for location information.

# Test 020

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/22/2012
Instrument S/N	8530114322	Start Time	08:18:07
		Stop Date	02/22/2012
		Stop Time	12:03:07
		Total Time	0:03:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.027 mg/m <sup>3</sup>
Max	0.036 mg/m <sup>3</sup>
Max Date	02/22/2012
Max Time	09:18:07
Min	0.016 mg/m <sup>3</sup>
Min Date	02/22/2012
Min Time	12:03:07
TWA (8 hr)	0.013
TWA Start Date	02/22/2012
TWA Start Time	08:18:07
TWA End Time	12:03:07

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/22/2012	08:33:07	0.023
2	02/22/2012	08:48:07	0.026
3	02/22/2012	09:03:07	0.031
4	02/22/2012	09:18:07	0.036
5	02/22/2012	09:33:07	0.036
6	02/22/2012	09:48:07	0.035
7	02/22/2012	10:03:07	0.030
8	02/22/2012	10:18:07	0.029
9	02/22/2012	10:33:07	0.028
10	02/22/2012	10:48:07	0.025
11	02/22/2012	11:03:07	0.026
12	02/22/2012	11:18:07	0.023
13	02/22/2012	11:33:07	0.021
14	02/22/2012	11:48:07	0.017
15	02/22/2012	12:03:07	0.016

# Test 031

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/22/2012
Instrument S/N	8530114718	Start Time	08:16:32
		Stop Date	02/22/2012
		Stop Time	15:31:32
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.024 mg/m <sup>3</sup>
Max	0.041 mg/m <sup>3</sup>
Max Date	02/22/2012
Max Time	09:16:32
Min	0.013 mg/m <sup>3</sup>
Min Date	02/22/2012
Min Time	13:16:32
TWA (8 hr)	0.021
TWA Start Date	02/22/2012
TWA Start Time	08:16:32
TWA End Time	15:31:32

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/22/2012	08:31:32	0.032
2	02/22/2012	08:46:32	0.029
3	02/22/2012	09:01:32	0.032
4	02/22/2012	09:16:32	0.041
5	02/22/2012	09:31:32	0.039
6	02/22/2012	09:46:32	0.039
7	02/22/2012	10:01:32	0.033
8	02/22/2012	10:16:32	0.033
9	02/22/2012	10:31:32	0.036
10	02/22/2012	10:46:32	0.028
11	02/22/2012	11:01:32	0.026
12	02/22/2012	11:16:32	0.025
13	02/22/2012	11:31:32	0.023
14	02/22/2012	11:46:32	0.019
15	02/22/2012	12:01:32	0.018
16	02/22/2012	12:16:32	0.018
17	02/22/2012	12:31:32	0.016
18	02/22/2012	12:46:32	0.014
19	02/22/2012	13:01:32	0.015
20	02/22/2012	13:16:32	0.013
21	02/22/2012	13:31:32	0.013

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/22/2012	13:46:32	0.014
23	02/22/2012	14:01:32	0.014
24	02/22/2012	14:16:32	0.015
25	02/22/2012	14:31:32	0.015
26	02/22/2012	14:46:32	0.018
27	02/22/2012	15:01:32	0.025
28	02/22/2012	15:16:32	0.021
29	02/22/2012	15:31:32	0.020





# Test 021

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/23/2012
Instrument S/N	8530114322	Start Time	11:02:11
		Stop Date	02/23/2012
		Stop Time	15:32:11
		Total Time	0:04:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.036 mg/m <sup>3</sup>
Max	0.056 mg/m <sup>3</sup>
Max Date	02/23/2012
Max Time	13:02:11
Min	0.021 mg/m <sup>3</sup>
Min Date	02/23/2012
Min Time	14:17:11
TWA (8 hr)	0.020
TWA Start Date	02/23/2012
TWA Start Time	11:02:11
TWA End Time	15:32:11

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/23/2012	11:17:11	0.047
2	02/23/2012	11:32:11	0.036
3	02/23/2012	11:47:11	0.038
4	02/23/2012	12:02:11	0.038
5	02/23/2012	12:17:11	0.036
6	02/23/2012	12:32:11	0.034
7	02/23/2012	12:47:11	0.041
8	02/23/2012	13:02:11	0.056
9	02/23/2012	13:17:11	0.042
10	02/23/2012	13:32:11	0.043
11	02/23/2012	13:47:11	0.027
12	02/23/2012	14:02:11	0.025
13	02/23/2012	14:17:11	0.021
14	02/23/2012	14:32:11	0.021
15	02/23/2012	14:47:11	0.024
16	02/23/2012	15:02:11	0.037
17	02/23/2012	15:17:11	0.041
18	02/23/2012	15:32:11	0.038



# Test 022

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/27/2012
Instrument S/N	8530114322	Start Time	08:05:30
		Stop Date	02/27/2012
		Stop Time	16:05:30
		Total Time	0:08:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.018 mg/m <sup>3</sup>
Max	0.026 mg/m <sup>3</sup>
Max Date	02/27/2012
Max Time	08:50:30
Min	0.012 mg/m <sup>3</sup>
Min Date	02/27/2012
Min Time	15:05:30
TWA (8 hr)	0.018
TWA Start Date	02/27/2012
TWA Start Time	08:05:30
TWA End Time	16:05:30

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/27/2012	08:20:30	0.021
2	02/27/2012	08:35:30	0.023
3	02/27/2012	08:50:30	0.026
4	02/27/2012	09:05:30	0.022
5	02/27/2012	09:20:30	0.019
6	02/27/2012	09:35:30	0.018
7	02/27/2012	09:50:30	0.018
8	02/27/2012	10:05:30	0.017
9	02/27/2012	10:20:30	0.017
10	02/27/2012	10:35:30	0.017
11	02/27/2012	10:50:30	0.018
12	02/27/2012	11:05:30	0.017
13	02/27/2012	11:20:30	0.018
14	02/27/2012	11:35:30	0.018
15	02/27/2012	11:50:30	0.018
16	02/27/2012	12:05:30	0.017
17	02/27/2012	12:20:30	0.017
18	02/27/2012	12:35:30	0.017
19	02/27/2012	12:50:30	0.017
20	02/27/2012	13:05:30	0.017
21	02/27/2012	13:20:30	0.016

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/27/2012	13:35:30	0.017
23	02/27/2012	13:50:30	0.017
24	02/27/2012	14:05:30	0.017
25	02/27/2012	14:20:30	0.016
26	02/27/2012	14:35:30	0.015
27	02/27/2012	14:50:30	0.013
28	02/27/2012	15:05:30	0.012
29	02/27/2012	15:20:30	0.014
30	02/27/2012	15:35:30	0.017
31	02/27/2012	15:50:30	0.018
32	02/27/2012	16:05:30	0.019

# Test 032

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/27/2012
Instrument S/N	8530114718	Start Time	07:58:02
		Stop Date	02/27/2012
		Stop Time	15:13:02
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.019 mg/m <sup>3</sup>
Max	0.028 mg/m <sup>3</sup>
Max Date	02/27/2012
Max Time	08:43:02
Min	0.013 mg/m <sup>3</sup>
Min Date	02/27/2012
Min Time	14:58:02
TWA (8 hr)	0.018
TWA Start Date	02/27/2012
TWA Start Time	07:58:02
TWA End Time	15:13:02

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/27/2012	08:13:02	0.025
2	02/27/2012	08:28:02	0.022
3	02/27/2012	08:43:02	0.028
4	02/27/2012	08:58:02	0.025
5	02/27/2012	09:13:02	0.022
6	02/27/2012	09:28:02	0.022
7	02/27/2012	09:43:02	0.021
8	02/27/2012	09:58:02	0.021
9	02/27/2012	10:13:02	0.021
10	02/27/2012	10:28:02	0.020
11	02/27/2012	10:43:02	0.018
12	02/27/2012	10:58:02	0.019
13	02/27/2012	11:13:02	0.019
14	02/27/2012	11:28:02	0.019
15	02/27/2012	11:43:02	0.020
16	02/27/2012	11:58:02	0.019
17	02/27/2012	12:13:02	0.019
18	02/27/2012	12:28:02	0.018
19	02/27/2012	12:43:02	0.021
20	02/27/2012	12:58:02	0.018
21	02/27/2012	13:13:02	0.018

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/27/2012	13:28:02	0.019
23	02/27/2012	13:43:02	0.018
24	02/27/2012	13:58:02	0.018
25	02/27/2012	14:13:02	0.017
26	02/27/2012	14:28:02	0.016
27	02/27/2012	14:43:02	0.015
28	02/27/2012	14:58:02	0.013
29	02/27/2012	15:13:02	0.014



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 2-28-12  
 REP:

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
8:00	W	U-1	0.012	0	D-1	0.012	0	0
9:00	↓	↓	0.010	0	↓	0.015	0	0
10:00			0.009	0		0.012	0	0
11:00			0.008	0		0.014	0	0
12:00			0.011	0		0.015	0	0
1:00			0.011	0		0.013	0	0
2:00			0.018	0		0.017	0	0
3:00			0.022	0		0.025	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Location
7:30	8530114718	0 mg/m <sup>3</sup>	D-1
"	" 4322	0 mg/m <sup>3</sup>	U-1
		mg/m <sup>3</sup>	

**Calibration - Photoionization Detector**

Time	Model	Serial Number	Ambient Air
7:30	Mini	596-0046	0 PPM
			PPM

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



# Test 023

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/28/2012
Instrument S/N	8530114322	Start Time	07:46:57
		Stop Date	02/28/2012
		Stop Time	15:31:57
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.013 mg/m <sup>3</sup>
Max	0.027 mg/m <sup>3</sup>
Max Date	02/28/2012
Max Time	14:31:57
Min	0.008 mg/m <sup>3</sup>
Min Date	02/28/2012
Min Time	11:01:57
TWA (8 hr)	0.013
TWA Start Date	02/28/2012
TWA Start Time	07:46:57
TWA End Time	15:31:57

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/28/2012	08:01:57	0.012
2	02/28/2012	08:16:57	0.013
3	02/28/2012	08:31:57	0.010
4	02/28/2012	08:46:57	0.010
5	02/28/2012	09:01:57	0.010
6	02/28/2012	09:16:57	0.010
7	02/28/2012	09:31:57	0.009
8	02/28/2012	09:46:57	0.009
9	02/28/2012	10:01:57	0.009
10	02/28/2012	10:16:57	0.009
11	02/28/2012	10:31:57	0.009
12	02/28/2012	10:46:57	0.009
13	02/28/2012	11:01:57	0.008
14	02/28/2012	11:16:57	0.008
15	02/28/2012	11:31:57	0.010
16	02/28/2012	11:46:57	0.010
17	02/28/2012	12:01:57	0.011
18	02/28/2012	12:16:57	0.011
19	02/28/2012	12:31:57	0.014
20	02/28/2012	12:46:57	0.011
21	02/28/2012	13:01:57	0.011

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/28/2012	13:16:57	0.016
23	02/28/2012	13:31:57	0.014
24	02/28/2012	13:46:57	0.017
25	02/28/2012	14:01:57	0.018
26	02/28/2012	14:16:57	0.024
27	02/28/2012	14:31:57	0.027
28	02/28/2012	14:46:57	0.024
29	02/28/2012	15:01:57	0.022
30	02/28/2012	15:16:57	0.015
31	02/28/2012	15:31:57	0.013

# Test 033

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/28/2012
Instrument S/N	8530114718	Start Time	07:47:13
		Stop Date	02/28/2012
		Stop Time	15:32:13
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.016 mg/m <sup>3</sup>
Max	0.025 mg/m <sup>3</sup>
Max Date	02/28/2012
Max Time	15:02:13
Min	0.012 mg/m <sup>3</sup>
Min Date	02/28/2012
Min Time	08:02:13
TWA (8 hr)	0.016
TWA Start Date	02/28/2012
TWA Start Time	07:47:13
TWA End Time	15:32:13

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/28/2012	08:02:13	0.012
2	02/28/2012	08:17:13	0.022
3	02/28/2012	08:32:13	0.015
4	02/28/2012	08:47:13	0.015
5	02/28/2012	09:02:13	0.015
6	02/28/2012	09:17:13	0.017
7	02/28/2012	09:32:13	0.015
8	02/28/2012	09:47:13	0.014
9	02/28/2012	10:02:13	0.012
10	02/28/2012	10:17:13	0.013
11	02/28/2012	10:32:13	0.013
12	02/28/2012	10:47:13	0.012
13	02/28/2012	11:02:13	0.014
14	02/28/2012	11:17:13	0.017
15	02/28/2012	11:32:13	0.016
16	02/28/2012	11:47:13	0.024
17	02/28/2012	12:02:13	0.015
18	02/28/2012	12:17:13	0.013
19	02/28/2012	12:32:13	0.019
20	02/28/2012	12:47:13	0.015
21	02/28/2012	13:02:13	0.013

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/28/2012	13:17:13	0.014
23	02/28/2012	13:32:13	0.015
24	02/28/2012	13:47:13	0.017
25	02/28/2012	14:02:13	0.017
26	02/28/2012	14:17:13	0.017
27	02/28/2012	14:32:13	0.019
28	02/28/2012	14:47:13	0.022
29	02/28/2012	15:02:13	0.025
30	02/28/2012	15:17:13	0.018
31	02/28/2012	15:32:13	0.014



# Test 009

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/01/2012
Instrument S/N	8530114322	Start Time	08:34:24
		Stop Date	02/01/2012
		Stop Time	14:49:24
		Total Time	0:06:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.052 mg/m <sup>3</sup>
Max	0.071 mg/m <sup>3</sup>
Max Date	02/01/2012
Max Time	12:19:24
Min	0.039 mg/m <sup>3</sup>
Min Date	02/01/2012
Min Time	13:49:24
TWA (8 hr)	0.041
TWA Start Date	02/01/2012
TWA Start Time	08:34:24
TWA End Time	14:49:24

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/01/2012	08:49:24	0.044
2	02/01/2012	09:04:24	0.049
3	02/01/2012	09:19:24	0.052
4	02/01/2012	09:34:24	0.053
5	02/01/2012	09:49:24	0.054
6	02/01/2012	10:04:24	0.055
7	02/01/2012	10:19:24	0.057
8	02/01/2012	10:34:24	0.055
9	02/01/2012	10:49:24	0.055
10	02/01/2012	11:04:24	0.055
11	02/01/2012	11:19:24	0.056
12	02/01/2012	11:34:24	0.055
13	02/01/2012	11:49:24	0.054
14	02/01/2012	12:04:24	0.058
15	02/01/2012	12:19:24	0.071
16	02/01/2012	12:34:24	0.070
17	02/01/2012	12:49:24	0.067
18	02/01/2012	13:04:24	0.059
19	02/01/2012	13:19:24	0.045
20	02/01/2012	13:34:24	0.040
21	02/01/2012	13:49:24	0.039
22	02/01/2012	14:04:24	0.039
23	02/01/2012	14:19:24	0.039
24	02/01/2012	14:34:24	0.040
25	02/01/2012	14:49:24	0.042

# Test 019

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/01/2012
Instrument S/N	8530114718	Start Time	08:37:23
		Stop Date	02/01/2012
		Stop Time	14:52:23
		Total Time	0:06:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.049 mg/m <sup>3</sup>
Max	0.075 mg/m <sup>3</sup>
Max Date	02/01/2012
Max Time	12:22:23
Min	0.033 mg/m <sup>3</sup>
Min Date	02/01/2012
Min Time	14:07:23
TWA (8 hr)	0.038
TWA Start Date	02/01/2012
TWA Start Time	08:37:23
TWA End Time	14:52:23

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/01/2012	08:52:23	0.038
2	02/01/2012	09:07:23	0.043
3	02/01/2012	09:22:23	0.049
4	02/01/2012	09:37:23	0.049
5	02/01/2012	09:52:23	0.048
6	02/01/2012	10:07:23	0.056
7	02/01/2012	10:22:23	0.057
8	02/01/2012	10:37:23	0.052
9	02/01/2012	10:52:23	0.053
10	02/01/2012	11:07:23	0.053
11	02/01/2012	11:22:23	0.054
12	02/01/2012	11:37:23	0.053
13	02/01/2012	11:52:23	0.050
14	02/01/2012	12:07:23	0.067
15	02/01/2012	12:22:23	0.075
16	02/01/2012	12:37:23	0.064
17	02/01/2012	12:52:23	0.061
18	02/01/2012	13:07:23	0.056
19	02/01/2012	13:22:23	0.041
20	02/01/2012	13:37:23	0.037
21	02/01/2012	13:52:23	0.037

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/01/2012	14:07:23	0.033
23	02/01/2012	14:22:23	0.033
24	02/01/2012	14:37:23	0.034
25	02/01/2012	14:52:23	0.036





# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 2-2-12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	
8:30	From U	U-1	.031	0	D-1	0.027	0	0
9:30	↓	↓	.029	0	↓	0.034	0	0
10:30	↓	↓	.034	0	↓	0.028	0	0
11:30	↓	↓	.034	0	↓	0.027	0	0
12:30	↓	↓	.035	0	↓	0.029	0	0
13:30	↓	↓	.031	0	↓	0.024	0	0
14:30	↓	↓	.031	0	↓	0.023	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Background	Location
05:30	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
07:30	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Zero (Ambient) Air
08:30	Mimac Lite	590-00415	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

# Test 010

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/02/2012
Instrument S/N	8530114322	Start Time	08:08:07
		Stop Date	02/02/2012
		Stop Time	15:08:07
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.032 mg/m <sup>3</sup>
Max	0.037 mg/m <sup>3</sup>
Max Date	02/02/2012
Max Time	11:38:07
Min	0.026 mg/m <sup>3</sup>
Min Date	02/02/2012
Min Time	08:38:07
TWA (8 hr)	0.028
TWA Start Date	02/02/2012
TWA Start Time	08:08:07
TWA End Time	15:08:07

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/02/2012	08:23:07	0.031
2	02/02/2012	08:38:07	0.026
3	02/02/2012	08:53:07	0.027
4	02/02/2012	09:08:07	0.027
5	02/02/2012	09:23:07	0.029
6	02/02/2012	09:38:07	0.028
7	02/02/2012	09:53:07	0.031
8	02/02/2012	10:08:07	0.033
9	02/02/2012	10:23:07	0.034
10	02/02/2012	10:38:07	0.035
11	02/02/2012	10:53:07	0.034
12	02/02/2012	11:08:07	0.034
13	02/02/2012	11:23:07	0.034
14	02/02/2012	11:38:07	0.037
15	02/02/2012	11:53:07	0.035
16	02/02/2012	12:08:07	0.035
17	02/02/2012	12:23:07	0.035
18	02/02/2012	12:38:07	0.030
19	02/02/2012	12:53:07	0.028
20	02/02/2012	13:08:07	0.029
21	02/02/2012	13:23:07	0.031
22	02/02/2012	13:38:07	0.030
23	02/02/2012	13:53:07	0.029
24	02/02/2012	14:08:07	0.035
25	02/02/2012	14:23:07	0.031
26	02/02/2012	14:38:07	0.031
27	02/02/2012	14:53:07	0.034
28	02/02/2012	15:08:07	0.034

# Test 020

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/02/2012
Instrument S/N	8530114718	Start Time	07:56:10
		Stop Date	02/02/2012
		Stop Time	15:11:10
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.028 mg/m <sup>3</sup>
Max	0.038 mg/m <sup>3</sup>
Max Date	02/02/2012
Max Time	09:41:10
Min	0.023 mg/m <sup>3</sup>
Min Date	02/02/2012
Min Time	12:56:10
TWA (8 hr)	0.025
TWA Start Date	02/02/2012
TWA Start Time	07:56:10
TWA End Time	15:11:10

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/02/2012	08:11:10	0.024
2	02/02/2012	08:26:10	0.027
3	02/02/2012	08:41:10	0.028
4	02/02/2012	08:56:10	0.027
5	02/02/2012	09:11:10	0.026
6	02/02/2012	09:26:10	0.034
7	02/02/2012	09:41:10	0.038
8	02/02/2012	09:56:10	0.026
9	02/02/2012	10:11:10	0.030
10	02/02/2012	10:26:10	0.028
11	02/02/2012	10:41:10	0.033
12	02/02/2012	10:56:10	0.028
13	02/02/2012	11:11:10	0.027
14	02/02/2012	11:26:10	0.027
15	02/02/2012	11:41:10	0.029
16	02/02/2012	11:56:10	0.027
17	02/02/2012	12:11:10	0.027
18	02/02/2012	12:26:10	0.029
19	02/02/2012	12:41:10	0.026
20	02/02/2012	12:56:10	0.023
21	02/02/2012	13:11:10	0.027

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/02/2012	13:26:10	0.024
23	02/02/2012	13:41:10	0.023
24	02/02/2012	13:56:10	0.034
25	02/02/2012	14:11:10	0.031
26	02/02/2012	14:26:10	0.023
27	02/02/2012	14:41:10	0.024
28	02/02/2012	14:56:10	0.032
29	02/02/2012	15:11:10	0.026



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 2-3-12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
1000	Fw	U-1	1.045	0				
1100	↓		1.044	0				
1200			1.041	0				
1300			1.039	0				
1400	↓		1.039	0				
1500	↓		1.041	0	D-1	0	0	0

Time	Serial Number	With Zero Air Filter	Background	Location
0730	853014322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
0730	853014718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Time	Model	Serial Number	Zero (Ambient) Air
0730	Minirep 166	596-0075	0 ppm
			ppm

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

See map on back for location information.

# Test 011

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/03/2012
Instrument S/N	8530114322	Start Time	09:38:35
		Stop Date	02/03/2012
		Stop Time	15:08:35
		Total Time	0:05:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.041 mg/m <sup>3</sup>
Max	0.047 mg/m <sup>3</sup>
Max Date	02/03/2012
Max Time	10:23:35
Min	0.037 mg/m <sup>3</sup>
Min Date	02/03/2012
Min Time	12:38:35
TWA (8 hr)	0.028
TWA Start Date	02/03/2012
TWA Start Time	09:38:35
TWA End Time	15:08:35

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/03/2012	09:53:35	0.045
2	02/03/2012	10:08:35	0.046
3	02/03/2012	10:23:35	0.047
4	02/03/2012	10:38:35	0.047
5	02/03/2012	10:53:35	0.044
6	02/03/2012	11:08:35	0.043
7	02/03/2012	11:23:35	0.042
8	02/03/2012	11:38:35	0.042
9	02/03/2012	11:53:35	0.041
10	02/03/2012	12:08:35	0.039
11	02/03/2012	12:23:35	0.039
12	02/03/2012	12:38:35	0.037
13	02/03/2012	12:53:35	0.039
14	02/03/2012	13:08:35	0.039
15	02/03/2012	13:23:35	0.040
16	02/03/2012	13:38:35	0.039
17	02/03/2012	13:53:35	0.039
18	02/03/2012	14:08:35	0.039
19	02/03/2012	14:23:35	0.039
20	02/03/2012	14:38:35	0.039
21	02/03/2012	14:53:35	0.041
22	02/03/2012	15:08:35	0.041

# Test 021

ERROR: FLOW,

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/03/2012
Instrument S/N	8530114718	Start Time	08:18:18
		Stop Date	02/03/2012
		Stop Time	15:23:18
		Total Time	0:07:05:00

Statistics	
AEROSOL	
Avg	0.000 mg/m <sup>3</sup>
Max	0.000 mg/m <sup>3</sup>
Max Date	02/03/2012
Max Time	15:24:00
Min	0.000 mg/m <sup>3</sup>
Min Date	02/03/2012
Min Time	15:24:00
TWA (8 hr)	0.000
TWA Start Date	02/03/2012
TWA Start Time	08:18:18
TWA End Time	15:23:18

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/03/2012	15:24:00	0.000



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
 ROCHESTER, NY  
 (585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
 LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
 DATE: 2-6-12  
 REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
0830	From NW	U-1	0.054	0	D-1	0.016	0	0
0930	↓	↓	0.041	0	↓	0.014	0	0
1030	↓	↓	0.041	0	↓	0.014	0	0
1130	↓	↓	0.040	0	↓	0.014	0	0
1230	↓	↓	0.035	0	↓	0.014	0	0
1330	↓	↓	0.031	0	↓	0.012	0	0
1430	↓	↓	0.026	0	↓	0.007	0	0
1530	↓	↓	0.023	0	↓	0.009	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter						
Time	Serial Number	With Zero Air Filter		Background		Location
6730	853011322	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
0730	8530114718	0	mg/m <sup>3</sup>	mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
			mg/m <sup>3</sup>		mg/m <sup>3</sup>	

Calibration - Photolization Detector				
Time	Model	Serial Number	Zero (Ambient) Air	
0730	Minimize hie	590-00475	0	ppm
				ppm

Notes/Activities: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



# Test 012

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/06/2012
Instrument S/N	8530114322	Start Time	08:06:14
		Stop Date	02/06/2012
		Stop Time	15:36:14
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.036 mg/m <sup>3</sup>
Max	0.054 mg/m <sup>3</sup>
Max Date	02/06/2012
Max Time	08:21:14
Min	0.022 mg/m <sup>3</sup>
Min Date	02/06/2012
Min Time	15:36:14
TWA (8 hr)	0.033
TWA Start Date	02/06/2012
TWA Start Time	08:06:14
TWA End Time	15:36:14

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/06/2012	08:21:14	0.054
2	02/06/2012	08:36:14	0.046
3	02/06/2012	08:51:14	0.045
4	02/06/2012	09:06:14	0.043
5	02/06/2012	09:21:14	0.044
6	02/06/2012	09:36:14	0.045
7	02/06/2012	09:51:14	0.043
8	02/06/2012	10:06:14	0.042
9	02/06/2012	10:21:14	0.041
10	02/06/2012	10:36:14	0.041
11	02/06/2012	10:51:14	0.041
12	02/06/2012	11:06:14	0.040
13	02/06/2012	11:21:14	0.040
14	02/06/2012	11:36:14	0.039
15	02/06/2012	11:51:14	0.038
16	02/06/2012	12:06:14	0.036
17	02/06/2012	12:21:14	0.035
18	02/06/2012	12:36:14	0.033
19	02/06/2012	12:51:14	0.034
20	02/06/2012	13:06:14	0.032
21	02/06/2012	13:21:14	0.031
22	02/06/2012	13:36:14	0.030
23	02/06/2012	13:51:14	0.027
24	02/06/2012	14:06:14	0.024
25	02/06/2012	14:21:14	0.026
26	02/06/2012	14:36:14	0.027
27	02/06/2012	14:51:14	0.025
28	02/06/2012	15:06:14	0.024
29	02/06/2012	15:21:14	0.023
30	02/06/2012	15:36:14	0.022

# Test 022

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/06/2012
Instrument S/N	8530114718	Start Time	08:12:38
		Stop Date	02/06/2012
		Stop Time	15:42:38
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.012 mg/m <sup>3</sup>
Max	0.016 mg/m <sup>3</sup>
Max Date	02/06/2012
Max Time	08:27:38
Min	0.007 mg/m <sup>3</sup>
Min Date	02/06/2012
Min Time	14:27:38
TWA (8 hr)	0.011
TWA Start Date	02/06/2012
TWA Start Time	08:12:38
TWA End Time	15:42:38

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/06/2012	08:27:38	0.016
2	02/06/2012	08:42:38	0.013
3	02/06/2012	08:57:38	0.013
4	02/06/2012	09:12:38	0.014
5	02/06/2012	09:27:38	0.014
6	02/06/2012	09:42:38	0.015
7	02/06/2012	09:57:38	0.015
8	02/06/2012	10:12:38	0.013
9	02/06/2012	10:27:38	0.014
10	02/06/2012	10:42:38	0.014
11	02/06/2012	10:57:38	0.013
12	02/06/2012	11:12:38	0.014
13	02/06/2012	11:27:38	0.014
14	02/06/2012	11:42:38	0.013
15	02/06/2012	11:57:38	0.014
16	02/06/2012	12:12:38	0.014
17	02/06/2012	12:27:38	0.015
18	02/06/2012	12:42:38	0.011
19	02/06/2012	12:57:38	0.015
20	02/06/2012	13:12:38	0.012
21	02/06/2012	13:27:38	0.012

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/06/2012	13:42:38	0.010
23	02/06/2012	13:57:38	0.008
24	02/06/2012	14:12:38	0.012
25	02/06/2012	14:27:38	0.007
26	02/06/2012	14:42:38	0.008
27	02/06/2012	14:57:38	0.008
28	02/06/2012	15:12:38	0.010
29	02/06/2012	15:27:38	0.009
30	02/06/2012	15:42:38	0.007



# Test 013

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/07/2012
Instrument S/N	8530114322	Start Time	07:57:15
		Stop Date	02/07/2012
		Stop Time	15:27:15
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.030 mg/m <sup>3</sup>
Max	0.074 mg/m <sup>3</sup>
Max Date	02/07/2012
Max Time	08:42:15
Min	0.013 mg/m <sup>3</sup>
Min Date	02/07/2012
Min Time	13:27:15
TWA (8 hr)	0.028
TWA Start Date	02/07/2012
TWA Start Time	07:57:15
TWA End Time	15:27:15

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/07/2012	08:12:15	0.071
2	02/07/2012	08:27:15	0.072
3	02/07/2012	08:42:15	0.074
4	02/07/2012	08:57:15	0.072
5	02/07/2012	09:12:15	0.071
6	02/07/2012	09:27:15	0.049
7	02/07/2012	09:42:15	0.036
8	02/07/2012	09:57:15	0.027
9	02/07/2012	10:12:15	0.023
10	02/07/2012	10:27:15	0.023
11	02/07/2012	10:42:15	0.025
12	02/07/2012	10:57:15	0.024
13	02/07/2012	11:12:15	0.022
14	02/07/2012	11:27:15	0.024
15	02/07/2012	11:42:15	0.020
16	02/07/2012	11:57:15	0.021
17	02/07/2012	12:12:15	0.021
18	02/07/2012	12:27:15	0.020
19	02/07/2012	12:42:15	0.021
20	02/07/2012	12:57:15	0.018
21	02/07/2012	13:12:15	0.016
22	02/07/2012	13:27:15	0.013
23	02/07/2012	13:42:15	0.015
24	02/07/2012	13:57:15	0.014
25	02/07/2012	14:12:15	0.015
26	02/07/2012	14:27:15	0.016
27	02/07/2012	14:42:15	0.017
28	02/07/2012	14:57:15	0.018
29	02/07/2012	15:12:15	0.016
30	02/07/2012	15:27:15	0.015

# Test 023

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/07/2012
Instrument S/N	8530114718	Start Time	07:55:47
		Stop Date	02/07/2012
		Stop Time	15:25:47
		Total Time	0:07:30:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.031 mg/m <sup>3</sup>
Max	0.068 mg/m <sup>3</sup>
Max Date	02/07/2012
Max Time	09:10:47
Min	0.013 mg/m <sup>3</sup>
Min Date	02/07/2012
Min Time	13:10:47
TWA (8 hr)	0.029
TWA Start Date	02/07/2012
TWA Start Time	07:55:47
TWA End Time	15:25:47

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/07/2012	08:10:47	0.059
2	02/07/2012	08:25:47	0.064
3	02/07/2012	08:40:47	0.067
4	02/07/2012	08:55:47	0.067
5	02/07/2012	09:10:47	0.068
6	02/07/2012	09:25:47	0.053
7	02/07/2012	09:40:47	0.035
8	02/07/2012	09:55:47	0.025
9	02/07/2012	10:10:47	0.016
10	02/07/2012	10:25:47	0.016
11	02/07/2012	10:40:47	0.020
12	02/07/2012	10:55:47	0.028
13	02/07/2012	11:10:47	0.028
14	02/07/2012	11:25:47	0.028
15	02/07/2012	11:40:47	0.021
16	02/07/2012	11:55:47	0.021
17	02/07/2012	12:10:47	0.023
18	02/07/2012	12:25:47	0.025
19	02/07/2012	12:40:47	0.016
20	02/07/2012	12:55:47	0.014
21	02/07/2012	13:10:47	0.013

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/07/2012	13:25:47	0.017
23	02/07/2012	13:40:47	0.023
24	02/07/2012	13:55:47	0.039
25	02/07/2012	14:10:47	0.019
26	02/07/2012	14:25:47	0.024
27	02/07/2012	14:40:47	0.016
28	02/07/2012	14:55:47	0.027
29	02/07/2012	15:10:47	0.030
30	02/07/2012	15:25:47	0.026



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 2-8-12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	Location	Particulates (mg/m <sup>3</sup> )	VOCs (ppm)	VOCs (ppm)
7:30								
<del>10:30</del>	<del>Flom SW</del>	<del>U-1</del>	<del>1.024</del>	<del>0</del>	<del>D-1</del>	<del>0.014</del>	<del>0</del>	<del>0</del>
10:30	Flom SW	U-1	1.024	0	D-1	0.016	0	0
11:30	↓	↓	1.024	0	↓	0.017	0	0
12:30	↓	↓	1.030	0	↓	—	0	0
13:30	↓	↓	1.035	0	↓	—	0	0
14:30	↓	↓	1.029	0	↓	—	0	0
15:30	↓	↓	1.028	0	↓	0.00	0	0

**Calibration - TSI DustTrak Model 8520 Particulate Meter**

Time	Serial Number	With Zero Air Filter	Background	Location
07:30	8530114322	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
7:30	8530114218	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

**Calibration - Photolization Detector**

Time	Model	Serial Number	Zero (Ambient) Air
0:30	Mimace htr	540-00715	0 ppm
			ppm

Notes/Activities:

---



---



---



---



# Test 014

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/08/2012
Instrument S/N	8530114322	Start Time	10:03:02
		Stop Date	02/08/2012
		Stop Time	15:48:02
		Total Time	0:05:45:00
		Logging Interval	900 seconds

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/08/2012	10:18:02	0.024
2	02/08/2012	10:33:02	0.023
3	02/08/2012	10:48:02	0.025
4	02/08/2012	11:03:02	0.026
5	02/08/2012	11:18:02	0.024
6	02/08/2012	11:33:02	0.025
7	02/08/2012	11:48:02	0.027
8	02/08/2012	12:03:02	0.033
9	02/08/2012	12:18:02	0.030
10	02/08/2012	12:33:02	0.029
11	02/08/2012	12:48:02	0.030
12	02/08/2012	13:03:02	0.030
13	02/08/2012	13:18:02	0.035
14	02/08/2012	13:33:02	0.033
15	02/08/2012	13:48:02	0.030
16	02/08/2012	14:03:02	0.029
17	02/08/2012	14:18:02	0.029
18	02/08/2012	14:33:02	0.027
19	02/08/2012	14:48:02	0.030
20	02/08/2012	15:03:02	0.031
21	02/08/2012	15:18:02	0.028
22	02/08/2012	15:33:02	0.026
23	02/08/2012	15:48:02	0.031

# Test 024

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/08/2012
Instrument S/N	8530114718	Start Time	08:49:52
		Stop Date	02/08/2012
		Stop Time	15:49:52
		Total Time	0:07:00:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.018 mg/m <sup>3</sup>
Max	0.053 mg/m <sup>3</sup>
Max Date	02/08/2012
Max Time	15:49:52
Min	0.000 mg/m <sup>3</sup>
Min Date	02/08/2012
Min Time	15:47:53
TWA (8 hr)	0.016
TWA Start Date	02/08/2012
TWA Start Time	08:49:52
TWA End Time	15:49:52

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/08/2012	09:04:52	0.018
2	02/08/2012	09:19:52	0.016
3	02/08/2012	09:34:52	0.014
4	02/08/2012	09:49:52	0.015
5	02/08/2012	10:04:52	0.014
6	02/08/2012	10:19:52	0.016
7	02/08/2012	10:34:52	0.016
8	02/08/2012	10:49:52	0.017
9	02/08/2012	11:04:52	0.018
10	02/08/2012	11:19:52	0.017
11	02/08/2012	15:47:53	0.000
12	02/08/2012	15:49:52	0.053



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 2-10-12  
REP:

Time	Wind Direction	Upwind			Downwind			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	(ppm)
0900	From W	U-1	1.650	0	D-1	0.039	0	0
1000			1.046	0		0.046	0	0
1100			1.050	0		0.042	0	0
1200			1.052	0		0.040	0	0
1300			1.048	0		0.040	0	0
1400			1.045	0		0.036	0	0
1500			1.052	0		0.043	0	0
1600			1.053	0		0.048	0	0

Time	Serial Number	With Zero Air Filter	Background	Location
0730	853011432	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	U-1
730	8530114718	0 mg/m <sup>3</sup>	mg/m <sup>3</sup>	D-1
		mg/m <sup>3</sup>	mg/m <sup>3</sup>	

Time	Model	Serial Number	Zero (Ambient) Air
0730	Mimrekte	590-00415	0 ppm
			ppm

Notes/Activities:

---



---



---

See map on back for location information.

# Test 015

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/10/2012
Instrument S/N	8530114322	Start Time	08:27:24
		Stop Date	02/10/2012
		Stop Time	16:12:24
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.050 mg/m <sup>3</sup>
Max	0.054 mg/m <sup>3</sup>
Max Date	02/10/2012
Max Time	11:42:24
Min	0.043 mg/m <sup>3</sup>
Min Date	02/10/2012
Min Time	13:42:24
TWA (8 hr)	0.048
TWA Start Date	02/10/2012
TWA Start Time	08:27:24
TWA End Time	16:12:24

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/10/2012	08:42:24	0.052
2	02/10/2012	08:57:24	0.050
3	02/10/2012	09:12:24	0.052
4	02/10/2012	09:27:24	0.048
5	02/10/2012	09:42:24	0.050
6	02/10/2012	09:57:24	0.046
7	02/10/2012	10:12:24	0.048
8	02/10/2012	10:27:24	0.052
9	02/10/2012	10:42:24	0.051
10	02/10/2012	10:57:24	0.050
11	02/10/2012	11:12:24	0.050
12	02/10/2012	11:27:24	0.049
13	02/10/2012	11:42:24	0.054
14	02/10/2012	11:57:24	0.052
15	02/10/2012	12:12:24	0.049
16	02/10/2012	12:27:24	0.049
17	02/10/2012	12:42:24	0.050
18	02/10/2012	12:57:24	0.048
19	02/10/2012	13:12:24	0.049
20	02/10/2012	13:27:24	0.053
21	02/10/2012	13:42:24	0.043
22	02/10/2012	13:57:24	0.045
23	02/10/2012	14:12:24	0.050
24	02/10/2012	14:27:24	0.048
25	02/10/2012	14:42:24	0.048
26	02/10/2012	14:57:24	0.052
27	02/10/2012	15:12:24	0.051
28	02/10/2012	15:27:24	0.050
29	02/10/2012	15:42:24	0.054
30	02/10/2012	15:57:24	0.053
31	02/10/2012	16:12:24	0.051

# Test 025

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/10/2012
Instrument S/N	8530114718	Start Time	08:29:18
		Stop Date	02/10/2012
		Stop Time	16:14:18
		Total Time	0:07:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.041 mg/m <sup>3</sup>
Max	0.050 mg/m <sup>3</sup>
Max Date	02/10/2012
Max Time	15:44:18
Min	0.036 mg/m <sup>3</sup>
Min Date	02/10/2012
Min Time	13:44:18
TWA (8 hr)	0.040
TWA Start Date	02/10/2012
TWA Start Time	08:29:18
TWA End Time	16:14:18

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/10/2012	08:44:18	0.049
2	02/10/2012	08:59:18	0.039
3	02/10/2012	09:14:18	0.041
4	02/10/2012	09:29:18	0.039
5	02/10/2012	09:44:18	0.040
6	02/10/2012	09:59:18	0.040
7	02/10/2012	10:14:18	0.041
8	02/10/2012	10:29:18	0.041
9	02/10/2012	10:44:18	0.042
10	02/10/2012	10:59:18	0.042
11	02/10/2012	11:14:18	0.042
12	02/10/2012	11:29:18	0.041
13	02/10/2012	11:44:18	0.040
14	02/10/2012	11:59:18	0.040
15	02/10/2012	12:14:18	0.041
16	02/10/2012	12:29:18	0.041
17	02/10/2012	12:44:18	0.041
18	02/10/2012	12:59:18	0.040
19	02/10/2012	13:14:18	0.040
20	02/10/2012	13:29:18	0.038
21	02/10/2012	13:44:18	0.036

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/10/2012	13:59:18	0.036
23	02/10/2012	14:14:18	0.037
24	02/10/2012	14:29:18	0.038
25	02/10/2012	14:44:18	0.040
26	02/10/2012	14:59:18	0.043
27	02/10/2012	15:14:18	0.044
28	02/10/2012	15:29:18	0.046
29	02/10/2012	15:44:18	0.050
30	02/10/2012	15:59:18	0.048
31	02/10/2012	16:14:18	0.046



Associates, P.C.

### COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 2-13-12  
REP:

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	
900	From W	U-1	NA		D-1	0.012	0	0
1000	↓	↓	↓		↓	0.012	0	0
1100	↓	↓	↓		↓	0.011	0	0
1200	↓	↓	↓		↓	0.011	0	0
1300	↓	↓	↓		↓	0.015	0	0
1400	↓	↓	↓		↓	0.013	0	0
1500			* No Rain Guard			0.012		

Time	Serial Number	With Zero Air Filter	Location
730	8530114716	0 mg/m <sup>3</sup>	
730		mg/m <sup>3</sup>	
		mg/m <sup>3</sup>	

Time	Model	Serial Number	Ambient Air
			PPM
			PPM

Notes/Activities: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

See map on back for location information.

# Test 026

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/13/2012
Instrument S/N	8530114718	Start Time	08:25:14
		Stop Date	02/13/2012
		Stop Time	15:40:14
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.012 mg/m <sup>3</sup>
Max	0.015 mg/m <sup>3</sup>
Max Date	02/13/2012
Max Time	12:55:14
Min	0.011 mg/m <sup>3</sup>
Min Date	02/13/2012
Min Time	10:40:14
TWA (8 hr)	0.011
TWA Start Date	02/13/2012
TWA Start Time	08:25:14
TWA End Time	15:40:14

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/13/2012	08:40:14	0.012
2	02/13/2012	08:55:14	0.012
3	02/13/2012	09:10:14	0.013
4	02/13/2012	09:25:14	0.013
5	02/13/2012	09:40:14	0.013
6	02/13/2012	09:55:14	0.012
7	02/13/2012	10:10:14	0.012
8	02/13/2012	10:25:14	0.012
9	02/13/2012	10:40:14	0.011
10	02/13/2012	10:55:14	0.011
11	02/13/2012	11:10:14	0.011
12	02/13/2012	11:25:14	0.011
13	02/13/2012	11:40:14	0.011
14	02/13/2012	11:55:14	0.011
15	02/13/2012	12:10:14	0.012
16	02/13/2012	12:25:14	0.014
17	02/13/2012	12:40:14	0.014
18	02/13/2012	12:55:14	0.015
19	02/13/2012	13:10:14	0.014
20	02/13/2012	13:25:14	0.014
21	02/13/2012	13:40:14	0.014



<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/13/2012	13:55:14	0.013
23	02/13/2012	14:10:14	0.013
24	02/13/2012	14:25:14	0.012
25	02/13/2012	14:40:14	0.012
26	02/13/2012	14:55:14	0.012
27	02/13/2012	15:10:14	0.012
28	02/13/2012	15:25:14	0.012
29	02/13/2012	15:40:14	0.012



# COMMUNITY AIR MONITORING LOG

300 STATE STREET  
ROCHESTER, NY  
(585) 454-6110

SITE: FORMER PHOTECH IMAGING SITE  
LOCATION: 1000 DRIVING PARK AVE, ROCHESTER, NY  
DATE: 2-14-12  
REP:

Time	Wind Direction	Upwind - 1			Downwind-1			Work Area
		Location	Particulates	VOCs	Location	Particulates	VOCs	VOCs
			(mg/m <sup>3</sup> )	(ppm)		(mg/m <sup>3</sup> )	(ppm)	
900	From W	U-1	0.031	0	D-1	0.023	0	0
1000	↓	↓	0.017	0	↓	0.025	0	0
1100	↓	↓	0.016	0	↓	0.017	0	0
1200	↓	↓	0.019	0	↓	0.021	0	0
1300	↓	↓	0.021	0	↓	0.018	0	0
1400	↓	↓	0.015	0	↓	0.018	0	0
1500	↓	↓	0.020	0	↓	0.022	0	0

Calibration - TSI DustTrak Model 8520 Particulate Meter

Time	Serial Number	With Zero Air Filter	Location
730	8530114718	0 mg/m <sup>3</sup>	
730	8530114322	0 mg/m <sup>3</sup>	
		mg/m <sup>3</sup>	

Calibration - Photoionization Detector

Time	Model	Serial Number	Ambient Air
			PPM
			PPM

Notes/Activities:

---



---



---



---

See map on back for location information.

# Test 027

Instrument		Data Properties	
Model	DustTrak II	Start Date	02/14/2012
Instrument S/N	8530114718	Start Time	08:40:39
		Stop Date	02/14/2012
		Stop Time	15:25:39
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Statistics	
	<b>AEROSOL</b>
Avg	0.022 mg/m <sup>3</sup>
Max	0.028 mg/m <sup>3</sup>
Max Date	02/14/2012
Max Time	09:40:39
Min	0.017 mg/m <sup>3</sup>
Min Date	02/14/2012
Min Time	10:55:39
TWA (8 hr)	0.018
TWA Start Date	02/14/2012
TWA Start Time	08:40:39
TWA End Time	15:25:39

Test Data			
Data Point	Date	Time	AEROSOL mg/m <sup>3</sup>
1	02/14/2012	08:55:39	0.023
2	02/14/2012	09:10:39	0.023
3	02/14/2012	09:25:39	0.027
4	02/14/2012	09:40:39	0.028
5	02/14/2012	09:55:39	0.025
6	02/14/2012	10:10:39	0.020
7	02/14/2012	10:25:39	0.021
8	02/14/2012	10:40:39	0.023
9	02/14/2012	10:55:39	0.017
10	02/14/2012	11:10:39	0.019
11	02/14/2012	11:25:39	0.022
12	02/14/2012	11:40:39	0.021
13	02/14/2012	11:55:39	0.021
14	02/14/2012	12:10:39	0.022
15	02/14/2012	12:25:39	0.022
16	02/14/2012	12:40:39	0.024
17	02/14/2012	12:55:39	0.023
18	02/14/2012	13:10:39	0.023
19	02/14/2012	13:25:39	0.020
20	02/14/2012	13:40:39	0.019
21	02/14/2012	13:55:39	0.018

<b>Test Data</b>			
<b>Data Point</b>	<b>Date</b>	<b>Time</b>	<b>AEROSOL mg/m<sup>3</sup></b>
22	02/14/2012	14:10:39	0.017
23	02/14/2012	14:25:39	0.019
24	02/14/2012	14:40:39	0.020
25	02/14/2012	14:55:39	0.022
26	02/14/2012	15:10:39	0.022
27	02/14/2012	15:25:39	0.023