

Corrective Measures Summary Report

Location:

Former Roblin Steel Site
320 South Roberts Road
Dunkirk, New York
NYSDEC Site No. B00173-9

Prepared for:

Chautauqua County
Department of Public Affairs
454 North Work Street
Falconer, New York 14773

LaBella Project No. 2210039.05


June 22, 2023



300 Pearl Street, Suite 130 | Buffalo, NY 14203 | p 716-551-6281 | f 716-551-6282

CERTIFICATIONS

I, Chris Kibler, certify that I am currently a Qualified Environmental Professional as defined in 6 NYCRR 375 and that this Corrective Measures Report was conducted in accordance with all applicable statutes and regulations in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).



Signature

6/22/2023
Date



Table of Contents

1.0	BACKGROUND AND SITE DESCRIPTION	1
2.0	GOVERNING DOCUMENTS.....	1
3.0	CORRECTIVE MEASURES.....	2
3.1	Contractors and Consultants	2
3.2	Site Controls & Monitoring.....	2
3.3	Corrective Measures Work Plan Tasks	3
3.3.1	<i>Monitoring Well Installation and Sampling.....</i>	3
3.3.2	<i>In-Situ Direct Push Injections.....</i>	3
3.4	Material Management	3
3.4.1	<i>Auger Spoils and Decontamination Solids.....</i>	3
4.0	SUMMARY AND CONCLUSIONS.....	4

Figures

Figure 1 – Site Location Map

Figure 2 – Well Location Map

Figure 3 – Injection Locations Around MW-07R and EX-MW-11R

Appendices

Appendix A – CAMP Air Monitoring Data

Appendix B – Daily Field Reports

Appendix C – Project Photos

Appendix D – Monitoring Well Installation Report

Appendix E – In-Situ Groundwater Treatment Documentation

Appendix F – Waste Disposal Documentation

1.0 BACKGROUND AND SITE DESCRIPTION

The Site is located at 320 South Roberts Road in the City of Dunkirk, New York. Figure 1 shows the location of the Site and Figure 2 is the Site plan that depicts the Site configuration and location of the groundwater monitoring well network. Progress Drive transects the eastern portion of the Site in a northeast-southwest direction. As a result, a portion of the Site is located east of the roadway and separated from the remainder of the Site. The Site is located in an area zoned for industrial use. A mixture of commercial, industrial, and residential properties comprises the land use in the Site's vicinity. The Site is bounded to the north by an active CSX rail yard; to the east by active Norfolk Southern railroad tracks; to the south by the Former Alumax extrusions property; and to the west by a recently constructed freezer warehouse facility. Residential properties are located to the northwest and south of the Site beyond the adjoining properties. Lake Erie is situated approximately 3,400 feet to the northwest of the Site. Hyde Creek is located approximately 100 feet from the northeast corner of the Site.

This Corrective Measures Summary Report details activities related to the monitoring well installation and in-situ direct push injections consistent with the New York State Department of Environmental Conservation (NYSDEC)-approved Notification of Planned Intrusive Activities (Corrective Measures Work Plan) dated September 2022.

2.0 GOVERNING DOCUMENTS

The Corrective Measures work completed at the Site was generally completed in accordance with NYSDEC DER-10, the Excavation Work Plan (EWP) contained within the Site Management Plan (SMP) dated November 2010 and revised June 2021, and the Corrective Measures Work Plan (CMWP) dated September 2022.

3.0 CORRECTIVE MEASURES

The objective of the Corrective Measures work was to address the department's request to address increases in total volatile organic compound (VOC) concentrations associated with groundwater monitoring wells MW-07R and EX-MW-11R during the December 2021 and March 2022 groundwater sampling events. In addition, one (bedrock) groundwater monitoring well (MW-13) was installed north of MW-07R and immediately south of the north Site boundary to establish groundwater conditions on-site proximate the Site boundary to evaluate if any contaminants previously identified on-site may be migrated off-site to the north. In addition, direct push injections were performed proximate both MW-07R and EX-MW-11R.

3.1 Contractors and Consultants

The following details the consultants and contractors involved with the work associated with the Predesign Investigation activities:

Contractor/ Consultant	Role
LaBella Associates, D.P.C.	Environmental consultant responsible for correspondence with NYSDEC, ensuring compliance with applicable SMP documents, environmental oversight, reporting, sample collection, and CAMP monitoring.
LaBella Environmental, LLC	Monitoring well installation and performance of in-situ direct push injection work.
Provectus Environmental Products	Provided consulting and injection products
Environmental Service Group	Waste hauler for auger spoils and decontamination solids.
Eurofins Environment Testing	Laboratory for testing and analysis of auger soils and decontamination solids, and groundwater associated with MW-13.

3.2 Site Controls & Monitoring

Site controls utilized during implementation of the Corrective Measures Work Plan generally consisted of the following:

- One upwind and one downwind Community Air Monitoring Program (CAMP) station was utilized during ground intrusive work. Although locations varied by day due to location of work, the upwind CAMP station was generally located to the west of the work being performed, while the downwind CAMP station was generally located to the east of the work being performed. Each CAMP station consisted of a particulate monitor (DustTrak II Model 8530) which recorded measurements on a 15-minute average.
- Disturbed subsurface soil was continuously screened for evidence of impairment (i.e., visual, olfactory, or photoionization (PID) detector readings).
- Spoils created from monitoring well installation were placed in a drum and characterized for disposal.

CAMP thresholds were not exceeded throughout the project duration, when compared to applicable state guidance. Hourly checks of the handheld PID did not identify any VOC readings above 0.0 parts per million in the ambient air within the work area.

Odors associated with known contaminants of concern at the Site were not encountered during the Corrective Measures work, and as such, corrective actions associated with odor control were not required.

Copies of all field data sheets relating to the CAMP are provided in electronic format in Appendix A. Daily field notes documenting observed daily activities and tasks are included in electronic format in Appendix B. A digital photo log is included in Appendix C.

3.3 Corrective Measures Work Plan Tasks

3.3.1 Monitoring Well Installation and Sampling

On December 6, 2022, a track mounted drill rig equipped with 4 ½ inch hollow stem augers, was used to install one 2-inch PVC monitoring well (MW-13). The monitoring well was sampled and a Monitoring Well Installation Report with results was issued. The Monitoring Well Installation Report detailing the field activities and sampling results is provided in Appendix D.

3.3.2 In-Situ Direct Push Injections

LaBella Environmental, LLC submitted an Underground Injection Control (UIC) request to the United States Environmental Protection Agency (USEPA) in November 2022, for approval to perform the in-situ direct push injections at the Site. Thereafter, such was “authorized by rule” by Harper Stanfield of the USEPA (UIC ID 19NY01399019).

In-situ direct push injections were conducted between April 11 and April 17, 2023. The injections were performed using a direct hydraulic push rig around each well, over an approximately 1,600 square-foot area, with approximately 10-foot spacing, totaling 32 injection points. The target depths for treatment were 5 to 10 feet below ground surface. Provectus-IR was injected to address the chlorinated VOCs (cVOCs) proximate MW-07R and EX-MW-11R. Provectus is a unique mixture of reagents, including zero valent iron (ZVI) and organic carbon substrate, combined into a single technology that optimized in-situ reductive dechlorination. In addition, approximately three liters of Dehalococcoides (DHC) was also injected as a bioaugmentation process, to assist in overall cVOC destruction. The DHC was spread over approximately four injection points proximate each well area. The product vendor (Provectus) recommended a three-to-six-month lead time of supplemental sampling of MW-07R and EX-MW-11R, in order to allow the materials to perform properly to breakdown the cVOCs proximate each of the two wells. Figure 3 depicts the injection point locations proximate MW-07R and EX-MW-11R. Literature associated with the Provectus-IR and DHC are provided in Appendix E.

3.4 Material Management

Corrective Measures tasks resulted in the need to manage the following materials:

1. Auger Spoils and decontamination solids requiring landfill disposal.

3.4.1 Auger Spoils and Decontamination Solids

Auger spoils and decontamination solids generated as a result of activities associated with the Corrective Measures tasks detailed within Section 3.4 above were drummed and staged on-site, and a soil sample was collected and submitted for characterization. The drum was transported by Environmental Service Group (ESG) to American Recyclers Company in Tonawanda, New York, as a non-hazardous waste. Details including waste characterization, laboratory reports, and waste disposal documentation are included within Appendix F.


4.0 SUMMARY AND CONCLUSIONS

While contraventions of select constituents were identified in MW-13, total VOC concentrations in this well were substantially lower than the concentrations identified in MW-07R during the December 2021 and March 2022 sampling events. The continued monitoring of contaminant levels is recommended at MW-13 as part of the overall groundwater monitoring network at the Site and should be closely examined during future annual monitoring events to determine if an increasing trend materializes.

Given the timing of the injection event proximate MW-07R and EX-MW-11R (April 2023) and the recommended processing time of the applied materials, it is recommended that post-remedial sampling of MW-07R and EX-MW-11R be completed during the next annual Periodic Review Report sampling event slated to take place at the Site in December 2023, to evaluate the effectiveness of the injection event.




FIGURES



PROJECT # / DRAWING # / DATE:
<input type="text"/> 2210039.05
<input checked="" type="checkbox"/> Figure 1
<input type="text"/> 5/4/2023

DRAWING NAME:
Site Location Map

PROJECT:
FORMER ROBLIN STEEL SITE
Roblin CM Site
Dunkirk, NY




LaBella
Powered by partnership.




PROJECT # / DRAWING # / DATE:
<input type="text"/> 2210039.05
<input type="text"/> Figure 2
<input type="text"/> 5/4/2023

DRAWING NAME:
Well Location Map

PROJECT:
FORMER ROBLIN STEEL SITE
Roblin CM Site
Dunkirk, NY



LaBella
Powered by partnership.





APPENDIX A – CAMP AIR MONITORING DATA

Test 003

Downwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/11/2023
Instrument S/N	8530171404	Start Time	11:25:08
		Stop Date	04/11/2023
		Stop Time	14:10:08
		Total Time	0:02:45:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/11/2023	11:40:08	0.055
2	04/11/2023	11:55:08	0.019
3	04/11/2023	12:10:08	0.018
4	04/11/2023	12:25:08	0.023
5	04/11/2023	12:40:08	0.017
6	04/11/2023	12:55:08	0.020
7	04/11/2023	13:10:08	0.013
8	04/11/2023	13:25:08	0.017
9	04/11/2023	13:40:08	0.024
10	04/11/2023	13:55:08	0.024
11	04/11/2023	14:10:08	0.022

Test 003

Upwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/11/2023
Instrument S/N	8530123203	Start Time	11:26:23
		Stop Date	04/11/2023
		Stop Time	14:11:23
		Total Time	0:02:30:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/11/2023	11:40:36	0.000
2	04/11/2023	11:41:23	0.036
3	04/11/2023	11:56:23	0.027
4	04/11/2023	12:11:23	0.020
5	04/11/2023	12:26:23	0.024
6	04/11/2023	12:41:23	0.018
7	04/11/2023	12:56:23	0.021
8	04/11/2023	13:11:23	0.012
9	04/11/2023	13:26:23	0.012
10	04/11/2023	13:41:23	0.026
11	04/11/2023	13:56:23	0.027

Test 004

Downwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/12/2023
Instrument S/N	8530171404	Start Time	08:36:15
		Stop Date	04/12/2023
		Stop Time	15:51:15
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/12/2023	08:51:15	0.029
2	04/12/2023	09:06:15	0.018
3	04/12/2023	09:21:15	0.018
4	04/12/2023	09:36:15	0.017
5	04/12/2023	09:51:15	0.018
6	04/12/2023	10:06:15	0.019
7	04/12/2023	10:21:15	0.018
8	04/12/2023	10:36:15	0.018
9	04/12/2023	10:51:15	0.019
10	04/12/2023	11:06:15	0.019
11	04/12/2023	11:21:15	0.020
12	04/12/2023	11:36:15	0.022
13	04/12/2023	11:51:15	0.021
14	04/12/2023	12:06:15	0.020
15	04/12/2023	12:21:15	0.021
16	04/12/2023	12:36:15	0.021
17	04/12/2023	12:51:15	0.027
18	04/12/2023	13:06:15	0.029
19	04/12/2023	13:21:15	0.026
20	04/12/2023	13:36:15	0.022
21	04/12/2023	13:51:15	0.022
22	04/12/2023	14:06:15	0.021
23	04/12/2023	14:21:15	0.023
24	04/12/2023	14:36:15	0.021
25	04/12/2023	14:51:15	0.021
26	04/12/2023	15:06:15	0.022
27	04/12/2023	15:21:15	0.021
28	04/12/2023	15:36:15	0.019
29	04/12/2023	15:51:15	0.019

Test 004

Upwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/12/2023
Instrument S/N	8530123203	Start Time	08:35:07
		Stop Date	04/12/2023
		Stop Time	15:50:07
		Total Time	0:07:15:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m^3
1	04/12/2023	08:50:07	0.020
2	04/12/2023	09:05:07	0.019
3	04/12/2023	09:20:07	0.018
4	04/12/2023	09:35:07	0.019
5	04/12/2023	09:50:07	0.018
6	04/12/2023	10:05:07	0.019
7	04/12/2023	10:20:07	0.018
8	04/12/2023	10:35:07	0.017
9	04/12/2023	10:50:07	0.018
10	04/12/2023	11:05:07	0.019
11	04/12/2023	11:20:07	0.019
12	04/12/2023	11:35:07	0.021
13	04/12/2023	11:50:07	0.020
14	04/12/2023	12:05:07	0.018
15	04/12/2023	12:20:07	0.019
16	04/12/2023	12:35:07	0.019
17	04/12/2023	12:50:07	0.023
18	04/12/2023	13:05:07	0.027
19	04/12/2023	13:20:07	0.021
20	04/12/2023	13:35:07	0.020
21	04/12/2023	13:50:07	0.021
22	04/12/2023	14:05:07	0.019
23	04/12/2023	14:20:07	0.020
24	04/12/2023	14:35:07	0.020
25	04/12/2023	14:50:07	0.019
26	04/12/2023	15:05:07	0.019
27	04/12/2023	15:20:07	0.018
28	04/12/2023	15:35:07	0.016
29	04/12/2023	15:50:07	0.016

Test 005

Downwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/13/2023
Instrument S/N	8530171404	Start Time	08:44:03
		Stop Date	04/13/2023
		Stop Time	15:29:03
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/13/2023	08:59:03	0.016
2	04/13/2023	09:14:03	0.014
3	04/13/2023	09:29:03	0.015
4	04/13/2023	09:44:03	0.013
5	04/13/2023	09:59:03	0.017
6	04/13/2023	10:14:03	0.012
7	04/13/2023	10:29:03	0.012
8	04/13/2023	10:44:03	0.015
9	04/13/2023	10:59:03	0.013
10	04/13/2023	11:14:03	0.013
11	04/13/2023	11:29:03	0.013
12	04/13/2023	11:44:03	0.012
13	04/13/2023	11:59:03	0.013
14	04/13/2023	12:14:03	0.016
15	04/13/2023	12:29:03	0.013
16	04/13/2023	12:44:03	0.015
17	04/13/2023	12:59:03	0.018
18	04/13/2023	13:14:03	0.017
19	04/13/2023	13:29:03	0.017
20	04/13/2023	13:44:03	0.020
21	04/13/2023	13:59:03	0.017
22	04/13/2023	14:14:03	0.018
23	04/13/2023	14:29:03	0.018
24	04/13/2023	14:44:03	0.019
25	04/13/2023	14:59:03	0.020
26	04/13/2023	15:14:03	0.020
27	04/13/2023	15:29:03	0.020

Test 005

Upwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/13/2023
Instrument S/N	8530123203	Start Time	08:43:18
		Stop Date	04/13/2023
		Stop Time	15:28:18
		Total Time	0:06:45:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/13/2023	08:58:18	0.022
2	04/13/2023	09:13:18	0.020
3	04/13/2023	09:28:18	0.020
4	04/13/2023	09:43:18	0.019
5	04/13/2023	09:58:18	0.022
6	04/13/2023	10:13:18	0.020
7	04/13/2023	10:28:18	0.017
8	04/13/2023	10:43:18	0.019
9	04/13/2023	10:58:18	0.019
10	04/13/2023	11:13:18	0.021
11	04/13/2023	11:28:18	0.018
12	04/13/2023	11:43:18	0.017
13	04/13/2023	11:58:18	0.018
14	04/13/2023	12:13:18	0.018
15	04/13/2023	12:28:18	0.019
16	04/13/2023	12:43:18	0.020
17	04/13/2023	12:58:18	0.020
18	04/13/2023	13:13:18	0.023
19	04/13/2023	13:28:18	0.023
20	04/13/2023	13:43:18	0.025
21	04/13/2023	13:58:18	0.023
22	04/13/2023	14:13:18	0.025
23	04/13/2023	14:28:18	0.024
24	04/13/2023	14:43:18	0.024
25	04/13/2023	14:58:18	0.025
26	04/13/2023	15:13:18	0.024
27	04/13/2023	15:28:18	0.024

Test 006

Downwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/14/2023
Instrument S/N	8530171404	Start Time	08:53:50
		Stop Date	04/14/2023
		Stop Time	13:53:50
		Total Time	0:05:00:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/14/2023	09:08:50	0.030
2	04/14/2023	09:23:50	0.028
3	04/14/2023	09:38:50	0.027
4	04/14/2023	09:53:50	0.026
5	04/14/2023	10:08:50	0.029
6	04/14/2023	10:23:50	0.030
7	04/14/2023	10:38:50	0.030
8	04/14/2023	10:53:50	0.028
9	04/14/2023	11:08:50	0.026
10	04/14/2023	11:23:50	0.025
11	04/14/2023	11:38:50	0.026
12	04/14/2023	11:53:50	0.027
13	04/14/2023	12:08:50	0.026
14	04/14/2023	12:23:50	0.025
15	04/14/2023	12:38:50	0.026
16	04/14/2023	12:53:50	0.026
17	04/14/2023	13:08:50	0.027
18	04/14/2023	13:23:50	0.027
19	04/14/2023	13:38:50	0.027
20	04/14/2023	13:53:50	0.030

Test 006

Upwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/14/2023
Instrument S/N	8530123203	Start Time	08:51:46
		Stop Date	04/14/2023
		Stop Time	14:06:46
		Total Time	0:05:15:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/14/2023	09:06:46	0.032
2	04/14/2023	09:21:46	0.025
3	04/14/2023	09:36:46	0.023
4	04/14/2023	09:51:46	0.021
5	04/14/2023	10:06:46	0.023
6	04/14/2023	10:21:46	0.022
7	04/14/2023	10:36:46	0.023
8	04/14/2023	10:51:46	0.019
9	04/14/2023	11:06:46	0.016
10	04/14/2023	11:21:46	0.013
11	04/14/2023	11:36:46	0.014
12	04/14/2023	11:51:46	0.017
13	04/14/2023	12:06:46	0.017
14	04/14/2023	12:21:46	0.016
15	04/14/2023	12:36:46	0.017
16	04/14/2023	12:51:46	0.017
17	04/14/2023	13:06:46	0.017
18	04/14/2023	13:21:46	0.018
19	04/14/2023	13:36:46	0.018
20	04/14/2023	13:51:46	0.019
21	04/14/2023	14:06:46	0.020

Test 007

Downwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/17/2023
Instrument S/N	8530171404	Start Time	09:03:36
		Stop Date	04/17/2023
		Stop Time	14:18:36
		Total Time	0:05:15:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/17/2023	09:18:36	0.005
2	04/17/2023	09:33:36	0.005
3	04/17/2023	09:48:36	0.004
4	04/17/2023	10:03:36	0.003
5	04/17/2023	10:18:36	0.004
6	04/17/2023	10:33:36	0.005
7	04/17/2023	10:48:36	0.006
8	04/17/2023	11:03:36	0.006
9	04/17/2023	11:18:36	0.007
10	04/17/2023	11:33:36	0.007
11	04/17/2023	11:48:36	0.008
12	04/17/2023	12:03:36	0.009
13	04/17/2023	12:18:36	0.009
14	04/17/2023	12:33:36	0.011
15	04/17/2023	12:48:36	0.009
16	04/17/2023	13:03:36	0.006
17	04/17/2023	13:18:36	0.005
18	04/17/2023	13:33:36	0.004
19	04/17/2023	13:48:36	0.004
20	04/17/2023	14:03:36	0.004
21	04/17/2023	14:18:36	0.003

Test 007

Upwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	04/17/2023
Instrument S/N	8530123203	Start Time	09:01:54
		Stop Date	04/17/2023
		Stop Time	14:16:54
		Total Time	0:05:15:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	04/17/2023	09:16:54	0.006
2	04/17/2023	09:31:54	0.006
3	04/17/2023	09:46:54	0.004
4	04/17/2023	10:01:54	0.003
5	04/17/2023	10:16:54	0.003
6	04/17/2023	10:31:54	0.005
7	04/17/2023	10:46:54	0.005
8	04/17/2023	11:01:54	0.006
9	04/17/2023	11:16:54	0.006
10	04/17/2023	11:31:54	0.006
11	04/17/2023	11:46:54	0.008
12	04/17/2023	12:01:54	0.008
13	04/17/2023	12:16:54	0.009
14	04/17/2023	12:31:54	0.009
15	04/17/2023	12:46:54	0.009
16	04/17/2023	13:01:54	0.006
17	04/17/2023	13:16:54	0.004
18	04/17/2023	13:31:54	0.003
19	04/17/2023	13:46:54	0.003
20	04/17/2023	14:01:54	0.003
21	04/17/2023	14:16:54	0.002



APPENDIX B – DAILY FIELD REPORTS



LaBella

Powered by partnership.

**300 Pearl Street
Buffalo, New York 14202
Phone: (716) 551-6281
Fax: (716) 551-6282**

FIELD INSPECTION REPORT NO: 1

Date: 4/11/23

(Project No.)

Re: Former Roblin Steel Injections

Contractor, Equipment & Personnel:

Contractor A is: LaBella LLC

Contractor B is:

Contractor C is:

Contractor D is:

Contractor E is:

Contractor F is:

Time: 10:30 hrs.
Weather: windy
Temperature: 53° °F
Wind: WSW at 16 mph
Humidity: 49% %

Time:	1500	hrs.
Weather:	windy	
Temperature:	65	°F
Wind:	WSW at 18	mph
Humidity:	53	%

Visitors: _____ Representing _____ Time _____

Daily Log:

- Crew arrives on site. Staging equipment will start injection
 - Ex-Mur-11R location.
 - 11:30: A. Koons starts dust monitors for the day. Workers will start pounding injection cards.
 - Air compressor will not start, one crew member will go to rental place to pick one up.
 - Drillers pack remaining injection heads into ground and set up for tomorrow.
 - Offsite



LaBella
Powered by partnership.

300 Pearl Street
Buffalo, New York 14202
Phone: (716) 551-6281
Fax: (716) 551-6282

FIELD INSPECTION REPORT NO: 2

2

Date: 4/12/23
(Project No.)

Re: Former Roblin Steel Injections

Contractor, Equipment & Personnel:

Contractor A is: LaBella LLC

Contractor B is:

Contractor C is:

Contractor D is:

Contractor E is:

Contractor F is:

Visitors: _____ Representing _____ Time _____

Daily Log:

- 0530: arrive onsite. Crew has set up far injections. AK sets up dust trackers for the day.

-0645: Crew begins injections at far locations.

-1100: Still injecting at first 4 locations

-1300: Injection points 1-4 completed. Setting up on the next 4 points.

-1330: injection points 5-8 begin

-1600: injection points 5-8 are finished and crews begins cleaning up for the day. Dust trackers come down.

-1700: off site.



LaBella
Powered by partnership.

**300 Pearl Street
Buffalo, New York 14202
Phone: (716) 551-6281
Fax: (716) 551-6282**

FIELD INSPECTION REPORT NO: 5

3

Date: 4/13/23
(Project No.)

Re: former Roblin Steel Injections

Contractor, Equipment & Personnel:

Contractor A is: LaBella LLC

Contractor B is:

Contractor C is:

Contractor D is:

Contractor E is:

Contractor F is:

Equipment on-

Time: 0900 hrs.
Weather: windy
Temperature: 57° °F
Wind: ~~wind~~ at 15 mph
Humidity: 62 %

Time:	1600	hrs.
Weather:	Sunny + Breezy	
Temperature:	61	°F
Wind:	wsw at 14	mph
Humidity:	53	%

Visitors: _____ Representing _____ Time _____

Daily Log:

-0830: Arrive on site. Crew is setting up for the day. Dust trackers go up.

0900: Crew begins installing injection points 9-12.

1230: Crews begin installing injection points 13-16.

1245: crew begins pumping injections

1500: Injection P 13-16 are complete. Workers pack up and head to next injection spot

1630: OFF site



LaBella
Powered by partnership.

**300 Pearl Street
Buffalo, New York 14202
Phone: (716) 551-6281
Fax: (716) 551-6282**

FIELD INSPECTION REPORT NO: 9

Date: 4/14/23
(Project No.)

Re: Former Robin Steel Injections

Contractor, Equipment & Personnel:

Contractor A is: LaBella LLC

Contractor B is:

Contractor C is:

Contractor D is:

Contractor E is:

Contractor F is:

Time: 0906 hrs.
Weather: Sunny
Temperature: 55 °F
Wind: SSW at 3 mph
Humidity: 69 %

Time: 1600 hrs.
Weather: sunny
Temperature: 70 °F
Wind: SSW at 3 mph
Humidity: 64 %

Visitors: Representing Time
Megan Kozlka NYSDEC 1200-1250

Daily Log:

0830: Archive onsite. Dust trackers
set set up. Workers will install injection
points 1-4.

0930: injections 1-4 started

1045: Injections 1-4 are fine

Start installing points 5-8.

1115: Injections 5-8 begin

1200: Megan Kuczka w/ DEC Steps

art. work continuous.

1400: Injections 5-8

Crew sets up for injections 9-

1600: Injecting air completed

Crew cleans up for the day

Digitized by srujanika@gmail.com



LaBella
Powered by partnership.

**300 Pearl Street
Buffalo, New York 14202
Phone: (716) 551-6281
Fax: (716) 551-6282**

FIELD INSPECTION REPORT NO:

5

Date: 4/17/23

(Project No.)

Re: Former Roblin Steel Injections

Contractor, Equipment & Personnel:

Contractor A is: LaBella LLC

Contractor B is:

Contractor C is:

Contractor D is:

Contractor E is:

Contractor F is:

Equipment on-

Time:	<u>0930</u>	hrs.
Weather:	<u>mostly cloudy</u>	
Temperature:	<u>45</u>	°F
Wind:	<u>SW</u> at <u>11</u>	mph
Humidity:	<u>73</u>	%

Time: 1500 hrs.
Weather: ~~Windy~~ Rain
Temperature: 45° °F
Wind: Sus at 10 mph
Humidity: 63 %

Visitors: Representing Time

Daily Log:

0900: Crew arrives on site. Dust trackers are set up. Crew begins setting up and installing injection points

0930: Injections 9-12 begin.
1145: Injections 9-12 are completed.
Crew begins to set up and ~~install~~
install injection points 13-16.
1400: Injections 13-16 are completed
Crew will pack up.
1600: off site.



APPENDIX C – PROJECT PHOTOS



Typical injection set up around EX-MW-11R



Typical injection set up around EX-MW-11R



Typical injection set up around EX-MW-11R



Typical injection set up around MW-07R



Typical injection set up around MW-07R



APPENDIX D – MONITORING WELL INSTALLATION REPORT



February 14, 2023

Mr. Drew E. Rodgers, PE
Chautauqua County Department of Public Facilities
454 North Works Street
Falconer, New York 14733

RE: Monitoring Well Installation (MW-13)
Former Roblin Steel Site – 320 South Roberts Road, Dunkirk, New York
NYSDEC Site No. B00173-9

Dear Mr. Rodgers:

As a result of increases in total Volatile Organic Compound (VOC) concentrations in laboratory groundwater analytical results associated with the sampling of MW-07R and EX-MW-11R, in December 2021 and March 2022, the New York State Department of Environmental Conservation (NYSDEC) requested a Corrective Measures Work Plan (CMWP). Such was submitted to the NYSDEC in September 2022, serving also as a notice of planned intrusive activities, and included a scope of work for the installation of one new permanent groundwater monitoring well (MW-13) between MW-07R and the north property boundary and an injection event proximate both MW-07R and EX-MW-11R. The new well was requested in order to assess total VOC concentrations proximate the north property boundary. In addition, the injection events were proposed in an effort to further breakdown the VOC concentrations proximate MW-07R and EX-MW-11R. The monitoring well installation was performed on December 6, 2022, and in conformance with the scope of work outlined in the NYSEC-approved Notification of Planned Intrusive Activities/ CMWP, dated September 13, 2022. The following summarizes the construction and sampling of MW-13.

FIELD INVESTIGATION

Monitoring Well Installation and Sampling

On December 6, 2022, a track mounted Diedrich D-50 drill rig equipped with 4 ½ inch hollow stem augers was used to install a 2-inch PVC monitoring well just south of the northern property boundary, proximate to MW-07R, designated as MW-13. The monitoring well was advanced to an approximate depth of 17.5 feet below the ground surface (ft. bgs). The 2-inch PVC well screen/riser was encased in a steel well casing and completed at the surface with a cement curb box. As the cover system changed in this specific location (i.e. a soil cover replaced by concrete), such constituted a modification of the cover element of the remedy and the upper surface of the remaining contamination. Non-native materials at the Site consisted of sand and gravel-type fill (cover system), to a depth of approximately one ft. bgs. Native soils at the Site consisted of brown and gray, alluvial and glacial deposits (clays, and till). Bedrock (weathered shale) was encountered at a depth of approximately 12 ft. bgs to the end of boring at approximately 18.5 ft. bgs. Static groundwater levels were observed in the groundwater monitoring well just short of five ft. bgs during purging and sampling. The monitoring well location is depicted on Figure 2. Photoionization detector (PID) readings slightly above background [0.0 parts per million (ppm)] were observed throughout the weathered shale layer at approximately 0.5 ppm, likely indicative of background condition throughout that material. No field evidence of impairment (i.e. staining, odors, sheen) was observed within the soil cuttings or purged groundwater. Field logs are included in Appendix 1.



During drilling activities, Community and Air Monitoring Plan (CAMP) equipment, including two DustTrak monitors, were deployed (upwind and downwind) to monitor dust particulates. No dust particulate exceedances of CAMP requirements were recorded during the groundwater monitoring well installation activities. Camp data logs are included in Appendix 2. Soil auger cuttings generated during the installation of the groundwater monitoring well were placed in one, sealed 55-gallon drum and sampled for off-Site disposal. Environmental Service Group is scheduled to transport the auger cuttings to American Recyclers Company for off-Site disposal. Laboratory results for the soil cuttings are included in Appendix 3.

On December 13, 2022, MW-13 was purged and sampled via low-flow techniques. According to the Excavation Work Plan, located with the Site's Site Management Plan, purge water was allowed to be discharged down-gradient of the well location and not allowed to leave the Site limits, as such did not exhibit evidence of impairment. The groundwater sample was collected from MW-13 and submitted for laboratory analysis of Target Compound List VOCs. Based on laboratory analytical groundwater results, fourteen VOCs were identified above laboratory method detection limits (MDLs). All identified concentrations were below applicable NYSDEC guidance [Division of Water Technical and Operational Guidance Series (TOGS)] with the exception of exceedances of benzene (6.4 micrograms per liter [$\mu\text{g}/\text{L}$] with a guidance value of 1 $\mu\text{g}/\text{L}$), cis-1,2-dichloroethene (19 $\mu\text{g}/\text{L}$ with a guidance value of 5 $\mu\text{g}/\text{L}$), toluene (10 $\mu\text{g}/\text{L}$ with a guidance value of 5 $\mu\text{g}/\text{L}$), vinyl chloride (11 $\mu\text{g}/\text{L}$ with a guidance value of 2 $\mu\text{g}/\text{L}$) and total xylenes (14 $\mu\text{g}/\text{L}$ with a guidance value of 5 $\mu\text{g}/\text{L}$). Approximate total VOC concentrations in MW-13 were 117 $\mu\text{g}/\text{L}$. Groundwater results are summarized in Table 1 and the laboratory report is included in Appendix 3.

CONCLUSIONS & RECOMMENDATIONS

While contraventions of select constituents were identified in MW-13, total VOC concentrations in this well were substantially lower than the concentrations identified in MW-07R during the December 2021 and March 2022 sampling events. An injection event is slated to occur proximate MW-07R and MW-13 (as well as EX-MW-11R) in early 2023, as part of the CMWP. The continued monitoring of contaminant levels is recommended at MW-13 as part of the overall groundwater monitoring network at the Site and should be closely examined during future annual monitoring events to determine if an increasing trend materializes.

We appreciate the opportunity to serve your professional environmental engineering needs. If you have any questions, please do not hesitate to contact me at (716) 768-4906.

Sincerely,

Chris Kibler
Project Manager
Environmental Professional

Andrew Koons
Geologist
Environmental Professional



FIGURES





FIGURE 1
SITE LOCATION MAP

Not To Scale

Former Roblin Steel Site
320 South Roberts Road
Dunkirk, New York

 LaBella
Powered by partnership.

PROJECT NO. 2200014



0 100 200
Feet

INTENDED TO PRINT AS: 11" X 17"

PROJECT:

**FORMER ROBLIN
STEEL SITE**

DRAWING NAME:

**SITE
PLAN**

PROJECT #/DRAWING #/ DATE

2200014

FIGURE 2

01/04/2023



TABLE

Table 1
Former Roblin Street Site
Dunkirk, New York
Monitoring Well Installation
Summary of Groundwater Analytical Results
(Detected Analytes Only)

Sample ID	MW-13	NYSDEC TOGS
Sample Date	12/13/2022	
Volatile Organic Compounds (µg/L)		
2-Butanone (MEK)	5.8 J	50
Acetone	23	50
Benzene	6.4	1
Carbon disulfide	1.1	NL
Chloromethane	0.37 J	5
cis-1,2-Dichloroethene	19	5
Cyclohexane	9.9	NL
Ethylbenzene	2.5	5
Methyl cyclohexane	11	NL
Toluene	10	5
trans-1,2-Dichloroethene	1	5
Trichloroethene	1.9	5
Vinyl chloride	11	2
Xylenes, total	14	5
Approximate Total VOCs	117	NA

New York State Department of Environmental Conservation (NYSDEC) Division of Water

Technical and Operational Guidance Series

(TOGS) (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent

Limitations (June 1998)

J = The analyte was positively identified; the associated numerical value is an approximate concentration of the analyte in the sample

NL = Not listed

NA = Not applicable

µg/L = Micrograms per liter

Concentrations in gray exceed NYSDEC TOGS




APPENDIX 1

Field Logs

 LaBella <small>Powered by partnership.</small> 300 PEARL STREET, BUFFALO, NY ENVIRONMENTAL ENGINEERING CONSULTANTS			PROJECT Former Roblin Steel Site Monitoring Well Installation			BORING: MW-13 SHEET 1 of 1 JOB: 2210039.05 CHKD BY: DATE: 12/6/2022			
CONTRACTOR: LaBella Env. LLC DRILLER: C. Stone LABELLA REPRESENTATIVE: A. Koons			BORING LOCATION: GROUND SURFACE ELEVATION 612.9 START DATE:			TIME: ____ TO ____ DATUM: AMSL WEATHER:			
TYPE OF DRILL RIG: D-50 AUGER SIZE AND TYPE: 4 1/4" OVERBURDEN SAMPLING METHOD: NA						DRIVE SAMPLER TYPE: NA INSIDE DIAMETER: OTHER:			
DEPTH (FEET BGS)	SAMPLE		VISUAL CLASSIFICATION			PID FIELD SCREEN (PPM)	REMARKS		
	SAMPLE RECOVERY (INCHES)	SAMPLE NO. AND DEPTH						STRATA CHANGE (FEET BGS)	
0			0-0.2": Topsoil 0.2-1.0": Brown SAND and GRAVEL, with little silt (CLEAN FILL) 1.0-10.0": Brown Silty Clay with little sand and gravel			0 ppm	Soil classifications based on drill cuttings		
1						0 ppm			
2									
3									
4									
5									
6									
7									
8									
9									
10			10.0- 12.0": Gray Cleey SILT with some sand and gravel			0 ppm			
11									
12			12.0-18.5": Weathered SHALE			0.5 ppm			
13									
14									
15									
16									
17									
18									
19			Boring Terminated at 18.5' Auger Resfusal at 18.5'						
20									
			DEPTH (FT)		NOTES:				
WATER LEVEL DATA			BOTTOM OF CASING	BOTTOM OF BORING	GROUNDWATER ENCOUNTERED	MW-13 installed at this location (17.5')			
DATE	TIME	ELAPSED TIME							
GENERAL NOTES <p>1) STRATIFICATION LINES REPRESENT APPROXIMATE BOUNDARY BETWEEN SOIL TYPES, TRANSITIONS MAY BE GRADUAL. 2) WATER LEVEL READINGS HAVE BEEN MADE AT TIMES AND UNDER CONDITIONS STATED, FLUCTUATIONS OF GROUNDWATER</p>									
BGS = Below Ground Surface NA = Not Applicable			and = 35 - 50% some = 20 - 35% little = 10 - 20% trace = 1 - 10%			C = Coarse M = Medium F = Fine VF = Very Fine		R = Rounded A = Angular SR = Subrounded SA = Subangular	
								BORING: MW-13	

 <p>300 PEARL STREET, BUFFALO, NEW YORK ENVIRONMENTAL ENGINEERING CONSULTANTS</p>	PROJECT		MONITORING WELL : MW-13
	Former Roblin Steel Site Monitoring Well Installation		BORING LOCATION : MW-13
CONTRACTOR: LaBella Environmental LLC	START TIME:	END TIME:	SHEET 1 OF 1
DRILLER: C. Stone			JOB # 2210039.05
LABELLA REPRESENTATIVE: A. Koons	GROUND SURFACE ELEVATION: 612.90	DATUM: AMSL	TYPE OF DRILL RIG: D-50
			AUGER SIZE AND TYPE: 4 1/4"
			OVERBURDEN SAMPLING METHOD: NA



GENERAL NOTES:

- 1) NOT TO SCALE
- 2) DEPTHS ARE APPROXIMATE

LABELLA ASSOCIATES, D.P.C.
Environmental Engineering Consultants

Well I.D. MW-13

Job No. 2200014

Site Location:

Rabilin

Sample Date:

12/13/22

LaBella Representative:

Well I.D.	Initial Readings	3 Well Volume	4 Well Volumes	5 Well Volume	Sample	Post Sample	Details
Time	1250	1256	1302	1308	1315		
Depth of well	20.10						
Depth to water	4.91						
Well diameter	2"						
Well volume (gallons)	2.4						
Purging device							
Containment device							
Purge time							
Gallons purged	Ø	2.4	4.8	7.2	—		
Sample device							

Field Parameters

Temperature	11.9	10.7	11.2	11.7	11.8	
pH measurement	7.54	7.40	6.93	6.88	6.83	
Conductivity (mS/cm)	1203	1137	1117	6945	0.965	
ORP/Eh (mV)	-34.0	-70.5	-80.3	-52.3	-56.4	
Turbidity (NTUs)	848.67	437.77	396.44	273.46	362.24	

WEATHER:

NOTES/FIELD OBSERVATIONS:

Soft bottom

settling

purged for 10 min before readings

Well Volume Purge: 1 Well Volume = (Total Well Depth – Static Depth To Water) X Well Capacity
 (only if applicable) = (ft. - ft.) X . gal/ft = 0.3056 gallons

Well Capacity (Gallons per Foot): 0.75"=0.02 1"=0.04 1.5"=0.092 2"=0.16 3"=0.37

4"=0.65 5"=1.02 6"=1.47 12"=5.88

1. Stabilization Criteria for range of variation of last three consecutive Readings

pH: ± 0.2 units; Temperature: ± 0.5°C; Specific Conductance: ± 10%; Turbidity: ≤ 50 NTU

A minimum of three well volumes and a maximum of five well volumes are to be removed from each well prior to sampling. In the event that groundwater recharge is slow, the purging process will continue until the well is purged "dry". After the water level has returned to its pre-purge level (or within a maximum of two hours), samples will be collected. If the water level is slow to recharge and does not reach its pre-purge level within two hours, then samples can be collected after sufficient water has recharged, and the degree of recharge indicated in field notes with time and depth to water noted.

Sep. chain
 Z



APPENDIX 2

CAMP Data

Test 001

Downwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	12/06/2022
Instrument S/N	8530120611	Start Time	10:26:53
		Stop Date	12/06/2022
		Stop Time	14:11:53
		Total Time	0:03:45:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	12/06/2022	10:41:53	-0.034
2	12/06/2022	10:56:53	-0.034
3	12/06/2022	11:11:53	-0.034
4	12/06/2022	11:26:53	-0.034
5	12/06/2022	11:41:53	-0.034
6	12/06/2022	11:56:53	-0.025
7	12/06/2022	12:11:53	-0.034
8	12/06/2022	12:26:53	-0.035
9	12/06/2022	12:41:53	-0.034
10	12/06/2022	12:56:53	-0.030
11	12/06/2022	13:11:53	-0.029
12	12/06/2022	13:26:53	-0.033
13	12/06/2022	13:41:53	-0.033
14	12/06/2022	13:56:53	-0.034
15	12/06/2022	14:11:53	-0.034

Test 002

Upwind

Instrument		Data Properties	
Model	DustTrak II	Start Date	12/06/2022
Instrument S/N	8530141504	Start Time	10:22:49
		Stop Date	12/06/2022
		Stop Time	14:22:49
		Total Time	0:04:00:00
		Logging Interval	900 seconds

Test Data

Data Point	Date	Time	AEROSOL mg/m ³
1	12/06/2022	10:37:49	0.013
2	12/06/2022	10:52:49	0.012
3	12/06/2022	11:07:49	0.013
4	12/06/2022	11:22:49	0.013
5	12/06/2022	11:37:49	0.013
6	12/06/2022	11:52:49	0.015
7	12/06/2022	12:07:49	0.012
8	12/06/2022	12:22:49	0.013
9	12/06/2022	12:37:49	0.013
10	12/06/2022	12:52:49	0.013
11	12/06/2022	13:07:49	0.014
12	12/06/2022	13:22:49	0.014
13	12/06/2022	13:37:49	0.067
14	12/06/2022	13:52:49	0.015
15	12/06/2022	14:07:49	0.014
16	12/06/2022	14:22:49	0.014



APPENDIX 3

Laboratory Reports

ANALYTICAL REPORT

PREPARED FOR

Attn: Chris Kibler
LaBella Associates DPC
300 Pearl Street
Suite 130
Buffalo, New York 14202

Generated 12/19/2022 4:03:42 PM

JOB DESCRIPTION

Alumax & Roblin Periodic Review Reports

JOB NUMBER

480-204719-2

Eurofins Buffalo

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing Northeast, LLC Buffalo and its client. All questions regarding this report should be directed to the Eurofins Environment Testing Northeast, LLC Buffalo Project Manager or designee who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
12/19/2022 4:03:42 PM

Authorized for release by
Brian Fischer, Manager of Project Management
Brian.Fischer@et.eurofinsus.com
(716)504-9835

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Surrogate Summary	9
QC Sample Results	10
QC Association Summary	13
Lab Chronicle	14
Certification Summary	15
Method Summary	16
Sample Summary	17
Chain of Custody	18
Receipt Checklists	19

Definitions/Glossary

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-2

Laboratory: Eurofins Buffalo

Narrative

**Job Narrative
480-204719-2**

Comments

No additional comments.

Receipt

The samples were received on 12/13/2022 2:00 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.4° C.

Receipt Exceptions

MW-13 listed on COCs twice. Only included in login once.

AL-2 (480-204719-1), AL-1 (480-204719-2), AL-7 (480-204719-3), MW-9R (480-204719-4), EX-MW-11R (480-204719-5), MW-02R (480-204719-6), EX-MW-12 (480-204719-7), MW-04 (480-204719-8), MW-07R (480-204719-9), MW-13 (480-204719-10), DUP (480-204719-11) and TRIP BLANK (480-204719-12)

GC/MS VOA

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-653342 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: MW-13 (480-204719-10).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Client Sample ID: MW-13

Lab Sample ID: 480-204719-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	5.8	J	10	1.3	ug/L	1		8260C	Total/NA
Acetone	23		10	3.0	ug/L	1		8260C	Total/NA
Benzene	6.4		1.0	0.41	ug/L	1		8260C	Total/NA
Carbon disulfide	1.1		1.0	0.19	ug/L	1		8260C	Total/NA
Chloromethane	0.37	J	1.0	0.35	ug/L	1		8260C	Total/NA
cis-1,2-Dichloroethene	19		1.0	0.81	ug/L	1		8260C	Total/NA
Cyclohexane	9.9		1.0	0.18	ug/L	1		8260C	Total/NA
Ethylbenzene	2.5		1.0	0.74	ug/L	1		8260C	Total/NA
Methylcyclohexane	11		1.0	0.16	ug/L	1		8260C	Total/NA
Toluene	10		1.0	0.51	ug/L	1		8260C	Total/NA
trans-1,2-Dichloroethene	1.0		1.0	0.90	ug/L	1		8260C	Total/NA
Trichloroethene	1.9		1.0	0.46	ug/L	1		8260C	Total/NA
Vinyl chloride	11		1.0	0.90	ug/L	1		8260C	Total/NA
Xylenes, Total	14		2.0	0.66	ug/L	1		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Client Sample ID: MW-13

Date Collected: 12/13/22 13:15

Date Received: 12/13/22 14:00

Lab Sample ID: 480-204719-10

Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			12/14/22 17:16	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			12/14/22 17:16	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			12/14/22 17:16	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			12/14/22 17:16	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			12/14/22 17:16	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			12/14/22 17:16	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			12/14/22 17:16	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			12/14/22 17:16	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			12/14/22 17:16	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			12/14/22 17:16	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			12/14/22 17:16	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			12/14/22 17:16	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			12/14/22 17:16	1
2-Butanone (MEK)	5.8	J	10	1.3	ug/L			12/14/22 17:16	1
2-Hexanone	ND		5.0	1.2	ug/L			12/14/22 17:16	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			12/14/22 17:16	1
Acetone	23		10	3.0	ug/L			12/14/22 17:16	1
Benzene	6.4		1.0	0.41	ug/L			12/14/22 17:16	1
Bromodichloromethane	ND		1.0	0.39	ug/L			12/14/22 17:16	1
Bromoform	ND		1.0	0.26	ug/L			12/14/22 17:16	1
Bromomethane	ND		1.0	0.69	ug/L			12/14/22 17:16	1
Carbon disulfide	1.1		1.0	0.19	ug/L			12/14/22 17:16	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			12/14/22 17:16	1
Chlorobenzene	ND		1.0	0.75	ug/L			12/14/22 17:16	1
Dibromochloromethane	ND		1.0	0.32	ug/L			12/14/22 17:16	1
Chloroethane	ND		1.0	0.32	ug/L			12/14/22 17:16	1
Chloroform	ND		1.0	0.34	ug/L			12/14/22 17:16	1
Chloromethane	0.37	J	1.0	0.35	ug/L			12/14/22 17:16	1
cis-1,2-Dichloroethene	19		1.0	0.81	ug/L			12/14/22 17:16	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			12/14/22 17:16	1
Cyclohexane	9.9		1.0	0.18	ug/L			12/14/22 17:16	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			12/14/22 17:16	1
Ethylbenzene	2.5		1.0	0.74	ug/L			12/14/22 17:16	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			12/14/22 17:16	1
Isopropylbenzene	ND		1.0	0.79	ug/L			12/14/22 17:16	1
Methyl acetate	ND		2.5	1.3	ug/L			12/14/22 17:16	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			12/14/22 17:16	1
Methylcyclohexane	11		1.0	0.16	ug/L			12/14/22 17:16	1
Methylene Chloride	ND		1.0	0.44	ug/L			12/14/22 17:16	1
Styrene	ND		1.0	0.73	ug/L			12/14/22 17:16	1
Tetrachloroethene	ND		1.0	0.36	ug/L			12/14/22 17:16	1
Toluene	10		1.0	0.51	ug/L			12/14/22 17:16	1
trans-1,2-Dichloroethene	1.0		1.0	0.90	ug/L			12/14/22 17:16	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			12/14/22 17:16	1
Trichloroethene	1.9		1.0	0.46	ug/L			12/14/22 17:16	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			12/14/22 17:16	1
Vinyl chloride	11		1.0	0.90	ug/L			12/14/22 17:16	1
Xylenes, Total	14		2.0	0.66	ug/L			12/14/22 17:16	1

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Client Sample ID: MW-13

Date Collected: 12/13/22 13:15

Date Received: 12/13/22 14:00

Lab Sample ID: 480-204719-10

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	92		80 - 120		12/14/22 17:16	1
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		12/14/22 17:16	1
4-Bromofluorobenzene (Surr)	89		73 - 120		12/14/22 17:16	1
Dibromofluoromethane (Surr)	97		75 - 123		12/14/22 17:16	1

Surrogate Summary

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	TOL (80-120)	DCA (77-120)	BFB (73-120)	DBFM (75-123)						
480-204719-10	MW-13	92	104	89	97						
LCS 480-653342/5	Lab Control Sample	94	106	87	97						
MB 480-653342/7	Method Blank	91	106	87	100						

Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

QC Sample Results

Client: LaBella Associates DPC

Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-2

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-653342/7

Matrix: Water

Analysis Batch: 653342

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			12/14/22 11:17	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			12/14/22 11:17	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			12/14/22 11:17	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			12/14/22 11:17	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			12/14/22 11:17	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			12/14/22 11:17	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			12/14/22 11:17	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			12/14/22 11:17	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			12/14/22 11:17	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			12/14/22 11:17	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			12/14/22 11:17	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			12/14/22 11:17	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			12/14/22 11:17	1
2-Butanone (MEK)	ND		10	1.3	ug/L			12/14/22 11:17	1
2-Hexanone	ND		5.0	1.2	ug/L			12/14/22 11:17	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			12/14/22 11:17	1
Acetone	ND		10	3.0	ug/L			12/14/22 11:17	1
Benzene	ND		1.0	0.41	ug/L			12/14/22 11:17	1
Bromodichloromethane	ND		1.0	0.39	ug/L			12/14/22 11:17	1
Bromoform	ND		1.0	0.26	ug/L			12/14/22 11:17	1
Bromomethane	ND		1.0	0.69	ug/L			12/14/22 11:17	1
Carbon disulfide	ND		1.0	0.19	ug/L			12/14/22 11:17	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			12/14/22 11:17	1
Chlorobenzene	ND		1.0	0.75	ug/L			12/14/22 11:17	1
Dibromochloromethane	ND		1.0	0.32	ug/L			12/14/22 11:17	1
Chloroethane	ND		1.0	0.32	ug/L			12/14/22 11:17	1
Chloroform	ND		1.0	0.34	ug/L			12/14/22 11:17	1
Chloromethane	ND		1.0	0.35	ug/L			12/14/22 11:17	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			12/14/22 11:17	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			12/14/22 11:17	1
Cyclohexane	ND		1.0	0.18	ug/L			12/14/22 11:17	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			12/14/22 11:17	1
Ethylbenzene	ND		1.0	0.74	ug/L			12/14/22 11:17	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			12/14/22 11:17	1
Isopropylbenzene	ND		1.0	0.79	ug/L			12/14/22 11:17	1
Methyl acetate	ND		2.5	1.3	ug/L			12/14/22 11:17	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			12/14/22 11:17	1
Methylcyclohexane	ND		1.0	0.16	ug/L			12/14/22 11:17	1
Methylene Chloride	ND		1.0	0.44	ug/L			12/14/22 11:17	1
Styrene	ND		1.0	0.73	ug/L			12/14/22 11:17	1
Tetrachloroethene	ND		1.0	0.36	ug/L			12/14/22 11:17	1
Toluene	ND		1.0	0.51	ug/L			12/14/22 11:17	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			12/14/22 11:17	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			12/14/22 11:17	1
Trichloroethene	ND		1.0	0.46	ug/L			12/14/22 11:17	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			12/14/22 11:17	1
Vinyl chloride	ND		1.0	0.90	ug/L			12/14/22 11:17	1
Xylenes, Total	ND		2.0	0.66	ug/L			12/14/22 11:17	1

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 480-653342/7

Matrix: Water

Analysis Batch: 653342

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)		91			80 - 120		12/14/22 11:17	1
1,2-Dichloroethane-d4 (Surr)		106			77 - 120		12/14/22 11:17	1
4-Bromofluorobenzene (Surr)		87			73 - 120		12/14/22 11:17	1
Dibromofluoromethane (Surr)		100			75 - 123		12/14/22 11:17	1

Lab Sample ID: LCS 480-653342/5

Matrix: Water

Analysis Batch: 653342

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LC S	LC S	Unit	D	%Rec	%Rec	Limits
		Result	Qualifier					
1,1,1-Trichloroethane	25.0	25.0		ug/L		100	73 - 126	
1,1,2,2-Tetrachloroethane	25.0	25.9		ug/L		104	76 - 120	
1,1,2-Trichloroethane	25.0	22.8		ug/L		91	76 - 122	
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	24.6		ug/L		98	61 - 148	
1,1-Dichloroethane	25.0	23.1		ug/L		92	77 - 120	
1,1-Dichloroethene	25.0	22.2		ug/L		89	66 - 127	
1,2,4-Trichlorobenzene	25.0	24.3		ug/L		97	79 - 122	
1,2-Dibromo-3-Chloropropane	25.0	29.3		ug/L		117	56 - 134	
1,2-Dichlorobenzene	25.0	24.2		ug/L		97	80 - 124	
1,2-Dichloroethane	25.0	24.6		ug/L		98	75 - 120	
1,2-Dichloropropane	25.0	22.0		ug/L		88	76 - 120	
1,3-Dichlorobenzene	25.0	23.2		ug/L		93	77 - 120	
1,4-Dichlorobenzene	25.0	23.0		ug/L		92	80 - 120	
2-Butanone (MEK)	125	132		ug/L		105	57 - 140	
2-Hexanone	125	150		ug/L		120	65 - 127	
4-Methyl-2-pentanone (MIBK)	125	144		ug/L		115	71 - 125	
Acetone	125	139		ug/L		112	56 - 142	
Benzene	25.0	21.8		ug/L		87	71 - 124	
Bromodichloromethane	25.0	24.8		ug/L		99	80 - 122	
Bromoform	25.0	24.8		ug/L		99	61 - 132	
Bromomethane	25.0	25.4		ug/L		102	55 - 144	
Carbon disulfide	25.0	23.4		ug/L		94	59 - 134	
Carbon tetrachloride	25.0	25.8		ug/L		103	72 - 134	
Chlorobenzene	25.0	21.5		ug/L		86	80 - 120	
Dibromochloromethane	25.0	25.4		ug/L		102	75 - 125	
Chloroethane	25.0	23.9		ug/L		96	69 - 136	
Chloroform	25.0	23.3		ug/L		93	73 - 127	
Chloromethane	25.0	28.5		ug/L		114	68 - 124	
cis-1,2-Dichloroethene	25.0	22.1		ug/L		89	74 - 124	
cis-1,3-Dichloropropene	25.0	23.0		ug/L		92	74 - 124	
Cyclohexane	25.0	25.1		ug/L		100	59 - 135	
Dichlorodifluoromethane	25.0	32.1		ug/L		128	59 - 135	
Ethylbenzene	25.0	22.6		ug/L		90	77 - 123	
1,2-Dibromoethane	25.0	23.0		ug/L		92	77 - 120	
Isopropylbenzene	25.0	24.4		ug/L		97	77 - 122	
Methyl acetate	50.0	55.1		ug/L		110	74 - 133	
Methyl tert-butyl ether	25.0	23.6		ug/L		95	77 - 120	
Methylcyclohexane	25.0	23.0		ug/L		92	68 - 134	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-653342/5

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Matrix: Water

Analysis Batch: 653342

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Methylene Chloride	25.0	22.9		ug/L	92	75 - 124	
Styrene	25.0	22.3		ug/L	89	80 - 120	
Tetrachloroethene	25.0	21.9		ug/L	87	74 - 122	
Toluene	25.0	21.8		ug/L	87	80 - 122	
trans-1,2-Dichloroethene	25.0	22.4		ug/L	90	73 - 127	
trans-1,3-Dichloropropene	25.0	24.7		ug/L	99	80 - 120	
Trichloroethene	25.0	22.2		ug/L	89	74 - 123	
Trichlorofluoromethane	25.0	30.4		ug/L	122	62 - 150	
Vinyl chloride	25.0	25.7		ug/L	103	65 - 133	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	94		80 - 120
1,2-Dichloroethane-d4 (Surr)	106		77 - 120
4-Bromofluorobenzene (Surr)	87		73 - 120
Dibromofluoromethane (Surr)	97		75 - 123

QC Association Summary

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

GC/MS VOA

Analysis Batch: 653342

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204719-10	MW-13	Total/NA	Water	8260C	4
MB 480-653342/7	Method Blank	Total/NA	Water	8260C	5
LCS 480-653342/5	Lab Control Sample	Total/NA	Water	8260C	6

Lab Chronicle

Client: LaBella Associates DPC

Job ID: 480-204719-2

Project/Site: Alumax & Roblin Periodic Review Reports

Client Sample ID: MW-13

Lab Sample ID: 480-204719-10

Matrix: Water

Date Collected: 12/13/22 13:15

Date Received: 12/13/22 14:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	653342	AXK	EET BUF	12/14/22 17:16

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Eurofins Buffalo

Accreditation/Certification Summary

Client: LaBella Associates DPC

Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-2

Laboratory: Eurofins Buffalo

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	03-31-23

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Eurofins Buffalo

Method Summary

Client: LaBella Associates DPC

Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-2

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	EET BUF
5030C	Purge and Trap	SW846	EET BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: LaBella Associates DPC

Project/Site: Alumax & Roblin Periodic Review Reports

Job ID: 480-204719-2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-204719-10	MW-13	Water	12/13/22 13:15	12/13/22 14:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15



Regulatory Program: DW NPDES

Amherst, NY 14228-2223
phone 716.691.2600 fax 716.691.7991

Project Manager: Chris Kibler		Site Contact:		Date: 12/13/22	COCs No.: 1 of 1 COCs														
Email: ckibler@labellapc.com		Lab Contact:		Carrier:	TALS Project #:														
Tel/Fax:		Sampler:																	
		For Lab Use Only:																	
		Walk-in Client:			Date/Time:														
		Lab Sampling:			Date/Time:														
		Job / SDG No.:			Date/Time:														
		Sample Specific Notes:			Date/Time:														
<p>Analysis Turnaround Time</p> <table border="1"> <tr> <td><input type="checkbox"/> CALENDAR DAYS</td> <td><input checked="" type="checkbox"/> WORKING DAYS</td> </tr> <tr> <td colspan="2">TAT if different from Below</td> </tr> <tr> <td><input type="checkbox"/></td> <td>2 weeks</td> </tr> <tr> <td><input type="checkbox"/></td> <td>1 week</td> </tr> <tr> <td><input type="checkbox"/></td> <td>Standard</td> </tr> <tr> <td><input type="checkbox"/></td> <td>2 days</td> </tr> <tr> <td><input type="checkbox"/></td> <td>1 day</td> </tr> </table>						<input type="checkbox"/> CALENDAR DAYS	<input checked="" type="checkbox"/> WORKING DAYS	TAT if different from Below		<input type="checkbox"/>	2 weeks	<input type="checkbox"/>	1 week	<input type="checkbox"/>	Standard	<input type="checkbox"/>	2 days	<input type="checkbox"/>	1 day
<input type="checkbox"/> CALENDAR DAYS	<input checked="" type="checkbox"/> WORKING DAYS																		
TAT if different from Below																			
<input type="checkbox"/>	2 weeks																		
<input type="checkbox"/>	1 week																		
<input type="checkbox"/>	Standard																		
<input type="checkbox"/>	2 days																		
<input type="checkbox"/>	1 day																		
<p>Perfprm MS / MSD (Y/N)</p> <p>Filtered Sample (Y/N)</p>																			
<table border="1"> <thead> <tr> <th>Sample Identification</th> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type (C=Comp, G=Grab)</th> <th>Matrix</th> <th># of Cont.</th> </tr> </thead> <tbody> <tr> <td>Mud-13</td> <td>12/13/22</td> <td>1315</td> <td>G</td> <td>H₂O</td> <td>3</td> </tr> </tbody> </table>						Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Mud-13	12/13/22	1315	G	H ₂ O	3		
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.														
Mud-13	12/13/22	1315	G	H ₂ O	3														
<p>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</p>																			
<p>Preservation Used: 1=Ice; 2=HCl; 3=H₂SO₄; 4=HNO₃; 5=NaOH; 6=Other</p> <p>Possible Hazard Identification:</p> <p>Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.</p> <p><input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown</p>																			
<p>Special Instructions/QC Requirements & Comments:</p>																			
<p>Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No</p> <p>Relinquished by: <i>Aub Kon</i></p>		<p>Custody Seal No.:</p> <p>Company: <i>LaBella</i></p>		<p>Cooler Temp. (°C): Obs'd: _____ Corrd: _____</p> <p>Date/Time: <i>12/13/22 1400</i></p> <p>Received by: <i>LaBella</i></p>	Company: _____ Date/Time: _____														
<p>Relinquished by: <i>LaBella</i></p>		<p>Company: <i>LaBella</i></p>		<p>Date/Time: <i>12/13/22 1400</i></p> <p>Received by: <i>LaBella</i></p>	Company: _____ Date/Time: _____														
<p>Relinquished by: <i>LaBella</i></p>		<p>Company: <i>LaBella</i></p>		<p>Date/Time: <i>12/13/22 1400</i></p> <p>Received by: <i>LaBella</i></p>	Company: _____ Date/Time: _____														
<p>Relinquished by: <i>LaBella</i></p>		<p>Company: <i>LaBella</i></p>		<p>Date/Time: <i>12/13/22 1400</i></p> <p>Received by: <i>LaBella</i></p>	Company: _____ Date/Time: _____														

Login Sample Receipt Checklist

Client: LaBella Associates DPC

Job Number: 480-204719-2

Login Number: 204719

List Source: Eurofins Buffalo

List Number: 1

Creator: Sabuda, Brendan D

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	3.4 #1 ICE
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	True	

ANALYTICAL REPORT

PREPARED FOR

Attn: Chris Kibler
LaBella Associates DPC
300 Pearl Street
Suite 130
Buffalo, New York 14202

Generated 12/16/2022 4:23:45 PM

JOB DESCRIPTION

Roblin Steel site

JOB NUMBER

480-204473-1

Eurofins Buffalo

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing Northeast, LLC Buffalo and its client. All questions regarding this report should be directed to the Eurofins Environment Testing Northeast, LLC Buffalo Project Manager or designee who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
12/16/2022 4:23:45 PM

Authorized for release by
Brian Fischer, Manager of Project Management
Brian.Fischer@et.eurofinsus.com
(716)504-9835

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Surrogate Summary	11
QC Sample Results	13
QC Association Summary	24
Lab Chronicle	26
Certification Summary	27
Method Summary	28
Sample Summary	29
Chain of Custody	30
Receipt Checklists	31

Definitions/Glossary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*3	ISTD response or retention time outside acceptable limits.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
vs	Reported analyte concentrations are below 200 ug/kg and may be biased low due to the sample not being collected according to 5035A-L low-level specifications.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

✉	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Job ID: 480-204473-1

Laboratory: Eurofins Buffalo

Narrative

Job Narrative 480-204473-1

Comments

No additional comments.

Receipt

The sample was received on 12/6/2022 3:30 PM. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.8° C.

GC/MS VOA

Method 8260C: Internal standard responses were outside of acceptance limits for the following sample: ROBLIN DRUM (480-204473-1). The sample(s) shows evidence of matrix interference.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-652739 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported. The associated sample is impacted: ROBLIN DRUM (480-204473-1).

Method 8260C: The following samples were diluted due to the nature of the TCLP sample matrix: ROBLIN DRUM (480-204473-1) and (LB 480-652650/1-A). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC/MS Semi VOA

Method 8270D: Six surrogates are used for this analysis. The laboratory's SOP allows one acid and one base of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: ROBLIN DRUM (480-204473-1). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 480-652622 and 480-652820.

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 480-652622 and 480-653570.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: LaBella Associates DPC
 Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Lab Sample ID: 480-204473-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	54	vs	31	5.2	ug/Kg	1	⊗	8260C	Total/NA
Benzene	2.2	J vs	6.2	0.30	ug/Kg	1	⊗	8260C	Total/NA
Carbon disulfide	4.4	J vs	6.2	3.1	ug/Kg	1	⊗	8260C	Total/NA
Chloroform	0.58	J B vs	6.2	0.38	ug/Kg	1	⊗	8260C	Total/NA
cis-1,2-Dichloroethene	14	vs	6.2	0.79	ug/Kg	1	⊗	8260C	Total/NA
Cyclohexane	11	vs	6.2	0.87	ug/Kg	1	⊗	8260C	Total/NA
Ethylbenzene	4.7	J vs	6.2	0.43	ug/Kg	1	⊗	8260C	Total/NA
Isopropylbenzene	3.4	J *3 vs	6.2	0.93	ug/Kg	1	⊗	8260C	Total/NA
Methylcyclohexane	53	vs	6.2	0.94	ug/Kg	1	⊗	8260C	Total/NA
Methylene Chloride	5.1	J vs	6.2	2.8	ug/Kg	1	⊗	8260C	Total/NA
Styrene	0.78	J vs	6.2	0.31	ug/Kg	1	⊗	8260C	Total/NA
Toluene	7.2	vs	6.2	0.47	ug/Kg	1	⊗	8260C	Total/NA
trans-1,2-Dichloroethene	1.4	J vs	6.2	0.64	ug/Kg	1	⊗	8260C	Total/NA
Trichloroethene	2.7	J vs	6.2	1.4	ug/Kg	1	⊗	8260C	Total/NA
Vinyl chloride	2.4	J vs	6.2	0.75	ug/Kg	1	⊗	8260C	Total/NA
Xylenes, Total	27	vs	12	1.0	ug/Kg	1	⊗	8260C	Total/NA
Benzo[a]anthracene	57	J	210	21	ug/Kg	1	⊗	8270D	Total/NA
Benzo[a]pyrene	66	J	210	31	ug/Kg	1	⊗	8270D	Total/NA
Benzo[b]fluoranthene	84	J	210	33	ug/Kg	1	⊗	8270D	Total/NA
Benzo[g,h,i]perylene	49	J	210	22	ug/Kg	1	⊗	8270D	Total/NA
Benzo[k]fluoranthene	32	J	210	27	ug/Kg	1	⊗	8270D	Total/NA
Chrysene	79	J	210	47	ug/Kg	1	⊗	8270D	Total/NA
Fluoranthene	140	J	210	22	ug/Kg	1	⊗	8270D	Total/NA
Indeno[1,2,3-cd]pyrene	45	J	210	26	ug/Kg	1	⊗	8270D	Total/NA
Phenanthrene	100	J	210	31	ug/Kg	1	⊗	8270D	Total/NA
Pyrene	110	J	210	25	ug/Kg	1	⊗	8270D	Total/NA
Pyridine	0.0021	J	0.10	0.0016	mg/L	1		8270D	TCLP
Arsenic	0.0076	J	0.020	0.0040	mg/Kg	1		6010C	TCLP
Barium	1.1		0.0050	0.0011	mg/Kg	1		6010C	TCLP
Cadmium	0.0014	J	0.0020	0.00030	mg/Kg	1		6010C	TCLP
Lead	0.034		0.010	0.0024	mg/Kg	1		6010C	TCLP
Selenium	0.0042	J B	0.040	0.0040	mg/Kg	1		6010C	TCLP

This Detection Summary does not include radiochemical test results.

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM
Date Collected: 12/06/22 11:30
Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1
Matrix: Solid
Percent Solids: 80.2

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	vs	6.2	0.45	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1,2,2-Tetrachloroethane	ND	*3 vs	6.2	1.0	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1,2-Trichloroethane	ND	vs	6.2	0.80	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	vs	6.2	1.4	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1-Dichloroethane	ND	vs	6.2	0.75	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1-Dichloroethene	ND	vs	6.2	0.76	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2,4-Trichlorobenzene	ND	*3 vs	6.2	0.38	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dibromo-3-Chloropropane	ND	*3 vs	6.2	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dichlorobenzene	ND	*3 vs	6.2	0.48	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dichloroethane	ND	vs	6.2	0.31	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dichloropropane	ND	vs	6.2	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,3-Dichlorobenzene	ND	*3 vs	6.2	0.32	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,4-Dichlorobenzene	ND	*3 vs	6.2	0.87	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
2-Butanone (MEK)	ND	vs	31	2.3	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
2-Hexanone	ND	vs	31	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
4-Methyl-2-pentanone (MIBK)	ND	vs	31	2.0	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Acetone	54	vs	31	5.2	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Benzene	2.2	J vs	6.2	0.30	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Bromodichloromethane	ND	vs	6.2	0.83	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Bromoform	ND	vs	6.2	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Bromomethane	ND	vs	6.2	0.56	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Carbon disulfide	4.4	J vs	6.2	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Carbon tetrachloride	ND	vs	6.2	0.60	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Chlorobenzene	ND	vs	6.2	0.82	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Dibromochloromethane	ND	vs	6.2	0.79	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Chloroethane	ND	vs	6.2	1.4	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Chloroform	0.58	J B vs	6.2	0.38	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Chloromethane	ND	vs	6.2	0.37	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
cis-1,2-Dichloroethene	14	vs	6.2	0.79	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
cis-1,3-Dichloropropene	ND	vs	6.2	0.89	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Cyclohexane	11	vs	6.2	0.87	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Dichlorodifluoromethane	ND	vs	6.2	0.51	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Ethylbenzene	4.7	J vs	6.2	0.43	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dibromoethane	ND	vs	6.2	0.79	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Isopropylbenzene	3.4	J *3 vs	6.2	0.93	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Methyl acetate	ND	vs	31	3.7	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Methyl tert-butyl ether	ND	vs	6.2	0.61	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Methylcyclohexane	53	vs	6.2	0.94	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Methylene Chloride	5.1	J vs	6.2	2.8	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Styrene	0.78	J vs	6.2	0.31	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Tetrachloroethene	ND	vs	6.2	0.83	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Toluene	7.2	vs	6.2	0.47	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
trans-1,2-Dichloroethene	1.4	J vs	6.2	0.64	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
trans-1,3-Dichloropropene	ND	vs	6.2	2.7	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Trichloroethene	2.7	J vs	6.2	1.4	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Trichlorofluoromethane	ND	vs	6.2	0.59	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Vinyl chloride	2.4	J vs	6.2	0.75	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Xylenes, Total	27	vs	12	1.0	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Date Collected: 12/06/22 11:30
Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1

Matrix: Solid

Percent Solids: 80.2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	112		71 - 125	12/08/22 12:27	12/09/22 06:45	1
1,2-Dichloroethane-d4 (Surr)	124		64 - 126	12/08/22 12:27	12/09/22 06:45	1
4-Bromofluorobenzene (Surr)	79		72 - 126	12/08/22 12:27	12/09/22 06:45	1
Dibromofluoromethane (Surr)	108		60 - 140	12/08/22 12:27	12/09/22 06:45	1

Method: SW846 8260C - Volatile Organic Compounds by GC/MS - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane	ND		0.010	0.0021	mg/L			12/10/22 12:24	10
2-Butanone (MEK)	ND		0.050	0.013	mg/L			12/10/22 12:24	10
Benzene	ND		0.010	0.0041	mg/L			12/10/22 12:24	10
Carbon tetrachloride	ND		0.010	0.0027	mg/L			12/10/22 12:24	10
Chlorobenzene	ND		0.010	0.0075	mg/L			12/10/22 12:24	10
Chloroform	ND		0.010	0.0034	mg/L			12/10/22 12:24	10
Tetrachloroethylene	ND		0.010	0.0036	mg/L			12/10/22 12:24	10
Trichloroethylene	ND		0.010	0.0046	mg/L			12/10/22 12:24	10
Vinyl chloride	ND		0.010	0.0090	mg/L			12/10/22 12:24	10
1,1-Dichloroethylene	ND		0.010	0.0029	mg/L			12/10/22 12:24	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		77 - 120		12/10/22 12:24	10
4-Bromofluorobenzene (Surr)	89		73 - 120		12/10/22 12:24	10
Toluene-d8 (Surr)	88		80 - 120		12/10/22 12:24	10
Dibromofluoromethane (Surr)	102		75 - 123		12/10/22 12:24	10

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Biphenyl	ND		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
bis (2-chloroisopropyl) ether	ND		210	42	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4,5-Trichlorophenol	ND		210	57	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4,6-Trichlorophenol	ND		210	42	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4-Dichlorophenol	ND		210	22	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4-Dimethylphenol	ND		210	51	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4-Dinitrophenol	ND		2100	970	ug/L	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4-Dinitrotoluene	ND		210	43	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,6-Dinitrotoluene	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Chloronaphthalene	ND		210	35	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Chlorophenol	ND		410	38	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Methylphenol	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Methylnaphthalene	ND		210	42	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Nitroaniline	ND		410	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Nitrophenol	ND		210	59	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
3,3'-Dichlorobenzidine	ND		410	250	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
3-Nitroaniline	ND		410	58	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4,6-Dinitro-2-methylphenol	ND		410	210	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Bromophenyl phenyl ether	ND		210	30	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Chloro-3-methylphenol	ND		210	52	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Chloroaniline	ND		210	52	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Chlorophenyl phenyl ether	ND		210	26	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Methylphenol	ND		410	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Nitroaniline	ND		410	110	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Nitrophenol	ND		410	150	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Date Collected: 12/06/22 11:30
Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1

Matrix: Solid

Percent Solids: 80.2

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Acenaphthylene	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Acetophenone	ND		210	28	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Anthracene	ND		210	52	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Atrazine	ND		210	73	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzaldehyde	ND		210	170	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[a]anthracene	57 J		210	21	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[a]pyrene	66 J		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[b]fluoranthene	84 J		210	33	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[g,h,i]perylene	49 J		210	22	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[k]fluoranthene	32 J		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Bis(2-chloroethoxy)methane	ND		210	45	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Bis(2-chloroethyl)ether	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Bis(2-ethylhexyl) phthalate	ND		210	72	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Butyl benzyl phthalate	ND		210	35	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Caprolactam	ND		210	63	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Carbazole	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Chrysene	79 J		210	47	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Dibenz(a,h)anthracene	ND		210	37	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Di-n-butyl phthalate	ND		210	36	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Di-n-octyl phthalate	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Dibenzofuran	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Diethyl phthalate	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Dimethyl phthalate	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Fluoranthene	140 J		210	22	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Fluorene	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Hexachlorobenzene	ND		210	28	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Hexachlorobutadiene	ND		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Hexachlorocyclopentadiene	ND		210	28	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Hexachloroethane	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Indeno[1,2,3-cd]pyrene	45 J		210	26	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Isophorone	ND		210	45	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
N-Nitrosodi-n-propylamine	ND		210	36	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
N-Nitrosodiphenylamine	ND		210	170	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Naphthalene	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Nitrobenzene	ND		210	23	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Pentachlorophenol	ND		410	210	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Phenanthrene	100 J		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Phenol	ND		210	32	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Pyrene	110 J		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
<i>Nitrobenzene-d5 (Surr)</i>	53		53 - 120			12/07/22 16:14	12/08/22 20:23	1	
<i>Phenol-d5 (Surr)</i>	55		54 - 120			12/07/22 16:14	12/08/22 20:23	1	
<i>p-Terphenyl-d14 (Surr)</i>	87		79 - 130			12/07/22 16:14	12/08/22 20:23	1	
<i>2,4,6-Tribromophenol (Surr)</i>	77		54 - 120			12/07/22 16:14	12/08/22 20:23	1	
<i>2-Fluorobiphenyl (Surr)</i>	66		60 - 120			12/07/22 16:14	12/08/22 20:23	1	
<i>2-Fluorophenol (Surr)</i>	51	S1-	52 - 120			12/07/22 16:14	12/08/22 20:23	1	

Client Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Lab Sample ID: 480-204473-1

Date Collected: 12/06/22 11:30
Date Received: 12/06/22 15:30

Matrix: Solid

Percent Solids: 80.2

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.040	0.0018	mg/L		12/15/22 09:33	12/16/22 12:34	1
2,4-Dinitrotoluene	ND		0.020	0.0017	mg/L		12/15/22 09:33	12/16/22 12:34	1
2,4,5-Trichlorophenol	ND		0.020	0.0019	mg/L		12/15/22 09:33	12/16/22 12:34	1
2,4,6-Trichlorophenol	ND		0.020	0.0024	mg/L		12/15/22 09:33	12/16/22 12:34	1
2-Methylphenol	ND		0.020	0.0016	mg/L		12/15/22 09:33	12/16/22 12:34	1
3-Methylphenol	ND		0.040	0.0016	mg/L		12/15/22 09:33	12/16/22 12:34	1
4-Methylphenol	ND		0.040	0.0014	mg/L		12/15/22 09:33	12/16/22 12:34	1
Hexachlorobenzene	ND		0.020	0.0020	mg/L		12/15/22 09:33	12/16/22 12:34	1
Hexachlorobutadiene	ND		0.020	0.0027	mg/L		12/15/22 09:33	12/16/22 12:34	1
Hexachloroethane	ND		0.020	0.0023	mg/L		12/15/22 09:33	12/16/22 12:34	1
Nitrobenzene	ND		0.020	0.0011	mg/L		12/15/22 09:33	12/16/22 12:34	1
Pentachlorophenol	ND		0.040	0.0088	mg/L		12/15/22 09:33	12/16/22 12:34	1
Pyridine	0.0021 J		0.10	0.0016	mg/L		12/15/22 09:33	12/16/22 12:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	95		41 - 120	12/15/22 09:33	12/16/22 12:34	1
2-Fluorobiphenyl (Surr)	89		48 - 120	12/15/22 09:33	12/16/22 12:34	1
2-Fluorophenol (Surr)	48		35 - 120	12/15/22 09:33	12/16/22 12:34	1
Nitrobenzene-d5 (Surr)	84		46 - 120	12/15/22 09:33	12/16/22 12:34	1
p-Terphenyl-d14 (Surr)	98		60 - 148	12/15/22 09:33	12/16/22 12:34	1
Phenol-d5 (Surr)	33		22 - 120	12/15/22 09:33	12/16/22 12:34	1

Method: SW846 6010C - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0076 J		0.020	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Barium	1.1		0.0050	0.0011	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Cadmium	0.0014 J		0.0020	0.00030	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Chromium	ND		0.0050	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Lead	0.034		0.010	0.0024	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Selenium	0.0042 J B		0.040	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Silver	ND		0.0060	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:43	1

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000043	mg/L		12/09/22 11:47	12/09/22 18:05	1

Eurofins Buffalo

Surrogate Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		TOL (71-125)	DCA (64-126)	BFB (72-126)	DBFM (60-140)
480-204473-1	ROBLIN DRUM	112	124	79	108
LCS 480-652673/1-A	Lab Control Sample	106	102	102	104
MB 480-652673/2-A	Method Blank	104	103	103	106

Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		TOL (80-120)	DCA (77-120)	BFB (73-120)	DBFM (75-123)
LCS 480-652922/6	Lab Control Sample	90	93	96	100
MB 480-652922/8	Method Blank	85	99	90	104

Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (77-120)	BFB (73-120)	TOL (80-120)	DBFM (75-123)
480-204473-1	ROBLIN DRUM	100	89	88	102
LB 480-652650/1-A	Method Blank	103	91	89	103

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		NBZ (53-120)	PHL (54-120)	TPHd14 (79-130)	TBP (54-120)	FBP (60-120)	2FP (52-120)
480-204473-1	ROBLIN DRUM	53	55	87	77	66	51 S1-
LCS 480-652566/2-A	Lab Control Sample	63	66	79	80	69	61
MB 480-652566/1-A	Method Blank	76	78	90	84	83	75

Surrogate Legend

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

Eurofins Buffalo

Surrogate Summary

Client: LaBella Associates DPC

Job ID: 480-204473-1

Project/Site: Roblin Steel site

TPHd14 = p-Terphenyl-d14 (Surr)

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		NBZ (46-120)	PHL (22-120)	TPHd14 (60-148)	TBP (41-120)	FBP (48-120)	2FP (35-120)
LCS 480-653570/2-A	Lab Control Sample	84	35	105	103	92	47
LCSD 480-653570/3-A	Lab Control Sample Dup	88	37	107	106	94	49
MB 480-653570/1-A	Method Blank	90	36	100	95	94	53

Surrogate Legend

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (41-120)	FBP (48-120)	2FP (35-120)	NBZ (46-120)	TPHd14 (60-148)	PHL (22-120)
480-204473-1	ROBLIN DRUM	95	89	48	84	98	33
LB 480-652622/1-G	Method Blank	102	92	51	92	105	35

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

PHL = Phenol-d5 (Surr)

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
 Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-652673/2-A

Matrix: Solid

Analysis Batch: 652739

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652673

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0	0.36	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.81	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1,2-Trichloroethane	ND		5.0	0.65	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0	1.1	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1-Dichloroethane	ND		5.0	0.61	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2,4-Trichlorobenzene	ND		5.0	0.30	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dibromo-3-Chloropropane	ND		5.0	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dichlorobenzene	ND		5.0	0.39	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dichloroethane	ND		5.0	0.25	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dichloropropane	ND		5.0	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,3-Dichlorobenzene	ND		5.0	0.26	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1-Dichloroethene	ND		5.0	0.61	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,4-Dichlorobenzene	ND		5.0	0.70	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
2-Butanone (MEK)	ND		25	1.8	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
2-Hexanone	ND		25	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
4-Methyl-2-pentanone (MIBK)	ND		25	1.6	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Acetone	ND		25	4.2	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Benzene	ND		5.0	0.25	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Bromodichloromethane	ND		5.0	0.67	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Bromoform	ND		5.0	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Bromomethane	ND		5.0	0.45	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Carbon disulfide	ND		5.0	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Carbon tetrachloride	ND		5.0	0.48	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Chlorobenzene	ND		5.0	0.66	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Dibromochloromethane	ND		5.0	0.64	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Chloroethane	ND		5.0	1.1	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Chloroform	0.330 J		5.0	0.31	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Chloromethane	ND		5.0	0.30	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
cis-1,2-Dichloroethene	ND		5.0	0.64	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
cis-1,3-Dichloropropene	ND		5.0	0.72	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Cyclohexane	ND		5.0	0.70	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Dichlorodifluoromethane	ND		5.0	0.41	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Ethylbenzene	ND		5.0	0.35	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dibromoethane	ND		5.0	0.64	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Isopropylbenzene	ND		5.0	0.75	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Methyl acetate	ND		25	3.0	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Methyl tert-butyl ether	ND		5.0	0.49	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Methylcyclohexane	ND		5.0	0.76	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Methylene Chloride	ND		5.0	2.3	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Styrene	ND		5.0	0.25	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Tetrachloroethene	ND		5.0	0.67	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Toluene	ND		5.0	0.38	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
trans-1,2-Dichloroethene	ND		5.0	0.52	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
trans-1,3-Dichloropropene	ND		5.0	2.2	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Trichloroethene	ND		5.0	1.1	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Trichlorofluoromethane	ND		5.0	0.47	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Vinyl chloride	ND		5.0	0.61	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Xylenes, Total	ND		10	0.84	ug/Kg		12/08/22 12:27	12/08/22 21:12	1

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 480-652673/2-A

Matrix: Solid

Analysis Batch: 652739

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652673

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)		104			71 - 125	12/08/22 12:27	12/08/22 21:12	1
1,2-Dichloroethane-d4 (Surr)		103			64 - 126	12/08/22 12:27	12/08/22 21:12	1
4-Bromofluorobenzene (Surr)		103			72 - 126	12/08/22 12:27	12/08/22 21:12	1
Dibromofluoromethane (Surr)		106			60 - 140	12/08/22 12:27	12/08/22 21:12	1

Lab Sample ID: LCS 480-652673/1-A

Matrix: Solid

Analysis Batch: 652739

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652673

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec	Limits
1,1,1-Trichloroethane	50.0	45.7		ug/Kg		91	77 - 121	
1,1,2,2-Tetrachloroethane	50.0	45.3		ug/Kg		91	80 - 120	
1,1,2-Trichloroethane	50.0	51.2		ug/Kg		102	78 - 122	
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	48.2		ug/Kg		96	60 - 140	
1,1-Dichloroethane	50.0	42.9		ug/Kg		86	73 - 126	
1,2,4-Trichlorobenzene	50.0	46.9		ug/Kg		94	64 - 120	
1,2-Dibromo-3-Chloropropane	50.0	40.0		ug/Kg		80	63 - 124	
1,2-Dichlorobenzene	50.0	46.5		ug/Kg		93	75 - 120	
1,2-Dichloroethane	50.0	50.0		ug/Kg		100	77 - 122	
1,2-Dichloropropane	50.0	42.7		ug/Kg		85	75 - 124	
1,3-Dichlorobenzene	50.0	49.2		ug/Kg		98	74 - 120	
1,1-Dichloroethene	50.0	47.5		ug/Kg		95	59 - 125	
1,4-Dichlorobenzene	50.0	48.9		ug/Kg		98	73 - 120	
2-Butanone (MEK)	250	195		ug/Kg		78	70 - 134	
2-Hexanone	250	240		ug/Kg		96	59 - 130	
4-Methyl-2-pentanone (MIBK)	250	237		ug/Kg		95	65 - 133	
Acetone	250	199		ug/Kg		79	61 - 137	
Benzene	50.0	47.1		ug/Kg		94	79 - 127	
Bromodichloromethane	50.0	47.5		ug/Kg		95	80 - 122	
Bromoform	50.0	47.7		ug/Kg		95	68 - 126	
Bromomethane	50.0	58.6		ug/Kg		117	37 - 149	
Carbon disulfide	50.0	43.0		ug/Kg		86	64 - 131	
Carbon tetrachloride	50.0	43.5		ug/Kg		87	75 - 135	
Chlorobenzene	50.0	51.6		ug/Kg		103	76 - 124	
Dibromochloromethane	50.0	51.4		ug/Kg		103	76 - 125	
Chloroethane	50.0	52.0		ug/Kg		104	69 - 135	
Chloroform	50.0	47.9		ug/Kg		96	80 - 120	
Chloromethane	50.0	40.9		ug/Kg		82	63 - 127	
cis-1,2-Dichloroethene	50.0	44.7		ug/Kg		89	81 - 120	
cis-1,3-Dichloropropene	50.0	42.9		ug/Kg		86	80 - 120	
Cyclohexane	50.0	44.2		ug/Kg		88	65 - 120	
Dichlorodifluoromethane	50.0	48.9		ug/Kg		98	57 - 142	
Ethylbenzene	50.0	50.9		ug/Kg		102	80 - 120	
1,2-Dibromoethane	50.0	50.2		ug/Kg		100	78 - 120	
Isopropylbenzene	50.0	46.5		ug/Kg		93	72 - 120	
Methyl acetate	100	74.9		ug/Kg		75	55 - 136	
Methyl tert-butyl ether	50.0	41.9		ug/Kg		84	63 - 125	
Methylcyclohexane	50.0	45.7		ug/Kg		91	60 - 140	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-652673/1-A

Matrix: Solid

Analysis Batch: 652739

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652673

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Methylene Chloride	50.0	46.5		ug/Kg	93	61 - 127	
Styrene	50.0	47.4		ug/Kg	95	80 - 120	
Tetrachloroethene	50.0	52.3		ug/Kg	105	74 - 122	
Toluene	50.0	49.6		ug/Kg	99	74 - 128	
trans-1,2-Dichloroethene	50.0	43.5		ug/Kg	87	78 - 126	
trans-1,3-Dichloropropene	50.0	43.9		ug/Kg	88	73 - 123	
Trichloroethene	50.0	47.7		ug/Kg	95	77 - 129	
Trichlorofluoromethane	50.0	54.1		ug/Kg	108	65 - 146	
Vinyl chloride	50.0	46.4		ug/Kg	93	61 - 133	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	106		71 - 125
1,2-Dichloroethane-d4 (Surr)	102		64 - 126
4-Bromofluorobenzene (Surr)	102		72 - 126
Dibromofluoromethane (Surr)	104		60 - 140

Lab Sample ID: MB 480-652922/8

Matrix: Solid

Analysis Batch: 652922

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane	ND		0.0010	0.00021	mg/L			12/10/22 04:41	1
1,1-Dichloroethene	ND		0.0010	0.00029	mg/L			12/10/22 04:41	1
2-Butanone (MEK)	ND		0.0050	0.0013	mg/L			12/10/22 04:41	1
Benzene	ND		0.0010	0.00041	mg/L			12/10/22 04:41	1
Carbon tetrachloride	ND		0.0010	0.00027	mg/L			12/10/22 04:41	1
Chlorobenzene	ND		0.0010	0.00075	mg/L			12/10/22 04:41	1
Chloroform	ND		0.0010	0.00034	mg/L			12/10/22 04:41	1
Tetrachloroethene	ND		0.0010	0.00036	mg/L			12/10/22 04:41	1
Trichloroethene	ND		0.0010	0.00046	mg/L			12/10/22 04:41	1
Vinyl chloride	ND		0.0010	0.00090	mg/L			12/10/22 04:41	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	85		80 - 120		12/10/22 04:41	1
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		12/10/22 04:41	1
4-Bromofluorobenzene (Surr)	90		73 - 120		12/10/22 04:41	1
Dibromofluoromethane (Surr)	104		75 - 123		12/10/22 04:41	1

Lab Sample ID: LCS 480-652922/6

Matrix: Solid

Analysis Batch: 652922

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
1,2-Dichloroethane	0.0250	0.0237		mg/L	95	75 - 120	
1,1-Dichloroethene	0.0250	0.0219		mg/L	88	66 - 127	
2-Butanone (MEK)	0.125	0.114		mg/L	91	57 - 140	
Benzene	0.0250	0.0226		mg/L	91	71 - 124	
Carbon tetrachloride	0.0250	0.0232		mg/L	93	72 - 134	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-652922/6

Matrix: Solid

Analysis Batch: 652922

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Chlorobenzene	0.0250	0.0225		mg/L	90	80 - 120	
Chloroform	0.0250	0.0226		mg/L	90	73 - 127	
Tetrachloroethene	0.0250	0.0241		mg/L	96	74 - 122	
Trichloroethene	0.0250	0.0231		mg/L	92	74 - 123	
Vinyl chloride	0.0250	0.0247		mg/L	99	65 - 133	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	90		80 - 120
1,2-Dichloroethane-d4 (Surr)	93		77 - 120
4-Bromofluorobenzene (Surr)	96		73 - 120
Dibromofluoromethane (Surr)	100		75 - 123

Lab Sample ID: LB 480-652650/1-A

Matrix: Solid

Analysis Batch: 652922

Client Sample ID: Method Blank
Prep Type: TCLP

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane	ND		0.010	0.0021	mg/L			12/10/22 10:05	10
1,1-Dichloroethene	ND		0.010	0.0029	mg/L			12/10/22 10:05	10
2-Butanone (MEK)	ND		0.050	0.013	mg/L			12/10/22 10:05	10
Benzene	ND		0.010	0.0041	mg/L			12/10/22 10:05	10
Carbon tetrachloride	ND		0.010	0.0027	mg/L			12/10/22 10:05	10
Chlorobenzene	ND		0.010	0.0075	mg/L			12/10/22 10:05	10
Chloroform	ND		0.010	0.0034	mg/L			12/10/22 10:05	10
Tetrachloroethene	ND		0.010	0.0036	mg/L			12/10/22 10:05	10
Trichloroethene	ND		0.010	0.0046	mg/L			12/10/22 10:05	10
Vinyl chloride	ND		0.010	0.0090	mg/L			12/10/22 10:05	10

Surrogate	LB %Recovery	LB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	89		80 - 120		12/10/22 10:05	10
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		12/10/22 10:05	10
4-Bromofluorobenzene (Surr)	91		73 - 120		12/10/22 10:05	10
Dibromofluoromethane (Surr)	103		75 - 123		12/10/22 10:05	10

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-652566/1-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 652566

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Biphenyl	ND		170	24	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
bis (2-chloroisopropyl) ether	ND		170	33	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4,5-Trichlorophenol	ND		170	45	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4,6-Trichlorophenol	ND		170	33	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4-Dichlorophenol	ND		170	18	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4-Dimethylphenol	ND		170	40	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4-Dinitrophenol	ND		1600	770	ug/Kg		12/07/22 16:14	12/08/22 14:00	1

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
 Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-652566/1-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652566

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-Dinitrotoluene	ND		170	34	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	1
2,6-Dinitrotoluene	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	2
2-Chloronaphthalene	ND		170	27	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	3
2-Chlorophenol	ND		320	30	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	4
2-Methylphenol	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	5
2-Methylnaphthalene	ND		170	33	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	6
2-Nitroaniline	ND		320	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	7
2-Nitrophenol	ND		170	47	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	8
3,3'-Dichlorobenzidine	ND		320	200	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	9
3-Nitroaniline	ND		320	46	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	10
4,6-Dinitro-2-methylphenol	ND		320	170	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	11
4-Bromophenyl phenyl ether	ND		170	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	12
4-Chloro-3-methylphenol	ND		170	41	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	13
4-Chloroaniline	ND		170	41	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	14
4-Chlorophenyl phenyl ether	ND		170	21	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	15
4-Methylphenol	ND		320	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	1
4-Nitroaniline	ND		320	87	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	2
4-Nitrophenol	ND		320	120	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	3
Acenaphthene	ND		170	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	4
Acenaphthylene	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	5
Acetophenone	ND		170	23	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	6
Anthracene	ND		170	41	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	7
Atrazine	ND		170	58	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	8
Benzaldehyde	ND		170	130	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	9
Benzo[a]anthracene	ND		170	17	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	10
Benzo[a]pyrene	ND		170	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	11
Benzo[b]fluoranthene	ND		170	26	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	12
Benzo[g,h,i]perylene	ND		170	18	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	13
Benzo[k]fluoranthene	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	14
Bis(2-chloroethoxy)methane	ND		170	35	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	15
Bis(2-chloroethyl)ether	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	1
Bis(2-ethylhexyl) phthalate	ND		170	57	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	2
Butyl benzyl phthalate	32.6	J	170	27	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	3
Caprolactam	ND		170	50	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	4
Carbazole	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	5
Chrysene	ND		170	37	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	6
Dibenz(a,h)anthracene	ND		170	29	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	7
Di-n-butyl phthalate	ND		170	28	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	8
Di-n-octyl phthalate	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	9
Dibenzofuran	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	10
Diethyl phthalate	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	11
Dimethyl phthalate	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	12
Fluoranthene	ND		170	18	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	13
Fluorene	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	14
Hexachlorobenzene	ND		170	23	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	15
Hexachlorobutadiene	ND		170	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	1
Hexachlorocyclopentadiene	ND		170	23	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	2
Hexachloroethane	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	3
Indeno[1,2,3-cd]pyrene	ND		170	21	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	4

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-652566/1-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652566

Analyte	MB		RL	MDL	Unit	D	Prepared		Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed		
Isophorone	ND		170	35	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
N-Nitrosodi-n-propylamine	ND		170	28	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
N-Nitrosodiphenylamine	ND		170	140	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Naphthalene	ND		170	22	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Nitrobenzene	ND		170	19	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Pentachlorophenol	ND		320	170	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Phenanthrene	ND		170	24	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Phenol	ND		170	25	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Pyrene	ND		170	20	ug/Kg		12/07/22 16:14	12/08/22 14:00		1

Surrogate	MB		Limits	Prepared		Dil Fac
	%Recovery	Qualifier		Prepared	Analyzed	
Nitrobenzene-d5 (Surr)	76		53 - 120	12/07/22 16:14	12/08/22 14:00	1
Phenol-d5 (Surr)	78		54 - 120	12/07/22 16:14	12/08/22 14:00	1
p-Terphenyl-d14 (Surr)	90		79 - 130	12/07/22 16:14	12/08/22 14:00	1
2,4,6-Tribromophenol (Surr)	84		54 - 120	12/07/22 16:14	12/08/22 14:00	1
2-Fluorobiphenyl (Surr)	83		60 - 120	12/07/22 16:14	12/08/22 14:00	1
2-Fluorophenol (Surr)	75		52 - 120	12/07/22 16:14	12/08/22 14:00	1

Lab Sample ID: LCS 480-652566/2-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652566

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	
Biphenyl	1640	1080		ug/Kg		66	59 - 120	
bis (2-chloroisopropyl) ether	1640	970		ug/Kg		59	44 - 120	
2,4,5-Trichlorophenol	1640	1210		ug/Kg		74	59 - 126	
2,4,6-Trichlorophenol	1640	1210		ug/Kg		73	59 - 123	
2,4-Dichlorophenol	1640	1140		ug/Kg		69	61 - 120	
2,4-Dimethylphenol	1640	1140		ug/Kg		70	59 - 120	
2,4-Dinitrophenol	3280	2460		ug/Kg		75	41 - 146	
2,4-Dinitrotoluene	1640	1290		ug/Kg		79	63 - 120	
2,6-Dinitrotoluene	1640	1240		ug/Kg		75	66 - 120	
2-Chloronaphthalene	1640	1060		ug/Kg		64	57 - 120	
2-Chlorophenol	1640	1020		ug/Kg		62	53 - 120	
2-Methylphenol	1640	1110		ug/Kg		68	54 - 120	
2-Methylnaphthalene	1640	988		ug/Kg		60	59 - 120	
2-Nitroaniline	1640	1220		ug/Kg		74	61 - 120	
2-Nitrophenol	1640	1060		ug/Kg		65	56 - 120	
3,3'-Dichlorobenzidine	3280	2380		ug/Kg		73	54 - 120	
3-Nitroaniline	1640	1150		ug/Kg		70	48 - 120	
4,6-Dinitro-2-methylphenol	3280	2480		ug/Kg		76	49 - 122	
4-Bromophenyl phenyl ether	1640	1200		ug/Kg		73	58 - 120	
4-Chloro-3-methylphenol	1640	1240		ug/Kg		75	61 - 120	
4-Chloroaniline	1640	1030		ug/Kg		63	38 - 120	
4-Chlorophenyl phenyl ether	1640	1180		ug/Kg		72	63 - 124	
4-Methylphenol	1640	1130		ug/Kg		69	55 - 120	
4-Nitroaniline	1640	1250		ug/Kg		76	56 - 120	
4-Nitrophenol	3280	2580		ug/Kg		79	43 - 147	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-652566/2-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652566

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Acenaphthene	1640	1120		ug/Kg		68	62 - 120
Acenaphthylene	1640	1140		ug/Kg		69	58 - 121
Acetophenone	1640	1030		ug/Kg		63	54 - 120
Anthracene	1640	1240		ug/Kg		76	62 - 120
Atrazine	3280	2620		ug/Kg		80	60 - 127
Benzaldehyde	3280	1940		ug/Kg		59	10 - 150
Benzo[a]anthracene	1640	1250		ug/Kg		76	65 - 120
Benzo[a]pyrene	1640	1250		ug/Kg		76	64 - 120
Benzo[b]fluoranthene	1640	1440		ug/Kg		88	64 - 120
Benzo[g,h,i]perylene	1640	1170		ug/Kg		71	45 - 145
Benzo[k]fluoranthene	1640	1180		ug/Kg		72	65 - 120
Bis(2-chloroethoxy)methane	1640	1050		ug/Kg		64	55 - 120
Bis(2-chloroethyl)ether	1640	961		ug/Kg		59	45 - 120
Bis(2-ethylhexyl) phthalate	1640	1310		ug/Kg		80	61 - 133
Butyl benzyl phthalate	1640	1280		ug/Kg		78	61 - 129
Caprolactam	3280	2680		ug/Kg		82	47 - 120
Carbazole	1640	1280		ug/Kg		78	65 - 120
Chrysene	1640	1200		ug/Kg		73	64 - 120
Dibenz(a,h)anthracene	1640	1220		ug/Kg		75	54 - 132
Di-n-butyl phthalate	1640	1300		ug/Kg		79	58 - 130
Di-n-octyl phthalate	1640	1280		ug/Kg		78	57 - 133
Dibenzofuran	1640	1150		ug/Kg		70	63 - 120
Diethyl phthalate	1640	1270		ug/Kg		77	66 - 120
Dimethyl phthalate	1640	1250		ug/Kg		76	65 - 124
Fluoranthene	1640	1270		ug/Kg		77	62 - 120
Fluorene	1640	1170		ug/Kg		72	63 - 120
Hexachlorobenzene	1640	1210		ug/Kg		73	60 - 120
Hexachlorobutadiene	1640	959		ug/Kg		58	45 - 120
Hexachlorocyclopentadiene	1640	1010		ug/Kg		62	47 - 120
Hexachloroethane	1640	885		ug/Kg		54	41 - 120
Indeno[1,2,3-cd]pyrene	1640	1220		ug/Kg		74	56 - 134
Isophorone	1640	1090		ug/Kg		66	56 - 120
N-Nitrosodi-n-propylamine	1640	1040		ug/Kg		64	52 - 120
N-Nitrosodiphenylamine	1640	1210		ug/Kg		74	51 - 128
Naphthalene	1640	1020		ug/Kg		62	55 - 120
Nitrobenzene	1640	1040		ug/Kg		63	54 - 120
Pentachlorophenol	3280	2330		ug/Kg		71	51 - 120
Phenanthrene	1640	1210		ug/Kg		74	60 - 120
Phenol	1640	1060		ug/Kg		65	53 - 120
Pyrene	1640	1250		ug/Kg		76	61 - 133

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Nitrobenzene-d5 (Surr)	63		53 - 120
Phenol-d5 (Surr)	66		54 - 120
p-Terphenyl-d14 (Surr)	79		79 - 130
2,4,6-Tribromophenol (Surr)	80		54 - 120
2-Fluorobiphenyl (Surr)	69		60 - 120
2-Fluorophenol (Surr)	61		52 - 120

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-653570/1-A

Matrix: Solid

Analysis Batch: 653688

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 653570

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.010	0.00045	mg/L		12/15/22 09:33	12/16/22 10:57	1
2,4,5-Trichlorophenol	ND		0.0050	0.00048	mg/L		12/15/22 09:33	12/16/22 10:57	1
2,4,6-Trichlorophenol	ND		0.0050	0.00060	mg/L		12/15/22 09:33	12/16/22 10:57	1
2,4-Dinitrotoluene	ND		0.0050	0.00043	mg/L		12/15/22 09:33	12/16/22 10:57	1
3-Methylphenol	ND		0.010	0.00040	mg/L		12/15/22 09:33	12/16/22 10:57	1
2-Methylphenol	ND		0.0050	0.00040	mg/L		12/15/22 09:33	12/16/22 10:57	1
Pyridine	ND		0.025	0.00040	mg/L		12/15/22 09:33	12/16/22 10:57	1
4-Methylphenol	ND		0.010	0.00035	mg/L		12/15/22 09:33	12/16/22 10:57	1
Hexachlorobenzene	ND		0.0050	0.00050	mg/L		12/15/22 09:33	12/16/22 10:57	1
Hexachlorobutadiene	ND		0.0050	0.00068	mg/L		12/15/22 09:33	12/16/22 10:57	1
Hexachloroethane	ND		0.0050	0.00058	mg/L		12/15/22 09:33	12/16/22 10:57	1
Nitrobenzene	ND		0.0050	0.00028	mg/L		12/15/22 09:33	12/16/22 10:57	1
Pentachlorophenol	ND		0.010	0.0022	mg/L		12/15/22 09:33	12/16/22 10:57	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	90		46 - 120	12/15/22 09:33	12/16/22 10:57	1
Phenol-d5 (Surr)	36		22 - 120	12/15/22 09:33	12/16/22 10:57	1
p-Terphenyl-d14 (Surr)	100		60 - 148	12/15/22 09:33	12/16/22 10:57	1
2,4,6-Tribromophenol (Surr)	95		41 - 120	12/15/22 09:33	12/16/22 10:57	1
2-Fluorobiphenyl (Surr)	94		48 - 120	12/15/22 09:33	12/16/22 10:57	1
2-Fluorophenol (Surr)	53		35 - 120	12/15/22 09:33	12/16/22 10:57	1

Lab Sample ID: LCS 480-653570/2-A

Matrix: Solid

Analysis Batch: 653688

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 653570

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limts
1,4-Dichlorobenzene	0.0500	0.0258		mg/L		52	51 - 120
2,4,5-Trichlorophenol	0.0500	0.0483		mg/L		97	65 - 126
2,4,6-Trichlorophenol	0.0500	0.0461		mg/L		92	64 - 120
2,4-Dinitrotoluene	0.0500	0.0515		mg/L		103	69 - 120
3-Methylphenol	0.0500	0.0344		mg/L		69	39 - 120
2-Methylphenol	0.0500	0.0369		mg/L		74	39 - 120
Pyridine	0.100	0.0484		mg/L		48	10 - 120
4-Methylphenol	0.0500	0.0344		mg/L		69	29 - 131
Hexachlorobenzene	0.0500	0.0478		mg/L		96	61 - 120
Hexachlorobutadiene	0.0500	0.0269		mg/L		54	35 - 120
Hexachloroethane	0.0500	0.0231		mg/L		46	43 - 120
Nitrobenzene	0.0500	0.0415		mg/L		83	53 - 123
Pentachlorophenol	0.100	0.100		mg/L		100	29 - 136

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
Nitrobenzene-d5 (Surr)	84		46 - 120
Phenol-d5 (Surr)	35		22 - 120
p-Terphenyl-d14 (Surr)	105		60 - 148
2,4,6-Tribromophenol (Surr)	103		41 - 120
2-Fluorobiphenyl (Surr)	92		48 - 120
2-Fluorophenol (Surr)	47		35 - 120

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: LCSD 480-653570/3-A

Matrix: Solid

Analysis Batch: 653688

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 653570

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dichlorobenzene	0.0500	0.0264		mg/L	53	51 - 120	2	36	
2,4,5-Trichlorophenol	0.0500	0.0476		mg/L	95	65 - 126	1	18	
2,4,6-Trichlorophenol	0.0500	0.0478		mg/L	96	64 - 120	3	19	
2,4-Dinitrotoluene	0.0500	0.0526		mg/L	105	69 - 120	2	20	
3-Methylphenol	0.0500	0.0357		mg/L	71	39 - 120	4	30	
2-Methylphenol	0.0500	0.0387		mg/L	77	39 - 120	5	27	
Pyridine	0.100	0.0464		mg/L	46	10 - 120	4	49	
4-Methylphenol	0.0500	0.0357		mg/L	71	29 - 131	4	24	
Hexachlorobenzene	0.0500	0.0485		mg/L	97	61 - 120	2	15	
Hexachlorobutadiene	0.0500	0.0266		mg/L	53	35 - 120	1	44	
Hexachloroethane	0.0500	0.0237		mg/L	47	43 - 120	2	46	
Nitrobenzene	0.0500	0.0421		mg/L	84	53 - 123	1	24	
Pentachlorophenol	0.100	0.105		mg/L	105	29 - 136	5	37	

Surrogate	LCSD	LCSD	<i>Limits</i>
	%Recovery	Qualifier	
Nitrobenzene-d5 (Surr)	88		46 - 120
Phenol-d5 (Surr)	37		22 - 120
p-Terphenyl-d14 (Surr)	107		60 - 148
2,4,6-Tribromophenol (Surr)	106		41 - 120
2-Fluorobiphenyl (Surr)	94		48 - 120
2-Fluorophenol (Surr)	49		35 - 120

Lab Sample ID: LB 480-652622/1-G

Matrix: Solid

Analysis Batch: 653688

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 653570

Analyte	LB	LB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND	ND			0.040	0.0018	mg/L	12/15/22 09:33	12/16/22 12:10		1
2,4,5-Trichlorophenol	ND	ND			0.020	0.0019	mg/L	12/15/22 09:33	12/16/22 12:10		1
2,4,6-Trichlorophenol	ND	ND			0.020	0.0024	mg/L	12/15/22 09:33	12/16/22 12:10		1
2,4-Dinitrotoluene	ND	ND			0.020	0.0017	mg/L	12/15/22 09:33	12/16/22 12:10		1
3-Methylphenol	ND	ND			0.040	0.0016	mg/L	12/15/22 09:33	12/16/22 12:10		1
2-Methylphenol	ND	ND			0.020	0.0016	mg/L	12/15/22 09:33	12/16/22 12:10		1
Pyridine	ND	ND			0.10	0.0016	mg/L	12/15/22 09:33	12/16/22 12:10		1
4-Methylphenol	ND	ND			0.040	0.0014	mg/L	12/15/22 09:33	12/16/22 12:10		1
Hexachlorobenzene	ND	ND			0.020	0.0020	mg/L	12/15/22 09:33	12/16/22 12:10		1
Hexachlorobutadiene	ND	ND			0.020	0.0027	mg/L	12/15/22 09:33	12/16/22 12:10		1
Hexachloroethane	ND	ND			0.020	0.0023	mg/L	12/15/22 09:33	12/16/22 12:10		1
Nitrobenzene	ND	ND			0.020	0.0011	mg/L	12/15/22 09:33	12/16/22 12:10		1
Pentachlorophenol	ND	ND			0.040	0.0088	mg/L	12/15/22 09:33	12/16/22 12:10		1

Surrogate	LB	LB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	ND	ND	92		46 - 120	12/15/22 09:33	12/16/22 12:10	1
Phenol-d5 (Surr)	ND	ND	35		22 - 120	12/15/22 09:33	12/16/22 12:10	1
p-Terphenyl-d14 (Surr)	ND	ND	105		60 - 148	12/15/22 09:33	12/16/22 12:10	1
2,4,6-Tribromophenol (Surr)	ND	ND	102		41 - 120	12/15/22 09:33	12/16/22 12:10	1
2-Fluorobiphenyl (Surr)	ND	ND	92		48 - 120	12/15/22 09:33	12/16/22 12:10	1
2-Fluorophenol (Surr)	ND	ND	51		35 - 120	12/15/22 09:33	12/16/22 12:10	1

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 480-652821/2-A

Matrix: Solid

Analysis Batch: 653387

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652821

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.020	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Barium	ND		0.0050	0.0011	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Cadmium	ND		0.0020	0.00030	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Chromium	ND		0.0050	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Lead	ND		0.010	0.0024	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Selenium	ND		0.040	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Silver	ND		0.0060	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:04	1

Lab Sample ID: LCS 480-652821/3-A

Matrix: Solid

Analysis Batch: 653387

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652821

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits	
Arsenic		1.00	1.11		mg/Kg		111	80 - 120	
Barium		1.00	1.01		mg/Kg		101	80 - 120	
Cadmium		1.00	1.09		mg/Kg		109	80 - 120	
Chromium		1.00	1.05		mg/Kg		105	80 - 120	
Lead		1.00	1.07		mg/Kg		107	80 - 120	
Selenium		1.00	1.11		mg/Kg		111	80 - 120	
Silver		1.00	1.12		mg/Kg		112	80 - 120	

Lab Sample ID: LB 480-652622/1-E

Matrix: Solid

Analysis Batch: 653387

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 652821

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.020	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Barium	ND		0.0050	0.0011	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Cadmium	ND		0.0020	0.00030	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Chromium	0.00496	J	0.0050	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Lead	ND		0.010	0.0024	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Selenium	0.00646	J	0.040	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Silver	ND		0.0060	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:00	1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 480-652847/2-A

Matrix: Solid

Analysis Batch: 652921

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652847

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000043	mg/L		12/09/22 11:47	12/09/22 17:53	1

Lab Sample ID: LCS 480-652847/3-A

Matrix: Solid

Analysis Batch: 652921

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652847

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits	
Mercury		0.00680	0.00602		mg/L		88	80 - 120	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: LB 480-652622/1-F

Matrix: Solid

Analysis Batch: 652921

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 652847

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000043	mg/L		12/09/22 11:47	12/09/22 17:51	1

QC Association Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

GC/MS VOA

Leach Batch: 652650

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	1311	
LB 480-652650/1-A	Method Blank	TCLP	Solid	1311	

Prep Batch: 652673

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	5035A_L	
MB 480-652673/2-A	Method Blank	Total/NA	Solid	5035A_L	
LCS 480-652673/1-A	Lab Control Sample	Total/NA	Solid	5035A_L	

Analysis Batch: 652739

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	8260C	
MB 480-652673/2-A	Method Blank	Total/NA	Solid	8260C	
LCS 480-652673/1-A	Lab Control Sample	Total/NA	Solid	8260C	

Analysis Batch: 652922

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	8260C	
LB 480-652650/1-A	Method Blank	TCLP	Solid	8260C	
MB 480-652922/8	Method Blank	Total/NA	Solid	8260C	
LCS 480-652922/6	Lab Control Sample	Total/NA	Solid	8260C	

GC/MS Semi VOA

Prep Batch: 652566

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	3550C	
MB 480-652566/1-A	Method Blank	Total/NA	Solid	3550C	
LCS 480-652566/2-A	Lab Control Sample	Total/NA	Solid	3550C	

Analysis Batch: 652617

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	8270D	
MB 480-652566/1-A	Method Blank	Total/NA	Solid	8270D	
LCS 480-652566/2-A	Lab Control Sample	Total/NA	Solid	8270D	

Leach Batch: 652622

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	1311	
LB 480-652622/1-G	Method Blank	TCLP	Solid	1311	

Prep Batch: 653570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	3510C	
LB 480-652622/1-G	Method Blank	TCLP	Solid	3510C	
MB 480-653570/1-A	Method Blank	Total/NA	Solid	3510C	
LCS 480-653570/2-A	Lab Control Sample	Total/NA	Solid	3510C	
LCSD 480-653570/3-A	Lab Control Sample Dup	Total/NA	Solid	3510C	

QC Association Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

GC/MS Semi VOA

Analysis Batch: 653688

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	8270D	653570
LB 480-652622/1-G	Method Blank	TCLP	Solid	8270D	653570
MB 480-653570/1-A	Method Blank	Total/NA	Solid	8270D	653570
LCS 480-653570/2-A	Lab Control Sample	Total/NA	Solid	8270D	653570
LCSD 480-653570/3-A	Lab Control Sample Dup	Total/NA	Solid	8270D	653570

Metals

Leach Batch: 652622

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	1311	9
LB 480-652622/1-E	Method Blank	TCLP	Solid	1311	10
LB 480-652622/1-F	Method Blank	TCLP	Solid	1311	

Prep Batch: 652821

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	3050B	652622
LB 480-652622/1-E	Method Blank	TCLP	Solid	3050B	652622
MB 480-652821/2-A	Method Blank	Total/NA	Solid	3050B	13
LCS 480-652821/3-A	Lab Control Sample	Total/NA	Solid	3050B	

Prep Batch: 652847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	7470A	652622
LB 480-652622/1-F	Method Blank	TCLP	Solid	7470A	652622
MB 480-652847/2-A	Method Blank	Total/NA	Solid	7470A	
LCS 480-652847/3-A	Lab Control Sample	Total/NA	Solid	7470A	

Analysis Batch: 652921

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	7470A	652847
LB 480-652622/1-F	Method Blank	TCLP	Solid	7470A	652847
MB 480-652847/2-A	Method Blank	Total/NA	Solid	7470A	652847
LCS 480-652847/3-A	Lab Control Sample	Total/NA	Solid	7470A	652847

Analysis Batch: 653387

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	6010C	652821
LB 480-652622/1-E	Method Blank	TCLP	Solid	6010C	652821
MB 480-652821/2-A	Method Blank	Total/NA	Solid	6010C	652821
LCS 480-652821/3-A	Lab Control Sample	Total/NA	Solid	6010C	652821

General Chemistry

Analysis Batch: 652563

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	Moisture	

Lab Chronicle

Client: LaBella Associates DPC

Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Date Collected: 12/06/22 11:30

Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			652650	BML	EET BUF	12/08/22 09:38 - 12/09/22 10:54 ¹
TCLP	Analysis	8260C		10	652922	ATG	EET BUF	12/10/22 12:24
TCLP	Leach	1311			652622	BML	EET BUF	12/08/22 09:01 - 12/09/22 09:36 ¹
TCLP	Prep	3510C			653570	JMP	EET BUF	12/15/22 09:33
TCLP	Analysis	8270D		1	653688	JMM	EET BUF	12/16/22 12:34
TCLP	Leach	1311			652622	BML	EET BUF	12/08/22 09:01 - 12/09/22 09:36 ¹
TCLP	Prep	3050B			652821	NVK	EET BUF	12/09/22 10:09
TCLP	Analysis	6010C		1	653387	LMH	EET BUF	12/13/22 13:43
TCLP	Leach	1311			652622	BML	EET BUF	12/08/22 09:01 - 12/09/22 09:36 ¹
TCLP	Prep	7470A			652847	NVK	EET BUF	12/09/22 11:47
TCLP	Analysis	7470A		1	652921	NVK	EET BUF	12/09/22 18:05
Total/NA	Analysis	Moisture		1	652563	JMM	EET BUF	12/07/22 16:01

Client Sample ID: ROBLIN DRUM

Date Collected: 12/06/22 11:30

Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1

Matrix: Solid

Percent Solids: 80.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035A_L			652673	LCH	EET BUF	12/08/22 12:27
Total/NA	Analysis	8260C		1	652739	CDC	EET BUF	12/09/22 06:45
Total/NA	Prep	3550C			652566	SJM	EET BUF	12/07/22 16:14
Total/NA	Analysis	8270D		1	652617	JMM	EET BUF	12/08/22 20:23

¹ Completion dates and times are reported or not reported per method requirements or individual lab discretion.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Eurofins Buffalo

Accreditation/Certification Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Laboratory: Eurofins Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	03-31-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
7470A	7470A	Solid	Mercury
Moisture		Solid	Percent Moisture
Moisture		Solid	Percent Solids

Method Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	EET BUF
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	EET BUF
6010C	Metals (ICP)	SW846	EET BUF
7470A	Mercury (CVAA)	SW846	EET BUF
Moisture	Percent Moisture	EPA	EET BUF
1311	TCLP Extraction	SW846	EET BUF
3050B	Preparation, Metals	SW846	EET BUF
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET BUF
3550C	Ultrasonic Extraction	SW846	EET BUF
5030C	Purge and Trap	SW846	EET BUF
5035A_L	Closed System Purge and Trap	SW846	EET BUF
7470A	Preparation, Mercury	SW846	EET BUF

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-204473-1	ROBLIN DRUM	Solid	12/06/22 11:30	12/06/22 15:30

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Chain of Custody Record

Eurofins Environment Testing America									
Project Manager: <u>Chris Kibler</u>		Client Contact: LaBella Associates		Site Contact: Andrew Kaspar		Date: 12/16/22		COC No. 1 of 1 COCs	
Email: <u>C.Kibler@labellaper.com</u>		Tel/Fax:		Lab Contact:		Carrier:		TALS Project #:	
								Sampler:	
								For Lab Use Only:	
								Walk-in Client:	
								Lab Sampling:	
								Job / SDG No.:	
Sample Specific Notes:									
<input type="checkbox"/> DW <input type="checkbox"/> NPDES <input type="checkbox"/> RCRA <input type="checkbox"/> Other: Performance MS / MSD (Y/N) <input type="checkbox"/> Filtered Sample (Y/N) <input type="checkbox"/> Pesticide Sample (Y/N) <input type="checkbox"/> TCEP MDEA <input type="checkbox"/> TCEP SVOCs <input type="checkbox"/> TCEP AICS <input type="checkbox"/> TCEP SVOCs <input type="checkbox"/> TCEP VOCs <input type="checkbox"/> TCEP VOCs <input type="checkbox"/> TCEP VOCs <input type="checkbox"/>									
Analysis Turnaround Time <input type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below _____ <input type="checkbox"/> 2 weeks <input type="checkbox"/> Standard <input type="checkbox"/> 1 week <input type="checkbox"/> <input type="checkbox"/> 2 days <input type="checkbox"/> <input type="checkbox"/> 1 day <input type="checkbox"/>									
Sample Identification <u>Robin Drum</u> <u>11/20</u> <u>C</u> <u>Soil</u> <u>5</u> Sample Date Sample Time Sample Type (C=Comp, G=Grab) Matrix # of Cont.									
 480-204473 Chain of Custody									
Preservation Used: 1= Ice, 2= HCl; 3= H ₂ SO ₄ ; 4=HNO ₃ ; 5=NaOH; 6= Other _____									
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison A <input type="checkbox"/> Unknown									
Special Instructions/QC Requirements & Comments: <u>4.8</u>									
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for Months									
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No Custody Seal No.: _____ Relinquished by: <u>Andrew Kaspar</u> Company: <u>LaBella</u> Date/Time: <u>12/16/22 15:20</u> Received by: _____ Relinquished by: _____ Company: _____ Date/Time: _____ Received by: _____ Relinquished by: _____ Company: _____ Date/Time: _____ Received in Laboratory by: <u>Andrew Kaspar</u> Company: <u>LaBella</u> Date/Time: <u>12/16/22 15:30</u>									

Login Sample Receipt Checklist

Client: LaBella Associates DPC

Job Number: 480-204473-1

Login Number: 204473

List Source: Eurofins Buffalo

List Number: 1


Creator: Sabuda, Brendan D

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.8 #1 ICE
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	True	



APPENDIX E – IN-SITU GROUNDWATER TREATMENT DOCUMENTATION


KB-1® Injection Summary



TOOL KIT CONTENTS

1. Toolkit Case
2. Quick Connect Fittings
3. Scale
4. Tubing
5. Regulator
6. Tools
7. KB-1® Vessel in Overpack Case

*Please note that the nitrogen/argon gas cylinder is not included with the culture shipment. Gas can be obtained from a local gas supplier.



VESSEL PORT FUNCTIONS

1. Inoculation Port (YELLOW)
To allow KB-1® to flow out of the vessel.
2. Purge Port (GREEN)
To purge tubing with inert gas.
3. Pressurization Port (RED)
To pressurize KB-1® vessel.

KB-1® Injection Summary

SETUP TO PURGE INJECTION TUBING



1. Gas In: The inert gas tubing remains in the pressurization port (**RED**) for the duration of the injection.

2. Gas Out: Initially the tubing used to inject the KB-1® will be connected to the purge port (**GREEN**).

SETUP TO INJECT KB-1®



1. Gas In: The pressurization port (**RED**) remains in the open position for the duration of the injection.

2. KB-1® Out: The KB-1® injection tubing is moved from the purge port (**GREEN**) to the KB-1® inoculation port (**YELLOW**).



Turn scale on by pressing the lbs/kg button and ON buttons simultaneously



Change the units to kg by pressing lbs/kg button



Press Zero/Hold to tare scale



Place KB-1® vessel on scale and record the weight



Weight will decrease with each injection of KB-1®

USING THE SCALE

KB-1® Injection Summary



ANAEROBIC WATER DRIVEN KB-1® INJECTION SETUP

1. Gas Tubing
2. KB-1® Injection Tubing
3. Female Quick Connect (1/4" Male NPT)
4. Ball Valve with 1/4" Female NPT Fitting*
5. T-Fitting*
6. Ball Valve*
7. Anaerobic water line

*not included with shipment


KB-1® Injection Summary

KB-1® INJECTION DISPENSER OPERATION

1. Gas Line

2. Female Quick Connect

(item #3 as shown in anaerobic water driven KB-1 injection set-up)



Step 1: Cut the length of tubing that will span from the gas cylinder to the culture vessel (5-10' should be sufficient). Attach one end to the hosebarb on the regulator and the other to the hosebarb on a quick connect. Connect the quick connect to the top port of the injection dispenser.

Step 2: Cut the length of tubing that will span from the injection dispenser to the injection location (5-10' should be sufficient). Attach one end to the hosebarb on the injection dispenser and the other to the hosebarb on a quick connect. Open the valve on the gas cylinder, followed by the regulator, the top of the injection dispenser and finally the bottom of the injection dispenser. Push on the bottom of the quick connect to allow gas to flow through the injection equipment.

Step 3: Close the bottom port on the injection dispenser and allow pressure to build to 5 psi in the dispenser. Close the top port of the injection dispenser.

Step 4: Connect the bottom quick connect into the inoculation port (**YELLOW**). Move the gas line from the top of the injection dispenser to the pressurization port (**RED**) on the culture vessel. Connect a quick connect into the top port of the injection dispenser.

Step 5: Open the inoculation port (**YELLOW**) and allow KB-1® to flow into the injection dispenser to the desired volume.

Step 6: Pressure will increase as the injection dispenser fills. Release the pressure by opening the top port. Close the top port before the target volume is reached, this will ensure that there is always pressure in the dispenser.

Step 7: Once the target volume is reached close the bottom port and remove the quick connect from the top port.

Step 8: Move the injection dispenser from the inoculation port (**YELLOW**) to the port on the anaerobic water line set up. Connect the gas line to the top of the injection dispenser. Open the top port followed by the bottom port of the injection dispenser. Once the culture has been injected, close the bottom port followed by the top port to keep pressure in the injection dispenser.

Step 9: Repeat steps 4-8 until all injections are complete.

Step 10: Once the injections are complete, pack the vessel(s) in the white over pack(s) & place all tools into the tool kit. Contact Corey Scales at 519-515-0848 for return shipping instructions and paperwork.

For additional information refer to the Culture safety data sheet (SDS)

Contact SiREM for Customer Support

Toll free: 1-866-251-1747

Bioaugmentation Coordinator, Corey Scales: (519) 515-0848

OVERVIEW

Provect-IR® *In Situ* Chemical Reduction (ISCR) reagent is designed to treat persistent organic and/or inorganic contaminants present in the subsurface environment. As developers of the conventional ISCR amendments, scientists now at Provectus know that Provect-IR is a more efficient, and safer amendment. It is unique in its composition:

- ◆ Zero Valent Iron: Up to 85% (weight basis), site-specific particle sizes
- ◆ Integrated Vitamins, minerals, and nutrients (yeast extract) specially selected for anaerobes
- ◆ Chemical oxygen scavenger to maintain reduced condition
- ◆ Multiple, Complex, Hydrophilic, Timed-Release organic carbon sources (plant materials, Kelp, Calcium Propionate) @ 390 g H donor / lb product
- ◆ Natural, food-grade methane inhibitors to increase safety and efficiency

MATERIAL PACKAGING, HANDLING AND STORAGE



Provect-IR can be specially formulated to meet site-specific needs. The standard formulation contains 40% ZVI and is packaged as a dry powder in 50-lb easy-open (no sharps), polyethylene-lined, recycled paper bags or, upon request, in 2,000 lb supersacks. Typical shipments entail multiple units of 4x4 wooden pallets containing 40 bags x 50 lbs/bag = 2,000 lbs reagent per pallet. Each pallet is neatly wrapped in water-resistant plastic, but direct exposure to rain should be avoided.

GENERAL HEALTH AND SAFETY GUIDELINES

Provect-IR is non-hazardous and safe to handle. The use of standard personal protective equipment is always recommended, including safety glasses, steel-toe boots, gloves, hearing protection (in the proximity of loud machinery) and hard hats. Dust mask may be desired when working with the material under certain conditions. The SDS is posted on our web site.

SLURRY PREPARATION

Provect-IR is mixed with clean water on site to yield an aqueous slurry (see **Table 1** for field mixing guidelines). Experienced injection contractors can manage (mix, transport/pump, and inject) slurry containing between 20% and 30% solids (defined as the mass of dry Provect-IR divided by the total mass of slurry, including the water). For situations where more volume is desired, slurry density can be decreased (e.g., using a thinner slurry). Conversely, for situations where less volume is required (for example to minimize surfacing issues), thicker slurry with higher

solids can be applied. A slurry containing ca. 30% solids will have the following general characteristics:

- ◆ Wet Density = 0.9 to 1.1 g/cm³
- ◆ Dry Density = 0.3 to 0.4 g/cm³
- ◆ Viscosity = 500 to 1,500 cP

TABLE 1. FIELD GUIDE FOR MAKING SLURRY

per 50 pound bag		per 25 kg bag	
Target weight %	USG water required	Target weight %	Liters water required
15	34	15	142
20	24	20	100
22	21	22	89
24	19	24	79
26	17	26	71
28	15	28	64
30	14	30	58
32	13	32	53
34	12	34	49
36	11	36	44

APPLICATION TECHNIQUES

Provect-IR has been employed for source area treatment, plume treatment and/or plume management using permeable reactive barrier (PRBs). The choice of installation method will depend on the site-specific conditions, including treatment depth and geology. The most practiced *in situ* application method has been direct injection of aqueous slurry.

Provect-IR® slurry containing 10 to 35% solids has been added to numerous aquifers using a variety of injection methods, including hydraulic fracturing, pneumatic fracturing, and direct

injection. It can also be added via direct soil mixing using a wide range of equipment, or it can be placed directly into an open excavation or trench.

GENERAL GUIDELINES FOR DIRECT PUSH INJECTION OF AQUEOUS SLURRY

Mixing Equipment: Reagent slurry has been prepared in various ways, ranging from in-line automated mixing systems, to manual mixing using a hand-held drill with a mixing attachment, to more creative processes. Particularly for larger projects, experienced drillers will have some form of mechanical mixing system on site that includes a tank with a paddle-type mixer at the bottom. The slurry is then transferred to a feed tank connected to an injection pump so that slurry can be prepared continuously while injections are being performed (see example, ChemGrout mixing system). Slurry mixes quickly in these systems (<1 minute), and injections can proceed without interruption.



Pumps: Experienced drillers will have a variety of pumping equipment on site. For injecting slurries, an injection pump capable of generating at least 300 psi of pressure at a flow rate of >5 gpm is desired. Obviously, the pump needs to be able to handle solids, such as piston pumps, grout pumps, and progressing cavity pumps - with a preference towards the piston and grout pumps. Slurry is typically injected at pressures of 100 to 200 psi; however, higher pressures are sometimes required to initiate the injection. It is recommended to have a higher pressure pump available on site that can generate over 500 psi and ca. >10 gpm, as deeper installations often require higher injection pressures.



Tooling. Experienced drillers will have sufficient rod length on site to allow 3 to 5 injection points to be capped overnight to allow pressure to dissipate. This can help prevent backflow and surfacing of slurry as the injection rods are retracted. Likewise, experienced drillers will have on hand a variety of injection tips, some that direct the slurry horizontally (see for example GeoProbe's pressure activated tip).

In a “top-down” injection approach, the rods are initially advanced to the top of the targeted depth interval, and a specified volume of slurry is injected while recording flow rate, injection pressure, and slurry volume delivered. The injection rods are then further advanced a distance ranging 2 to 4 feet and the process is repeated to help ensure even distribution of slurry over the targeted depth interval. At the end of each injection point, a small volume of water (15 USG) is often used to clear the rods and the injection tip of any slurry.

CONTACT US FOR A SITE EVALUATION

PROVECTUS ENVIRONMENTAL PRODUCTS, INC.

PO BOX 358 | Freeport, IL 61032

Tel: (815) 650-2230 | Email: info@ProvectusEnv.com

Provect-IR® ISCR Reagent

Provect-IR® is a unique mixture of reagents combined into a single product that optimizes the *in situ* reductive dechlorination of chemicals present in soil, sediment, and groundwater. It acts by promoting synergistic interactions between:

- ◆ Natural antimethanogenic compounds
- ◆ Hydrophilic, nutrient rich organic carbon sources
- ◆ Zero-Valent Iron (ZVI)
- ◆ Chemical oxygen scavengers
- ◆ Vitamin and mineral sources



This distinctive, patented combination of natural and food-grade chemicals promotes *in situ* chemical reduction (ISCR) conditions for fast and effective destruction of targeted constituents of interest (COIs) such as chlorinated solvents, organochlorine pesticides, and other halogenated compounds (Brown *et al.*, 2009; Dolfing *et al.*, 2008; US Patent Office Scalzi *et al.* 2012). Notably, Provect-IR® is the only ISCR reagent to simultaneously inhibit the production of methane during the requisite carbon fermentation processes (US Patent Office Scalzi *et al.* 2013, 2014). This promotes more efficient use of the hydrogen donor while avoiding negative issues associated with elevated methane (CH₄) in groundwater, soil gas, and indoor air.

Current regulations for methane in groundwater vary from ca. 10 to 28 mg CH₄/L (Indiana Department of Environmental Management, 2014). More State regulations are pending, with several enhanced reductive dechlorination (ERD) projects which intended to use liquid carbon (emulsified oils) sources failing to receive regulatory approval due to issues associated with excessive production of methane during previous technology applications (Personal Communication - State of California; State of Minnesota). Many remedial practitioners have subsequently been required to establish contingencies for conventional ERD/ISCR implementation if methane exceeds a threshold level ranging from 1 ppm to 10 ppm groundwater. These contingencies often entail expensive and extensive systems for capturing and treating methane in soil gas/vapor captured via SVE systems.

MODE OF ACTION – HOW DOES IT WORK?

What is a Methanogen? In the 1970s, Dr. Carl Woese (1928 to 2012) and his colleagues at the University of Illinois - Urbana studied prokaryotic relationships using DNA sequences and they found that microbes that produce methane – or methanogens - are Archaea (Woese and Fox, 1977). The identification of this new Domain of microorganism was very important for many reasons, but from our limited perspective herein this vast difference in genetic composition means that methanogens are significantly different from typical heterotrophic bacteria and eukaryotes. In other words, *Dehalococcoides ethenogenes* are as different from methanogens as you are.

What is a Statin? A statin can be defined as “a class of lipid-lowering drugs that reduce serum cholesterol levels by inhibiting a key enzyme involved in the biosynthesis of cholesterol”. Lovastatin is a widely known, potent statin used for decades to lower cholesterol in human blood by inhibiting 3-hydro-3-methylglutaryl-coenzyme A (HMG-CoA) reductase, which is a key enzyme in the cholesterol biosynthesis pathway (Alberts et al., 1980). It was the first statin approved by the United States Food and Drug Administration in 1987 as a hypercholesterolemic drug.


What is Red Yeast (Rice) Extract? The red yeast rice (RYR) extract that is component of Provect-IR® is a substance extracted from rice that has been fermented with a type of yeast called *Monascus purpureus*. Red yeast extract is used as a food coloring, food additive/preservative, and is widely consumed by humans. The RYR extract contains a number of monacolins - most importantly, Monacolin K, otherwise known as Lovastatin or Mevinolin. Monacolin K is the only naturally occurring statin compound. In addition to Monacolin K, RYR extract also contains mono-unsaturated fatty acids and other vitamins that will effectively stimulate anaerobic bacteria in the subsurface.

So - How Does a Statin Inhibit a Methanogen? Interestingly, Monacolin K is a potent inhibitor of methanogenic archaea because cell membrane production in archaea shares a similar pathway with cholesterol biosynthesis (Miller and Wolin, 2001). And since methanogens are so uniquely different than bacteria, the inhibitory effect is not observed in microbes that are typically associated with: i) catabolism of organic contaminants (such as *pseudomonas* species) and/or, ii) halo-respiration/biodegradation of chlorinated solvents (such as *Dehalococcoides* species). RYR has been used in the cattle industry for decades in efforts to manage rumen microbiology and control methane production in cows.

ATTENUATION PROCESSES – SAFER, MORE EFFICIENT ISCR TREATMENT

In situ chemical reduction as defined by Dolfing et al (2008) describes the combined effect of stimulated biological oxygen consumption (via fermentation of an organic carbon source), direct chemical reduction with ZVI or other reduced metals. The corresponding enhanced thermodynamic decomposition reactions that are realized at the lowered redox (Eh) conditions allow for more effective mineralization of many COIs.

Several ERD substrates and other accelerated anaerobic bioremediation technologies exist (e.g., emulsified oils, non-emulsified oils, carbon-based hydrogen release compounds, vegetable matter + ZVI amendments) that purportedly offer similar responses. However, the Provect-IR® antimethanogenic ISCR substrate is unique in its ability to yield Eh values most conducive to reductive dechlorination while simultaneously preventing methane production - which is a waste of the H being generated and potentially a safety issue under field conditions.



Provect-IR® uniquely combines RYR extract with a variety of specially selected reagents in order to induce genuine ISCR conditions and facilitate the destruction of targeted COIs in a safer, more efficacious manner. As outlined below, it can be used to manage environments impacted by chlorinated solvents, pesticides, heavy metals and other COIs.

Specially Selected Organic Hydrogen Donors: A variety of hydrophilic, nutrient rich organic carbon sources are incorporated in Provect-IR® that assist in promoting the ISCR process. The Provect-IR bioremediation amendments consist of slow, medium and long-term release carbon sources. Such a formulation is desirable because it provides both a rapidly utilized electron donor (calcium propionate), slow-release long-term electron donors (kelp meal and yeast extract) and long-term release carbon sources (other cellulose and hemi-cellulose carbon such as soy meal). More specifically,

- ◆ Calcium propionate and other readily biodegradable carbon sources: Following the addition of simple carbon sources such as lactate, formate, ethanol or glucose to an aquifer setting these compounds are often converted rapidly to hydrogen and acetate. Although this is the desired response, the process is sometimes too rapid, and this can result in aquifer acidification (due to rapid VFA production) and the liberation of too much hydrogen (which allows methanogens and sulfate reducers to compete effectively with dehalogenators, which tend to grow more slowly). Hence, calcium propionate is used as a readily biodegradable carbon source.
- ◆ Yeast extract: This supplement provides a variety of organic hydrogen donors that have slower release profiles (i.e., they are not fermented as rapidly as propionate). Yeast extract also contains biological components that are very useful to anaerobes, but are not available through other carbon-only media. In particular, yeast extract provides an abundant source of priming ATPase along with trace nutrients and vitamin B complexes.

- ◆ Kelp meal/Cellulose based carbon: These hydrogen sources are composed of a hydrophilic, solid and complex carbon that ferment more slowly and inherently generate less methane. The hydrophilic organic component of the kelp meal, for example, is composed of cellulose and hemicellulose and it may be treated during the manufacturing process so that some of the components more easily undergo hydrolysis to glucose while maintaining an overall longevity of 3 to 5+ years.

Chemical Oxygen Scavengers: The presence of chemical oxygen scavengers such as sodium sulfite helps minimize performance lag phases that are often observed following the injection of remedial amendments. This is due, in part, to the presence of oxygen that is introduced as a result of the field mixing and blending operations. It takes a certain amount of time and reagent consumption to remove that introduced oxygen and allow the ISCR reactions to proceed. Provect-IR is unique in that it manages this impact chemically, which is a more effective, reliable manner thus allowing the ISCR process to be more effective.

Zero-Valent Iron: The presence of ZVI in Provect-IR® is critical to ISCR reactions. The ZVI is added as a reduced material that is oxidized during the reductive dechlorination reactions which use ZVI as the reducing agent. The beta-elimination reaction mainly produces (chloro)acetylene, ethane/ethane and chloride ions, without the accumulation of potentially problematic catabolites typical of microbiologically mediated sequential reductive dehalogenation processes (e.g., DCE “stall”). As the ZVI reacts, hydroxyl ions are released and pH increases which is useful in neutralizing the acidity generated during the fermentation of carbon, where acids are generated. Oxidized iron species are also produced, which are useful in alpha-elimination reactions and iron cycling. One limitation to ZVI reactions is that they are surface mediated which means that direct contact is required for direct COI destruction.

RYR Extract: Provect-IR® is the only ISCR amendment that will rapidly induce ISCR conditions while simultaneously preventing or significantly minimizing the production of methane. The benefits are notable:

- ◆ Safer: Methane is explosive with an LEL of 5% and an UEL of 15%. Production of methane will result from the addition of any conventional ERD or ISCR amendment: excessive and extended production of methane can result in elevated groundwater concentrations (as high as 1,000 ppm have been reported) which can lead to accumulation in soil gas subsequently impacting indoor air. State specific regulations for methane in groundwater have been promulgated, with others pending for soil gas and indoor air.
- ◆ More Efficient = More Cost Effective: Production of methane is a direct indication that the hydrogen generated from the organic carbon amendments was used by methanogens and the amendment has been wasted because it was not utilized by acetogens or

dehalorespiration. By inhibiting the growth and proliferation of methane producing Archaea, chlororespiring bacteria can become the more dominant bacterial populations.

PRIMARY FEATURES

- ◆ Effective: No accumulation of dead-end catabolic intermediates as a function of substrate addition (as is common with [emulsified] oils and sources of carbon only).
 - Does not rely on physical sorption/sequestration as a major “removal” mechanism (as is common with oils).
 - Inherently buffered for pH control – will not acidify an aquifer and liberate heavy metals as potential secondary COIs.
- ◆ Efficient: Significantly lower costs as a result more efficient amendment utilization and avoidance of contingencies for methane management. No need for additional buffers.
- ◆ Safe: Fewer health and safety concerns as compared with use of traditional ERD or ISCR reagents; Avoid issues associated with new and emerging methane regulations.
- ◆ Ease of Use: Green and sustainable. All components integrated in a single package. Logistics with no surprises.
- ◆ Longevity: Engineered profile of carbon sources for multi-year longevity estimated at 3 to 7 years based on site-specific hydrogeology. Reagent will stay in place and remain active which prevents rebound.
- ◆ Improved Performance: More efficient use of hydrogen donors (does not get wasted as methane).
- ◆ Adaptable Formulations for Heavy Metals: Will not mobilize arsenic or other heavy metals yielding secondary contaminants (as is common with [emulsified] oils and sources of carbon only). Can be formulated to manage environments that are co-impacted by various inorganic contaminants while simultaneously mineralizing the organic compounds.
- ◆ Patented Technologies: Technology end users and their clients are fully protected from all Patent and other legal issues

PHYSICAL PROPERTIES

Particle Size: ranges from ca. <5 to >100 micron (can be manufactured to specifications).

Dry Density: ranges from 0.4 to 0.5 g/cm³

29% Aqueous Slurry Density: ranges from 0.9 to 1.0 g/cm³

29% Aqueous Slurry Viscosity: ranges from 500 to 1,500 cP

LITERATURE CITED:

Alberts, A., J. Chen, G. Kuron, V. Hunt, J. Huff, C. Hoffman, J. Rothrock, M. Lopez, H. Joshua, an E. Harris; 1980. Mevinolin: a Highly Potent Competitive Inhibitor of Hydroxymethylglutaryl-coenzyme A Reductase and a Cholesterol-Lowering Agent. *Proceedings of the National Academy of Sciences of the United States of America* 77:3957-3961.

Brown, R., J. Mueller, A. Seech, J. Henderson and J. Wilson. 2009. Interactions between Biological and Abiotic Pathways in the Reduction of Chlorinated Solvents. *Remediation Journal* Winter 2009, pages 9-20.

Dolfing, J., M. Van Eekert, A. Seech, J. Vogan and J. Mueller. 2008. *In Situ* Chemical Reduction (ISCR) Technologies – Significance of Low Eh Reactions. *International Journal Soil & Sediment Contamination* 17 (1) : 63-74.

Miller, T.L. and M.J. Wolin. 2001. Inhibition of growth of Methane-Producing Bacteria of the Rumen Forestomach by HydroxymethylglutarylSCoA Reductase Inhibitors. *J. Dairy Sci.* 84:1445-1448.

Scalzi, M. and McGill, J. 2012. Method for the Treatment of Groundwater and Soils using Mixtures of Seaweed Kelp. US PTO No. 8,147,694 B2 (April 3, 2012).

Scalzi, M. and A. Karachalios. 2013 and 2014. Inhibition of Methane Production during Anaerobic Reductive Dechlorination. US PTO 13/ 785,840 and CIP 14/268,637

Woese, C.R. and G.E. Fox (1977). ["Phylogenetic structure of the prokaryotic domain: the primary kingdoms"](#). *Proceedings of the National Academy of Sciences of the United States of America* 74 (11): 5088–5090.

Kibler, Christopher

From: Will Moody <will.moody@provectusenv.com>
Sent: Wednesday, August 31, 2022 12:02 PM
To: Kibler, Christopher
Subject: RE: [Ext] RE: Quote for a project site in Dunkirk, NY???

Hi Chris,

Thank you for the update. Yes, I can provide dosage details. We typically do not provide our full calculation sheets, but I can outline how we develop our recommended reagent mass. For our Provect-IR remedial programs, we develop and compare two different design calculations. The first calculation is based on the site contaminant concentrations, competing electron acceptors (e.g., nitrate, sulfate, etc.), and desired lifespan of the reagent in the subsurface. The second calculation is based on ensuring sufficient distribution of the reagent in the subsurface. Typically the larger calculated reagent mass is recommended to ensure we overcome the contaminant/electron acceptor demands while achieving good subsurface reagent distribution. For your site, the distribution demand was larger than the contaminant/electron acceptor demand (i.e., the site contaminant concentrations aren't very high).

Please see below for details:

MW-07

1,600 sq ft treatment area with a 5-ft vertical target interval

Contaminant/Electron Acceptor Demand

Used TCE, DCE, and VC concentrations of 120 ug/L, 3,600 ug/L, and 740 ug/L, respectively, for contaminant demands. Data is from 12/2/2021 sample event.

Assumed nitrate and sulfate concentrations of 5 mg/L and 40 mg/L, respectively.

Used a 3 year treatment area lifespan ; the same CVOC and electron acceptor concentrations will be entering the treatment zone over this time period.

Total calculated Provect-IR required is approximately 515 lbs.

Reagent Distribution Calculation

Used a 115 lbs/ft³ soil density to calculate approximate total mass within treatment area (460 US tons).

Recommend an approximate 0.35% by soil mass reagent demand to ensure distribution or **3,250 lbs of Provect-IR or greater than 6X the contaminant/electron acceptor demand**

EX-MW-11R

1,600 sq ft treatment area with a 5-ft vertical target interval

Contaminant/Electron Acceptor Demand

Used TCE, DCE, and VC concentrations of 1,400 ug/L, 7,450 ug/L, and 1,300 ug/L, respectively, for contaminant demands. Data is from 12/2/2021 sample event.

Assumed nitrate and sulfate concentrations of 5 mg/L and 40 mg/L, respectively.

Used a 3 year treatment area lifespan ; the same CVOC and electron acceptor concentrations will be entering the treatment zone over this time period.

Total calculated Provect-IR required is approximately 525 lbs.

Reagent Distribution Calculation

Used a 115 lbs/ft³ soil density to calculate approximate total mass within treatment area (460 US tons)

Recommend an approximate 0.35% by soil mass reagent demand to ensure distribution or **3,250 lbs of Provect-IR or greater than 6X the contaminant/electron acceptor demand**

Please contact me with questions or if you need any additional information.



APPENDIX F – WASTE DISPOSAL AND CHARACTERIZATION DOCUMENTATION

AMERICAN RECYCLERS COMPANY
Waste Profile Report (WPR)

177 Wales Avenue Tonawanda, New York 14151 Phone (716) 695-6720 Fax (716) 695-0161	APPROVAL NUMBER: A-21300L EXPIRATION DATE: 12/21/2024 HANDLING CODE: L
--	--

Generator: Chautauqua County DPW (Falconer Shop EPA ID #: NYD981875180)

Address: 454 North Works St Contact: Drew E. Rodgers, PE

City Falconer STATE: NY ZIP: 14733 Phone: 716-661-8410 Fax: 716-661-8451

Waste Name: Drill Cuttings	Shipping Name: Non RCRA Non DOT Regulated
Generating Process: IDW - Drill Cuttings	Rate of Generation: Once
	Container Type: 55 Gal Steel 1A2

Composition of Waste	%	%	Phase	%
Drill Cuttings	100 - 100		Solids	
			Liquid	
			Sludge	
			Debris	


Is the material RCRA listed or Characteristically Hazardous?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
Does the material contain Medical or Biological Wastes?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
Does the material contain etiological waste?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
Does the material contain, or has it come in contact with PCB's?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
Is the material radioactive?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
Does the material contain septic or domestic sewage?	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
Is the material Non-Hazardous as defined by RCRA Title 40?	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO

Check all below which apply:

Material is to be shipped and recycled as Universal Waste	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
Material is to be shipped and recycled under 6 NYCRR Part 371.1(g)(1)(ii)(b) (ie Computer Equipment & monitors)	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
Material is being shipped for disposal/recycle via facility transfer/consolidation permit	<input checked="" type="checkbox"/> YES	<input type="checkbox"/> NO
Material is a Labpack and all contents are CERTIFIED as Non-RCRA	<input type="checkbox"/> YES	<input checked="" type="checkbox"/> NO
List all Lab Pack Container Numbers: <i>(Attach packing slips to profile)</i>		

I certify that the above submitted information (including any attachments) is true, accurate and complete to the best of my knowledge and ability and that all known and suspected hazards have been disclosed. All material offered herein is deemed Non-RCRA.

Signer Title: Deputy Director
Company: Chautauqua County DPF

Signed: 
ARC Personnel Reviewed and Approved by:

Approved by: Print: Tom Martin Date: 12/21/22

NON-HAZARDOUS WASTE MANIFEST		1. Generator ID Number NYD981875180	2. Page 1 of 1	3. Emergency Response Phone 800-535-5053	4. Waste Tracking Number 47332		
5. Generator's Name and Mailing Address Chautauqua County DPW (Falconer Shop) 454 North Works St Falconer, NY 14733 Generator's Phone: 716-661-8410		Generator's Site Address (if different than mailing address)					
6. Transporter 1 Company Name Enviro Environmental Services Group, Inc		7. Transporter 2 Company Name		U.S. EPA ID Number NYD986903904			
8. Designated Facility Name and Site Address American Recyclers Company 177 Wales Avenue Tonawanda, NY 14150		U.S. EPA ID Number MYR000030809					
Facility's Phone: 716.695.6720							
GENERATOR	9. Waste Shipping Name and Description 1. Non RCRA Non DOR Regulated, (Dx111 Cuttings)		10. Containers No. 01	11. Total Quantity Type 0m 55.6	12. Unit Wt./Vol.		
	2.						
	3.						
	4.						
13. Special Handling Instructions and Additional Information							
ERFC:		Approval #:	Handling Codes: 24 Hour Emergency Contact:				
1.		1 - A-21300L	1 - None	INOTRAC (Culler Must ID			
2.		2 -	2 -	KSG)			
3.		3 -	3 -				
4.		4 -	4 -				
14. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.							
Generators/Offeror's Printed/Typed Name BSC/T			Signature		Month Day Year		
INT'L	15. International Shipments <input type="checkbox"/> Import to U.S.		<input type="checkbox"/> Export from U.S.		Port of entry/exit:		
	Transporter Signature (for exports only):		Date leaving U.S.:				
TRANSPORTER	16. Transporter Acknowledgment of Receipt of Materials		Signature		Month Day Year		
	Transporter 1 Printed/Typed Name Gordon Caverly		<i>Gordon Caverly</i>				
	Transporter 2 Printed/Typed Name		Signature		Month Day Year		
DESIGNATED FACILITY	17. Discrepancy						
	17a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection		Manifest Reference Number:				
	17b. Alternate Facility (or Generator)		U.S. EPA ID Number				
Facility's Phone:							
17c. Signature of Alternate Facility (or Generator)		Month Day Year					
18. Designated Facility Owner or Operator: Certification of receipt of materials covered by the manifest except as noted in Item 17a							
Printed/Typed Name Justin Rainville		Signature <i>Justin Rainville</i>		Month Day Year			

DESIGNATED FACILITY'S COPY

ANALYTICAL REPORT

PREPARED FOR

Attn: Chris Kibler
LaBella Associates DPC
300 Pearl Street
Suite 130
Buffalo, New York 14202

Generated 12/16/2022 4:23:45 PM

JOB DESCRIPTION

Roblin Steel site

JOB NUMBER

480-204473-1

Eurofins Buffalo

Job Notes

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. This report is confidential and is intended for the sole use of Eurofins Environment Testing Northeast, LLC Buffalo and its client. All questions regarding this report should be directed to the Eurofins Environment Testing Northeast, LLC Buffalo Project Manager or designee who has signed this report.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
12/16/2022 4:23:45 PM

Authorized for release by
Brian Fischer, Manager of Project Management
Brian.Fischer@et.eurofinsus.com
(716)504-9835

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Detection Summary	6
Client Sample Results	7
Surrogate Summary	11
QC Sample Results	13
QC Association Summary	24
Lab Chronicle	26
Certification Summary	27
Method Summary	28
Sample Summary	29
Chain of Custody	30
Receipt Checklists	31

Definitions/Glossary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*3	ISTD response or retention time outside acceptable limits.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
vs	Reported analyte concentrations are below 200 ug/kg and may be biased low due to the sample not being collected according to 5035A-L low-level specifications.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1-	Surrogate recovery exceeds control limits, low biased.

Metals

Qualifier	Qualifier Description
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation

These commonly used abbreviations may or may not be present in this report.

✉	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Job ID: 480-204473-1

Laboratory: Eurofins Buffalo

Narrative

Job Narrative 480-204473-1

Comments

No additional comments.

Receipt

The sample was received on 12/6/2022 3:30 PM. Unless otherwise noted below, the sample arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.8° C.

GC/MS VOA

Method 8260C: Internal standard responses were outside of acceptance limits for the following sample: ROBLIN DRUM (480-204473-1). The sample(s) shows evidence of matrix interference.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-652739 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analyte; therefore, the data have been reported. The associated sample is impacted: ROBLIN DRUM (480-204473-1).

Method 8260C: The following samples were diluted due to the nature of the TCLP sample matrix: ROBLIN DRUM (480-204473-1) and (LB 480-652650/1-A). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

GC/MS Semi VOA

Method 8270D: Six surrogates are used for this analysis. The laboratory's SOP allows one acid and one base of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: ROBLIN DRUM (480-204473-1). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Organic Prep

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 480-652622 and 480-652820.

Method 3510C: Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate/sample duplicate (MS/MSD/DUP) associated with preparation batch 480-652622 and 480-653570.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: LaBella Associates DPC
 Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Lab Sample ID: 480-204473-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	54	vs	31	5.2	ug/Kg	1	⊗	8260C	Total/NA
Benzene	2.2	J vs	6.2	0.30	ug/Kg	1	⊗	8260C	Total/NA
Carbon disulfide	4.4	J vs	6.2	3.1	ug/Kg	1	⊗	8260C	Total/NA
Chloroform	0.58	J B vs	6.2	0.38	ug/Kg	1	⊗	8260C	Total/NA
cis-1,2-Dichloroethene	14	vs	6.2	0.79	ug/Kg	1	⊗	8260C	Total/NA
Cyclohexane	11	vs	6.2	0.87	ug/Kg	1	⊗	8260C	Total/NA
Ethylbenzene	4.7	J vs	6.2	0.43	ug/Kg	1	⊗	8260C	Total/NA
Isopropylbenzene	3.4	J *3 vs	6.2	0.93	ug/Kg	1	⊗	8260C	Total/NA
Methylcyclohexane	53	vs	6.2	0.94	ug/Kg	1	⊗	8260C	Total/NA
Methylene Chloride	5.1	J vs	6.2	2.8	ug/Kg	1	⊗	8260C	Total/NA
Styrene	0.78	J vs	6.2	0.31	ug/Kg	1	⊗	8260C	Total/NA
Toluene	7.2	vs	6.2	0.47	ug/Kg	1	⊗	8260C	Total/NA
trans-1,2-Dichloroethene	1.4	J vs	6.2	0.64	ug/Kg	1	⊗	8260C	Total/NA
Trichloroethene	2.7	J vs	6.2	1.4	ug/Kg	1	⊗	8260C	Total/NA
Vinyl chloride	2.4	J vs	6.2	0.75	ug/Kg	1	⊗	8260C	Total/NA
Xylenes, Total	27	vs	12	1.0	ug/Kg	1	⊗	8260C	Total/NA
Benzo[a]anthracene	57	J	210	21	ug/Kg	1	⊗	8270D	Total/NA
Benzo[a]pyrene	66	J	210	31	ug/Kg	1	⊗	8270D	Total/NA
Benzo[b]fluoranthene	84	J	210	33	ug/Kg	1	⊗	8270D	Total/NA
Benzo[g,h,i]perylene	49	J	210	22	ug/Kg	1	⊗	8270D	Total/NA
Benzo[k]fluoranthene	32	J	210	27	ug/Kg	1	⊗	8270D	Total/NA
Chrysene	79	J	210	47	ug/Kg	1	⊗	8270D	Total/NA
Fluoranthene	140	J	210	22	ug/Kg	1	⊗	8270D	Total/NA
Indeno[1,2,3-cd]pyrene	45	J	210	26	ug/Kg	1	⊗	8270D	Total/NA
Phenanthrene	100	J	210	31	ug/Kg	1	⊗	8270D	Total/NA
Pyrene	110	J	210	25	ug/Kg	1	⊗	8270D	Total/NA
Pyridine	0.0021	J	0.10	0.0016	mg/L	1		8270D	TCLP
Arsenic	0.0076	J	0.020	0.0040	mg/Kg	1		6010C	TCLP
Barium	1.1		0.0050	0.0011	mg/Kg	1		6010C	TCLP
Cadmium	0.0014	J	0.0020	0.00030	mg/Kg	1		6010C	TCLP
Lead	0.034		0.010	0.0024	mg/Kg	1		6010C	TCLP
Selenium	0.0042	J B	0.040	0.0040	mg/Kg	1		6010C	TCLP

This Detection Summary does not include radiochemical test results.

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM
Date Collected: 12/06/22 11:30
Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1
Matrix: Solid
Percent Solids: 80.2

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	vs	6.2	0.45	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1,2,2-Tetrachloroethane	ND	*3 vs	6.2	1.0	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1,2-Trichloroethane	ND	vs	6.2	0.80	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	vs	6.2	1.4	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1-Dichloroethane	ND	vs	6.2	0.75	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,1-Dichloroethene	ND	vs	6.2	0.76	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2,4-Trichlorobenzene	ND	*3 vs	6.2	0.38	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dibromo-3-Chloropropane	ND	*3 vs	6.2	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dichlorobenzene	ND	*3 vs	6.2	0.48	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dichloroethane	ND	vs	6.2	0.31	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dichloropropane	ND	vs	6.2	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,3-Dichlorobenzene	ND	*3 vs	6.2	0.32	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,4-Dichlorobenzene	ND	*3 vs	6.2	0.87	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
2-Butanone (MEK)	ND	vs	31	2.3	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
2-Hexanone	ND	vs	31	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
4-Methyl-2-pentanone (MIBK)	ND	vs	31	2.0	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Acetone	54	vs	31	5.2	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Benzene	2.2	J vs	6.2	0.30	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Bromodichloromethane	ND	vs	6.2	0.83	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Bromoform	ND	vs	6.2	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Bromomethane	ND	vs	6.2	0.56	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Carbon disulfide	4.4	J vs	6.2	3.1	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Carbon tetrachloride	ND	vs	6.2	0.60	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Chlorobenzene	ND	vs	6.2	0.82	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Dibromochloromethane	ND	vs	6.2	0.79	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Chloroethane	ND	vs	6.2	1.4	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Chloroform	0.58	J B vs	6.2	0.38	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Chloromethane	ND	vs	6.2	0.37	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
cis-1,2-Dichloroethene	14	vs	6.2	0.79	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
cis-1,3-Dichloropropene	ND	vs	6.2	0.89	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Cyclohexane	11	vs	6.2	0.87	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Dichlorodifluoromethane	ND	vs	6.2	0.51	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Ethylbenzene	4.7	J vs	6.2	0.43	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
1,2-Dibromoethane	ND	vs	6.2	0.79	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Isopropylbenzene	3.4	J *3 vs	6.2	0.93	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Methyl acetate	ND	vs	31	3.7	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Methyl tert-butyl ether	ND	vs	6.2	0.61	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Methylcyclohexane	53	vs	6.2	0.94	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Methylene Chloride	5.1	J vs	6.2	2.8	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Styrene	0.78	J vs	6.2	0.31	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Tetrachloroethene	ND	vs	6.2	0.83	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Toluene	7.2	vs	6.2	0.47	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
trans-1,2-Dichloroethene	1.4	J vs	6.2	0.64	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
trans-1,3-Dichloropropene	ND	vs	6.2	2.7	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Trichloroethene	2.7	J vs	6.2	1.4	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Trichlorofluoromethane	ND	vs	6.2	0.59	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Vinyl chloride	2.4	J vs	6.2	0.75	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1
Xylenes, Total	27	vs	12	1.0	ug/Kg	⊗	12/08/22 12:27	12/09/22 06:45	1

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Date Collected: 12/06/22 11:30
Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1

Matrix: Solid

Percent Solids: 80.2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	112		71 - 125	12/08/22 12:27	12/09/22 06:45	1
1,2-Dichloroethane-d4 (Surr)	124		64 - 126	12/08/22 12:27	12/09/22 06:45	1
4-Bromofluorobenzene (Surr)	79		72 - 126	12/08/22 12:27	12/09/22 06:45	1
Dibromofluoromethane (Surr)	108		60 - 140	12/08/22 12:27	12/09/22 06:45	1

Method: SW846 8260C - Volatile Organic Compounds by GC/MS - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane	ND		0.010	0.0021	mg/L			12/10/22 12:24	10
2-Butanone (MEK)	ND		0.050	0.013	mg/L			12/10/22 12:24	10
Benzene	ND		0.010	0.0041	mg/L			12/10/22 12:24	10
Carbon tetrachloride	ND		0.010	0.0027	mg/L			12/10/22 12:24	10
Chlorobenzene	ND		0.010	0.0075	mg/L			12/10/22 12:24	10
Chloroform	ND		0.010	0.0034	mg/L			12/10/22 12:24	10
Tetrachloroethylene	ND		0.010	0.0036	mg/L			12/10/22 12:24	10
Trichloroethylene	ND		0.010	0.0046	mg/L			12/10/22 12:24	10
Vinyl chloride	ND		0.010	0.0090	mg/L			12/10/22 12:24	10
1,1-Dichloroethylene	ND		0.010	0.0029	mg/L			12/10/22 12:24	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		77 - 120		12/10/22 12:24	10
4-Bromofluorobenzene (Surr)	89		73 - 120		12/10/22 12:24	10
Toluene-d8 (Surr)	88		80 - 120		12/10/22 12:24	10
Dibromofluoromethane (Surr)	102		75 - 123		12/10/22 12:24	10

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Biphenyl	ND		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
bis (2-chloroisopropyl) ether	ND		210	42	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4,5-Trichlorophenol	ND		210	57	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4,6-Trichlorophenol	ND		210	42	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4-Dichlorophenol	ND		210	22	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4-Dimethylphenol	ND		210	51	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4-Dinitrophenol	ND		2100	970	ug/L	⊗	12/07/22 16:14	12/08/22 20:23	1
2,4-Dinitrotoluene	ND		210	43	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2,6-Dinitrotoluene	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Chloronaphthalene	ND		210	35	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Chlorophenol	ND		410	38	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Methylphenol	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Methylnaphthalene	ND		210	42	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Nitroaniline	ND		410	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
2-Nitrophenol	ND		210	59	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
3,3'-Dichlorobenzidine	ND		410	250	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
3-Nitroaniline	ND		410	58	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4,6-Dinitro-2-methylphenol	ND		410	210	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Bromophenyl phenyl ether	ND		210	30	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Chloro-3-methylphenol	ND		210	52	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Chloroaniline	ND		210	52	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Chlorophenyl phenyl ether	ND		210	26	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Methylphenol	ND		410	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Nitroaniline	ND		410	110	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
4-Nitrophenol	ND		410	150	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Date Collected: 12/06/22 11:30
Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1

Matrix: Solid

Percent Solids: 80.2

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	ND		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Acenaphthylene	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Acetophenone	ND		210	28	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Anthracene	ND		210	52	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Atrazine	ND		210	73	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzaldehyde	ND		210	170	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[a]anthracene	57 J		210	21	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[a]pyrene	66 J		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[b]fluoranthene	84 J		210	33	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[g,h,i]perylene	49 J		210	22	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Benzo[k]fluoranthene	32 J		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Bis(2-chloroethoxy)methane	ND		210	45	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Bis(2-chloroethyl)ether	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Bis(2-ethylhexyl) phthalate	ND		210	72	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Butyl benzyl phthalate	ND		210	35	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Caprolactam	ND		210	63	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Carbazole	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Chrysene	79 J		210	47	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Dibenz(a,h)anthracene	ND		210	37	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Di-n-butyl phthalate	ND		210	36	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Di-n-octyl phthalate	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Dibenzofuran	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Diethyl phthalate	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Dimethyl phthalate	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Fluoranthene	140 J		210	22	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Fluorene	ND		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Hexachlorobenzene	ND		210	28	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Hexachlorobutadiene	ND		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Hexachlorocyclopentadiene	ND		210	28	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Hexachloroethane	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Indeno[1,2,3-cd]pyrene	45 J		210	26	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Isophorone	ND		210	45	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
N-Nitrosodi-n-propylamine	ND		210	36	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
N-Nitrosodiphenylamine	ND		210	170	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Naphthalene	ND		210	27	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Nitrobenzene	ND		210	23	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Pentachlorophenol	ND		410	210	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Phenanthrene	100 J		210	31	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Phenol	ND		210	32	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Pyrene	110 J		210	25	ug/Kg	⊗	12/07/22 16:14	12/08/22 20:23	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
<i>Nitrobenzene-d5 (Surr)</i>	53		53 - 120			12/07/22 16:14	12/08/22 20:23	1	
<i>Phenol-d5 (Surr)</i>	55		54 - 120			12/07/22 16:14	12/08/22 20:23	1	
<i>p-Terphenyl-d14 (Surr)</i>	87		79 - 130			12/07/22 16:14	12/08/22 20:23	1	
<i>2,4,6-Tribromophenol (Surr)</i>	77		54 - 120			12/07/22 16:14	12/08/22 20:23	1	
<i>2-Fluorobiphenyl (Surr)</i>	66		60 - 120			12/07/22 16:14	12/08/22 20:23	1	
<i>2-Fluorophenol (Surr)</i>	51	S1-	52 - 120			12/07/22 16:14	12/08/22 20:23	1	

Eurofins Buffalo

Client Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Lab Sample ID: 480-204473-1

Date Collected: 12/06/22 11:30
Date Received: 12/06/22 15:30

Matrix: Solid

Percent Solids: 80.2

Method: SW846 8270D - Semivolatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.040	0.0018	mg/L		12/15/22 09:33	12/16/22 12:34	1
2,4-Dinitrotoluene	ND		0.020	0.0017	mg/L		12/15/22 09:33	12/16/22 12:34	1
2,4,5-Trichlorophenol	ND		0.020	0.0019	mg/L		12/15/22 09:33	12/16/22 12:34	1
2,4,6-Trichlorophenol	ND		0.020	0.0024	mg/L		12/15/22 09:33	12/16/22 12:34	1
2-Methylphenol	ND		0.020	0.0016	mg/L		12/15/22 09:33	12/16/22 12:34	1
3-Methylphenol	ND		0.040	0.0016	mg/L		12/15/22 09:33	12/16/22 12:34	1
4-Methylphenol	ND		0.040	0.0014	mg/L		12/15/22 09:33	12/16/22 12:34	1
Hexachlorobenzene	ND		0.020	0.0020	mg/L		12/15/22 09:33	12/16/22 12:34	1
Hexachlorobutadiene	ND		0.020	0.0027	mg/L		12/15/22 09:33	12/16/22 12:34	1
Hexachloroethane	ND		0.020	0.0023	mg/L		12/15/22 09:33	12/16/22 12:34	1
Nitrobenzene	ND		0.020	0.0011	mg/L		12/15/22 09:33	12/16/22 12:34	1
Pentachlorophenol	ND		0.040	0.0088	mg/L		12/15/22 09:33	12/16/22 12:34	1
Pyridine	0.0021 J		0.10	0.0016	mg/L		12/15/22 09:33	12/16/22 12:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	95		41 - 120	12/15/22 09:33	12/16/22 12:34	1
2-Fluorobiphenyl (Surr)	89		48 - 120	12/15/22 09:33	12/16/22 12:34	1
2-Fluorophenol (Surr)	48		35 - 120	12/15/22 09:33	12/16/22 12:34	1
Nitrobenzene-d5 (Surr)	84		46 - 120	12/15/22 09:33	12/16/22 12:34	1
p-Terphenyl-d14 (Surr)	98		60 - 148	12/15/22 09:33	12/16/22 12:34	1
Phenol-d5 (Surr)	33		22 - 120	12/15/22 09:33	12/16/22 12:34	1

Method: SW846 6010C - Metals (ICP) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	0.0076 J		0.020	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Barium	1.1		0.0050	0.0011	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Cadmium	0.0014 J		0.0020	0.00030	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Chromium	ND		0.0050	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Lead	0.034		0.010	0.0024	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Selenium	0.0042 J B		0.040	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:43	1
Silver	ND		0.0060	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:43	1

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000043	mg/L		12/09/22 11:47	12/09/22 18:05	1

Eurofins Buffalo

Surrogate Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		TOL (71-125)	DCA (64-126)	BFB (72-126)	DBFM (60-140)
480-204473-1	ROBLIN DRUM	112	124	79	108
LCS 480-652673/1-A	Lab Control Sample	106	102	102	104
MB 480-652673/2-A	Method Blank	104	103	103	106

Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		TOL (80-120)	DCA (77-120)	BFB (73-120)	DBFM (75-123)
LCS 480-652922/6	Lab Control Sample	90	93	96	100
MB 480-652922/8	Method Blank	85	99	90	104

Surrogate Legend

TOL = Toluene-d8 (Surr)

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (77-120)	BFB (73-120)	TOL (80-120)	DBFM (75-123)
480-204473-1	ROBLIN DRUM	100	89	88	102
LB 480-652650/1-A	Method Blank	103	91	89	103

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)

BFB = 4-Bromofluorobenzene (Surr)

TOL = Toluene-d8 (Surr)

DBFM = Dibromofluoromethane (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		NBZ (53-120)	PHL (54-120)	TPHd14 (79-130)	TBP (54-120)	FBP (60-120)	2FP (52-120)
480-204473-1	ROBLIN DRUM	53	55	87	77	66	51 S1-
LCS 480-652566/2-A	Lab Control Sample	63	66	79	80	69	61
MB 480-652566/1-A	Method Blank	76	78	90	84	83	75

Surrogate Legend

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

Eurofins Buffalo

Surrogate Summary

Client: LaBella Associates DPC

Job ID: 480-204473-1

Project/Site: Roblin Steel site

TPHd14 = p-Terphenyl-d14 (Surr)

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		NBZ (46-120)	PHL (22-120)	TPHd14 (60-148)	TBP (41-120)	FBP (48-120)	2FP (35-120)
LCS 480-653570/2-A	Lab Control Sample	84	35	105	103	92	47
LCSD 480-653570/3-A	Lab Control Sample Dup	88	37	107	106	94	49
MB 480-653570/1-A	Method Blank	90	36	100	95	94	53

Surrogate Legend

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (41-120)	FBP (48-120)	2FP (35-120)	NBZ (46-120)	TPHd14 (60-148)	PHL (22-120)
480-204473-1	ROBLIN DRUM	95	89	48	84	98	33
LB 480-652622/1-G	Method Blank	102	92	51	92	105	35

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl (Surr)

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

TPHd14 = p-Terphenyl-d14 (Surr)

PHL = Phenol-d5 (Surr)

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-652673/2-A

Matrix: Solid

Analysis Batch: 652739

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652673

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0	0.36	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1,2,2-Tetrachloroethane	ND		5.0	0.81	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1,2-Trichloroethane	ND		5.0	0.65	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0	1.1	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1-Dichloroethane	ND		5.0	0.61	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2,4-Trichlorobenzene	ND		5.0	0.30	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dibromo-3-Chloropropane	ND		5.0	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dichlorobenzene	ND		5.0	0.39	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dichloroethane	ND		5.0	0.25	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dichloropropane	ND		5.0	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,3-Dichlorobenzene	ND		5.0	0.26	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,1-Dichloroethene	ND		5.0	0.61	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,4-Dichlorobenzene	ND		5.0	0.70	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
2-Butanone (MEK)	ND		25	1.8	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
2-Hexanone	ND		25	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
4-Methyl-2-pentanone (MIBK)	ND		25	1.6	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Acetone	ND		25	4.2	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Benzene	ND		5.0	0.25	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Bromodichloromethane	ND		5.0	0.67	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Bromoform	ND		5.0	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Bromomethane	ND		5.0	0.45	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Carbon disulfide	ND		5.0	2.5	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Carbon tetrachloride	ND		5.0	0.48	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Chlorobenzene	ND		5.0	0.66	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Dibromochloromethane	ND		5.0	0.64	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Chloroethane	ND		5.0	1.1	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Chloroform	0.330 J		5.0	0.31	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Chloromethane	ND		5.0	0.30	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
cis-1,2-Dichloroethene	ND		5.0	0.64	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
cis-1,3-Dichloropropene	ND		5.0	0.72	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Cyclohexane	ND		5.0	0.70	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Dichlorodifluoromethane	ND		5.0	0.41	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Ethylbenzene	ND		5.0	0.35	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
1,2-Dibromoethane	ND		5.0	0.64	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Isopropylbenzene	ND		5.0	0.75	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Methyl acetate	ND		25	3.0	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Methyl tert-butyl ether	ND		5.0	0.49	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Methylcyclohexane	ND		5.0	0.76	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Methylene Chloride	ND		5.0	2.3	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Styrene	ND		5.0	0.25	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Tetrachloroethene	ND		5.0	0.67	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Toluene	ND		5.0	0.38	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
trans-1,2-Dichloroethene	ND		5.0	0.52	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
trans-1,3-Dichloropropene	ND		5.0	2.2	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Trichloroethene	ND		5.0	1.1	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Trichlorofluoromethane	ND		5.0	0.47	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Vinyl chloride	ND		5.0	0.61	ug/Kg		12/08/22 12:27	12/08/22 21:12	1
Xylenes, Total	ND		10	0.84	ug/Kg		12/08/22 12:27	12/08/22 21:12	1

QC Sample Results

Client: LaBella Associates DPC
 Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 480-652673/2-A

Matrix: Solid

Analysis Batch: 652739

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652673

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)		104			71 - 125	12/08/22 12:27	12/08/22 21:12	1
1,2-Dichloroethane-d4 (Surr)		103			64 - 126	12/08/22 12:27	12/08/22 21:12	1
4-Bromofluorobenzene (Surr)		103			72 - 126	12/08/22 12:27	12/08/22 21:12	1
Dibromofluoromethane (Surr)		106			60 - 140	12/08/22 12:27	12/08/22 21:12	1

Lab Sample ID: LCS 480-652673/1-A

Matrix: Solid

Analysis Batch: 652739

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652673

Analyte	Spike Added	LCs	LCs	Unit	D	%Rec	%Rec	Limits
		Result	Qualifier					
1,1,1-Trichloroethane	50.0	45.7		ug/Kg		91	77 - 121	
1,1,2,2-Tetrachloroethane	50.0	45.3		ug/Kg		91	80 - 120	
1,1,2-Trichloroethane	50.0	51.2		ug/Kg		102	78 - 122	
1,1,2-Trichloro-1,2,2-trifluoroethane	50.0	48.2		ug/Kg		96	60 - 140	
1,1-Dichloroethane	50.0	42.9		ug/Kg		86	73 - 126	
1,2,4-Trichlorobenzene	50.0	46.9		ug/Kg		94	64 - 120	
1,2-Dibromo-3-Chloropropane	50.0	40.0		ug/Kg		80	63 - 124	
1,2-Dichlorobenzene	50.0	46.5		ug/Kg		93	75 - 120	
1,2-Dichloroethane	50.0	50.0		ug/Kg		100	77 - 122	
1,2-Dichloropropane	50.0	42.7		ug/Kg		85	75 - 124	
1,3-Dichlorobenzene	50.0	49.2		ug/Kg		98	74 - 120	
1,1-Dichloroethene	50.0	47.5		ug/Kg		95	59 - 125	
1,4-Dichlorobenzene	50.0	48.9		ug/Kg		98	73 - 120	
2-Butanone (MEK)	250	195		ug/Kg		78	70 - 134	
2-Hexanone	250	240		ug/Kg		96	59 - 130	
4-Methyl-2-pentanone (MIBK)	250	237		ug/Kg		95	65 - 133	
Acetone	250	199		ug/Kg		79	61 - 137	
Benzene	50.0	47.1		ug/Kg		94	79 - 127	
Bromodichloromethane	50.0	47.5		ug/Kg		95	80 - 122	
Bromoform	50.0	47.7		ug/Kg		95	68 - 126	
Bromomethane	50.0	58.6		ug/Kg		117	37 - 149	
Carbon disulfide	50.0	43.0		ug/Kg		86	64 - 131	
Carbon tetrachloride	50.0	43.5		ug/Kg		87	75 - 135	
Chlorobenzene	50.0	51.6		ug/Kg		103	76 - 124	
Dibromochloromethane	50.0	51.4		ug/Kg		103	76 - 125	
Chloroethane	50.0	52.0		ug/Kg		104	69 - 135	
Chloroform	50.0	47.9		ug/Kg		96	80 - 120	
Chloromethane	50.0	40.9		ug/Kg		82	63 - 127	
cis-1,2-Dichloroethene	50.0	44.7		ug/Kg		89	81 - 120	
cis-1,3-Dichloropropene	50.0	42.9		ug/Kg		86	80 - 120	
Cyclohexane	50.0	44.2		ug/Kg		88	65 - 120	
Dichlorodifluoromethane	50.0	48.9		ug/Kg		98	57 - 142	
Ethylbenzene	50.0	50.9		ug/Kg		102	80 - 120	
1,2-Dibromoethane	50.0	50.2		ug/Kg		100	78 - 120	
Isopropylbenzene	50.0	46.5		ug/Kg		93	72 - 120	
Methyl acetate	100	74.9		ug/Kg		75	55 - 136	
Methyl tert-butyl ether	50.0	41.9		ug/Kg		84	63 - 125	
Methylcyclohexane	50.0	45.7		ug/Kg		91	60 - 140	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-652673/1-A

Matrix: Solid

Analysis Batch: 652739

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652673

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Methylene Chloride	50.0	46.5		ug/Kg	93	61 - 127	
Styrene	50.0	47.4		ug/Kg	95	80 - 120	
Tetrachloroethene	50.0	52.3		ug/Kg	105	74 - 122	
Toluene	50.0	49.6		ug/Kg	99	74 - 128	
trans-1,2-Dichloroethene	50.0	43.5		ug/Kg	87	78 - 126	
trans-1,3-Dichloropropene	50.0	43.9		ug/Kg	88	73 - 123	
Trichloroethene	50.0	47.7		ug/Kg	95	77 - 129	
Trichlorofluoromethane	50.0	54.1		ug/Kg	108	65 - 146	
Vinyl chloride	50.0	46.4		ug/Kg	93	61 - 133	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	106		71 - 125
1,2-Dichloroethane-d4 (Surr)	102		64 - 126
4-Bromofluorobenzene (Surr)	102		72 - 126
Dibromofluoromethane (Surr)	104		60 - 140

Lab Sample ID: MB 480-652922/8

Matrix: Solid

Analysis Batch: 652922

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane	ND		0.0010	0.00021	mg/L			12/10/22 04:41	1
1,1-Dichloroethene	ND		0.0010	0.00029	mg/L			12/10/22 04:41	1
2-Butanone (MEK)	ND		0.0050	0.0013	mg/L			12/10/22 04:41	1
Benzene	ND		0.0010	0.00041	mg/L			12/10/22 04:41	1
Carbon tetrachloride	ND		0.0010	0.00027	mg/L			12/10/22 04:41	1
Chlorobenzene	ND		0.0010	0.00075	mg/L			12/10/22 04:41	1
Chloroform	ND		0.0010	0.00034	mg/L			12/10/22 04:41	1
Tetrachloroethene	ND		0.0010	0.00036	mg/L			12/10/22 04:41	1
Trichloroethene	ND		0.0010	0.00046	mg/L			12/10/22 04:41	1
Vinyl chloride	ND		0.0010	0.00090	mg/L			12/10/22 04:41	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	85		80 - 120		12/10/22 04:41	1
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		12/10/22 04:41	1
4-Bromofluorobenzene (Surr)	90		73 - 120		12/10/22 04:41	1
Dibromofluoromethane (Surr)	104		75 - 123		12/10/22 04:41	1

Lab Sample ID: LCS 480-652922/6

Matrix: Solid

Analysis Batch: 652922

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
1,2-Dichloroethane	0.0250	0.0237		mg/L	95	75 - 120	
1,1-Dichloroethene	0.0250	0.0219		mg/L	88	66 - 127	
2-Butanone (MEK)	0.125	0.114		mg/L	91	57 - 140	
Benzene	0.0250	0.0226		mg/L	91	71 - 124	
Carbon tetrachloride	0.0250	0.0232		mg/L	93	72 - 134	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-652922/6

Matrix: Solid

Analysis Batch: 652922

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Chlorobenzene	0.0250	0.0225		mg/L	90	80 - 120	
Chloroform	0.0250	0.0226		mg/L	90	73 - 127	
Tetrachloroethene	0.0250	0.0241		mg/L	96	74 - 122	
Trichloroethene	0.0250	0.0231		mg/L	92	74 - 123	
Vinyl chloride	0.0250	0.0247		mg/L	99	65 - 133	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Toluene-d8 (Surr)	90		80 - 120
1,2-Dichloroethane-d4 (Surr)	93		77 - 120
4-Bromofluorobenzene (Surr)	96		73 - 120
Dibromofluoromethane (Surr)	100		75 - 123

Lab Sample ID: LB 480-652650/1-A

Matrix: Solid

Analysis Batch: 652922

Client Sample ID: Method Blank
Prep Type: TCLP

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane	ND		0.010	0.0021	mg/L			12/10/22 10:05	10
1,1-Dichloroethene	ND		0.010	0.0029	mg/L			12/10/22 10:05	10
2-Butanone (MEK)	ND		0.050	0.013	mg/L			12/10/22 10:05	10
Benzene	ND		0.010	0.0041	mg/L			12/10/22 10:05	10
Carbon tetrachloride	ND		0.010	0.0027	mg/L			12/10/22 10:05	10
Chlorobenzene	ND		0.010	0.0075	mg/L			12/10/22 10:05	10
Chloroform	ND		0.010	0.0034	mg/L			12/10/22 10:05	10
Tetrachloroethene	ND		0.010	0.0036	mg/L			12/10/22 10:05	10
Trichloroethene	ND		0.010	0.0046	mg/L			12/10/22 10:05	10
Vinyl chloride	ND		0.010	0.0090	mg/L			12/10/22 10:05	10

Surrogate	LB %Recovery	LB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	89		80 - 120		12/10/22 10:05	10
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		12/10/22 10:05	10
4-Bromofluorobenzene (Surr)	91		73 - 120		12/10/22 10:05	10
Dibromofluoromethane (Surr)	103		75 - 123		12/10/22 10:05	10

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 480-652566/1-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 652566

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Biphenyl	ND		170	24	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
bis (2-chloroisopropyl) ether	ND		170	33	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4,5-Trichlorophenol	ND		170	45	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4,6-Trichlorophenol	ND		170	33	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4-Dichlorophenol	ND		170	18	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4-Dimethylphenol	ND		170	40	ug/Kg		12/07/22 16:14	12/08/22 14:00	1
2,4-Dinitrophenol	ND		1600	770	ug/Kg		12/07/22 16:14	12/08/22 14:00	1

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
 Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-652566/1-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652566

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-Dinitrotoluene	ND		170	34	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	1
2,6-Dinitrotoluene	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	2
2-Chloronaphthalene	ND		170	27	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	3
2-Chlorophenol	ND		320	30	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	4
2-Methylphenol	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	5
2-Methylnaphthalene	ND		170	33	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	6
2-Nitroaniline	ND		320	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	7
2-Nitrophenol	ND		170	47	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	8
3,3'-Dichlorobenzidine	ND		320	200	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	9
3-Nitroaniline	ND		320	46	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	10
4,6-Dinitro-2-methylphenol	ND		320	170	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	11
4-Bromophenyl phenyl ether	ND		170	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	12
4-Chloro-3-methylphenol	ND		170	41	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	13
4-Chloroaniline	ND		170	41	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	14
4-Chlorophenyl phenyl ether	ND		170	21	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	15
4-Methylphenol	ND		320	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	1
4-Nitroaniline	ND		320	87	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	2
4-Nitrophenol	ND		320	120	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	3
Acenaphthene	ND		170	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	4
Acenaphthylene	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	5
Acetophenone	ND		170	23	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	6
Anthracene	ND		170	41	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	7
Atrazine	ND		170	58	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	8
Benzaldehyde	ND		170	130	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	9
Benzo[a]anthracene	ND		170	17	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	10
Benzo[a]pyrene	ND		170	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	11
Benzo[b]fluoranthene	ND		170	26	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	12
Benzo[g,h,i]perylene	ND		170	18	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	13
Benzo[k]fluoranthene	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	14
Bis(2-chloroethoxy)methane	ND		170	35	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	15
Bis(2-chloroethyl)ether	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	1
Bis(2-ethylhexyl) phthalate	ND		170	57	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	2
Butyl benzyl phthalate	32.6	J	170	27	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	3
Caprolactam	ND		170	50	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	4
Carbazole	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	5
Chrysene	ND		170	37	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	6
Dibenz(a,h)anthracene	ND		170	29	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	7
Di-n-butyl phthalate	ND		170	28	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	8
Di-n-octyl phthalate	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	9
Dibenzofuran	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	10
Diethyl phthalate	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	11
Dimethyl phthalate	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	12
Fluoranthene	ND		170	18	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	13
Fluorene	ND		170	20	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	14
Hexachlorobenzene	ND		170	23	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	15
Hexachlorobutadiene	ND		170	24	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	1
Hexachlorocyclopentadiene	ND		170	23	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	2
Hexachloroethane	ND		170	22	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	3
Indeno[1,2,3-cd]pyrene	ND		170	21	ug/Kg	12/07/22 16:14	12/08/22 14:00	1	4

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-652566/1-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652566

Analyte	MB		RL	MDL	Unit	D	Prepared		Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed		
Isophorone	ND		170	35	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
N-Nitrosodi-n-propylamine	ND		170	28	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
N-Nitrosodiphenylamine	ND		170	140	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Naphthalene	ND		170	22	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Nitrobenzene	ND		170	19	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Pentachlorophenol	ND		320	170	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Phenanthrene	ND		170	24	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Phenol	ND		170	25	ug/Kg		12/07/22 16:14	12/08/22 14:00		1
Pyrene	ND		170	20	ug/Kg		12/07/22 16:14	12/08/22 14:00		1

Surrogate	MB		Limits	Prepared		Dil Fac
	%Recovery	Qualifier		Prepared	Analyzed	
Nitrobenzene-d5 (Surr)	76		53 - 120	12/07/22 16:14	12/08/22 14:00	1
Phenol-d5 (Surr)	78		54 - 120	12/07/22 16:14	12/08/22 14:00	1
p-Terphenyl-d14 (Surr)	90		79 - 130	12/07/22 16:14	12/08/22 14:00	1
2,4,6-Tribromophenol (Surr)	84		54 - 120	12/07/22 16:14	12/08/22 14:00	1
2-Fluorobiphenyl (Surr)	83		60 - 120	12/07/22 16:14	12/08/22 14:00	1
2-Fluorophenol (Surr)	75		52 - 120	12/07/22 16:14	12/08/22 14:00	1

Lab Sample ID: LCS 480-652566/2-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652566

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	
Biphenyl	1640	1080		ug/Kg		66	59 - 120	
bis (2-chloroisopropyl) ether	1640	970		ug/Kg		59	44 - 120	
2,4,5-Trichlorophenol	1640	1210		ug/Kg		74	59 - 126	
2,4,6-Trichlorophenol	1640	1210		ug/Kg		73	59 - 123	
2,4-Dichlorophenol	1640	1140		ug/Kg		69	61 - 120	
2,4-Dimethylphenol	1640	1140		ug/Kg		70	59 - 120	
2,4-Dinitrophenol	3280	2460		ug/Kg		75	41 - 146	
2,4-Dinitrotoluene	1640	1290		ug/Kg		79	63 - 120	
2,6-Dinitrotoluene	1640	1240		ug/Kg		75	66 - 120	
2-Chloronaphthalene	1640	1060		ug/Kg		64	57 - 120	
2-Chlorophenol	1640	1020		ug/Kg		62	53 - 120	
2-Methylphenol	1640	1110		ug/Kg		68	54 - 120	
2-Methylnaphthalene	1640	988		ug/Kg		60	59 - 120	
2-Nitroaniline	1640	1220		ug/Kg		74	61 - 120	
2-Nitrophenol	1640	1060		ug/Kg		65	56 - 120	
3,3'-Dichlorobenzidine	3280	2380		ug/Kg		73	54 - 120	
3-Nitroaniline	1640	1150		ug/Kg		70	48 - 120	
4,6-Dinitro-2-methylphenol	3280	2480		ug/Kg		76	49 - 122	
4-Bromophenyl phenyl ether	1640	1200		ug/Kg		73	58 - 120	
4-Chloro-3-methylphenol	1640	1240		ug/Kg		75	61 - 120	
4-Chloroaniline	1640	1030		ug/Kg		63	38 - 120	
4-Chlorophenyl phenyl ether	1640	1180		ug/Kg		72	63 - 124	
4-Methylphenol	1640	1130		ug/Kg		69	55 - 120	
4-Nitroaniline	1640	1250		ug/Kg		76	56 - 120	
4-Nitrophenol	3280	2580		ug/Kg		79	43 - 147	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
 Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 480-652566/2-A

Matrix: Solid

Analysis Batch: 652617

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652566

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Acenaphthene	1640	1120		ug/Kg		68	62 - 120
Acenaphthylene	1640	1140		ug/Kg		69	58 - 121
Acetophenone	1640	1030		ug/Kg		63	54 - 120
Anthracene	1640	1240		ug/Kg		76	62 - 120
Atrazine	3280	2620		ug/Kg		80	60 - 127
Benzaldehyde	3280	1940		ug/Kg		59	10 - 150
Benzo[a]anthracene	1640	1250		ug/Kg		76	65 - 120
Benzo[a]pyrene	1640	1250		ug/Kg		76	64 - 120
Benzo[b]fluoranthene	1640	1440		ug/Kg		88	64 - 120
Benzo[g,h,i]perylene	1640	1170		ug/Kg		71	45 - 145
Benzo[k]fluoranthene	1640	1180		ug/Kg		72	65 - 120
Bis(2-chloroethoxy)methane	1640	1050		ug/Kg		64	55 - 120
Bis(2-chloroethyl)ether	1640	961		ug/Kg		59	45 - 120
Bis(2-ethylhexyl) phthalate	1640	1310		ug/Kg		80	61 - 133
Butyl benzyl phthalate	1640	1280		ug/Kg		78	61 - 129
Caprolactam	3280	2680		ug/Kg		82	47 - 120
Carbazole	1640	1280		ug/Kg		78	65 - 120
Chrysene	1640	1200		ug/Kg		73	64 - 120
Dibenz(a,h)anthracene	1640	1220		ug/Kg		75	54 - 132
Di-n-butyl phthalate	1640	1300		ug/Kg		79	58 - 130
Di-n-octyl phthalate	1640	1280		ug/Kg		78	57 - 133
Dibenzofuran	1640	1150		ug/Kg		70	63 - 120
Diethyl phthalate	1640	1270		ug/Kg		77	66 - 120
Dimethyl phthalate	1640	1250		ug/Kg		76	65 - 124
Fluoranthene	1640	1270		ug/Kg		77	62 - 120
Fluorene	1640	1170		ug/Kg		72	63 - 120
Hexachlorobenzene	1640	1210		ug/Kg		73	60 - 120
Hexachlorobutadiene	1640	959		ug/Kg		58	45 - 120
Hexachlorocyclopentadiene	1640	1010		ug/Kg		62	47 - 120
Hexachloroethane	1640	885		ug/Kg		54	41 - 120
Indeno[1,2,3-cd]pyrene	1640	1220		ug/Kg		74	56 - 134
Isophorone	1640	1090		ug/Kg		66	56 - 120
N-Nitrosodi-n-propylamine	1640	1040		ug/Kg		64	52 - 120
N-Nitrosodiphenylamine	1640	1210		ug/Kg		74	51 - 128
Naphthalene	1640	1020		ug/Kg		62	55 - 120
Nitrobenzene	1640	1040		ug/Kg		63	54 - 120
Pentachlorophenol	3280	2330		ug/Kg		71	51 - 120
Phenanthrene	1640	1210		ug/Kg		74	60 - 120
Phenol	1640	1060		ug/Kg		65	53 - 120
Pyrene	1640	1250		ug/Kg		76	61 - 133

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Nitrobenzene-d5 (Surr)	63		53 - 120
Phenol-d5 (Surr)	66		54 - 120
p-Terphenyl-d14 (Surr)	79		79 - 130
2,4,6-Tribromophenol (Surr)	80		54 - 120
2-Fluorobiphenyl (Surr)	69		60 - 120
2-Fluorophenol (Surr)	61		52 - 120

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 480-653570/1-A

Matrix: Solid

Analysis Batch: 653688

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 653570

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	ND		0.010	0.00045	mg/L		12/15/22 09:33	12/16/22 10:57	1
2,4,5-Trichlorophenol	ND		0.0050	0.00048	mg/L		12/15/22 09:33	12/16/22 10:57	1
2,4,6-Trichlorophenol	ND		0.0050	0.00060	mg/L		12/15/22 09:33	12/16/22 10:57	1
2,4-Dinitrotoluene	ND		0.0050	0.00043	mg/L		12/15/22 09:33	12/16/22 10:57	1
3-Methylphenol	ND		0.010	0.00040	mg/L		12/15/22 09:33	12/16/22 10:57	1
2-Methylphenol	ND		0.0050	0.00040	mg/L		12/15/22 09:33	12/16/22 10:57	1
Pyridine	ND		0.025	0.00040	mg/L		12/15/22 09:33	12/16/22 10:57	1
4-Methylphenol	ND		0.010	0.00035	mg/L		12/15/22 09:33	12/16/22 10:57	1
Hexachlorobenzene	ND		0.0050	0.00050	mg/L		12/15/22 09:33	12/16/22 10:57	1
Hexachlorobutadiene	ND		0.0050	0.00068	mg/L		12/15/22 09:33	12/16/22 10:57	1
Hexachloroethane	ND		0.0050	0.00058	mg/L		12/15/22 09:33	12/16/22 10:57	1
Nitrobenzene	ND		0.0050	0.00028	mg/L		12/15/22 09:33	12/16/22 10:57	1
Pentachlorophenol	ND		0.010	0.0022	mg/L		12/15/22 09:33	12/16/22 10:57	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	90		46 - 120	12/15/22 09:33	12/16/22 10:57	1
Phenol-d5 (Surr)	36		22 - 120	12/15/22 09:33	12/16/22 10:57	1
p-Terphenyl-d14 (Surr)	100		60 - 148	12/15/22 09:33	12/16/22 10:57	1
2,4,6-Tribromophenol (Surr)	95		41 - 120	12/15/22 09:33	12/16/22 10:57	1
2-Fluorobiphenyl (Surr)	94		48 - 120	12/15/22 09:33	12/16/22 10:57	1
2-Fluorophenol (Surr)	53		35 - 120	12/15/22 09:33	12/16/22 10:57	1

Lab Sample ID: LCS 480-653570/2-A

Matrix: Solid

Analysis Batch: 653688

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 653570

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limts
1,4-Dichlorobenzene	0.0500	0.0258		mg/L		52	51 - 120
2,4,5-Trichlorophenol	0.0500	0.0483		mg/L		97	65 - 126
2,4,6-Trichlorophenol	0.0500	0.0461		mg/L		92	64 - 120
2,4-Dinitrotoluene	0.0500	0.0515		mg/L		103	69 - 120
3-Methylphenol	0.0500	0.0344		mg/L		69	39 - 120
2-Methylphenol	0.0500	0.0369		mg/L		74	39 - 120
Pyridine	0.100	0.0484		mg/L		48	10 - 120
4-Methylphenol	0.0500	0.0344		mg/L		69	29 - 131
Hexachlorobenzene	0.0500	0.0478		mg/L		96	61 - 120
Hexachlorobutadiene	0.0500	0.0269		mg/L		54	35 - 120
Hexachloroethane	0.0500	0.0231		mg/L		46	43 - 120
Nitrobenzene	0.0500	0.0415		mg/L		83	53 - 123
Pentachlorophenol	0.100	0.100		mg/L		100	29 - 136

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
Nitrobenzene-d5 (Surr)	84		46 - 120
Phenol-d5 (Surr)	35		22 - 120
p-Terphenyl-d14 (Surr)	105		60 - 148
2,4,6-Tribromophenol (Surr)	103		41 - 120
2-Fluorobiphenyl (Surr)	92		48 - 120
2-Fluorophenol (Surr)	47		35 - 120

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: LCSD 480-653570/3-A

Matrix: Solid

Analysis Batch: 653688

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 653570

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dichlorobenzene	0.0500	0.0264		mg/L		53	51 - 120	2	36
2,4,5-Trichlorophenol	0.0500	0.0476		mg/L		95	65 - 126	1	18
2,4,6-Trichlorophenol	0.0500	0.0478		mg/L		96	64 - 120	3	19
2,4-Dinitrotoluene	0.0500	0.0526		mg/L		105	69 - 120	2	20
3-Methylphenol	0.0500	0.0357		mg/L		71	39 - 120	4	30
2-Methylphenol	0.0500	0.0387		mg/L		77	39 - 120	5	27
Pyridine	0.100	0.0464		mg/L		46	10 - 120	4	49
4-Methylphenol	0.0500	0.0357		mg/L		71	29 - 131	4	24
Hexachlorobenzene	0.0500	0.0485		mg/L		97	61 - 120	2	15
Hexachlorobutadiene	0.0500	0.0266		mg/L		53	35 - 120	1	44
Hexachloroethane	0.0500	0.0237		mg/L		47	43 - 120	2	46
Nitrobenzene	0.0500	0.0421		mg/L		84	53 - 123	1	24
Pentachlorophenol	0.100	0.105		mg/L		105	29 - 136	5	37

Surrogate	LCSD	LCSD	<i>Limits</i>
	%Recovery	Qualifier	
Nitrobenzene-d5 (Surr)	88		46 - 120
Phenol-d5 (Surr)	37		22 - 120
p-Terphenyl-d14 (Surr)	107		60 - 148
2,4,6-Tribromophenol (Surr)	106		41 - 120
2-Fluorobiphenyl (Surr)	94		48 - 120
2-Fluorophenol (Surr)	49		35 - 120

Lab Sample ID: LB 480-652622/1-G

Matrix: Solid

Analysis Batch: 653688

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 653570

Analyte	LB	LB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene			ND		0.040	0.0018	mg/L		12/15/22 09:33	12/16/22 12:10	1
2,4,5-Trichlorophenol			ND		0.020	0.0019	mg/L		12/15/22 09:33	12/16/22 12:10	1
2,4,6-Trichlorophenol			ND		0.020	0.0024	mg/L		12/15/22 09:33	12/16/22 12:10	1
2,4-Dinitrotoluene			ND		0.020	0.0017	mg/L		12/15/22 09:33	12/16/22 12:10	1
3-Methylphenol			ND		0.040	0.0016	mg/L		12/15/22 09:33	12/16/22 12:10	1
2-Methylphenol			ND		0.020	0.0016	mg/L		12/15/22 09:33	12/16/22 12:10	1
Pyridine			ND		0.10	0.0016	mg/L		12/15/22 09:33	12/16/22 12:10	1
4-Methylphenol			ND		0.040	0.0014	mg/L		12/15/22 09:33	12/16/22 12:10	1
Hexachlorobenzene			ND		0.020	0.0020	mg/L		12/15/22 09:33	12/16/22 12:10	1
Hexachlorobutadiene			ND		0.020	0.0027	mg/L		12/15/22 09:33	12/16/22 12:10	1
Hexachloroethane			ND		0.020	0.0023	mg/L		12/15/22 09:33	12/16/22 12:10	1
Nitrobenzene			ND		0.020	0.0011	mg/L		12/15/22 09:33	12/16/22 12:10	1
Pentachlorophenol			ND		0.040	0.0088	mg/L		12/15/22 09:33	12/16/22 12:10	1

Surrogate	LB	LB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)			92		46 - 120	12/15/22 09:33	12/16/22 12:10	1
Phenol-d5 (Surr)			35		22 - 120	12/15/22 09:33	12/16/22 12:10	1
p-Terphenyl-d14 (Surr)			105		60 - 148	12/15/22 09:33	12/16/22 12:10	1
2,4,6-Tribromophenol (Surr)			102		41 - 120	12/15/22 09:33	12/16/22 12:10	1
2-Fluorobiphenyl (Surr)			92		48 - 120	12/15/22 09:33	12/16/22 12:10	1
2-Fluorophenol (Surr)			51		35 - 120	12/15/22 09:33	12/16/22 12:10	1

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 480-652821/2-A

Matrix: Solid

Analysis Batch: 653387

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652821

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.020	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Barium	ND		0.0050	0.0011	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Cadmium	ND		0.0020	0.00030	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Chromium	ND		0.0050	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Lead	ND		0.010	0.0024	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Selenium	ND		0.040	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:04	1
Silver	ND		0.0060	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:04	1

Lab Sample ID: LCS 480-652821/3-A

Matrix: Solid

Analysis Batch: 653387

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652821

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits	
Arsenic		1.00	1.11		mg/Kg		111	80 - 120	
Barium		1.00	1.01		mg/Kg		101	80 - 120	
Cadmium		1.00	1.09		mg/Kg		109	80 - 120	
Chromium		1.00	1.05		mg/Kg		105	80 - 120	
Lead		1.00	1.07		mg/Kg		107	80 - 120	
Selenium		1.00	1.11		mg/Kg		111	80 - 120	
Silver		1.00	1.12		mg/Kg		112	80 - 120	

Lab Sample ID: LB 480-652622/1-E

Matrix: Solid

Analysis Batch: 653387

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 652821

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Arsenic	ND		0.020	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Barium	ND		0.0050	0.0011	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Cadmium	ND		0.0020	0.00030	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Chromium	0.00496	J	0.0050	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Lead	ND		0.010	0.0024	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Selenium	0.00646	J	0.040	0.0040	mg/Kg		12/09/22 10:09	12/13/22 13:00	1
Silver	ND		0.0060	0.0020	mg/Kg		12/09/22 10:09	12/13/22 13:00	1

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 480-652847/2-A

Matrix: Solid

Analysis Batch: 652921

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 652847

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000043	mg/L		12/09/22 11:47	12/09/22 17:53	1

Lab Sample ID: LCS 480-652847/3-A

Matrix: Solid

Analysis Batch: 652921

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 652847

Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits	
Mercury		0.00680	0.00602		mg/L		88	80 - 120	

Eurofins Buffalo

QC Sample Results

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: LB 480-652622/1-F

Matrix: Solid

Analysis Batch: 652921

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 652847

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	ND		0.00020	0.000043	mg/L		12/09/22 11:47	12/09/22 17:51	1

QC Association Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

GC/MS VOA

Leach Batch: 652650

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	1311	
LB 480-652650/1-A	Method Blank	TCLP	Solid	1311	

Prep Batch: 652673

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	5035A_L	
MB 480-652673/2-A	Method Blank	Total/NA	Solid	5035A_L	
LCS 480-652673/1-A	Lab Control Sample	Total/NA	Solid	5035A_L	

Analysis Batch: 652739

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	8260C	
MB 480-652673/2-A	Method Blank	Total/NA	Solid	8260C	
LCS 480-652673/1-A	Lab Control Sample	Total/NA	Solid	8260C	

Analysis Batch: 652922

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	8260C	
LB 480-652650/1-A	Method Blank	TCLP	Solid	8260C	
MB 480-652922/8	Method Blank	Total/NA	Solid	8260C	
LCS 480-652922/6	Lab Control Sample	Total/NA	Solid	8260C	

GC/MS Semi VOA

Prep Batch: 652566

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	3550C	
MB 480-652566/1-A	Method Blank	Total/NA	Solid	3550C	
LCS 480-652566/2-A	Lab Control Sample	Total/NA	Solid	3550C	

Analysis Batch: 652617

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	8270D	
MB 480-652566/1-A	Method Blank	Total/NA	Solid	8270D	
LCS 480-652566/2-A	Lab Control Sample	Total/NA	Solid	8270D	

Leach Batch: 652622

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	1311	
LB 480-652622/1-G	Method Blank	TCLP	Solid	1311	

Prep Batch: 653570

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	3510C	
LB 480-652622/1-G	Method Blank	TCLP	Solid	3510C	
MB 480-653570/1-A	Method Blank	Total/NA	Solid	3510C	
LCS 480-653570/2-A	Lab Control Sample	Total/NA	Solid	3510C	
LCSD 480-653570/3-A	Lab Control Sample Dup	Total/NA	Solid	3510C	

QC Association Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

GC/MS Semi VOA

Analysis Batch: 653688

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	8270D	653570
LB 480-652622/1-G	Method Blank	TCLP	Solid	8270D	653570
MB 480-653570/1-A	Method Blank	Total/NA	Solid	8270D	653570
LCS 480-653570/2-A	Lab Control Sample	Total/NA	Solid	8270D	653570
LCSD 480-653570/3-A	Lab Control Sample Dup	Total/NA	Solid	8270D	653570

Metals

Leach Batch: 652622

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	1311	9
LB 480-652622/1-E	Method Blank	TCLP	Solid	1311	10
LB 480-652622/1-F	Method Blank	TCLP	Solid	1311	

Prep Batch: 652821

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	3050B	652622
LB 480-652622/1-E	Method Blank	TCLP	Solid	3050B	652622
MB 480-652821/2-A	Method Blank	Total/NA	Solid	3050B	13
LCS 480-652821/3-A	Lab Control Sample	Total/NA	Solid	3050B	

Prep Batch: 652847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	7470A	652622
LB 480-652622/1-F	Method Blank	TCLP	Solid	7470A	652622
MB 480-652847/2-A	Method Blank	Total/NA	Solid	7470A	
LCS 480-652847/3-A	Lab Control Sample	Total/NA	Solid	7470A	

Analysis Batch: 652921

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	7470A	652847
LB 480-652622/1-F	Method Blank	TCLP	Solid	7470A	652847
MB 480-652847/2-A	Method Blank	Total/NA	Solid	7470A	652847
LCS 480-652847/3-A	Lab Control Sample	Total/NA	Solid	7470A	652847

Analysis Batch: 653387

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	TCLP	Solid	6010C	652821
LB 480-652622/1-E	Method Blank	TCLP	Solid	6010C	652821
MB 480-652821/2-A	Method Blank	Total/NA	Solid	6010C	652821
LCS 480-652821/3-A	Lab Control Sample	Total/NA	Solid	6010C	652821

General Chemistry

Analysis Batch: 652563

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-204473-1	ROBLIN DRUM	Total/NA	Solid	Moisture	

Lab Chronicle

Client: LaBella Associates DPC

Project/Site: Roblin Steel site

Job ID: 480-204473-1

Client Sample ID: ROBLIN DRUM

Date Collected: 12/06/22 11:30

Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			652650	BML	EET BUF	12/08/22 09:38 - 12/09/22 10:54 ¹
TCLP	Analysis	8260C		10	652922	ATG	EET BUF	12/10/22 12:24
TCLP	Leach	1311			652622	BML	EET BUF	12/08/22 09:01 - 12/09/22 09:36 ¹
TCLP	Prep	3510C			653570	JMP	EET BUF	12/15/22 09:33
TCLP	Analysis	8270D		1	653688	JMM	EET BUF	12/16/22 12:34
TCLP	Leach	1311			652622	BML	EET BUF	12/08/22 09:01 - 12/09/22 09:36 ¹
TCLP	Prep	3050B			652821	NVK	EET BUF	12/09/22 10:09
TCLP	Analysis	6010C		1	653387	LMH	EET BUF	12/13/22 13:43
TCLP	Leach	1311			652622	BML	EET BUF	12/08/22 09:01 - 12/09/22 09:36 ¹
TCLP	Prep	7470A			652847	NVK	EET BUF	12/09/22 11:47
TCLP	Analysis	7470A		1	652921	NVK	EET BUF	12/09/22 18:05
Total/NA	Analysis	Moisture		1	652563	JMM	EET BUF	12/07/22 16:01

Client Sample ID: ROBLIN DRUM

Date Collected: 12/06/22 11:30

Date Received: 12/06/22 15:30

Lab Sample ID: 480-204473-1

Matrix: Solid

Percent Solids: 80.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035A_L			652673	LCH	EET BUF	12/08/22 12:27
Total/NA	Analysis	8260C		1	652739	CDC	EET BUF	12/09/22 06:45
Total/NA	Prep	3550C			652566	SJM	EET BUF	12/07/22 16:14
Total/NA	Analysis	8270D		1	652617	JMM	EET BUF	12/08/22 20:23

¹ Completion dates and times are reported or not reported per method requirements or individual lab discretion.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Eurofins Buffalo

Accreditation/Certification Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Laboratory: Eurofins Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	03-31-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
7470A	7470A	Solid	Mercury
Moisture		Solid	Percent Moisture
Moisture		Solid	Percent Solids

Method Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	EET BUF
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	EET BUF
6010C	Metals (ICP)	SW846	EET BUF
7470A	Mercury (CVAA)	SW846	EET BUF
Moisture	Percent Moisture	EPA	EET BUF
1311	TCLP Extraction	SW846	EET BUF
3050B	Preparation, Metals	SW846	EET BUF
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET BUF
3550C	Ultrasonic Extraction	SW846	EET BUF
5030C	Purge and Trap	SW846	EET BUF
5035A_L	Closed System Purge and Trap	SW846	EET BUF
7470A	Preparation, Mercury	SW846	EET BUF

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: LaBella Associates DPC
Project/Site: Roblin Steel site

Job ID: 480-204473-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-204473-1	ROBLIN DRUM	Solid	12/06/22 11:30	12/06/22 15:30

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Chain of Custody Record

Login Sample Receipt Checklist

Client: LaBella Associates DPC

Job Number: 480-204473-1

Login Number: 204473

List Source: Eurofins Buffalo

List Number: 1

Creator: Sabuda, Brendan D

Question	Answer	Comment	
Radioactivity either was not measured or, if measured, is at or below background	True		1
The cooler's custody seal, if present, is intact.	True		2
The cooler or samples do not appear to have been compromised or tampered with.	True		3
Samples were received on ice.	True		4
Cooler Temperature is acceptable.	True		5
Cooler Temperature is recorded.	True	4.8 #1 ICE	6
COC is present.	True		7
COC is filled out in ink and legible.	True		8
COC is filled out with all pertinent information.	True		9
Is the Field Sampler's name present on COC?	True		10
There are no discrepancies between the sample IDs on the containers and the COC.	True		11
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True		12
Sample containers have legible labels.	True		13
Containers are not broken or leaking.	True		14
Sample collection date/times are provided.	True		15
Appropriate sample containers are used.	True		
Sample bottles are completely filled.	True		
Sample Preservation Verified	True		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True		
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True		
If necessary, staff have been informed of any short hold time or quick TAT needs	True		
Multiphasic samples are not present.	True		
Samples do not require splitting or compositing.	True		
Sampling Company provided.	True		
Samples received within 48 hours of sampling.	True		
Samples requiring field filtration have been filtered in the field.	True		
Chlorine Residual checked.	True		