

**THE DELAVAL PROPERTY
ENVIRONMENTAL RESTORATION PROGRAM PROJECT**

Addendum No. 6

September 28, 2007

I. Changes to the Contract Specifications

1. Section 05110 Paragraph 2.1.I

The revision below supersedes the revision to Paragraph 2.1.I (Change No. 3 to the Contract Specifications) in Addendum No. 5.

DELETE the following text in Paragraph 2.1.I:

“Threadbar Rods and Nuts: DYWIDAG Threadbar or equivalent accepted by Engineer, shall conform to ASTM A615, Grade 60.”

REPLACE with the following text in Paragraph 2.1.I:

“Threadbar Rods and Nuts: DYWIDAG Threadbar $f_{pu} = 150$ ksi or equivalent accepted by the Engineer.”

II. Changes to the Contract Plans

There are no changes to the contract plans for this addendum.

CERTIFICATION: Please complete and sign below and fax this sheet to Scott M. Smith, P.E. at (315) 471-3569 to certify that you have received this addendum. Include a copy of this addendum with your sealed bid. Failure to include this addendum (with all attachments) with your bid may disqualify your bid from being considered.

Name (Print): _____

Firm: _____

Address: _____

Phone: _____ **Fax:** _____

Signature: _____