



December 29, 2010

Jeffrey Dyber, P.E.
Environmental Engineer 2
New York State Department of Environmental Conservation
Remedial Bureau A
625 Broadway
Albany, New York 12233-7015

Re: Remedial Investigation Work Plan (RIWP) – Data Summary and RIWP Addendum
900 Old Country Road, Garden City, New York

Dear Mr. Dyber:

On behalf of our client, Equity One (Northeast Portfolio) Inc., Roux Associates is submitting this letter report summarizing the data that has been received from the limited Remedial Investigation (RI) work that has been completed to date at the Former Avis Headquarters property (Site) located at 900 Old Country Road, Garden City, New York. The work began on November 11 and continued until November 17, 2010, when work was discontinued in accordance with your request. Presented below is a description of the RI tasks that have been completed followed by an evaluation of the sample results. The laboratory results are provided on Plate 1 (Appendix A). Finally, the soil and soil vapor sampling locations that are being recommended for addition to the RI scope based on the preliminary sample results are described and presented on Figure 1 (Appendix A).

Summary of RI Work Performed in November 2010

- Gore Module Soil Vapor Survey: On November 11 and 12, 2010, a total of 40 Gore passive soil vapor sampling devices were installed in selected locations across the site, as indicated on the “Proposed Sampling Locations” figure included with the RIWP submitted to the New York State Department of Environmental Conservation (NYSDEC) on August 17, 2010. W.L. Gore & Associates, Inc. (Gore) has provided Roux with a summary report of the data which is presented as Appendix B. Additional soil borings and soil vapor sampling locations based on the results of the Gore sample results are discussed below.
- Geophysical Survey: The geophysical survey of the area surrounding the western, southern, and eastern sides of the Cendant Building commenced on November 15, 2010. This work was conducted by the firm of NAEVA Geophysics, Inc.

(NAEVA). The work was halted on November 17. Approximately two days of field work remain to complete the geophysical survey task.

- Radiological Survey: A complete radiological survey of the entire site was completed on November 16, 2010 by the firm Environmental Dimensions, inc. (EDi).
- Drywell and Leach Pool Sampling: Soil samples were collected from a total of 29 leach pools and six dry wells using a GeoProbe direct push unit on November 15, 16, and 17, 2010. At each dry well, a soil boring was advanced through the earthen floor of the dry well with two soil samples collected at varying intervals based on PID readings. When dry wells had been previously sampled during the Phase II investigations conducted in 2009 and exceedances of Part 375 Soil Criteria were detected, the first sample collected by Roux Associates was below impacted horizon. A total of 69 soil samples were collected. All samples are being analyzed for the following parameters: TCL+30 VOCs; TCL BNAs; TCL+20 SVOCs; TCL pesticides; TCL PCBs; TAL metals; total cyanide; TPH/GRO; TPH/DRO. Three dry wells remain to be sampled in the Thomasville Furniture parking lot located in the northwestern corner of the Site (DW-19, DW-20, and DW-21).
- Monitoring Well Installation: Monitoring well MW-20 was installed on November 17, 2010 using a hollow stem auger drilling rig. Monitoring wells MW-17A and MW-21 remain to be installed in the south/southwestern portion of the Site. No groundwater sampling of the wells has been conducted.
- Soil Vapor Point Installation: Soil Vapor Sample point V-1 was installed on November 17, 2010, using a GeoProbe direct push unit to a depth of five feet below land surface (bls). Soil Vapor Sample points V-2 through V-6 remain to be installed in the southwestern and northeastern portions of the Site. No sampling of the vapor points has been conducted.
- Three of 21 existing monitoring wells were redeveloped in preparation for future groundwater sampling. The remainder of the monitoring wells and the newly installed monitoring wells will be developed following the completion of the RI work.

Results of RI Work Completed in November 2010

Geophysical Survey: The results of the geophysical survey will be evaluated upon completion of the survey.

Gore Module Survey: The Gore results that are presented in Appendix B include tabulated results of all quantified VOCs with results presented in both parts per billion by volume (ppbv) and micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). Additionally, five color-coded maps depict soil vapor concentrations for the following parameters and parameter groups:

benzene/toluene/ethyl benzene/xylene (BTEX); naphthalene/2-methylnaphthalene; total petroleum hydrocarbons (TPH); trichloroethene (TCE); and tetrachloroethene (PCE). Elevated concentrations of each parameter are shown in shades of orange, red, magenta, and purple. Areas shown in yellow/green/blue reflect marginal to background concentrations of the mapped parameter.

A review of the Gore Module data indicate several previously unidentified areas of concern beneath the Cendant Building and confirmed previous data collected from the southeast corner of the site adjacent to and beneath the Manufacturing Building.

A review of the parameter-specific results under the Cendant Building is presented below:

- TPH – Gore locations G-33, G-32, and G-04 are indicated to have low to elevated concentrations of TPH that warrant further investigation;
- Naphthalene and 2-Methylnaphthalene – Gore locations G-33, G-32, and G-07 are indicated to have elevated levels of these SVOC compounds;
- BTEX – Gore location G-04 is indicated to have elevated concentration of these volatile hydrocarbons associated with gasoline;
- TCE – Gore locations G-05, G-08, G-10, and G-32 are indicated to have low to moderately elevated concentrations of TCE that warrant further investigation; and
- PCE – Gore locations G-10 and G-30 are indicated to have somewhat elevated concentrations of PCE that warrant further investigation.

Beneath the Manufacturing building and surrounding areas in the southeast corner of the Site PCE was detected in the following locations:

- PCE – Gore locations G-12, G-13, G-14, G-15, G-17, G-18, and G-44 are shown to have elevated concentrations of PCE. The Manufacturing Building and the courtyard immediately to the west, including the area immediately north of the Storage Building, will require additional investigation to identify the source(s) of the PCE.

Radiological Survey: The radiological survey performed on November 16, 2010, by Project Specialist, William Rigby of Edi, showed no significant elevated findings during the survey. The technical report from Edi documenting their findings and the professional qualifications of the personnel that designed and conducted the survey is provided in Appendix C.

Drywell and Leach Pool Sampling: The tabulated laboratory data is included in Tables 1 through 6 in Appendix D. The TestAmerica laboratory reports are provided in Appendix E. Plate 1 is provided in Appendix A and presents all exceedances of the

NYSDEC Part 375 Restricted Commercial Criteria and the Unrestricted Residential Criteria. If a dry well/leach pool had no exceedance of any soil criteria, this is also noted on Plate 1. The following dry wells/leach pools had exceedances of the Restricted Commercial Criteria as indicated below. (Note: the list below includes exceedances from previous Phase II samples and Roux Associates RI samples.)

Restricted Commercial Exceedances

Location	Compound(s)	Interval (feet bls)
DW-2	SVOCs	9-11 and 15-17
DW-14	SVOCs	10-12
DW-15	SVOCs	10-12
LP-22	PCBs	12-13
LP-23	PCBs	12-13
LP-24	PCBs	12-13
LP-25	PCBs	10-11
LP-26	PCBs	10-11

Note: LP-22 through LP-26 Part 375 Restricted Commercial Use Criteria exceedances detected in historical samples only.

The following dry wells/leach pools had exceedances of Unrestricted Use Criteria as indicated below.

Unrestricted Use Exceedances

Location(s)	Compound(s)	Intervals (feet bls)
DW-2, DW-14, DW-15; LP-20, LP-27	SVOCs	9-11, 10-12, 12-13, 14-16 and 15-17
LP-2, LP-4, LP-10, LP-12 LP-14, LP-15, LP-20, LP-21, LP-22, LP-23, LP-24, LP-25, LP-27	PCBs	10-11, 10-12, 11-13, 12-13 and 14-16

Location(s)	Compound(s)	Intervals (feet bls)
LP-2, LP-5, LP-6, LP-7, LP-10, LP-12, LP-13, LP-20, LP-22, LP-23, LP-24, LP-25, LP-26, LP-29	Pesticides	10-12, 11-13, 14-16 and 15-17
LP-4, LP-9, LP-15, LP-19, LP-21, LP-22, LP-23, LP-25, LP-26, LP-27, LP-28, LP-29	Metals	10-11, 10-12, 11-12, 12-13 and 14-16

Note: Part 375 Unrestricted Use Criteria exceedances detected in current samples and historical samples.

Proposed Additional RI Work

The following additional RI samples are proposed to confirm and delineate the findings of the initial round of RI work conducted in November 2010. Additionally, seven of the locations sampled during the initial RI mobilization will be resampled at NYSDEC's request. All proposed sample locations and the remaining locations from the original RIWP that have not been completed are presented on Figure 1 in Appendix A.

Geophysical Survey: Complete the outstanding portion of the geophysical survey and evaluate the results to determine if any follow up activities are warranted.

Drywell and Leach Pool Sampling: Roux Associates will complete the sampling at dry well locations DW-19, DW-20, and DW-21 from the original RIWP scope. Two soil samples will be collected from each dry well location as described in the RIWP. Also, at NYSDEC's request, seven of the previously sampled dry wells and leach pools will be resampled. The selected locations include DW-2, LP-4, LP-15, LP-22, LP-23, LP-26, and LP-29. Two samples will be collected from each of the locations at the intervals that were previously sampled, with the exception of DW-2, where three samples will be collected (9-11' and 15-17' as sampled in November 2010, and a deeper sample 18-20' to delineate the SVOC impacts detected in this location during the initial round of RI sampling). All samples will be sent to TestAmerica for analysis of TCL +30 VOCs; TCL BNAs; TCL+20 SVOCs; TCL pesticides; TCL PCBs; TAL metals; total cyanide; TPH/GRO; TPH/DRO. A chart of the locations and the corresponding sampling intervals is provided below.

Location to be Resampled	Interval to be Sampled (feet bls)
DW-2	9-11, 15-17 and 18-20

Location to be Resampled	Interval to be Sampled (feet bls)
LP-4	10-11 and 14-16
LP-15	12-13 and 14-16
LP-22	12-13 and 14-16
LP-23	12-13 and 14-16
LP-26	10-11 and 14-16
LP-29	10-12 and 14-16

Soil Sampling: Based on elevated Gore Module results, 13 locations were selected for confirmation and/or delineation soil sampling as shown on Figure 1. A soil boring will be advanced within five feet of the Gore Module location using a GeoProbe direct push unit. An additional soil sample is proposed approximately midway between the G-12 and G-13 locations. A minimum of two soil samples will be collected from each location including the 0-2 foot bls and the 2-4 foot bls intervals at each boring. If visual observations or PID readings warrant, the borings will be continued until clean soil is encountered, or the water table is reached, and a soil sample will be collected at the two-foot interval immediately above the termination depth of the boring. Samples will be sent to TestAmerica for analysis of TCL+30 VOCs; TCL BNAs; TCL+20 SVOCs; TCL PCBs; TAL metals; total cyanide; TPH/GRO; and TPH/DRO. Locations and the corresponding intervals to be sampled are shown on Figure 1 and summarized in the chart below.

Gore Location to be Sampled	Interval to be Sampled (feet bls)
G-04	0-2 and 4-6
G-05	0-2 and 4-6
G-07	0-2 and 4-6
G-08	0-2 and 4-6
G-10	0-2 and 4-6

Gore Location to be Sampled	Interval to be Sampled (feet bls)
G-12	0-2 and 4-6
G-13	0-2 and 4-6
G-17	0-2 and 4-6
G-18	0-2 and 4-6
G-30	0-2 and 4-6
G-32	0-2 and 4-6
G-33	0-2 and 4-6
G-44	0-2 and 4-6

Soil Vapor Sampling: The remaining five soil vapor sampling points (V-2 through V-6) identified in the RIWP will be installed. Additionally three new soil vapor sampling points are being proposed based on the Gore Module results. The locations of vapor points V-2 through V-4 have been modified based on the Gore Module results to delineate soil vapor impacts in the southeastern portion of the Site. The absence of any compelling Gore Module data in the originally proposed locations warrants the relocation of these points. Locations V-7 through V-9 have been added to the scope of work in order to confirm Gore Module findings at locations G-04, G-33, and G-32. These soil vapor sampling points are located within the Cendant building, and as such will be installed to a depth just beneath the concrete slab that comprises the building floor.

Soil vapor sampling points V-1 through V-9 will be sampled as described in the original RIWP submitted to the NYSDEC in August 2010, and samples will be sent to TestAmerica for analysis of VOCs using USEPA Method TO-15.

Monitoring Well Installation and Development: Complete installation and development of proposed monitoring wells MW-17A and MW-21 as described in the original RIWP submitted to the NYSDEC in August 2010. Complete redevelopment of the remaining 18 existing Site monitoring wells.

Groundwater Sampling: Conduct a comprehensive groundwater sampling round including all 21 existing monitoring wells and the three newly installed monitoring wells as described in the original RIWP.

Jeffrey Dyber, P.E.
December 29, 2010
Page 8

Following the completion of the RI work, an RI Report will be prepared summarizing all of the data collected.


If you have any questions concerning this submittal, please contact us at (631) 232-2600.

Sincerely,

ROUX ASSOCIATES, INC.



Wendy Monterosso
Project Hydrogeologist



Craig A. Werle, P.G.
Principal Hydrogeologist

Enclosure

cc: Steve Karpinski, New York State Department of Health
Michael Berfield, Equity One (Northeast Portfolio) Inc.
Mark Chertok, Sive, Paget & Riesel, P.C.

Figure 1 and Plate 1

\\EQ019244\EQ001Y\120\EQ00112001.DWG

OLD COUNTRY ROAD


LEGEND

PROPOSED SAMPLE LOCATIONS

- PROPOSED SOIL SAMPLE LOCATION
- MW-21  PROPOSED MONITORING WELL
- V-1  PROPOSED SOIL VAPOR SAMPLE

COMPLETED RI SAMPLE LOCATIONS

- MW-20  MONITORING WELL INSTALLED NOVEMBER 2010
- G-27  GORE MODULE
- LP-25  LEACH POOL
- CB-3  CATCH BASIN
- DW-1  DRY WELL



Title:


**PROPOSED SAMPLING LOCATIONS
(SECOND MOBILIZATION)**


FORMER AVIS HEADQUARTERS PROPERTY
900 OLD COUNTRY ROAD
GARDEN CITY, NY 11530

Prepared For:

EQUITY ONE, INC.

 ROUX ASSOCIATES, INC. <i>Environmental Consulting and Management</i>	Compiled by: W.M	Date: 20DEC10	FIGURE 1
	Prepared by: B.H.C.	Scale: AS SHOWN	
	Project Mgr: C.W.	Project: 1924.0001Y	
	File: EQ00112001.DWG		





LEGEND

- SOIL SAMPLE LOCATION
- PROPOSED MONITORING WELL
- LEACH POOL
- CATCH BASIN
- DRY WELL

Parameter	Standards*	Standards**
VOCs (µg/kg)	No Exceedances	
SVOCs (µg/kg)	No Exceedances	
Benzo[a]anthracene	1000	5600
Benzo[a]pyrene	1000	1000
Benzo[b]fluoranthene	1000	5600
Benzo[k]fluoranthene	800	56000
Chrysene	1000	56000
Dibenzo[a,h]anthracene	330	560
Indeno[1,2,3-cd]pyrene	500	5600
Metals (mg/kg)		
Chromium	30	1500
Silver	2	1500
PCBs (µg/kg)		
Total PCBs	100	1000
Pesticides (µg/kg)		
4,4'-DDD	3.3	92000
4,4'-DDE	3.3	62000
4,4'-DDT	3.3	47000
beta-BHC	36	3000
Dieldrin	5	1400

µg/kg - Micrograms per kilogram
mg/kg - Milligrams per kilogram
*NYSDEC Part 375 Unrestricted Use Criteria
**NYSDEC Part 375 Restricted Commercial Criteria
NYSDEC - New York State Department of Environmental Conservation
J - Estimated value
p - The %RPD between the primary and confirmation column/detector is >40%.
The lower value has been reported
DUP - Duplicate Sample
VOCs - Volatile Organic Compounds
SVOCs - Semivolatile Organic Compounds
PCBs - Polychlorinated Biphenyls
NE - No exceedances

NOTES

- DW-19, DW-20 AND DW-21 NOT SAMPLED.
- MW-17A AND MW-21 NOT INSTALLED.

Title: DRYWELL / LEACHING POOL SAMPLE RESULTS

FORMER AVIS HEADQUARTERS PROPERTY
900 OLD COUNTRY ROAD
GARDEN CITY, NY 11530

Prepared For: EQUITY ONE, INC.

ROUX ROUX ASSOCIATES, INC. Environmental Consulting and Management	Compiled by: W.M.	Date: 20DEC10	PLATE 1
	Prepared by: B.H.C.	Scale: AS SHOWN	
	Project Mgr: C.W.	Project: 1924.0001Y	
	File: EQ00112001.DWG		

Gore Module Survey Data



GORE® Surveys


Final Report

Project: Former Avis Building, Garden City, NY
Gore Order Number: 29786668
Date Prepared: December 16, 2010
Prepared for: ROUX Associates
Islandia, NY

Written/Submitted by
Jay W. Hodny, Ph.D
Product Specialist

Reviewed/Approved by
Hilary G. Trethewey
Project Manager

Analytical Data Reviewed by
Dayna M. Cobb
Chemist



W.L. Gore & Associates, Inc.
Survey Products Group

GORE™ Surveys - Final Report

REPORT DATE: 12/16/2010

AUTHOR: JWH

SITE INFORMATION

Site Reference: Former Avis Building, Garden City, NY

Gore Production Order Number: 20786668

Gore Site Code: FSC

FIELD PROCEDURES

Modules shipped: 44

Installation Date(s): 11/11,12,15,16/10

Modules Installed: 42

Field work performed by: Roux Associates, Inc.

Retrieval date(s): 1/18,22/10

Modules Retrieved: 40

Modules Lost in Field: 2

Exposure Time: 6-7 days [days]

Trip Blanks Returned: 2

Unused Modules Returned: 0

Date/Time Received by Gore: 11/23/2010 4:15:00 PM By: CW

Chain of Custody Form attached: Yes

Chain of Custody discrepancies: None

Comments:

Modules 651946 and -947 were identified as trip blanks.

Modules 651922 and 651935 were destroyed or removed by vandals and replaced with 651944 and 651945, respectively.

GORE™ Surveys - Final Report

QUALITY ASSURANCE STATEMENT

W.L. Gore & Associates' Survey Products' Laboratory operates under the guidelines of ISO Standard 17025, its Quality Assurance Manual, Operating Procedures and Methods. For this project, the analytical method, reported results, and observations reported are considered screening level and do not fall within the scope of W.L. Gore's ISO 17025 accreditation.

ANALYTICAL PROCEDURES

Instrumentation consists of state of the art gas chromatographs equipped with mass selective detectors, coupled with automated thermal desorption units. Sample preparation simply involves cutting the tip off the bottom of the sample module and transferring one or more exposed sorbent containers (sorbents, each containing engineered adsorbents) to a thermal desorption tube for analysis. Sorbents remain clean and protected from dirt, soil, and ground water by the insertion/retrieval cord, and require no further sample preparation.

Analytical Method Quality Assurance:

The analytical method employed is a modified EPA method 8260/8270. Before each run sequence, two instrument blanks, a sorber containing 5µg BFB (Bromofluorobenzene), and a method blank are analyzed. The BFB mass spectra must meet the criteria set forth in the method before samples can be analyzed. A method blank and a sorber containing BFB are also analyzed after every 30 samples and/or trip blanks. Standards containing the selected target compounds at five calibration levels are analyzed at the beginning of each run. The criterion for each target compound is less than 25% RSD (relative standard deviation). If this criterion is not met for any target compound, the analyst has the option of generating second- or third-order standard curves, as appropriate. A second-source reference standard, at a level of 10µg per target compound, is analyzed after every ten samples and/or trip blanks, and at the end of the run sequence. Positive identification of target compounds is determined by 1) the presence of the target ion and at least two secondary ions; 2) retention time versus reference standard; and, 3) the analyst's judgment.

NOTE: All data have been archived. Any replicate sorbers not used in the initial analysis will be discarded fifteen (15) days from the date of analysis.

Laboratory analysis: thermal desorption, gas chromatography, mass selective detection

Instrument ID: # 8 **Chemist:** FN/DC/DD

Compounds/mixtures requested: A1

Deviations from Standard Method: None

Comments: Soil vapor analytes and abbreviations are tabulated in the Data Table Key (page 6).

GORE™ Surveys - Final Report

DATA TABULATION

CONTOUR MAPS ENCLOSED: Five (5) B-sized color contour maps

LIST OF MAPS ENCLOSED:

- Benzene, Toluene, Ethylbenzene, and m-, o,p-Xylenes (BTEX)
- Naphthalene and 2-Methylnaphthalene (Naph. & 2-Methylnaph.)
- Total Petroleum Hydrocarbons (TPH)
- Tetrachloroethene (PCE)
- Trichloroethene (TCE)

NOTE: All data values presented in Appendix A represent masses of compound(s) desorbed from the GORE® Modules received and analyzed by W.L. Gore & Associates, Inc., as identified in the Chain of Custody (Appendix A). The measurement traceability and instrument performance are reproducible and accurate for the measurement process documented. Semi-quantitation of the compound mass is based on a five-level standard calibration.

General Comments:

- This survey reports soil gas mass levels present in the vapor phase. Vapors are subject to a variety of attenuation factors during migration away from the source concentration to the module. Thus, mass levels reported from the module will often be less than concentrations reported in soil and groundwater matrix data. In most instances, the soil gas masses reported on the modules compare favorably with concentrations reported in the soil or groundwater (e.g., where soil gas levels are reported at greater levels relative to other sampled locations on the site, matrix data should reveal the same pattern, and vice versa). However, due to a variety of factors, a perfect comparison between matrix data and soil gas levels can rarely be achieved.
- Soil gas signals reported by this method cannot be identified specifically to soil adsorbed, groundwater, and/or free-product contamination. The soil gas signal reported from each module can evolve from all of these sources. Differentiation between soil and groundwater contamination can only be achieved with prior knowledge of the site history (i.e., the site is known to have groundwater contamination only).
- Total petroleum hydrocarbon (TPH) values were calculated using the area under the peaks observed in m/z 55 and 57 selected ion chromatograms. Quantitation of the mass value was performed using the response factor a specific alkane (present in the calibration standards).
- TPH values include the entire chromatogram and provide estimates for aliphatic hydrocarbon ranges of C4 to C20.

GORE® Surveys - Final Report

- QA/QC trip blank modules were provided to document potential exposures that were not part of the soil gas signal of interest (i.e., impact during module shipment, installation and retrieval, and storage). The trip blanks are identically manufactured and packaged soil gas modules to those modules placed in the subsurface. However, the trip blanks remain unopened during all phases of the soil gas survey. Levels reported on the trip blanks may indicate potential impact to modules other than the contaminant source of interest.
- Unresolved peak envelopes (UPEs) are represented as a series of compound peaks clustered together around a central gas chromatograph elution time in the total ion chromatogram. Typically, UPEs are indicative of complex fluid mixtures that are present in the subsurface. UPEs observed early in the chromatogram are considered to indicate the presence of more volatile fluids, while UPEs observed later in the chromatogram may indicate the presence of less volatile fluids. Multiple UPEs may indicate the presence of multiple complex fluids.
- Stacked total ion chromatograms (TICs) are included in Appendix A. The six-digit serial number of each module is incorporated into the TIC identification (e.g.: 123456S.D represents module #123456).

Project Specific Comments:

- In addition to relative mass results, estimated soil gas concentrations were reported. Calculations for concentration were based on the mass observed, exposure time, and measured and estimated compound uptake rates adjusted for soil porosity. Default porosity values were used, total porosity 0.375cc/cc and water filled porosity of 0.114cc/cc.
- Mass data were contoured. The minimum (gray) contour level, for each mapped analyte or group of analytes, was set at the maximum blank level observed or the method detection limit, whichever was greater. When target compounds are combined (i.e., BTEX), the contour minimum is arbitrarily set at 0.02 µg or the maximum blank level, whichever is greater. The maximum contour level was set at the maximum value observed.
- Background levels of TPH and a few other target analytes were detected on the trip blanks and/or method blanks. Thus, target analyte levels reported for the field-installed modules that exceed trip and method blank levels, and the analyte method detection limit, are more likely to have originated from on-site sources.
- The mapped spatial patterns indicated a partially defined soil gas plumes and hotspots in the survey area.

GORE™ Surveys - Final Report

KEY TO DATA TABLE

UNITS

µg	micrograms, relative mass value
µg/m ³	micrograms per cubic meter; estimated soil gas concentration
MDL	method detection limit
bdl	below detection limit; compound was observed at level below the MDL
nd	non-detect, compound was not detected at any level
>	greater than; value considered estimated due to high mass levels

ANALYTES

TPH	total petroleum hydrocarbons
BTEX	combined masses of benzene, toluene, ethylbenzene and total xylenes (Gasoline Range Aromatics)
BENZ	benzene
TOL	toluene
EtBENZ	ethylbenzene
mpXYL	m-, p-xylene
oXYL	o-xylene
C11,C13&C15	combined masses of undecane, tridecane, and pentadecane (C11+C13+C15) (Diesel Range Alkanes)
UNDEC	undecane
TRIDEC	tridecane
PENTADEC	pentadecane
TMBs	combined masses of 1,3,5-trimethylbenzene and 1,2,4-trimethylbenzene
135TMB	1,3,5-trimethylbenzene
124TMB	1,2,4-trimethylbenzene
ct12DCE	cis- & trans-1,2-dichloroethene
t12DCE	trans-1,2-dichloroethene
c12DCE	cis-1,2-dichloroethene
NAPH&2-MN	combined masses of naphthalene and 2-methyl naphthalene
NAPH	naphthalene
2MeNAPH	2-methyl naphthalene
MTBE	methyl t-butyl ether
11DCA	1,1-dichloroethane
CHCl ₃	chloroform
111TCA	1,1,1-trichloroethane
12DCA	1,2-dichloroethane
CCl ₄	carbon tetrachloride
TCE	trichloroethene
OCT	octane
PCE	tetrachloroethene
ClBENZ	chlorobenzene
14DCB	1,4-dichlorobenzene
112TCA	1,1,2-trichloroethane
1112TetCA	1,1,1,2-tetrachloroethane
1122TetCA	1,1,2,2-tetrachloroethane
13DCB	1,3-dichlorobenzene
12DCB	1,2-dichlorobenzene

BLANKS

method blank	QA/QC module, documents analytical conditions during analysis
--------------	---

APPENDIX A:

1. CHAIN OF CUSTODY AND INSTALLATION/ RETRIEVAL LOG
2. DATA TABLES
3. SUMMARY OF CONCENTRATION CALCULATION PROCEDURE
4. STACKED TOTAL ION CHROMATOGRAMS
5. CONTOUR MAPS

GORE-SORBER® Screening Survey
Installation and Retrieval Log

Page 1 of 2

SITE NAME & LOCATION

Former Avis Building
 900 Old Country Road
 Garden City, NY

LINE #	MODULE #	INSTALLATION DATE/TIME	RETRIEVAL DATE/TIME	EVIDENCE OF LIQUID HYDROCARBONS (LPH) or HYDROCARBON ODOR (Check as appropriate)			MODULE IN WATER (check one)		COMMENTS	
				LPH	ODOR	NONE	YES	NO		
1.	651904	11-11-10/1138	11-18-10/1123							
2.	651905	11-11-10/1149	11-18-10/1129							
3.	651906	11-11-10/1147	11-18-10/1127							
4.	651907	11-11-10/1142	11-18-10/1125							
5.	651908	11-11-10/1152	11-18-10/1121							
6.	651909	11-11-10/1155	11-18-10/1119							
7.	651910	11-11-10/1415	11-18-10/1112							
8.	651911	11-11-10/1418	11-18-10/1113							
9.	651912	11-11-10/1536	11-18-10/1105	Dry during Installation; under puddle during Retrieval						
10.	651913	11-11-10/1538	11-18-10/1102							
11.	651914	11-11-10/1540	11-18-10/1103							
12.	651915	11-11-10/1544	11-18-10/1104							
13.	651916	11-11-10/1423	11-18-10/0930							
14.	651917	11-11-10/1431	11-18-10/1050							
15.	651918	11-12-10/1514	11-18-10/0953	Tampered during construction activities						
16.	651919	11-12-10/1508	11-18-10/0927							
17.	651920	11-12-10/1450	11-18-10/0925							
18.	651921	11-12-10/1444	11-18-10/0922							
19.	651922	11-11-10/1438		Replaced due to vandalism						
20.	651923	11-11-10/1550	11-18-10/1204							
21.	651924	11-11-10/1552	11-18-10/1206							
22.	651925	11-11-10/1554	11-18-10/1210							
23.	651926	11-11-10/1556	11-18-10/1212							
24.	651927	11-12-10/0940	11-18-10/1217							
25.	651928	11-12-10/0950	11-18-10/1220							
26.	651929	11-12-10/1038	11-18-10/1223							
27.	651930	11-12-10/1105	11-18-10/1226							
28.	651931	11-12-10/0834	11-18-10/1147							
29.	651932	11-12-10/0820	11-18-10/1142							
30.	651933	11-12-10/0900	11-18-10/1137							
31.	651934	11-12-10/1125	11-18-10/0850	module was pulled out after 11/17/10 Pm.						
32.	651935	11-12-10/1140	Destroyed	Destroyed by vehicular Traffic						
33.	651936	11-12-10/1146	11-18-10/0903							
34.	651937	11-12-10/1440	11-18-10/1258	Dry during Installation; under puddle during Retrieval						
35.	651938	11-12-10/1436	11-18-10/1253							
36.	651939	11-12-10/1426	11-18-10/0909							
37.	651940	11-12-10/1421	11-18-10/1251							
38.	651941	11-12-10/1415	11-18-10/1247							
39.	651942	11-12-10/1410	11-18-10/1234							
40.	651943	11-12-10/1355	11-18-10/0947							
41.	651944	11-15-10/1130	11-22-10/0939	(This module replaced module 651922)						
42.	651945	11-16-10/0800	11-22-10/0947	(This module replaced module 651935)						

GORE-SORBER® Screening Survey
Installation and Retrieval Log

Page 2. of 2.

SITE NAME & LOCATION

Former Avis Building
 900 Old Country Road
 Garden City, NY

LINE #	MODULE #	INSTALLATION DATE/TIME	RETRIEVAL DATE/TIME	EVIDENCE OF LIQUID HYDROCARBONS (LPH) or HYDROCARBON ODOR (Check as appropriate)			MODULE IN WATER (check one)		COMMENTS
				LPH	ODOR	NONE	YES	NO	
43.	651946	Trip Blank				☒		☒	Trip Blank
44.	651947	Trip Blank				☒		☒	Trip Blank
45.									
46.									
47.									
48.									
49.									
50.									
51.									
52.									
53.									
54.									
55.									
56.									
57.									
58.									
59.									
60.									
61.									
62.									
63.									
64.									
65.									
66.									
67.									
68.									
69.									
70.									
71.									
72.									
73.									
74.									
75.									
76.									
77.									
78.									
79.									
80.									
81.									
82.									
83.									
84.									

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

DATE ANALYZED	SAMPLE NAME	TPH, ug	BTEX, ug	BENZ, ug	TOL, ug	EtBENZ, ug	mpXYL, ug	oXYL, ug	C11, C13, &C15, ug	UNDEC, ug
	MDL=	0.02		0.02	0.02	0.02	0.03	0.02		0.04
12/09/10	651904	64.44	83.15	0.02	4.46	22.04	45.35	11.28	1.21	0.45
12/09/10	651905	9.61	0.18	bdl	0.04	0.03	0.08	0.03	0.75	0.61
12/08/10	651906	4.48	0.09	bdl	0.03	bdl	0.06	bdl	0.15	0.07
12/09/10	651907	23.03	0.26	bdl	0.06	0.04	0.12	0.05	1.04	0.48
12/09/10	651908	6.34	0.09	bdl	0.04	bdl	0.05	bdl	0.19	0.04
12/08/10	651909	15.67	0.23	bdl	0.05	0.02	0.11	0.04	1.31	1.03
12/09/10	651910	25.18	0.32	0.02	0.05	0.03	0.13	0.08	2.02	1.65
12/09/10	651911	22.98	0.13	bdl	0.06	bdl	0.05	0.02	2.16	0.86
12/09/10	651912	0.50	0.11	0.09	0.03	bdl	bdl	bdl	bdl	bdl
12/08/10	651913	1.10	bdl	bdl	bdl	bdl	bdl	bdl	bdl	bdl
12/08/10	651914	1.08	0.03	bdl	0.03	bdl	bdl	bdl	bdl	bdl
12/09/10	651915	6.54	0.05	bdl	0.02	bdl	0.03	bdl	0.25	0.15
12/08/10	651916	3.42	0.23	0.09	0.09	bdl	0.05	bdl	bdl	bdl
12/08/10	651917	11.47	0.05	bdl	0.05	bdl	bdl	bdl	0.16	0.04
12/09/10	651918	2.21	0.03	bdl	0.03	bdl	bdl	bdl	bdl	bdl
12/09/10	651919	7.08	0.69	0.14	0.33	0.05	0.13	0.05	0.13	0.06
12/09/10	651920	47.88	0.26	0.05	0.11	0.03	0.05	0.03	3.53	2.03
12/09/10	651921	30.05	0.85	0.19	0.40	0.09	0.12	0.06	0.13	0.09
12/08/10	651923	4.96	0.20	0.04	0.16	bdl	bdl	bdl	0.12	bdl
12/08/10	651924	5.34	bdl	bdl	bdl	bdl	bdl	bdl	0.14	0.07
12/09/10	651925	1.79	bdl	bdl	bdl	bdl	bdl	bdl	bdl	bdl
12/09/10	651926	17.24	3.32	bdl	0.17	0.23	1.51	1.41	0.23	0.11
12/09/10	651927	13.65	0.14	0.03	0.05	bdl	0.04	0.02	0.87	0.61
12/09/10	651928	5.55	0.65	bdl	0.09	0.31	0.19	0.05	0.05	bdl
12/09/10	651929	22.86	0.44	0.03	0.17	0.07	0.11	0.07	1.99	1.52
12/08/10	651930	7.43	bdl	bdl	bdl	bdl	bdl	bdl	0.45	0.16
12/09/10	651931	1.01	bdl	bdl	nd	bdl	nd	nd	bdl	nd
12/08/10	651932	58.98	0.06	bdl	0.06	bdl	bdl	bdl	6.53	1.67
12/08/10	651933	1472.74	0.89	bdl	0.15	0.09	0.43	0.21	211.38	85.49
12/09/10	651934	5.05	0.14	0.03	0.08	bdl	0.03	bdl	0.15	bdl
12/09/10	651936	1.78	0.05	0.02	0.03	bdl	bdl	bdl	bdl	bdl

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

DATE ANALYZED	SAMPLE NAME	TPH, ug	BTEX, ug	BENZ, ug	TOL, ug	EtBENZ, ug	mpXYL, ug	oXYL, ug	C11, C13, &C15, ug	UNDEC, ug
	MDL=	0.02		0.02	0.02	0.02	0.03	0.02		0.04
12/09/10	651937	1.23	0.13	0.02	0.04	0.02	0.04	bdl	bdl	bdl
12/09/10	651938	4.32	0.25	0.04	0.10	0.02	0.05	0.02	0.04	bdl
12/09/10	651939	5.48	1.13	0.07	0.69	0.07	0.21	0.08	0.07	bdl
12/09/10	651940	2.61	bdl	bdl	nd	bdl	bdl	bdl	bdl	bdl
12/08/10	651941	3.49	0.03	bdl	0.03	bdl	bdl	bdl	0.02	bdl
12/09/10	651942	3.14	0.18	0.05	0.13	bdl	bdl	bdl	bdl	bdl
12/09/10	651943	6.10	0.16	bdl	bdl	0.03	0.09	0.04	0.11	0.08
12/09/10	651944	5.32	0.13	0.03	0.06	bdl	0.04	bdl	0.09	0.05
12/09/10	651945	6.74	1.39	bdl	0.39	0.18	0.62	0.20	0.51	0.28
12/09/10	651946	bdl	bdl	bdl	nd	nd	nd	nd	nd	nd
12/08/10	651947	bdl	bdl	bdl	nd	nd	nd	nd	bdl	nd
12/08/10	method blank	0.07	bdl	bdl	nd	nd	nd	nd	nd	nd
12/09/10	method blank	bdl	bdl	bdl	nd	nd	nd	nd	nd	nd
	Maximum	1472.74	83.15	0.19	4.46	22.04	45.35	11.28	211.38	85.49
	Standard Dev.	231.46	13.11	0.04	0.70	3.48	7.16	1.79	33.35	13.48
	Mean	48.50	2.40	0.03	0.21	0.59	1.25	0.35	5.89	2.45

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	TRIDEC, ug	PENTADEC, ug	TMBs, ug	124TMB, ug	135TMB, ug	ct12DCE, ug	t12DCE, ug	c12DCE, ug	NAPH&2-MN, ug
MDL=	0.02	0.02		0.02	0.03		0.04	0.03	
651904	0.60	0.16	0.27	0.19	0.08	nd	nd	nd	0.09
651905	0.11	0.03	0.08	0.08	bdl	bdl	nd	bdl	1.33
651906	0.06	0.02	0.06	0.06	bdl	nd	nd	nd	0.17
651907	0.32	0.25	0.24	0.17	0.07	bdl	bdl	bdl	5.61
651908	0.07	0.08	0.02	0.02	bdl	0.22	0.04	0.18	0.33
651909	0.25	0.04	0.86	0.62	0.24	nd	nd	nd	2.31
651910	0.20	0.18	0.06	0.06	bdl	nd	nd	nd	1.61
651911	1.16	0.14	0.05	0.05	bdl	nd	nd	nd	0.35
651912	bdl	bdl	bdl	bdl	bdl	nd	nd	nd	bdl
651913	bdl	bdl	bdl	bdl	bdl	nd	nd	nd	0.11
651914	bdl	bdl	bdl	bdl	bdl	nd	nd	nd	0.03
651915	0.08	0.02	0.14	0.11	0.03	nd	nd	nd	0.29
651916	bdl	bdl	bdl	bdl	bdl	bdl	nd	bdl	0.04
651917	0.09	0.03	bdl	bdl	bdl	nd	nd	nd	0.18
651918	bdl	bdl	bdl	bdl	bdl	nd	nd	nd	0.37
651919	0.05	0.02	0.03	0.03	bdl	nd	nd	nd	0.25
651920	1.37	0.14	0.03	0.03	bdl	bdl	nd	bdl	0.59
651921	0.03	nd	0.05	0.05	bdl	bdl	nd	bdl	0.11
651923	0.08	0.04	bdl	bdl	bdl	nd	nd	nd	0.05
651924	0.07	bdl	bdl	bdl	bdl	nd	nd	nd	bdl
651925	bdl	bdl	bdl	bdl	bdl	nd	nd	nd	bdl
651926	0.07	0.05	2.94	1.61	1.33	nd	nd	nd	1.04
651927	0.23	0.04	0.13	0.10	0.04	nd	nd	nd	bdl
651928	0.03	0.02	0.05	0.05	bdl	nd	nd	nd	0.06
651929	0.39	0.08	0.11	0.11	nd	nd	nd	nd	1.94
651930	0.22	0.07	bdl	bdl	bdl	nd	nd	nd	0.18
651931	bdl	nd	bdl	bdl	nd	nd	nd	nd	bdl
651932	3.46	1.40	0.10	0.07	0.03	bdl	nd	bdl	4.56
651933	81.80	44.08	16.62	12.38	4.24	nd	nd	nd	48.09
651934	0.08	0.07	bdl	bdl	bdl	nd	nd	nd	0.14
651936	bdl	bdl	bdl	bdl	bdl	nd	nd	nd	0.07

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	TRIDEC, ug	PENTADEC, ug	TMBs, ug	124TMB, ug	135TMB, ug	ct12DCE, ug	t12DCE, ug	c12DCE, ug	NAPH&2-MN, ug
MDL=	0.02	0.02		0.02	0.03		0.04	0.03	
651937	bdl	bdl	bdl	bdl	bdl	nd	nd	nd	0.03
651938	0.04	bdl	0.04	0.04	bdl	nd	nd	nd	0.06
651939	0.04	0.02	0.16	0.13	0.03	nd	nd	nd	0.24
651940	bdl	bdl	bdl	bdl	bdl	nd	nd	nd	0.13
651941	0.02	bdl	bdl	bdl	bdl	nd	nd	nd	0.05
651942	bdl	nd	bdl	bdl	bdl	bdl	nd	bdl	bdl
651943	0.03	nd	0.03	0.03	bdl	nd	nd	nd	0.43
651944	0.04	bdl	0.04	0.04	bdl	0.60	nd	0.60	0.09
651945	0.19	0.04	0.34	0.27	0.07	nd	nd	nd	0.13
651946	nd	nd	nd	nd	nd	nd	nd	nd	nd
651947	nd	bdl	nd	nd	nd	nd	nd	nd	bdl
method blank	nd	nd	nd	nd	nd	nd	nd	nd	bdl
method blank	nd	nd	nd	nd	nd	nd	nd	nd	nd
Maximum	81.80	44.08	16.62	12.38	4.24	0.60	0.04	0.60	48.09
Standard Dev.	12.91	6.96	2.65	1.96	0.69	0.10	0.01	0.10	7.60
Mean	2.28	1.18	0.56	0.41	0.16	0.02	0.00	0.02	1.78

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	NAPH, ug	2MeNAPH, ug	MTBE, ug	11DCA, ug	CHCl3, ug	111TCA, ug	12DCA, ug	TCE, ug	OCT, ug	PCE, ug	14DCB, ug
MDL=	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02
651904	0.06	0.04	nd	nd	nd	nd	nd	bdl	3.79	0.05	bdl
651905	1.14	0.19	nd	nd	0.02	bdl	nd	7.40	nd	1.06	bdl
651906	0.13	0.04	nd	nd	nd	bdl	nd	bdl	0.03	0.35	nd
651907	4.40	1.21	nd	nd	0.19	bdl	nd	0.36	nd	0.30	bdl
651908	0.27	0.06	nd	nd	0.14	nd	nd	4.73	nd	0.23	nd
651909	1.77	0.54	nd	nd	0.06	nd	nd	0.59	0.08	0.26	bdl
651910	1.20	0.41	nd	nd	0.03	0.04	nd	3.92	0.24	10.34	bdl
651911	0.30	0.05	nd	nd	0.07	bdl	nd	0.52	0.05	0.45	nd
651912	nd	bdl	nd	nd	nd	1.16	0.08	0.50	bdl	53.66	nd
651913	0.08	0.03	nd	nd	bdl	0.62	nd	3.54	nd	128.84	nd
651914	0.03	bdl	nd	nd	nd	0.24	nd	0.18	nd	10.80	nd
651915	0.22	0.07	nd	nd	nd	0.06	nd	0.09	nd	10.89	nd
651916	0.04	bdl	nd	nd	nd	nd	nd	bdl	bdl	bdl	nd
651917	0.09	0.09	nd	nd	nd	0.09	nd	0.35	0.03	41.61	nd
651918	0.22	0.15	nd	nd	nd	bdl	nd	0.05	bdl	16.98	nd
651919	0.17	0.08	nd	nd	nd	nd	nd	bdl	nd	bdl	bdl
651920	0.28	0.31	nd	nd	nd	nd	nd	0.04	bdl	bdl	bdl
651921	0.08	0.03	nd	nd	bdl	nd	nd	3.51	0.12	0.06	bdl
651923	0.02	0.03	nd	nd	nd	nd	nd	0.78	nd	0.26	nd
651924	bdl	bdl	nd	nd	nd	nd	nd	bdl	bdl	0.09	bdl
651925	bdl	bdl	nd	nd	nd	nd	nd	bdl	nd	0.02	nd
651926	0.66	0.38	bdl	nd	nd	nd	nd	bdl	0.07	0.07	bdl
651927	bdl	bdl	nd	nd	nd	nd	nd	bdl	nd	0.05	bdl
651928	0.06	bdl	nd	nd	nd	nd	nd	0.19	0.05	0.04	bdl
651929	1.84	0.10	nd	nd	nd	bdl	nd	bdl	0.06	0.13	bdl
651930	0.14	0.04	nd	nd	bdl	0.05	nd	0.24	nd	4.20	nd
651931	nd	bdl	nd	nd	nd	nd	nd	bdl	nd	0.09	bdl
651932	3.07	1.49	nd	nd	0.04	0.18	nd	68.21	0.03	1.10	bdl
651933	25.64	22.45	nd	nd	nd	nd	nd	0.26	0.48	0.03	bdl
651934	0.07	0.07	nd	nd	nd	nd	nd	nd	0.04	bdl	bdl
651936	0.05	0.02	nd	nd	nd	nd	nd	0.10	bdl	0.06	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	NAPH, ug	2MeNAPH, ug	MTBE, ug	11DCA, ug	CHCl3, ug	111TCA, ug	12DCA, ug	TCE, ug	OCT, ug	PCE, ug	14DCB, ug
MDL=	0.02	0.02	0.03	0.02	0.02	0.03	0.02	0.02	0.02	0.02	0.02
651937	0.03	bdl	nd	nd	nd	nd	nd	nd	bdl	0.02	nd
651938	0.03	0.03	nd	nd	nd	nd	nd	nd	0.05	bdl	nd
651939	0.15	0.08	nd	nd	nd	nd	nd	bdl	0.09	bdl	nd
651940	0.07	0.05	nd	nd	nd	nd	nd	nd	nd	nd	nd
651941	0.03	0.02	nd	nd	nd	nd	nd	bdl	nd	0.04	nd
651942	bdl	bdl	nd	nd	nd	nd	nd	bdl	0.02	0.52	nd
651943	0.27	0.16	nd	nd	nd	bdl	nd	0.21	bdl	2.56	bdl
651944	0.03	0.06	nd	nd	nd	0.14	nd	1.21	bdl	57.04	bdl
651945	0.08	0.05	nd	nd	nd	nd	nd	0.39	nd	3.21	bdl
651946	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
651947	nd	bdl	nd	nd	nd	nd	nd	nd	nd	nd	nd
method blank	nd	bdl	nd	nd	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd	nd
Maximum	25.64	22.45	0.02	0.00	0.19	1.16	0.08	68.21	3.79	128.84	0.01
Standard Dev.	4.09	3.54	0.00	0.00	0.04	0.21	0.01	10.78	0.60	23.83	0.00
Mean	1.07	0.71	0.00	0.00	0.01	0.07	0.00	2.44	0.13	8.64	0.00

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	CCl4, ug	112TCA, ug	CIBENZ, ug	1112TetCA, ug	1122TetCA, ug	13DCB, ug	12DCB, ug
MDL=	0.03	0.02	0.02	0.03	0.02	0.02	0.02
651904	nd	nd	nd	nd	nd	nd	nd
651905	nd	nd	nd	nd	nd	nd	nd
651906	nd	nd	nd	nd	nd	nd	nd
651907	nd	nd	nd	nd	nd	nd	nd
651908	nd	nd	nd	nd	nd	nd	nd
651909	nd	nd	nd	nd	nd	nd	nd
651910	nd	nd	nd	nd	nd	nd	nd
651911	nd	nd	nd	nd	nd	nd	nd
651912	nd	nd	nd	nd	nd	nd	nd
651913	nd	nd	nd	0.05	nd	nd	nd
651914	nd	nd	nd	nd	nd	nd	nd
651915	nd	nd	nd	nd	nd	nd	nd
651916	nd	nd	nd	nd	nd	nd	nd
651917	nd	nd	nd	nd	nd	nd	nd
651918	nd	nd	nd	nd	nd	nd	nd
651919	nd	nd	nd	nd	nd	nd	nd
651920	nd	nd	nd	nd	nd	nd	nd
651921	nd	bdl	nd	nd	nd	nd	nd
651923	nd	nd	nd	nd	nd	nd	nd
651924	nd	nd	nd	nd	nd	nd	bdl
651925	nd	nd	nd	nd	nd	nd	nd
651926	nd	nd	nd	nd	nd	nd	nd
651927	nd	nd	nd	nd	nd	nd	nd
651928	nd	nd	nd	nd	nd	nd	nd
651929	nd	nd	nd	nd	nd	nd	nd
651930	nd	nd	nd	nd	nd	nd	nd
651931	nd	nd	nd	nd	nd	nd	nd
651932	nd	nd	nd	nd	nd	nd	nd
651933	nd	nd	nd	nd	nd	nd	nd
651934	nd	nd	nd	nd	nd	nd	nd
651936	nd	nd	nd	nd	nd	nd	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	CCl4, ug	112TCA, ug	CIBENZ, ug	1112TetCA, ug	1122TetCA, ug	13DCB, ug	12DCB, ug
MDL=	0.03	0.02	0.02	0.03	0.02	0.02	0.02
651937	nd	nd	nd	nd	nd	nd	nd
651938	nd	nd	nd	nd	nd	nd	nd
651939	nd	nd	nd	nd	nd	nd	nd
651940	nd	nd	nd	nd	nd	nd	nd
651941	nd	nd	nd	nd	nd	nd	nd
651942	nd	nd	nd	nd	nd	nd	nd
651943	nd	nd	nd	nd	nd	nd	nd
651944	nd	nd	nd	nd	nd	nd	nd
651945	nd	nd	nd	nd	nd	nd	nd
651946	nd	nd	nd	nd	nd	nd	nd
651947	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd
Maximum	0.00	0.00	0.00	0.05	0.00	0.00	0.01
Standard Dev.	0.00	0.00	0.00	0.01	0.00	0.00	0.00
Mean	0.00	0.00	0.00	0.00	0.00	0.00	0.00

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

DATE ANALYZED	SAMPLE NAME	TPH, ppbV	BTEX, ppbV	BENZ, ppbV	TOL, ppbV	EtBENZ, ppbV	mpXYL, ppbV	oXYL, ppbV	C11, C13, &C15, ppbV
	MDL=	0.26		0.49	0.31	0.27	0.40	0.28	
12/09/10	651904	>128.86	1119.11	bdl	67.98	293.39	599.57	158.16	15.98
12/09/10	651905	127.15	2.54	bdl	0.62	0.37	1.11	0.43	9.95
12/08/10	651906	59.27	1.31	bdl	0.49	bdl	0.82	bdl	2.00
12/09/10	651907	304.49	3.60	bdl	0.91	0.53	1.52	0.63	13.78
12/09/10	651908	83.89	1.26	bdl	0.64	bdl	0.62	bdl	2.56
12/08/10	651909	207.54	3.12	bdl	0.73	0.31	1.46	0.62	17.38
12/09/10	651910	338.55	4.66	0.52	0.81	0.45	1.76	1.13	27.21
12/09/10	651911	308.97	1.84	bdl	0.87	bdl	0.69	0.29	28.99
12/09/10	651912	6.73	2.55	2.16	0.39	bdl	bdl	bdl	bdl
12/08/10	651913	14.93	bdl	bdl	bdl	bdl	bdl	bdl	bdl
12/08/10	651914	14.60	0.44	bdl	0.44	bdl	bdl	bdl	bdl
12/09/10	651915	88.83	0.77	bdl	0.36	bdl	0.41	bdl	3.41
12/08/10	651916	46.43	4.34	2.32	1.39	bdl	0.63	bdl	bdl
12/08/10	651917	154.82	0.79	bdl	0.79	bdl	bdl	bdl	2.11
12/09/10	651918	35.35	0.59	bdl	0.59	bdl	bdl	bdl	0.59
12/09/10	651919	113.50	13.90	4.19	6.13	0.79	2.00	0.78	2.00
12/09/10	651920	766.16	5.14	1.48	2.05	0.42	0.74	0.46	56.52
12/09/10	651921	480.66	17.07	5.49	7.30	1.40	1.94	0.95	2.00
12/08/10	651923	67.01	3.46	0.95	2.50	bdl	bdl	bdl	1.67
12/08/10	651924	72.10	bdl	bdl	bdl	bdl	bdl	bdl	1.89
12/09/10	651925	24.13	bdl	bdl	bdl	bdl	bdl	bdl	bdl
12/09/10	651926	232.76	46.31	bdl	2.60	3.14	20.43	20.15	3.13
12/09/10	651927	206.45	2.93	0.79	0.89	0.29	0.65	0.32	13.22
12/09/10	651928	83.98	10.12	bdl	1.64	4.77	2.88	0.83	0.70
12/09/10	651929	347.87	7.56	0.85	2.96	1.00	1.70	1.05	30.31
12/08/10	651930	113.33	0.32	bdl	0.32	bdl	bdl	bdl	6.82
12/09/10	651931	15.19	bdl	bdl	nd	bdl	nd	nd	bdl
12/08/10	651932	>134.26	1.06	bdl	1.06	bdl	bdl	bdl	98.30
12/08/10	651933	>3369.57	13.95	bdl	2.68	1.43	6.43	3.40	>1021.05
12/09/10	651934	79.20	2.65	0.73	1.39	bdl	0.53	bdl	2.38

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

DATE ANALYZED	SAMPLE NAME	TPH, ppbV	BTEX, ppbV	BENZ, ppbV	TOL, ppbV	EtBENZ, ppbV	mpXYL, ppbV	oXYL, ppbV	C11, C13, &C15, ppbV
	MDL=	0.26		0.49	0.31	0.27	0.40	0.28	
12/09/10	651936	27.92	1.21	0.61	0.60	bdl	bdl	bdl	bdl
12/09/10	651937	19.21	2.65	0.61	0.77	0.33	0.62	0.31	bdl
12/09/10	651938	67.37	4.72	1.27	1.85	0.38	0.83	0.40	1.12
12/09/10	651939	87.60	20.82	2.19	12.78	1.14	3.31	1.39	1.63
12/09/10	651940	40.67	bdl	bdl	nd	bdl	bdl	bdl	bdl
12/08/10	651941	54.30	0.61	bdl	0.61	bdl	bdl	bdl	0.33
12/09/10	651942	48.84	3.71	1.33	2.39	bdl	bdl	bdl	bdl
12/09/10	651943	96.76	2.53	bdl	bdl	0.43	1.44	0.66	1.70
12/09/10	651944	70.96	2.14	0.77	0.89	bdl	0.48	bdl	1.20
12/09/10	651945	102.55	22.18	bdl	6.84	2.68	9.39	3.28	7.76
12/09/10	651946	bdl	bdl	bdl	nd	nd	nd	nd	nd
12/08/10	651947	bdl	bdl	bdl	nd	nd	nd	nd	bdl
12/08/10	method blank	1.05	bdl	bdl	nd	nd	nd	nd	nd
12/09/10	method blank	bdl	bdl	bdl	nd	nd	nd	nd	nd
	Maximum	3369.57	1119.11	5.49	67.98	293.39	599.57	158.16	1021.05
	Standard Dev.	532.54	176.30	1.09	10.76	46.31	94.60	25.05	161.06
	Mean	216.07	33.30	0.84	3.40	7.91	16.64	4.96	34.44

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	UNDEC, ppbV	TRIDEC, ppbV	PENTADEC, ppbV	TMBs, ppbV	124TMB, ppbV	135TMB, ppbV	ct12DCE, ppbV	t12DCE, ppbV
MDL=	0.53	0.26	0.26		0.26	0.44		4.16
651904	6.00	7.87	2.12	3.61	2.51	1.10	nd	nd
651905	8.11	1.44	0.40	1.02	1.02	bdl	bdl	nd
651906	0.91	0.79	0.29	0.85	0.85	bdl	nd	nd
651907	6.31	4.20	3.27	3.26	2.25	1.01	bdl	bdl
651908	0.58	0.95	1.02	0.32	0.32	bdl	12.84	4.16
651909	13.64	3.25	0.49	11.67	8.15	3.52	nd	nd
651910	22.14	2.72	2.35	0.79	0.79	bdl	nd	nd
651911	11.62	15.54	1.83	0.69	0.69	bdl	nd	nd
651912	bdl	bdl	bdl	bdl	bdl	bdl	nd	nd
651913	bdl	bdl	bdl	bdl	bdl	bdl	nd	nd
651914	bdl	bdl	bdl	bdl	bdl	bdl	nd	nd
651915	2.09	1.02	0.30	1.93	1.45	0.48	nd	nd
651916	bdl	bdl	bdl	bdl	bdl	bdl	bdl	nd
651917	0.54	1.16	0.40	bdl	bdl	bdl	nd	nd
651918	bdl	0.29	0.30	bdl	bdl	bdl	nd	nd
651919	0.90	0.72	0.38	0.51	0.51	bdl	nd	nd
651920	32.42	21.84	2.26	0.42	0.42	bdl	bdl	nd
651921	1.47	0.53	nd	0.82	0.82	bdl	bdl	nd
651923	bdl	1.09	0.58	bdl	bdl	bdl	nd	nd
651924	0.97	0.92	bdl	bdl	bdl	bdl	nd	nd
651925	bdl	bdl	bdl	bdl	bdl	bdl	nd	nd
651926	1.54	0.95	0.65	41.63	21.69	19.93	nd	nd
651927	9.17	3.49	0.56	2.06	1.44	0.62	nd	nd
651928	bdl	0.39	0.30	0.80	0.80	bdl	nd	nd
651929	23.17	5.92	1.22	1.61	1.61	nd	nd	nd
651930	2.43	3.33	1.07	bdl	bdl	bdl	nd	nd
651931	nd	bdl	nd	bdl	bdl	nd	nd	nd
651932	25.10	52.13	21.07	1.60	1.10	0.50	bdl	nd
651933	>195.59	>158.68	666.78	258.19	187.30	70.89	nd	nd
651934	bdl	1.22	1.16	0.28	0.28	bdl	nd	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	UNDEC, ppbV	TRIDEC, ppbV	PENTADEC, ppbV	TMBs, ppbV	124TMB, ppbV	135TMB, ppbV	ct12DCE, ppbV	t12DCE, ppbV
MDL=	0.53	0.26	0.26		0.26	0.44		4.16
651936	bdl	bdl	bdl	bdl	bdl	bdl	nd	nd
651937	bdl	bdl	bdl	bdl	bdl	bdl	nd	nd
651938	0.55	0.58	bdl	0.61	0.61	bdl	nd	nd
651939	0.58	0.70	0.35	2.64	2.08	0.57	nd	nd
651940	bdl	bdl	bdl	bdl	bdl	bdl	nd	nd
651941	bdl	0.33	bdl	bdl	bdl	bdl	nd	nd
651942	bdl	bdl	nd	bdl	bdl	bdl	bdl	nd
651943	1.22	0.48	nd	0.52	0.52	bdl	nd	nd
651944	0.65	0.55	bdl	0.55	0.55	bdl	29.77	nd
651945	4.30	2.91	0.55	5.23	4.12	1.11	nd	nd
651946	nd	nd	nd	nd	nd	nd	nd	nd
651947	nd	nd	bdl	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd	nd
Maximum	195.59	158.68	666.78	258.19	187.30	70.89	29.77	4.16
Standard Dev.	31.23	26.11	105.30	41.04	29.60	11.52	5.08	0.68
Mean	9.37	7.43	17.77	8.54	6.11	2.60	1.07	0.14

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	c12DCE, ppbV	NAPH&2-MN, ppbV	NAPH, ppbV	2MeNAPH, ppbV	MTBE, ppbV	11DCA, ppbV	CHCl3, ppbV	111TCA, ppbV
MDL=	1.49		0.26	0.26	2.71	1.40	0.94	1.69
651904	nd	1.19	0.73	0.46	nd	nd	nd	nd
651905	bdl	17.62	15.13	2.49	nd	nd	1.13	bdl
651906	nd	2.29	1.76	0.53	nd	nd	nd	bdl
651907	bdl	74.23	58.21	16.03	nd	nd	8.76	bdl
651908	8.69	4.40	3.63	0.77	nd	nd	6.34	nd
651909	nd	30.59	23.42	7.17	nd	nd	2.77	nd
651910	nd	21.66	16.17	5.49	nd	nd	1.33	2.51
651911	nd	4.75	4.02	0.73	nd	nd	3.10	bdl
651912	nd	bdl	nd	bdl	nd	nd	nd	66.58
651913	nd	1.43	1.09	0.34	nd	nd	bdl	35.41
651914	nd	0.38	0.38	bdl	nd	nd	nd	13.65
651915	nd	3.99	3.01	0.98	nd	nd	nd	3.28
651916	bdl	0.50	0.50	bdl	nd	nd	nd	nd
651917	nd	2.40	1.16	1.24	nd	nd	nd	4.92
651918	nd	5.90	3.57	2.34	nd	nd	nd	bdl
651919	nd	4.04	2.74	1.30	nd	nd	nd	nd
651920	bdl	9.44	4.43	5.01	nd	nd	nd	nd
651921	bdl	1.70	1.20	0.50	nd	nd	bdl	nd
651923	nd	0.63	0.28	0.35	nd	nd	nd	nd
651924	nd	bdl	bdl	bdl	nd	nd	nd	nd
651925	nd	bdl	bdl	bdl	nd	nd	nd	nd
651926	nd	14.01	8.91	5.10	bdl	nd	nd	nd
651927	nd	bdl	bdl	bdl	nd	nd	nd	nd
651928	nd	0.88	0.88	bdl	nd	nd	nd	nd
651929	nd	29.44	27.92	1.52	nd	nd	nd	bdl
651930	nd	2.75	2.17	0.58	nd	nd	bdl	3.37
651931	nd	bdl	nd	bdl	nd	nd	nd	nd
651932	bdl	68.61	46.15	22.45	nd	nd	1.97	11.68
651933	nd	727.44	387.87	339.56	nd	nd	nd	nd
651934	nd	2.12	1.02	1.10	nd	nd	nd	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	c12DCE, ppbV	NAPH&2-MN, ppbV	NAPH, ppbV	2MeNAPH, ppbV	MTBE, ppbV	11DCA, ppbV	CHCl3, ppbV	111TCA, ppbV
MDL=	1.49		0.26	0.26	2.71	1.40	0.94	1.69
651936	nd	1.11	0.77	0.35	nd	nd	nd	nd
651937	nd	0.51	0.51	bdl	nd	nd	nd	nd
651938	nd	0.87	0.42	0.45	nd	nd	nd	nd
651939	nd	3.76	2.43	1.33	nd	nd	nd	nd
651940	nd	1.95	1.14	0.81	nd	nd	nd	nd
651941	nd	0.72	0.40	0.31	nd	nd	nd	nd
651942	bdl	bdl	bdl	bdl	nd	nd	nd	nd
651943	nd	6.88	4.30	2.58	nd	nd	nd	bdl
651944	29.77	1.15	0.41	0.73	nd	nd	nd	7.70
651945	nd	1.95	1.25	0.70	nd	nd	nd	nd
651946	nd	nd	nd	nd	nd	nd	nd	nd
651947	nd	bdl	nd	bdl	nd	nd	nd	nd
method blank	nd	bdl	nd	bdl	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd	nd
Maximum	29.77	727.44	387.87	339.56	2.12	bdl	8.76	66.58
Standard Dev.	4.85	114.89	61.62	53.52	0.34	bdl	1.78	11.92
Mean	1.11	26.28	15.72	10.62	0.05	bdl	0.67	3.82

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	12DCA, ppbV	TCE, ppbV	OCT, ppbV	PCE, ppbV	14DCB, ppbV	CCl4, ppbV	112TCA, ppbV	CIBENZ, ppbV	1112TetCA, ppbV
MDL=	0.56	0.46	0.31	0.32	0.22	1.61	0.31	0.26	0.42
651904	nd	bdl	58.13	0.79	bdl	nd	nd	nd	nd
651905	nd	169.26	nd	16.64	bdl	nd	nd	nd	nd
651906	nd	bdl	0.45	5.44	nd	nd	nd	nd	nd
651907	nd	8.30	nd	4.79	bdl	nd	nd	nd	nd
651908	nd	108.18	nd	3.57	nd	nd	nd	nd	nd
651909	nd	13.55	1.15	4.07	bdl	nd	nd	nd	nd
651910	nd	91.14	3.81	165.63	bdl	nd	nd	nd	nd
651911	nd	12.11	0.83	7.26	nd	nd	nd	nd	nd
651912	2.27	11.75	bdl	>123.65	nd	nd	nd	nd	nd
651913	nd	82.95	nd	>297.07	nd	nd	nd	nd	0.64
651914	nd	4.11	nd	174.68	nd	nd	nd	nd	nd
651915	nd	2.02	nd	176.23	nd	nd	nd	nd	nd
651916	nd	bdl	bdl	bdl	nd	nd	nd	nd	nd
651917	nd	8.19	0.53	669.09	nd	nd	nd	nd	nd
651918	nd	1.41	bdl	323.65	nd	nd	nd	nd	nd
651919	nd	bdl	nd	bdl	bdl	nd	nd	nd	nd
651920	nd	1.00	bdl	bdl	bdl	nd	nd	nd	nd
651921	nd	97.10	2.16	1.11	bdl	nd	bdl	nd	nd
651923	nd	18.27	nd	4.25	nd	nd	nd	nd	nd
651924	nd	bdl	bdl	1.43	bdl	nd	nd	nd	nd
651925	nd	bdl	nd	0.35	nd	nd	nd	nd	nd
651926	nd	bdl	1.02	1.17	bdl	nd	nd	nd	nd
651927	nd	bdl	nd	0.85	bdl	nd	nd	nd	nd
651928	nd	5.08	0.88	0.76	bdl	nd	nd	nd	nd
651929	nd	bdl	1.03	2.43	bdl	nd	nd	nd	nd
651930	nd	6.22	nd	76.33	nd	nd	nd	nd	nd
651931	nd	bdl	nd	1.58	bdl	nd	nd	nd	nd
651932	nd	>319.26	0.56	19.63	bdl	nd	nd	nd	nd
651933	nd	6.69	8.49	0.59	bdl	nd	nd	nd	nd
651934	nd	nd	0.67	bdl	bdl	nd	nd	nd	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	12DCA, ppbV	TCE, ppbV	OCT, ppbV	PCE, ppbV	14DCB, ppbV	CCl4, ppbV	112TCA, ppbV	CIBENZ, ppbV	1112TetCA, ppbV
MDL=	0.56	0.46	0.31	0.32	0.22	1.61	0.31	0.26	0.42
651936	nd	2.74	bdl	1.03	nd	nd	nd	nd	nd
651937	nd	nd	bdl	0.39	nd	nd	nd	nd	nd
651938	nd	nd	0.83	bdl	nd	nd	nd	nd	nd
651939	nd	bdl	1.65	bdl	nd	nd	nd	nd	nd
651940	nd	nd	nd	nd	nd	nd	nd	nd	nd
651941	nd	bdl	nd	0.70	nd	nd	nd	nd	nd
651942	nd	bdl	0.38	9.57	nd	nd	nd	nd	nd
651943	nd	5.65	0.35	48.31	bdl	nd	nd	nd	nd
651944	nd	27.84	bdl	>129.34	bdl	nd	nd	nd	nd
651945	nd	10.25	nd	58.09	bdl	nd	nd	nd	nd
651946	nd	nd	nd	nd	nd	nd	nd	nd	nd
651947	nd	nd	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd	nd	nd
Maximum	2.27	319.26	58.13	669.09	0.11	bdl	0.06	bdl	0.64
Standard Dev.	0.36	60.57	9.20	127.93	0.02	bdl	0.01	bdl	0.10
Mean	0.06	25.39	2.11	58.28	0.02	bdl	0.00	bdl	0.02

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	1122TetCA, ppbV	13DCB, ppbV	12DCB, ppbV
MDL=	0.28	0.23	0.22
651904	nd	nd	nd
651905	nd	nd	nd
651906	nd	nd	nd
651907	nd	nd	nd
651908	nd	nd	nd
651909	nd	nd	nd
651910	nd	nd	nd
651911	nd	nd	nd
651912	nd	nd	nd
651913	nd	nd	nd
651914	nd	nd	nd
651915	nd	nd	nd
651916	nd	nd	nd
651917	nd	nd	nd
651918	nd	nd	nd
651919	nd	nd	nd
651920	nd	nd	nd
651921	nd	nd	nd
651923	nd	nd	nd
651924	nd	nd	bdl
651925	nd	nd	nd
651926	nd	nd	nd
651927	nd	nd	nd
651928	nd	nd	nd
651929	nd	nd	nd
651930	nd	nd	nd
651931	nd	nd	nd
651932	nd	nd	nd
651933	nd	nd	nd
651934	nd	nd	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	1122TetCA, ppbV	13DCB, ppbV	12DCB, ppbV
MDL=	0.28	0.23	0.22
651936	nd	nd	nd
651937	nd	nd	nd
651938	nd	nd	nd
651939	nd	nd	nd
651940	nd	nd	nd
651941	nd	nd	nd
651942	nd	nd	nd
651943	nd	nd	nd
651944	nd	nd	nd
651945	nd	nd	nd
651946	nd	nd	nd
651947	nd	nd	nd
method blank	nd	nd	nd
method blank	nd	nd	nd
Maximum	bdl	bdl	0.11
Standard Dev.	bdl	bdl	0.02
Mean	bdl	bdl	0.00

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

DATE ANALYZED	SAMPLE NAME	TPH, ug/m^3	BTEX, ug/m^3	BENZ, ug/m^3	TOL, ug/m^3	EtBENZ, ug/m^3	mpXYL, ug/m^3	oXYL, ug/m^3
	MDL=	0.26		0.49	0.31	0.27	0.40	0.28
12/09/10	651904	>851.87	1119.11	bdl	67.98	293.39	599.57	158.16
12/09/10	651905	127.15	2.54	bdl	0.62	0.37	1.11	0.43
12/08/10	651906	59.27	1.31	bdl	0.49	bdl	0.82	bdl
12/09/10	651907	304.49	3.60	bdl	0.91	0.53	1.52	0.63
12/09/10	651908	83.89	1.26	bdl	0.64	bdl	0.62	bdl
12/08/10	651909	207.54	3.12	bdl	0.73	0.31	1.46	0.62
12/09/10	651910	338.55	4.66	0.52	0.81	0.45	1.76	1.13
12/09/10	651911	308.97	1.84	bdl	0.87	bdl	0.69	0.29
12/09/10	651912	6.73	2.55	2.16	0.39	bdl	bdl	bdl
12/08/10	651913	14.93	bdl	bdl	bdl	bdl	bdl	bdl
12/08/10	651914	14.60	0.44	bdl	0.44	bdl	bdl	bdl
12/09/10	651915	88.83	0.77	bdl	0.36	bdl	0.41	bdl
12/08/10	651916	46.43	4.34	2.32	1.39	bdl	0.63	bdl
12/08/10	651917	154.82	0.79	bdl	0.79	bdl	bdl	bdl
12/09/10	651918	35.35	0.59	bdl	0.59	bdl	bdl	bdl
12/09/10	651919	113.50	13.90	4.19	6.13	0.79	2.00	0.78
12/09/10	651920	766.16	5.14	1.48	2.05	0.42	0.74	0.46
12/09/10	651921	480.66	17.07	5.49	7.30	1.40	1.94	0.95
12/08/10	651923	67.01	3.46	0.95	2.50	bdl	bdl	bdl
12/08/10	651924	72.10	bdl	bdl	bdl	bdl	bdl	bdl
12/09/10	651925	24.13	bdl	bdl	bdl	bdl	bdl	bdl
12/09/10	651926	232.76	46.31	bdl	2.60	3.14	20.43	20.15
12/09/10	651927	206.45	2.93	0.79	0.89	0.29	0.65	0.32
12/09/10	651928	83.98	10.12	bdl	1.64	4.77	2.88	0.83
12/09/10	651929	347.87	7.56	0.85	2.96	1.00	1.70	1.05
12/08/10	651930	113.33	0.32	bdl	0.32	bdl	bdl	bdl
12/09/10	651931	15.19	bdl	bdl	nd	bdl	nd	nd
12/08/10	651932	>887.59	1.06	bdl	1.06	bdl	bdl	bdl
12/08/10	651933	>22275.66	13.95	bdl	2.68	1.43	6.43	3.40
12/09/10	651934	79.20	2.65	0.73	1.39	bdl	0.53	bdl
12/09/10	651936	27.92	1.21	0.61	0.60	bdl	bdl	bdl
12/09/10	651937	19.21	2.65	0.61	0.77	0.33	0.62	0.31

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

DATE ANALYZED	SAMPLE NAME	TPH, ug/m^3	BTEX, ug/m^3	BENZ, ug/m^3	TOL, ug/m^3	EtBENZ, ug/m^3	mpXYL, ug/m^3	oXYL, ug/m^3
	MDL=	0.26		0.49	0.31	0.27	0.40	0.28
12/09/10	651938	67.37	4.72	1.27	1.85	0.38	0.83	0.40
12/09/10	651939	87.60	20.82	2.19	12.78	1.14	3.31	1.39
12/09/10	651940	40.67	bdl	bdl	nd	bdl	bdl	bdl
12/08/10	651941	54.30	0.61	bdl	0.61	bdl	bdl	bdl
12/09/10	651942	48.84	3.71	1.33	2.39	bdl	bdl	bdl
12/09/10	651943	96.76	2.53	bdl	bdl	0.43	1.44	0.66
12/09/10	651944	70.96	2.14	0.77	0.89	bdl	0.48	bdl
12/09/10	651945	102.55	22.18	bdl	6.84	2.68	9.39	3.28
12/09/10	651946	bdl	bdl	bdl	nd	nd	nd	nd
12/08/10	651947	bdl	bdl	bdl	nd	nd	nd	nd
12/08/10	method blank	1.05	bdl	bdl	nd	nd	nd	nd
12/09/10	method blank	bdl	bdl	bdl	nd	nd	nd	nd
	Maximum	22275.67	1119.11	5.49	67.98	293.39	599.57	158.16
	Standard Dev.	3501.63	176.30	1.09	10.76	46.31	94.60	25.05
	Mean	725.63	33.30	0.84	3.40	7.91	16.64	4.96

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	C11, C13, &C15, ug/m^3	UNDEC, ug/m^3	TRIDEC, ug/m^3	PENTADEC, ug/m^3	TMBs, ug/m^3	124TMB, ug/m^3	135TMB, ug/m^3
MDL=		0.53	0.26	0.26		0.26	0.44
651904	15.98	6.00	7.87	2.12	3.61	2.51	1.10
651905	9.95	8.11	1.44	0.40	1.02	1.02	bdl
651906	2.00	0.91	0.79	0.29	0.85	0.85	bdl
651907	13.78	6.31	4.20	3.27	3.26	2.25	1.01
651908	2.56	0.58	0.95	1.02	0.32	0.32	bdl
651909	17.38	13.64	3.25	0.49	11.67	8.15	3.52
651910	27.21	22.14	2.72	2.35	0.79	0.79	bdl
651911	28.99	11.62	15.54	1.83	0.69	0.69	bdl
651912	bdl	bdl	bdl	bdl	bdl	bdl	bdl
651913	bdl	bdl	bdl	bdl	bdl	bdl	bdl
651914	bdl	bdl	bdl	bdl	bdl	bdl	bdl
651915	3.41	2.09	1.02	0.30	1.93	1.45	0.48
651916	bdl	bdl	bdl	bdl	bdl	bdl	bdl
651917	2.11	0.54	1.16	0.40	bdl	bdl	bdl
651918	0.59	bdl	0.29	0.30	bdl	bdl	bdl
651919	2.00	0.90	0.72	0.38	0.51	0.51	bdl
651920	56.52	32.42	21.84	2.26	0.42	0.42	bdl
651921	2.00	1.47	0.53	nd	0.82	0.82	bdl
651923	1.67	bdl	1.09	0.58	bdl	bdl	bdl
651924	1.89	0.97	0.92	bdl	bdl	bdl	bdl
651925	bdl	bdl	bdl	bdl	bdl	bdl	bdl
651926	3.13	1.54	0.95	0.65	41.63	21.69	19.93
651927	13.22	9.17	3.49	0.56	2.06	1.44	0.62
651928	0.70	bdl	0.39	0.30	0.80	0.80	bdl
651929	30.31	23.17	5.92	1.22	1.61	1.61	nd
651930	6.82	2.43	3.33	1.07	bdl	bdl	bdl
651931	bdl	nd	bdl	nd	bdl	bdl	nd
651932	98.30	25.10	52.13	21.07	1.60	1.10	0.50
651933	>3197.11	>1293.02	>1237.31	666.78	258.19	187.30	70.89
651934	2.38	bdl	1.22	1.16	0.28	0.28	bdl
651936	bdl	bdl	bdl	bdl	bdl	bdl	bdl
651937	bdl	bdl	bdl	bdl	bdl	bdl	bdl

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	C11, C13, &C15, ug/m^3	UNDEC, ug/m^3	TRIDEC, ug/m^3	PENTADEC, ug/m^3	TMBs, ug/m^3	124TMB, ug/m^3	135TMB, ug/m^3
MDL=		0.53	0.26	0.26		0.26	0.44
651938	1.12	0.55	0.58	bdl	0.61	0.61	bdl
651939	1.63	0.58	0.70	0.35	2.64	2.08	0.57
651940	bdl	bdl	bdl	bdl	bdl	bdl	bdl
651941	0.33	bdl	0.33	bdl	bdl	bdl	bdl
651942	bdl	bdl	bdl	nd	bdl	bdl	bdl
651943	1.70	1.22	0.48	nd	0.52	0.52	bdl
651944	1.20	0.65	0.55	bdl	0.55	0.55	bdl
651945	7.76	4.30	2.91	0.55	5.23	4.12	1.11
651946	nd	nd	nd	nd	nd	nd	nd
651947	bdl	nd	nd	bdl	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd
Maximum	3197.11	1293.02	1237.31	666.78	258.19	187.30	70.89
Standard Dev.	504.40	203.87	195.28	105.30	41.04	29.60	11.52
Mean	88.84	36.80	34.39	17.77	8.54	6.11	2.60

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	ct12DCE, ug/m^3	t12DCE, ug/m^3	c12DCE, ug/m^3	NAPH&2-MN, ug/m^3	NAPH, ug/m^3	2MeNAPH, ug/m^3	MTBE, ug/m^3
MDL=		4.16	1.49		0.26	0.26	2.71
651904	nd	nd	nd	1.19	0.73	0.46	nd
651905	bdl	nd	bdl	17.62	15.13	2.49	nd
651906	nd	nd	nd	2.29	1.76	0.53	nd
651907	bdl	bdl	bdl	74.23	58.21	16.03	nd
651908	12.84	4.16	8.69	4.40	3.63	0.77	nd
651909	nd	nd	nd	30.59	23.42	7.17	nd
651910	nd	nd	nd	21.66	16.17	5.49	nd
651911	nd	nd	nd	4.75	4.02	0.73	nd
651912	nd	nd	nd	bdl	nd	bdl	nd
651913	nd	nd	nd	1.43	1.09	0.34	nd
651914	nd	nd	nd	0.38	0.38	bdl	nd
651915	nd	nd	nd	3.99	3.01	0.98	nd
651916	bdl	nd	bdl	0.50	0.50	bdl	nd
651917	nd	nd	nd	2.40	1.16	1.24	nd
651918	nd	nd	nd	5.90	3.57	2.34	nd
651919	nd	nd	nd	4.04	2.74	1.30	nd
651920	bdl	nd	bdl	9.44	4.43	5.01	nd
651921	bdl	nd	bdl	1.70	1.20	0.50	nd
651923	nd	nd	nd	0.63	0.28	0.35	nd
651924	nd	nd	nd	bdl	bdl	bdl	nd
651925	nd	nd	nd	bdl	bdl	bdl	nd
651926	nd	nd	nd	14.01	8.91	5.10	bdl
651927	nd	nd	nd	bdl	bdl	bdl	nd
651928	nd	nd	nd	0.88	0.88	bdl	nd
651929	nd	nd	nd	29.44	27.92	1.52	nd
651930	nd	nd	nd	2.75	2.17	0.58	nd
651931	nd	nd	nd	bdl	nd	bdl	nd
651932	bdl	nd	bdl	68.61	46.15	22.45	nd
651933	nd	nd	nd	727.44	387.87	339.56	nd
651934	nd	nd	nd	2.12	1.02	1.10	nd
651936	nd	nd	nd	1.11	0.77	0.35	nd
651937	nd	nd	nd	0.51	0.51	bdl	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	ct12DCE, ug/m^3	t12DCE, ug/m^3	c12DCE, ug/m^3	NAPH&2-MN, ug/m^3	NAPH, ug/m^3	2MeNAPH, ug/m^3	MTBE, ug/m^3
MDL=		4.16	1.49		0.26	0.26	2.71
651938	nd	nd	nd	0.87	0.42	0.45	nd
651939	nd	nd	nd	3.76	2.43	1.33	nd
651940	nd	nd	nd	1.95	1.14	0.81	nd
651941	nd	nd	nd	0.72	0.40	0.31	nd
651942	bdl	nd	bdl	bdl	bdl	bdl	nd
651943	nd	nd	nd	6.88	4.30	2.58	nd
651944	29.77	nd	29.77	1.15	0.41	0.73	nd
651945	nd	nd	nd	1.95	1.25	0.70	nd
651946	nd	nd	nd	nd	nd	nd	nd
651947	nd	nd	nd	bdl	nd	bdl	nd
method blank	nd	nd	nd	bdl	nd	bdl	nd
method blank	nd	nd	nd	nd	nd	nd	nd
Maximum	29.77	4.16	29.77	727.44	387.87	339.56	2.12
Standard Dev.	5.08	0.68	4.85	114.89	61.62	53.52	0.34
Mean	1.07	0.14	1.11	26.28	15.72	10.62	0.05

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	11DCA, ug/m^3	CHCl3, ug/m^3	111TCA, ug/m^3	12DCA, ug/m^3	TCE, ug/m^3	OCT, ug/m^3	PCE, ug/m^3	14DCB, ug/m^3
MDL=	1.40	0.94	1.69	0.56	0.46	0.31	0.32	0.22
651904	nd	nd	nd	nd	bdl	58.13	0.79	bdl
651905	nd	1.13	bdl	nd	169.26	nd	16.64	bdl
651906	nd	nd	bdl	nd	bdl	0.45	5.44	nd
651907	nd	8.76	bdl	nd	8.30	nd	4.79	bdl
651908	nd	6.34	nd	nd	108.18	nd	3.57	nd
651909	nd	2.77	nd	nd	13.55	1.15	4.07	bdl
651910	nd	1.33	2.51	nd	91.14	3.81	165.63	bdl
651911	nd	3.10	bdl	nd	12.11	0.83	7.26	nd
651912	nd	nd	66.58	2.27	11.75	bdl	>867.21	nd
651913	nd	bdl	35.41	nd	82.95	nd	>2083.48	nd
651914	nd	nd	13.65	nd	4.11	nd	174.68	nd
651915	nd	nd	3.28	nd	2.02	nd	176.23	nd
651916	nd	nd	nd	nd	bdl	bdl	bdl	nd
651917	nd	nd	4.92	nd	8.19	0.53	669.09	nd
651918	nd	nd	bdl	nd	1.41	bdl	323.65	nd
651919	nd	nd	nd	nd	bdl	nd	bdl	bdl
651920	nd	nd	nd	nd	1.00	bdl	bdl	bdl
651921	nd	bdl	nd	nd	97.10	2.16	1.11	bdl
651923	nd	nd	nd	nd	18.27	nd	4.25	nd
651924	nd	nd	nd	nd	bdl	bdl	1.43	bdl
651925	nd	nd	nd	nd	bdl	nd	0.35	nd
651926	nd	nd	nd	nd	bdl	1.02	1.17	bdl
651927	nd	nd	nd	nd	bdl	nd	0.85	bdl
651928	nd	nd	nd	nd	5.08	0.88	0.76	bdl
651929	nd	nd	bdl	nd	bdl	1.03	2.43	bdl
651930	nd	bdl	3.37	nd	6.22	nd	76.33	nd
651931	nd	nd	nd	nd	bdl	nd	1.58	bdl
651932	nd	1.97	11.68	nd	>1774.08	0.56	19.63	bdl
651933	nd	nd	nd	nd	6.69	8.49	0.59	bdl
651934	nd	nd	nd	nd	nd	0.67	bdl	bdl
651936	nd	nd	nd	nd	2.74	bdl	1.03	nd
651937	nd	nd	nd	nd	nd	bdl	0.39	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	11DCA, ug/m^3	CHCl3, ug/m^3	111TCA, ug/m^3	12DCA, ug/m^3	TCE, ug/m^3	OCT, ug/m^3	PCE, ug/m^3	14DCB, ug/m^3
MDL=	1.40	0.94	1.69	0.56	0.46	0.31	0.32	0.22
651938	nd	nd	nd	nd	nd	0.83	bdl	nd
651939	nd	nd	nd	nd	bdl	1.65	bdl	nd
651940	nd	nd	nd	nd	nd	nd	nd	nd
651941	nd	nd	nd	nd	bdl	nd	0.70	nd
651942	nd	nd	nd	nd	bdl	0.38	9.57	nd
651943	nd	nd	bdl	nd	5.65	0.35	48.31	bdl
651944	nd	nd	7.70	nd	27.84	bdl	>907.15	bdl
651945	nd	nd	nd	nd	10.25	nd	58.09	bdl
651946	nd	nd	nd	nd	nd	nd	nd	nd
651947	nd	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd	nd
Maximum	bdl	8.76	66.58	2.27	1774.08	58.13	2083.48	0.11
Standard Dev.	bdl	1.78	11.92	0.36	280.19	9.20	384.80	0.02
Mean	bdl	0.67	3.82	0.06	61.76	2.11	140.97	0.02




GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	CCl4, ug/m^3	112TCA, ug/m^3	CIBENZ, ug/m^3	1112TetCA, ug/m^3	1122TetCA, ug/m^3	13DCB, ug/m^3	12DCB, ug/m^3
MDL=	1.61	0.31	0.26	0.42	0.28	0.23	0.22
651904	nd	nd	nd	nd	nd	nd	nd
651905	nd	nd	nd	nd	nd	nd	nd
651906	nd	nd	nd	nd	nd	nd	nd
651907	nd	nd	nd	nd	nd	nd	nd
651908	nd	nd	nd	nd	nd	nd	nd
651909	nd	nd	nd	nd	nd	nd	nd
651910	nd	nd	nd	nd	nd	nd	nd
651911	nd	nd	nd	nd	nd	nd	nd
651912	nd	nd	nd	nd	nd	nd	nd
651913	nd	nd	nd	0.64	nd	nd	nd
651914	nd	nd	nd	nd	nd	nd	nd
651915	nd	nd	nd	nd	nd	nd	nd
651916	nd	nd	nd	nd	nd	nd	nd
651917	nd	nd	nd	nd	nd	nd	nd
651918	nd	nd	nd	nd	nd	nd	nd
651919	nd	nd	nd	nd	nd	nd	nd
651920	nd	nd	nd	nd	nd	nd	nd
651921	nd	bdl	nd	nd	nd	nd	nd
651923	nd	nd	nd	nd	nd	nd	nd
651924	nd	nd	nd	nd	nd	nd	bdl
651925	nd	nd	nd	nd	nd	nd	nd
651926	nd	nd	nd	nd	nd	nd	nd
651927	nd	nd	nd	nd	nd	nd	nd
651928	nd	nd	nd	nd	nd	nd	nd
651929	nd	nd	nd	nd	nd	nd	nd
651930	nd	nd	nd	nd	nd	nd	nd
651931	nd	nd	nd	nd	nd	nd	nd
651932	nd	nd	nd	nd	nd	nd	nd
651933	nd	nd	nd	nd	nd	nd	nd
651934	nd	nd	nd	nd	nd	nd	nd
651936	nd	nd	nd	nd	nd	nd	nd
651937	nd	nd	nd	nd	nd	nd	nd

No mdl is available for summed combinations of analytes. In summed columns (eg., BTEX), the reported values should be considered ESTIMATED if any of the individual compounds were reported as bdl.

GORE(TM) SURVEYS ANALYTICAL RESULTS
 ROUX ASSOCIATES, ISLANDIA, NY
 GORE STANDARD TARGET VOCs/SVOCs (A1)
 ESTIMATED SOIL GAS CONCENTRATIONS
 FORMER AVIS BUILDING, GARDEN CITY, NY
 SITE FSC - PRODUCTION ORDER #20786668

SAMPLE NAME	CCl4, ug/m^3	112TCA, ug/m^3	CIBENZ, ug/m^3	1112TetCA, ug/m^3	1122TetCA, ug/m^3	13DCB, ug/m^3	12DCB, ug/m^3
MDL=	1.61	0.31	0.26	0.42	0.28	0.23	0.22
651938	nd	nd	nd	nd	nd	nd	nd
651939	nd	nd	nd	nd	nd	nd	nd
651940	nd	nd	nd	nd	nd	nd	nd
651941	nd	nd	nd	nd	nd	nd	nd
651942	nd	nd	nd	nd	nd	nd	nd
651943	nd	nd	nd	nd	nd	nd	nd
651944	nd	nd	nd	nd	nd	nd	nd
651945	nd	nd	nd	nd	nd	nd	nd
651946	nd	nd	nd	nd	nd	nd	nd
651947	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd
method blank	nd	nd	nd	nd	nd	nd	nd
Maximum	bdl	0.06	bdl	0.64	bdl	bdl	0.11
Standard Dev.	bdl	0.01	bdl	0.10	bdl	bdl	0.02
Mean	bdl	0.00	bdl	0.02	bdl	bdl	0.00



BTEX
[µg]

GORE™ Surveys for Environmental Site Assessment




W.L. GORE & ASSOCIATES, INC.
100 CHESAPEAKE BOULEVARD
ELKTON, MD, USA 21921
USA
(410) 392-7600




Roux Associates, Inc., Islandia, NY
Former Avis Building, Garden City, NY
BTEX

DATE DRAWN: 14 Dec 2010	DRAWN BY: JW	ORIG. CAD: GORE...DWG	SITE CODE: FSC
REV. DATE:	REV. #:	PROJECT NUMBER: 20786668	

GORE and designs are trademarks of W.L. GORE & Associates

THIS DRAWING AND ANY OF ITS ATTACHMENTS HAVE BEEN PRODUCED FOR THE SOLE USE OF THE RECIPIENT IDENTIFIED HEREIN AND MUST NOT BE USED, REPRODUCED OR MODIFIED IN ANY WAY WITHOUT THE PRIOR WRITTEN CONSENT OF W.L. GORE & ASSOCIATES. UNAUTHORIZED USE IS STRICTLY PROHIBITED PURSUANT TO COPYRIGHT, TRADEMARK AND OTHER APPLICABLE LAWS.





GORE™ Surveys for Environmental Site Assessment




W.L. GORE & ASSOCIATES, INC.
100 CHESAPEAKE BOULEVARD
ELKTON, MD, USA 21921
USA
(410) 392-7600




Roux Associates, Inc., Islandia, NY
Former Avis Building, Garden City, NY
Naphthalene & 2-Methylnaphthalene

DATE DRAWN: 14 Dec 2010	DRAWN BY: JW	ORIG. CAD: GORE...DWG	SITE CODE: FSC
REV. DATE:	REV. #:	PROJECT NUMBER: 20786668	

GORE and designs are trademarks of W.L. GORE & Associates

THIS DRAWING AND ANY OF ITS ATTACHMENTS HAVE BEEN PRODUCED FOR THE SOLE USE OF THE RECIPIENT IDENTIFIED HEREIN AND MUST NOT BE USED, REPRODUCED OR MODIFIED IN ANY WAY WITHOUT THE PRIOR WRITTEN CONSENT OF W.L. GORE & ASSOCIATES. UNAUTHORIZED USE IS STRICTLY PROHIBITED PURSUANT TO COPYRIGHT, TRADEMARK AND OTHER APPLICABLE LAWS.





GORE™ Surveys for Environmental Site Assessment




W.L. GORE & ASSOCIATES, INC.
100 CHESAPEAKE BOULEVARD
ELKTON, MD, USA 21921
USA
(410) 392-7600




Roux Associates, Inc., Islandia, NY
Former Avis Building, Garden City, NY
Total Petroleum Hydrocarbons

GORE and designs are trademarks of W.L. GORE & Associates

THIS DRAWING AND ANY OF ITS ATTACHMENTS HAVE BEEN PRODUCED FOR THE SOLE USE OF THE RECIPIENT IDENTIFIED HEREIN AND MUST NOT BE USED, REPRODUCED OR MODIFIED IN ANY WAY WITHOUT THE PRIOR WRITTEN CONSENT OF W.L. GORE & ASSOCIATES. UNAUTHORIZED USE IS STRICTLY PROHIBITED PURSUANT TO COPYRIGHT, TRADEMARK AND OTHER APPLICABLE LAWS.



DATE DRAWN: 14 Dec 2010	DRAWN BY: JW	ORIG. CAD: GORE...DWG	SITE CODE: FSC
REV. DATE:	REV. #:	PROJECT NUMBER: 20786668	



GORE™ Surveys for Environmental Site Assessment




W.L. GORE & ASSOCIATES, INC.
100 CHESAPEAKE BOULEVARD
ELKTON, MD, USA 21921
USA
(410) 392-7600




Roux Associates, Inc., Islandia, NY
Former Avis Building, Garden City, NY
Tetrachloroethene

DATE DRAWN: 14 Dec 2010	DRAWN BY: JW	ORIG. CAD: GORE...DWG	SITE CODE: FSC
REV. DATE:	REV. #:	PROJECT NUMBER: 20786668	

GORE and designs are trademarks of W.L. GORE & Associates

THIS DRAWING AND ANY OF ITS ATTACHMENTS HAVE BEEN PRODUCED FOR THE SOLE USE OF THE RECIPIENT IDENTIFIED HEREIN AND MUST NOT BE USED, REPRODUCED OR MODIFIED IN ANY WAY WITHOUT THE PRIOR WRITTEN CONSENT OF W.L. GORE & ASSOCIATES. UNAUTHORIZED USE IS STRICTLY PROHIBITED PURSUANT TO COPYRIGHT, TRADEMARK AND OTHER APPLICABLE LAWS.





GORE™ Surveys for Environmental Site Assessment




W.L. GORE & ASSOCIATES, INC.
100 CHESAPEAKE BOULEVARD
ELKTON, MD, USA 21921
USA
(410) 392-7600






Roux Associates, Inc., Islandia, NY
Former Avis Building, Garden City, NY
Trichloroethene


DATE DRAWN: 14 Dec 2010	DRAWN BY: JW	ORIG. CAD: GORE...DWG	SITE CODE: FSC
REV. DATE:	REV. #:	PROJECT NUMBER: 20786668	


GORE and designs are trademarks of W.L. GORE & Associates


THIS DRAWING AND ANY OF ITS ATTACHMENTS HAVE BEEN PRODUCED FOR THE SOLE USE OF THE RECIPIENT IDENTIFIED HEREIN AND MUST NOT BE USED, REPRODUCED OR MODIFIED IN ANY WAY WITHOUT THE PRIOR WRITTEN CONSENT OF W.L. GORE & ASSOCIATES. UNAUTHORIZED USE IS STRICTLY PROHIBITED PURSUANT TO COPYRIGHT, TRADEMARK AND OTHER APPLICABLE LAWS.



































W. L. GORE & ASSOCIATES, INC.
100 Chesapeake Blvd. • P.O. Box 10
Elkton, MD 21922-0010
Phone: 410.392.7600 • 800.432.7998
Fax: 410.506.4780

gore.com/surveys

SALES OFFICES:
Europe: +49.89.4612.2198
San Francisco: 415.648.0438
Email: environmental@wlgore.com



GORE and designs are trademarks of W. L. Gore & Associates, Inc. ©2007 W. L. Gore & Associates, Inc.

LIT 139.0 08/14/07

Radiological Survey Data



providing quality environmental technical support services

EDi Letter # L2010-135

Craig A. Werle, P.G.
Principal Hydrogeologist
Roux Associates, Inc.
209 Shafter St.
Islandia, N.Y. 11749

December 17, 2010

Re: Gamma Walk Over Survey
900 Old Country Road, Garden City, NY

Dear Mr. Werle,

A gamma walk over survey was conducted on Tuesday, November 16, 2010 at the Former Avis Headquarters property, 900 Old Country Road, Garden City, NY. The survey was conducted by Bill Rigby; an ANSI qualified 3.1 Senior Health Physics Technician. This plan and the resulting data have been reviewed and approved Stan Waligora, Certified Health Physicist, Environmental Dimensions, Inc.

The survey instrumentation utilized was a Ludlum™ Model 2221 with a Ludlum™ Model 44-10 probe. General area walk over survey was conducted on the western, southern and eastern perimeter areas outside of the Cendant Building; inside in of the Cendant Building; the perimeter and inside of the Storage and manufacturing Buildings. Survey areas of concentration were based upon assessable areas, suspect areas and general areas.

Source checks were conducted, along with the background pre and post surveys were administered on the far perimeter of the buildings and the north side of the Avis Building.

The ranges were as follows: 4788 CPM – 6954 CPM. No significant elevated areas within the survey conducted that were twice background. The following results are recorded within the survey of record:

Outside areas:

- Cendant Building: Westside 5120 – 8180 CPM
- Cendant Building: Southside 4000-6400 CPM
- Cendant Building: Eastside 4122 – 6800 CPM
- Outside of Storage Building and Manufacturing Building: 5700 – 7130 CPM.

Inside Areas:

- Storage Building: 3821 – 5436 CPM
- Manufacturing Building: 4205 – 6725 CPM
- Cendant Building: 3900 – 6200 CPM
- Small Room of Middle Warehouse Eastern End: 6000 – 7800 CPM.

No significant findings were noted.

If you have any questions, please call me at (865) 482-7789 or email me at mmarable@edi-nm.com.

Sincerely,

Michael Marable,
Vice President, Operations

ENVIRONMENTAL DIMENSIONS, inc.

710 S. Illinois Avenue, Suite #F104-F105 • Oak Ridge, TN 37830-9107 | 865.482.7789, Tel • 865.482.7105, Fax | www.edi-nm.com, web



WILLIAM RIGBY
PROJECT SPECIALIST / BUSINESS DEVELOPMENT
Environmental Dimensions, inc.

QUALIFICATION SUMMARY

Mr. Rigby has over 18 Years directly related to the radiological decommissioning & environmental remediation fields. He is a leader, logistics facilitator, solutions provider, technically sound, an excellent communicator, proficient and has an expertise in numerous skilled disciplines (health physics, waste management, decontamination, project management, engineering, safety, quality assurance, quality controls, operations, logistics, environmental controls, procurement, regulatory affairs, client & public relations, technologies, demolition, excavation, etc.). Mr. Rigby has managed a project greater than 400 personnel, over \$230 Million D&D Project and oversight of up to 20 locations simultaneously nationwide.

MILITARY HISTORY:

Sergeant / E-5

1984 – 1987

US Army, Ft Campbell, KY / West Point, NY

Nuclear, Biological & Chemical Warfare and Defense

West Point Military Academy instructor. Decontamination lines and radiological surveys. Trainer at various locations.

EDUCATION

ADDITIONAL TRAINING

40-hour HAZwoper Training (current)

OSHA 30 Hour Construction Industry Outreach Training

American Heart Association First Aid & CPR (adult / child / infant)

EXPERIENCE

Project Specialist / Business Development

2010 – Present

Environmental Dimensions, inc.

RCT Supervisor, Assistant Site Safety Officer, Assistant Site Supervisor

Logistics and Waste Coordinator - US Army Corp FUSRAP Site Characterization

2009 –2010

TG Adams & Associates

Radiological / Beryllium field sampling for the US Army Corp FUSRAP Site Characterization

Senior Health Physics Technician - North West Ohio Sewer District

2009 – 2009

TG Adams & Associates

Supervising for the Final Status Survey, release surveys of equipment, structures and count room smear surveys and operational surveys of sludge operations.



WILLIAM RIGBY
PROJECT SPECIALIST / BUSINESS DEVELOPMENT
Environmental Dimensions, inc.

Project Waste Logistics Coordinator - Cyclotron Decommissioning Project DVI & Radiac	2003
Rigging, truck, rail transportation and the disposal of over 650 tons of activated metal.	
President – Radiological and Environmental Waste Containers Composite Technologies Company	2001 – 2004
Composite manufacturing, designing waste packaging for the nuclear and environmental waste industries. Developed various other product lines for the construction industry.	
Project Manager Environmental Dimensions, inc. – Waste Packing Project	2001
Repackaging of unstable waste containers, decontamination, surveys and shipping of waste.	
Marketing Manager Environmental Dimensions, inc. – Radiological Support Services	1999 - 2001
Business development for decommissioning projects and health physics services.	
Marketing Manager Greenfield Logistics	2000 - 2001
Business development for logistics and waste management services.	
Sales Manager Lynx Supply	2000 - 2001
Sales of industrial and safety supplies, consultant for various bids and proposals for decommissioning projects with numerous radiological service providers.	
Vice President Rubble Makers	2000
Robotic demolition equipment service for decommissioning projects in various locations nationwide.	
Waster Broker / Senior HP Technician RSI	2000
Radiological waste sampling for the Molly Corp, Site Assessment.	
Operations Manager Afftrex, Inc.	1999
Bids and proposals, business planning, corporate headquarters of operations, site operations of various decommissioning projects nationwide (DOE and Commercial) and the operations of nuclear laundry.	
Project Manager Zhagrus – Nuclear Metals / Starmet Decommissioning Project	1997 - 1998
Site management of basin sludge removal of federal protected lands, constructed large enclosure and packaging shipping by truck and rail. Two locations, hosted weekly town board meetings and client relations.	



WILLIAM RIGBY
PROJECT SPECIALIST / BUSINESS DEVELOPMENT
Environmental Dimensions, inc.

HP Supervisor, Waste Management Supervisor, Shipper / Broker, Engineer, Decon / Operations Manager, Safety Officer, Training **2000**

TLG – Cintichem Decommissioning Project (\$230 Million+)

5 MW Nuclear Reactor, (5) Associate Hot Cells + conveyor station, laboratories, 100 waste pits, Rad waste, mixed waste and chemical waste consolidation, packaging and shipping. Excavation, decontamination and demolition.

Site Supervisor **1992 – 1993**

NES / Barry Koh & Associates

Provided radiological support for McGean-Rohco plant maintenance operations and maintain radiological controls and site upkeep Bert Avenue site.

HP Supervisor / Senior HP **1992**

Cintichem – 5 MW Nuclear Reactor & Associate Hot Cells Cintichem Decommissioning Project

Dismantle reactor core and associated components, waste packing, hot cell decontamination, repackaging high rad HIC's, Iodine Loop Dismantlement, packaging and instructions for reassembly at LANAL. High Rad areas $\geq$ 1,000 R/Hr Supervise HP's.

Assistant Site Supervisor / Lead Senior HP **1991**

Nuclear Energy Service – Isotope Products Laboratories Decommissioning Project

High Rad source waste removal, demolition, decontamination and final status surveys.

Assistant Site Supervisor / Lead Senior HP **1991**

Nuclear Energy Service – GE Tungsten Plant Site Characterization Project

Radiological surveys and characterization reports.

Senior Health Physics Technician / Lead Technician **1991**

Chem Nuclear – Acrylo Plants I & II Decommissioning Project

Radiological surveys and characterization reports of structures.

Lead Senior **1991**

Nuclear Energy Services – McGean-Rohco, Harvard Avenue, Site Characterization, Building 10C

Radiological surveys and characterization reports of structures.

Assistant Site Supervisor / HP Supervisor **1991**

Nuclear Energy Services – EPA / Army Corp Superfund Decommissioning Project

Radiological surveys and characterization reports of structures, roadways and soil decontamination,

D&D Supervisor / Senior Health Physics Technician **1990**

Hilbert & Associates, Inc. (Chem Nuclear) – BLDG V-60/V-90 Decommissioning Project Norfolk VA

Decontamination of building structure, excavation and radiological surveys.

Lead Senior Health Physics Technician **1989 - 1990**

Nuclear Energy Services

Emergency Response Radioactive soil spill cleanup, rad survey, waste packaging and final status survey. First responder, regulatory bodies (NRC and State of VA) and town meetings.



WILLIAM RIGBY
PROJECT SPECIALIST / BUSINESS DEVELOPMENT
Environmental Dimensions, inc.

Lead Senior Health Physics Technician **1989 - 1990**
Nuclear Energy Services

Decontamination of building structure, excavation and radiological surveys

Lead Senior Health Physics Technician, Engineer, D&D Consultant **1989**
Nuclear Energy Services

Triga Reactor Decommissioning Removal of reactor and associated components, decontamination, rad waste packaging, radiological surveys and final status survey.

Operational Control, HP & Safety Field Supervisor **1988-1989**
Hilbert & Associates (Chem Nuclear) – Lansdowne Radioactive Residence EPA Superfund

Radiological surveys of structures & soil, dismantlement, decontamination and final status surveys.

JR Health Physics Technician **1988**
Hilbert & Associates

Emergency Response Radiological surveys, dismantlement, rad waste packaging, shipping and final status surveys.

D & D Supervisor / JR Health Physics Technician **1987 – 1988**
Nuclear Energy Services

Catalyst Plant Decommissioning Decontamination, dismantlement, soil sampling and radiological surveys.

D & D Supervisor / JR Health Physics Technician **1987**
Hilbert & Associates (Chem Nuclear)

Decommissioning Project Aero Jet Heavy Metals. Waste packaging, decontamination, demolition and radiological surveys.

Decontamination Technician **1987**
DNI / Hilbert & Associate – Shippingport Nuc Plant 1 Decommissioning Project

Vacuum Blast of all the power plants main chambers. (First Nuclear Power Plant Decommissioning.)

\



QUALIFICATION SUMMARY

Mr. Waligora has over 49 years of diversified experience as a health physicist. This experience has included training, applied health physics and industrial hygiene, radiological physics, environmental monitoring and assessment, radiochemical analysis, environmental restoration, decontamination and decommissioning, radioactive and mixed waste management, and a broad scope of related consulting projects. Services have been provided for DOE contractors, NRC licensees, the U.S. Army Corps of Engineers, nuclear utilities, nuclear fuel plants, uranium mills, and to a number of industrial facilities. He has over 30 years experience in remedial action projects and associated waste management. He has prepared over 100 environmental surveillance reports related to nuclear weapons testing, nuclear utilities, nuclear fuel plants, uranium resource companies, and for a number of other government and commercial organizations. Mr. Waligora has served on a number of standards committees including ANSI Standards for internal and external radiation dosimetry, and for the EPA Safe Drinking Water Act. He has testified as an expert witness on a number of radiation litigation cases. Waligora has supported a broad scope of short-term projects such as: Air sampling for particle size distributions, Audits of commercial and government radioanalytical laboratories, Design of analytical laboratories for mixed waste sample analysis, and Validation of critical radiation detection instrument systems.

More recent experience includes the following projects.

- Federal facilities workers radiation dose reconstruction with the Oak Ridge
- Associated Universities Team for the National Institutes of Occupational Safety and Health.
- Radiological Control program and project support for the Fernald Closure Project
- Radiological assessment of dredged materials for the Corps of Engineers
- Radiological Control support for DOE facilities at Oak Ridge, TN, Portsmouth, OH, and Paducah, KY
- Radioactive and mixed waste strategies for government and industrial facilities
- Remedial action consulting for the U.S. Army Corps of Engineers

EDUCATION

B.S. Physics Siena College 1959

Physics and Business Administration University of New Mexico (Part time graduate studies) 1967-71

CERTIFICATIONS

American Board of Health Physics – General Practice (since 1968)

Registered Qualified Expert, Reg. No. 108-8, NM Environmental Improvement Division

EXPERIENCE

Environmental Dimensions inc.

1990 – Present

Founded EDi in January, 1990 and has supported and directed a broad scope of projects for various clients. Services have ranged from professional health physics consulting through crews of health physics technicians supporting national laboratories and major remedial action projects. He remains a shareholder and employee of EDi after selling controlling interest in 1997.

The Fernald Environmental Management Project had been the longest-term customer. EDi had back-to-back contracts since from January, 1990 through April 2006. He assisted in meeting a broad scope of CERCLA



STANLEY J. WALIGORA JR., CHP
PRINCIPAL HEALTH PHYSICIST
Environmental Dimensions, inc.

regulatory and technical requirements along with the associated Consent Agreements and Consent Decrees. He prepared a number of Removal Site Evaluations with attendant dose and risk assessments. He also assisted in completion of the RI/FS and the consequent evaluation of remedial alternatives. A major accomplishment was the extensive dose and risk assessment for the decontamination and dismantlement of the Production Area, which consisted of over 200 facilities within the 136-acre area. The risk assessment included assessment of routine and accidental releases during the D&D process as well as the transportation risks due to extensive radioactive waste shipments. This allowed an Interim Record of Decision and the D&D began two years ahead of schedule. He assisted in the development of *in-situ* gamma spectrometry to speed assessment and cleanup of the 1200 acres with reduced sampling and analysis. Mr. Waligora is a member of the Safety Review Committee, Chairman of the ALARA Committee, and a member of the Engineering Design Review Board. In the past he participated in a Readiness Review for enriched uranium operations and a Standard Startup Review for removal of the waste pits. He was a member of the Management Assessment Team in preparation for hot testing of the Silos 1 and 2 Radon Control System. He provided support for both radiological control programs and for specific remedial action projects for Fluor Fernald through the 2006 closure.

Technical and professional support was provided to Radiation Protection Operations at Sandia National Laboratories for compliance with their Tiger Team Action Plan, and with DOE Order 5480.11 and the RADCON Manual. Nearly 100 new procedures were developed with the follow on training for implementation. EDi provided similar support for Radioactive and Mixed Waste Management at Sandia. EDi developed sampling and analysis plans for waste stream characterization consistent with disposal site waste acceptance criteria. All aspects of waste storage and inventory were covered and another project consisted of modifications and procedures to implement a new waste handling facility. Support to Environmental Monitoring at Sandia included development and implementation of analytical systems ranging from gamma spectrometry through tritium specie air sampling. A sensitivity analysis for ALARA public exposure assessment was developed in anticipation of 10 CFR 834 compliance.

EDi provided quality assurance oversight during an 18-month uranium mill tailings restoration project. Oversight included regulatory compliance and specific commitments within the NRC License and the extensive Restoration Plan. QA/QC ranged from instrument calibrations through validation of vendor laboratory analytical results. Emphasis was placed on applied health physics with appropriate programs for air sampling, personnel dosimetry, ALARA, and compliance with changing requirements of 10 CFR 20.

EDi completed a turnkey commercial remedial action project at a formerly Licensed facility. Each work plan and report was reviewed and approved by the client, the U.S. Nuclear Regulatory Commission and the California Radiologic Health Branch. The initial Characterization Work Plan covered the 40,000 ft² building, sewer lines, and adjacent land areas. Upon acceptance of the Characterization Report, a Remedial Action Work Plan was drafted and similarly approved. The final report resulted in release of the facility for uncontrolled use. EDi completed the Waste Profile and satisfied all requirements which resulted in the disposal of the wastes at the Envirocare site in Clive, Utah.

From 2000 through 2002, Waligora was a health physicist with the RADCON Alliance. This contract provided health physics and industrial hygiene surveillance for Bechtel Jacobs programs at Oak Ridge, TN, Paducah, KY and Portsmouth, OH. Another current assignment was as a member of the Independent Safety Review Committee for Fluor Fernald.

EDi has been supporting a number of remedial action projects for the U.S. Army Corps of Engineers, across the country, since 1999. Waligora assisted in a radiological assessment task for the Corps of Engineers (with Black & Veatch) for the Ashtabula Harbor dredging project for removal of 700,000 yd³ of contaminated sediments.



STANLEY J. WALIGORA JR., CHP
PRINCIPAL HEALTH PHYSICIST
Environmental Dimensions, inc.

From April 2002 through 2007 he provided support to Fluor Fernald Radiological Control as the Technical Director. He was a member of the Safety Review Committee, the Engineering Design Committee and headed up the ALARA Committee and provided support with specific tasks for various projects.

Waligora is currently assisting Oak Ridge Associated Universities for energy employee dose reconstructions for National Institute for Occupational Safety and Health.

Senior Program Manager
Geoscience Consultants, Ltd.

1989

Program Manager for radiological environmental projects. Principle project was RI/FS support at a plutonium contaminated DOD site. Waligora also served as the Site Safety Officer.

Facility Manager – Technical Director
Eberline Instrument Corporation

1972-1989

Joined Eberline (now Eberline Services) to build, staff and manage the Southeastern Facility in Columbia, SC. The Facility was primarily a radiochemistry laboratory with additional services for radiation dosimetry, instrument maintenance and calibration, and instrument sales for the southeastern U.S. Provided environmental surveillance for ten nuclear power plant sites and a nuclear fuel plant. Analyzed thousands of bioassay samples per week with turnaround as short as six hours. Waligora provided consulting for environmental assessments, internal dosimetry, and medical physics. Prepared over 60 environmental reports for nuclear utilities including annual reports and summary reports of preoperational environmental monitoring. Conceived and executed two shielding studies for a nuclear fuel reprocessing plant under construction. One project tested shielding integrity for concrete walls up to 14 ft thick; the second tested the effectiveness of neutron poison panels. Designed and established an environmental radioanalytical laboratory near Madrid, Spain.

In 1977 he was promoted and transferred to New Mexico to be the Technical Director of the Nuclear Services Division.

Provided technical direction and business development for health physics services, radiochemical analysis, and external radiation dosimetry. Extensive consulting and field work for radiological assessments and remedial actions. Early work for uranium mills and solution mining projects lead to effective controls for enhanced naturally occurring radioactive materials. This extended to NORM assessments and controls oil and gas production and refining, phosphate mines and plants, rare earths mining and milling, geothermal energy projects, and other mining operations. Consultation was provided to manufacturers of radium bearing building materials, users of a very large pulsed accelerator, and to physicians and attorneys for radiation dose assessments. He deployed for on-site support for a number of the DOE FUSRAP remedial action sites.

Chief, Health Physics and Industrial Hygiene
Lovelace Respiratory Research Institute

1967 - 1972

Responsible for occupational and environmental monitoring and controls for this large research program on the effects of radioactive and hazardous materials. Research required unique chemical and physical preparations of Curie quantities of various radionuclides. Worked with principle investigators for radiation dosimetry calculations for experiment design. Designed and implemented a new TRU research wing that included glove boxes and a supplied breathing air system. Utilized whole body counting and bioassay for internal dosimetry.



STANLEY J. WALIGORA JR., CHP
PRINCIPAL HEALTH PHYSICIST
Environmental Dimensions, inc.

Assisted during the first human bronchopulmonary lavage for accidentally inhaled radioactive material. Clinical duties in Radiology at the Lovelace Medical Center including therapy planning, calibration, and treatment. Outsourced for several weeks to support D&D of a former special nuclear fuel plant near Baltimore, MD.

Health Physicist **1966 - 1967**
Reynolds Electrical & Engineering Co., Inc.

Responsible for all health physics and industrial hygiene support for Lawrence Livermore Laboratory tests. Additional projects in training, radioiodine monitoring, permissible levels of short half-lived fission products, and abatement of gaseous Ru-Rh-106 in tunnels. Assisted in the design of new radiological facilities.

Health Physicist – Chief, Data Processing **1964 - 1966**
U.S. Public Health Service (Now EPA)

Initial ten months in field monitoring and sampling followed by preparation of the environmental reports using data from the prior test. Data Processing supported radiochemical analyses, whole body counting, environmental monitoring, and radiobiological research. Re-organized this group and proceeded with rapid hardware improvements (IBM 1620 to SDS-925, and to CDC-1604). Prepared the final report of Off-site Monitoring for the Rollercoaster Series. Helped prepare and lectured the first Associate Degree program in X-ray Technology at the University of Nevada – Las Vegas.

Training Supervisor **1962 - 1964**
Radiological Sciences Dept. - Reynolds Electrical & Engineering Co., Inc. - Nevada Test Site

Responsible for technical and professional training programs in health physics and industrial hygiene. Developed and implemented a two-year training program for technicians to become journeymen; became part of the Union Contract. Other government sponsored training for others including Radiological Emergency Operations. Prepared U.K. and Navy personnel for Project Rollercoaster. Assigned special projects and shared whole body counting with U.S. Public Health Service. Filled in as Shift Supervisor for field support for nuclear tests.

Nuclear Weapons Officer-Instructor **1959 – 1962**
Defense Nuclear Agency - Sandia (Kirtland) Base

Taught nuclear weapons maintenance and health physics to military Nuclear Emergency Teams. Co-authored basic texts, technical manuals, and training films. Responsible for training blocks in radiation detection and biological effects used for numerous courses. Analyzed bioassay samples for tritium and was the Radiation Safety Officer for our AEC By-Product License. He provided field training for classes at the Nevada Test Site.

Publications and Presentations

Dose Reconstruction at a NORM Site, 29th Midyear Topical Meeting of the Health Physics Society, Scottsdale, AZ, 1996.

Dose and Risk Assessment for the Fernald D&D Project, American Nuclear Society Decontamination and Decommissioning Conference, Washington, D.C. 1994. Co-authors: John Throckmorton and Todd Clark.



STANLEY J. WALIGORA JR., CHP
PRINCIPAL HEALTH PHYSICIST
Environmental Dimensions, inc.

A Six Element Dosimetry Badge for Beta and Photon Spectrometry, Second Conference on Radiation Protection and Dosimetry, Orlando, FL, 1988

External Radiation Dosimetry at Nuclear Power Plants, 21st Midyear Topical Symposium, Health Physics Society, Miami, FL, 1987.

Fundamentals and Current Directions in Solid State Dosimetry, Professional Enrichment Program, Health Physics Society Annual Meeting, Salt Lake City, UT, 1987.

Pre-operational Radiological Environmental Monitoring – Answers and Questions, 19th Midyear Topical Symposium, Health Physics Society, Colorado Springs, CO, 1985.

Applied Neutron Spectrometry and Dosimetry, Health Physics Society, Rio Grande Chapter, Los Alamos, NM, 1985.

Remedial Action Experience, (Invited) EPA Region VII Conference, Lincoln, NE, 1982.

Instrumental and Radiochemical Assessment of Decontamination Operations, Health Physics Society Annual Meeting, Las Vegas, NV, 1982. Co-authors: Leon Leventhal, Robert Wessman, and Richard Powell.

New Concepts in Radon and Radon Daughter Measurements, International Conference on Radiation Hazards in Mining, Golden, CO, 1981. Co-authors: Richard D. Terry and Rex Beard.

Eberline's New Microcomputer Based Radon Daughter Instrument, International Symposium on Indoor Air Pollution, Health, and Energy Conservation, Boston, MA, 1981.

Uranium, Radium, and Radon Monitoring, (Invited), Summer School on Uranium Health Physics, South African Association of Physicists in Medicine and Biology, Johannesburg and Pretoria, South Africa, 1980.

Neutron Monitoring and Dosimetry at Nuclear Power Plants, Health Physics Society Annual Meeting, Seattle, WA, 1980.

Neutron Dosimeter Calibration at Nuclear Power Plants Through Instrument Surveys, American Industrial Hygiene Conference, Chicago, IL, 1979.

“Radiochemistry” Chapter in *Quality Assurance for Health Laboratories*, American Public Health Association, 1978.

Pre-operational Baseline Data – Methodology Used in Environmental Surveillance, Southeastern Seminar on Environmental Radiation Surveillance, Montgomery, AL, 1974.

“Pulmonary Retention of Zirconium Oxide (Nb-95) in Man and Beagle Dogs”, *Health Physics*, 1971. Co-author: Chester R. Richmond.

Safety Aspects of Research with Respirable Radioactive Aerosols, Radiation in High Level Facilities, International Atomic Energy Agency, Saclay, France, 1970. Co-author: J.A. Mewhinney.

Incineration of Solid Wastes, Solid Waste Disposal Symposium, Defense Nuclear Agency, Albuquerque, NM, 1970.



STANLEY J. WALIGORA JR., CHP
PRINCIPAL HEALTH PHYSICIST
Environmental Dimensions, inc.

Off-Site Survey – Operation Rollercoaster, U.S. Public Health Service, 1969. Co-authors: D.L. Waite and J.S. Coogan.

Incineration of Low Level Radioactive Wastes, 4th ALO Health Protection Conference, St. Petersburg, FL, 1969.

Health Physics Aspects of the Fission Product Inhalation Program, Western Industrial Health Conference, Las Vegas, NV, 1968. Co-authors: C.R. Richmond, R.G. Cuddihy, and R.O. McClellan.

Radiological Emergency Operations, U.S. Atomic Energy Commission, 1967.
(Editor and contributor; numerous co-authors)

Basic Nuclear and Radiation Physics, Defense Nuclear Agency, 1961. Co-authors: Otto G. Raabe and M. Edward Wrenn.

Principles of Radiation Detection Instruments, Defense Nuclear Agency, 1960.
Co-author: William Lynch.

Committees, Offices and Honoraria

- | | |
|---------|--|
| 1993-96 | American Board of Health Physics – Part I Examination Panel Chairman 1995 and 1996. |
| 1987-92 | American National Standards Institute and Health Physics Society
ANSI N 13.11 Standard for Personnel Dosimetry Performance – Criteria for Testing. |
| 1989-91 | New Mexico Radiation Technical Advisory Council |
| 1988-90 | Continuing and General Education Committee, Health Physics Society |
| 1983-86 | American Board of Health Physics Preparation Courses. Organized and assisted in three annual five-month programs. |
| 1982-83 | <i>Radiological Sampling and Analytical Methods for National Drinking Water Regulations</i> , U.S. Environmental Protection Agency. (Two year consensus standard and Workshop |
| 1981-83 | Chapter Council Member. Rio Grande Chapter of the Health Physics Society |
| 1980 | Uranium Health Physics Summer School (invited for three of ten lectures), Johannesburg and Pretoria, South Africa, South African Association of Physicists in Medicine and the Chamber of Mines. |
| 1977-78 | American National Standards Institute and the Health Physics Society, ANSI N-1978 Internal Dosimetry for Fission and Activation Products. |
| 1974-77 | Environmental Radiation Committee (Charter Member – organized by Dr. James Watson, University of North Carolina). Later integrated to the Environmental Radiation Section of the Health Physics Society. |
| 1973-77 | South Carolina Technical Education Committee. (Five state-wide centers offering Associate Degrees in Nuclear Engineering Technology) |
| 1976-77 | American Public Health Association Chapter on “Radiochemistry” in <i>Quality Assurance Practices for Health Laboratories</i> . (Committee) |
| 1976 | Chairman, Technical Committee on Ionizing Radiation, American Industrial Hygiene Association. |
| 1966 | Secretary-Treasurer, Lake Mead Chapter, Health Physics Society |

Environmental Dimensions Inc

EDi - San Antonio TX 78260 - 865-617-8783

Calibration Certificate

Received Within Tolerance

Instrument Model No. 2221 Instrument Serial No. 91935 Misc1 EDI # 527 Misc2

Battery Check ☒ Batt.Voltage: 6.2

Scale Range Testing

Test Range	As Found			As Left		
	100	200	400	100	200	400
1	110	210	410	100	200	400
10	1100	2100	4100	1000	2000	4000
100	11000	21000	41000	10000	20000	40000
1000	110000	210000	410000	100000	200000	400000
10000						

High Voltage Test

Test Point	As Found	As Left
500	522	505
1000	1025	998
1500	1542	1512
2000	2052	2018

Logarithmic Meter Test

Range	1	10	100	1000
As Found	400	4000	41000	420000
As Left	400	4000	41000	420000

Time Tests

Test Point	Count Results
0.1	100
0.2	200
0.5	500
1	1000
2	2000
5	5000

Time base testing
default = 1000
CPM

Functional Tests

- | | |
|--|--|
| ☒ Fast/Slow | ☐ Thermo Dynamic |
| ☒ Reset | ☒ Geotropism |
| ☒ Lights | ☒ HV Push Button |
| ☒ Zero Push | ☐ Over Range |
| ☒ Count Push | ☐ Alarm Ack |
| ☒ Hold Push | |

Electronic Checks / Set Points

	As Found	As Left
Mechanical Zero:	0	0
High Voltage:	1000	1000
Threshold 1	40	10
Threshold 2	na	na
Threshold 3:	na	na
Over Load	na	na

Audio Tests

- ☒ AudioTest
- ☒ Audio Divide
- ☒ Audio Volume
- ☐ Audio Alarm
- ☒ HeadPhone

Parts Replaced during Calibration and or Repair.

Calibration Date: 08/30/2010 Cal Cycle / Months 12

Calibration Due Date: 08/30/2011

Calibrated By: K. Murphy

Signature: *Ken Murphy*

Remarks: Repaired battery compartment

Environmental Dimensions Inc

EDi - San Antonio TX 78260 - 865-617-8783

Calibration Certificate

Received Within Tolerance

Instrument Model No. 2221 Instrument Serial No. 127228 Misc1 EDI # 231 Misc2

Battery Check ☒ Batt.Voltage: 6.2

Scale Range Testing

Test Range	As Found			As Left		
	100	200	400	100	200	400
1	100	200	400	100	200	400
10	1000	2000	4000	1000	2000	4000
100	10000	20000	40000	10000	20000	40000
1000	100000	200000	400000	100000	200000	400000
10000						

High Voltage Test

Test Point	As Found	As Left
500	515	515
1000	998	998
1500	1497	1497
2000	1988	1988

Logarithmic Meter Test

Range	1	10	100	1000
As Found	400	4250	40000	375000
As Left	400	4250	40000	375000

Time Tests

Test Point	Count Results
0.1	100
0.2	200
0.5	500
1	1000
2	1999
5	4999

Time base testing
default = 1000
CPM

Functional Tests

- | | |
|--|--|
| ☒ Fast/Slow | ☐ Thermo Dynamic |
| ☒ Reset | ☒ Geotropism |
| ☒ Lights | ☒ HV Push Button |
| ☒ Zero Push | ☐ Over Range |
| ☒ Count Push | ☐ Alarm Ack |
| ☒ Hold Push | |

Electronic Checks / Set Points

	As Found	As Left
Mechanical Zero:	-20	0
High Voltage:	990	1000
Threshold 1	37	10
Threshold 2	na	na
Threshold 3:	na	na
Over Load	na	na

Audio Tests

- ☒ AudioTest
- ☒ Audio Divide
- ☒ Audio Volume
- ☐ Audio Alarm
- ☒ HeadPhone

Parts Replaced during Calibration and or Repair.

Calibration Date: 08/30/2010 Cal Cycle / Months 12

Calibration Due Date: 08/30/2011

Calibrated By: K Murphy

Signature:


Remarks: Repaired bezel glass



CALIBRATION CERTIFICATE

Duratek Instrument Services
628 Gallaher Road
Kingston, TN 37763
Phone: (865) 376-8337
Fax: (865) 376-8331

This Certificate will be accompanied by Calibration Charts or Readings where applicable

CUSTOMER INFORMATION				DETECTOR INFORMATION	
Customer Name: Duratek Instrument Services				Manufacturer: Ludlum	
Address: 628 Gallaher Rd Kingston, TN 37763				Detector Model: 44-10	
Contact Name: Tony Riggs				Serial Number: 229174	
Customer Purchase Order Number: N/A		Work Order Number: 2010-10799		Evaluation Method: Source	
DETECTOR EFFICIENCY/RESPONSE/PRECISION INFORMATION					
1) Source Nuclide: Cs ¹³⁷		Serial Number: 019454		Activity: 5μCi nominal	
2) Source Nuclide: Cs ¹³⁷		Serial Number: 049711		Activity: Variable	
Desired Exposure (μR/hr)		Detector Response (cpm)		Background (cpm)	
208.7		193,531		5,075	
258.8		235,491		5,075	
400		359,477		5,075	
Average cpm/uR/hr		893		Average	
				Tolerance ±10%	
				Pass/Fail	
				All counts within ±10% of Average	
				PASS	
SCALER INFORMATION			DETECTOR INFORMATION		
Model		Serial Number		Due Date	
2221		190187		04/21/2011	
Voltage Plateau:		YES / NO		Background (cpm)	
				5,075	
				Operating Voltage	
				1000V	
				Threshold	
				100 = 10mV	
COMMENTS					
Detectors calibrated with a 2221 may be used with any 2221 provided that the instrument is in calibration and the specific detector parameters (High Voltage & Threshold) are entered into the 2221 prior to use Calibrated with 5ft. Cable					
STATEMENT OF CERTIFICATION					
We Certify that the detector listed above was evaluated for proper operation prior to shipment and that it met all the Manufacturers published operating specifications. We further certify that our Calibration Measurements are traceable to the National Institute of Standards and Technology. (We are not responsible for damage incurred during shipment or use of this detector).					
Detector		Reviewed By:			
Certified By: 		Date:			
Certification Date: 06/07/2010		*Certification Due (6mo): 12/07/2010			
		*Certification Due (12mo): 06/07/2011			

* Calibration due date is dependant on users regulatory requirements.



CALIBRATION CERTIFICATE

Duratek Instrument Services
628 Gallaher Road
Kingston, TN 37763
Phone: (865) 376-8337
Fax: (865) 376-8331

This Certificate will be accompanied by Calibration Charts or Readings where applicable

CUSTOMER INFORMATION				DETECTOR INFORMATION	
Customer Name: Duratek Instrument Services				Manufacturer: Ludlum	
Address: 628 Gallaher Rd Kingston, TN 37763				Detector Model: 44-10	
Contact Name: Tony Riggs				Serial Number: 192584	
Customer Purchase Order Number: N/A		Work Order Number: 2010-10799		Evaluation Method: Source	
DETECTOR EFFICIENCY/RESPONSE/PRECISION INFORMATION					
1) Source Nuclide: Cs ¹³⁷		Serial Number: 019454		Activity: 5μCi nominal	
				Certification Date: N/A (Used for Plateau Only)	
2) Source Nuclide: Cs ¹³⁷		Serial Number: 049711		Activity: Variable	
				Certification Date: 07/17/09	
Desired Exposure (μR/hr)	Detector Response (cpm)	Background (cpm)	(cpm/μR/hr)	Precision Test @250μR/hr	cpm (Source #2)
208.7	196,764	4,987	918.9	Count 1	242,413
258.8	241,672	4,987	914.6	Count 2	241,542
400	367,960	4,987	907.4	Count 3	241,062
Average cpm/μR/hr	913.6			Average	241,672
				Tolerance ±10%	All counts within ±10% of Average
				Pass/Fail	PASS
SCALER INFORMATION			DETECTOR INFORMATION		
<u>Model</u>	<u>Serial Number</u>	<u>Due Date</u>	<u>Background (cpm)</u>	<u>Operating Voltage</u>	<u>Threshold</u>
2221	190187	04/21/2011	4,987	1150V	100 = 10mV
Voltage Plateau: YES ☒ NO ☐					
COMMENTS					
Detectors calibrated with a 2221 may be used with any 2221 provided that the instrument is in calibration and the specific detector parameters (High Voltage & Threshold) are entered into the 2221 prior to use Calibrated with 5ft. Cable					
STATEMENT OF CERTIFICATION					
We Certify that the detector listed above was evaluated for proper operation prior to shipment and that it met all the Manufacturers published operating specifications. We further certify that our Calibration Measurements are traceable to the National Institute of Standards and Technology. (We are not responsible for damage incurred during shipment or use of this detector).					
Detector					
Certified By: 		Reviewed By:		Date:	
Certification Date: 06/07/2010		*Certification Due (6mo): 12/07/2010			
		*Certification Due (12mo): 06/07/2011			

* Calibration due date is dependant on users regulatory requirements.

Roux Data Tables

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-1	DW-1	DW-14	DW-14	DW-15
	Part 375	Part 375		11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
	Unrestricted Use	Restricted Commercial		8.5-10.5	14.5-16.5	10-12	14-16	10-12
1,1,1-Trichloroethane	680	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,1,2,2-Tetrachloroethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,1,2-Trichloroethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,1-Dichloroethane	270	240000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,1-Dichloroethene	330	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,2,4-Trichlorobenzene	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	11 U	11 U	11 U
1,2-Dibromoethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,2-Dichlorobenzene	1100	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,2-Dichloroethane	20	30000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,2-Dichloropropane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,3-Dichlorobenzene	2400	280000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
1,4-Dichlorobenzene	1800	130000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
2-Butanone (MEK)	120	500000		11 U	11 U	11 U	11 U	11 U
2-Hexanone	--	--		11 U	11 U	11 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Acetone	50	500000		22 U	22 U	23 U	22 U	23 U
Benzene	60	44000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Bromodichloromethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Bromoform	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Bromomethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Carbon disulfide	--	--		5.5 U *	5.4 U *	5.7 U *	5.4 U *	5.7 U *
Carbon tetrachloride	760	22000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Chlorobenzene	1100	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Chloroethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Chloroform	370	350000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Chloromethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
cis-1,2-Dichloroethene	250	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
cis-1,3-Dichloropropene	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Cyclohexane	--	--		5.5 U *	5.4 U *	5.7 U *	5.4 U *	5.7 U *
Dibromochloromethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Dichlorodifluoromethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Ethylbenzene	1000	390000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-1 11/17/2010 8.5-10.5	DW-1 11/17/2010 14.5-16.5	DW-14 11/17/2010 10-12	DW-14 11/17/2010 14-16	DW-15 11/17/2010 10-12
Freon 113	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Isopropylbenzene	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Methyl acetate	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Methylcyclohexane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Methylene chloride	50	500000		3.6 J B	4.6 J B	3.7 J B	5 J B	5.5 J B
MTBE	930	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Styrene	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Tetrachloroethene	1300	150000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Toluene	700	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
trans-1,2-Dichloroethene	190	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
trans-1,3-Dichloropropene	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Trichloroethene	470	200000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Trichlorofluoromethane	--	--		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Vinyl chloride	20	13000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U
Xylenes (total)	260	500000		5.5 U	5.4 U	5.7 U	5.4 U	5.7 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-15 11/17/2010 14-16	DW-16 11/17/2010 6-8	DW-16 11/17/2010 12-14	DW-2 11/17/2010 9-11	DW-2 11/17/2010 15-17
1,1,1-Trichloroethane	680	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,1,2,2-Tetrachloroethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,1,2-Trichloroethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,1-Dichloroethane	270	240000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,1-Dichloroethene	330	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,2,4-Trichlorobenzene	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,2-Dibromo-3-Chloropropane	--	--		12 U	11 U	11 U	11 U	11 U
1,2-Dibromoethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,2-Dichlorobenzene	1100	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,2-Dichloroethane	20	30000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,2-Dichloropropane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,3-Dichlorobenzene	2400	280000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
1,4-Dichlorobenzene	1800	130000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
2-Butanone (MEK)	120	500000		12 U	11 U	11 U	11 U	11 U
2-Hexanone	--	--		12 U	11 U	11 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Acetone	50	500000		23 U	21 U	21 U	23 U	23 U
Benzene	60	44000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Bromodichloromethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Bromoform	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Bromomethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Carbon disulfide	--	--		5.8 U *	5.3 U *	5.3 U *	5.6 U *	5.7 U *
Carbon tetrachloride	760	22000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Chlorobenzene	1100	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Chloroethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Chloroform	370	350000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Chloromethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
cis-1,2-Dichloroethene	250	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
cis-1,3-Dichloropropene	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Cyclohexane	--	--		5.8 U *	5.3 U *	5.3 U *	5.6 U *	5.7 U *
Dibromochloromethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Dichlorodifluoromethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Ethylbenzene	1000	390000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-15	DW-16	DW-16	DW-2	DW-2
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	14-16	6-8	12-14	9-11	15-17
Freon 113	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Isopropylbenzene	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Methyl acetate	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Methylcyclohexane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Methylene chloride	50	500000		5.9 J B	4.5 J B	3.2 J B	4.4 J B	3.2 J B
MTBE	930	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Styrene	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Tetrachloroethene	1300	150000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Toluene	700	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
trans-1,2-Dichloroethene	190	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
trans-1,3-Dichloropropene	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Trichloroethene	470	200000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Trichlorofluoromethane	--	--		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Vinyl chloride	20	13000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U
Xylenes (total)	260	500000		5.8 U	5.3 U	5.3 U	5.6 U	5.7 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-22 11/17/2010 10-12	DW-22 11/17/2010 14-16	LP-1 11/15/2010 10-12	LP-1 11/15/2010 14-16	LP-2 11/15/2010 10-12
1,1,1-Trichloroethane	680	500000		5.3 U	5.4 U	5.2 U *	5.2 U *	5.2 U *
1,1,2,2-Tetrachloroethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		11 U	11 U	10 U	10 U	10 U
2-Hexanone	--	--		11 U	11 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	22 U	21 U	21 U	7.4 J
Benzene	60	44000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.3 U	5.4 U	5.2 U *	5.2 U *	5.2 U *
Bromoform	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.3 U *	5.4 U *	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.3 U	5.4 U	5.2 U *	5.2 U *	5.2 U *
Chlorobenzene	1100	500000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.3 U *	5.4 U *	5.2 U *	5.2 U *	5.2 U *
Dibromochloromethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Ethylbenzene	1000	390000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-22	DW-22	LP-1	LP-1	LP-2
			Sample Date:	11/17/2010	11/17/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12
Freon 113	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		8.1 J B	3.4 J B	4.3 J B	4 J B	4.5 J B
MTBE	930	500000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Toluene	700	500000		5.3 U	5.4 U	0.23 J B	0.18 J B	0.26 J B
trans-1,2-Dichloroethene	190	500000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.3 U	5.4 U	5.2 U	5.2 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-2 11/15/2010 14-16	LP-3 11/15/2010 10-12	LP-3 11/15/2010 14-16	LP-4 11/15/2010 14-16	LP-5 11/15/2010 10-12
1,1,1-Trichloroethane	680	500000		5.2 U *	5.2 U	5.3 U *	5.2 U *	5.2 U *
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	11 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	11 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	11 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U *	5.2 U	5.3 U *	5.2 U *	5.2 U *
Bromoform	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U *	5.2 U	5.3 U *	5.2 U *	5.2 U *
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U *	5.2 U	5.3 U *	5.2 U *	5.2 U *
Dibromochloromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U *	5.3 U	5.2 U	5.2 U
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-2 11/15/2010 14-16	LP-3 11/15/2010 10-12	LP-3 11/15/2010 14-16	LP-4 11/15/2010 14-16	LP-5 11/15/2010 10-12
	Part 375	Part 375						
	Unrestricted	Restricted						
	Use	Commercial						
Freon 113	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Methylene chloride	50	500000		3.9 J B	2.9 J B	4.4 J B	4.3 J B	4.4 J B
MTBE	930	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	1.2 J B *	5.3 U	5.2 U	5.2 U
Toluene	700	500000		5.2 U	0.45 J B	0.2 J B	5.2 U	0.16 J B
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-5 11/15/2010 14-16	LP-6 11/15/2010 10-12	LP-6 11/15/2010 14-16	LP-7 11/15/2010 10-12	LP-7 DUP 11/15/2010 10-12
1,1,1-Trichloroethane	680	500000		5.2 U *	5.2 U	5.2 U	5.1 U *	5.2 U *
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	5.4 J	21 U
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Bromodichloromethane	--	--		5.2 U *	5.2 U	5.2 U	5.1 U *	5.2 U *
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U *	5.2 U	5.2 U	5.1 U *	5.2 U *
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Cyclohexane	--	--		5.2 U *	5.2 U	5.2 U	5.1 U *	5.2 U *
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U *	5.2 U *	5.1 U	5.2 U
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-5	LP-6	LP-6	LP-7	LP-7 DUP
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	10-12
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Methylene chloride	50	500000		3.6 J B	3 J B	2.9 J B	3.7 J B	4.1 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	5.2 U *	1.2 J B *	5.1 U	5.2 U
Toluene	700	500000		0.21 J B	0.53 J B	0.33 J B	0.22 J B	5.2 U
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.1 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-7 11/15/2010 14-16	LP-8 11/15/2010 10-12	LP-8 11/15/2010 14-16	LP-9 11/15/2010 10-12	LP-9 11/15/2010 14-16
1,1,1-Trichloroethane	680	500000		5.2 U *	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U *	5.2 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U *	5.2 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U *	5.2 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U *	5.2 U *	5.2 U *	5.2 U *
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-7 11/15/2010 14-16	LP-8 11/15/2010 10-12	LP-8 11/15/2010 14-16	LP-9 11/15/2010 10-12	LP-9 11/15/2010 14-16
	Part 375	Part 375						
	Unrestricted	Restricted						
	Use	Commercial						
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		4.3 J B	2.9 J B	3.3 J B	3.2 J B	3.4 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	0.9 J B *	5.2 U *	5.2 U *	5.2 U *
Toluene	700	500000		5.2 U	0.24 J B	0.49 J B	0.27 J B	0.34 J B
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-10 11/15/2010 10-12	LP-10 11/15/2010 14-16	LP-11 11/15/2010 15-17	LP-11 11/15/2010 19-21	LP-12 11/15/2010 11-13
1,1,1-Trichloroethane	680	500000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		11 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		11 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	21 U	21 U
Benzene	60	44000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.3 U *	5.2 U *	5.2 U *	5.2 U *	5.2 U *
Ethylbenzene	1000	390000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-10	LP-10	LP-11	LP-11	LP-12
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	15-17	19-21	11-13
Freon 113	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		5.3 J B	3.1 J B	2.3 J B	2.8 J B	3.3 J B
MTBE	930	500000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.3 U	5.2 U *	0.9 J B *	5.2 U *	5.2 U *
Toluene	700	500000		0.33 J B	0.46 J B	5.2 U	0.29 J B	0.3 J B
trans-1,2-Dichloroethene	190	500000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.3 U	5.2 U	5.2 U	5.2 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-12 11/15/2010 17-19	LP-13 11/15/2010 10-12	LP-13 11/15/2010 15-17	LP-14 11/15/2010 14-16	LP-15 11/16/2010 14-16
1,1,1-Trichloroethane	680	500000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	11 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	11 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	11 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	2.6 J	21 U	21 U
Benzene	60	44000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U *	5.3 U *	5.2 U *	5.2 U *	5.2 U
Ethylbenzene	1000	390000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-12	LP-13	LP-13	LP-14	LP-15
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/16/2010
			Sample Depth (ft bls):	17-19	10-12	15-17	14-16	14-16
Freon 113	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		3.2 J B	3.3 J B	3 J B	3.1 J B	2.2 J B
MTBE	930	500000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U *	5.3 U	5.2 U	5.2 U	5.2 U
Toluene	700	500000		5.2 U	0.32 J B	5.2 U	0.39 J B	0.88 J B
trans-1,2-Dichloroethene	190	500000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.3 U	5.2 U	5.2 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-16	LP-16	LP-17	LP-17	LP-18
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12
1,1,1-Trichloroethane	680	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-16	LP-16	LP-17	LP-17	LP-18
	Part 375	Part 375		LP-16	LP-16	LP-17	LP-17	LP-18
	Unrestricted	Restricted		11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
	Use	Commercial		10-12	14-16	10-12	14-16	10-12
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		2.7 J B	2.8 J B	2.6 J B	2.1 J B	2.7 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Toluene	700	500000		0.71 J B	0.83 J B	0.74 J B	0.65 J B	0.8 J B
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-18 11/16/2010 14-16	LP-19 11/16/2010 10-12	LP-19 11/16/2010 14-16	LP-20 11/16/2010 10-12	LP-20 11/16/2010 14-16
1,1,1-Trichloroethane	680	500000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	11 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	11 U	10 U
2-Hexanone	--	--		10 U	10 U	10 U	11 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Acetone	50	500000		31	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Cyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-18 11/16/2010 14-16	LP-19 11/16/2010 10-12	LP-19 11/16/2010 14-16	LP-20 11/16/2010 10-12	LP-20 11/16/2010 14-16
	Part 375	Part 375						
	Unrestricted	Restricted						
	Use	Commercial						
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Methylene chloride	50	500000		2.8 J B	2.4 J B	2.6 J B	3.3 J B	2.9 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Toluene	700	500000		1 J B	0.78 J B	5.2 U	5.3 U	5.2 U
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.3 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-21	LP-21 DUP	LP-22	LP-23	LP-23 DUP
	Part 375	Part 375		11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
	Unrestricted	Restricted		14-16	14-16	14-16	14-16	14-16
	Use	Commercial						
1,1,1-Trichloroethane	680	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		11 U	11 U	10 U	10 U	10 U
2-Hexanone	--	--		11 U	11 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	21 U	21 U
Benzene	60	44000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Ethylbenzene	1000	390000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-21	LP-21 DUP	LP-22	LP-23	LP-23 DUP
	Part 375	Part 375		11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
	Unrestricted	Restricted		11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
	Use	Commercial		14-16	14-16	14-16	14-16	14-16
Freon 113	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		2.7 J B	2.6 J B	2.8 J B	2.8 J B	2.8 J B
MTBE	930	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Toluene	700	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
trans-1,2-Dichloroethene	190	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-24	LP-25	LP-26	LP-27	LP-28
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	14-16	14-16	14-16	14-16
1,1,1-Trichloroethane	680	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-24 11/16/2010 14-16	LP-25 11/16/2010 14-16	LP-26 11/16/2010 14-16	LP-27 11/16/2010 14-16	LP-28 11/16/2010 14-16
	Part 375	Part 375						
	Unrestricted	Restricted						
	Use	Commercial						
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		2.6 J B	3 J B	2.1 J B	3 J B	5.6 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Toluene	700	500000		5.2 U	5.2 U	0.78 J B	5.2 U	5.2 U
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-29 11/16/2010 10-12	LP-29 11/16/2010 14-16	MW-20 11/17/2010 18-20
1,1,1-Trichloroethane	680	500000		5.2 U	5.1 U	5.3 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.1 U	5.3 U
1,1,2-Trichloroethane	--	--		5.2 U	5.1 U	5.3 U
1,1-Dichloroethane	270	240000		5.2 U	5.1 U	5.3 U
1,1-Dichloroethene	330	500000		5.2 U	5.1 U	5.3 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.1 U	5.3 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	11 U
1,2-Dibromoethane	--	--		5.2 U	5.1 U	5.3 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.1 U	5.3 U
1,2-Dichloroethane	20	30000		5.2 U	5.1 U	5.3 U
1,2-Dichloropropane	--	--		5.2 U	5.1 U	5.3 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.1 U	5.3 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.1 U	5.3 U
2-Butanone (MEK)	120	500000		10 U	10 U	11 U
2-Hexanone	--	--		10 U	10 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.1 U	5.3 U
Acetone	50	500000		21 U	21 U	21 U *
Benzene	60	44000		5.2 U	5.1 U	5.3 U
Bromodichloromethane	--	--		5.2 U	5.1 U	5.3 U
Bromoform	--	--		5.2 U	5.1 U	5.3 U
Bromomethane	--	--		5.2 U	5.1 U	5.3 U
Carbon disulfide	--	--		5.2 U	5.1 U	5.3 U
Carbon tetrachloride	760	22000		5.2 U	5.1 U	5.3 U
Chlorobenzene	1100	500000		5.2 U	5.1 U	5.3 U
Chloroethane	--	--		5.2 U	5.1 U	5.3 U
Chloroform	370	350000		5.2 U	5.1 U	5.3 U
Chloromethane	--	--		5.2 U	5.1 U	5.3 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.1 U	5.3 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.1 U	5.3 U
Cyclohexane	--	--		5.2 U	5.1 U	5.3 U
Dibromochloromethane	--	--		5.2 U	5.1 U	5.3 U
Dichlorodifluoromethane	--	--		5.2 U	5.1 U	5.3 U
Ethylbenzene	1000	390000		5.2 U	5.1 U	5.3 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-29 11/16/2010 10-12	LP-29 11/16/2010 14-16	MW-20 11/17/2010 18-20
Freon 113	--	--		5.2 U	5.1 U	5.3 U
Isopropylbenzene	--	--		5.2 U	5.1 U	5.3 U
Methyl acetate	--	--		5.2 U	5.1 U	5.3 U
Methylcyclohexane	--	--		5.2 U	5.1 U	5.3 U
Methylene chloride	50	500000		5.9 J B	5 J B	3.6 J B
MTBE	930	500000		5.2 U	5.1 U	5.3 U
Styrene	--	--		5.2 U	5.1 U	5.3 U
Tetrachloroethene	1300	150000		5.2 U	5.1 U	5.3 U
Toluene	700	500000		5.2 U	5.1 U	5.3 U
trans-1,2-Dichloroethene	190	500000		5.2 U	5.1 U	5.3 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.1 U	5.3 U
Trichloroethene	470	200000		5.2 U	5.1 U	5.3 U
Trichlorofluoromethane	--	--		5.2 U	5.1 U	5.3 U
Vinyl chloride	20	13000		5.2 U	5.1 U	5.3 U
Xylenes (total)	260	500000		5.2 U	5.1 U	5.3 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

* - LCS or LCSD exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-21 DUP 11/16/2010 -	LP-23 DUP 11/16/2010 -	DW-1 11/17/2010 8.5-10.5	DW-1 11/17/2010 14.5-16.5	DW-2 11/17/2010 9-11
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	300 U	290 U	300 U
2,4,5-Trichlorophenol	--	--		1700 U	1800 U	1900 U	1800 U	1900 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	300 U	290 U	300 U
2,4-Dichlorophenol	--	--		280 U	280 U	300 U	290 U	300 U
2,4-Dimethylphenol	--	--		280 U	280 U	300 U	290 U	300 U
2,4-Dinitrophenol	--	--		1700 U	1800 U	1900 U	1800 U	1900 U
2,4-Dinitrotoluene	--	--		280 U	280 U	300 U	290 U	300 U
2,6-Dinitrotoluene	--	--		280 U	280 U	300 U	290 U	300 U
2-Chloronaphthalene	--	--		280 U	280 U	300 U	290 U	300 U
2-Chlorophenol	--	--		280 U	280 U	300 U	290 U	300 U
2-Methylnaphthalene	--	--		280 U	280 U	37 J	15 J	300 U
2-Methylphenol	330	500000		280 U	280 U	300 U	290 U	300 U
2-Nitroaniline	--	--		690 U	700 U	740 U	720 U	750 U
2-Nitrophenol	--	--		280 U	280 U	300 U	290 U	300 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	360 U	360 U	370 U
3-Nitroaniline	--	--		690 U	700 U	740 U	720 U	750 U
4,6-Dinitro-2-methylphenol	--	--		1700 U	1800 U	1900 U	1800 U	1900 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	300 U	290 U	300 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	300 U	290 U	300 U
4-Chloroaniline	--	--		280 U	280 U	300 U	290 U	300 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	300 U	290 U	300 U
4-Methylphenol	330	500000		280 U	280 U	300 U	290 U	300 U
4-Nitroaniline	--	--		280 U	280 U	300 U	290 U	300 U
4-Nitrophenol	--	--		1700 U	1800 U	1900 U	1800 U	1900 U
Acenaphthene	20000	500000		280 U	280 U	300 U	35 J	46 J
Acenaphthylene	100000	500000		280 U	280 U	300 U	290 U	300 U
Acetophenone	--	--		280 U	280 U	300 U	290 U	300 U
Anthracene	100000	500000		280 U	280 U	50 J	26 J	350
Atrazine	--	--		340 U	340 U	360 U	360 U	370 U
Benzaldehyde	--	--		280 U	280 U	300 U	290 U	300 U
Benzo[a]anthracene	1000	5600		280 U	280 U	320	120 J	1000
Benzo[a]pyrene	1000	1000		280 U	280 U	580	170 J	1400

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-21 DUP 11/16/2010 -	LP-23 DUP 11/16/2010 -	DW-1 11/17/2010 8.5-10.5	DW-1 11/17/2010 14.5-16.5	DW-2 11/17/2010 9-11
Benzo[b]fluoranthene	1000	5600		280 U	280 U	800	270 J	1900
Benzo[g,h,i]perylene	100000	500000		280 U	280 U	510	140 J	860
Benzo[k]fluoranthene	800	56000		280 U	280 U	350	100 J	690
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	300 U	290 U	300 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	300 U	290 U	300 U
Bis(2-ethylhexyl) phthalate	--	--		68 J	280 U	65 J	290 U	94 J
Butylbenzyl phthalate	--	--		280 U	280 U	300 U	290 U	300 U
Caprolactam	--	--		280 U	280 U	300 U	290 U	300 U
Carbazole	--	--		280 U	280 U	37 J	290 U	38 J
Chrysene	1000	56000		280 U	280 U	510	180 J	1100
Dibenzo[a,h]anthracene	330	560		280 U	280 U	62 J	290 U	170 J
Dibenzofuran	7000	350000		280 U	280 U	30 J	290 U	44 J
Diethyl phthalate	--	--		280 U	280 U	300 U	290 U	300 U
Dimethyl phthalate	--	--		280 U	280 U	300 U	290 U	300 U
Di-n-butyl phthalate	--	--		280 U	280 U	300 U	290 U	300 U
Di-n-octyl phthalate	--	--		280 U	280 U	300 U	290 U	300 U
Diphenyl	--	--		280 U	280 U	300 U	290 U	300 U
Fluoranthene	100000	500000		280 U	24 J	730	290	2400
Fluorene	30000	500000		280 U	280 U	27 J	36 J	110 J
Hexachlorobenzene	330	6000		280 U	280 U	300 U	290 U	300 U
Hexachlorobutadiene	--	--		280 U	280 U	300 U	290 U	300 U
Hexachlorocyclopentadiene	--	--		690 U	700 U	740 U	720 U	750 U
Hexachloroethane	--	--		280 U	280 U	300 U	290 U	300 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	280 U	450	120 J	860
Isophorone	--	--		280 U	280 U	300 U	290 U	300 U
Naphthalene	12000	500000		280 U	280 U	160 J	290 U	300 U
Nitrobenzene	--	69000		280 U	280 U	300 U	290 U	300 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	300 U	290 U	300 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	300 U	290 U	300 U
Pentachlorophenol	800	6700		690 U	700 U	740 U	720 U	750 U
Phenanthrene	100000	500000		280 U	280 U	220 J	140 J	1100
Phenol	330	500000		280 U	280 U	300 U	290 U	300 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-21 DUP	LP-23 DUP	DW-1	DW-1	DW-2
			Sample Date:	11/16/2010	11/16/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	-	-	8.5-10.5	14.5-16.5	9-11
Pyrene	100000	500000		280 U	23 J	770	280 J	2400

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-2 11/17/2010 15-17	DW-14 11/17/2010 10-12	DW-14 11/17/2010 14-16	DW-15 11/17/2010 10-12	DW-15 11/17/2010 14-16	DW-16 11/17/2010 6-8
2,2'-oxybis (1-chloropropane)	--	--		300 U	310 U	290 U	310 U	310 U	290 U
2,4,5-Trichlorophenol	--	--		1900 U	1900 U	1800 U	1900 U	2000 U	1800 U
2,4,6-Trichlorophenol	--	--		300 U	310 U	290 U	310 U	310 U	290 U
2,4-Dichlorophenol	--	--		300 U	310 U	290 U	310 U	310 U	290 U
2,4-Dimethylphenol	--	--		300 U	310 U	290 U	310 U	310 U	290 U
2,4-Dinitrophenol	--	--		1900 U	1900 U	1800 U	1900 U	2000 U	1800 U
2,4-Dinitrotoluene	--	--		300 U	310 U	290 U	310 U	310 U	290 U
2,6-Dinitrotoluene	--	--		300 U	310 U	290 U	310 U	310 U	290 U
2-Chloronaphthalene	--	--		300 U	310 U	290 U	310 U	310 U	290 U
2-Chlorophenol	--	--		300 U	310 U	290 U	310 U	310 U	290 U
2-Methylnaphthalene	--	--		170 J	310 U	290 U	30 J	310 U	290 U
2-Methylphenol	330	500000		300 U	310 U	290 U	310 U	310 U	290 U
2-Nitroaniline	--	--		760 U	770 U	730 U	760 U	780 U	710 U
2-Nitrophenol	--	--		300 U	310 U	290 U	310 U	310 U	290 U
3,3'-Dichlorobenzidine	--	--		370 U	380 U	360 U	370 U	380 U	350 U
3-Nitroaniline	--	--		760 U	770 U	730 U	760 U	780 U	710 U
4,6-Dinitro-2-methylphenol	--	--		1900 U	1900 U	1800 U	1900 U	2000 U	1800 U
4-Bromophenyl phenyl ether	--	--		300 U	310 U	290 U	310 U	310 U	290 U
4-Chloro-3-methylphenol	--	--		300 U	310 U	290 U	310 U	310 U	290 U
4-Chloroaniline	--	--		300 U	310 U	290 U	310 U	310 U	290 U
4-Chlorophenyl phenyl ether	--	--		300 U	310 U	290 U	310 U	310 U	290 U
4-Methylphenol	330	500000		300 U	310 U	290 U	310 U	310 U	290 U
4-Nitroaniline	--	--		300 U	310 U	290 U	310 U	310 U	290 U
4-Nitrophenol	--	--		1900 U	1900 U	1800 U	1900 U	2000 U	1800 U
Acenaphthene	20000	500000		2400	310 U	290 U	160 J	310 U	290 U
Acenaphthylene	100000	500000		110 J	310 U	290 U	58 J	310 U	290 U
Acetophenone	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Anthracene	100000	500000		17000	51 J	290 U	570	31 J	290 U
Atrazine	--	--		370 U	380 U	360 U	370 U	380 U	350 U
Benzaldehyde	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Benzo[a]anthracene	1000	5600		36000	640	46 J	7000	160 J	13 J
Benzo[a]pyrene	1000	1000		48000	1300	65 J	13000	250 J	290 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-2 11/17/2010 15-17	DW-14 11/17/2010 10-12	DW-14 11/17/2010 14-16	DW-15 11/17/2010 10-12	DW-15 11/17/2010 14-16	DW-16 11/17/2010 6-8
Benzo[b]fluoranthene	1000	5600		53000	2100	96 J	19000	380	25 J
Benzo[g,h,i]perylene	100000	500000		28000	2000	290 U	19000	210 J	290 U
Benzo[k]fluoranthene	800	56000		19000	680	35 J	5900	130 J	290 U
Bis(2-chloroethoxy)methane	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Bis(2-chloroethyl) ether	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Bis(2-ethylhexyl) phthalate	--	--		660	110 J	290 U	1200	82 J	290 U
Butylbenzyl phthalate	--	--		300 U	310 U	290 U	54 J	310 U	290 U
Caprolactam	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Carbazole	--	--		1200	96 J	290 U	790	37 J	290 U
Chrysene	1000	56000		33000	1200	69 J	12000	270 J	290 U
Dibenzo[a,h]anthracene	330	560		6300	290 J	290 U	3700	310 U	290 U
Dibenzofuran	7000	350000		2300	310 U	290 U	120 J	310 U	290 U
Diethyl phthalate	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Dimethyl phthalate	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Di-n-butyl phthalate	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Di-n-octyl phthalate	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Diphenyl	--	--		46 J	310 U	290 U	310 U	310 U	290 U
Fluoranthene	100000	500000		74000	1700	130 J	18000	550	20 J
Fluorene	30000	500000		5100	310 U	290 U	190 J	310 U	290 U
Hexachlorobenzene	330	6000		300 U	310 U	290 U	310 U	310 U	290 U
Hexachlorobutadiene	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Hexachlorocyclopentadiene	--	--		760 U	770 U	730 U	760 U	780 U	710 U
Hexachloroethane	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Indeno[1,2,3-cd]pyrene	500	5600		31000	1700	290 U	18000	200 J	290 U
Isophorone	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Naphthalene	12000	500000		140 J	310 U	290 U	59 J	310 U	290 U
Nitrobenzene	--	69000		300 U	310 U	290 U	310 U	310 U	290 U
n-Nitrosodi-n-propylamine	--	--		300 U	310 U	290 U	310 U	310 U	290 U
n-Nitrosodiphenylamine	--	--		300 U	310 U	290 U	310 U	310 U	290 U
Pentachlorophenol	800	6700		760 U	770 U	730 U	760 U	780 U	710 U
Phenanthrene	100000	500000		41000	380	49 J	4800	230 J	290 U
Phenol	330	500000		300 U	310 U	290 U	310 U	310 U	290 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-2	DW-14	DW-14	DW-15	DW-15	DW-16
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	15-17	10-12	14-16	10-12	14-16	6-8
Pyrene	100000	500000		70000	1700	110 J	18000	470	17 J

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-16 11/17/2010 12-14	DW-22 11/17/2010 10-12	DW-22 11/17/2010 14-16	LP-1 11/15/2010 10-12	LP-1 11/15/2010 14-16	LP-2 11/15/2010 10-12
2,2'-oxybis (1-chloropropane)	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	7100 U
2,4,6-Trichlorophenol	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2,4-Dichlorophenol	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2,4-Dimethylphenol	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	7100 U
2,4-Dinitrotoluene	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2,6-Dinitrotoluene	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2-Chloronaphthalene	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2-Chlorophenol	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2-Methylnaphthalene	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
2-Methylphenol	330	500000		290 U	290 U	290 U	280 U	280 U	1100 U
2-Nitroaniline	--	--		710 U	710 U	720 U	700 U	700 U	2800 U
2-Nitrophenol	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
3,3'-Dichlorobenzidine	--	--		350 U	350 U	350 U	340 U	340 U	1400 U
3-Nitroaniline	--	--		710 U	710 U	720 U	700 U	700 U	2800 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	7100 U
4-Bromophenyl phenyl ether	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
4-Chloro-3-methylphenol	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
4-Chloroaniline	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
4-Chlorophenyl phenyl ether	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
4-Methylphenol	330	500000		290 U	290 U	290 U	280 U	280 U	1100 U
4-Nitroaniline	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	7100 U
Acenaphthene	20000	500000		290 U	20 J	290 U	280 U	280 U	1100 U
Acenaphthylene	100000	500000		290 U	290 U	290 U	280 U	280 U	1100 U
Acetophenone	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Anthracene	100000	500000		290 U	33 J	290 U	280 U	280 U	1100 U
Atrazine	--	--		350 U	350 U	350 U	340 U	340 U	1400 U
Benzaldehyde	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Benzo[a]anthracene	1000	5600		110 J	270 J	29 J	280 U	280 U	62 J
Benzo[a]pyrene	1000	1000		190 J	370	33 J	280 U	280 U	1100 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-16	DW-22	DW-22	LP-1	LP-1	LP-2
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	12-14	10-12	14-16	10-12	14-16	10-12
Benzo[b]fluoranthene	1000	5600		260 J	580	44 J	280 U	280 U	88 J
Benzo[g,h,i]perylene	100000	500000		150 J	240 J	22 J	280 U	280 U	1100 U
Benzo[k]fluoranthene	800	56000		93 J	180 J	290 U	280 U	280 U	1100 U
Bis(2-chloroethoxy)methane	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Bis(2-chloroethyl) ether	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Bis(2-ethylhexyl) phthalate	--	--		290 U	49 J	42 J	280 U	36 J	1100 U
Butylbenzyl phthalate	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Caprolactam	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Carbazole	--	--		290 U	63 J	290 U	280 U	280 U	1100 U
Chrysene	1000	56000		170 J	480	42 J	280 U	280 U	1100 U
Dibenzo[a,h]anthracene	330	560		290 U	52 J	290 U	280 U	280 U	1100 U
Dibenzofuran	7000	350000		290 U	290 U	290 U	280 U	280 U	1100 U
Diethyl phthalate	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Dimethyl phthalate	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Di-n-butyl phthalate	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Di-n-octyl phthalate	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Diphenyl	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Fluoranthene	100000	500000		270 J	940	79 J	280 U	280 U	110 J
Fluorene	30000	500000		290 U	21 J	290 U	280 U	280 U	1100 U
Hexachlorobenzene	330	6000		290 U	290 U	290 U	280 U	280 U	1100 U
Hexachlorobutadiene	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Hexachlorocyclopentadiene	--	--		710 U	710 U	720 U	700 U	700 U	2800 U
Hexachloroethane	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Indeno[1,2,3-cd]pyrene	500	5600		130 J	250 J	290 U	280 U	280 U	1100 U
Isophorone	--	--		290 U	290 U	290 U	280 U	280 U	230 J
Naphthalene	12000	500000		290 U	290 U	290 U	280 U	280 U	1100 U
Nitrobenzene	--	69000		290 U	290 U	290 U	280 U	280 U	1100 U
n-Nitrosodi-n-propylamine	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
n-Nitrosodiphenylamine	--	--		290 U	290 U	290 U	280 U	280 U	1100 U
Pentachlorophenol	800	6700		710 U	710 U	720 U	700 U	700 U	2800 U
Phenanthrene	100000	500000		81 J	410	39 J	280 U	280 U	1100 U
Phenol	330	500000		290 U	290 U	290 U	280 U	280 U	1100 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-16	DW-22	DW-22	LP-1	LP-1	LP-2
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	12-14	10-12	14-16	10-12	14-16	10-12
Pyrene	100000	500000		220 J	780	67 J	280 U	280 U	120 J

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-2 11/15/2010 14-16	LP-3 11/15/2010 10-12	LP-3 11/15/2010 14-16	LP-4 11/15/2010 14-16	LP-5 11/15/2010 10-12	LP-5 11/15/2010 14-16
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2-Chlorophenol	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	290 U	280 U	280 U	280 U
2-Methylphenol	330	500000		280 U	280 U	290 U	280 U	280 U	280 U
2-Nitroaniline	--	--		690 U	690 U	710 U	700 U	700 U	700 U
2-Nitrophenol	--	--		280 U	280 U	290 U	280 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	350 U	350 U	350 U	340 U
3-Nitroaniline	--	--		690 U	690 U	710 U	700 U	700 U	700 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	290 U	280 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	290 U	280 U	280 U	280 U
4-Chloroaniline	--	--		280 U	280 U	290 U	280 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	290 U	280 U	280 U	280 U
4-Methylphenol	330	500000		280 U	280 U	290 U	280 U	280 U	280 U
4-Nitroaniline	--	--		280 U	280 U	290 U	280 U	280 U	280 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	290 U	280 U	280 U	280 U
Acenaphthylene	100000	500000		280 U	280 U	290 U	280 U	280 U	280 U
Acetophenone	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Anthracene	100000	500000		280 U	280 U	290 U	280 U	280 U	280 U
Atrazine	--	--		340 U	340 U	350 U	350 U	350 U	340 U
Benzaldehyde	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Benzo[a]anthracene	1000	5600		280 U	280 U	290 U	280 U	280 U	280 U
Benzo[a]pyrene	1000	1000		280 U	280 U	290 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-2 11/15/2010 14-16	LP-3 11/15/2010 10-12	LP-3 11/15/2010 14-16	LP-4 11/15/2010 14-16	LP-5 11/15/2010 10-12	LP-5 11/15/2010 14-16
Benzo[b]fluoranthene	1000	5600		280 U	280 U	290 U	280 U	280 U	280 U
Benzo[g,h,i]perylene	100000	500000		280 U	280 U	290 U	280 U	280 U	280 U
Benzo[k]fluoranthene	800	56000		280 U	280 U	290 U	280 U	280 U	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--	37 J	280 U	280 U	290 U	280 U	58 J	43 J
Butylbenzyl phthalate	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Caprolactam	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Carbazole	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Chrysene	1000	56000		280 U	280 U	290 U	280 U	280 U	280 U
Dibenzo[a,h]anthracene	330	560		280 U	280 U	290 U	280 U	280 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	290 U	280 U	280 U	280 U
Diethyl phthalate	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Dimethyl phthalate	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Diphenyl	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Fluoranthene	100000	500000		280 U	280 U	290 U	280 U	280 U	280 U
Fluorene	30000	500000		280 U	280 U	290 U	280 U	280 U	280 U
Hexachlorobenzene	330	6000		280 U	280 U	290 U	280 U	280 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		690 U	690 U	710 U	700 U	700 U	700 U
Hexachloroethane	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	280 U	290 U	280 U	280 U	280 U
Isophorone	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Naphthalene	12000	500000		280 U	280 U	290 U	280 U	280 U	280 U
Nitrobenzene	--	69000		280 U	280 U	290 U	280 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	290 U	280 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	290 U	280 U	280 U	280 U
Pentachlorophenol	800	6700		690 U	690 U	710 U	700 U	700 U	700 U
Phenanthrene	100000	500000		280 U	280 U	290 U	280 U	280 U	280 U
Phenol	330	500000		280 U	280 U	290 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-2	LP-3	LP-3	LP-4	LP-5	LP-5
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	14-16	10-12	14-16
Pyrene	100000	500000		280 U	280 U	290 U	280 U	280 U	280 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-6 11/15/2010 10-12	LP-6 11/15/2010 14-16	LP-7 11/15/2010 10-12	LP-7 DUP 11/15/2010 10-12	LP-7 11/15/2010 14-16	LP-8 11/15/2010 10-12
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1700 U	1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1700 U	1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2-Chlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2-Methylphenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U
2-Nitroaniline	--	--		690 U	690 U	690 U	690 U	700 U	690 U
2-Nitrophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	340 U	340 U	340 U	340 U
3-Nitroaniline	--	--		690 U	690 U	690 U	690 U	700 U	690 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1700 U	1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Chloroaniline	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Methylphenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U
4-Nitroaniline	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Nitrophenol	--	--		1800 U	1800 U	1700 U	1800 U	1800 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Acenaphthylene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Acetophenone	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Anthracene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Atrazine	--	--		340 U	340 U	340 U	340 U	340 U	340 U
Benzaldehyde	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Benzo[a]anthracene	1000	5600		280 U	280 U	280 U	280 U	12 J	280 U
Benzo[a]pyrene	1000	1000		280 U	280 U	280 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-6	LP-6	LP-7	LP-7 DUP	LP-7	LP-8
Parameter	Unrestricted	Restricted	Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
(Concentrations in µg/kg)	Use	Commercial	Sample Depth (ft bls):	10-12	14-16	10-12	10-12	14-16	10-12
Benzo[b]fluoranthene	1000	5600		280 U	280 U	280 U	280 U	9.6 J	280 U
Benzo[g,h,i]perylene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Benzo[k]fluoranthene	800	56000		280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Butylbenzyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Caprolactam	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Carbazole	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Chrysene	1000	56000		280 U	280 U	280 U	280 U	280 U	280 U
Dibenzo[a,h]anthracene	330	560		280 U	280 U	280 U	280 U	280 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	280 U	280 U	280 U	280 U
Diethyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Dimethyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Diphenyl	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Fluoranthene	100000	500000		280 U	280 U	280 U	280 U	21 J	280 U
Fluorene	30000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobenzene	330	6000		280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		690 U	690 U	690 U	690 U	700 U	690 U
Hexachloroethane	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	280 U	280 U	280 U	280 U	280 U
Isophorone	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Naphthalene	12000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Nitrobenzene	--	69000		280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Pentachlorophenol	800	6700		690 U	690 U	690 U	690 U	700 U	690 U
Phenanthrene	100000	500000		280 U	280 U	280 U	280 U	16 J	280 U
Phenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-6	LP-6	LP-7	LP-7 DUP	LP-7	LP-8
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	10-12	14-16	10-12
Pyrene	100000	500000		280 U	280 U	280 U	280 U	17 J	280 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-8 11/15/2010 14-16	LP-9 11/15/2010 10-12	LP-9 11/15/2010 14-16	LP-10 11/15/2010 10-12	LP-10 11/15/2010 14-16	LP-11 11/15/2010 15-17
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2-Chlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
2-Methylphenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U
2-Nitroaniline	--	--		690 U	700 U	700 U	710 U	690 U	690 U
2-Nitrophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	350 U	340 U	350 U	340 U	340 U
3-Nitroaniline	--	--		690 U	700 U	700 U	710 U	690 U	690 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Chloroaniline	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Methylphenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U
4-Nitroaniline	--	--		280 U	280 U	280 U	280 U	280 U	280 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Acenaphthylene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Acetophenone	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Anthracene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Atrazine	--	--		340 U	350 U	340 U	350 U	340 U	340 U
Benzaldehyde	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Benzo[a]anthracene	1000	5600		280 U	280 U	280 U	280 U	280 U	280 U
Benzo[a]pyrene	1000	1000		280 U	280 U	280 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-8	LP-9	LP-9	LP-10	LP-10	LP-11
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	15-17
Benzo[b]fluoranthene	1000	5600		280 U	280 U	280 U	280 U	280 U	280 U
Benzo[g,h,i]perylene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Benzo[k]fluoranthene	800	56000		280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		280 U	280 U	43 J	280 U	280 U	280 U
Butylbenzyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Caprolactam	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Carbazole	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Chrysene	1000	56000		280 U	280 U	280 U	280 U	280 U	280 U
Dibenzo[a,h]anthracene	330	560		280 U	280 U	280 U	280 U	280 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	280 U	280 U	280 U	280 U
Diethyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Dimethyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Diphenyl	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Fluoranthene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Fluorene	30000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobenzene	330	6000		280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		690 U	700 U	700 U	710 U	690 U	690 U
Hexachloroethane	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	280 U	280 U	280 U	280 U	280 U
Isophorone	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Naphthalene	12000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Nitrobenzene	--	69000		280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	280 U	280 U	280 U	280 U
Pentachlorophenol	800	6700		690 U	700 U	700 U	710 U	690 U	690 U
Phenanthrene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U
Phenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-8	LP-9	LP-9	LP-10	LP-10	LP-11
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	15-17
Pyrene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-11 11/15/2010 19-21	LP-12 11/15/2010 11-13	LP-12 11/15/2010 17-19	LP-13 11/15/2010 10-12	LP-13 11/15/2010 15-17	LP-14 11/15/2010 14-16
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	280 U	290 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1700 U	1700 U	1800 U	1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	280 U	290 U	280 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	280 U	290 U	280 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	280 U	290 U	280 U	280 U
2,4-Dinitrophenol	--	--		1700 U	1700 U	1800 U	1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	280 U	290 U	280 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	280 U	290 U	280 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	280 U	290 U	280 U	280 U
2-Chlorophenol	--	--		280 U	280 U	280 U	290 U	280 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	280 U	290 U	49 J	280 U
2-Methylphenol	330	500000		280 U	280 U	280 U	290 U	280 U	280 U
2-Nitroaniline	--	--		690 U	690 U	690 U	710 U	690 U	690 U
2-Nitrophenol	--	--		280 U	280 U	280 U	290 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	340 U	350 U	340 U	340 U
3-Nitroaniline	--	--		690 U	690 U	690 U	710 U	690 U	690 U
4,6-Dinitro-2-methylphenol	--	--		1700 U	1700 U	1800 U	1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	280 U	290 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	280 U	290 U	280 U	280 U
4-Chloroaniline	--	--		280 U	280 U	280 U	290 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	280 U	290 U	280 U	280 U
4-Methylphenol	330	500000		280 U	280 U	280 U	290 U	280 U	280 U
4-Nitroaniline	--	--		280 U	280 U	280 U	290 U	280 U	280 U
4-Nitrophenol	--	--		1700 U	1700 U	1800 U	1800 U	1800 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	280 U	290 U	30 J	280 U
Acenaphthylene	100000	500000		280 U	280 U	280 U	290 U	52 J	280 U
Acetophenone	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Anthracene	100000	500000		280 U	280 U	280 U	290 U	49 J	280 U
Atrazine	--	--		340 U	340 U	340 U	350 U	340 U	340 U
Benzaldehyde	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Benzo[a]anthracene	1000	5600		280 U	55 J	280 U	10 J	14 J	280 U
Benzo[a]pyrene	1000	1000		280 U	52 J	280 U	13 J	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-11 11/15/2010 19-21	LP-12 11/15/2010 11-13	LP-12 11/15/2010 17-19	LP-13 11/15/2010 10-12	LP-13 11/15/2010 15-17	LP-14 11/15/2010 14-16
Benzo[b]fluoranthene	1000	5600		280 U	100 J	280 U	21 J	7.9 J	280 U
Benzo[g,h,i]perylene	100000	500000		280 U	35 J	280 U	290 U	280 U	280 U
Benzo[k]fluoranthene	800	56000		280 U	48 J	280 U	290 U	280 U	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		280 U	28 J	280 U	290 U	280 U	280 U
Butylbenzyl phthalate	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Caprolactam	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Carbazole	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Chrysene	1000	56000		280 U	84 J	280 U	290 U	280 U	280 U
Dibenzo[a,h]anthracene	330	560		280 U	280 U	280 U	290 U	280 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	280 U	290 U	100 J	280 U
Diethyl phthalate	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Dimethyl phthalate	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Diphenyl	--	--		280 U	280 U	280 U	290 U	24 J	280 U
Fluoranthene	100000	500000		280 U	160 J	280 U	29 J	51 J	280 U
Fluorene	30000	500000		280 U	280 U	280 U	290 U	97 J	280 U
Hexachlorobenzene	330	6000		280 U	280 U	280 U	290 U	280 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		690 U	690 U	690 U	710 U	690 U	690 U
Hexachloroethane	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	34 J	280 U	290 U	280 U	280 U
Isophorone	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Naphthalene	12000	500000		280 U	280 U	280 U	290 U	120 J	280 U
Nitrobenzene	--	69000		280 U	280 U	280 U	290 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	280 U	290 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	280 U	290 U	280 U	280 U
Pentachlorophenol	800	6700		690 U	690 U	690 U	710 U	690 U	690 U
Phenanthrene	100000	500000		280 U	100 J	280 U	19 J	220 J	280 U
Phenol	330	500000		280 U	280 U	280 U	290 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-11	LP-12	LP-12	LP-13	LP-13	LP-14
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	19-21	11-13	17-19	10-12	15-17	14-16
Pyrene	100000	500000		280 U	140 J	280 U	25 J	37 J	280 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-15 11/16/2010 14-16	LP-16 11/16/2010 10-12	LP-16 11/16/2010 14-16	LP-17 11/16/2010 10-12	LP-17 11/16/2010 14-16	LP-18 11/16/2010 10-12
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1700 U	1700 U	1700 U	1700 U	1700 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2,4-Dinitrophenol	--	--		1700 U	1700 U	1700 U	1700 U	1700 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2-Chlorophenol	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	270 U	270 U	280 U	280 U
2-Methylphenol	330	500000		280 U	280 U	270 U	270 U	280 U	280 U
2-Nitroaniline	--	--		680 U	680 U	660 U	680 U	690 U	700 U
2-Nitrophenol	--	--		280 U	280 U	270 U	270 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	330 U	340 U	340 U	350 U
3-Nitroaniline	--	--		680 U	680 U	660 U	680 U	690 U	700 U
4,6-Dinitro-2-methylphenol	--	--		1700 U	1700 U	1700 U	1700 U	1700 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	270 U	270 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	270 U	270 U	280 U	280 U
4-Chloroaniline	--	--		280 U	280 U	270 U	270 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	270 U	270 U	280 U	280 U
4-Methylphenol	330	500000		280 U	280 U	270 U	270 U	280 U	280 U
4-Nitroaniline	--	--		280 U	280 U	270 U	270 U	280 U	280 U
4-Nitrophenol	--	--		1700 U	1700 U	1700 U	1700 U	1700 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	270 U	270 U	280 U	280 U
Acenaphthylene	100000	500000		280 U	280 U	270 U	270 U	280 U	280 U
Acetophenone	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Anthracene	100000	500000		280 U	280 U	270 U	270 U	280 U	280 U
Atrazine	--	--		340 U	340 U	330 U	340 U	340 U	350 U
Benzaldehyde	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Benzo[a]anthracene	1000	5600		280 U	280 U	49 J	270 U	280 U	24 J
Benzo[a]pyrene	1000	1000		280 U	280 U	56 J	270 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-15	LP-16	LP-16	LP-17	LP-17	LP-18
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	10-12
Benzo[b]fluoranthene	1000	5600		280 U	280 U	100 J	270 U	280 U	27 J
Benzo[g,h,i]perylene	100000	500000		280 U	280 U	280	270 U	280 U	280 U
Benzo[k]fluoranthene	800	56000		280 U	280 U	48 J	270 U	280 U	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		280 U	280 U	270 U	270 U	180 J	220 J
Butylbenzyl phthalate	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Caprolactam	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Carbazole	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Chrysene	1000	56000		280 U	280 U	88 J	270 U	280 U	29 J
Dibenzo[a,h]anthracene	330	560		280 U	280 U	270 U	270 U	280 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	270 U	270 U	280 U	280 U
Diethyl phthalate	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Dimethyl phthalate	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Diphenyl	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Fluoranthene	100000	500000		21 J	280 U	160 J	270 U	280 U	130 J
Fluorene	30000	500000		280 U	280 U	270 U	270 U	280 U	280 U
Hexachlorobenzene	330	6000		280 U	280 U	270 U	270 U	280 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		680 U	680 U	660 U	680 U	690 U	700 U
Hexachloroethane	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	280 U	290	270 U	280 U	280 U
Isophorone	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Naphthalene	12000	500000		280 U	280 U	270 U	270 U	280 U	280 U
Nitrobenzene	--	69000		280 U	280 U	270 U	270 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	270 U	270 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	270 U	270 U	280 U	280 U
Pentachlorophenol	800	6700		680 U	680 U	660 U	680 U	690 U	700 U
Phenanthrene	100000	500000		280 U	280 U	60 J	270 U	280 U	140 J
Phenol	330	500000		280 U	280 U	270 U	270 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-15	LP-16	LP-16	LP-17	LP-17	LP-18
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	10-12
Pyrene	100000	500000		280 U	280 U	120 J	270 U	280 U	70 J

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-18 11/16/2010 14-16	LP-19 11/16/2010 10-12	LP-19 11/16/2010 14-16	LP-20 11/16/2010 10-12	LP-20 11/16/2010 14-16	LP-21 11/16/2010 14-16
2,2'-oxybis (1-chloropropane)	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1700 U	1800 U	1700 U	1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2,4-Dichlorophenol	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2,4-Dimethylphenol	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2,4-Dinitrophenol	--	--		1700 U	1800 U	1700 U	1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2,6-Dinitrotoluene	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2-Chloronaphthalene	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2-Chlorophenol	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2-Methylnaphthalene	--	--		270 U	280 U	270 U	280 U	280 U	280 U
2-Methylphenol	330	500000		270 U	280 U	270 U	280 U	280 U	280 U
2-Nitroaniline	--	--		670 U	700 U	680 U	700 U	690 U	700 U
2-Nitrophenol	--	--		270 U	280 U	270 U	280 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		330 U	340 U	330 U	340 U	340 U	340 U
3-Nitroaniline	--	--		670 U	700 U	680 U	700 U	690 U	700 U
4,6-Dinitro-2-methylphenol	--	--		1700 U	1800 U	1700 U	1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		270 U	280 U	270 U	280 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		270 U	280 U	270 U	280 U	280 U	280 U
4-Chloroaniline	--	--		270 U	280 U	270 U	280 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		270 U	280 U	270 U	280 U	280 U	280 U
4-Methylphenol	330	500000		270 U	280 U	270 U	280 U	280 U	280 U
4-Nitroaniline	--	--		270 U	280 U	270 U	280 U	280 U	280 U
4-Nitrophenol	--	--		1700 U	1800 U	1700 U	1800 U	1800 U	1800 U
Acenaphthene	20000	500000		270 U	280 U	270 U	280 U	280 U	280 U
Acenaphthylene	100000	500000		270 U	280 U	270 U	280 U	280 U	280 U
Acetophenone	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Anthracene	100000	500000		270 U	280 U	270 U	28 J	280 U	280 U
Atrazine	--	--		330 U	340 U	330 U	340 U	340 U	340 U
Benzaldehyde	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Benzo[a]anthracene	1000	5600		270 U	35 J	270 U	200 J	73 J	280 U
Benzo[a]pyrene	1000	1000		270 U	33 J	270 U	260 J	89 J	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-18 11/16/2010 14-16	LP-19 11/16/2010 10-12	LP-19 11/16/2010 14-16	LP-20 11/16/2010 10-12	LP-20 11/16/2010 14-16	LP-21 11/16/2010 14-16
Benzo[b]fluoranthene	1000	5600		270 U	43 J	270 U	380	150 J	280 U
Benzo[g,h,i]perylene	100000	500000		270 U	280	270 U	540	340	280 U
Benzo[k]fluoranthene	800	56000		270 U	280 U	270 U	140 J	66 J	280 U
Bis(2-chloroethoxy)methane	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		38 J	280 U	64 J	170 J	140 J	39 J
Butylbenzyl phthalate	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Caprolactam	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Carbazole	--	--		270 U	280 U	270 U	49 J	16 J	280 U
Chrysene	1000	56000		270 U	38 J	270 U	330	140 J	280 U
Dibenzo[a,h]anthracene	330	560		270 U	280 U	270 U	310	280 U	280 U
Dibenzofuran	7000	350000		270 U	280 U	270 U	280 U	280 U	280 U
Diethyl phthalate	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Dimethyl phthalate	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Di-n-butyl phthalate	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Di-n-octyl phthalate	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Diphenyl	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Fluoranthene	100000	500000		270 U	53 J	270 U	690	290	280 U
Fluorene	30000	500000		270 U	280 U	270 U	280 U	280 U	280 U
Hexachlorobenzene	330	6000		270 U	280 U	270 U	280 U	280 U	280 U
Hexachlorobutadiene	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		670 U	700 U	680 U	700 U	690 U	700 U
Hexachloroethane	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		270 U	280 U	270 U	520	350	280 U
Isophorone	--	--		270 U	280 U	270 U	520	280 U	280 U
Naphthalene	12000	500000		270 U	280 U	270 U	280 U	280 U	280 U
Nitrobenzene	--	69000		270 U	280 U	270 U	280 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		270 U	280 U	270 U	280 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		270 U	280 U	270 U	280 U	280 U	280 U
Pentachlorophenol	800	6700		670 U	700 U	680 U	700 U	690 U	700 U
Phenanthrene	100000	500000		270 U	280 U	270 U	350	110 J	280 U
Phenol	330	500000		270 U	280 U	270 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-18	LP-19	LP-19	LP-20	LP-20	LP-21
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	14-16
Pyrene	100000	500000		270 U	43 J	270 U	700	230 J	280 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-22 11/16/2010 14-16	LP-23 11/16/2010 14-16	LP-24 11/16/2010 14-16	LP-25 11/16/2010 14-16	LP-26 11/16/2010 14-16	LP-27 11/16/2010 14-16
2,2'-oxybis (1-chloropropane)	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2,4,5-Trichlorophenol	--	--		1700 U	1800 U	1700 U	1700 U	1700 U	1800 U
2,4,6-Trichlorophenol	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2,4-Dichlorophenol	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2,4-Dimethylphenol	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2,4-Dinitrophenol	--	--		1700 U	1800 U	1700 U	1700 U	1700 U	1800 U
2,4-Dinitrotoluene	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2,6-Dinitrotoluene	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2-Chloronaphthalene	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2-Chlorophenol	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2-Methylnaphthalene	--	--		270 U	280 U	280 U	270 U	270 U	280 U
2-Methylphenol	330	500000		270 U	280 U	280 U	270 U	270 U	280 U
2-Nitroaniline	--	--		670 U	700 U	690 U	660 U	670 U	700 U
2-Nitrophenol	--	--		270 U	280 U	280 U	270 U	270 U	280 U
3,3'-Dichlorobenzidine	--	--		330 U	340 U	340 U	320 U	330 U	340 U
3-Nitroaniline	--	--		670 U	700 U	690 U	660 U	670 U	700 U
4,6-Dinitro-2-methylphenol	--	--		1700 U	1800 U	1700 U	1700 U	1700 U	1800 U
4-Bromophenyl phenyl ether	--	--		270 U	280 U	280 U	270 U	270 U	280 U
4-Chloro-3-methylphenol	--	--		270 U	280 U	280 U	270 U	270 U	280 U
4-Chloroaniline	--	--		270 U	280 U	280 U	270 U	270 U	280 U
4-Chlorophenyl phenyl ether	--	--		270 U	280 U	280 U	270 U	270 U	280 U
4-Methylphenol	330	500000		270 U	280 U	280 U	270 U	270 U	280 U
4-Nitroaniline	--	--		270 U	280 U	280 U	270 U	270 U	280 U
4-Nitrophenol	--	--		1700 U	1800 U	1700 U	1700 U	1700 U	1800 U
Acenaphthene	20000	500000		270 U	280 U	280 U	270 U	270 U	280 U
Acenaphthylene	100000	500000		270 U	280 U	280 U	270 U	270 U	280 U
Acetophenone	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Anthracene	100000	500000		270 U	280 U	280 U	270 U	270 U	280 U
Atrazine	--	--		330 U	340 U	340 U	320 U	330 U	340 U
Benzaldehyde	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Benzo[a]anthracene	1000	5600		270 U	18 J	280 U	270 U	270 U	37 J
Benzo[a]pyrene	1000	1000		270 U	280 U	280 U	270 U	270 U	110 J

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-22	LP-23	LP-24	LP-25	LP-26	LP-27
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	14-16	14-16	14-16	14-16	14-16
Benzo[b]fluoranthene	1000	5600		270 U	280 U	280 U	270 U	270 U	180 J
Benzo[g,h,i]perylene	100000	500000		270 U	280 U	280 U	270 U	270 U	220 J
Benzo[k]fluoranthene	800	56000		270 U	280 U	280 U	270 U	270 U	51 J
Bis(2-chloroethoxy)methane	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Bis(2-chloroethyl) ether	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		68 J	280 U	74 J	270 U	270 U	34 J
Butylbenzyl phthalate	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Caprolactam	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Carbazole	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Chrysene	1000	56000		270 U	23 J	280 U	270 U	270 U	100 J
Dibenzo[a,h]anthracene	330	560		270 U	280 U	280 U	270 U	270 U	280 U
Dibenzofuran	7000	350000		270 U	280 U	280 U	270 U	270 U	280 U
Diethyl phthalate	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Dimethyl phthalate	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Di-n-butyl phthalate	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Di-n-octyl phthalate	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Diphenyl	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Fluoranthene	100000	500000		270 U	47 J	280 U	270 U	270 U	140 J
Fluorene	30000	500000		270 U	280 U	280 U	270 U	270 U	280 U
Hexachlorobenzene	330	6000		270 U	280 U	280 U	270 U	270 U	280 U
Hexachlorobutadiene	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Hexachlorocyclopentadiene	--	--		670 U	700 U	690 U	660 U	670 U	700 U
Hexachloroethane	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		270 U	280 U	280 U	270 U	270 U	160 J
Isophorone	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Naphthalene	12000	500000		270 U	280 U	280 U	270 U	270 U	280 U
Nitrobenzene	--	69000		270 U	280 U	280 U	270 U	270 U	280 U
n-Nitrosodi-n-propylamine	--	--		270 U	280 U	280 U	270 U	270 U	280 U
n-Nitrosodiphenylamine	--	--		270 U	280 U	280 U	270 U	270 U	280 U
Pentachlorophenol	800	6700		670 U	700 U	690 U	660 U	670 U	700 U
Phenanthrene	100000	500000		270 U	24 J	280 U	270 U	270 U	32 J
Phenol	330	500000		270 U	280 U	280 U	270 U	270 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-22	LP-23	LP-24	LP-25	LP-26	LP-27
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	14-16	14-16	14-16	14-16	14-16
Pyrene	100000	500000		270 U	46 J	280 U	270 U	270 U	160 J

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-28 11/16/2010 14-16	LP-29 11/16/2010 10-12	LP-29 11/16/2010 14-16	MW-20 11/17/2010 18-20
2,2'-oxybis (1-chloropropane)	--	--		270 U	280 U	280 U	290 U
2,4,5-Trichlorophenol	--	--		1700 U	1800 U	1700 U	1800 U
2,4,6-Trichlorophenol	--	--		270 U	280 U	280 U	290 U
2,4-Dichlorophenol	--	--		270 U	280 U	280 U	290 U
2,4-Dimethylphenol	--	--		270 U	280 U	280 U	290 U
2,4-Dinitrophenol	--	--		1700 U	1800 U	1700 U	1800 U
2,4-Dinitrotoluene	--	--		270 U	280 U	280 U	290 U
2,6-Dinitrotoluene	--	--		270 U	280 U	280 U	290 U
2-Chloronaphthalene	--	--		270 U	280 U	280 U	290 U
2-Chlorophenol	--	--		270 U	280 U	280 U	290 U
2-Methylnaphthalene	--	--		270 U	280 U	280 U	290 U
2-Methylphenol	330	500000		270 U	280 U	280 U	290 U
2-Nitroaniline	--	--		680 U	690 U	690 U	710 U
2-Nitrophenol	--	--		270 U	280 U	280 U	290 U
3,3'-Dichlorobenzidine	--	--		330 U	340 U	340 U	350 U
3-Nitroaniline	--	--		680 U	690 U	690 U	710 U
4,6-Dinitro-2-methylphenol	--	--		1700 U	1800 U	1700 U	1800 U
4-Bromophenyl phenyl ether	--	--		270 U	280 U	280 U	290 U
4-Chloro-3-methylphenol	--	--		270 U	280 U	280 U	290 U
4-Chloroaniline	--	--		270 U	280 U	280 U	290 U
4-Chlorophenyl phenyl ether	--	--		270 U	280 U	280 U	290 U
4-Methylphenol	330	500000		270 U	280 U	280 U	290 U
4-Nitroaniline	--	--		270 U	280 U	280 U	290 U
4-Nitrophenol	--	--		1700 U	1800 U	1700 U	1800 U
Acenaphthene	20000	500000		270 U	280 U	280 U	290 U
Acenaphthylene	100000	500000		270 U	280 U	280 U	290 U
Acetophenone	--	--		270 U	280 U	280 U	290 U
Anthracene	100000	500000		270 U	280 U	280 U	290 U
Atrazine	--	--		330 U	340 U	340 U	350 U
Benzaldehyde	--	--		270 U	280 U	280 U	290 U
Benzo[a]anthracene	1000	5600		270 U	280 U	280 U	290 U
Benzo[a]pyrene	1000	1000		270 U	280 U	280 U	8.5 J

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-28	LP-29	LP-29	MW-20
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/17/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	18-20
Benzo[b]fluoranthene	1000	5600		270 U	280 U	280 U	12 J
Benzo[g,h,i]perylene	100000	500000		270 U	280 U	280 U	290 U
Benzo[k]fluoranthene	800	56000		270 U	280 U	280 U	290 U
Bis(2-chloroethoxy)methane	--	--		270 U	280 U	280 U	290 U
Bis(2-chloroethyl) ether	--	--		270 U	280 U	280 U	290 U
Bis(2-ethylhexyl) phthalate	--	--		270 U	40 J	280 U	200 J
Butylbenzyl phthalate	--	--		270 U	280 U	280 U	290 U
Caprolactam	--	--		270 U	280 U	280 U	290 U
Carbazole	--	--		270 U	280 U	280 U	290 U
Chrysene	1000	56000		270 U	280 U	280 U	290 U
Dibenzo[a,h]anthracene	330	560		270 U	280 U	280 U	290 U
Dibenzofuran	7000	350000		270 U	280 U	280 U	290 U
Diethyl phthalate	--	--		270 U	280 U	280 U	290 U
Dimethyl phthalate	--	--		270 U	280 U	280 U	290 U
Di-n-butyl phthalate	--	--		270 U	280 U	280 U	290 U
Di-n-octyl phthalate	--	--		270 U	280 U	280 U	290 U
Diphenyl	--	--		270 U	280 U	280 U	290 U
Fluoranthene	100000	500000		270 U	280 U	280 U	290 U
Fluorene	30000	500000		270 U	280 U	280 U	290 U
Hexachlorobenzene	330	6000		270 U	280 U	280 U	290 U
Hexachlorobutadiene	--	--		270 U	280 U	280 U	290 U
Hexachlorocyclopentadiene	--	--		680 U	690 U	690 U	710 U
Hexachloroethane	--	--		270 U	280 U	280 U	290 U
Indeno[1,2,3-cd]pyrene	500	5600		270 U	280 U	280 U	290 U
Isophorone	--	--		270 U	280 U	280 U	290 U
Naphthalene	12000	500000		270 U	280 U	280 U	290 U
Nitrobenzene	--	69000		270 U	280 U	280 U	290 U
n-Nitrosodi-n-propylamine	--	--		270 U	280 U	280 U	290 U
n-Nitrosodiphenylamine	--	--		270 U	280 U	280 U	290 U
Pentachlorophenol	800	6700		680 U	690 U	690 U	710 U
Phenanthrene	100000	500000		270 U	280 U	280 U	290 U
Phenol	330	500000		270 U	280 U	280 U	290 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-28	LP-29	LP-29	MW-20
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/17/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	18-20
Pyrene	100000	500000		270 U	280 U	280 U	290 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-1	DW-1	DW-2	DW-2	DW-14	DW-14
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	8.5-10.5	14.5-16.5	9-11	15-17	10-12	14-16
Aluminum	--	--		3230	1720	112	2380	1990	1850
Antimony	--	--		0.54 U	0.52 U	0.028 U	0.55 U	0.56 U	0.54 U
Arsenic	13	16		1.8	0.73	0.076	3.8	1.9	0.98
Barium	350	400		14.1	2.8	0.4	3.5	8.8	4.5
Beryllium	7.2	590		0.22	0.21 U	0.0086 J	0.16 J	0.22 U	0.22 U
Cadmium	2.5	9.3		0.54 U	0.52 U	0.028 U	0.55 U	0.56 U	0.54 U
Calcium	--	--		476	77	128	89.5	404	51.9 J
Chromium	30	1500		9.8	2.7	0.23	12.4	3.3	3.6
Cobalt	--	--		2.4	1.4	0.062	1.3	2.4	1.1 U
Copper	50	270		6.6	3.2	0.23	4.7	10.5	2.5
Iron	--	--		7390	3630	348	10700	5730	2950
Lead	63	1000		26.7	2.4	3.3	3.2	13.3	1.7
Magnesium	--	--		1180	133	82.6	199	438	145
Manganese	1600	10000		365	31.4	2.3	61.8	80.8	67.2
Mercury	0.18	2.8		0.035 U	0.037	0.027 J	0.034 U	0.037 U	0.035 U
Nickel	30	310		6.4	1.8	0.2	2.9	2.9	1.8
Potassium	--	--		371	98.9	9.9	146	144	112
Selenium	3.9	1500		0.57	0.52 U	0.027 J	0.54 J	0.4 J	0.54 U
Silver	2	1500		1.1 U	1 U	0.055 U	1.1 U	1.1 U	1.1 U
Sodium	--	--		54.2 U	51.9 U	2.8 U	55 U	56.2 U	54.4 U
Thallium	--	--		0.22 U	0.21 U	0.011 U	0.22 U	0.22 U	0.22 U
Vanadium	--	--		8.9	3.4	0.32	4.9	8	4.3
Zinc	109	10000		31.1	5.8	1.1	10.4	25.4	5.1

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-15	DW-15	DW-16	DW-16	DW-22	DW-22
	Part 375	Part 375		DW-15	DW-15	DW-16	DW-16	DW-22	DW-22
	Unrestricted	Restricted		11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
	Use	Commercial		10-12	14-16	6-8	12-14	10-12	14-16
Aluminum	--	--		2320	1250	1970	2500	1180	1630
Antimony	--	--		0.56 U	0.58 U	0.52 U	0.51 U	0.52 U	0.52 U
Arsenic	13	16		1.7	0.71	1.7	2.4	2.8	0.94
Barium	350	400		12.8	3.9	8.3	15.6	1.9	2.9
Beryllium	7.2	590		0.17 J	0.23 U	0.21 U	0.21	0.21 U	0.21 U
Cadmium	2.5	9.3		0.56 U	0.58 U	0.52 U	0.51 U	0.52 U	0.52 U
Calcium	--	--		373	69.1	139	163	52.5 U	50.4 J
Chromium	30	1500		7.7	4.1	6	8.3	3.9	4.5
Cobalt	--	--		2	1.2 U	2.2	3.8	1 U	1 U
Copper	50	270		10.5	2.6	3.8	3.8	2.9	3.5
Iron	--	--		5670	2470	6760	6330	3630	3630
Lead	63	1000		22.3	4	14.8	4.3	1.7	1.5
Magnesium	--	--		446	118	477	183	80.1	112
Manganese	1600	10000		90.3	47.9	94.7	419	17.7	18.5
Mercury	0.18	2.8		0.036 U	0.035 U	0.032 U	0.033 U	0.035 U	0.034 U
Nickel	30	310		3.9	1.7	4.7	2.9	1	2.1
Potassium	--	--		189	84.9	332	108	53.9	84.5
Selenium	3.9	1500		0.56 U	0.58 U	0.52 U	0.39 J	0.52 U	0.52 U
Silver	2	1500		1.1 U	1.2 U	1 U	1 U	1 U	1 U
Sodium	--	--		55.8 U	57.5 U	52.4 U	50.8 U	52.5 U	51.8 U
Thallium	--	--		0.22 U	0.23 U	0.21 U	0.2 U	0.21 U	0.21 U
Vanadium	--	--		7.1	2.3	6.9	6.6	4.1	4
Zinc	109	10000		40.8	4.3 J	8.5	8	14.2	13.3

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-1	LP-1	LP-2	LP-2	LP-3	LP-3
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
Aluminum	--	--		1360	1070	3210	829	1070	700
Antimony	--	--		0.5 U	0.5 U	0.52 U	0.49 U	0.52 U	0.5 U
Arsenic	13	16		0.5 U	0.5 U	2	0.49 U	0.52 U	0.5 U
Barium	350	400		4.2	2	13	4.1	3.2	2.5
Beryllium	7.2	590		0.2 U	0.2 U	0.35	0.2 U	0.21 U	0.2 U
Cadmium	2.5	9.3		0.5 U	0.5 U	0.52 U	0.49 U	0.52 U	0.5 U
Calcium	--	--		50 U	49.6 U	2540	49.1 U	58.1	49.9 U
Chromium	30	1500		2	2.1	20.7	1.8	2.4	2.4
Cobalt	--	--		1 U	0.99 U	1.4	0.98 U	1 U	1 U
Copper	50	270		2.8	1.3	21.6	1.3	2.8	1.4
Iron	--	--		949	804	8840	1110	1330	1170
Lead	63	1000		0.83	0.36	5.2	0.5	0.92	0.66
Magnesium	--	--		151	57	653	85.2	105	70.3
Manganese	1600	10000		9.2	5.2	28.8	12.5	4.5	7
Mercury	0.18	2.8		0.034 U	0.033 U	0.054	0.031 J	0.034 U	0.039
Nickel	30	310		1.4	1.1	4.5	0.98 U	1.1	1 U
Potassium	--	--		111	49.6 U	289	59.5	48.8 J	40.8 J
Selenium	3.9	1500		0.5 U	0.5 U	0.45 J	0.49 U	0.52 U	0.5 U
Silver	2	1500		1 U	0.99 U	1 U	0.98 U	1 U	1 U
Sodium	--	--		50 U	49.6 U	172	49.1 U	51.7 U	49.9 U
Thallium	--	--		0.2 U	0.2 U	0.21 U	0.2 U	0.21 U	0.2 U
Vanadium	--	--		1.9	1.6	12.1	2.1	2.2	2.4
Zinc	109	10000		4.7	4 U	50	3.9 U	20.6	3.6 J

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-4	LP-5	LP-5	LP-6	LP-6	LP-7
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	10-12
Aluminum	--	--		2310	1720	1100	2250	1200	1610
Antimony	--	--		0.52 U	0.51 U	0.51 U	0.5 U	0.5 U	0.51 U
Arsenic	13	16		1	1.5	0.51 U	0.81	0.62	0.5 J
Barium	350	400		4.7	6.9	3.4	5.4	5.2	4.6
Beryllium	7.2	590		0.31	0.23	0.2 U	0.22	0.2 U	0.21 U
Cadmium	2.5	9.3		0.52 U	0.51 U	0.51 U	0.5 U	0.5 U	0.51 U
Calcium	--	--		94.2	75.7	50.8 U	90.5	44.3 J	63.8
Chromium	30	1500		13.4	11.5	2.9	5.1	3.3	3.1
Cobalt	--	--		1 U	1 U	1 U	1 U	1 U	1 U
Copper	50	270		5.2	5.7	2.7	6.5	2.4	3
Iron	--	--		6320	4120	1390	2980	1490	1590
Lead	63	1000		1.9	1.5	0.72	1.8	1.2	1.5
Magnesium	--	--		111	167	100	168	96.7	167
Manganese	1600	10000		7.8	8.6	5.6	8.2	7.6	7
Mercury	0.18	2.8		0.034 U	0.031 U	0.032 U	0.034 U	0.031 U	0.034 U
Nickel	30	310		2.7	2.8	1.5	3.3	1.4	2
Potassium	--	--		94.6	98.1	71.4	128	83.5	118
Selenium	3.9	1500		0.52 U	0.38 J	0.51 U	0.4 J	0.5 U	0.51 U
Silver	2	1500		1 U	1 U	1 U	1 U	1 U	1 U
Sodium	--	--		51.9 U	51.4 U	50.8 U	56	50.2 U	51.4 U
Thallium	--	--		0.21 U	0.21 U	0.2 U	0.2 U	0.2 U	0.21 U
Vanadium	--	--		18.5	7	2.5	5.7	2.5	2.9
Zinc	109	10000		23.6	7.9	5.8	36.8	5.3	12.8

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-7 DUP 11/15/2010 10-12	LP-7 11/15/2010 14-16	LP-8 11/15/2010 10-12	LP-8 11/15/2010 14-16	LP-9 11/15/2010 10-12	LP-9 11/15/2010 14-16
Aluminum	--	--		1120	1300	1480	1060	3160	1250
Antimony	--	--		0.51 U	0.52 U	0.51 U	0.52 U	0.52 U	0.52 U
Arsenic	13	16		0.51 U	0.47 J	1.1	0.52 U	1.1	0.52 U
Barium	350	400		3	2.3	3.4	4.2	14.5	4
Beryllium	7.2	590		0.2 U	0.18 J	0.2 U	0.21 U	0.21	0.21 U
Cadmium	2.5	9.3		0.51 U	0.52 U	0.51 U	0.52 U	0.52 U	0.52 U
Calcium	--	--		227	131	80.7	51.9 U	99.7	52.3 U
Chromium	30	1500		2.6	4.1	3.9	2.2	31.8	2.6
Cobalt	--	--		1 U	1 U	1 U	1 U	1.1	1 U
Copper	50	270		2.1	2.9	4.6	2.6	5.6	2.2
Iron	--	--		1270	1440	3120	1040	5080	655
Lead	63	1000		0.54	0.89	1.3	0.9	1.7	1.3
Magnesium	--	--		171	91.2	111	72.3	714	80.9
Manganese	1600	10000		11.1	5.4	4.9	8.9	47.4	7
Mercury	0.18	2.8		0.034 U	0.034 U	0.037	0.031 U	0.032 U	0.035 U
Nickel	30	310		1.5	1.6	2.2	1.3	5.2	1.5
Potassium	--	--		62.3	44.8 J	84.2	51.4 J	492	71.4
Selenium	3.9	1500		0.39 J	0.52 U	0.51 U	0.52 U	0.52 U	0.52 U
Silver	2	1500		1 U	1 U	1 U	1 U	1 U	1 U
Sodium	--	--		51.2 U	51.9 U	51.1 U	51.9 U	58.8	52.3 U
Thallium	--	--		0.2 U	0.21 U	0.2 U	0.21 U	0.21 U	0.21 U
Vanadium	--	--		2.4	3.3	3	2.2	11.6	1.8
Zinc	109	10000		17.8	38.4	20.1	9.3	8.3	4.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-10	LP-10	LP-11	LP-11	LP-12	LP-12
	Part 375	Part 375		LP-10	LP-10	LP-11	LP-11	LP-12	LP-12
	Unrestricted	Restricted		11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
	Use	Commercial		10-12	14-16	15-17	19-21	11-13	17-19
Aluminum	--	--		3630	1160	1040	936	1430	1110
Antimony	--	--		0.51 U	0.51 U	0.5 U	0.51 U	0.5 U	0.5 U
Arsenic	13	16		1.7	0.51 U	0.5 U	0.51 U	0.5 U	0.5 U
Barium	350	400		10.6	3.4	2.4	3.8	4.1	4
Beryllium	7.2	590		0.3	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Cadmium	2.5	9.3		0.51 U	0.51 U	0.5 U	0.51 U	0.5 U	0.5 U
Calcium	--	--		451	50.8 U	50.2 U	50.6 U	328	50.2 U
Chromium	30	1500		10.5	2.5	2	1.8	2.2	1.5
Cobalt	--	--		1.1	1 U	1 U	1 U	1 U	1 U
Copper	50	270		9	2.2	1.7	1.4	5	1.8
Iron	--	--		6410	761	553	594	758	515
Lead	63	1000		3.8	0.95	1.3	1	2	1
Magnesium	--	--		509	86.2	61.1	68.5	198	79.1
Manganese	1600	10000		21.4	3.9	3.8	13.9	4.8	2.6
Mercury	0.18	2.8		0.033 U	0.033 U	0.034 U	0.034 U	0.031 U	0.033 U
Nickel	30	310		3.5	1.2	1.4	1.3	1.7	1.4
Potassium	--	--		237	76.3	57.6	53.4	86.5	68.4
Selenium	3.9	1500		0.75	0.51 U	0.39 J	0.51 U	0.5 U	0.5 U
Silver	2	1500		1 U	1 U	1 U	1 U	1 U	1 U
Sodium	--	--		51.3 U	50.8 U	50.2 U	50.6 U	50.5 U	50.2 U
Thallium	--	--		0.21 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Vanadium	--	--		9.4	1.7	1.4	1.3	1.7	1.3
Zinc	109	10000		31.8	9.1	4.7	4.1 U	41.9	5.6

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-13	LP-13	LP-14	LP-15	LP-16	LP-16
	Use	Commercial	Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	15-17	14-16	14-16	10-12	14-16
Aluminum	--	--		1470	1440	825	1430	844	1350
Antimony	--	--		0.52 U	0.51 U	0.5 U	0.51 U	0.51 U	0.51 U
Arsenic	13	16		0.52 U	0.51 U	0.5 U	0.51 U	0.51 U	0.51 U
Barium	350	400		3.8	5.1	2.6	5.6	2.2	3.2
Beryllium	7.2	590		0.21 U	0.21 U	0.2 U	0.2 U	0.2 U	0.2 U
Cadmium	2.5	9.3		0.52 U	0.51 U	0.5 U	0.51 U	0.51 U	0.51 U
Calcium	--	--		384	57.8	49.9 U	45.1 J	76.9	180
Chromium	30	1500		3.1	3.5	1.8	2.6	1.7	2.9
Cobalt	--	--		1 U	1 U	1 U	1 U	1 U	1 U
Copper	50	270		4.2	1.6	0.99 J	2.1	8.4	4.8
Iron	--	--		928	948	542	918	498	1480
Lead	63	1000		1.8	1.3	0.91	1	1.3	0.92
Magnesium	--	--		188	92.1	46.6 J	142	57.6	109
Manganese	1600	10000		6.5	11	2.1	14.7	2.7	6.5
Mercury	0.18	2.8		0.034	0.032 U	0.033 U	0.026 J	0.031 J	0.032 U
Nickel	30	310		2.1	2.1	1.1	1.8	0.96 J	1.7
Potassium	--	--		101	83.2	40.5 J	77.9	41.1 J	57.5
Selenium	3.9	1500		0.52 U	0.37 J	0.5 U	0.51 U	0.51 U	0.51 U
Silver	2	1500		1 U	1 U	1 U	1 U	1 U	1 U
Sodium	--	--		52 U	51.3 U	49.9 U	50.6 U	50.9 U	50.7 U
Thallium	--	--		0.21 U	0.21 U	0.2 U	0.2 U	0.2 U	0.2 U
Vanadium	--	--		1.9	1.9	1.3	2.1	1.1	1.5
Zinc	109	10000		27.6	6.5	3.4 J	4.5	11.2	17.4

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-17	LP-17	LP-18	LP-18	LP-19	LP-19
	Part 375	Part 375		LP-17	LP-17	LP-18	LP-18	LP-19	LP-19
	Unrestricted	Restricted		11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
	Use	Commercial		10-12	14-16	10-12	14-16	10-12	14-16
Aluminum	--	--		1050	738	1330	923	1870	901
Antimony	--	--		0.49 U	0.48 U	0.5 U	0.5 U	0.52 U	0.52 U
Arsenic	13	16		0.49 U	0.44 J	0.46 J	0.84	0.66	7.8
Barium	350	400		2.3	2.1	4.4	3.2	3.7	2.6
Beryllium	7.2	590		0.2 U	0.19 U	0.2 U	0.2 U	0.21 U	0.33
Cadmium	2.5	9.3		0.49 U	0.48 U	0.5 U	0.5 U	0.52 U	0.52 U
Calcium	--	--		49.8	48 U	62.1	50.3 U	65.7	57.5
Chromium	30	1500		2.1	2.2	2.4	3.1	2.7	72.4
Cobalt	--	--		0.99 U	0.96 U	1 U	1 U	1 U	1 U
Copper	50	270		4.7	3.2	7.6	3.5	3.4	4
Iron	--	--		1260	1030	1290	2250	1570	10600
Lead	63	1000		0.96	0.65	1.1	0.75	1.2	2.7
Magnesium	--	--		82.2	65.8	108	63.5	148	50.7 J
Manganese	1600	10000		2.8	2.5	4	4.4	6.1	7
Mercury	0.18	2.8		0.034 U	0.028 J	0.032 U	0.033 U	0.035 U	0.034 U
Nickel	30	310		1.1	0.97	1.3	1.1	1.5	0.93 J
Potassium	--	--		48.6 J	48 U	87.6	41.1 J	83.3	51.5 U
Selenium	3.9	1500		0.49 U	0.48 U	0.5 U	0.38 J	0.52 U	0.38 J
Silver	2	1500		0.99 U	0.96 U	1 U	1 U	1 U	1 U
Sodium	--	--		49.5 U	48 U	50.5 U	50.3 U	52.5 U	51.5 U
Thallium	--	--		0.2 U	0.19 U	0.2 U	0.2 U	0.21 U	0.21 U
Vanadium	--	--		2	2	2.4	2.8	3	9.2
Zinc	109	10000		27.9	20.4	17.7	19.5	24.1	30.5

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-20	LP-20	LP-21	LP-21 DUP	LP-22	LP-23
	Use	Commercial	Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	14-16	14-16	14-16	14-16	14-16
Aluminum	--	--		2790	1880	1020	1120	1010	964
Antimony	--	--		0.53 U	0.51 U	0.51 U	0.47 U	0.51 U	0.49 U
Arsenic	13	16		1.5	1.8	0.72	0.75	0.93	0.49 U
Barium	350	400		11.3	8.5	3.1	2.7	4.4	41.5
Beryllium	7.2	590		0.21	0.15 J	0.2 U	0.19 U	0.2 U	0.2 U
Cadmium	2.5	9.3		0.45 J	0.51 U	0.51 U	0.47 U	0.51 U	0.49 U
Calcium	--	--		3020	234	51.1 U	47.3 U	96	47.4 J
Chromium	30	1500		7.1	9.8	13.6	13.1	22.7	6.2
Cobalt	--	--		1.4	1 U	1 U	0.95 U	1 U	0.99 U
Copper	50	270		40.4	23.4	18	18.2	20.7	2.7
Iron	--	--		5610	4490	1490	1700	1780	1710
Lead	63	1000		8.9	3.7	0.99	0.86	2	0.82
Magnesium	--	--		1550	367	74.6	74.6	94.4	69.6
Manganese	1600	10000		46.2	18.5	4.4	4.3	5.9	6.1
Mercury	0.18	2.8		0.048	0.082	0.034 U	0.027 J	0.031 U	0.032 U
Nickel	30	310		3.8	2.8	1.1	1.1	0.83 J	0.99 U
Potassium	--	--		200	173	54.7	49.8	49.3 J	51.4
Selenium	3.9	1500		0.51 J	0.51 U	0.51 U	0.47 U	0.5 J	0.49 U
Silver	2	1500		1.1 U	1 U	1 U	0.95 U	1 U	0.99 U
Sodium	--	--		53.1 U	50.5 U	51.1 U	47.3 U	51 U	49.3 U
Thallium	--	--		0.21 U	0.2 U	0.2 U	0.19 U	0.2 U	0.2 U
Vanadium	--	--		6.6	6.4	3	3	2.3	1.3
Zinc	109	10000		90.2	103	14.3	16.9	18.9	30.4

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-23 DUP 11/16/2010 14-16	LP-24 11/16/2010 14-16	LP-25 11/16/2010 14-16	LP-26 11/16/2010 14-16	LP-27 11/16/2010 14-16	LP-28 11/16/2010 14-16
Aluminum	--	--		926	1350	1180	1390	3210	1210
Antimony	--	--		0.48 U	0.5 U	0.48 U	0.52 U	0.52 U	0.5 U
Arsenic	13	16		0.48 U	0.83	0.75	0.67	1.9	0.5 U
Barium	350	400		39.3	17.9	55.8	40.3	22	3.2
Beryllium	7.2	590		0.19 U	0.2 U	0.19 U	0.21 U	0.27	0.2 U
Cadmium	2.5	9.3		0.48 U	0.5 U	0.44 J	0.52 U	0.52 U	0.5 U
Calcium	--	--		589	620	92.4	49.1 J	245	51.8
Chromium	30	1500		8.2	6.7	8.9	7.8	44.5	2.1
Cobalt	--	--		0.96 U	1.8	0.96 U	1	0.91 J	1 U
Copper	50	270		2.9	2.6	7.7	5.9	5.6	4.5
Iron	--	--		1550	2430	4190	2880	8460	1350
Lead	63	1000		0.98	1.1	1.4	1.3	4.3	1.1
Magnesium	--	--		359	262	87.7	118	213	50.5
Manganese	1600	10000		7.8	25.3	9.6	11.1	94	3.2
Mercury	0.18	2.8		0.034 U	0.033 U	0.034 U	0.033 U	0.034 U	0.034 U
Nickel	30	310		0.96 U	1.2	1.2	1.1	2.8	0.89 J
Potassium	--	--		41.9 J	65.9	53	53.5	117	50.3 U
Selenium	3.9	1500		0.48 U	0.5 U	0.35 J	0.53	0.44 J	0.5 U
Silver	2	1500		0.96 U	0.99 U	0.96 U	1 U	1 U	24.7
Sodium	--	--		48 U	49.6 U	48.2 U	51.7 U	51.9 U	50.3 U
Thallium	--	--		0.19 U	0.2 U	0.19 U	0.21 U	0.21 U	0.2 U
Vanadium	--	--		1.5	1.9	3.2	2.5	18	1.7
Zinc	109	10000		25.3	25.5	51.3	52.8	32.3	5.6

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-29 11/16/2010 10-12	LP-29 11/16/2010 14-16	MW-20 11/17/2010 18-20
Aluminum	--	--		1280	1150	1220
Antimony	--	--		0.49 U	0.49 U	0.52 U
Arsenic	13	16		0.75	1.2	1
Barium	350	400		3.3	4.8	4.6
Beryllium	7.2	590		0.2 U	0.2 U	0.21 U
Cadmium	2.5	9.3		0.49 U	0.49 U	0.52 U
Calcium	--	--		262	60.4	116
Chromium	30	1500		4	3	3
Cobalt	--	--		0.99 U	0.99 U	1 U
Copper	50	270		12.3	2.1	1.7
Iron	--	--		2350	2890	2010
Lead	63	1000		1.5	1	2
Magnesium	--	--		165	154	112
Manganese	1600	10000		5.1	9	40
Mercury	0.18	2.8		0.033 U	0.034 U	0.034 U
Nickel	30	310		1.5	1.5	1
Potassium	--	--		60.2	80.9	63.3
Selenium	3.9	1500		0.49 U	0.49 U	0.52 U
Silver	2	1500		16.9	7.5	1 U
Sodium	--	--		49.4	49.5 U	52.4 U
Thallium	--	--		0.2 U	0.2 U	0.21 U
Vanadium	--	--		3.2	3.6	2.2
Zinc	109	10000		11.6	4.4	4.2 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-1	DW-1	DW-2	DW-2	DW-14	DW-14
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	8.5-10.5	14.5-16.5	9-11	15-17	10-12	14-16
Aroclor-1016	--	--		74 U	72 U	75 U	76 U	77 U	73 U
Aroclor-1221	--	--		74 U	72 U	75 U	76 U	77 U	73 U
Aroclor-1232	--	--		74 U	72 U	75 U	76 U	77 U	73 U
Aroclor-1242	--	--		74 U	72 U	75 U	76 U	77 U	73 U
Aroclor-1248	--	--		74 U	72 U	75 U	76 U	77 U	73 U
Aroclor-1254	--	--		74 U	72 U	75 U	76 U	77 U	73 U
Aroclor-1260	--	--		74 U	72 U	75 U	76 U	77 U	73 U
Total PCBs	100	1000		0	0	0	0	0	0

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-15	DW-15	DW-16	DW-16	DW-22	DW-22
	Part 375	Part 375							
	Unrestricted	Restricted		11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
	Use	Commercial		10-12	14-16	6-8	12-14	10-12	14-16
Aroclor-1016	--	--		76 U	78 U	71 U	72 U	71 U	72 U
Aroclor-1221	--	--		76 U	78 U	71 U	72 U	71 U	72 U
Aroclor-1232	--	--		76 U	78 U	71 U	72 U	71 U	72 U
Aroclor-1242	--	--		76 U	78 U	71 U	72 U	71 U	72 U
Aroclor-1248	--	--		76 U	78 U	71 U	72 U	71 U	72 U
Aroclor-1254	--	--		76 U	78 U	71 U	72 U	71 U	72 U
Aroclor-1260	--	--		76 U	78 U	71 U	72 U	71 U	72 U
Total PCBs	100	1000		0	0	0	0	0	0

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-1	LP-1	LP-2	LP-2	LP-3	LP-3
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
Aroclor-1016	--	--		70 U	70 U	70 U	69 U	69 U	71 U
Aroclor-1221	--	--		70 U	70 U	70 U	69 U	69 U	71 U
Aroclor-1232	--	--		70 U	70 U	70 U	69 U	69 U	71 U
Aroclor-1242	--	--		70 U	70 U	70 U	69 U	69 U	71 U
Aroclor-1248	--	--		70 U	70 U	70 U	69 U	69 U	71 U
Aroclor-1254	--	--		70 U	70 U	320	69 U	43 J	71 U
Aroclor-1260	--	--		70 U	70 U	70 U	69 U	69 U	71 U
Total PCBs	100	1000		0	0	320	0	43	0

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-4	LP-5	LP-5	LP-6	LP-6	LP-7
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	10-12
Aroclor-1016	--	--		70 U	70 U	70 U	69 U	69 U	69 U
Aroclor-1221	--	--		70 U	70 U	70 U	69 U	69 U	69 U
Aroclor-1232	--	--		70 U	70 U	70 U	69 U	69 U	69 U
Aroclor-1242	--	--		70 U	70 U	70 U	69 U	69 U	69 U
Aroclor-1248	--	--		70 U	70 U	70 U	69 U	69 U	69 U
Aroclor-1254	--	--		70 U	57 J	53 J	73	69 U	25 J
Aroclor-1260	--	--		70 U	70 U	70 U	69 U	69 U	69 U
Total PCBs	100	1000		0	57	53	73	0	25

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-7 DUP	LP-7	LP-8	LP-8	LP-9	LP-9
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
Aroclor-1016	--	--		69 U	70 U	69 U	69 U	70 U	70 U
Aroclor-1221	--	--		69 U	70 U	69 U	69 U	70 U	70 U
Aroclor-1232	--	--		69 U	70 U	69 U	69 U	70 U	70 U
Aroclor-1242	--	--		69 U	70 U	69 U	69 U	70 U	70 U
Aroclor-1248	--	--		69 U	70 U	69 U	69 U	70 U	27 J
Aroclor-1254	--	--		69 U	38 J	34 J	69 U	70 U	70 U
Aroclor-1260	--	--		69 U	70 U	69 U	69 U	70 U	70 U
Total PCBs	100	1000		0	38	34	0	0	27

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-10	LP-10	LP-11	LP-11	LP-12	LP-12
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	15-17	19-21	11-13	17-19
Aroclor-1016	--	--		71 U	69 U	69 U	69 U	69 U	69 U
Aroclor-1221	--	--		71 U	69 U	69 U	69 U	69 U	69 U
Aroclor-1232	--	--		71 U	69 U	69 U	69 U	69 U	69 U
Aroclor-1242	--	--		71 U	69 U	69 U	69 U	69 U	69 U
Aroclor-1248	--	--		71 U	69 U	69 U	69 U	69 U	69 U
Aroclor-1254	--	--		210	32 J	69 U	69 U	220	69 U
Aroclor-1260	--	--		110	21 J	69 U	69 U	69 U	69 U
Total PCBs	100	1000		320	53	0	0	220	0

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-13	LP-13	LP-14	LP-15	LP-16	LP-16
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	15-17	14-16	14-16	10-12	14-16
Aroclor-1016	--	--		71 U	69 U	69 U	70 U	69 U	70 U
Aroclor-1221	--	--		71 U	69 U	69 U	70 U	69 U	70 U
Aroclor-1232	--	--		71 U	69 U	69 U	70 U	69 U	70 U
Aroclor-1242	--	--		71 U	69 U	69 U	70 U	69 U	70 U
Aroclor-1248	--	--		71 U	69 U	69 U	70 U	69 U	70 U
Aroclor-1254	--	--		52 J	69 U	69 U	70 U	69 U	70 U
Aroclor-1260	--	--		23 J	69 U	69 U	70 U	69 U	70 U
Total PCBs	100	1000		75	0	0	0	0	0

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-17	LP-17	LP-18	LP-18	LP-19	LP-19
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
Aroclor-1016	--	--		69 U	69 U	70 U	70 U	70 U	69 U
Aroclor-1221	--	--		69 U	69 U	70 U	70 U	70 U	69 U
Aroclor-1232	--	--		69 U	69 U	70 U	70 U	70 U	69 U
Aroclor-1242	--	--		69 U	69 U	70 U	70 U	70 U	69 U
Aroclor-1248	--	--		69 U	69 U	70 U	70 U	70 U	69 U
Aroclor-1254	--	--		69 U	69 U	39 J	70 U	70 U	69 U
Aroclor-1260	--	--		69 U	69 U	70 U	70 U	70 U	69 U
Total PCBs	100	1000		0	0	39	0	0	0

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-20	LP-20	LP-21	LP-21 DUP	LP-22	LP-23
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	14-16	14-16	14-16	14-16	14-16
Aroclor-1016	--	--		71 U	70 U	70 U	70 U	70 U	70 U
Aroclor-1221	--	--		71 U	70 U	70 U	70 U	70 U	70 U
Aroclor-1232	--	--		71 U	70 U	70 U	70 U	70 U	70 U
Aroclor-1242	--	--		71 U	70 U	70 U	70 U	70 U	70 U
Aroclor-1248	--	--		71 U	70 U	70 U	70 U	70 U	70 U
Aroclor-1254	--	--		71 U	82	70 U	70 U	310	110
Aroclor-1260	--	--		71 U	70 U	70 U	70 U	70 U	70 U
Total PCBs	100	1000		0	82	0	0	310	110

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-23 DUP	LP-24	LP-25	LP-26	LP-27	LP-28
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	14-16	14-16	14-16	14-16	14-16
Aroclor-1016	--	--		70 U	70 U	70 U	70 U	69 U	70 U
Aroclor-1221	--	--		70 U	70 U	70 U	70 U	69 U	70 U
Aroclor-1232	--	--		70 U	70 U	70 U	70 U	69 U	70 U
Aroclor-1242	--	--		70 U	70 U	70 U	70 U	69 U	70 U
Aroclor-1248	--	--		70 U	70 U	70 U	70 U	69 U	70 U
Aroclor-1254	--	--		56 J	50 J	110	82	69 U	70 U
Aroclor-1260	--	--		70 U	79	70 U	70 U	69 U	70 U
Total PCBs	100	1000		56	129	110	82	0	0

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-29	LP-29	MW-20
			Sample Date:	11/16/2010	11/16/2010	11/17/2010
			Sample Depth (ft bls):	10-12	14-16	18-20
Aroclor-1016	--	--		69 U	69 U	72 U
Aroclor-1221	--	--		69 U	69 U	72 U
Aroclor-1232	--	--		69 U	69 U	72 U
Aroclor-1242	--	--		69 U	69 U	72 U
Aroclor-1248	--	--		69 U	69 U	72 U
Aroclor-1254	--	--		69 U	69 U	72 U
Aroclor-1260	--	--		69 U	69 U	72 U
Total PCBs	100	1000		0	0	0

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-1	DW-1	DW-2	DW-2	DW-14	DW-14
	Use	Commercial	Sample Date:	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	8.5-10.5	14.5-16.5	9-11	15-17	10-12	14-16
4,4'-DDD	3.3	92000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
4,4'-DDE	3.3	62000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
4,4'-DDT	3.3	47000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Aldrin	5	680		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
alpha-BHC	20	3400		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
alpha-Chlordane	94	24000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
beta-BHC	36	3000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
delta-BHC	40	500000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Dieldrin	5	1400		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Endosulfan I	2400	200000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Endosulfan II	2400	200000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Endosulfan sulfate	2400	200000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Endrin aldehyde	--	--		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Endrin ketone	--	--		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Endrin	14	89000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
gamma-BHC (Lindane)	100	9200		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
gamma-Chlordane	--	--		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Heptachlor epoxide	--	--		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Heptachlor	42	15000		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Methoxychlor	--	--		7.4 U	7.2 U	7.5 U	7.6 U	7.7 U	7.3 U
Toxaphene	--	--		74 U	72 U	75 U	76 U	77 U	73 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-15	DW-15	DW-16	DW-16	DW-22	DW-22
	Part 375	Part 375		DW-15	DW-15	DW-16	DW-16	DW-22	DW-22
	Unrestricted	Restricted		11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
	Use	Commercial		10-12	14-16	6-8	12-14	10-12	14-16
4,4'-DDD	3.3	92000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
4,4'-DDE	3.3	62000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
4,4'-DDT	3.3	47000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Aldrin	5	680		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
alpha-BHC	20	3400		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
alpha-Chlordane	94	24000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
beta-BHC	36	3000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
delta-BHC	40	500000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Dieldrin	5	1400		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Endosulfan I	2400	200000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Endosulfan II	2400	200000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Endosulfan sulfate	2400	200000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Endrin aldehyde	--	--		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Endrin ketone	--	--		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Endrin	14	89000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
gamma-BHC (Lindane)	100	9200		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
gamma-Chlordane	--	--		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Heptachlor epoxide	--	--		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Heptachlor	42	15000		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Methoxychlor	--	--		7.6 U	7.8 U	7.1 U	7.2 U	7.1 U	7.2 U
Toxaphene	--	--		76 U	78 U	71 U	72 U	71 U	72 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-1 11/15/2010 10-12	LP-1 11/15/2010 14-16	LP-2 11/15/2010 10-12	LP-2 11/15/2010 14-16	LP-3 11/15/2010 10-12	LP-3 11/15/2010 14-16
	Part 375	Part 375							
	Unrestricted	Restricted							
	Use	Commercial							
4,4'-DDD	3.3	92000		7 U	7 U	13 p	6.9 U	6.9 U	7.1 U
4,4'-DDE	3.3	62000		7 U	7 U	9.3	6.9 U	6.9 U	7.1 U
4,4'-DDT	3.3	47000		7 U	7 U	30	6.9 U	6.9 U	7.1 U
Aldrin	5	680		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
alpha-BHC	20	3400		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
alpha-Chlordane	94	24000		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
beta-BHC	36	3000		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
delta-BHC	40	500000		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Dieldrin	5	1400		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Endosulfan I	2400	200000		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Endosulfan II	2400	200000		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Endosulfan sulfate	2400	200000		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Endrin aldehyde	--	--		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Endrin ketone	--	--		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Endrin	14	89000		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
gamma-BHC (Lindane)	100	9200		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
gamma-Chlordane	--	--		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Heptachlor epoxide	--	--		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Heptachlor	42	15000		7 U	7 U	7 U	6.9 U	6.9 U	7.1 U
Methoxychlor	--	--		7 U	7 U	7 U *	6.9 U	6.9 U	7.1 U
Toxaphene	--	--		70 U	70 U	70 U	69 U	69 U	71 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-4 11/15/2010 14-16	LP-5 11/15/2010 10-12	LP-5 11/15/2010 14-16	LP-6 11/15/2010 10-12	LP-6 11/15/2010 14-16	LP-7 11/15/2010 10-12
	Part 375	Part 375							
	Unrestricted	Restricted							
	Use	Commercial							
4,4'-DDD	3.3	92000		7 U	7 U	7 U	5.6 J	6.9 U	6.9 U
4,4'-DDE	3.3	62000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
4,4'-DDT	3.3	47000		7 U	7.9	5.7 J	6.2 J	6.9 U	6.9 U
Aldrin	5	680		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
alpha-BHC	20	3400		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
alpha-Chlordane	94	24000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
beta-BHC	36	3000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
delta-BHC	40	500000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Dieldrin	5	1400		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Endosulfan I	2400	200000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Endosulfan II	2400	200000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Endosulfan sulfate	2400	200000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Endrin aldehyde	--	--		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Endrin ketone	--	--		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Endrin	14	89000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
gamma-BHC (Lindane)	100	9200		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
gamma-Chlordane	--	--		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Heptachlor epoxide	--	--		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Heptachlor	42	15000		7 U	7 U	7 U	6.9 U	6.9 U	6.9 U
Methoxychlor	--	--		7 U	7 U *	7 U *	6.9 U *	6.9 U	6.9 U
Toxaphene	--	--		70 U	70 U	70 U	69 U	69 U	69 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-7 DUP	LP-7	LP-8	LP-8	LP-9	LP-9
	Part 375	Part 375		LP-7 DUP	LP-7	LP-8	LP-8	LP-9	LP-9
	Unrestricted	Restricted		11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
	Use	Commercial		10-12	14-16	10-12	14-16	10-12	14-16
4,4'-DDD	3.3	92000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
4,4'-DDE	3.3	62000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
4,4'-DDT	3.3	47000		6.9 U	3.9 J	6.9 U	6.9 U	7 U	7 U
Aldrin	5	680		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
alpha-BHC	20	3400		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
alpha-Chlordane	94	24000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
beta-BHC	36	3000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
delta-BHC	40	500000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Dieldrin	5	1400		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Endosulfan I	2400	200000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Endosulfan II	2400	200000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Endosulfan sulfate	2400	200000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Endrin aldehyde	--	--		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Endrin ketone	--	--		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Endrin	14	89000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
gamma-BHC (Lindane)	100	9200		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
gamma-Chlordane	--	--		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Heptachlor epoxide	--	--		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Heptachlor	42	15000		6.9 U	7 U	6.9 U	6.9 U	7 U	7 U
Methoxychlor	--	--		6.9 U	7 U *	6.9 U	6.9 U	7 U	7 U
Toxaphene	--	--		69 U	70 U	69 U	69 U	70 U	70 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-10	LP-10	LP-11	LP-11	LP-12	LP-12
	Part 375	Part 375		LP-10	LP-10	LP-11	LP-11	LP-12	LP-12
	Unrestricted	Restricted		11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
	Use	Commercial		10-12	14-16	15-17	19-21	11-13	17-19
4,4'-DDD	3.3	92000		16	6.9 U	6.9 U	6.9 U	14	6.9 U
4,4'-DDE	3.3	62000		8.6	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
4,4'-DDT	3.3	47000		22	4 J	6.9 U	6.9 U	19	6.9 U
Aldrin	5	680		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
alpha-BHC	20	3400		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
alpha-Chlordane	94	24000		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
beta-BHC	36	3000		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
delta-BHC	40	500000		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Dieldrin	5	1400		6.2 J p	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Endosulfan I	2400	200000		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Endosulfan II	2400	200000		8.1 p	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Endosulfan sulfate	2400	200000		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Endrin aldehyde	--	--		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Endrin ketone	--	--		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Endrin	14	89000		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
gamma-BHC (Lindane)	100	9200		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
gamma-Chlordane	--	--		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Heptachlor epoxide	--	--		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Heptachlor	42	15000		7.1 U	6.9 U	6.9 U	6.9 U	6.9 U	6.9 U
Methoxychlor	--	--		7.1 U *	6.9 U *	6.9 U	6.9 U	6.9 U	6.9 U
Toxaphene	--	--		71 U	69 U	69 U	69 U	69 U	69 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-13	LP-13	LP-14	LP-15	LP-16	LP-16
	Part 375	Part 375		LP-13	LP-13	LP-14	LP-15	LP-16	LP-16
	Unrestricted	Restricted		11/15/2010	11/15/2010	11/15/2010	11/16/2010	11/16/2010	11/16/2010
	Use	Commercial		10-12	15-17	14-16	14-16	10-12	14-16
4,4'-DDD	3.3	92000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
4,4'-DDE	3.3	62000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
4,4'-DDT	3.3	47000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
Aldrin	5	680		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
alpha-BHC	20	3400		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
alpha-Chlordane	94	24000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
beta-BHC	36	3000		7.1 U	140 p	6.9 U	7 U	6.9 U	7 U
delta-BHC	40	500000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
Dieldrin	5	1400		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
Endosulfan I	2400	200000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
Endosulfan II	2400	200000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
Endosulfan sulfate	2400	200000		7.1 U	59 p	6.9 U	7 U	6.9 U	7 U
Endrin aldehyde	--	--		7.1 U	72 p	6.9 U	7 U	6.9 U	7 U
Endrin ketone	--	--		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
Endrin	14	89000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
gamma-BHC (Lindane)	100	9200		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
gamma-Chlordane	--	--		7.1 U	91 p	6.9 U	7 U	6.9 U	7 U
Heptachlor epoxide	--	--		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
Heptachlor	42	15000		7.1 U	6.9 U	6.9 U	7 U	6.9 U	7 U
Methoxychlor	--	--		7.1 U	110	6.9 U	7 U	6.9 U	7 U
Toxaphene	--	--		71 U	69 U	69 U	70 U	69 U	70 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC	NYSDEC							
	Part 375	Part 375	Sample Designation:	LP-17	LP-17	LP-18	LP-18	LP-19	LP-19
Parameter	Unrestricted	Restricted	Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
(Concentrations in µg/kg)	Use	Commercial	Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
4,4'-DDD	3.3	92000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
4,4'-DDE	3.3	62000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
4,4'-DDT	3.3	47000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Aldrin	5	680		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
alpha-BHC	20	3400		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
alpha-Chlordane	94	24000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
beta-BHC	36	3000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
delta-BHC	40	500000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Dieldrin	5	1400		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endosulfan I	2400	200000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endosulfan II	2400	200000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endosulfan sulfate	2400	200000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endrin aldehyde	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endrin ketone	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endrin	14	89000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
gamma-BHC (Lindane)	100	9200		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
gamma-Chlordane	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Heptachlor epoxide	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Heptachlor	42	15000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Methoxychlor	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Toxaphene	--	--		69 U	69 U	70 U	70 U	70 U	69 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-20	LP-20	LP-21	LP-21 DUP	LP-22	LP-23
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	14-16	14-16	14-16	14-16	14-16
4,4'-DDD	3.3	92000		10	5.1 J	7 U	7 U	22	11
4,4'-DDE	3.3	62000		5.8 J p	7 U	7 U	7 U	9.2	7 U
4,4'-DDT	3.3	47000		9.7	6 J	7 U	7 U	30	15
Aldrin	5	680		7.1 U	7 U	7 U	7 U	7 U	7 U
alpha-BHC	20	3400		7.1 U	7 U	7 U	7 U	7 U	7 U
alpha-Chlordane	94	24000		7.1 U	7 U	7 U	7 U	7 U	7 U
beta-BHC	36	3000		21 p	7 U	7 U	7 U	7 U	7 U
delta-BHC	40	500000		7.1 U	7 U	7 U	7 U	7 U	7 U
Dieldrin	5	1400		7.1 U	7 U	7 U	7 U	8.4 p	6.2 J
Endosulfan I	2400	200000		7.1 U	7 U	7 U	7 U	7 U	7 U
Endosulfan II	2400	200000		6.1 J p	7 U	7 U	7 U	7 U	7 U
Endosulfan sulfate	2400	200000		7.1 U	7 U	7 U	7 U	7 U	7 U
Endrin aldehyde	--	--		5.5 J	7 U	7 U	7 U	4.8 J	7 U
Endrin ketone	--	--		7.1 U	7 U	7 U	7 U	7 U	7 U
Endrin	14	89000		7.1 U	7 U	7 U	7 U	7 U	7 U
gamma-BHC (Lindane)	100	9200		7.1 U	7 U	7 U	7 U	7 U	7 U
gamma-Chlordane	--	--		7.1 U	7 U	7 U	7 U	5.3 J p	7 U
Heptachlor epoxide	--	--		7.1 U	7 U	7 U	7 U	7 U	7 U
Heptachlor	42	15000		7.1 U	7 U	7 U	7 U	7 U	7 U
Methoxychlor	--	--		7.1 U	7 U	7 U	7 U	7 U	7 U
Toxaphene	--	--		71 U	70 U	70 U	70 U	70 U	70 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-23 DUP 11/16/2010 14-16	LP-24 11/16/2010 14-16	LP-25 11/16/2010 14-16	LP-26 11/16/2010 14-16	LP-27 11/16/2010 14-16	LP-28 11/16/2010 14-16
4,4'-DDD	3.3	92000		3.6 J p	7.4	9.1	5.8 J	6.9 U	7 U
4,4'-DDE	3.3	62000		7 U	7 U	7 U	7 U	6.9 U	7 U
4,4'-DDT	3.3	47000		7.2	9	12	7.8	6.9 U	7 U
Aldrin	5	680		7 U	7 U	7 U	7 U	6.9 U	7 U
alpha-BHC	20	3400		7 U	7 U	7 U	7 U	6.9 U	7 U
alpha-Chlordane	94	24000		7 U	7 U	7 U	7 U	6.9 U	7 U
beta-BHC	36	3000		7 U	7 U	7 U	7 U	6.9 U	7 U
delta-BHC	40	500000		7 U	7 U	7 U	7 U	6.9 U	7 U
Dieldrin	5	1400		7 U	7 U	7 U	7 U	6.9 U	7 U
Endosulfan I	2400	200000		7 U	7 U	7 U	7 U	6.9 U	7 U
Endosulfan II	2400	200000		7 U	7 U	7 U	7 U	6.9 U	7 U
Endosulfan sulfate	2400	200000		7 U	7 U	7 U	7 U	6.9 U	7 U
Endrin aldehyde	--	--		7 U	7 U	7 U	7 U	6.9 U	7 U
Endrin ketone	--	--		7 U	7 U	7 U	7 U	6.9 U	7 U
Endrin	14	89000		7 U	7 U	7 U	7 U	6.9 U	7 U
gamma-BHC (Lindane)	100	9200		7 U	7 U	7 U	7 U	6.9 U	7 U
gamma-Chlordane	--	--		7 U	7 U	7 U	7 U	6.9 U	7 U
Heptachlor epoxide	--	--		7 U	7 U	7 U	7 U	6.9 U	7 U
Heptachlor	42	15000		7 U	7 U	7 U	7 U	6.9 U	7 U
Methoxychlor	--	--		7 U	7 U	7 U	7 U	6.9 U	7 U
Toxaphene	--	--		70 U	70 U	70 U	70 U	69 U	70 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC	NYSDEC				
	Part 375	Part 375	Sample Designation:	LP-29	LP-29	MW-20
Parameter	Unrestricted	Restricted	Sample Date:	11/16/2010	11/16/2010	11/17/2010
(Concentrations in µg/kg)	Use	Commercial	Sample Depth (ft bls):	10-12	14-16	18-20
4,4'-DDD	3.3	92000		6 J	6.9 U	7.2 U
4,4'-DDE	3.3	62000		6.9 U	6.9 U	7.2 U
4,4'-DDT	3.3	47000		6.9 U	6.9 U	7.2 U
Aldrin	5	680		6.9 U	6.9 U	7.2 U
alpha-BHC	20	3400		6.9 U	6.9 U	7.2 U
alpha-Chlordane	94	24000		6.9 U	6.9 U	7.2 U
beta-BHC	36	3000		6.9 U	6.9 U	7.2 U
delta-BHC	40	500000		6.9 U	6.9 U	7.2 U
Dieldrin	5	1400		6.9 U	6.9 U	7.2 U
Endosulfan I	2400	200000		6.9 U	6.9 U	7.2 U
Endosulfan II	2400	200000		6.9 U	6.9 U	7.2 U
Endosulfan sulfate	2400	200000		6.9 U	6.9 U	7.2 U
Endrin aldehyde	--	--		6.9 U	6.9 U	7.2 U
Endrin ketone	--	--		6.9 U	6.9 U	7.2 U
Endrin	14	89000		6.9 U	6.9 U	7.2 U
gamma-BHC (Lindane)	100	9200		6.9 U	6.9 U	7.2 U
gamma-Chlordane	--	--		6.9 U	6.9 U	7.2 U
Heptachlor epoxide	--	--		6.9 U	6.9 U	7.2 U
Heptachlor	42	15000		6.9 U	6.9 U	7.2 U
Methoxychlor	--	--		6.9 U	6.9 U	7.2 U
Toxaphene	--	--		69 U	69 U	72 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

**Table 6. Summary of Petroleum Hydrocarbons in Soil, Former Avis Headquarters
900 Old Country Road, Garden City, New York**

Sample Designation	Sample Date	Sample Depth	Diesel Range Organics (µg/kg)	Gasoline Range Organics (µg/kg)
DW-1	11/17/2010	8.5-10.5	27000	2500 U
DW-1	11/17/2010	14.5-16.5	18000 U	2400 U
DW-2	11/17/2010	9-11	49000	2700 U
DW-2	11/17/2010	15-17	960000	2400 U
DW-14	11/17/2010	10-12	38000	2600 U
DW-14	11/17/2010	14-16	18000 U	2500 U
DW-15	11/17/2010	10-12	550000	2600 U
DW-15	11/17/2010	14-16	20000 U	2800 U
DW-16	11/17/2010	6-8	18000 U	7500
DW-16	11/17/2010	12-14	18000 U	2600 U
DW-22	11/17/2010	10-12	18000 U	2300 U
DW-22	11/17/2010	14-16	18000 U	2300 U
LP-1	11/15/2010	10-12	18000 U	2400 U
LP-1	11/15/2010	14-16	18000 U	2500 U
LP-2	11/15/2010	10-12	40000	2600 U H
LP-2	11/15/2010	14-16	18000 U	2200 U H
LP-3	11/15/2010	10-12	18000 U	2300 U
LP-3	11/15/2010	14-16	18000 U	2500 U
LP-4	11/15/2010	14-16	18000 U	2500 U H
LP-5	11/15/2010	10-12	18000 U	2400 U H
LP-5	11/15/2010	14-16	18000 U	2300 U H
LP-6	11/15/2010	10-12	18000 U	2400 U H
LP-6	11/15/2010	14-16	18000 U	2400 U H
LP-7	11/15/2010	10-12	17000 U	2300 U H
LP-7 DUP	11/15/2010	10-12	18000 U	2400 U H
LP-7	11/15/2010	14-16	18000 U	2400 U H
LP-8	11/15/2010	10-12	18000 U	2500 U H
LP-8	11/15/2010	14-16	18000 U	2300 U H
LP-9	11/15/2010	10-12	18000 U	2500 U H
LP-9	11/15/2010	14-16	18000 U	2300 U H
LP-10	11/15/2010	10-12	18000 U	2300 U H
LP-10	11/15/2010	14-16	18000 U	2200 U H
LP-11	11/15/2010	15-17	18000 U	2300 U H
LP-11	11/15/2010	19-21	18000 U	2300 U H
LP-12	11/15/2010	11-13	32000	2300 U H
LP-12	11/15/2010	17-19	18000 U	2300 U H
LP-13	11/15/2010	10-12	18000 U	2500 U H
LP-13	11/15/2010	15-17	18000 U	2400 U H
LP-14	11/15/2010	14-16	18000 U	2500 U H
LP-15	11/16/2010	14-16	18000 U	2400 U
LP-16	11/16/2010	10-12	18000 U	2200 U
LP-16	11/16/2010	14-16	28000	2400 U
LP-17	11/16/2010	10-12	18000 U	2500 U
LP-17	11/16/2010	14-16	18000 U	2300 U
LP-18	11/16/2010	10-12	18000 U	2500 U
LP-18	11/16/2010	14-16	18000 U	2300 U
LP-19	11/16/2010	10-12	18000 U	2400 U
LP-19	11/16/2010	14-16	18000 U H	2400 U
LP-20	11/16/2010	10-12	280000	2600 U
LP-20	11/16/2010	14-16	24000	2300 U

**Table 6. Summary of Petroleum Hydrocarbons in Soil, Former Avis Headquarters
900 Old Country Road, Garden City, New York**

Sample Designation	Sample Date	Sample Depth	Diesel Range Organics (µg/kg)	Gasoline Range Organics (µg/kg)
LP-21	11/16/2010	14-16	18000 U	2500 U
LP-21 DUP	11/16/2010	14-16	18000 U	2500 U
LP-22	11/16/2010	14-16	100000	2400 U
LP-23	11/16/2010	14-16	18000 U	2500 U
LP-23 DUP	11/16/2010	14-16	18000 U	2400 U
LP-24	11/16/2010	14-16	18000 U	2500 U
LP-25	11/16/2010	14-16	18000 U	2400 U
LP-26	11/16/2010	14-16	18000 U	2500 U
LP-27	11/16/2010	14-16	18000 U	2300 U
LP-28	11/16/2010	14-16	18000 U	2300 U
LP-29	11/16/2010	10-12	18000 U	2300 U
LP-29	11/16/2010	14-16	17000 U	2300 U
MW-20	11/17/2010	18-20	18000 U	2300 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

H - Sample was prepped or analyzed beyond the specified holding time

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

**Table 7. Summary of Cyanide in Soil, Former Avis Headquarters
900 Old Country Road, Garden City, New York**

Sample Designation	Sample Date	Sample Depth	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Cyanide, Free (µg/kg)
DW-1	11/17/2010	8.5-10.5	27000	27000	552 U
DW-1	11/17/2010	14.5-16.5	27000	27000	540 U
DW-2	11/17/2010	9-11	27000	27000	563 U
DW-2	11/17/2010	15-17	27000	27000	468 J
DW-14	11/17/2010	10-12	27000	27000	210 J
DW-14	11/17/2010	14-16	27000	27000	544 U
DW-15	11/17/2010	10-12	27000	27000	570 U
DW-15	11/17/2010	14-16	27000	27000	581 U
DW-16	11/17/2010	6-8	27000	27000	529 U
DW-16	11/17/2010	12-14	27000	27000	534 U
DW-22	11/17/2010	10-12	27000	27000	530 U
DW-22	11/17/2010	14-16	27000	27000	539 U
LP-1	11/15/2010	10-12	27000	27000	520 U
LP-1	11/15/2010	14-16	27000	27000	520 U
LP-2	11/15/2010	10-12	27000	27000	524 U
LP-2	11/15/2010	14-16	27000	27000	520 U
LP-3	11/15/2010	10-12	27000	27000	517 U
LP-3	11/15/2010	14-16	27000	27000	529 U
LP-4	11/15/2010	14-16	27000	27000	525 U
LP-5	11/15/2010	10-12	27000	27000	525 U
LP-5	11/15/2010	14-16	27000	27000	523 U
LP-6	11/15/2010	10-12	27000	27000	519 U
LP-6	11/15/2010	14-16	27000	27000	517 U
LP-7	11/15/2010	10-12	27000	27000	514 U
LP-7 DUP	11/15/2010	10-12	27000	27000	517 U
LP-7	11/15/2010	14-16	27000	27000	524 U
LP-8	11/15/2010	10-12	27000	27000	516 U
LP-8	11/15/2010	14-16	27000	27000	519 U
LP-9	11/15/2010	10-12	27000	27000	524 U
LP-9	11/15/2010	14-16	27000	27000	523 U
LP-10	11/15/2010	10-12	27000	27000	529 U
LP-10	11/15/2010	14-16	27000	27000	518 U
LP-11	11/15/2010	15-17	27000	27000	517 U
LP-11	11/15/2010	19-21	27000	27000	516 U
LP-12	11/15/2010	11-13	27000	27000	515 U
LP-12	11/15/2010	17-19	27000	27000	517 U
LP-13	11/15/2010	10-12	27000	27000	530 U
LP-13	11/15/2010	15-17	27000	27000	518 U
LP-14	11/15/2010	14-16	27000	27000	519 U
LP-15	11/16/2010	14-16	27000	27000	522 U
LP-16	11/16/2010	10-12	27000	27000	519 U
LP-16	11/16/2010	14-16	27000	27000	523 U
LP-17	11/16/2010	10-12	27000	27000	519 U
LP-17	11/16/2010	14-16	27000	27000	518 U
LP-18	11/16/2010	10-12	27000	27000	525 U
LP-18	11/16/2010	14-16	27000	27000	523 U
LP-19	11/16/2010	10-12	27000	27000	525 U
LP-19	11/16/2010	14-16	27000	27000	515 U
LP-20	11/16/2010	10-12	27000	27000	531 U
LP-20	11/16/2010	14-16	27000	27000	520 U
LP-21	11/16/2010	14-16	27000	27000	526 U
LP-21 DUP	11/16/2010	14-16	27000	27000	525 U

**Table 7. Summary of Cyanide in Soil, Former Avis Headquarters
900 Old Country Road, Garden City, New York**

Sample Designation	Sample Date	Sample Depth	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Cyanide, Free (µg/kg)
LP-22	11/16/2010	14-16	27000	27000	520 U
LP-23	11/16/2010	14-16	27000	27000	523 U
LP-23 DUP	11/16/2010	14-16	27000	27000	523 U
LP-24	11/16/2010	14-16	27000	27000	521 U
LP-25	11/16/2010	14-16	27000	27000	520 U
LP-26	11/16/2010	14-16	27000	27000	522 U
LP-27	11/16/2010	14-16	27000	27000	519 U
LP-28	11/16/2010	14-16	27000	27000	340 J
LP-29	11/16/2010	10-12	27000	27000	9370
LP-29	11/16/2010	14-16	27000	27000	711
MW-20	11/17/2010	18-20	27000	27000	535 U

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Laboratory Data
(See Attached CD)