

MONTHLY PROGRESS REPORT #11

**Former Avis Headquarters Site
Garden City, New York
Brownfield Cleanup Agreement Index #C130206-11-10
Reporting Period: April 2012**

Introduction

In accordance with the Brownfield Cleanup Agreement (Index #C130206-11-10), effective November 9, 2010, this Monthly Progress Report was prepared to describe the remedial program activities at the Former Avis Headquarters Site located in Garden City, New York ("Site") [Site #C130206] for the month of April 2012.

I. Actions Taken during the Reporting Period

Roux Associates, Inc. and Remedial Engineering, P.C. (hereafter collectively referred to as "Roux Associates") continued implementation of the NYSDEC-approved RAWP including the following elements:

- Collected post-injection groundwater samples from MW-2R, MW-9R2, MW-11R2, MW-12R, MW-12AR, and MW-17 on April 2.

II. Actions Planned for the Next Reporting Period

During the next reporting period, Roux Associates anticipates:

- Collection of quarterly round of groundwater samples from MW-2R, MW-9R2, MW-11R2, MW-12R, MW-12AR, and MW-17.

III. Changes to Scope of Work or Schedule

There were no changes to the schedule in April.

IV. Sampling and Other Data Received or Generated during the Reporting Period

Groundwater sample results for MW-2R, MW-9R2, MW-11R2, MW-12R, MW-12AR, and MW-17 from the sample events on April 2, 2012 were received and are attached. (These results were previously submitted to NYSDEC on April 16, 2012.)

Soil vapor sample results for SVD-1, SVE-1, SVE-2, SVF-1, SVF-2 and the corresponding indoor air samples were received and are attached.

V. Deliverables Submitted during the Reporting Period

No deliverables were required during the reporting period.

VI. Percentage of Work Completion and Any Delays

Groundwater and soil vapor remedies are on schedule based on the RAWP.

VII. Citizen's Participation Plan Actions Taken during the Reporting Period

No CPP actions were taken during the reporting period.

VIII. Citizen's Participation Plan Actions Planned for the Next Reporting Period

No CPP actions are planned for the next reporting period.

Table 1. Summary of Volatile Organic Compounds in Groundwater, Former Avis Facility, Westbury, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	MW-9R2 4/2/2012	MW-11R2 4/2/2012	MW-12AR 4/2/2012	MW-12R 4/2/2012	MW-17 4/2/2012	MW-17 DUP 4/2/2012
1,1,1-Trichloroethane	5		1 U	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	5		1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	1		1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	5		1 U	1 U	0.29 J	1 U	1 U	1 U
1,1-Dichloroethene	5		1 U	1 U	1 U	1 U	1 U	1 U
1,2,3-Trichlorobenzene	5		5 U	5 U	5 U	5 U	5 U	5 U
1,2,4-Trichlorobenzene	5		5 U	5 U	5 U	5 U	5 U	5 U
1,2-Dibromo-3-Chloropropane	0.04		10 U	10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	5		2 U	2 U	2 U	2 U	2 U	2 U
1,2-Dichlorobenzene	3		1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	0.6		1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloropropane	1		1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	3		1 U	1 U	1 U	1 U	1 U	1 U
1,4-Dichlorobenzene	3		1 U	1 U	1 U	1 U	1 U	1 U
1,4-Dioxane	--		130 U	130 U	130 U	130 U	130 U	130 U
2-Butanone (MEK)	50		10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	50		5 U	5 U	5 U	5 U	5 U	5 U
4-Methyl-2-pentanone (MIBK)	--		5 U	5 U	5 U	5 U	5 U	5 U
Acetone	50		10 U	10 U	10 U	10 U	10 U	10 U
Benzene	1		1 U	1 U	1 U	1 U	1 U	1 U
Bromochloromethane	5		5 U	5 U	5 U	5 U	5 U	5 U
Bromodichloromethane	50		1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	50		4 U	4 U	4 U	4 U	4 U	4 U
Bromomethane	5		2 U	2 U	2 U	2 U	2 U	2 U
Carbon disulfide	60		2 U	2 U	2 U	2 U	2 U	2 U
Carbon tetrachloride	5		1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	5		1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	5		1 U	1 U	1 U	1 U	1 U	1 U
Chloroform	7		1 U	1 U	4.3	1 U	1 U	1 U
Chloromethane	--		1 U	1 U	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	5		1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	5		1 U	1 U	1 U	1 U	1 U	1 U
Cyclohexane	--		5 U	5 U	5 U	5 U	5 U	5 U
Dibromochloromethane	50		1 U	1 U	1 U	1 U	1 U	1 U

Table 1. Summary of Volatile Organic Compounds in Groundwater, Former Avis Facility, Westbury, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	MW-9R2 4/2/2012	MW-11R2 4/2/2012	MW-12AR 4/2/2012	MW-12R 4/2/2012	MW-17 4/2/2012	MW-17 DUP 4/2/2012
Dichlorodifluoromethane	5		5 U	5 U	5 U	5 U	5 U	5 U
Ethylbenzene	5		1 U	1 U	1 U	1 U	1 U	1 U
Freon 113	--		5 U	0.76 J	5 U	5 U	5 U	5 U
Isopropylbenzene	5		2 U	2 U	2 U	2 U	2 U	2 U
m+p-Xylene	5		1 U	1 U	1 U	1 U	1 U	1 U
Methyl acetate	--		5 U	5 U	5 U	5 U	5 U	5 U
Methylcyclohexane	--		5 U	5 U	5 U	5 U	5 U	5 U
Methylene chloride	5		2 U	2 U	2 U	2 U	2 U	2 U
MTBE	10		1 U	1 U	1 U	1 U	1 U	1 U
o-Xylene	5		1 U	1 U	1 U	1 U	1 U	1 U
Styrene	5		5 U	5 U	5 U	5 U	5 U	5 U
Tetrachloroethene	5		0.64 J	1 U	1 U	1	1.5	1.8
Toluene	5		1 U	1 U	1 U	1 U	1 U	1 U
trans-1,2-Dichloroethene	5		1 U	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	--		1 U	1 U	1 U	1 U	1 U	1 U
Trichloroethene	5		0.41 J	12.2	1 U	1 U	1 U	1 U
Trichlorofluoromethane	5		2.6 J	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2		1 U	1 U	1 U	1 U	1 U	1 U
Xylenes (total)	5		1 U	1 U	1 U	1 U	1 U	1 U

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

DUP - Duplicate

- - No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 2. Summary of Metals in Groundwater, Former Avis Facility, Westbury, New York

Parameter (Concentrations in µg/L)	NYSDEC AWQSGVs (µg/L)	Sample Designation: Sample Date:	MW-2R 4/2/2012
Aluminum	--		1490
Antimony	3		4 U
Arsenic	25		2 U
Barium	1000		198
Beryllium	3		1 U
Cadmium	5		2 U
Calcium	--		121000
Chromium	50		45.2
Cobalt	--		1 U
Copper	200		45.2
Iron	--		1540
Lead	25		8.3
Magnesium	--		10700
Manganese	300		151
Mercury	0.7		0.2 U
Nickel	100		8 U
Potassium	--		15100
Selenium	10		3.2
Silver	50		4 U
Sodium	20000		58700
Thallium	0.5		1 U
Vanadium	--		8 U
Zinc	2000		11.4

NYSDEC - New York State Department of Environmental Conservation

AWQSGVs - Ambient Water-Quality Standards and Guidance Values

µg/L -Micrograms per liter

J - Estimated Value

U - Compound was analyzed for but not detected

-- No NYSDEC AWQSGV available

Bold data indicates that parameter was detected above the NYSDEC AWQSGVs

Table 3. Summary of Volatile Organic Compounds in Air Samples, Former Avis Facility, Westbury, New York

Parameter (Concentrations in ug/m3)	Soil Vapor/ Indoor Air		Soil Vapor/ Indoor Air		Sample Designation: Sample Date:	AMB-032012	SVD-1	IAD-032012	SVE-1	SVE-2
	Matrix 1		Matrix 2			3/20/2012	3/20/2012	3/20/2012	3/20/2012	3/20/2012
	Monitor	Mitigate	Monitor	Mitigate						
Carbon tetrachloride	50	250	--	--		0.75 J	5 U	0.75 J	5 U	5 U
Tetrachloroethene	--	--	100	1000		0.27 U	26	0.4	2.7	2.1
1,1,1-Trichloroethane	--	--	100	1000		1.1 U	18	1.1 U	3.3 J	6.5
Trichloroethene	50	250	--	--		0.21 U	9.7	0.21 U	1.9	1.2
1,1,2,2-Tetrachloroethane	--	--	--	--		1.4 U	5.5 U	1.4 U	5.5 U	5.5 U
1,1,2-Trichloroethane	--	--	--	--		1.1 U	4.4 U	1.1 U	4.4 U	4.4 U
1,1-Dichloroethane	--	--	--	--		0.81 U	3.2 U	0.81 U	3.2 U	3.2 U
1,1-Dichloroethene	--	--	--	--		0.79 U	3.2 U	0.79 U	3.2 U	3.2 U
1,2,4-Trichlorobenzene	--	--	--	--		1.5 U	5.9 U	1.5 U	5.9 U	5.9 U
1,2,4-Trimethylbenzene	--	--	--	--		0.64 J	11	7.9	21	15
1,2-Dibromoethane	--	--	--	--		1.5 U	6.1 U	1.5 U	6.1 U	6.1 U
1,2-Dichlorobenzene	--	--	--	--		1.2 U	4.8 U	1.2 U	4.8 U	4.8 U
1,2-Dichloroethane	--	--	--	--		0.81 U	3.2 U	0.81 U	3.2 U	3.2 U
1,2-Dichloropropane	--	--	--	--		0.92 U	3.7 U	0.92 U	3.7 U	3.7 U
1,3,5-Trimethylbenzene	--	--	--	--		0.98 U	2.7 J	2.3	5.4	4.2
1,3-Butadiene	--	--	--	--		0.44 U	1.8 U	0.44 U	1.8 U	1.8 U
1,3-Dichlorobenzene	--	--	--	--		1.2 U	4.8 U	1.2 U	4.8 U	4.8 U
1,4-Dichlorobenzene	--	--	--	--		1.2 U	4.8 U	1.2 U	4.8 U	4.8 U
1,4-Dioxane	--	--	--	--		0.72 U	2.9 U	0.72 U	2.9 U	2.9 U
2-Butanone (MEK)	--	--	--	--		0.59 U	6080	274	640	1670
2-Chlorotoluene	--	--	--	--		1 U	4.1 U	1 U	4.1 U	4.1 U
2-Hexanone	--	--	--	--		0.82 U	3.3 U	0.82 U	3.3 U	3.3 U
3-Chloropropene	--	--	--	--		0.63 U	2.5 U	0.63 U	2.5 U	2.5 U
4-Ethyltoluene	--	--	--	--		0.98 U	2.3 J	1.2	4.3	3.4 J
4-Methyl-2-pentanone (MIBK)	--	--	--	--		0.82 U	3.3 U	0.82 U	3.3 U	9
Acetone	--	--	--	--		9	4560	126	458	708
Benzene	--	--	--	--		0.86	2.6 U	1.2	2.3 J	1.4 J
Benzyl chloride	--	--	--	--		1 U	4.1 U	1 U	4.1 U	4.1 U
Bromodichloromethane	--	--	--	--		1.3 U	5.4 U	1.3 U	5.4 U	5.4 U
Bromoethene	--	--	--	--		0.87 U	3.5 U	0.87 U	3.5 U	3.5 U
Bromoform	--	--	--	--		2.1 U	8.3 U	2.1 U	8.3 U	8.3 U
Bromomethane	--	--	--	--		0.78 U	3.1 U	0.78 U	3.1 U	3.1 U
Carbon disulfide	--	--	--	--		0.62 U	2.1 J	0.62 U	2.2 J	2.8
Chlorobenzene	--	--	--	--		0.92 U	3.7 U	0.92 U	3.7 U	3.7 U
Chloroethane	--	--	--	--		0.53 U	2.1 U	0.53 U	2.1 U	2.1 U
Chloroform	--	--	--	--		0.98 U	3.9 U	0.98 U	3.9 U	3.9 U
Chloromethane	--	--	--	--		1.5	1.7 U	1.4	1.7 U	1.7 U
cis-1,2-Dichloroethene	--	--	--	--		0.79 U	3.2 U	0.79 U	3.2 U	3.2 U

Table 3. Summary of Volatile Organic Compounds in Air Samples, Former Avis Facility, Westbury, New York

Parameter (Concentrations in ug/m3)	Soil Vapor/ Indoor Air		Soil Vapor/ Indoor Air		Sample Designation: AMB-032012 SVD-1 IAD-032012 SVE-1 SVE-2					
	Matrix 1		Matrix 2		Sample Date:	3/20/2012	3/20/2012	3/20/2012	3/20/2012	3/20/2012
	Monitor	Mitigate	Monitor	Mitigate						
cis-1,3-Dichloropropene	--	--	--	--		0.91 U	3.6 U	0.91 U	3.6 U	3.6 U
Cyclohexane	--	--	--	--		0.69 U	2.8 U	0.69 U	2.8 U	2.8 U
Dibromochloromethane	--	--	--	--		1.7 U	6.8 U	1.7 U	6.8 U	6.8 U
Dichlorodifluoromethane	--	--	--	--		3.1	4 U	2.8	6.9	5.9
Ethanol	--	--	--	--		4.1	273	7.5	147	194
Ethyl Acetate	--	--	--	--		4.3	2.9 U	0.72 U	2.9 U	11
Ethylbenzene	--	--	--	--		0.48 J	2 J	1.5	3.2 J	3.4 J
Freon 113	--	--	--	--		1.5 U	4.5 J	1.5 U	6.1 U	11
Freon 114	--	--	--	--		1.4 U	5.6 U	1.4 U	5.6 U	5.6 U
Heptane	--	--	--	--		0.45 J	3.3 U	2.4	4.5	2.9 J
Hexachlorobutadiene	--	--	--	--		2.1 U	8.5 U	2.1 U	8.5 U	8.5 U
Hexane	--	--	--	--		0.7 U	3	4.6	12	13
Isooctane	--	--	--	--		0.93 U	3.7 U	4.5	22	3.7 U
Isopropyl Alcohol	--	--	--	--		0.49 U	11	0.49 U	2 U	7.1
m+p-Xylene	--	--	--	--		1.3	7.4	6.5	13	13
Methyl Methacrylate	--	--	--	--		0.82 U	3.3 U	0.82 U	3.3 U	3.3 U
Methylene chloride	--	--	--	--		0.69 U	2.8 U	1	2.8 U	2.8 U
MTBE	--	--	--	--		0.72 U	2.9 U	0.72 U	2.9 U	2.9 U
o-Xylene	--	--	--	--		0.65 J	4	3.9	5.6	5.6
Propylene	--	--	--	--		0.81 J	3.4 U	0.86 U	3.4 U	11
Styrene	--	--	--	--		0.85 U	3.4 U	0.81 J	3.4 U	3.4 U
t-Butyl Alcohol	--	--	--	--		0.61 U	2.4 U	0.61 U	3	5.5
Tetrahydrofuran	--	--	--	--		0.59 U	4480	191	846	1800
Toluene	--	--	--	--		1.7	17	26	104	122
trans-1,2-Dichloroethene	--	--	--	--		0.79 U	3.2 U	0.79 U	3.2 U	3.2 U
trans-1,3-Dichloropropene	--	--	--	--		0.91 U	3.6 U	0.91 U	3.6 U	3.6 U
Trichlorofluoromethane	--	--	--	--		1.8	294	3	66.9	116
Vinyl Acetate	--	--	--	--		0.7 U	2.8 U	0.7 U	2.8 U	2.8 U
Vinyl chloride	--	--	--	--		0.51 U	2 U	0.51 U	2 U	2 U
Xylenes (total)	--	--	--	--		2	11	10	19	20

J - Estimated value

E - Indicates value exceeded calibration range

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

ug/m3 - Micrograms per cubic meter

Bold data indicates that parameter was detected

Table 3. Summary of Volatile Organic Compounds in Air Samples, Former Avis Facility, Westbury, New York

Parameter (Concentrations in ug/m3)	Soil Vapor/ Indoor Air		Soil Vapor/ Indoor Air		Sample Designation: IAE-032012 SVF-1 SVF-2 IAF-032012				
	Matrix 1		Matrix 2		Sample Date:	3/20/2012	3/20/2012	3/20/2012	
	Monitor	Mitigate	Monitor	Mitigate	3/20/2012	3/20/2012	3/20/2012	3/20/2012	
Carbon tetrachloride	50	250	--	--		1.3 U	1.3 U	5 U	1.3 U
Tetrachloroethene	--	--	100	1000		0.27 U	0.3	1.8	1.6
1,1,1-Trichloroethane	--	--	100	1000		1.1 U	1.1 U	4.4 U	1.1 U
Trichloroethene	50	250	--	--		0.7	2.7	2.1	0.33
1,1,2,2-Tetrachloroethane	--	--	--	--		1.4 U	1.4 U	5.5 U	1.4 U
1,1,2-Trichloroethane	--	--	--	--		1.1 U	1.1 U	4.4 U	1.1 U
1,1-Dichloroethane	--	--	--	--		0.81 U	0.81 U	3.2 U	0.81 U
1,1-Dichloroethene	--	--	--	--		0.79 U	0.79 U	3.2 U	0.79 U
1,2,4-Trichlorobenzene	--	--	--	--		1.5 U	1.5 U	5.9 U	1.5 U
1,2,4-Trimethylbenzene	--	--	--	--		100	6.4	5.4	11
1,2-Dibromoethane	--	--	--	--		1.5 U	1.5 U	6.1 U	1.5 U
1,2-Dichlorobenzene	--	--	--	--		1.2 U	1.2 U	4.8 U	1.2 U
1,2-Dichloroethane	--	--	--	--		0.81 U	0.81 U	3.2 U	0.81 U
1,2-Dichloropropane	--	--	--	--		0.92 U	0.92 U	3.7 U	0.92 U
1,3,5-Trimethylbenzene	--	--	--	--		27	1.7	3.9 U	2.9
1,3-Butadiene	--	--	--	--		0.44 U	0.44 U	1.8 U	0.44 U
1,3-Dichlorobenzene	--	--	--	--		1.2 U	1.2 U	4.8 U	1.2 U
1,4-Dichlorobenzene	--	--	--	--		1.2 U	1.2 U	4.8 U	1.2 U
1,4-Dioxane	--	--	--	--		0.72 U	0.72 U	2.9 U	0.72 U
2-Butanone (MEK)	--	--	--	--		10	5930	5870	8.6
2-Chlorotoluene	--	--	--	--		1 U	1 U	4.1 U	1 U
2-Hexanone	--	--	--	--		1.1	0.82 U	3.3 U	0.7 J
3-Chloropropene	--	--	--	--		0.63 U	0.63 U	2.5 U	0.63 U
4-Ethyltoluene	--	--	--	--		19	1.1	3.9 U	1.6
4-Methyl-2-pentanone (MIBK)	--	--	--	--		0.82 U	0.82 U	3.3 U	0.74 J
Acetone	--	--	--	--		352	3160	4680	33
Benzene	--	--	--	--		1.4	1.5	1.6 J	0.73
Benzyl chloride	--	--	--	--		1 U	1 U	4.1 U	1 U
Bromodichloromethane	--	--	--	--		1.3 U	1.3 U	5.4 U	1.3 U
Bromoethene	--	--	--	--		0.87 U	0.87 U	3.5 U	0.87 U
Bromoform	--	--	--	--		2.1 U	2.1 U	8.3 U	2.1 U
Bromomethane	--	--	--	--		0.78 U	0.78 U	3.1 U	0.78 U
Carbon disulfide	--	--	--	--		0.81	3.1	25	0.4 J
Chlorobenzene	--	--	--	--		0.92 U	0.92 U	3.7 U	0.92 U
Chloroethane	--	--	--	--		0.53 U	0.53 U	2.1 U	0.53 U
Chloroform	--	--	--	--		0.98 U	3.4	3.9 U	0.98 U
Chloromethane	--	--	--	--		1.5	3.3	2.5	2.3
cis-1,2-Dichloroethene	--	--	--	--		0.79 U	0.71 J	3.2 U	0.79 U

Table 3. Summary of Volatile Organic Compounds in Air Samples, Former Avis Facility, Westbury, New York

Parameter (Concentrations in ug/m3)	Soil Vapor/ Indoor Air		Soil Vapor/ Indoor Air		Sample Designation: IAE-032012 SVF-1 SVF-2 IAF-032012				
	Matrix 1		Matrix 2		Sample Date:	3/20/2012	3/20/2012	3/20/2012	
	Monitor	Mitigate	Monitor	Mitigate					
cis-1,3-Dichloropropene	--	--	--	--		0.91 U	0.91 U	3.6 U	0.91 U
Cyclohexane	--	--	--	--		0.76	1.3	4.5	0.69 U
Dibromochloromethane	--	--	--	--		1.7 U	1.7 U	6.8 U	1.7 U
Dichlorodifluoromethane	--	--	--	--		2.4	3.9	4.7	2.6
Ethanol	--	--	--	--		25.1	569	1020	19.6
Ethyl Acetate	--	--	--	--		8.6	13	15	11
Ethylbenzene	--	--	--	--		9.6	1.7	2.2 J	2.4
Freon 113	--	--	--	--		1.5 U	204	61	1.5 U
Freon 114	--	--	--	--		1.4 U	1.4 U	5.6 U	1.4 U
Heptane	--	--	--	--		0.82 U	3.2	2.3 J	0.9
Hexachlorobutadiene	--	--	--	--		2.1 U	2.1 U	8.5 U	2.1 U
Hexane	--	--	--	--		78.6	1.7	2.7 J	0.92
Isooctane	--	--	--	--		181	1.8	2.3 J	0.47 J
Isopropyl Alcohol	--	--	--	--		6.9	13	16	6.9
m+p-Xylene	--	--	--	--		42	5.6	6.9	8.7
Methyl Methacrylate	--	--	--	--		0.82 U	0.82 U	3.3 U	0.82 U
Methylene chloride	--	--	--	--		0.69 U	0.69 U	2.8 U	1.8
MTBE	--	--	--	--		0.72 U	0.43 J	2.9 U	0.72 U
o-Xylene	--	--	--	--		18	2.3	2.6 J	3.7
Propylene	--	--	--	--		0.86 U	7.2	27.5	0.86 U
Styrene	--	--	--	--		1.1	1.2	1.7 J	2.5
t-Butyl Alcohol	--	--	--	--		0.61 U	3	5.8	0.55 J
Tetrahydrofuran	--	--	--	--		2.4	2380	4390	1.5
Toluene	--	--	--	--		494	5.3	6.8	5.3
trans-1,2-Dichloroethene	--	--	--	--		0.79 U	0.79 U	3.2 U	0.79 U
trans-1,3-Dichloropropene	--	--	--	--		0.91 U	0.91 U	3.6 U	0.91 U
Trichlorofluoromethane	--	--	--	--		1.4	248	568	1.9
Vinyl Acetate	--	--	--	--		0.7 U	0.7 U	2.8 U	0.7 U
Vinyl chloride	--	--	--	--		0.51 U	0.51 U	2 U	0.51 U
Xylenes (total)	--	--	--	--		59.1	7.8	9.6	13

J - Estimated value

E - Indicates value exceeded calibration range

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

ug/m3 - Micrograms per cubic meter

Bold data indicates that parameter was detected