

April 29, 2011

**REVISED
INTERIM REMEDIAL MEASURES
WORK PLAN**

**900 Old Country Road
Garden City, Town of Hempstead
Nassau County, New York**

Prepared for:

**EQUITY ONE (NORTHEAST PORTFOLIO) INC.
650 Fifth Avenue, 24th Floor
New York, New York 10019**

ROUX ASSOCIATES, INC.

Environmental Consulting & Management

and REMEDIAL ENGINEERING, P.C.

209 Shafter Street, Islandia, New York 11749 ♦ 631-232-2600

TABLE OF CONTENTS

DISCLAIMER	iii
1.0 INTRODUCTION	1
1.1 Objectives and Scope of the IRM Work Plan	1
1.2 Certification	2
2.0 SITE BACKGROUND	3
2.1 Site Description	3
2.2 Site History	3
2.3 Site Environmental Conditions	3
2.4 Areas of Concern	4
3.0 REMEDIAL INVESTIGATION – SOIL SAMPLING RESULTS	6
3.1 Sampling Methodology	6
3.2 Cendant Building	7
3.3 Manufacturing Building	8
3.4 Drywells and Leaching Pools	8
4.0 SCOPE OF WORK	12
4.1 Site Mobilization and Site Preparation	12
4.2 Site Specific Health and Safety Plan	13
4.3 Odor and Dust Control Plans	13
4.3.1 Odor Control Plan	14
4.3.2 Dust Control Plan	14
4.4 Soil Excavation and Confirmation Sampling	15
4.4.1 Cendant Building	15
4.4.2 Manufacturing Building	16
4.4.3 Dry Wells/Leach Pools	16
4.4.4 Endpoint Sample Evaluation	17
4.5 Stockpiling	17
4.6 Waste Characterization Sampling	18
4.7 Transportation and Offsite Disposal	19
4.8 Backfilling	19
4.9 Construction Completion Report	20
5.0 IRM IMPLEMENTATION SCHEDULE	21
6.0 REFERENCES	22

TABLES

1. Summary of Volatile Organic Compounds in Soil
2. Summary of Semivolatile Organic Compounds in Soil
3. Summary of Metals in Soil
4. Summary of Polychlorinated Biphenyls in Soil
5. Summary of Pesticides in Soil
6. Summary of Petroleum Hydrocarbons in Soil
7. Summary of General Chemistry in Soil

TABLE OF CONTENTS

(Continued)

TABLES (Continued)

8. Analytical Methods/Quality Assurance Summary
9. Drywell and Leaching Pool Soil Removal

FIGURES

1. Site Location
2. Proposed IRM Excavation Plan

PLATES

1. Soil Sample Results February 2011
2. Drywell/Leaching Pool Sample Results

DISCLAIMER

All professional engineering services rendered in preparation of this document have been performed for Roux Associates, Inc. by Remedial Engineering, P.C., a professional corporation qualified to perform such services in the state of New York.

1.0 INTRODUCTION

Roux Associates, Inc. and its associated firm, Remedial Engineering, P.C., (Roux Associates) have prepared this Interim Remedial Measures (IRM) Work Plan on behalf of Equity One (Northeast Portfolio) Inc. (Equity One) to detail the scope of work for the excavation and offsite disposal of contaminated unsaturated soils from various locations on the property (Site) located at 900 Old Country Road in Garden City, New York (Figure 1). The Site is currently in the New York State Brownfield Cleanup Program (BCP) and is identified as Site No. C130206. Previous investigations performed at the Site have identified the presence of polychlorinated biphenyls (PCBs), metals, volatile organic compounds (VOCs), and semivolatile organic compounds (SVOCs) as compounds of concern (COCs) for soil and groundwater in various areas of the Site. Vapors containing VOCs have also been identified and, an extensive dry-well leaching system is present at the Site, which is planned for removal as part of the Site redevelopment. Roux Associates has recently completed a Remedial Investigation (RI) at the site to identify and delineate soil contamination and prepare for remediation of these locations through excavation and off-site disposal. The results of the soil sampling conducted during the RI will be presented herein.

This IRM Work Plan has been prepared in accordance with New York State Department of Environmental Conservation (NYSDEC) procedures set forth in DER-10 Technical Guidance for Site Investigation and Remediation, dated May 2010 (NYSDEC, 2010), and complies with all applicable Federal, State and local laws, regulations and requirements.

1.1 Objectives and Scope of the IRM Work Plan

The remedial excavation of soil contamination at the Former Avis Headquarters Site is planned as an IRM to be conducted concurrently with the demolition of buildings and other structures at the Site. The RI was designed to complete the comprehensive identification and delineation of areas of concern (AOCs) at the site in preparation for the IRM. The RI included:

- 1) Delineation of known AOCs, primarily dry wells and leach pools located in and adjacent to the buildings; and
- 2) Identification of previously unidentified AOCs beneath the Cendant, Manufacturing and Storage Buildings through the use of Gore Sampling Modules for screening purposes. All locations identified to have elevated results were targeted for confirmation soil borings and soil vapor sampling.

This IRM Work Plan describes the delineated AOCs that will be excavated during the IRM and the procedures that will be utilized during the excavation of all contaminated soils.

The detailed Scope of Work for the IRM is provided in Section 3.0.

The remainder of this IRM Work Plan is organized as follows:

Section 2: Site Background

Section 3: Remedial Investigation – Soil Sampling Results

Section 4: Scope of Work

Section 5: IRM Work Plan Implementation Schedule

Section 6: References

1.2 Certification

I, Charles J. McGuckin, P.E., certify that I am currently a NYS registered professional engineer as defined in 6 NYCRR Part 375 and that this Interim Remedial Work Plan was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).

Charles J. McGuckin, P.E. # 069509
NYS Professional Engineer #

April 29, 2011
Date



It is a violation of Article 145 of New York State Education Law for anyone to alter this document in any way without the express written verification of adoption by any New York State licensed engineer in accordance with Section 7209(2), Article 145, New York State Education Law.

2.0 SITE BACKGROUND

Relevant Site background information is presented in this section.

2.1 Site Description

The Site is located in Garden City, in the County of Nassau, New York and is identified as Section 44, Block 67, Lots 26, 27 and 28 on the Nassau County Tax Map. A United States Geological Survey (USGS) topographical quadrangle map (Figure 1) shows the Site location. The Site is situated on an approximately 22-acre area bounded by Old Country Road to the north, commercial/industrial properties to the south, Zeckendorf Boulevard to the east, and East Gate Boulevard to the west (Figure 2). Five buildings exist on the property including a 3-story former office building (Avis Building), a former 1.5-story garage which also contained office space (Cendant Building), a former 1-story Manufacturing Building, a former 1.5-story Storage Building and an active 1-story furniture store. The remainder of the property consists of paved parking areas and some limited landscape areas. All of these buildings are slab on grade structures which are planned for demolition prior to redevelopment of the Site.

2.2 Site History

The Site was originally part of the former Hazelhurst Airfield and formerly contained at least four airplane hangars. By 1961, the site was occupied by the American Bosch Arma Corp. which consisted of various buildings used in the manufacturing and testing of sonar and defense systems guidance instrumentation. From approximately 1980 until 2001, Avis Rent-A-Car leased the property from the Simon Group for use as its world headquarters. The Site has been vacant since 2001, with the exception of an active furniture store (Thomasville Home Furnishings) located in the northeast corner.

2.3 Site Environmental Conditions

Previous investigations performed at the Site over the past decade have shown several AOCs. To date, seven underground storage tanks (USTs) have been removed from the Site, a floor drain system in the Cendant Building was removed and several drywell leaching structures within the parking areas of the Site have been sampled. The COCs identified in Site soils include PCBs, metals, and SVOCs. Although no source has been determined in site soils, VOCs have been detected in groundwater samples collected from the southeastern section of the Site.

As part of the planned redevelopment of the Site, all existing structures will be demolished and removed from the site. Due to the limited nature of any previous sub-slab investigations at the Site, Roux Associates performed a Gore Module passive soil gas survey to identify AOCs beneath the floor slabs in the Cendant Building and the Manufacturing Building, and to delineate previously identified soil vapor impacts in the southeastern portion of the Site. Locations yielding elevated results were targeted for follow-up confirmation soil and soil vapor sampling.

2.4 Areas of Concern

This IRM Work Plan addresses excavation of soil from areas of impact that have been delineated through the RI in the following AOCs.

Cendant Building/Avis Building

These buildings have been abandoned since approximately 2001 and little or no information is available to describe building construction or operation. Historical information did indicate that soil borings were not warranted in the Avis Office Building; however, the Cendant Building once contained a floor drain system, a leach pit and reported drum storage areas, a small electrical substation containing six large batteries with associated fluids, and was also the site of historical manufacturing activities. Roux Associates has not encountered any drums, electrical substations or batteries during Site reconnaissance activities. Based on the limited available information, broad site characterization was conducted using Gore soil vapor sampling modules as described in the RIWP, with a total of fifteen locations installed to evaluate the Cendant Building.

Eight Gore Module locations in the Cendant Building indicated elevated levels of VOCs and/or SVOCs and were selected for confirmation soil borings (G-04, G-05, G-07, G-08, G-10, G-30, G-32, and G-33). One Gore Module location south of the Cendant Building (G-18) exhibited elevated VOC concentrations and was targeted for confirmation sampling as well. Three sub-slab soil vapor points were also installed and sampled to confirm the findings of the Gore Module Survey (V-7, V-8, and V-9). The soil sampling results are presented in Section 3.

Manufacturing Building

The exact timeframe that the Manufacturing Building ceased to house active operations is unknown; however, it is suspected that the building was used only for storage by Avis, which

occupied the site from approximately 1980 until 2001. Similar to the Avis Office Building and the Cendant Building, no as-builts or building plans of the Manufacturing Building were available for review. Previous investigations in this portion of the Site included three soil borings and the successful clean closure of a previously unidentified UST located off the southwestern corner of the Manufacturing Building.

Four Gore Modules were installed to evaluate the Manufacturing Building. Two of the Gore Module locations were selected for confirmation soil borings (G-12 and G-13), and an additional soil boring was installed approximately midway between these locations (G-13A). Gore Module locations G-17 and G-44 located outside to the west of the Manufacturing Building were also selected for follow up soil sampling to confirm the Gore results. Four soil vapor points (V-1 through V-4) were installed in the southeast corner of the site to evaluate both the Gore Module results and the results of soil vapor sampling that took place during previous investigations.

Storage Building

The Storage Building is the smallest of the five buildings located on the Site. The roof of this building has collapsed along with partial collapse of some interior support structures, and therefore no Gore Module locations were planned for the interior of this building. Four Gore Module locations were installed in exterior areas surrounding the Storage Building (G-16 through G-19). Gore locations G-17 and G-18 were selected for follow up soil sampling during the RI to evaluate elevated VOC/SVOC detections. Leach pools on the eastern and western sides of the building were also investigated (LP-21 through LP-27) during the RI.

Drywells and Leaching Pools

There are a total of nine drywells with open grates that handle stormwater runoff in the northern parking area and twenty-nine covered leaching pools that handled former septic waste at the site. Previous investigations have shown up to twenty-one of these structures to contain soil contaminated with SVOCs, metals, and PCBs. During the RI Roux Associates sampled all drywells and leaching pools at the site.

3.0 REMEDIAL INVESTIGATION – SOIL SAMPLING RESULTS

From January 31 to February 11, 20011, Roux Associates conducted the RI at the site in accordance with the approved RIWP submitted to NYSDEC in January 2011. The results of all of the RI soil sampling activities are presented in the graphics and tables presented in this section.

Analytical results for soil samples were compared to NYSDEC Unrestricted Use and Restricted Commercial Soil Cleanup Objectives (SCOs) for the Protection of Public Health presented in 6 NYCRR Subpart 375-6. These SCOs were selected based on the future use of the Site, as well as the anticipated BCP cleanup tracks for soil remediation that are proposed as part of this IRM Work Plan.

Due to project construction schedules, this IRM Work Plan is being submitted in advance of the complete RI Report. All of the soil sample results including QA/QC samples and lab deliverable packages will be presented again in full in the final RI Report.

3.1 Sampling Methodology

Soil borings were advanced using a Geoprobe[®] track-mounted direct-push drill rig. Samples of the soil profile were collected in continuous five-foot increments using a 2-inch diameter macrocore sampler to a maximum depth of 21-24 feet below grade, which is the approximate depth to the water table. Each soil core was field screened with a photo-ionization detector (PID) and the lithology recorded.

Following field screening, soil samples were packed into laboratory supplied containers and stored on ice. All soil samples were analyzed by Test America Laboratories, Inc. (TestAmerica) for Target Compound List (TCL) plus 30/ Target Analyte List (TCL + 30/TAL) (which includes TCL Volatile Organic Compounds [VOCs], TCL Base neutral acids [BNA], [SVOCs] + 20, TCL Pesticides, TCL polychlorinated biphenyls [PCBs], TAL Metals (including hexavalent chromium), and Total Cyanide), and Total Petroleum Hydrocarbons (TPH). Analytical data was provided in NYSDEC ASP Category B deliverable packages with case narratives describing how closely the data met the quality objectives as described by the NYSDEC ASP.

The locations of the soil borings are shown on Plates 1 and 2, along with their respective summarized soil sample results. Exceedances of the Unrestricted Use Criteria (UUC) are shown in black, and exceedances of the Restricted Commercial Criteria (RCC) are shown in red. Complete soil sample results are summarized in Tables 1 through 7.

3.2 Cendant Building

A total of twelve soil borings were advanced in the Cendant Building, eight at former Gore Module locations (GSB-04, GSB-05, GSB-07, GSB-08, GSB-10, GSB-30, GSB-32, GSB-33), and four additional delineation borings around GSB-32. One soil boring was advanced outside to the south of the Cendant Building (GSB-18).

A total of four soil samples were collected from each soil boring location. At all locations, soil samples were collected from the 0-2 and 2-4 foot below grade intervals and analyzed for the parameter groups previously listed. Soil samples were also collected from the 8-10 foot interval and the water table interface, and held at the laboratory pending results from the shallower sample intervals.

In general, there were no VOCs detected in exceedance of either the UUCs or RCCs in the soil samples collected from beneath the Cendant Building, with the exception of acetone in samples from GSB-32 and GSB-33, both in the 2-4 foot interval, and GSB-05 in the 0-2 foot interval. These two samples contained detections of acetone exceeding the UUCs, but neither exceeded the RCCs. Eight boring locations contained multiple SVOCs detected above the UUCs and RCCs in samples collected from the 0-2 and 2-4 foot below grade intervals. One location (GSB-30) also had exceedances of SVOCs in the sample collected from 8-10 feet below grade. Seven of the borings contained detections of 4,4'-DDT above the UUCs in samples collected from the 0-2 and 2-4 foot below grade intervals, but none of these exceeded the RCCs. Three of the borings contained detections of mercury above the UUC in samples collected from the 0-2 and 2-4 foot below grade intervals, none of these exceeded the RCCs. There were no PCBs detected in any of the samples analyzed from beneath the Cendant Building.

At location GSB-32, a PID reading of 30.8 parts per million (ppm) was measured during field screening of the 8-10 foot interval, which triggered this sample for immediate laboratory analysis.

Based on the field screening result, four delineation borings were advanced around this location (GSB-32N, GSB-32E, GSB-32S and GSB-32W). As shown on Plate 1, laboratory analysis showed the only exceedance in GSB-32 to be 1.8 mg/kg of hexavalent chromium in the 2-4 foot interval, and 52 µg/kg of acetone in the 2-4 foot interval. At GSB-32E, the 4-6 foot interval was sampled in lieu of the 2-4 foot interval due to a PID reading of 2.5 ppm, and at GSB-32W the 10-12 foot interval was sampled in lieu of the 8-10 foot interval due to a PID reading of 2.6 ppm. No exceedances were detected in any of the four delineation borings.

3.3 Manufacturing Building

A total of three soil borings were advanced in the Manufacturing Building, two at former Gore Module locations (GSB-12 and GSB-13), and one additional boring approximately midway between the two locations (GSB-13A). A total of four soil samples were collected from each soil boring location. At all locations, soil samples were collected from the 0-2 and 2-4 foot below grade intervals and analyzed for the previously specified parameters. Soil samples were also collected from the 8-10 foot interval and the water table interface, and held at the laboratory pending results from the shallower sample intervals.

Similar to the Cendant Building results, there were no exceedances of VOCs in any of the soil samples that were analyzed from beneath the Manufacturing Building. Two SVOCs were detected slightly above the UUCs in soil samples collected from the 0-2 foot below grade interval: dibenzo[a,h]anthracene in GSB-12 and GSB-13; and indeno[1,2,3-cd]pyrene in GSB-12 and GSB-13A. Two of the borings had UUC exceedances of pesticides in the 0-2 foot interval: 4,4'-DDE and dieldrin in GSB-13; and 4,4'-DDE and 4,4'-DDT in GSB-12. The only UUC exceedance detected for metals was mercury in GSB-13 in the 0-2 foot interval. The only RCC exceedance within the Manufacturing Building was for PCBs in the sample collected from the 0-2 foot interval from GSB-13. PCBs did not exceed RCCs or UUCs in the other two soil borings.

3.4 Drywells and Leaching Pools

A total of nine drywells and twenty-nine leaching pools were sampled as part of the RI. The locations of the drywells and leaching pools are shown on Plate 2 along with their respective soil sample results.

Drywells

All of the nine drywells are located in the northern parking areas of site, and all but one (DW-15) were sampled by Roux Associates during the RI and by previous consulting firms during Phase II investigations in 2009. Soil samples were collected using a Geoprobe® track-mounted direct-push drill rig which was advanced through the open top of the drywell. The depths to the bottom of the drywells varied significantly from one and a half feet below grade in DW-16 and DW-22, to sixteen feet below grade in DW-20.

Soil samples have been collected from at least three intervals from each dry well, with the exception of DW-15 which was only sampled from two intervals. Intervals to be sent for laboratory analysis were determined in the field based on previous sample intervals, PID readings and visual observation of the soil cores. Roux Associates sampled intervals deeper than those sampled during previous investigations to delineate the vertical impacts within each drywell.

Based on the soil sample results, it appears that the majority of these locations are solely impacted with SVOCs exceeding the UUCs and RCCs, metals exceeding the UUCs, and only two (DW-2 and DW-20) are impacted with pesticides exceeding the UUCs. Drywells DW-2 and DW-20 contain SVOCs impacts that extend down to a depth of approximately twenty feet below grade. Drywell DW-21 is impacted by SVOCS and metals to a depth of approximately thirteen feet below grade. Drywells DW-14, DW-15, and DW-16 contain primarily SVOC impacts extending to a depth of approximately twelve feet below grade. Drywells DW-1, DW-19, and DW-22 are impacted by metals and SVOCs to depths of eight, eleven and nine feet below grade, respectively.

Leaching Pools

The twenty-nine leaching pools are located east, south and southwest of the Cendant Building as shown on Plate 2. All leaching pools were sampled by Roux Associates during the RI, and thirteen of these were also sampled during previous investigations at the site. Soil borings were advanced using a Geoprobe® track-mounted direct-push drill rig which was advanced through the asphalt and concrete covers of the drywells. The bottoms of the leaching pools were encountered at approximately ten feet below grade at each location, with the exception of LP-2 and LP-11, in which the bottoms were encountered at seven and thirteen feet below grade, respectively.

A minimum of two soil samples were collected from each leaching pool for vertical delineation purposes.

Seven leaching pools were found to have no exceedances of any of the compounds in the analytical suite (LP-1, LP-3, LP-8, LP-11, LP-16, LP-17, and LP-18). No VOCs were detected above UUCs in any of the soil samples analyzed from the leaching pools.

A total of sixteen leaching pools contained detections of pesticides exceeding the UUCs. Four leaching pools (LP-5, LP-6, LP-7, and LP-13) contained UUC exceedances of pesticides only, including the following compounds: 4,4'-DDT, 4,4'-DDE, and beta-BHC. Impacts in these locations were confined to the 10-12 and 14-16 foot below grade intervals, with the exception of LP-13 where the impact was detected in the 15-17 foot below grade interval. No pesticides were detected in excess of the RCCs.

Thirteen leaching pools contained detections of metals exceeding the UUCs, with only three of these containing one or more metals detections exceeding the RCCs (LP-22, LP-21, and LP-28). In six of these locations, metals impacts are restricted to the 12-13 foot below grade interval or shallower. Leaching pool LP-27 contains chromium exceeding the UUCs in the 14-16 foot below grade interval and LP-28 and LP-29 contain silver exceeding the UUCs in the 14-16 and 18-20 foot below grade intervals, respectively. Two leaching pools (LP-9 and LP-19) are impacted by UUC exceedances of chromium only, in the 10-12 foot interval in LP-9 and in the 14-16 foot interval in LP-19.

Three leaching pools (LP-20, LP-21, and LP-27) are impacted with multiple SVOCs exceeding the UUCs, and with benzo[a]pyrene exceeding the RCC in LP-21 and LP-27. SVOC impacts in LP-20 are restricted to the 10-12 foot interval and in LP-21 and LP-27 are restricted to the 12-13 foot interval.

Thirteen leaching pools are impacted with PCBs exceeding the UUCs, and of these, five contain exceedances of the RCCs (LP-22 through LP-26). These RCC PCB impacts are detected in the 12-13 foot below grade interval, or shallower, in four of the five locations, and are detected in the

14-16 foot below grade interval in LP-26. In LP-22 through LP-25, there are UUC exceedances of PCBs detected in the 14-16 foot interval.

4.0 SCOPE OF WORK

All activities will be performed as described in this section and in compliance with the following project plans provided in the Revised RIWP (January 21, 2011), as applicable for this scope of work:

- Quality Assurance Project Plan (QAPP) and Table 8 titled “Analytical Methods/Quality Assurance Summary”
- Site Specific Health and Safety Plan (HASP)
- Community Air Monitoring Plan (CAMP)

Remediation activities for this IRM work plan will consist of the following tasks:

- Site Mobilization and Site Preparation;
- Site Specific Health and Safety Plan Preparation;
- Dust and Odor Control Plans;
- Soil Excavation and Confirmation Sampling;
- Stockpiling;
- Waste Sampling; and
- Transportation and Offsite Disposal.

4.1 Site Mobilization and Site Preparation

A project kick-off meeting will be conducted with Equity One, Roux Associates, and the selected Contractor prior to the commencement of any intrusive IRM activities. Equity One will contract directly with the selected Contractor. The Contractor shall supply any labor and materials required for the removal and disposal of contaminated soil. In addition, all necessary permits, insurance, bonds, and licenses required to complete all work shall be obtained and all fees necessary to obtain these permits shall be paid. Mobilization and Site preparation activities include:

1. Mobilization of equipment to the work area.
2. Installation of construction fencing and traffic barricades to delineate the work zone, act as a work Site security measure, and mark the truck loading and decontamination areas.
3. Installation of stabilized construction entrances at points of vehicle ingress and egress to the project work area. Truck access to the Site shall be via Old Country Road.

4. Implementation of erosion and sediment control measures in accordance with the New York Guidelines for Urban Erosion and Sediment Control. Hay bales will be placed at locations upgradient of excavation areas to control stormwater runoff and surface water from entering or exiting the excavation. Catch basin inlets will be protected to prevent disturbed soil and ballast from entering.
5. Set-up of staging areas for the excavation area.
6. Set-up of temporary facilities and decontamination facilities, including decontamination pad in order to decontaminate trucks and other vehicles/equipment. The decontamination pad shall be constructed using 60-mil high density polyethylene (HDPE) liner with perimeter berms, sloped to a low-lying sump to contain any liquids. The decontamination pad shall be sized to accommodate the largest construction vehicle to be used, and located adjacent to the waste staging area.
7. Removal of pavement (where present) to access the soil excavation area.

4.2 Site Specific Health and Safety Plan

All remediation activities will be performed in a manner consistent with 29 CFR 1910 and 1926. The Contractor will be required to prepare and submit a Site-Specific Health and Safety Plan (HASP) prior to initiation of work activities. During all phases of Site work, the Contractor shall monitor safety and health conditions and fully enforce his own HASP. The Contractor shall be responsible for monitoring general Site conditions and for safety hazards (including, but not limited to any required air monitoring within the work zone). Specifically, monitoring will be performed to verify that all requirements of the Occupational Safety and Health Administration as outlined on 29 CFR Part 1910 and 1926 are adhered to. Roux Associates personnel will adhere to the Roux Associates HASP submitted with the RIWP in January 2011, which addresses all activities and impacts related to the IRM.

4.3 Odor and Dust Control Plans

Odors and dust will be continually monitored during excavation activities and addressed using the measures discussed below. The excavations of AOCs, based on the prior investigation, are expected to be relatively modest areas centrally located within the Site and located within unsaturated soil that is impacted by PCBs, metals, VOCs, and/or SVOCs. For these reasons, it is not anticipated that excavation of the locations will pose a significant source of odors or dust or that the measures described below will be necessary. However, if the excavation areas are larger in magnitude, the plans described below would be utilized to control odors and dust.

4.3.1 Odor Control Plan

This odor control plan will be capable of controlling emissions of nuisance odors offsite and onsite. Specific odor control methods to be used on a routine basis will include backfilling excavations in a timely manner, and maintaining covers over stockpiled impacted soils. If nuisance odors are identified, work in the particular affected work area will be halted and the source of odors will be identified and corrected. Work will not resume in this area until all nuisance odors have been abated. NYSDEC and NYSDOH will be notified of all odor events and of all other complaints about the project. (Work may continue in other, unrelated areas.) Implementation of all odor controls, including the halt of work, will be the responsibility of Roux Associates.

As necessary, tarps will be employed to suppress vapor and odors from stockpiled soil in the staging area. Foam may also be used to suppress vapors and odors if necessary. The foam unit, such as a Rusmar PFU-400, includes a self-contained 400-gallon tank for mixing foam concentrate. If needed foam would be applied to stockpiled soil and excavation sidewalls. All necessary means will be employed to prevent onsite and offsite nuisances. If odors develop and cannot be otherwise controlled, additional means to eliminate nuisance odors will be evaluated.

In summary, if an odor complaint is received, the following procedure will be implemented:

1. Work in the affected area will be halted, and the source of odors will be identified.
2. NYSDEC, NYSDOH, and Equity One, Inc. will be notified of the odor complaint.
3. Nuisance odors will be abated through the use of tarps to cover stockpiles, backfilling open excavations; and/or use of a foam unit or other appropriate measures.
4. Work will resume in the affected area only after the nuisance odors have been abated.

4.3.2 Dust Control Plan

A dust suppression plan that addresses dust management during invasive onsite work will include, as needed, any or all of the items listed below:

- Dust suppression may be achieved through the use of a dedicated onsite water truck for road wetting. The truck will be equipped with a water cannon capable of spraying water directly onto off-road areas including excavations and stockpiles.

- Gravel may be used on roadways to provide a clean and dust-free road surface.
- Onsite truck routes may be limited to minimize the area required for water truck sprinkling.

4.4 Soil Excavation and Confirmation Sampling

Contaminated soil will be excavated during the IRM from three areas:

- AOCs identified and delineated under and adjacent to the Cendant Building where the vertical extent has been determined with soil samples;
- AOCs identified under the Manufacturing Building where the extent has been determined; and
- Dry wells and leach pools where the extent of contamination has been determined.

The extent of the remedial excavation and the procedures that will be used in each location are described below.

4.4.1 Cendant Building

To address contamination found in the eight soil boring locations within the Cendant Building and one location (GSB-18) south of the Cendant Building, an area 10 feet by 10 feet by 5 feet deep will be excavated around each location. For GSB-30, the excavation will proceed to a depth of 10 feet due to SVOC exceedances detected in the 8-10 foot interval. For location GSB-32 the excavation will proceed to a depth of 10 feet due to a trichloroethene detection in soil that is contributing to an elevated soil vapor detection. Following each excavation, five endpoint soil samples will be collected, one from the bottom of the excavation and one from the bottom of each sidewall.

Soil samples from all excavations will be analyzed for SVOCs and pesticides. Soil samples from the following excavations will also be analyzed for the additional parameters listed below:

- GSB-04 and GSB-30 - mercury,
- GSB-05 - mercury and acetone,
- GSB-33 - acetone
- GSB-32 - hexavalent chromium and acetone.

All samples will be field screened with a PID and placed in laboratory-supplied containers, stored on ice, and transported to the laboratory under chain of custody procedures in accordance with Roux Associates standard operating procedures. It is anticipated that turnaround time for the receipt of the laboratory analysis and evaluation is 48 to 72 hours and, therefore, the Contractor should assume standby time will be necessary. Roux Associates will perform all confirmation sampling.

4.4.2 Manufacturing Building

To address contamination found in the three soil boring locations within the Manufacturing building two excavations are proposed: an area 5 feet by 5 feet by 3 feet deep will be excavated around GSB-13 to address PCB, metals, pesticide and SVOC contamination, and an area of approximately 100 feet by 26 feet by 3 feet deep encompassing GSB-12, GSB-13 and GSB-13A, to address pesticide and SVOC contamination. Following each excavation, endpoint soil samples will be collected. From the GSB-13 excavation five endpoint samples will be collected, one from the bottom and one from the bottom of each sidewall. From the larger excavation, a total of 12 endpoint samples will be collected, three bottom samples (including the one from the GSB-13 excavation) and nine from the bottom of the sidewalls (including two from the GSB-13 excavation).

Soil samples will be analyzed for SVOCs, PCBs and pesticides for all locations. Soil samples collected from the GSB-13 excavation will also be analyzed for mercury. All samples will be field screened with a PID and placed in laboratory-supplied containers, stored on ice and transported to the laboratory under chain of custody procedures in accordance with Roux Associates standard operating procedures.

4.4.3 Dry Wells/Leach Pools

Previously delineated impacted soil will be removed from the dry wells and leach pools using a guzzler truck or clamshell, as appropriate. Soil will be removed to the depth indicated by the results of the delineation sampling. The depth of excavation per dry well is summarized on Table 9. The excavated interval listed in Table 9 extends from the floor of the drywell (top of the sediment) to the lower limit listed in the table. In general, the top three to seven feet of soil will be removed from each location, with the exception of DW-2, DW-16, DW-22, LP-13, LP-26, and

LP-29, in which soil removal will extend deeper as shown on Table 9. DW-2 and LP-29 will require deeper excavation (to approximately 20 feet below land surface) that may include the removal of the drywell or leaching pool structure.

A confirmation soil sample will be collected from the endpoint within each drywell and sent for laboratory analysis for the analytes listed on Table 9. Additionally, a Geoprobe[®] boring will be advanced outside the concrete ring and additional confirmation soil samples will be collected from the same depths as previously determined impacted soils and for the same analytes. The concrete rings that comprise the dry wells/leach pools will be removed during demolition and handled as construction debris.

4.4.4 Endpoint Sample Evaluation

All endpoint samples collected during the IRM activities will be compared to Part 375 UUCs. In locations where samples exceed UUCs, additional excavation will be performed and subsequent endpoint samples will be collected for those parameters that were in exceedance. For any sidewall sample exceedance, the additional excavation will proceed horizontally in that direction in increments of 5 ft, similar to a “box” shape, where the corner location in which the sidewall sample was collected becomes the center of the 5 ft by 10 ft “box”. For any bottom sample exceedance, the excavation will proceed vertically an additional 2 ft.

4.5 Stockpiling

Contaminated soil excavated from the Cendant Building and Manufacturing Building AOCs will be stockpiled in a centralized area on site. The Contractor will be responsible for installation, operation, and maintenance of the staging area. The stockpile will be constructed by the Contractor to provide a 40-mil HDPE base liner between the excavated soil and the paved area. Stockpiles will be kept covered at all times with appropriately anchored tarps of 12 mil thickness or greater. Stockpiles will be routinely inspected and damaged tarp covers will be promptly replaced. Soil stockpiles will be continuously encircled with silt fences or bermed to control runoff. Hay bales will be used as needed near catch basins and other discharge points. Stockpiles will be inspected at a minimum of once each week and after every storm event by Roux Associates. Results of inspections will be recorded in a logbook and maintained at the Site and available for inspection by NYSDEC.

4.6 Waste Characterization Sampling

Waste characterization sampling will be required for all soils that have been excavated from the Cendant Building and Manufacturing Building AOCs, leaching pools and drywells. The disposal facilities that will receive excavated soils from the site and their respective waste characterization sample frequency rates are as follows:

- Lincoln Park West Golf Landfill Closure – 1 sample per 1000 cubic yards
- Bellmawr Waterfront Development – 1 Sample for every 500 cubic yards.
- Hazleton Creek – 1 Every 1000 cubic yards
- Pure Soil Technologies – 1 sample for every 800 cubic yards.

The specific parameter list for all waste characterization samples will include the following analyses: VOCs; SVOCs; TAL metals; PCBs/pesticides; total petroleum hydrocarbons (TPH); Toxicity Characteristic Leaching Procedure (TCLP) VOCs; TCLP SVOCs; TCLP metals; TCLP PCBs/pesticides; and RCRA characteristics.

The final number of samples, which will be based on the actual excavation totals, and the waste characterization sample results will be submitted to NYSDEC upon receipt. No waste will be shipped from the site until the IRM Work Plan is approved by NYSDEC.

Construction wastewater may be generated from personnel/equipment decontamination and stormwater run-off/run-on in bermed soil stockpile and excavation areas. Dewatering liquids are not anticipated to be generated because the soil to be excavated in each remedial zone is unsaturated soil (depth to groundwater at the site is approximately 22 to 24 feet below grade). Construction wastewater will be collected as generated and stored onsite in leak tight drums. The wastewater will be sampled and submitted for analysis for disposal characterization by Roux Associates. Based on the laboratory analytical results, the construction wastewater will be disposed offsite at a permitted disposal facility.

Sampling and analytical methods, sampling frequency, analytical results, and QA/QC will be compiled in a summary report. All data available for soil/material to be disposed at a given

facility must be submitted to the disposal facility with suitable explanation prior to shipment and receipt.

4.7 Transportation and Offsite Disposal

All transport of materials will be performed by licensed haulers in accordance with appropriate local, State, and Federal regulations, including 6 NYCRR Part 364. Loaded vehicles leaving the Site will be appropriately lined, tarped, securely covered, manifested, and placarded in accordance with appropriate Federal, State, local, and NYSDOT requirements (and all other applicable transportation requirements).

A truck wash may be operated onsite. Roux Associates will be responsible for ensuring that all outbound trucks are inspected and will be brushed or washed as required to remove loose soil at the truck wash before leaving the Site until the remedial construction is complete.

The proposed in-bound and out-bound truck route to the Site is Old Country Road or East Gate Boulevard. Trucks will be prohibited from stopping and idling in the neighborhood outside the Site. Queuing of trucks will be performed onsite in order to minimize offsite disturbance. Offsite queuing will be prohibited.

All soil/fill/solid waste excavated and removed from the leach pool areas and the AOCs identified at the Site will be treated as contaminated and regulated material and will be disposed in accordance with all local, State (including 6 NYCRR Part 360) and Federal regulations. All liquids to be removed from the leach pool areas and the AOCs identified at the Site will be handled, transported, and disposed in accordance with applicable local, State, and Federal regulations.

4.8 Backfilling

Construction is scheduled to begin immediately following the completion of the IRM. Backfilling of the excavations in the Cendant Building, Manufacturing Building, and the following dry wells and leaching pools LP-1 through LP-8, LP-23 through LP-27, D-1, DW-2, DW-14 through DW-16, and DW-19 through DW-22 will take place as part of the construction process. The remaining leaching pools, LP-9 through LP-22, LP-28 and LP-29, will not be backfilled because

they will be located beneath the footprint of buildings to be constructed. It is expected that the building hot spot and dry well/ leaching pool excavations will remain open for 30 to 60 days prior to backfilling or elimination through excavation of surrounding soils.

The excavations will be backfilled with material meeting the unrestricted use criteria presented in the Part 375 Regulations. It is expected that approximately 800 to 1000 cubic yards will be necessary to backfill the excavations. The backfill material will be taken from a borrow pit in the southern border of the site. Soils from the borrow pit will be sampled consistent with Table 5.4(e) 10 in DER-10. This will include the analysis of 7 discrete VOC samples and two composite samples for SVOCs, metals, pesticides and PCBs.

4.9 Construction Completion Report

Following completion of the IRM activities, a Construction Completion Report (CCR) will be prepared detailing the work that took place during the IRM. The CCR will be prepared in accordance with Section 5.8 of DER-10 and will be prepared, stamped, certified and signed by a New York State registered professional engineer as set forth in Table 1.5 of DER-10.

5.0 IRM IMPLEMENTATION SCHEDULE

This IRM Plan is anticipated to begin in mid May 2011 and it is anticipated that the actual onsite duration of major remedial construction tasks will be completed as follows:

- Cendant Building soil excavation and post-excavation sampling – ongoing, as needed during demolition – May 9 to May 16, 2011.
- Manufacturing Building soil excavation and post-excavation sampling – May 9 to May 16, 2011.
- Dry Well/leach pool cleanouts with post excavation sampling – May 9 to May 20, 2011.
- Waste characterization sampling – May 16 to May 20, 2011.
- Coordination of waste disposal and transportation – May 16 to May 30, 2011.
- Submittal of Waste Characterization Sample Results to NYSDEC – May 31, 2011.
- Transportation and Offsite Disposal – May 31 to June 2, 2011.
- Submittal of Construction Completion Report – August 1, 2011.

6.0 REFERENCES

NYSDEC, 2010. DER-10 Technical Guidance for Site Investigation and Remediation, May 2010.

NYSDEC, 2005. New York State Department of Environmental Conservation Draft 6 NYCRR Part 375 Environmental Remediation Program Document, 2005.

Roux Associates, 2010. Revised Remedial Investigation Work Plan, 900 Old Country Road, Garden City, Town of Hempstead, Nassau County, New York, January 21, 2011.

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-1 11/17/2010 14.5-16.5	DW-1 11/17/2010 8.5-10.5	DW-2 11/17/2010 9-11	DW-2 2/4/2011 9-11	DW-2 11/17/2010 15-17	DW-2 2/4/2011 15-17
1,1,1-Trichloroethane	680	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,1,2,2-Tetrachloroethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,1,2-Trichloroethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,1-Dichloroethane	270	240000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,1-Dichloroethene	330	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,2,4-Trichlorobenzene	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	11 U	11 U	11 U	11 U
1,2-Dibromoethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,2-Dichlorobenzene	1100	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,2-Dichloroethane	20	30000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,2-Dichloropropane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,3-Dichlorobenzene	2400	280000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
1,4-Dichlorobenzene	1800	130000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
2-Butanone (MEK)	120	500000		11 U	11 U	11 U	11 U	11 U	11 U
2-Hexanone	--	--		11 U	11 U	11 U	11 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Acetone	50	500000		22 U	22 U	23 U	6.4 J B	23 U	9.7 J B
Benzene	60	44000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Bromodichloromethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Bromoform	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Bromomethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Carbon disulfide	--	--		5.4 U *	5.5 U *	5.6 U *	5.7 U	5.7 U *	5.5 U
Carbon tetrachloride	760	22000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Chlorobenzene	1100	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Chloroethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Chloroform	370	350000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Chloromethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
cis-1,2-Dichloroethene	250	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
cis-1,3-Dichloropropene	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Cyclohexane	--	--		5.4 U *	5.5 U *	5.6 U *	5.7 U	5.7 U *	5.5 U
Dibromochloromethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Dichlorodifluoromethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U *	5.7 U	5.5 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-1	DW-1	DW-2	DW-2	DW-2	DW-2
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	2/4/2011	11/17/2010	2/4/2011
			Sample Depth (ft bls):	14.5-16.5	8.5-10.5	9-11	9-11	15-17	15-17
Ethylbenzene	1000	390000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Freon 113	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Isopropylbenzene	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Methyl acetate	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Methylcyclohexane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Methylene chloride	50	500000		4.6 J B	3.6 J B	4.4 J B	4 J B	3.2 J B	3.9 J B
MTBE	930	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Styrene	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Tetrachloroethene	1300	150000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Toluene	700	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
trans-1,2-Dichloroethene	190	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
trans-1,3-Dichloropropene	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Trichloroethene	470	200000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Trichlorofluoromethane	--	--		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Vinyl chloride	20	13000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U
Xylenes (total)	260	500000		5.4 U	5.5 U	5.6 U	5.7 U	5.7 U	5.5 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-2	DW-14	DW-14	DW-15	DW-15	DW-16
			Sample Date:	2/4/2011	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	18-20	10-12	14-16	10-12	14-16	12-14
1,1,1-Trichloroethane	680	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,1,2,2-Tetrachloroethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,1,2-Trichloroethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,1-Dichloroethane	270	240000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,1-Dichloroethene	330	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,2,4-Trichlorobenzene	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	11 U	11 U	12 U	11 U
1,2-Dibromoethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,2-Dichlorobenzene	1100	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,2-Dichloroethane	20	30000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,2-Dichloropropane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,3-Dichlorobenzene	2400	280000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
1,4-Dichlorobenzene	1800	130000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
2-Butanone (MEK)	120	500000		11 U	11 U	11 U	11 U	12 U	11 U
2-Hexanone	--	--		11 U	11 U	11 U	11 U	12 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Acetone	50	500000		5.3 J B	23 U	22 U	23 U	23 U	21 U
Benzene	60	44000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Bromodichloromethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Bromoform	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Bromomethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Carbon disulfide	--	--		5.4 U	5.7 U *	5.4 U *	5.7 U *	5.8 U *	5.3 U *
Carbon tetrachloride	760	22000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Chlorobenzene	1100	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Chloroethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Chloroform	370	350000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Chloromethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
cis-1,2-Dichloroethene	250	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
cis-1,3-Dichloropropene	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Cyclohexane	--	--		5.4 U	5.7 U *	5.4 U *	5.7 U *	5.8 U *	5.3 U *
Dibromochloromethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Dichlorodifluoromethane	--	--		5.4 U *	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-2	DW-14	DW-14	DW-15	DW-15	DW-16
	Part 375	Part 375							
	Unrestricted	Restricted		2/4/2011	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
	Use	Commercial		18-20	10-12	14-16	10-12	14-16	12-14
Ethylbenzene	1000	390000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Freon 113	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Isopropylbenzene	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Methyl acetate	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Methylcyclohexane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Methylene chloride	50	500000		3.9 J B	3.7 J B	5 J B	5.5 J B	5.9 J B	3.2 J B
MTBE	930	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Styrene	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Tetrachloroethene	1300	150000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Toluene	700	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
trans-1,2-Dichloroethene	190	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
trans-1,3-Dichloropropene	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Trichloroethene	470	200000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Trichlorofluoromethane	--	--		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Vinyl chloride	20	13000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U
Xylenes (total)	260	500000		5.4 U	5.7 U	5.4 U	5.7 U	5.8 U	5.3 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-16 11/17/2010 6-8	DW-19 2/4/2011 13-14	DW-19 2/4/2011 18-19	DW-20 2/4/2011 19-20	DW-20 2/4/2011 24-25	DW-21 2/4/2011 14-15	DW-21 2/4/2011 19-20
1,1,1-Trichloroethane	680	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,1,2,2-Tetrachloroethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,1,2-Trichloroethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,1-Dichloroethane	270	240000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,1-Dichloroethene	330	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,2,4-Trichlorobenzene	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	12 U	11 U	12 U	11 U	11 U	11 U
1,2-Dibromoethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,2-Dichlorobenzene	1100	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,2-Dichloroethane	20	30000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,2-Dichloropropane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,3-Dichlorobenzene	2400	280000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
1,4-Dichlorobenzene	1800	130000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
2-Butanone (MEK)	120	500000		11 U	12 U	11 U	12 U	11 U	11 U	11 U
2-Hexanone	--	--		11 U	12 U	11 U	12 U	11 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Acetone	50	500000		21 U	9.9 J B	8.1 J B	6.5 J B	6.3 J B	8.2 J B	8.5 J B
Benzene	60	44000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Bromodichloromethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Bromoform	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Bromomethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Carbon disulfide	--	--		5.3 U *	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Carbon tetrachloride	760	22000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Chlorobenzene	1100	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Chloroethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Chloroform	370	350000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Chloromethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
cis-1,2-Dichloroethene	250	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
cis-1,3-Dichloropropene	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Cyclohexane	--	--		5.3 U *	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Dibromochloromethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Dichlorodifluoromethane	--	--		5.3 U	5.8 U *	5.6 U *	5.8 U *	5.7 U *	5.6 U *	5.7 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-16	DW-19	DW-19	DW-20	DW-20	DW-21	DW-21
	Part 375	Part 375								
	Unrestricted	Restricted		11/17/2010	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/4/2011
	Use	Commercial		6-8	13-14	18-19	19-20	24-25	14-15	19-20
Ethylbenzene	1000	390000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Freon 113	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Isopropylbenzene	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Methyl acetate	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Methylcyclohexane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Methylene chloride	50	500000		4.5 J B	4.4 J B	3.9 J B	5.1 J B	5.1 J B	4.8 J B	5.5 J B
MTBE	930	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Styrene	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Tetrachloroethene	1300	150000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Toluene	700	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
trans-1,2-Dichloroethene	190	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
trans-1,3-Dichloropropene	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Trichloroethene	470	200000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Trichlorofluoromethane	--	--		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Vinyl chloride	20	13000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U
Xylenes (total)	260	500000		5.3 U	5.8 U	5.6 U	5.8 U	5.7 U	5.6 U	5.7 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-22 11/17/2010 10-12	DW-22 11/17/2010 14-16	GSB-4 2/1/2011 0-2	GSB-4 2/1/2011 2-4	GSB-05 2/1/2011 0-2	GSB-05 2/1/2011 2-4
1,1,1-Trichloroethane	680	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,1,2,2-Tetrachloroethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,1,2-Trichloroethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,1-Dichloroethane	270	240000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,1-Dichloroethene	330	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,2,4-Trichlorobenzene	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	12 U	12 U	12 U	12 U
1,2-Dibromoethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,2-Dichlorobenzene	1100	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,2-Dichloroethane	20	30000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,2-Dichloropropane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,3-Dichlorobenzene	2400	280000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
1,4-Dichlorobenzene	1800	130000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
2-Butanone (MEK)	120	500000		11 U	11 U	12 U	12 U	29	12 U
2-Hexanone	--	--		11 U	11 U	12 U	12 U	12 U	12 U
4-Methyl-2-pentanone (MIBK)	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Acetone	50	500000		21 U	22 U	5.7 J B	24 U	120 B	4.5 J B
Benzene	60	44000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Bromodichloromethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Bromoform	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Bromomethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Carbon disulfide	--	--		5.3 U *	5.4 U *	5.9 U	6.1 U	5.8 U	5.9 U
Carbon tetrachloride	760	22000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Chlorobenzene	1100	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Chloroethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Chloroform	370	350000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Chloromethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
cis-1,2-Dichloroethene	250	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
cis-1,3-Dichloropropene	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Cyclohexane	--	--		5.3 U *	5.4 U *	5.9 U	6.1 U	5.8 U	5.9 U
Dibromochloromethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Dichlorodifluoromethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-22	DW-22	GSB-4	GSB-4	GSB-05	GSB-05
			Sample Date:	11/17/2010	11/17/2010	2/1/2011	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	10-12	14-16	0-2	2-4	0-2	2-4
Ethylbenzene	1000	390000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Freon 113	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Isopropylbenzene	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Methyl acetate	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Methylcyclohexane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Methylene chloride	50	500000		8.1 J B	3.4 J B	6.4 J B	6.7 J B	6.8 J B	6.6 J B
MTBE	930	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Styrene	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Tetrachloroethene	1300	150000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Toluene	700	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
trans-1,2-Dichloroethene	190	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
trans-1,3-Dichloropropene	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Trichloroethene	470	200000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	2.5 J
Trichlorofluoromethane	--	--		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Vinyl chloride	20	13000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U
Xylenes (total)	260	500000		5.3 U	5.4 U	5.9 U	6.1 U	5.8 U	5.9 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-7	GSB-7	GSB-08	GSB-08	GSB-10	GSB-10	GSB-12
	Use	Commercial	Sample Date:	2/1/2011	2/1/2011	2/2/2011	2/2/2011	2/1/2011	2/1/2011	1/31/2011
			Sample Depth (ft bls):	0-2	2-4	0-2	2-4	0-2	2-4	0-2
1,1,1-Trichloroethane	680	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,1,2,2-Tetrachloroethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,1,2-Trichloroethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,1-Dichloroethane	270	240000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,1-Dichloroethene	330	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,2,4-Trichlorobenzene	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	11 U	12 U	11 U	10 U	11 U
1,2-Dibromoethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,2-Dichlorobenzene	1100	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,2-Dichloroethane	20	30000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,2-Dichloropropane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,3-Dichlorobenzene	2400	280000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
1,4-Dichlorobenzene	1800	130000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
2-Butanone (MEK)	120	500000		11 U	11 U	11 U	12 U	11 U	10 U	11 U
2-Hexanone	--	--		11 U	11 U	11 U	12 U	11 U	10 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Acetone	50	500000		4.6 J B	4.4 J B	6.1 J	23 U	4.4 J B	4.8 J B	21 U
Benzene	60	44000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Bromodichloromethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Bromoform	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Bromomethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Carbon disulfide	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Carbon tetrachloride	760	22000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Chlorobenzene	1100	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Chloroethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Chloroform	370	350000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Chloromethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
cis-1,2-Dichloroethene	250	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
cis-1,3-Dichloropropene	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Cyclohexane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Dibromochloromethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Dichlorodifluoromethane	--	--		5.6 U	5.5 U	5.6 U *	5.8 U *	5.3 U	5.2 U	5.3 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-7	GSB-7	GSB-08	GSB-08	GSB-10	GSB-10	GSB-12
	Part 375	Part 375								
	Unrestricted	Restricted		2/1/2011	2/1/2011	2/2/2011	2/2/2011	2/1/2011	2/1/2011	1/31/2011
	Use	Commercial		0-2	2-4	0-2	2-4	0-2	2-4	0-2
Ethylbenzene	1000	390000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Freon 113	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Isopropylbenzene	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Methyl acetate	--	--		5.6 U	5.5 U	5.6 U *	5.8 U *	5.3 U	5.2 U	5.3 U *
Methylcyclohexane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Methylene chloride	50	500000		5.8 J B	6.2 J B	5.1 J B	5.4 J B	5.9 J B	5.8 J B	5.8 J B
MTBE	930	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Styrene	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Tetrachloroethene	1300	150000		5.6 U	5.5 U	5.6 U	5.8 U	3.4 J	2.2 J	3.4 J
Toluene	700	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
trans-1,2-Dichloroethene	190	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
trans-1,3-Dichloropropene	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Trichloroethene	470	200000		5.6 U	5.5 U	5.6 U	5.8 U	1 J	5.2 U	5.3 U
Trichlorofluoromethane	--	--		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Vinyl chloride	20	13000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U
Xylenes (total)	260	500000		5.6 U	5.5 U	5.6 U	5.8 U	5.3 U	5.2 U	5.3 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-12 1/31/2011 2-4	GSB-13 1/31/2011 0-2	GSB-13 1/31/2011 2-4	GSB-13A 1/31/2011 0-2	GSB-13A 1/31/2011 2-4	GSB-17 1/31/2011 0-2
1,1,1-Trichloroethane	680	500000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,1,2,2-Tetrachloroethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,1,2-Trichloroethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,1-Dichloroethane	270	240000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,1-Dichloroethene	330	500000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,2,4-Trichlorobenzene	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	11 U	10 U	11 U	10 U	10 U
1,2-Dibromoethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,2-Dichlorobenzene	1100	500000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,2-Dichloroethane	20	30000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,2-Dichloropropane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,3-Dichlorobenzene	2400	280000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
1,4-Dichlorobenzene	1800	130000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
2-Butanone (MEK)	120	500000		10 U	11 U	10 U	11 U	10 U	10 U
2-Hexanone	--	--		10 U	11 U	10 U	11 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Acetone	50	500000		2.8 J	4.6 J	7.2 J	21 U	20 U	20 U
Benzene	60	44000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Bromodichloromethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Bromoform	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Bromomethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Carbon disulfide	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Carbon tetrachloride	760	22000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Chlorobenzene	1100	500000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Chloroethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Chloroform	370	350000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Chloromethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
cis-1,2-Dichloroethene	250	500000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
cis-1,3-Dichloropropene	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Cyclohexane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Dibromochloromethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Dichlorodifluoromethane	--	--		5.1 U *	5.3 U *	5.1 U *	5.3 U *	5.1 U *	5.1 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-12 1/31/2011 2-4	GSB-13 1/31/2011 0-2	GSB-13 1/31/2011 2-4	GSB-13A 1/31/2011 0-2	GSB-13A 1/31/2011 2-4	GSB-17 1/31/2011 0-2
Ethylbenzene	1000	390000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Freon 113	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Isopropylbenzene	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Methyl acetate	--	--		5.1 U *	5.3 U *	5.1 U *	5.3 U *	5.1 U *	5.1 U *
Methylcyclohexane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Methylene chloride	50	500000		6 J B	8 J B	7.8 J B	5.1 J B	5.8 J B	4.5 J B
MTBE	930	500000		5.1 U	5.3 U	5.1 U	7.3	5.1 U	5.1 U
Styrene	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Tetrachloroethene	1300	150000		5.1 U	320	31	97	4.1 J	5.1 U
Toluene	700	500000		5.1 U	0.42 J	5.1 U	0.36 J	5.1 U	5.1 U
trans-1,2-Dichloroethene	190	500000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
trans-1,3-Dichloropropene	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Trichloroethene	470	200000		5.1 U	12	5.1 U	2.5 J	5.1 U	5.1 U
Trichlorofluoromethane	--	--		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Vinyl chloride	20	13000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U
Xylenes (total)	260	500000		5.1 U	5.3 U	5.1 U	5.3 U	5.1 U	5.1 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-17	GSB-18	GSB-18	GSB-30	GSB-30	GSB-30DUP
	Use	Commercial	Sample Date:	1/31/2011	2/3/2011	2/3/2011	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	2-4	0-2	2-4	0-2	2-4	2-4
1,1,1-Trichloroethane	680	500000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,1,2,2-Tetrachloroethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,1,2-Trichloroethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,1-Dichloroethane	270	240000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,1-Dichloroethene	330	500000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,2,4-Trichlorobenzene	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	11 U	10 U	11 U	11 U	11 U
1,2-Dibromoethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,2-Dichlorobenzene	1100	500000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,2-Dichloroethane	20	30000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,2-Dichloropropane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,3-Dichlorobenzene	2400	280000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
1,4-Dichlorobenzene	1800	130000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
2-Butanone (MEK)	120	500000		10 U	11 U	10 U	11 U	11 U	11 U
2-Hexanone	--	--		10 U	11 U	10 U	11 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Acetone	50	500000		20 U	18 J B	8.8 J B	4.7 J B	4.4 J B	22 U
Benzene	60	44000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Bromodichloromethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Bromoform	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Bromomethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Carbon disulfide	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Carbon tetrachloride	760	22000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Chlorobenzene	1100	500000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Chloroethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Chloroform	370	350000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Chloromethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
cis-1,2-Dichloroethene	250	500000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
cis-1,3-Dichloropropene	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Cyclohexane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Dibromochloromethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Dichlorodifluoromethane	--	--		5.1 U *	5.5 U *	5.2 U *	5.5 U	5.6 U	5.5 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-17	GSB-18	GSB-18	GSB-30	GSB-30	GSB-30DUP
			Sample Date:	1/31/2011	2/3/2011	2/3/2011	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	2-4	0-2	2-4	0-2	2-4	2-4
Ethylbenzene	1000	390000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Freon 113	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Isopropylbenzene	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Methyl acetate	--	--		5.1 U *	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Methylcyclohexane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Methylene chloride	50	500000		5.1 J B	4.8 J B	4.5 J B	5.2 J B	6.4 J B	6.1 J B
MTBE	930	500000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Styrene	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Tetrachloroethene	1300	150000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Toluene	700	500000		5.1 U	0.29 J	5.2 U	5.5 U	5.6 U	5.5 U
trans-1,2-Dichloroethene	190	500000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
trans-1,3-Dichloropropene	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Trichloroethene	470	200000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Trichlorofluoromethane	--	--		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Vinyl chloride	20	13000		5.1 U	5.5 U	5.2 U	5.5 U	5.6 U	5.5 U
Xylenes (total)	260	500000		5.1 U	0.62 J	5.2 U	5.5 U	5.6 U	5.5 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32 2/1/2011 0-2	GSB-32 2/1/2011 2-4	GSB-32 2/1/2011 8-10	GSB-32DUP 2/1/2011 8-10	GSB-32E 2/2/2011 0-2	GSB-32E 2/2/2011 4-6
			Sample Date:						
			Sample Depth (ft bls):						
1,1,1-Trichloroethane	680	500000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,1,2,2-Tetrachloroethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,1,2-Trichloroethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,1-Dichloroethane	270	240000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,1-Dichloroethene	330	500000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,2,4-Trichlorobenzene	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	11 U	12 U	11 U	11 U
1,2-Dibromoethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,2-Dichlorobenzene	1100	500000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,2-Dichloroethane	20	30000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,2-Dichloropropane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,3-Dichlorobenzene	2400	280000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
1,4-Dichlorobenzene	1800	130000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
2-Butanone (MEK)	120	500000		11 U	11 U	11 U	12 U	11 U	11 U
2-Hexanone	--	--		11 U	11 U	11 U	12 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Acetone	50	500000		47 B	52 B	15 J B	16 J B	45	11 J
Benzene	60	44000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Bromodichloromethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Bromoform	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Bromomethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Carbon disulfide	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Carbon tetrachloride	760	22000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Chlorobenzene	1100	500000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Chloroethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Chloroform	370	350000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Chloromethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
cis-1,2-Dichloroethene	250	500000		5.7 U	5.3 U	5.7 U	5.8 U	3.1 J	5.5 U
cis-1,3-Dichloropropene	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Cyclohexane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Dibromochloromethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Dichlorodifluoromethane	--	--		5.7 U *	5.3 U	5.7 U	5.8 U	5.6 U *	5.5 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32	GSB-32	GSB-32	GSB-32DUP	GSB-32E	GSB-32E
			Sample Date:	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/2/2011	2/2/2011
			Sample Depth (ft bls):	0-2	2-4	8-10	8-10	0-2	4-6
Ethylbenzene	1000	390000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Freon 113	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Isopropylbenzene	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Methyl acetate	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U *	5.5 U *
Methylcyclohexane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Methylene chloride	50	500000		4.5 J B	4.7 J B	5.1 J B	5.7 J B	5.1 J B	5.3 J B
MTBE	930	500000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Styrene	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Tetrachloroethene	1300	150000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Toluene	700	500000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
trans-1,2-Dichloroethene	190	500000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
trans-1,3-Dichloropropene	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Trichloroethene	470	200000		5.7 U	5.3 U	7.8	15	6	5.1 J
Trichlorofluoromethane	--	--		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Vinyl chloride	20	13000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U
Xylenes (total)	260	500000		5.7 U	5.3 U	5.7 U	5.8 U	5.6 U	5.5 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32N	GSB-32N	GSB-32S	GSB-32S	GSB-32W	GSB-32W
			Sample Date:	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/3/2011	2/3/2011
			Sample Depth (ft bls):	0-2	2-4	0-2	2-4	0-2	10-12
1,1,1-Trichloroethane	680	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,1,2,2-Tetrachloroethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,1,2-Trichloroethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,1-Dichloroethane	270	240000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,1-Dichloroethene	330	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,2,4-Trichlorobenzene	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	10 U	12 U	11 U	11 U
1,2-Dibromoethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,2-Dichlorobenzene	1100	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,2-Dichloroethane	20	30000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,2-Dichloropropane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,3-Dichlorobenzene	2400	280000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
1,4-Dichlorobenzene	1800	130000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
2-Butanone (MEK)	120	500000		11 U	11 U	10 U	12 U	11 U	11 U
2-Hexanone	--	--		11 U	11 U	10 U	12 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Acetone	50	500000		22 U	22 U	21 U	23 U	4.1 J B	27 B
Benzene	60	44000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Bromodichloromethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Bromoform	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Bromomethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Carbon disulfide	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Carbon tetrachloride	760	22000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Chlorobenzene	1100	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Chloroethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Chloroform	370	350000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Chloromethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
cis-1,2-Dichloroethene	250	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
cis-1,3-Dichloropropene	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Cyclohexane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Dibromochloromethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Dichlorodifluoromethane	--	--		5.5 U *	5.6 U *	5.2 U *	5.8 U *	5.4 U *	5.4 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32N	GSB-32N	GSB-32S	GSB-32S	GSB-32W	GSB-32W
			Sample Date:	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/3/2011	2/3/2011
			Sample Depth (ft bls):	0-2	2-4	0-2	2-4	0-2	10-12
Ethylbenzene	1000	390000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Freon 113	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Isopropylbenzene	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Methyl acetate	--	--		5.5 U *	5.6 U *	5.2 U *	5.8 U *	5.4 U	5.4 U
Methylcyclohexane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Methylene chloride	50	500000		5 J B	4.9 J B	4.5 J B	5.2 J B	4.8 J B	5.4 J B
MTBE	930	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Styrene	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Tetrachloroethene	1300	150000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Toluene	700	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
trans-1,2-Dichloroethene	190	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
trans-1,3-Dichloropropene	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Trichloroethene	470	200000		2.3 J	2.5 J	5.2 U	6.4	5.4 U	4.8 J
Trichlorofluoromethane	--	--		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Vinyl chloride	20	13000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U
Xylenes (total)	260	500000		5.5 U	5.6 U	5.2 U	5.8 U	5.4 U	5.4 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32W	GSB-33	GSB-33	GSB-44	GSB-44	LP-1
			Sample Date:	2/3/2011	2/2/2011	2/2/2011	1/31/2011	1/31/2011	11/15/2010
			Sample Depth (ft bls):	2-4	0-2	2-4	0-2	2-4	10-12
1,1,1-Trichloroethane	680	500000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U *
1,1,2,2-Tetrachloroethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,1,2-Trichloroethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,1-Dichloroethane	270	240000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,1-Dichloroethene	330	500000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	11 U	11 U	11 U	10 U
1,2-Dibromoethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,2-Dichloroethane	20	30000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,2-Dichloropropane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
2-Butanone (MEK)	120	500000		11 U	11 U	35	11 U	11 U	10 U
2-Hexanone	--	--		11 U	11 U	11 U	11 U	11 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Acetone	50	500000		9.9 J B	12 J	130	22 U	21 U	21 U
Benzene	60	44000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Bromodichloromethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U *
Bromoform	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Bromomethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Carbon disulfide	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Carbon tetrachloride	760	22000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U *
Chlorobenzene	1100	500000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Chloroethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Chloroform	370	350000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Chloromethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
cis-1,2-Dichloroethene	250	500000		0.56 J	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Cyclohexane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U *
Dibromochloromethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Dichlorodifluoromethane	--	--		5.7 U *	5.5 U *	5.5 U *	5.5 U *	5.3 U *	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32W	GSB-33	GSB-33	GSB-44	GSB-44	LP-1
			Sample Date:	2/3/2011	2/2/2011	2/2/2011	1/31/2011	1/31/2011	11/15/2010
			Sample Depth (ft bls):	2-4	0-2	2-4	0-2	2-4	10-12
Ethylbenzene	1000	390000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Freon 113	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Isopropylbenzene	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Methyl acetate	--	--		5.7 U	5.5 U *	5.5 U *	5.5 U *	5.3 U *	5.2 U
Methylcyclohexane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Methylene chloride	50	500000		5.4 J B	4.5 J B	5.7 J B	8.4 J B	7.7 J B	4.3 J B
MTBE	930	500000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Styrene	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Tetrachloroethene	1300	150000		5.7 U	5.5 U	5.5 U	3.1 J	8	5.2 U
Toluene	700	500000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	0.23 J B
trans-1,2-Dichloroethene	190	500000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Trichloroethene	470	200000		18	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Trichlorofluoromethane	--	--		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Vinyl chloride	20	13000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U
Xylenes (total)	260	500000		5.7 U	5.5 U	5.5 U	5.5 U	5.3 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-1 11/15/2010 14-16	LP-2 11/15/2010 10-12	LP-2 11/15/2010 14-16	LP-3 11/15/2010 10-12	LP-3 11/15/2010 14-16	LP-4 2/3/2011 10-11
1,1,1-Trichloroethane	680	500000		5.2 U *	5.2 U *	5.2 U *	5.2 U	5.3 U *	5.4 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	11 U	11 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	11 U	11 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Acetone	50	500000		21 U	7.4 J	21 U	21 U	21 U	5.5 J B
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Bromodichloromethane	--	--		5.2 U *	5.2 U *	5.2 U *	5.2 U	5.3 U *	5.4 U
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Carbon tetrachloride	760	22000		5.2 U *	5.2 U *	5.2 U *	5.2 U	5.3 U *	5.4 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Cyclohexane	--	--		5.2 U *	5.2 U *	5.2 U *	5.2 U	5.3 U *	5.4 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U *	5.3 U	5.4 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-1	LP-2	LP-2	LP-3	LP-3	LP-4
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	2/3/2011
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	10-11
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Methylene chloride	50	500000		4 J B	4.5 J B	3.9 J B	2.9 J B	4.4 J B	4.4 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Tetrachloroethene	1300	150000		5.2 U	5.2 U	5.2 U	1.2 J B *	5.3 U	5.4 U
Toluene	700	500000		0.18 J B	0.26 J B	5.2 U	0.45 J B	0.2 J B	0.47 J
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.4 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-4 11/15/2010 14-16	LP-4 2/3/2011 14-16	LP-5 11/15/2010 10-12	LP-5 11/15/2010 14-16	LP-6 11/15/2010 10-12	LP-6 11/15/2010 14-16
1,1,1-Trichloroethane	680	500000		5.2 U *	5.2 U	5.2 U *	5.2 U *	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U *	5.2 U	5.2 U *	5.2 U *	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U *	5.2 U	5.2 U *	5.2 U *	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U *	5.2 U	5.2 U *	5.2 U *	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U *	5.2 U	5.2 U	5.2 U *	5.2 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-4	LP-4	LP-5	LP-5	LP-6	LP-6
			Sample Date:	11/15/2010	2/3/2011	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	14-16	10-12	14-16	10-12	14-16
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		4.3 J B	3.7 J B	4.4 J B	3.6 J B	3 J B	2.9 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U *	1.2 J B *
Toluene	700	500000		5.2 U	5.2 U	0.16 J B	0.21 J B	0.53 J B	0.33 J B
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-7 11/15/2010 10-12	LP-7DUP 11/15/2010 10-12	LP-7 11/15/2010 14-16	LP-8 11/15/2010 10-12	LP-8 11/15/2010 14-16
			Sample Date:					
			Sample Depth (ft bls):					
1,1,1-Trichloroethane	680	500000		5.1 U *	5.2 U *	5.2 U *	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		5.4 J	21 U	21 U	21 U	21 U
Benzene	60	44000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.1 U *	5.2 U *	5.2 U *	5.2 U	5.2 U
Bromoform	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.1 U *	5.2 U *	5.2 U *	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.1 U *	5.2 U *	5.2 U *	5.2 U	5.2 U
Dibromochloromethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U *	5.2 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-7	LP-7DUP	LP-7	LP-8	LP-8
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	10-12	14-16	10-12	14-16
Ethylbenzene	1000	390000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Freon 113	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		3.7 J B	4.1 J B	4.3 J B	2.9 J B	3.3 J B
MTBE	930	500000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.1 U	5.2 U	5.2 U	0.9 J B *	5.2 U *
Toluene	700	500000		0.22 J B	5.2 U	5.2 U	0.24 J B	0.49 J B
trans-1,2-Dichloroethene	190	500000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.1 U	5.2 U	5.2 U	5.2 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-9	LP-9	LP-10	LP-10	LP-11	LP-11
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	15-17	19-21
1,1,1-Trichloroethane	680	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	11 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	11 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	11 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U *	5.2 U *	5.3 U *	5.2 U *	5.2 U *	5.2 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-9	LP-9	LP-10	LP-10	LP-11	LP-11
	Part 375	Part 375							
	Unrestricted	Restricted		11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
	Use	Commercial		10-12	14-16	10-12	14-16	15-17	19-21
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Freon 113	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		3.2 J B	3.4 J B	5.3 J B	3.1 J B	2.3 J B	2.8 J B
MTBE	930	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U *	5.2 U *	5.3 U	5.2 U *	0.9 J B *	5.2 U *
Toluene	700	500000		0.27 J B	0.34 J B	0.33 J B	0.46 J B	5.2 U	0.29 J B
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-12 11/15/2010 11-13	LP-12 11/15/2010 17-19	LP-13 11/15/2010 10-12	LP-13 11/15/2010 15-17	LP-14 11/15/2010 14-16	LP-15 2/3/2011 12-13
1,1,1-Trichloroethane	680	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	11 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	11 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	10 U	11 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	21 U	21 U	2.6 J	21 U	4.7 J B
Benzene	60	44000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U *	5.2 U *	5.3 U *	5.2 U *	5.2 U *	5.2 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-12	LP-12	LP-13	LP-13	LP-14	LP-15
Parameter	Unrestricted	Restricted	Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	2/3/2011
(Concentrations in µg/kg)	Use	Commercial	Sample Depth (ft bls):	11-13	17-19	10-12	15-17	14-16	12-13
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Freon 113	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		3.3 J B	3.2 J B	3.3 J B	3 J B	3.1 J B	3.9 J B
MTBE	930	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U *	5.2 U *	5.3 U	5.2 U	5.2 U	5.2 U
Toluene	700	500000		0.3 J B	5.2 U	0.32 J B	5.2 U	0.39 J B	5.2 U
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.3 U	5.2 U	5.2 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-15 11/16/2010 14-16	LP-15 2/3/2011 14-16	LP-16 11/16/2010 10-12	LP-16 11/16/2010 14-16	LP-17 11/16/2010 10-12	LP-17 11/16/2010 14-16
1,1,1-Trichloroethane	680	500000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	12 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	12 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	12 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	3.7 J B	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.9 U *	5.2 U	5.2 U	5.2 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-15	LP-15	LP-16	LP-16	LP-17	LP-17
	Part 375	Part 375		LP-15	LP-15	LP-16	LP-16	LP-17	LP-17
	Unrestricted	Restricted		11/16/2010	2/3/2011	11/16/2010	11/16/2010	11/16/2010	11/16/2010
	Use	Commercial		14-16	14-16	10-12	14-16	10-12	14-16
Ethylbenzene	1000	390000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Freon 113	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		2.2 J B	5 J B	2.7 J B	2.8 J B	2.6 J B	2.1 J B
MTBE	930	500000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Toluene	700	500000		0.88 J B	5.9 U	0.71 J B	0.83 J B	0.74 J B	0.65 J B
trans-1,2-Dichloroethene	190	500000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.9 U	5.2 U	5.2 U	5.2 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-18	LP-18	LP-19	LP-19	LP-20	LP-20
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
1,1,1-Trichloroethane	680	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	11 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	11 U	10 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	11 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Acetone	50	500000		21 U	31	21 U	21 U	21 U	21 U
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Cyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-18	LP-18	LP-19	LP-19	LP-20	LP-20
	Part 375	Part 375		LP-18	LP-18	LP-19	LP-19	LP-20	LP-20
	Unrestricted	Restricted		11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
	Use	Commercial		10-12	14-16	10-12	14-16	10-12	14-16
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Methylene chloride	50	500000		2.7 J B	2.8 J B	2.4 J B	2.6 J B	3.3 J B	2.9 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Toluene	700	500000		0.8 J B	1 J B	0.78 J B	5.2 U	5.3 U	5.2 U
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.3 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-21 11/16/2010 14-16	LP-21DUP 11/16/2010 14-16	LP-22 2/3/2011 12-13	LP-22 11/16/2010 14-16	LP-22 2/3/2011 14-16	LP-23 2/3/2011 12-13
1,1,1-Trichloroethane	680	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1,2-Trichloroethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1-Dichloroethane	270	240000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,1-Dichloroethene	330	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U	10 U	10 U	11 U	10 U
1,2-Dibromoethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichloroethane	20	30000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,2-Dichloropropane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
2-Butanone (MEK)	120	500000		11 U	11 U	10 U	10 U	11 U	10 U
2-Hexanone	--	--		11 U	11 U	10 U	10 U	11 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Acetone	50	500000		21 U	21 U	6.2 J B	21 U	4.4 J B	3.6 J B
Benzene	60	44000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromodichloromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromoform	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Bromomethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Carbon disulfide	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Carbon tetrachloride	760	22000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Chlorobenzene	1100	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloroethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloroform	370	350000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Chloromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Cyclohexane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Dibromochloromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Dichlorodifluoromethane	--	--		5.3 U	5.3 U	5.2 U *	5.2 U	5.3 U *	5.2 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-21 11/16/2010 14-16	LP-21DUP 11/16/2010 14-16	LP-22 2/3/2011 12-13	LP-22 11/16/2010 14-16	LP-22 2/3/2011 14-16	LP-23 2/3/2011 12-13
Ethylbenzene	1000	390000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Freon 113	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Isopropylbenzene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Methyl acetate	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Methylcyclohexane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Methylene chloride	50	500000		2.7 J B	2.6 J B	3.6 J B	2.8 J B	3.8 J B	5.1 J B
MTBE	930	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Styrene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Tetrachloroethene	1300	150000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Toluene	700	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
trans-1,2-Dichloroethene	190	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Trichloroethene	470	200000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Trichlorofluoromethane	--	--		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Vinyl chloride	20	13000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U
Xylenes (total)	260	500000		5.3 U	5.3 U	5.2 U	5.2 U	5.3 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-23 11/16/2010 14-16	LP-23DUP 11/16/2010 14-16	LP-23 2/3/2011 14-16	LP-24 11/16/2010 14-16	LP-25 11/16/2010 14-16	LP-26 2/3/2011 12-13
1,1,1-Trichloroethane	680	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,1,2-Trichloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,1-Dichloroethane	270	240000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,1-Dichloroethene	330	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	10 U	10 U	10 U	11 U
1,2-Dibromoethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,2-Dichloroethane	20	30000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,2-Dichloropropane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
2-Butanone (MEK)	120	500000		10 U	10 U	10 U	10 U	10 U	11 U
2-Hexanone	--	--		10 U	10 U	10 U	10 U	10 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Acetone	50	500000		21 U	21 U	4.5 J B	21 U	21 U	7.5 J B
Benzene	60	44000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Bromodichloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Bromoform	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Bromomethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Carbon disulfide	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Carbon tetrachloride	760	22000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Chlorobenzene	1100	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Chloroethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Chloroform	370	350000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Chloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Cyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Dibromochloromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Dichlorodifluoromethane	--	--		5.2 U	5.2 U	5.2 U *	5.2 U	5.2 U	5.4 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-23	LP-23DUP	LP-23	LP-24	LP-25	LP-26
	Part 375	Part 375		11/16/2010	11/16/2010	2/3/2011	11/16/2010	11/16/2010	2/3/2011
	Unrestricted	Restricted							
	Use	Commercial							
Ethylbenzene	1000	390000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Freon 113	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Isopropylbenzene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Methyl acetate	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Methylcyclohexane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Methylene chloride	50	500000		2.8 J B	2.8 J B	4.8 J B	2.6 J B	3 J B	4 J B
MTBE	930	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Styrene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Tetrachloroethene	1300	150000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	2.2 J
Toluene	700	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	0.46 J
trans-1,2-Dichloroethene	190	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Trichloroethene	470	200000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Trichlorofluoromethane	--	--		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Vinyl chloride	20	13000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U
Xylenes (total)	260	500000		5.2 U	5.2 U	5.2 U	5.2 U	5.2 U	5.4 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-26 11/16/2010 14-16	LP-26 2/3/2011 14-16	LP-27 11/16/2010 14-16	LP-28 11/16/2010 14-16	LP-29 11/16/2010 10-12	LP-29 2/4/2011 10-12
1,1,1-Trichloroethane	680	500000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2,2-Tetrachloroethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1,2-Trichloroethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethane	270	240000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,1-Dichloroethene	330	500000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2,4-Trichlorobenzene	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	12 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichlorobenzene	1100	500000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloroethane	20	30000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,2-Dichloropropane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,3-Dichlorobenzene	2400	280000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
1,4-Dichlorobenzene	1800	130000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
2-Butanone (MEK)	120	500000		10 U	12 U	10 U	10 U	10 U	10 U
2-Hexanone	--	--		10 U	12 U	10 U	10 U	10 U	10 U
4-Methyl-2-pentanone (MIBK)	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Acetone	50	500000		21 U	9.6 J B	21 U	21 U	21 U	4.8 J B
Benzene	60	44000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromodichloromethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromoform	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Bromomethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon disulfide	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Carbon tetrachloride	760	22000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Chlorobenzene	1100	500000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloroform	370	350000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Chloromethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,2-Dichloroethene	250	500000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
cis-1,3-Dichloropropene	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Cyclohexane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Dibromochloromethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Dichlorodifluoromethane	--	--		5.2 U	5.8 U *	5.2 U	5.2 U	5.2 U	5.2 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-26	LP-26	LP-27	LP-28	LP-29	LP-29
Parameter	Unrestricted	Restricted	Sample Date:	11/16/2010	2/3/2011	11/16/2010	11/16/2010	11/16/2010	2/4/2011
(Concentrations in µg/kg)	Use	Commercial	Sample Depth (ft bls):	14-16	14-16	14-16	14-16	10-12	10-12
Ethylbenzene	1000	390000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Freon 113	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Isopropylbenzene	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Methyl acetate	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylcyclohexane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Methylene chloride	50	500000		2.1 J B	4.7 J B	3 J B	5.6 J B	5.9 J B	3.9 J B
MTBE	930	500000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Styrene	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Tetrachloroethene	1300	150000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Toluene	700	500000		0.78 J B	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,2-Dichloroethene	190	500000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
trans-1,3-Dichloropropene	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichloroethene	470	200000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Trichlorofluoromethane	--	--		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Vinyl chloride	20	13000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U
Xylenes (total)	260	500000		5.2 U	5.8 U	5.2 U	5.2 U	5.2 U	5.2 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-29	LP-29	LP-29DUP	LP-29	LP-29	MW-17A
			Sample Date:	11/16/2010	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/1/2011
			Sample Depth (ft bls):	14-16	14-16	14-16	15-16	18-20	20-22
1,1,1-Trichloroethane	680	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,1,2,2-Tetrachloroethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,1,2-Trichloroethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,1-Dichloroethane	270	240000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,1-Dichloroethene	330	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,2,4-Trichlorobenzene	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,2-Dibromo-3-Chloropropane	--	--		10 U	10 U	11 U	10 U	10 U	11 U
1,2-Dibromoethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,2-Dichlorobenzene	1100	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,2-Dichloroethane	20	30000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,2-Dichloropropane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,3-Dichlorobenzene	2400	280000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
1,4-Dichlorobenzene	1800	130000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
2-Butanone (MEK)	120	500000		10 U	10 U	11 U	10 U	10 U	11 U
2-Hexanone	--	--		10 U	10 U	11 U	10 U	10 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Acetone	50	500000		21 U	8.1 J B	9.2 J B	6.6 J B	5.3 J B	3.9 J B
Benzene	60	44000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Bromodichloromethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Bromoform	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Bromomethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Carbon disulfide	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Carbon tetrachloride	760	22000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Chlorobenzene	1100	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Chloroethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Chloroform	370	350000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Chloromethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
cis-1,2-Dichloroethene	250	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
cis-1,3-Dichloropropene	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Cyclohexane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Dibromochloromethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Dichlorodifluoromethane	--	--		5.1 U	5.2 U *	5.3 U *	5.2 U *	5.2 U *	5.3 U

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-29	LP-29	LP-29DUP	LP-29	LP-29	MW-17A
	Part 375	Part 375		11/16/2010	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/1/2011
	Unrestricted	Restricted		14-16	14-16	14-16	15-16	18-20	20-22
	Use	Commercial							
Ethylbenzene	1000	390000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Freon 113	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Isopropylbenzene	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Methyl acetate	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Methylcyclohexane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Methylene chloride	50	500000		5 J B	3.6 J B	3.7 J B	3.6 J B	3.5 J B	4.9 J B
MTBE	930	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Styrene	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Tetrachloroethene	1300	150000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Toluene	700	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
trans-1,2-Dichloroethene	190	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
trans-1,3-Dichloropropene	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Trichloroethene	470	200000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Trichlorofluoromethane	--	--		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Vinyl chloride	20	13000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U
Xylenes (total)	260	500000		5.1 U	5.2 U	5.3 U	5.2 U	5.2 U	5.3 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	MW-20	MW-21
			Sample Date:	11/17/2010	1/31/2011
			Sample Depth (ft bls):	18-20	20-22
1,1,1-Trichloroethane	680	500000		5.3 U	5.4 U
1,1,2,2-Tetrachloroethane	--	--		5.3 U	5.4 U
1,1,2-Trichloroethane	--	--		5.3 U	5.4 U
1,1-Dichloroethane	270	240000		5.3 U	5.4 U
1,1-Dichloroethene	330	500000		5.3 U	5.4 U
1,2,4-Trichlorobenzene	--	--		5.3 U	5.4 U
1,2-Dibromo-3-Chloropropane	--	--		11 U	11 U
1,2-Dibromoethane	--	--		5.3 U	5.4 U
1,2-Dichlorobenzene	1100	500000		5.3 U	5.4 U
1,2-Dichloroethane	20	30000		5.3 U	5.4 U
1,2-Dichloropropane	--	--		5.3 U	5.4 U
1,3-Dichlorobenzene	2400	280000		5.3 U	5.4 U
1,4-Dichlorobenzene	1800	130000		5.3 U	5.4 U
2-Butanone (MEK)	120	500000		11 U	11 U
2-Hexanone	--	--		11 U	11 U
4-Methyl-2-pentanone (MIBK)	--	--		5.3 U	5.4 U
Acetone	50	500000		21 U *	3.8 J
Benzene	60	44000		5.3 U	5.4 U
Bromodichloromethane	--	--		5.3 U	5.4 U
Bromoform	--	--		5.3 U	5.4 U
Bromomethane	--	--		5.3 U	5.4 U
Carbon disulfide	--	--		5.3 U	5.4 U
Carbon tetrachloride	760	22000		5.3 U	5.4 U
Chlorobenzene	1100	500000		5.3 U	5.4 U
Chloroethane	--	--		5.3 U	5.4 U
Chloroform	370	350000		5.3 U	5.4 U
Chloromethane	--	--		5.3 U	5.4 U
cis-1,2-Dichloroethene	250	500000		5.3 U	5.4 U
cis-1,3-Dichloropropene	--	--		5.3 U	5.4 U
Cyclohexane	--	--		5.3 U	5.4 U
Dibromochloromethane	--	--		5.3 U	5.4 U
Dichlorodifluoromethane	--	--		5.3 U	5.4 U *

Table 1. Summary of Volatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	MW-20	MW-21
			Sample Date:	11/17/2010	1/31/2011
			Sample Depth (ft bls):	18-20	20-22
Ethylbenzene	1000	390000		5.3 U	5.4 U
Freon 113	--	--		5.3 U	5.4 U
Isopropylbenzene	--	--		5.3 U	5.4 U
Methyl acetate	--	--		5.3 U	5.4 U *
Methylcyclohexane	--	--		5.3 U	5.4 U
Methylene chloride	50	500000		3.6 J B	4.8 J B
MTBE	930	500000		5.3 U	5.4 U
Styrene	--	--		5.3 U	5.4 U
Tetrachloroethene	1300	150000		5.3 U	5.4 U
Toluene	700	500000		5.3 U	5.4 U
trans-1,2-Dichloroethene	190	500000		5.3 U	5.4 U
trans-1,3-Dichloropropene	--	--		5.3 U	5.4 U
Trichloroethene	470	200000		5.3 U	5.4 U
Trichlorofluoromethane	--	--		5.3 U	5.4 U
Vinyl chloride	20	13000		5.3 U	5.4 U
Xylenes (total)	260	500000		5.3 U	5.4 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

B - The analyte was found in an associated blank, as well as in the sample.

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-1 11/17/2010 8.5-10.5	DW-1 11/17/2010 14.5-16.5	DW-2 11/17/2010 9-11	DW-2 2/4/2011 9-11	DW-2 11/17/2010 15-17	DW-2 2/4/2011 15-17	DW-2 2/4/2011 18-20	DW-14 11/17/2010 10-12
2,2'-oxybis (1-chloropropane)	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2,4,5-Trichlorophenol	--	--		1900 U	1800 U	1900 U	1900 U	1900 U	1900 U	1800 U	1900 U
2,4,6-Trichlorophenol	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2,4-Dichlorophenol	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2,4-Dimethylphenol	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2,4-Dinitrophenol	--	--		1900 U	1800 U	1900 U	1900 U	1900 U	1900 U	1800 U	1900 U
2,4-Dinitrotoluene	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2,6-Dinitrotoluene	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2-Chloronaphthalene	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2-Chlorophenol	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2-Methylnaphthalene	--	--		37 J	15 J	300 U	45 J	170 J	27 J	42 J	310 U
2-Methylphenol	330	500000		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
2-Nitroaniline	--	--		740 U	720 U	750 U	760 U	760 U	730 U	730 U	770 U
2-Nitrophenol	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
3,3'-Dichlorobenzidine	--	--		360 U	360 U	370 U	370 U	370 U	360 U	360 U	380 U
3-Nitroaniline	--	--		740 U	720 U	750 U	760 U *	760 U	730 U *	730 U *	770 U
4,6-Dinitro-2-methylphenol	--	--		1900 U	1800 U	1900 U	1900 U	1900 U	1900 U	1800 U	1900 U
4-Bromophenyl phenyl ether	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
4-Chloro-3-methylphenol	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
4-Chloroaniline	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
4-Chlorophenyl phenyl ether	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
4-Methylphenol	330	500000		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
4-Nitroaniline	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
4-Nitrophenol	--	--		1900 U	1800 U	1900 U	1900 U	1900 U	1900 U	1800 U	1900 U
Acenaphthene	20000	500000		300 U	35 J	46 J	610	2400	310	720	310 U
Acenaphthylene	100000	500000		300 U	290 U	300 U	51 J	110 J	290 U	31 J	310 U
Acetophenone	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Anthracene	100000	500000		50 J	26 J	350	2200	17000	1100	2400	51 J
Atrazine	--	--		360 U	360 U	370 U	370 U	370 U	360 U	360 U	380 U
Benzaldehyde	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Benzo[a]anthracene	1000	5600		320	120 J	1000	12000	36000	4300	6000	640
Benzo[a]pyrene	1000	1000		580	170 J	1400	18000	48000	6300	7200	1300
Benzo[b]fluoranthene	1000	5600		800	270 J	1900	17000	53000	6300	7500	2100
Benzo[g,h,i]perylene	100000	500000		510	140 J	860	12000	28000	3600	4200	2000
Benzo[k]fluoranthene	800	56000		350	100 J	690	5300	19000	2100	2900	680
Bis(2-chloroethoxy)methane	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Bis(2-chloroethyl) ether	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Bis(2-ethylhexyl) phthalate	--	--		65 J	290 U	94 J	400 B	660	580 B	890 B	110 J
Butylbenzyl phthalate	--	--		300 U	290 U	300 U	310 U	300 U	290 U	39 J	310 U
Caprolactam	--	--		300 U	290 U	300 U	310 U	300 U	290 U	55 J	310 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-1 11/17/2010 8.5-10.5	DW-1 11/17/2010 14.5-16.5	DW-2 11/17/2010 9-11	DW-2 2/4/2011 9-11	DW-2 11/17/2010 15-17	DW-2 2/4/2011 15-17	DW-2 2/4/2011 18-20	DW-14 11/17/2010 10-12
Carbazole	--	--		37 J	290 U	38 J	210 J	1200	170 J	440	96 J
Chrysene	1000	56000		510	180 J	1100	11000	33000	4800	6800	1200
Dibenzo[a,h]anthracene	330	560		62 J	290 U	170 J	2500	6300	1200	1200	290 J
Dibenzofuran	7000	350000		30 J	290 U	44 J	540	2300	230 J	560	310 U
Diethyl phthalate	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Dimethyl phthalate	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Di-n-butyl phthalate	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Di-n-octyl phthalate	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Diphenyl	--	--		300 U	290 U	300 U	310 U	46 J	290 U	290 U	310 U
Fluoranthene	100000	500000		730	290	2400	18000	74000	5200	13000	1700
Fluorene	30000	500000		27 J	36 J	110 J	1100	5100	520	1200	310 U
Hexachlorobenzene	330	6000		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Hexachlorobutadiene	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Hexachlorocyclopentadiene	--	--		740 U	720 U	750 U	760 U	760 U	730 U	730 U	770 U
Hexachloroethane	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Indeno[1,2,3-cd]pyrene	500	5600		450	120 J	860	14000	31000	4200	5100	1700
Isophorone	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Naphthalene	12000	500000		160 J	290 U	300 U	49 J	140 J	31 J	43 J	310 U
Nitrobenzene	--	69000		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
n-Nitrosodi-n-propylamine	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
n-Nitrosodiphenylamine	--	--		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Pentachlorophenol	800	6700		740 U	720 U	750 U	760 U	760 U	730 U	730 U	770 U
Phenanthrene	100000	500000		220 J	140 J	1100	4600	41000	2900	4900	380
Phenol	330	500000		300 U	290 U	300 U	310 U	300 U	290 U	290 U	310 U
Pyrene	100000	500000		770	280 J	2400	19000 *	70000	8400 *	14000 *	1700

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-14 11/17/2010 14-16	DW-15 11/17/2010 10-12	DW-15 11/17/2010 14-16	DW-16 11/17/2010 12-14	DW-16 11/17/2010 6-8	DW-19 2/4/2011 13-14	DW-19 2/4/2011 18-19	DW-20 2/4/2011 19-20
2,2'-oxybis (1-chloropropane)	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2,4,5-Trichlorophenol	--	--		1800 U	1900 U	2000 U	1800 U	1800 U	2000 U	1900 U	2000 U
2,4,6-Trichlorophenol	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2,4-Dichlorophenol	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2,4-Dimethylphenol	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2,4-Dinitrophenol	--	--		1800 U	1900 U	2000 U	1800 U	1800 U	2000 U	1900 U	2000 U
2,4-Dinitrotoluene	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2,6-Dinitrotoluene	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2-Chloronaphthalene	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2-Chlorophenol	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2-Methylnaphthalene	--	--		290 U	30 J	310 U	290 U	290 U	310 U	300 U	310 U
2-Methylphenol	330	500000		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
2-Nitroaniline	--	--		730 U	760 U	780 U	710 U	710 U	780 U	750 U	780 U
2-Nitrophenol	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
3,3'-Dichlorobenzidine	--	--		360 U	370 U	380 U	350 U	350 U	380 U	370 U	380 U
3-Nitroaniline	--	--		730 U	760 U	780 U	710 U	710 U	780 U *	750 U *	780 U *
4,6-Dinitro-2-methylphenol	--	--		1800 U	1900 U	2000 U	1800 U	1800 U	2000 U	1900 U	2000 U
4-Bromophenyl phenyl ether	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
4-Chloro-3-methylphenol	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
4-Chloroaniline	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
4-Chlorophenyl phenyl ether	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
4-Methylphenol	330	500000		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
4-Nitroaniline	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
4-Nitrophenol	--	--		1800 U	1900 U	2000 U	1800 U	1800 U	2000 U	1900 U	2000 U
Acenaphthene	20000	500000		290 U	160 J	310 U	290 U	290 U	310 U	300 U	140 J
Acenaphthylene	100000	500000		290 U	58 J	310 U	290 U	290 U	310 U	300 U	310 U
Acetophenone	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Anthracene	100000	500000		290 U	570	31 J	290 U	290 U	310 U	23 J	610
Atrazine	--	--		360 U	370 U	380 U	350 U	350 U	380 U	370 U	380 U
Benzaldehyde	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Benzo[a]anthracene	1000	5600		46 J	7000	160 J	110 J	13 J	150 J	210 J	3200
Benzo[a]pyrene	1000	1000		65 J	13000	250 J	190 J	290 U	250 J	360	4300
Benzo[b]fluoranthene	1000	5600		96 J	19000	380	260 J	25 J	410	610	5200
Benzo[g,h,i]perylene	100000	500000		290 U	19000	210 J	150 J	290 U	420	480	3100
Benzo[k]fluoranthene	800	56000		35 J	5900	130 J	93 J	290 U	160 J	240 J	2300
Bis(2-chloroethoxy)methane	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Bis(2-chloroethyl) ether	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Bis(2-ethylhexyl) phthalate	--	--		290 U	1200	82 J	290 U	290 U	170 J B	170 J B	580 B
Butylbenzyl phthalate	--	--		290 U	54 J	310 U	290 U	290 U	310 U	300 U	28 J
Caprolactam	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-14 11/17/2010 14-16	DW-15 11/17/2010 10-12	DW-15 11/17/2010 14-16	DW-16 11/17/2010 12-14	DW-16 11/17/2010 6-8	DW-19 2/4/2011 13-14	DW-19 2/4/2011 18-19	DW-20 2/4/2011 19-20
Carbazole	--	--		290 U	790	37 J	290 U	290 U	35 J	51 J	620
Chrysene	1000	56000		69 J	12000	270 J	170 J	290 U	320	470	4800
Dibenzo[a,h]anthracene	330	560		290 U	3700	310 U	290 U	290 U	370	360	940
Dibenzofuran	7000	350000		290 U	120 J	310 U	290 U	290 U	310 U	300 U	100 J
Diethyl phthalate	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Dimethyl phthalate	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Di-n-butyl phthalate	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Di-n-octyl phthalate	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Diphenyl	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Fluoranthene	100000	500000		130 J	18000	550	270 J	20 J	610	880	5300
Fluorene	30000	500000		290 U	190 J	310 U	290 U	290 U	310 U	300 U	210 J
Hexachlorobenzene	330	6000		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Hexachlorobutadiene	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Hexachlorocyclopentadiene	--	--		730 U	760 U	780 U	710 U	710 U	780 U	750 U	780 U
Hexachloroethane	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Indeno[1,2,3-cd]pyrene	500	5600		290 U	18000	200 J	130 J	290 U	450	530	3600
Isophorone	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Naphthalene	12000	500000		290 U	59 J	310 U	290 U	290 U	310 U	300 U	310 U
Nitrobenzene	--	69000		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
n-Nitrosodi-n-propylamine	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
n-Nitrosodiphenylamine	--	--		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Pentachlorophenol	800	6700		730 U	760 U	780 U	710 U	710 U	780 U	750 U	780 U
Phenanthrene	100000	500000		49 J	4800	230 J	81 J	290 U	180 J	250 J	3000
Phenol	330	500000		290 U	310 U	310 U	290 U	290 U	310 U	300 U	310 U
Pyrene	100000	500000		110 J	18000	470	220 J	17 J	360 *	550 *	7300 *

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-20	DW-21	DW-21	DW-22	DW-22	GSB-4	GSB-4	GSB-05
	Use	Commercial	Sample Date:	2/4/2011	2/4/2011	2/4/2011	11/17/2010	11/17/2010	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	24-25	14-15	19-20	10-12	14-16	0-2	2-4	0-2
2,2'-oxybis (1-chloropropane)	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2,4,5-Trichlorophenol	--	--		1900 U	1900 U	1900 U	1800 U	1800 U	2000 U	2000 U	1900 U
2,4,6-Trichlorophenol	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2,4-Dichlorophenol	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2,4-Dimethylphenol	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2,4-Dinitrophenol	--	--		1900 U	1900 U	1900 U	1800 U	1800 U	2000 U	2000 U	1900 U
2,4-Dinitrotoluene	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2,6-Dinitrotoluene	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2-Chloronaphthalene	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2-Chlorophenol	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2-Methylnaphthalene	--	--		310 U	300 U	310 U	290 U	290 U	18 J	310 U	310 U
2-Methylphenol	330	500000		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
2-Nitroaniline	--	--		760 U	750 U	770 U	710 U	720 U	770 U	780 U	760 U
2-Nitrophenol	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
3,3'-Dichlorobenzidine	--	--		370 U	370 U	380 U	350 U	350 U	380 U	380 U	370 U
3-Nitroaniline	--	--		760 U *	750 U *	770 U *	710 U	720 U	770 U *	780 U *	760 U *
4,6-Dinitro-2-methylphenol	--	--		1900 U	1900 U	1900 U	1800 U	1800 U	2000 U	2000 U	1900 U
4-Bromophenyl phenyl ether	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
4-Chloro-3-methylphenol	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
4-Chloroaniline	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
4-Chlorophenyl phenyl ether	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
4-Methylphenol	330	500000		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
4-Nitroaniline	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
4-Nitrophenol	--	--		1900 U	1900 U	1900 U	1800 U	1800 U	2000 U	2000 U	1900 U
Acenaphthene	20000	500000		310 U	300 U	310 U	20 J	290 U	310 U	310 U	310 U
Acenaphthylene	100000	500000		310 U	300 U	310 U	290 U	290 U	330	310 U	86 J
Acetophenone	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Anthracene	100000	500000		310 U	15 J	310 U	33 J	290 U	180 J	25 J	150 J
Atrazine	--	--		370 U	370 U	380 U	350 U	350 U	380 U	380 U	370 U
Benzaldehyde	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	60 J
Benzo[a]anthracene	1000	5600		20 J	49 J	43 J	270 J	29 J	1800	69 J	690
Benzo[a]pyrene	1000	1000		22 J	75 J	64 J	370	33 J	2000	69 J	730
Benzo[b]fluoranthene	1000	5600		45 J	130 J	120 J	580	44 J	2300	86 J	930
Benzo[g,h,i]perylene	100000	500000		320	340	340	240 J	22 J	2000	280 J	360
Benzo[k]fluoranthene	800	56000		310 U	53 J	41 J	180 J	290 U	990	31 J	420
Bis(2-chloroethoxy)methane	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Bis(2-chloroethyl) ether	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Bis(2-ethylhexyl) phthalate	--	--		120 J B	150 J B	140 J B	49 J	42 J	54 J	48 J	310 U
Butylbenzyl phthalate	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Caprolactam	--	--		310 U	25 J	310 U	290 U	290 U	310 U	310 U	310 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-20	DW-21	DW-21	DW-22	DW-22	GSB-4	GSB-4	GSB-05
			Sample Date:	2/4/2011	2/4/2011	2/4/2011	11/17/2010	11/17/2010	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	24-25	14-15	19-20	10-12	14-16	0-2	2-4	0-2
Carbazole	--	--		310 U	300 U	310 U	63 J	290 U	56 J	310 U	21 J
Chrysene	1000	56000		42 J	100 J	97 J	480	42 J	2000	83 J	730
Dibenzo[a,h]anthracene	330	560		310 U	340	350	52 J	290 U	770	170 J	95 J
Dibenzofuran	7000	350000		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Diethyl phthalate	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Dimethyl phthalate	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Di-n-butyl phthalate	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Di-n-octyl phthalate	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Diphenyl	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Fluoranthene	100000	500000		80 J	210 J	210 J	940	79 J	2000	360	1300
Fluorene	30000	500000		310 U	300 U	310 U	21 J	290 U	37 J	310 U	51 J
Hexachlorobenzene	330	6000		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Hexachlorobutadiene	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Hexachlorocyclopentadiene	--	--		760 U	750 U	770 U	710 U	720 U	770 U	780 U	760 U
Hexachloroethane	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Indeno[1,2,3-cd]pyrene	500	5600		350	370	370	250 J	290 U	2400	220 J	410
Isophorone	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Naphthalene	12000	500000		310 U	300 U	310 U	290 U	290 U	32 J	310 U	310 U
Nitrobenzene	--	69000		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
n-Nitrosodi-n-propylamine	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
n-Nitrosodiphenylamine	--	--		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Pentachlorophenol	800	6700		760 U	750 U	770 U	710 U	720 U	770 U	780 U	760 U
Phenanthrene	100000	500000		28 J	66 J	80 J	410	39 J	530	130 J	580
Phenol	330	500000		310 U	300 U	310 U	290 U	290 U	310 U	310 U	310 U
Pyrene	100000	500000		42 J *	120 J *	120 J *	780	67 J	3400	190 J	1200

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-05 2/1/2011 2-4	GSB-7 2/1/2011 0-2	GSB-7 2/1/2011 2-4	GSB-08 2/2/2011 0-2	GSB-08 2/2/2011 2-4	GSB-10 2/1/2011 0-2	GSB-10 2/1/2011 2-4	GSB-12 1/31/2011 0-2	GSB-12 1/31/2011 2-4
2,2'-oxybis (1-chloropropane)	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2,4,5-Trichlorophenol	--	--		2000 U	1800 U	1800 U	1900 U	2000 U	1800 U	1700 U	1800 U	1700 U
2,4,6-Trichlorophenol	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2,4-Dichlorophenol	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2,4-Dimethylphenol	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2,4-Dinitrophenol	--	--		2000 U	1800 U	1800 U	1900 U	2000 U	1800 U	1700 U	1800 U	1700 U
2,4-Dinitrotoluene	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2,6-Dinitrotoluene	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2-Chloronaphthalene	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2-Chlorophenol	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2-Methylnaphthalene	--	--		51 J	280 J	190 J	87 J	56 J	16 J	270 U	85 J	270 U
2-Methylphenol	330	500000		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
2-Nitroaniline	--	--		770 U	720 U	710 U	750 U	780 U	700 U	680 U	710 U	660 U
2-Nitrophenol	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
3,3'-Dichlorobenzidine	--	--		380 U	350 U	350 U	370 U	380 U	350 U	340 U	350 U	320 U
3-Nitroaniline	--	--		770 U *	720 U *	710 U *	750 U *	780 U *	700 U *	680 U *	710 U	660 U
4,6-Dinitro-2-methylphenol	--	--		2000 U	1800 U	1800 U	1900 U	2000 U	1800 U	1700 U	1800 U	1700 U
4-Bromophenyl phenyl ether	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
4-Chloro-3-methylphenol	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
4-Chloroaniline	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
4-Chlorophenyl phenyl ether	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
4-Methylphenol	330	500000		310 U	26 J	290 U	300 U	310 U	280 U	270 U	290 U	270 U
4-Nitroaniline	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
4-Nitrophenol	--	--		2000 U	1800 U	1800 U	1900 U	2000 U	1800 U	1700 U	1800 U	1700 U
Acenaphthene	20000	500000		79 J	590	260 J	160 J	38 J	21 J	270 U	290 U	270 U
Acenaphthylene	100000	500000		150 J	1100	560	170 J	560	330	26 J	58 J	270 U
Acetophenone	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Anthracene	100000	500000		210 J	2800	1500	720	360	220 J	68 J	250 J	270 U
Atrazine	--	--		380 U	350 U	350 U	370 U	380 U	350 U	340 U	350 U	320 U
Benzaldehyde	--	--		160 J	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Benzo[a]anthracene	1000	5600		1200	14000	6900	1800	2600	1500	200 J	270 J	11 J
Benzo[a]pyrene	1000	1000		1300	14000	6200	1700	3200	1700	190 J	320	8 J
Benzo[b]fluoranthene	1000	5600		1800	16000	7900	2000	4100	2400	220 J	390	9.8 J
Benzo[g,h,i]perylene	100000	500000		670	9800	4800	1100	2300	1500	230 J	500	270 U
Benzo[k]fluoranthene	800	56000		700	5200	2900	860	1800	930	87 J	150 J	270 U
Bis(2-chloroethoxy)methane	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Bis(2-chloroethyl) ether	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Bis(2-ethylhexyl) phthalate	--	--		66 J	130 J	71 J	50 J B	54 J B	56 J	46 J	480 B	270 U
Butylbenzyl phthalate	--	--		47 J	290 U	290 U	46 J	310 U	24 J	39 J	210 J	270 U
Caprolactam	--	--		310 U	290 U	290 U	37 J	310 U	280 U	270 U	290 U	270 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-05	GSB-7	GSB-7	GSB-08	GSB-08	GSB-10	GSB-10	GSB-12	GSB-12
	Use	Commercial	Sample Date:	2/1/2011	2/1/2011	2/1/2011	2/2/2011	2/2/2011	2/1/2011	2/1/2011	1/31/2011	1/31/2011
			Sample Depth (ft bls):	2-4	0-2	2-4	0-2	2-4	0-2	2-4	0-2	2-4
Carbazole	--	--		55 J	390	200 J	180 J	210 J	66 J	28 J	20 J	270 U
Chrysene	1000	56000		1300	15000	7700	1800	3000	1900	220 J	330	270 U
Dibenzo[a,h]anthracene	330	560		190 J	3600	1700	270 J	720	440	49 J	390	270 U
Dibenzofuran	7000	350000		42 J	490	900	140 J	150 J	30 J	270 U	290 U	270 U
Diethyl phthalate	--	--		310 U	290 U	290 U	300 U	310 U	29 J	270 U	290 U	270 U
Dimethyl phthalate	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Di-n-butyl phthalate	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Di-n-octyl phthalate	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Diphenyl	--	--		310 U	78 J	120 J	38 J	30 J	280 U	270 U	95 J	270 U
Fluoranthene	100000	500000		1900	1200	15000	3500	3700	2000	310	410	270 U
Fluorene	30000	500000		160 J	1200	630	340	210 J	56 J	21 J	18 J	270 U
Hexachlorobenzene	330	6000		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Hexachlorobutadiene	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Hexachlorocyclopentadiene	--	--		770 U	720 U	710 U	750 U	780 U	700 U	680 U	710 U	660 U
Hexachloroethane	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Indeno[1,2,3-cd]pyrene	500	5600		770	11000	5000	1100	2700	1700	210 J	600	270 U
Isophorone	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	27 J	270 U
Naphthalene	12000	500000		54 J	180 J	140 J	62 J	60 J	23 J	270 U	80 J	270 U
Nitrobenzene	--	69000		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
n-Nitrosodi-n-propylamine	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
n-Nitrosodiphenylamine	--	--		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Pentachlorophenol	800	6700		770 U	720 U	710 U	750 U	780 U	700 U	680 U	710 U	660 U
Phenanthrene	100000	500000		770	11000	10000	2900	1600	810	310	250 J B	270 U
Phenol	330	500000		310 U	290 U	290 U	300 U	310 U	280 U	270 U	290 U	270 U
Pyrene	100000	500000		2100	34000	16000	4200	5400	3200	490	570	270 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-13 1/31/2011 0-2	GSB-13 1/31/2011 2-4	GSB-13A 1/31/2011 0-2	GSB-13A 1/31/2011 2-4	GSB-17 1/31/2011 0-2	GSB-17 1/31/2011 2-4	GSB-18 2/3/2011 0-2	GSB-18 2/3/2011 2-4
2,2'-oxybis (1-chloropropane)	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2,4,5-Trichlorophenol	--	--		1700 U	6800 U	1800 U	1700 U	1700 U	1700 U	1800 U	1700 U
2,4,6-Trichlorophenol	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2,4-Dichlorophenol	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2,4-Dimethylphenol	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2,4-Dinitrophenol	--	--		1700 U	6800 U	1800 U	1700 U	1700 U	1700 U	1800 U	1700 U
2,4-Dinitrotoluene	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2,6-Dinitrotoluene	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2-Chloronaphthalene	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2-Chlorophenol	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2-Methylnaphthalene	--	--		8.3 J	1100 U	44 J	270 U	270 U	270 U	270 J	120 J
2-Methylphenol	330	500000		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
2-Nitroaniline	--	--		680 U	2700 U	690 U	670 U	670 U	660 U	720 U	680 U
2-Nitrophenol	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
3,3'-Dichlorobenzidine	--	--		340 U	1300 U	340 U	330 U	330 U	330 U	350 U	330 U
3-Nitroaniline	--	--		680 U	2700 U	690 U	670 U	670 U	660 U	720 U *	680 U *
4,6-Dinitro-2-methylphenol	--	--		1700 U	6800 U	1800 U	1700 U	1700 U	1700 U	1800 U	1700 U
4-Bromophenyl phenyl ether	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
4-Chloro-3-methylphenol	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
4-Chloroaniline	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
4-Chlorophenyl phenyl ether	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
4-Methylphenol	330	500000		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
4-Nitroaniline	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
4-Nitrophenol	--	--		1700 U	6800 U	1800 U	1700 U	1700 U	1700 U	1800 U	1700 U
Acenaphthene	20000	500000		24 J	1100 U	220 J	270 U	270 U	270 U	130 J	120 J
Acenaphthylene	100000	500000		14 J	1100 U	37 J	270 U	270 U	270 U	140 J	24 J
Acetophenone	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Anthracene	100000	500000		240 J	910 J	290	270 U	270 U	270 U	330	280
Atrazine	--	--		340 U	1300 U	340 U	330 U	330 U	330 U	350 U	330 U
Benzaldehyde	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Benzo[a]anthracene	1000	5600		140 J	50 J	740	15 J	270 U	17 J	770	340
Benzo[a]pyrene	1000	1000		190 J	35 J	770	14 J	270 U	22 J	1200	300
Benzo[b]fluoranthene	1000	5600		210 J	1100 U	990	19 J	270 U	28 J	1600	390
Benzo[g,h,i]perylene	100000	500000		450	1200	570	270 U	270 U	270 U	990	100 J
Benzo[k]fluoranthene	800	56000		71 J	1100 U	370	270 U	270 U	270 U	560	160 J
Bis(2-chloroethoxy)methane	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Bis(2-chloroethyl) ether	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Bis(2-ethylhexyl) phthalate	--	--		320 B	930 J B	64 J B	32 J B	29 J B	27 J B	270 J	28 J
Butylbenzyl phthalate	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	120 J	270 U
Caprolactam	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	28 J B

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-13 1/31/2011 0-2	GSB-13 1/31/2011 2-4	GSB-13A 1/31/2011 0-2	GSB-13A 1/31/2011 2-4	GSB-17 1/31/2011 0-2	GSB-17 1/31/2011 2-4	GSB-18 2/3/2011 0-2	GSB-18 2/3/2011 2-4
Carbazole	--	--		19 J	1100 U	92 J	270 U	270 U	270 U	180 J	140 J
Chrysene	1000	56000		210 J	1100 U	750	270 U	270 U	22 J	1100	340
Dibenzo[a,h]anthracene	330	560		370	1100 U	150 J	270 U	270 U	270 U	240 J	30 J
Dibenzofuran	7000	350000		280 U	1100 U	88 J	270 U	270 U	270 U	140 J	130 J
Diethyl phthalate	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Dimethyl phthalate	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Di-n-butyl phthalate	--	--		45 J	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Di-n-octyl phthalate	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Diphenyl	--	--		90 J	1100 U	280 U	270 U	270 U	270 U	290 U	26 J
Fluoranthene	100000	500000		190 J	60 J	1300	21 J	270 U	32 J	1500	900
Fluorene	30000	500000		280 U	1100 U	140 J	270 U	270 U	270 U	190 J	160 J
Hexachlorobenzene	330	6000		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Hexachlorobutadiene	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Hexachlorocyclopentadiene	--	--		680 U	2700 U	690 U	670 U	670 U	660 U	720 U	680 U
Hexachloroethane	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Indeno[1,2,3-cd]pyrene	500	5600		490	1100 U	600	270 U	270 U	270 U	1200	130 J
Isophorone	--	--		280 U	810 J	280 U	270 U	20 J	270 U	290 U	270 U
Naphthalene	12000	500000		280 U	1100 U	16 J	270 U	270 U	270 U	450	300
Nitrobenzene	--	69000		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
n-Nitrosodi-n-propylamine	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
n-Nitrosodiphenylamine	--	--		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Pentachlorophenol	800	6700		680 U	2700 U	690 U	670 U	670 U	660 U	720 U	680 U
Phenanthrene	100000	500000		190 J B	340 J B	1000 B	15 J B	270 U	13 J B	1400	1100
Phenol	330	500000		280 U	1100 U	280 U	270 U	270 U	270 U	290 U	270 U
Pyrene	100000	500000		310	83 J	1500	20 J	270 U	29 J	2900	690

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-30	GSB-30	GSB-30DUP	GSB-32	GSB-32	GSB-32	GSB-32DUP	GSB-32E
			Sample Date:	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/2/2011
			Sample Depth (ft bls):	0-2	2-4	2-4	0-2	2-4	8-10	8-10	0-2
2,2'-oxybis (1-chloropropane)	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U	1900 U	7000 U	1900 U	1900 U	1900 U
2,4,6-Trichlorophenol	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
2,4-Dichlorophenol	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
2,4-Dimethylphenol	--	--		280 U	290 U	15 J	300 U	1100 U	310 U	300 U	300 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U	1900 U	7000 U	1900 U	1900 U	1900 U
2,4-Dinitrotoluene	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
2,6-Dinitrotoluene	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
2-Chloronaphthalene	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
2-Chlorophenol	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
2-Methylnaphthalene	--	--		280 U	130 J	180 J	9.1 J	1100 U	15 J	42 J	19 J
2-Methylphenol	330	500000		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
2-Nitroaniline	--	--		700 U	730 U	720 U	740 U	2800 U	760 U	740 U	730 U
2-Nitrophenol	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
3,3'-Dichlorobenzidine	--	--		350 U	360 U	350 U	360 U	1400 U	380 U	370 U	360 U
3-Nitroaniline	--	--		700 U *	730 U *	720 U *	740 U *	2800 U *	760 U *	740 U *	730 U *
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U	1900 U	7000 U	1900 U	1900 U	1900 U
4-Bromophenyl phenyl ether	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
4-Chloro-3-methylphenol	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
4-Chloroaniline	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
4-Chlorophenyl phenyl ether	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
4-Methylphenol	330	500000		280 U	290 U	25 J	300 U	1100 U	310 U	300 U	300 U
4-Nitroaniline	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U	1900 U	7000 U	1900 U	1900 U	1900 U
Acenaphthene	20000	500000		280 U	330	360	300 U	1100 U	310 U	300 U	300 U
Acenaphthylene	100000	500000		16 J	50 J	53 J	22 J	1100 U	310 U	19 J	97 J
Acetophenone	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Anthracene	100000	500000		48 J	790	740	20 J	170 J	29 J	42 J	73 J
Atrazine	--	--		350 U	360 U	350 U	360 U	1400 U	380 U	370 U	360 U
Benzaldehyde	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Benzo[a]anthracene	1000	5600		190 J	1600	1700	110 J	580 J	120 J	130 J	530
Benzo[a]pyrene	1000	1000		210 J	1500	1700	130 J	410 J	100 J	110 J	660
Benzo[b]fluoranthene	1000	5600		270 J	1400	1900	190 J	590 J	160 J	160 J	910
Benzo[g,h,i]perylene	100000	500000		120 J	1100	1200	65 J	330 J	61 J	110 J	400
Benzo[k]fluoranthene	800	56000		120 J	730	840	65 J	270 J	69 J	70 J	350
Bis(2-chloroethoxy)methane	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Bis(2-chloroethyl) ether	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Bis(2-ethylhexyl) phthalate	--	--		100 J	41 J	290 U	300 U	120 J	42 J	75 J	44 J B
Butylbenzyl phthalate	--	--		280 U	290 U	290 U	21 J	64 J	27 J	33 J	300 U
Caprolactam	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-30 2/1/2011 0-2	GSB-30 2/1/2011 2-4	GSB-30DUP 2/1/2011 2-4	GSB-32 2/1/2011 0-2	GSB-32 2/1/2011 2-4	GSB-32 2/1/2011 8-10	GSB-32DUP 2/1/2011 8-10	GSB-32E 2/2/2011 0-2
Carbazole	--	--		21 J	280 J	420	300 U	92 J	19 J	26 J	18 J
Chrysene	1000	56000		210 J	1600	1900	140 J	540 J	130 J	160 J	580
Dibenzo[a,h]anthracene	330	560		33 J	300	430	300 U	99 J	310 U	24 J	92 J
Dibenzofuran	7000	350000		280 U	270 J	330	300 U	1100 U	310 U	300 U	300 U
Diethyl phthalate	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Dimethyl phthalate	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Di-n-butyl phthalate	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Di-n-octyl phthalate	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Diphenyl	--	--		280 U	30 J	48 J	300 U	1100 U	310 U	300 U	300 U
Fluoranthene	100000	500000		370	2300	4000	210 J	1200	260 J	260 J	830
Fluorene	30000	500000		26 J	520	560	300 U	1100 U	310 U	22 J	22 J
Hexachlorobenzene	330	6000		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Hexachlorobutadiene	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Hexachlorocyclopentadiene	--	--		700 U	730 U	720 U	740 U	2800 U	760 U	740 U	730 U
Hexachloroethane	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Indeno[1,2,3-cd]pyrene	500	5600		120 J	1200	1400	70 J	360 J	63 J	100 J	440
Isophorone	--	--		280 U	290 U	290 U	300 U	380 J	310 U	300 U	300 U
Naphthalene	12000	500000		280 U	150 J	270 J	300 U	1100 U	310 U	16 J	23 J
Nitrobenzene	--	69000		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
n-Nitrosodi-n-propylamine	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
n-Nitrosodiphenylamine	--	--		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Pentachlorophenol	800	6700		700 U	730 U	720 U	740 U	2800 U	760 U	740 U	730 U
Phenanthrene	100000	500000		240 J	3200	3000	99 J	1100	240 J	290 J	210 J
Phenol	330	500000		280 U	290 U	290 U	300 U	1100 U	310 U	300 U	300 U
Pyrene	100000	500000		380	3800	3600	180 J	1500	250 J	360	830

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	GSB-32E	GSB-32N	GSB-32N	GSB-32S	GSB-32S	GSB-32W	GSB-32W	GSB-32W
Parameter	Unrestricted	Restricted	Sample Date:	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/3/2011	2/3/2011	2/3/2011
(Concentrations in µg/kg)	Use	Commercial	Sample Depth (ft bls):	4-6	0-2	2-4	0-2	2-4	0-2	2-4	10-12
2,2'-oxybis (1-chloropropane)	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1900 U	1900 U	1800 U	2000 U	1800 U	1900 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2,4-Dichlorophenol	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2,4-Dimethylphenol	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1900 U	1900 U	1800 U	2000 U	1800 U	1900 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2,6-Dinitrotoluene	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2-Chloronaphthalene	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2-Chlorophenol	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2-Methylnaphthalene	--	--		280 U	17 J	11 J	280 U	310 U	290 U	12 J	29 J
2-Methylphenol	330	500000		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
2-Nitroaniline	--	--		700 U	740 U	740 U	700 U	780 U	720 U	770 U	710 U
2-Nitrophenol	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
3,3'-Dichlorobenzidine	--	--		350 U	360 U	360 U	350 U	380 U	350 U	380 U	350 U
3-Nitroaniline	--	--		700 U *	740 U *	740 U *	700 U	780 U *	720 U *	770 U *	710 U *
4,6-Dinitro-2-methylphenol	--	--		1800 U	1900 U	1900 U	1800 U	2000 U	1800 U	1900 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
4-Chloroaniline	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
4-Methylphenol	330	500000		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
4-Nitroaniline	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
4-Nitrophenol	--	--		1800 U	1900 U	1900 U	46 J B	2000 U	1800 U	1900 U	1800 U
Acenaphthene	20000	500000		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Acenaphthylene	100000	500000		280 U	29 J	29 J	41 J	32 J	18 J	310 U	34 J
Acetophenone	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Anthracene	100000	500000		32 J	15 J	37 J	24 J	16 J	16 J	32 J	150 J
Atrazine	--	--		350 U	360 U	360 U	350 U	380 U	350 U	380 U	350 U
Benzaldehyde	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Benzo[a]anthracene	1000	5600		150 J	140 J	140 J	210 J	140 J	90 J	120 J	390
Benzo[a]pyrene	1000	1000		160 J	170 J	170 J	240 J	170 J	100 J	130 J	410
Benzo[b]fluoranthene	1000	5600		210 J	250 J	210 J	340	210 J	160 J	150 J	560
Benzo[g,h,i]perylene	100000	500000		75 J	99 J	82 J	350	72 J	48 J	44 J	180 J
Benzo[k]fluoranthene	800	56000		84 J	95 J	95 J	130 J	94 J	69 J	70 J	260 J
Bis(2-chloroethoxy)methane	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		34 J B	34 J B	45 J B	110 J B	36 J B	56 J	51 J	97 J
Butylbenzyl phthalate	--	--		280 U	300 U	300 U	280 U	310 U	32 J	310 U	18 J
Caprolactam	--	--		25 J	300 U	300 U	50 J B	310 U	35 J B	42 J B	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32E	GSB-32N	GSB-32N	GSB-32S	GSB-32S	GSB-32W	GSB-32W	GSB-32W
			Sample Date:	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/3/2011	2/3/2011	2/3/2011
			Sample Depth (ft bls):	4-6	0-2	2-4	0-2	2-4	0-2	2-4	10-12
Carbazole	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	53 J
Chrysene	1000	56000		160 J	170 J	140 J	270 J	140 J	120 J	130 J	430
Dibenzo[a,h]anthracene	330	560		280 U	25 J	300 U	330	310 U	290 U	310 U	37 J
Dibenzofuran	7000	350000		280 U	300 U	300 U	280 U	310 U	290 U	310 U	26 J
Diethyl phthalate	--	--		280 U	300 U	33 J	280 U	43 J	290 U	310 U	280 U
Dimethyl phthalate	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Di-n-butyl phthalate	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Di-n-octyl phthalate	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Diphenyl	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Fluoranthene	100000	500000		300	180 J	240 J	450	210 J	170 J	240 J	720
Fluorene	30000	500000		280 U	300 U	24 J	280 U	310 U	290 U	310 U	21 J
Hexachlorobenzene	330	6000		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Hexachlorobutadiene	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Hexachlorocyclopentadiene	--	--		700 U	740 U	740 U	700 U	780 U	720 U	770 U	710 U
Hexachloroethane	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		85 J	120 J	95 J	400	85 J	57 J	53 J	200 J
Isophorone	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Naphthalene	12000	500000		280 U	300 U	300 U	280 U	310 U	290 U	17 J	49 J
Nitrobenzene	--	69000		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Pentachlorophenol	800	6700		700 U	740 U	740 U	700 U	780 U	720 U	770 U	710 U
Phenanthrene	100000	500000		130 J	35 J	120 J	120 J	29 J	78 J	150 J	460
Phenol	330	500000		280 U	300 U	300 U	280 U	310 U	290 U	310 U	280 U
Pyrene	100000	500000		280	200 J	230 J	340	190 J	130 J	200 J	740

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-33	GSB-33	GSB-44	GSB-44	LP-1	LP-1	LP-2	LP-2
	Use	Commercial	Sample Date:	2/2/2011	2/2/2011	1/31/2011	1/31/2011	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	0-2	2-4	0-2	2-4	10-12	14-16	10-12	14-16
2,2'-oxybis (1-chloropropane)	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	7100 U	1800 U
2,4,6-Trichlorophenol	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2,4-Dichlorophenol	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2,4-Dimethylphenol	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	7100 U	1800 U
2,4-Dinitrotoluene	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2,6-Dinitrotoluene	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2-Chloronaphthalene	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2-Chlorophenol	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2-Methylnaphthalene	--	--		180 J	290	290 U	280 U	280 U	280 U	1100 U	280 U
2-Methylphenol	330	500000		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
2-Nitroaniline	--	--		710 U	710 U	720 U	690 U	700 U	700 U	2800 U	690 U
2-Nitrophenol	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
3,3'-Dichlorobenzidine	--	--		350 U	350 U	360 U	340 U	340 U	340 U	1400 U	340 U
3-Nitroaniline	--	--		710 U *	710 U *	720 U	690 U	700 U	700 U	2800 U	690 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	7100 U	1800 U
4-Bromophenyl phenyl ether	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
4-Chloro-3-methylphenol	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
4-Chloroaniline	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
4-Chlorophenyl phenyl ether	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
4-Methylphenol	330	500000		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
4-Nitroaniline	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	7100 U	1800 U
Acenaphthene	20000	500000		180 J	260 J	19 J	280 U	280 U	280 U	1100 U	280 U
Acenaphthylene	100000	500000		490	340	44 J	280 U	280 U	280 U	1100 U	280 U
Acetophenone	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Anthracene	100000	500000		760	480	62 J	280 U	280 U	280 U	1100 U	280 U
Atrazine	--	--		350 U	350 U	360 U	340 U	340 U	340 U	1400 U	340 U
Benzaldehyde	--	--		84 J	73 J	290 U	280 U	280 U	280 U	1100 U	280 U
Benzo[a]anthracene	1000	5600		3800	3300	330	16 J	280 U	280 U	62 J	280 U
Benzo[a]pyrene	1000	1000		4100	3600	410	19 J	280 U	280 U	1100 U	280 U
Benzo[b]fluoranthene	1000	5600		4900	3500	550	24 J	280 U	280 U	88 J	280 U
Benzo[g,h,i]perylene	100000	500000		2800	2700	230 J	280 U	280 U	280 U	1100 U	280 U
Benzo[k]fluoranthene	800	56000		2000	1600	230 J	280 U	280 U	280 U	1100 U	280 U
Bis(2-chloroethoxy)methane	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Bis(2-chloroethyl) ether	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		130 J B	78 J B	36 J B	43 J B	280 U	36 J	1100 U	37 J
Butylbenzyl phthalate	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Caprolactam	--	--		23 J	25 J	290 U	280 U	280 U	280 U	1100 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-33	GSB-33	GSB-44	GSB-44	LP-1	LP-1	LP-2	LP-2
	Use	Commercial	Sample Date:	2/2/2011	2/2/2011	1/31/2011	1/31/2011	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	0-2	2-4	0-2	2-4	10-12	14-16	10-12	14-16
Carbazole	--	--		160 J	150 J	21 J	280 U	280 U	280 U	1100 U	280 U
Chrysene	1000	56000		3800	3400	380	280 U	280 U	280 U	1100 U	280 U
Dibenzo[a,h]anthracene	330	560		840	880	49 J	280 U	280 U	280 U	1100 U	280 U
Dibenzofuran	7000	350000		120 J	160 J	290 U	280 U	280 U	280 U	1100 U	280 U
Diethyl phthalate	--	--		290 U	32 J	290 U	280 U	280 U	280 U	1100 U	280 U
Dimethyl phthalate	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Di-n-butyl phthalate	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Di-n-octyl phthalate	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Diphenyl	--	--		30 J	45 J	290 U	280 U	280 U	280 U	1100 U	280 U
Fluoranthene	100000	500000		5300	4500	530	22 J	280 U	280 U	110 J	280 U
Fluorene	30000	500000		340	410	290 U	280 U	280 U	280 U	1100 U	280 U
Hexachlorobenzene	330	6000		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Hexachlorobutadiene	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Hexachlorocyclopentadiene	--	--		710 U	710 U	720 U	690 U	700 U	700 U	2800 U	690 U
Hexachloroethane	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		3200	3100	250 J	280 U	280 U	280 U	1100 U	280 U
Isophorone	--	--		290 U	280 U	290 U	280 U	280 U	280 U	230 J	280 U
Naphthalene	12000	500000		430	530	17 J	280 U	280 U	280 U	1100 U	280 U
Nitrobenzene	--	69000		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
n-Nitrosodi-n-propylamine	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
n-Nitrosodiphenylamine	--	--		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Pentachlorophenol	800	6700		710 U	710 U	720 U	690 U	700 U	700 U	2800 U	690 U
Phenanthrene	100000	500000		2400	1300	200 J B	280 U	280 U	280 U	1100 U	280 U
Phenol	330	500000		290 U	280 U	290 U	280 U	280 U	280 U	1100 U	280 U
Pyrene	100000	500000		6700	5400	590	22 J	280 U	280 U	120 J	280 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-3 11/15/2010 10-12	LP-3 11/15/2010 14-16	LP-4 2/3/2011 10-11	LP-4 11/15/2010 14-16	LP-4 2/3/2011 14-16	LP-5 11/15/2010 10-12	LP-5 11/15/2010 14-16	LP-6 11/15/2010 10-12
2,2'-oxybis (1-chloropropane)	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dichlorophenol	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dimethylphenol	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2,6-Dinitrotoluene	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Chloronaphthalene	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Chlorophenol	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Methylnaphthalene	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Methylphenol	330	500000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Nitroaniline	--	--		690 U	710 U	700 U	700 U	700 U	700 U	700 U	690 U
2-Nitrophenol	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	350 U	340 U	350 U	340 U	350 U	340 U	340 U
3-Nitroaniline	--	--		690 U	710 U	700 U *	700 U	700 U *	700 U	700 U	690 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chloroaniline	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Methylphenol	330	500000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Nitroaniline	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	1800 U	1800 U
Acenaphthene	20000	500000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Acenaphthylene	100000	500000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Acetophenone	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Anthracene	100000	500000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Atrazine	--	--		340 U	350 U	340 U	350 U	340 U	350 U	340 U	340 U
Benzaldehyde	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Benzo[a]anthracene	1000	5600		280 U	290 U	72 J	280 U	280 U	280 U	280 U	280 U
Benzo[a]pyrene	1000	1000		280 U	290 U	100 J	280 U	280 U	280 U	280 U	280 U
Benzo[b]fluoranthene	1000	5600		280 U	290 U	140 J	280 U	280 U	280 U	280 U	280 U
Benzo[g,h,i]perylene	100000	500000		280 U	290 U	77 J	280 U	280 U	280 U	280 U	280 U
Benzo[k]fluoranthene	800	56000		280 U	290 U	55 J	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		280 U	290 U	56 J	280 U	50 J	58 J	43 J	280 U
Butylbenzyl phthalate	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Caprolactam	--	--		280 U	290 U	280 U	280 U	47 J B	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-3	LP-3	LP-4	LP-4	LP-4	LP-5	LP-5	LP-6
	Unrestricted	Restricted	Sample Date:	11/15/2010	11/15/2010	2/3/2011	11/15/2010	2/3/2011	11/15/2010	11/15/2010	11/15/2010
	Use	Commercial	Sample Depth (ft bls):	10-12	14-16	10-11	14-16	14-16	10-12	14-16	10-12
Carbazole	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Chrysene	1000	56000		280 U	290 U	120 J	280 U	280 U	280 U	280 U	280 U
Dibenzo[a,h]anthracene	330	560		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Dibenzofuran	7000	350000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Diethyl phthalate	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Dimethyl phthalate	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Di-n-butyl phthalate	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Di-n-octyl phthalate	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Diphenyl	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Fluoranthene	100000	500000		280 U	290 U	230 J	280 U	280 U	280 U	280 U	280 U
Fluorene	30000	500000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobenzene	330	6000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobutadiene	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		690 U	710 U	700 U	700 U	700 U	700 U	700 U	690 U
Hexachloroethane	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	290 U	81 J	280 U	280 U	280 U	280 U	280 U
Isophorone	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Naphthalene	12000	500000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Nitrobenzene	--	69000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Pentachlorophenol	800	6700		690 U	710 U	700 U	700 U	700 U	700 U	700 U	690 U
Phenanthrene	100000	500000		280 U	290 U	140 J	280 U	280 U	280 U	280 U	280 U
Phenol	330	500000		280 U	290 U	280 U	280 U	280 U	280 U	280 U	280 U
Pyrene	100000	500000		280 U	290 U	260 J	280 U	280 U	280 U	280 U	280 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-6 11/15/2010 14-16	LP-7 11/15/2010 10-12	LP-7DUP 11/15/2010 10-12	LP-7 11/15/2010 14-16	LP-8 11/15/2010 10-12	LP-8 11/15/2010 14-16	LP-9 11/15/2010 10-12
	Use	Commercial								
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1700 U	1800 U	1800 U	1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1700 U	1800 U	1800 U	1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Chlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Methylphenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Nitroaniline	--	--		690 U	690 U	690 U	700 U	690 U	690 U	700 U
2-Nitrophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	340 U	340 U	340 U	340 U	350 U
3-Nitroaniline	--	--		690 U	690 U	690 U	700 U	690 U	690 U	700 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1700 U	1800 U	1800 U	1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chloroaniline	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Methylphenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Nitroaniline	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Nitrophenol	--	--		1800 U	1700 U	1800 U	1800 U	1800 U	1800 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Acenaphthylene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Acetophenone	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Anthracene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Atrazine	--	--		340 U	340 U	340 U	340 U	340 U	340 U	350 U
Benzaldehyde	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Benzo[a]anthracene	1000	5600		280 U	280 U	280 U	12 J	280 U	280 U	280 U
Benzo[a]pyrene	1000	1000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Benzo[b]fluoranthene	1000	5600		280 U	280 U	280 U	9.6 J	280 U	280 U	280 U
Benzo[g,h,i]perylene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Benzo[k]fluoranthene	800	56000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Butylbenzyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Caprolactam	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-6	LP-7	LP-7DUP	LP-7	LP-8	LP-8	LP-9
	Unrestricted	Restricted	Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
	Use	Commercial	Sample Depth (ft bls):	14-16	10-12	10-12	14-16	10-12	14-16	10-12
Carbazole	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Chrysene	1000	56000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Dibenzo[a,h]anthracene	330	560		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Diethyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Dimethyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Diphenyl	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Fluoranthene	100000	500000		280 U	280 U	280 U	21 J	280 U	280 U	280 U
Fluorene	30000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobenzene	330	6000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		690 U	690 U	690 U	700 U	690 U	690 U	700 U
Hexachloroethane	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Isophorone	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Naphthalene	12000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Nitrobenzene	--	69000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Pentachlorophenol	800	6700		690 U	690 U	690 U	700 U	690 U	690 U	700 U
Phenanthrene	100000	500000		280 U	280 U	280 U	16 J	280 U	280 U	280 U
Phenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Pyrene	100000	500000		280 U	280 U	280 U	17 J	280 U	280 U	280 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-9 11/15/2010 14-16	LP-10 11/15/2010 10-12	LP-10 11/15/2010 14-16	LP-11 11/15/2010 15-17	LP-11 11/15/2010 19-21	LP-12 11/15/2010 11-13	LP-12 11/15/2010 17-19
	Use	Commercial								
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U	1800 U	1700 U	1700 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1700 U	1700 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Chlorophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Methylphenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Nitroaniline	--	--		700 U	710 U	690 U	690 U	690 U	690 U	690 U
2-Nitrophenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	350 U	340 U	340 U	340 U	340 U	340 U
3-Nitroaniline	--	--		700 U	710 U	690 U	690 U	690 U	690 U	690 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U	1800 U	1700 U	1700 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chloroaniline	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Methylphenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Nitroaniline	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U	1800 U	1700 U	1700 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Acenaphthylene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Acetophenone	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Anthracene	100000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Atrazine	--	--		340 U	350 U	340 U	340 U	340 U	340 U	340 U
Benzaldehyde	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Benzo[a]anthracene	1000	5600		280 U	280 U	280 U	280 U	280 U	55 J	280 U
Benzo[a]pyrene	1000	1000		280 U	280 U	280 U	280 U	280 U	52 J	280 U
Benzo[b]fluoranthene	1000	5600		280 U	280 U	280 U	280 U	280 U	100 J	280 U
Benzo[g,h,i]perylene	100000	500000		280 U	280 U	280 U	280 U	280 U	35 J	280 U
Benzo[k]fluoranthene	800	56000		280 U	280 U	280 U	280 U	280 U	48 J	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		43 J	280 U	280 U	280 U	280 U	28 J	280 U
Butylbenzyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Caprolactam	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-9 11/15/2010 14-16	LP-10 11/15/2010 10-12	LP-10 11/15/2010 14-16	LP-11 11/15/2010 15-17	LP-11 11/15/2010 19-21	LP-12 11/15/2010 11-13	LP-12 11/15/2010 17-19
Carbazole	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Chrysene	1000	56000		280 U	280 U	280 U	280 U	280 U	84 J	280 U
Dibenzo[a,h]anthracene	330	560		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Diethyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Dimethyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Diphenyl	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Fluoranthene	100000	500000		280 U	280 U	280 U	280 U	280 U	160 J	280 U
Fluorene	30000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobenzene	330	6000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		700 U	710 U	690 U	690 U	690 U	690 U	690 U
Hexachloroethane	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	280 U	280 U	280 U	280 U	34 J	280 U
Isophorone	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Naphthalene	12000	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Nitrobenzene	--	69000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Pentachlorophenol	800	6700		700 U	710 U	690 U	690 U	690 U	690 U	690 U
Phenanthrene	100000	500000		280 U	280 U	280 U	280 U	280 U	100 J	280 U
Phenol	330	500000		280 U	280 U	280 U	280 U	280 U	280 U	280 U
Pyrene	100000	500000		280 U	280 U	280 U	280 U	280 U	140 J	280 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-13 11/15/2010 10-12	LP-13 11/15/2010 15-17	LP-14 11/15/2010 14-16	LP-15 11/16/2010 14-16	LP-15 2/3/2011 12-13	LP-15 2/3/2011 14-16	LP-16 11/16/2010 10-12	LP-16 11/16/2010 14-16
2,2'-oxybis (1-chloropropane)	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U	1700 U	1700 U	2000 U	1700 U	1700 U
2,4,6-Trichlorophenol	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2,4-Dichlorophenol	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2,4-Dimethylphenol	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U	1700 U	1700 U	2000 U	1700 U	1700 U
2,4-Dinitrotoluene	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2,6-Dinitrotoluene	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2-Chloronaphthalene	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2-Chlorophenol	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2-Methylnaphthalene	--	--		290 U	49 J	280 U	280 U	270 U	310 U	280 U	270 U
2-Methylphenol	330	500000		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
2-Nitroaniline	--	--		710 U	690 U	690 U	680 U	680 U	780 U	680 U	660 U
2-Nitrophenol	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
3,3'-Dichlorobenzidine	--	--		350 U	340 U	340 U	340 U	330 U	380 U	340 U	330 U
3-Nitroaniline	--	--		710 U	690 U	690 U	680 U	680 U *	780 U *	680 U	660 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U	1700 U	1700 U	2000 U	1700 U	1700 U
4-Bromophenyl phenyl ether	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
4-Chloro-3-methylphenol	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
4-Chloroaniline	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
4-Chlorophenyl phenyl ether	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
4-Methylphenol	330	500000		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
4-Nitroaniline	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U	1700 U	1700 U	2000 U	1700 U	1700 U
Acenaphthene	20000	500000		290 U	30 J	280 U	280 U	270 U	310 U	280 U	270 U
Acenaphthylene	100000	500000		290 U	52 J	280 U	280 U	270 U	310 U	280 U	270 U
Acetophenone	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Anthracene	100000	500000		290 U	49 J	280 U	280 U	270 U	310 U	280 U	270 U
Atrazine	--	--		350 U	340 U	340 U	340 U	330 U	380 U	340 U	330 U
Benzaldehyde	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Benzo[a]anthracene	1000	5600		10 J	14 J	280 U	280 U	270 U	310 U	280 U	49 J
Benzo[a]pyrene	1000	1000		13 J	280 U	280 U	280 U	7.5 J	310 U	280 U	56 J
Benzo[b]fluoranthene	1000	5600		21 J	7.9 J	280 U	280 U	13 J	310 U	280 U	100 J
Benzo[g,h,i]perylene	100000	500000		290 U	280 U	280 U	280 U	270 U	310 U	280 U	280
Benzo[k]fluoranthene	800	56000		290 U	280 U	280 U	280 U	270 U	310 U	280 U	48 J
Bis(2-chloroethoxy)methane	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Bis(2-chloroethyl) ether	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Bis(2-ethylhexyl) phthalate	--	--		290 U	280 U	280 U	280 U	67 J	34 J	280 U	270 U
Butylbenzyl phthalate	--	--		290 U	280 U	280 U	280 U	160 J	310 U	280 U	270 U
Caprolactam	--	--		290 U	280 U	280 U	280 U	32 J B	41 J B	280 U	270 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-13	LP-13	LP-14	LP-15	LP-15	LP-15	LP-16	LP-16
	Unrestricted	Restricted	Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/16/2010	2/3/2011	2/3/2011	11/16/2010	11/16/2010
	Use	Commercial	Sample Depth (ft bls):	10-12	15-17	14-16	14-16	12-13	14-16	10-12	14-16
Carbazole	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Chrysene	1000	56000		290 U	280 U	280 U	280 U	270 U	310 U	280 U	88 J
Dibenzo[a,h]anthracene	330	560		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Dibenzofuran	7000	350000		290 U	100 J	280 U	280 U	270 U	310 U	280 U	270 U
Diethyl phthalate	--	--		290 U	280 U	280 U	280 U	270 U	39 J	280 U	270 U
Dimethyl phthalate	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Di-n-butyl phthalate	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Di-n-octyl phthalate	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Diphenyl	--	--		290 U	24 J	280 U	280 U	270 U	310 U	280 U	270 U
Fluoranthene	100000	500000		29 J	51 J	280 U	21 J	19 J	310 U	280 U	160 J
Fluorene	30000	500000		290 U	97 J	280 U	280 U	270 U	310 U	280 U	270 U
Hexachlorobenzene	330	6000		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Hexachlorobutadiene	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Hexachlorocyclopentadiene	--	--		710 U	690 U	690 U	680 U	680 U	780 U	680 U	660 U
Hexachloroethane	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Indeno[1,2,3-cd]pyrene	500	5600		290 U	280 U	280 U	280 U	270 U	310 U	280 U	290
Isophorone	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Naphthalene	12000	500000		290 U	120 J	280 U	280 U	270 U	310 U	280 U	270 U
Nitrobenzene	--	69000		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
n-Nitrosodi-n-propylamine	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
n-Nitrosodiphenylamine	--	--		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Pentachlorophenol	800	6700		710 U	690 U	690 U	680 U	680 U	780 U	680 U	660 U
Phenanthrene	100000	500000		19 J	220 J	280 U	280 U	270 U	310 U	280 U	60 J
Phenol	330	500000		290 U	280 U	280 U	280 U	270 U	310 U	280 U	270 U
Pyrene	100000	500000		25 J	37 J	280 U	280 U	15 J	310 U	280 U	120 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-17 11/16/2010 10-12	LP-17 11/16/2010 14-16	LP-18 11/16/2010 10-12	LP-18 11/16/2010 14-16	LP-19 11/16/2010 10-12	LP-19 11/16/2010 14-16	LP-20 11/16/2010 10-12
2,2'-oxybis (1-chloropropane)	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2,4,5-Trichlorophenol	--	--		1700 U	1700 U	1800 U	1700 U	1800 U	1700 U	1800 U
2,4,6-Trichlorophenol	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2,4-Dichlorophenol	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2,4-Dimethylphenol	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2,4-Dinitrophenol	--	--		1700 U	1700 U	1800 U	1700 U	1800 U	1700 U	1800 U
2,4-Dinitrotoluene	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2,6-Dinitrotoluene	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2-Chloronaphthalene	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2-Chlorophenol	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2-Methylnaphthalene	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2-Methylphenol	330	500000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
2-Nitroaniline	--	--		680 U	690 U	700 U	670 U	700 U	680 U	700 U
2-Nitrophenol	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	350 U	330 U	340 U	330 U	340 U
3-Nitroaniline	--	--		680 U	690 U	700 U	670 U	700 U	680 U	700 U
4,6-Dinitro-2-methylphenol	--	--		1700 U	1700 U	1800 U	1700 U	1800 U	1700 U	1800 U
4-Bromophenyl phenyl ether	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
4-Chloro-3-methylphenol	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
4-Chloroaniline	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
4-Chlorophenyl phenyl ether	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
4-Methylphenol	330	500000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
4-Nitroaniline	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
4-Nitrophenol	--	--		1700 U	1700 U	1800 U	1700 U	1800 U	1700 U	1800 U
Acenaphthene	20000	500000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Acenaphthylene	100000	500000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Acetophenone	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Anthracene	100000	500000		270 U	280 U	280 U	270 U	280 U	270 U	28 J
Atrazine	--	--		340 U	340 U	350 U	330 U	340 U	330 U	340 U
Benzaldehyde	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Benzo[a]anthracene	1000	5600		270 U	280 U	24 J	270 U	35 J	270 U	200 J
Benzo[a]pyrene	1000	1000		270 U	280 U	280 U	270 U	33 J	270 U	260 J
Benzo[b]fluoranthene	1000	5600		270 U	280 U	27 J	270 U	43 J	270 U	380
Benzo[g,h,i]perylene	100000	500000		270 U	280 U	280 U	270 U	280	270 U	540
Benzo[k]fluoranthene	800	56000		270 U	280 U	280 U	270 U	280 U	270 U	140 J
Bis(2-chloroethoxy)methane	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Bis(2-chloroethyl) ether	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		270 U	180 J	220 J	38 J	280 U	64 J	170 J
Butylbenzyl phthalate	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Caprolactam	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-17 11/16/2010 10-12	LP-17 11/16/2010 14-16	LP-18 11/16/2010 10-12	LP-18 11/16/2010 14-16	LP-19 11/16/2010 10-12	LP-19 11/16/2010 14-16	LP-20 11/16/2010 10-12
Carbazole	--	--		270 U	280 U	280 U	270 U	280 U	270 U	49 J
Chrysene	1000	56000		270 U	280 U	29 J	270 U	38 J	270 U	330
Dibenzo[a,h]anthracene	330	560		270 U	280 U	280 U	270 U	280 U	270 U	310
Dibenzofuran	7000	350000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Diethyl phthalate	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Dimethyl phthalate	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Di-n-butyl phthalate	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Di-n-octyl phthalate	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Diphenyl	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Fluoranthene	100000	500000		270 U	280 U	130 J	270 U	53 J	270 U	690
Fluorene	30000	500000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Hexachlorobenzene	330	6000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Hexachlorobutadiene	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Hexachlorocyclopentadiene	--	--		680 U	690 U	700 U	670 U	700 U	680 U	700 U
Hexachloroethane	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		270 U	280 U	280 U	270 U	280 U	270 U	520
Isophorone	--	--		270 U	280 U	280 U	270 U	280 U	270 U	520
Naphthalene	12000	500000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Nitrobenzene	--	69000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
n-Nitrosodi-n-propylamine	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
n-Nitrosodiphenylamine	--	--		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Pentachlorophenol	800	6700		680 U	690 U	700 U	670 U	700 U	680 U	700 U
Phenanthrene	100000	500000		270 U	280 U	140 J	270 U	280 U	270 U	350
Phenol	330	500000		270 U	280 U	280 U	270 U	280 U	270 U	280 U
Pyrene	100000	500000		270 U	280 U	70 J	270 U	43 J	270 U	700

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-20 11/16/2010 14-16	LP-21 11/16/2010 14-16	LP-21DUP 11/16/2010 14-16	LP-22 2/3/2011 12-13	LP-22 11/16/2010 14-16	LP-22 2/3/2011 14-16	LP-23 2/3/2011 12-13	LP-23 11/16/2010 14-16
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1700 U	1700 U	1700 U	1800 U	1700 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1700 U	1700 U	1700 U	1800 U	1700 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2-Chlorophenol	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2-Methylphenol	330	500000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
2-Nitroaniline	--	--		690 U	700 U	690 U	660 U	670 U	700 U	670 U	700 U
2-Nitrophenol	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	340 U	330 U	330 U	350 U	330 U	340 U
3-Nitroaniline	--	--		690 U	700 U	690 U	660 U *	670 U	700 U *	670 U *	700 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1700 U	1700 U	1700 U	1800 U	1700 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
4-Chloroaniline	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
4-Methylphenol	330	500000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
4-Nitroaniline	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
4-Nitrophenol	--	--		1800 U	1800 U	1700 U	1700 U	1700 U	1800 U	1700 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Acenaphthylene	100000	500000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Acetophenone	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Anthracene	100000	500000		280 U	280 U	280 U	25 J	270 U	280 U	270 U	280 U
Atrazine	--	--		340 U	340 U	340 U	330 U	330 U	350 U	330 U	340 U
Benzaldehyde	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Benzo[a]anthracene	1000	5600		73 J	280 U	280 U	74 J	270 U	20 J	270 U	18 J
Benzo[a]pyrene	1000	1000		89 J	280 U	280 U	100 J	270 U	20 J	270 U	280 U
Benzo[b]fluoranthene	1000	5600		150 J	280 U	280 U	150 J	270 U	33 J	270 U	280 U
Benzo[g,h,i]perylene	100000	500000		340	280 U	280 U	52 J	270 U	280 U	270 U	280 U
Benzo[k]fluoranthene	800	56000		66 J	280 U	280 U	54 J	270 U	280 U	270 U	280 U
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		140 J	39 J	68 J	37 J	68 J	45 J	32 J	280 U
Butylbenzyl phthalate	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Caprolactam	--	--		280 U	280 U	280 U	22 J B	270 U	30 J B	33 J B	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-20 11/16/2010 14-16	LP-21 11/16/2010 14-16	LP-21DUP 11/16/2010 14-16	LP-22 2/3/2011 12-13	LP-22 11/16/2010 14-16	LP-22 2/3/2011 14-16	LP-23 2/3/2011 12-13	LP-23 11/16/2010 14-16
Carbazole	--	--		16 J	280 U	280 U	16 J	270 U	280 U	270 U	280 U
Chrysene	1000	56000		140 J	280 U	280 U	100 J	270 U	25 J	270 U	23 J
Dibenzo[a,h]anthracene	330	560		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Diethyl phthalate	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Dimethyl phthalate	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Diphenyl	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Fluoranthene	100000	500000		290	280 U	280 U	200 J	270 U	43 J	270 U	47 J
Fluorene	30000	500000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Hexachlorobenzene	330	6000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Hexachlorocyclopentadiene	--	--		690 U	700 U	690 U	660 U	670 U	700 U	670 U	700 U
Hexachloroethane	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		350	280 U	280 U	48 J	270 U	280 U	270 U	280 U
Isophorone	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Naphthalene	12000	500000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Nitrobenzene	--	69000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Pentachlorophenol	800	6700		690 U	700 U	690 U	660 U	670 U	700 U	670 U	700 U
Phenanthrene	100000	500000		110 J	280 U	280 U	130 J	270 U	34 J	270 U	24 J
Phenol	330	500000		280 U	280 U	280 U	270 U	270 U	280 U	270 U	280 U
Pyrene	100000	500000		230 J	280 U	280 U	170 J	270 U	37 J	270 U	46 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-23 2/3/2011 14-16	LP-23DUP 11/16/2010 14-16	LP-24 11/16/2010 14-16	LP-25 11/16/2010 14-16	LP-26 2/3/2011 12-13	LP-26 11/16/2010 14-16	LP-26 2/3/2011 14-16	LP-27 11/16/2010 14-16
2,2'-oxybis (1-chloropropane)	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2,4,5-Trichlorophenol	--	--		1700 U	1800 U	1700 U	1700 U	1800 U	1700 U	1900 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2,4-Dichlorophenol	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2,4-Dimethylphenol	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2,4-Dinitrophenol	--	--		1700 U	1800 U	1700 U	1700 U	1800 U	1700 U	1900 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2,6-Dinitrotoluene	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2-Chloronaphthalene	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2-Chlorophenol	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2-Methylnaphthalene	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2-Methylphenol	330	500000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
2-Nitroaniline	--	--		690 U	700 U	690 U	660 U	720 U	670 U	760 U	700 U
2-Nitrophenol	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
3,3'-Dichlorobenzidine	--	--		340 U	340 U	340 U	320 U	350 U	330 U	370 U	340 U
3-Nitroaniline	--	--		690 U *	700 U	690 U	660 U	720 U *	670 U	760 U *	700 U
4,6-Dinitro-2-methylphenol	--	--		1700 U	1800 U	1700 U	1700 U	1800 U	1700 U	1900 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
4-Chloro-3-methylphenol	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
4-Chloroaniline	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
4-Chlorophenyl phenyl ether	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
4-Methylphenol	330	500000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
4-Nitroaniline	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
4-Nitrophenol	--	--		1700 U	1800 U	1700 U	1700 U	1800 U	1700 U	1900 U	1800 U
Acenaphthene	20000	500000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Acenaphthylene	100000	500000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Acetophenone	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Anthracene	100000	500000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Atrazine	--	--		340 U	340 U	340 U	320 U	350 U	330 U	370 U	340 U
Benzaldehyde	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Benzo[a]anthracene	1000	5600		280 U	280 U	280 U	270 U	23 J	270 U	310 U	37 J
Benzo[a]pyrene	1000	1000		280 U	280 U	280 U	270 U	39 J	270 U	310 U	110 J
Benzo[b]fluoranthene	1000	5600		280 U	280 U	280 U	270 U	81 J	270 U	13 J	180 J
Benzo[g,h,i]perylene	100000	500000		280 U	280 U	280 U	270 U	24 J	270 U	310 U	220 J
Benzo[k]fluoranthene	800	56000		280 U	280 U	280 U	270 U	33 J	270 U	310 U	51 J
Bis(2-chloroethoxy)methane	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Bis(2-chloroethyl) ether	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		280 U	280 U	74 J	270 U	320	270 U	83 J	34 J
Butylbenzyl phthalate	--	--		280 U	280 U	280 U	270 U	32 J	270 U	310 U	280 U
Caprolactam	--	--		36 J B	280 U	280 U	270 U	45 J B	270 U	54 J B	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-23 2/3/2011 14-16	LP-23DUP 11/16/2010 14-16	LP-24 11/16/2010 14-16	LP-25 11/16/2010 14-16	LP-26 2/3/2011 12-13	LP-26 11/16/2010 14-16	LP-26 2/3/2011 14-16	LP-27 11/16/2010 14-16
Carbazole	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Chrysene	1000	56000		280 U	280 U	280 U	270 U	57 J	270 U	310 U	100 J
Dibenzo[a,h]anthracene	330	560		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Dibenzofuran	7000	350000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Diethyl phthalate	--	--		280 U	280 U	280 U	270 U	290 U	270 U	55 J	280 U
Dimethyl phthalate	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Di-n-butyl phthalate	--	--		280 U	280 U	280 U	270 U	210 J	270 U	46 J	280 U
Di-n-octyl phthalate	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Diphenyl	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Fluoranthene	100000	500000		280 U	24 J	280 U	270 U	98 J	270 U	310 U	140 J
Fluorene	30000	500000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Hexachlorobenzene	330	6000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Hexachlorobutadiene	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Hexachlorocyclopentadiene	--	--		690 U	700 U	690 U	660 U	720 U	670 U	760 U	700 U
Hexachloroethane	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	280 U	280 U	270 U	30 J	270 U	310 U	160 J
Isophorone	--	--		280 U	280 U	280 U	270 U	61 J	270 U	310 U	280 U
Naphthalene	12000	500000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Nitrobenzene	--	69000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
n-Nitrosodi-n-propylamine	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
n-Nitrosodiphenylamine	--	--		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Pentachlorophenol	800	6700		690 U	700 U	690 U	660 U	720 U	670 U	760 U	700 U
Phenanthrene	100000	500000		280 U	280 U	280 U	270 U	37 J	270 U	310 U	32 J
Phenol	330	500000		280 U	280 U	280 U	270 U	290 U	270 U	310 U	280 U
Pyrene	100000	500000		280 U	23 J	280 U	270 U	74 J	270 U	310 U	160 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-28 11/16/2010 14-16	LP-29 11/16/2010 10-12	LP-29 2/4/2011 10-12	LP-29 11/16/2010 14-16	LP-29 2/4/2011 14-16	LP-29DUP 2/4/2011 14-16	LP-29 2/4/2011 15-16	LP-29 2/4/2011 18-20
2,2'-oxybis (1-chloropropane)	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4,5-Trichlorophenol	--	--		1700 U	1800 U	1800 U	1700 U	1800 U	1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dichlorophenol	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dimethylphenol	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,4-Dinitrophenol	--	--		1700 U	1800 U	1800 U	1700 U	1800 U	1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2,6-Dinitrotoluene	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Chloronaphthalene	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Chlorophenol	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Methylnaphthalene	--	--		270 U	280 U	280 U	280 U	280 U	36 J	280 U	280 U
2-Methylphenol	330	500000		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
2-Nitroaniline	--	--		680 U	690 U	690 U	690 U	690 U	700 U	700 U	690 U
2-Nitrophenol	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
3,3'-Dichlorobenzidine	--	--		330 U	340 U	340 U	340 U	340 U	350 U	340 U	340 U
3-Nitroaniline	--	--		680 U	690 U	690 U *	690 U	690 U *	700 U *	700 U *	690 U *
4,6-Dinitro-2-methylphenol	--	--		1700 U	1800 U	1800 U	1700 U	1800 U	1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chloro-3-methylphenol	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chloroaniline	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Chlorophenyl phenyl ether	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Methylphenol	330	500000		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Nitroaniline	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
4-Nitrophenol	--	--		1700 U	1800 U	1800 U	1700 U	1800 U	1800 U	1800 U	1800 U
Acenaphthene	20000	500000		270 U	280 U	280 U	280 U	280 U	120 J	280 U	280 U
Acenaphthylene	100000	500000		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Acetophenone	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Anthracene	100000	500000		270 U	280 U	280 U	280 U	280 U	170 J	280 U	280 U
Atrazine	--	--		330 U	340 U	340 U	340 U	340 U	350 U	340 U	340 U
Benzaldehyde	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Benzo[a]anthracene	1000	5600		270 U	280 U	40 J	280 U	280 U	470	26 J	280 U
Benzo[a]pyrene	1000	1000		270 U	280 U	59 J	280 U	280 U	460	280 U	280 U
Benzo[b]fluoranthene	1000	5600		270 U	280 U	90 J	280 U	280 U	520	36 J	280 U
Benzo[g,h,i]perylene	100000	500000		270 U	280 U	310	280 U	280 U	530	290	280 U
Benzo[k]fluoranthene	800	56000		270 U	280 U	33 J	280 U	280 U	220 J	280 U	280 U
Bis(2-chloroethoxy)methane	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-chloroethyl) ether	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Bis(2-ethylhexyl) phthalate	--	--		270 U	40 J	110 J B	280 U	110 J B	180 J B	190 J B	110 J B
Butylbenzyl phthalate	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Caprolactam	--	--		270 U	280 U	59 J	280 U	280 U	280 U	280 U	280 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-28 11/16/2010 14-16	LP-29 11/16/2010 10-12	LP-29 2/4/2011 10-12	LP-29 11/16/2010 14-16	LP-29 2/4/2011 14-16	LP-29DUP 2/4/2011 14-16	LP-29 2/4/2011 15-16	LP-29 2/4/2011 18-20
Carbazole	--	--		270 U	280 U	280 U	280 U	280 U	110 J	280 U	280 U
Chrysene	1000	56000		270 U	280 U	61 J	280 U	280 U	590	33 J	280 U
Dibenzo[a,h]anthracene	330	560		270 U	280 U	280 U	280 U	280 U	380	280 U	280 U
Dibenzofuran	7000	350000		270 U	280 U	280 U	280 U	280 U	96 J	280 U	280 U
Diethyl phthalate	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Dimethyl phthalate	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Di-n-butyl phthalate	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Di-n-octyl phthalate	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Diphenyl	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Fluoranthene	100000	500000		270 U	280 U	120 J	280 U	280 U	1200	80 J	280 U
Fluorene	30000	500000		270 U	280 U	280 U	280 U	280 U	96 J	280 U	280 U
Hexachlorobenzene	330	6000		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorobutadiene	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Hexachlorocyclopentadiene	--	--		680 U	690 U	690 U	690 U	690 U	700 U	700 U	690 U
Hexachloroethane	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Indeno[1,2,3-cd]pyrene	500	5600		270 U	280 U	330	280 U	280 U	610	320	280 U
Isophorone	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Naphthalene	12000	500000		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Nitrobenzene	--	69000		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodi-n-propylamine	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
n-Nitrosodiphenylamine	--	--		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Pentachlorophenol	800	6700		680 U	690 U	690 U	690 U	690 U	700 U	700 U	690 U
Phenanthrene	100000	500000		270 U	280 U	36 J	280 U	280 U	1100	44 J	280 U
Phenol	330	500000		270 U	280 U	280 U	280 U	280 U	280 U	280 U	280 U
Pyrene	100000	500000		270 U	280 U	84 J *	280 U	280 U *	1400 *	51 J *	280 U *

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	MW-17A 2/1/2011 20-22	MW-20 11/17/2010 18-20	MW-21 1/31/2011 20-22
2,2'-oxybis (1-chloropropane)	--	--		280 U	290 U	290 U
2,4,5-Trichlorophenol	--	--		1800 U	1800 U	1800 U
2,4,6-Trichlorophenol	--	--		280 U	290 U	290 U
2,4-Dichlorophenol	--	--		280 U	290 U	290 U
2,4-Dimethylphenol	--	--		280 U	290 U	290 U
2,4-Dinitrophenol	--	--		1800 U	1800 U	1800 U
2,4-Dinitrotoluene	--	--		280 U	290 U	290 U
2,6-Dinitrotoluene	--	--		280 U	290 U	290 U
2-Chloronaphthalene	--	--		280 U	290 U	290 U
2-Chlorophenol	--	--		280 U	290 U	290 U
2-Methylnaphthalene	--	--		280 U	290 U	290 U
2-Methylphenol	330	500000		280 U	290 U	290 U
2-Nitroaniline	--	--		690 U	710 U	720 U
2-Nitrophenol	--	--		280 U	290 U	290 U
3,3'-Dichlorobenzidine	--	--		340 U	350 U	350 U
3-Nitroaniline	--	--		690 U *	710 U	720 U
4,6-Dinitro-2-methylphenol	--	--		1800 U	1800 U	1800 U
4-Bromophenyl phenyl ether	--	--		280 U	290 U	290 U
4-Chloro-3-methylphenol	--	--		280 U	290 U	290 U
4-Chloroaniline	--	--		280 U	290 U	290 U
4-Chlorophenyl phenyl ether	--	--		280 U	290 U	290 U
4-Methylphenol	330	500000		280 U	290 U	290 U
4-Nitroaniline	--	--		280 U	290 U	290 U
4-Nitrophenol	--	--		1800 U	1800 U	1800 U
Acenaphthene	20000	500000		280 U	290 U	290 U
Acenaphthylene	100000	500000		280 U	290 U	290 U
Acetophenone	--	--		280 U	290 U	290 U
Anthracene	100000	500000		280 U	290 U	290 U
Atrazine	--	--		340 U	350 U	350 U
Benzaldehyde	--	--		280 U	290 U	290 U
Benzo[a]anthracene	1000	5600		19 J	290 U	290 U
Benzo[a]pyrene	1000	1000		18 J	8.5 J	290 U
Benzo[b]fluoranthene	1000	5600		23 J	12 J	290 U
Benzo[g,h,i]perylene	100000	500000		280 U	290 U	290 U
Benzo[k]fluoranthene	800	56000		280 U	290 U	290 U
Bis(2-chloroethoxy)methane	--	--		280 U	290 U	290 U
Bis(2-chloroethyl) ether	--	--		280 U	290 U	290 U
Bis(2-ethylhexyl) phthalate	--	--		58 J	200 J	290 B
Butylbenzyl phthalate	--	--		280 U	290 U	290 U
Caprolactam	--	--		280 U	290 U	290 U

Table 2. Summary of Semivolatile Organic Compounds in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	MW-17A	MW-20	MW-21
			Sample Date:	2/1/2011	11/17/2010	1/31/2011
			Sample Depth (ft bls):	20-22	18-20	20-22
Carbazole	--	--		280 U	290 U	290 U
Chrysene	1000	56000		22 J	290 U	290 U
Dibenzo[a,h]anthracene	330	560		280 U	290 U	290 U
Dibenzofuran	7000	350000		280 U	290 U	290 U
Diethyl phthalate	--	--		280 U	290 U	290 U
Dimethyl phthalate	--	--		280 U	290 U	290 U
Di-n-butyl phthalate	--	--		280 U	290 U	290 U
Di-n-octyl phthalate	--	--		280 U	290 U	290 U
Diphenyl	--	--		280 U	290 U	290 U
Fluoranthene	100000	500000		48 J	290 U	290 U
Fluorene	30000	500000		280 U	290 U	290 U
Hexachlorobenzene	330	6000		280 U	290 U	290 U
Hexachlorobutadiene	--	--		280 U	290 U	290 U
Hexachlorocyclopentadiene	--	--		690 U	710 U	720 U
Hexachloroethane	--	--		280 U	290 U	290 U
Indeno[1,2,3-cd]pyrene	500	5600		280 U	290 U	290 U
Isophorone	--	--		280 U	290 U	290 U
Naphthalene	12000	500000		280 U	290 U	290 U
Nitrobenzene	--	69000		280 U	290 U	290 U
n-Nitrosodi-n-propylamine	--	--		280 U	290 U	290 U
n-Nitrosodiphenylamine	--	--		280 U	290 U	290 U
Pentachlorophenol	800	6700		690 U	710 U	720 U
Phenanthrene	100000	500000		37 J	290 U	86 J B
Phenol	330	500000		280 U	290 U	290 U
Pyrene	100000	500000		34 J	290 U	290 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-1	DW-1	DW-2	DW-2	DW-2	DW-2
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	2/4/2011	11/17/2010	2/4/2011
			Sample Depth (ft bls):	14.5-16.5	8.5-10.5	9-11	9-11	15-17	15-17
Aluminum	--	--		1720	3230	112	2910	2380	1990
Antimony	--	--		0.52 U	0.54 U	0.028 U	0.87 U	0.55 U	0.69 U
Arsenic	13	16		0.73	1.8	0.076	1.9	3.8	1.1
Barium	350	400		2.8	14.1	0.4	9.9	3.5	5.4
Beryllium	7.2	590		0.21 U	0.22	0.0086 J	0.25 J	0.16 J	0.13 J
Cadmium	2.5	9.3		0.52 U	0.54 U	0.028 U	0.55 U	0.55 U	0.16 J
Calcium	--	--		77	476	128	968	89.5	8370
Chromium	30	1500		2.7	9.8	0.23	7.8	12.4	4.8
Cobalt	--	--		1.4	2.4	0.062	1.4	1.3	0.74
Copper	50	270		3.2	6.6	0.23	5.3	4.7	5
Iron	--	--		3630	7390	348	9540	10700	5030
Lead	63	1000		2.4	26.7	3.3	29	3.2	49.1
Magnesium	--	--		133	1180	82.6	1200	199	5060
Manganese	1600	10000		31.4	365	2.3	75.9	61.8	32.8
Mercury	0.18	2.8		0.037	0.035 U	0.027 J	0.0059 J	0.034 U	0.055 U
Nickel	30	310		1.8	6.4	0.2	4.3	2.9	3
Potassium	--	--		98.9	371	9.9	473	146	173
Selenium	3.9	1500		0.52 U	0.57	0.027 J	0.72 J	0.54 J	0.36 J
Silver	2	1500		1 U	1.1 U	0.055 U	0.55 U	1.1 U	0.43 U
Sodium	--	--		51.9 U	54.2 U	2.8 U	26 J	55 U	33.6 J
Thallium	--	--		0.21 U	0.22 U	0.011 U	0.76 U	0.22 U	0.61 U
Vanadium	--	--		3.4	8.9	0.32	7.7	4.9	4
Zinc	109	10000		5.8	31.1	1.1	19	10.4	23.9

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-2	DW-14	DW-14	DW-15	DW-15	DW-16
			Sample Date:	2/4/2011	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	18-20	10-12	14-16	10-12	14-16	12-14
Aluminum	--	--		3600	1990	1850	2320	1250	2500
Antimony	--	--		0.77 U	0.56 U	0.54 U	0.56 U	0.58 U	0.51 U
Arsenic	13	16		1.2	1.9	0.98	1.7	0.71	2.4
Barium	350	400		6.2	8.8	4.5	12.8	3.9	15.6
Beryllium	7.2	590		0.17 J	0.22 U	0.22 U	0.17 J	0.23 U	0.21
Cadmium	2.5	9.3		0.48 U	0.56 U	0.54 U	0.56 U	0.58 U	0.51 U
Calcium	--	--		667	404	51.9 J	373	69.1	163
Chromium	30	1500		4.9	3.3	3.6	7.7	4.1	8.3
Cobalt	--	--		1.1	2.4	1.1 U	2	1.2 U	3.8
Copper	50	270		3.6	10.5	2.5	10.5	2.6	3.8
Iron	--	--		7200	5730	2950	5670	2470	6330
Lead	63	1000		13.9	13.3	1.7	22.3	4	4.3
Magnesium	--	--		676	438	145	446	118	183
Manganese	1600	10000		68.4	80.8	67.2	90.3	47.9	419
Mercury	0.18	2.8		0.0051 J	0.037 U	0.035 U	0.036 U	0.035 U	0.033 U
Nickel	30	310		3.3	2.9	1.8	3.9	1.7	2.9
Potassium	--	--		265	144	112	189	84.9	108
Selenium	3.9	1500		0.52 J	0.4 J	0.54 U	0.56 U	0.58 U	0.39 J
Silver	2	1500		0.48 U	1.1 U	1.1 U	1.1 U	1.2 U	1 U
Sodium	--	--		29.4 J	56.2 U	54.4 U	55.8 U	57.5 U	50.8 U
Thallium	--	--		0.67 U	0.22 U	0.22 U	0.22 U	0.23 U	0.2 U
Vanadium	--	--		4.4	8	4.3	7.1	2.3	6.6
Zinc	109	10000		13.5	25.4	5.1	40.8	4.3 J	8

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-16	DW-19	DW-19	DW-20	DW-20	DW-21	DW-21
			Sample Date:	11/17/2010	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/4/2011
			Sample Depth (ft bls):	6-8	13-14	18-19	19-20	24-25	14-15	19-20
Aluminum	--	--		1970	2470	1340	2370	1350	2200	1950
Antimony	--	--		0.52 U	0.72 U	0.9 U	0.34 J	0.72 U	0.89 U	0.91 U
Arsenic	13	16		1.7	1.7	0.69	2	0.67	1.8	0.86
Barium	350	400		8.3	3.1	2.1	4.2	2.3	2.7	2.2
Beryllium	7.2	590		0.21 U	0.15 J	0.56 U	0.55 U	0.45 U	0.21 J	0.57 U
Cadmium	2.5	9.3		0.52 U	0.45 U	0.56 U	0.55 U	0.45 U	0.55 U	0.57 U
Calcium	--	--		139	65.1	49.3 J	169	45.4	53.6 J	45.9 J
Chromium	30	1500		6	9	3.2	8.8	3.5	7.2	3.2
Cobalt	--	--		2.2	0.93	0.4 J	1.8	0.46	0.66	0.2 J
Copper	50	270		3.8	3.2	1.8	9.2	1.6	4.6	1.4
Iron	--	--		6760	4710	3760	7470	3290	8320	3190
Lead	63	1000		14.8	2	1.2	84.5	0.95	2.4	0.96
Magnesium	--	--		477	207	104	389	86.8	160	107
Manganese	1600	10000		94.7	66.2	12.4	86.6	14.4	42.6	7.7
Mercury	0.18	2.8		0.032 U	0.0046 J	0.053 U	0.014 J	0.056 U	0.053 U	0.0075 J
Nickel	30	310		4.7	2.1	1.1	3.1	1	1.6	1
Potassium	--	--		332	165	91.1	150	82.1	144	102
Selenium	3.9	1500		0.52 U	0.9 U	1.1 U	0.39 J	0.9 U	1.1 U	1.1 U
Silver	2	1500		1 U	0.45 U	0.56 U	0.55 U	0.45 U	0.55 U	0.57 U
Sodium	--	--		52.4 U	726	307	336	155	650	433
Thallium	--	--		0.21 U	0.63 U	0.78 U	0.77 U	0.63 U	0.78 U	0.8 U
Vanadium	--	--		6.9	5.2	2.9	8.5	2.3	5.3	2.8
Zinc	109	10000		8.5	7.9	3.4 J	27.2	3.1 J	6.1	2.7 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-22	DW-22	GSB-4	GSB-4	GSB-4	GSB-05	GSB-05
			Sample Date:	11/17/2010	11/17/2010	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	10-12	14-16	0-2	2-4	8-10	0-2	2-4
Aluminum	--	--		1180	1630	14100	9670	6420	13800	16700
Antimony	--	--		0.52 U	0.52 U	0.91 U	0.79 U	0.88 U	0.74 U	0.86 U
Arsenic	13	16		2.8	0.94	4.5	5.4	2.4	4.6	6.3
Barium	350	400		1.9	2.9	33.9	43.1	31.7	52.1	64.8
Beryllium	7.2	590		0.21 U	0.21 U	0.51 J	0.4 J	0.23 J	0.53	0.49 J
Cadmium	2.5	9.3		0.52 U	0.52 U	0.15 J	0.49 U	0.11 J	0.46 U	0.54 U
Calcium	--	--		52.5 U	50.4 J	1700	1070	6850	1190	1090
Chromium	30	1500		3.9	4.5	14.8	9.3	7.2	20.4	15.4
Cobalt	--	--		1 U	1 U	5.2	1.6	1.3	4	4.7
Copper	50	270		2.9	3.5	13	9.8	9.3	14	13.2
Iron	--	--		3630	3630	15800	6850	4740	13000	16600
Lead	63	1000		1.7	1.5	30.5	14.6	13.4	23.2	25.3
Magnesium	--	--		80.1	112	1930	966	1070	1590	1810
Manganese	1600	10000		17.7	18.5	230	81.5	83.7	185	351
Mercury	0.18	2.8		0.035 U	0.034 U	0.047 J	0.36	0.069	0.23	0.26
Nickel	30	310		1	2.1	10.5	5.2	4.7	9.4	9.9
Potassium	--	--		53.9	84.5	753	521	496	939	571
Selenium	3.9	1500		0.52 U	0.52 U	1.4	0.83 J	0.67 J	1.4	1.3
Silver	2	1500		1 U	1 U	0.57 U	0.49 U	0.55 U	0.46 U	0.54 U
Sodium	--	--		52.5 U	51.8 U	78.9	61.4	68.7	309	94.9
Thallium	--	--		0.21 U	0.21 U	0.79 U	0.69 U	0.77 U	0.65 U	0.75 U
Vanadium	--	--		4.1	4	22.6	13.2	9	22.3	25.8
Zinc	109	10000		14.2	13.3	43.3	26.8	75.1	41.8	39.4

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-5 2/1/2011 8-10	GSB-7 2/1/2011 0-2	GSB-7 2/1/2011 2-4	GSB-08 2/2/2011 0-2	GSB-08 2/2/2011 2-4	GSB-10 2/1/2011 0-2	GSB-10 2/1/2011 2-4
Aluminum	--	--		18800	10300	10300	6040	11400	8320	7810
Antimony	--	--		0.84 U	0.87 U	0.69 U	0.78 U	0.73 U	0.82 U	0.8 U
Arsenic	13	16		1.8	3.4	3.7	7.8	4.1	3.5	3.1
Barium	350	400		83.9	36.1	36.8	23.1	33.1	25.7	20.1
Beryllium	7.2	590		0.74	0.36 J	0.37 J	1.1	0.39 J	0.32 J	0.3 J
Cadmium	2.5	9.3		0.53 U	0.54 U	0.43 U	0.49 U	0.17 J	0.13 J	0.5 U
Calcium	--	--		816	2920	1150	3120	3550	1840	723
Chromium	30	1500		22.2	12.3	10.9	13	13.1	12.8	9.4
Cobalt	--	--		4.9	4.3	4	5	4.1	4	3.4
Copper	50	270		10.9	8.9	8.3	9.9	9	21.9	21.3
Iron	--	--		12100	13400	12200	41600	15000	11200	10600
Lead	63	1000		10.3	21.2	14.4	10.8	20.8	14.7	11.5
Magnesium	--	--		2940	1540	1480	872	1710	1270	1120
Manganese	1600	10000		96.8	172	239	232	198	163	145
Mercury	0.18	2.8		0.0084 J	0.027 J	0.078	0.025 J	0.031 J	0.032 J	0.1
Nickel	30	310		12.5	8.6	8.2	9.9	8.8	8.4	7.9
Potassium	--	--		897	675	603	487	595	671	499
Selenium	3.9	1500		2.2	1.3	1.1	0.8 J	1.1	0.93 J	0.76 J
Silver	2	1500		0.53 U	0.54 U	0.43 U	0.49 U	0.45 U	0.51 U	0.5 U
Sodium	--	--		88.4	69	44.3	64.7	55.1	102	34 J
Thallium	--	--		0.74 U	0.76 U	0.61 U	0.68 U	0.64 U	0.72 U	0.7 U
Vanadium	--	--		33.2	17.4	16.2	21.8	19.5	17.1	17.3
Zinc	109	10000		32.8	27	25.7	24.2	43.9	33.2	32.3

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-12 1/31/2011 0-2	GSB-12 1/31/2011 2-4	GSB-13 1/31/2011 0-2	GSB-13 1/31/2011 2-4	GSB-13A 1/31/2011 0-2	GSB-13A 1/31/2011 2-4	GSB-17 1/31/2011 0-2
Aluminum	--	--		5430	2640	4520	1950	4910	2110	3200
Antimony	--	--		0.78 U	0.79 U	0.83 U	0.81 U	0.79 U	0.79 U	0.76 U
Arsenic	13	16		2.1	1.2	2.9	1.4	2.7	1.6	2.5
Barium	350	400		55	11.6	38.2	11.2	20.1	11.1	14
Beryllium	7.2	590		0.26 J	0.49 U	0.19 J	0.51 U	0.19 J	0.49 U	0.2 J
Cadmium	2.5	9.3		0.49 U	0.49 U	0.11 J	0.51 U	0.49 U	0.49 U	0.48 U
Calcium	--	--		18500	234	42500	11800	1470	631	303
Chromium	30	1500		7.6	7	8.2	5.9	7.4	11.7	17.3
Cobalt	--	--		3.3	1.9	3.4	1.6	2.4	1.6	2.9
Copper	50	270		8.2	4.5	8.3	4.5	7.7	5.5	7.9
Iron	--	--		8020	4200	8600	5340	7690	5640	12200
Lead	63	1000		11.5	2.2	14.1	2.4	13.6	2.5	2.8
Magnesium	--	--		10600	737	23300	6360	1210	730	970
Manganese	1600	10000		245	119	200	104	162	105	194
Mercury	0.18	2.8		0.047 J	0.0093 J	0.43	0.0067 J	0.12	0.0093 J	0.0093 J
Nickel	30	310		7	7.9	10.1	4.6	5.9	5.7	9
Potassium	--	--		645	390	428	389	388	417	450
Selenium	3.9	1500		0.64 J	0.98 U	0.49 J	1 U	0.8 J	0.98 U	0.34 J
Silver	2	1500		0.49 U	0.49 U	0.25 J	0.51 U	0.49 U	0.49 U	0.48 U
Sodium	--	--		61	17.8 J	80.7	66.3	57.7	31.2 J	16.6 J
Thallium	--	--		0.69 U	0.69 U	0.73 U	0.71 U	0.69 U	0.69 U	0.67 U
Vanadium	--	--		11.3	4.9	17.9	5.3	11.1	5	6.7
Zinc	109	10000		28.8	8.6	32.9	6.9	17.8	7.9	10.4

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-17 1/31/2011 2-4	GSB-18 2/3/2011 0-2	GSB-18 2/3/2011 2-4	GSB-30 2/1/2011 0-2	GSB-30 2/1/2011 2-4	GSB-30 DUP 2/1/2011 2-4	GSB-30 2/1/2011 8-10
Aluminum	--	--		3170	8110	3400	11200	9880	8350	9310
Antimony	--	--		0.81 U	0.83 U	0.76 U	0.86 U	0.21 J	0.25 J	0.78 U
Arsenic	13	16		1.6	2.9	2.2	2.8	5.4	4.5	4.4
Barium	350	400		12.1	26.7	8.9	34.7	38	38.5	41
Beryllium	7.2	590		0.19 J	0.31 J	0.18 J	0.33 J	0.4 J	0.2 J	0.32 J
Cadmium	2.5	9.3		0.51 U	0.52 U	0.48 U	0.54 U	0.3 J	0.43 J	0.27 J
Calcium	--	--		466	7120	38300	2010	1900	4060	2000
Chromium	30	1500		8	9.5	5.8	13.2	12.2	10.9	12
Cobalt	--	--		1.9	3.8	1.1	3.8	2.5	2.5	3.1
Copper	50	270		5	8.1	4	7.7	9.9	9.8	9.6
Iron	--	--		5480	9840	3970	12600	10500	8950	10000
Lead	63	1000		2.2	13.6	3.1	8.7	29.3	30.1	24.2
Magnesium	--	--		788	2710	22400	1500	1480	2520	1870
Manganese	1600	10000		93.8	174	46.6	229	257	235	270
Mercury	0.18	2.8		0.0042 J	0.04 J	0.008 J	0.031 J	0.35	0.36	0.34
Nickel	30	310		5.1	8.1	3.3	7.9	6.6	6.6	7.8
Potassium	--	--		430	788	268	592	516	479	580
Selenium	3.9	1500		1 U	1.1	0.37 J	0.85 J	0.88 J	0.89 J	1.1
Silver	2	1500		0.51 U	0.52 U	0.48 U	0.54 U	0.5 U	0.52 U	0.49 U
Sodium	--	--		18.3 J	338	51	51.5 J	35.9 J	33.8 J	42.8 J
Thallium	--	--		0.71 U	0.72 U	0.67 U	0.75 U	0.71 U	0.73 U	0.68 U
Vanadium	--	--		6.3	13.8	7.5	16.5	15.2	13.9	15.4
Zinc	109	10000		7.2	25.7	9.2	22.3	62	50.6	61.4

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32	GSB-32	GSB-32	GSB-32 DUP	GSB-32E	GSB-32E	GSB-32N
			Sample Date:	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/2/2011	2/2/2011	2/2/2011
			Sample Depth (ft bls):	0-2	2-4	8-10	8-10	0-2	4-6	0-2
Aluminum	--	--		15700	5380	12000	12600	6360	14400	7970
Antimony	--	--		0.75 U	0.76 U	0.83 U	0.89 U	0.79 U	0.78 U	0.81 U
Arsenic	13	16		3.9	4.1	4	4.6	2.7	4.3	2.6
Barium	350	400		41.3	28.9	34.5	38.5	27.3	47.6	24.3
Beryllium	7.2	590		0.54	0.29 J	0.41 J	0.45 J	0.29 J	0.48 J	0.42 J
Cadmium	2.5	9.3		0.47 U	0.47 U	0.52 U	0.56 U	0.49 U	0.49 U	0.51 U
Calcium	--	--		1220	37300	5240	6300	7920	4200	6750
Chromium	30	1500		16.1	18	18.7	20.4	8.6	17.2	9.2
Cobalt	--	--		5.1	2.3	4.7	4.5	3.3	5.3	3.6
Copper	50	270		8.5	7.5	10.1	10.5	6.3	11.1	7.2
Iron	--	--		14400	9580	13800	14800	9450	17100	11000
Lead	63	1000		10.9	5.3	8.5	10.6	17.4	16	7.8
Magnesium	--	--		2150	2000	2040	2160	1260	2230	1530
Manganese	1600	10000		154	141	191	225	214	230	253
Mercury	0.18	2.8		0.035 J	0.0094 J	0.076	0.11	0.022 J	0.088	0.021 J
Nickel	30	310		10.3	7.3	10.2	10.1	6.6	10.3	7.9
Potassium	--	--		728	712	783	800	720	712	784
Selenium	3.9	1500		1.3	0.48 J	1.1	1 J	0.83 J	1.2	0.93 J
Silver	2	1500		0.47 U	0.47 U	0.52 U	0.56 U	0.49 U	0.49 U	0.51 U
Sodium	--	--		71.7	314	96.4	112	199	84	164
Thallium	--	--		0.66 U	0.66 U	0.73 U	0.78 U	0.69 U	0.68 U	0.71 U
Vanadium	--	--		24.1	11	20.2	20.1	11.6	22.4	13.1
Zinc	109	10000		29.1	13	22.8	24.7	18.9	28.6	20.3

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	GSB-32N	GSB-32S	GSB-32S	GSB-32W	GSB-32W	GSB-32W	GSB-33
Parameter	Unrestricted	Restricted	Sample Date:	2/2/2011	2/2/2011	2/2/2011	2/3/2011	2/3/2011	2/3/2011	2/2/2011
(Concentrations in mg/kg)	Use	Commercial	Sample Depth (ft bls):	2-4	0-2	2-4	0-2	2-4	10-12	0-2
Aluminum	--	--		13000	13600	13900	6560	11800	9820	11500
Antimony	--	--		0.81 U	0.8 U	0.71 U	0.82 U	0.88 U	0.82 U	0.86 U
Arsenic	13	16		3.6	4	4.3	2.2	3.8	2.3	5.4
Barium	350	400		43.9	38.4	42.7	25.9	42.8	31.4	42
Beryllium	7.2	590		0.43 J	0.52	0.37 J	0.34 J	0.45 J	0.35 J	0.39 J
Cadmium	2.5	9.3		0.51 U	0.5 U	0.44 U	0.51 U	0.55 U	0.51 U	0.54 U
Calcium	--	--		5660	2390	3580	2460	2420	7950	3340
Chromium	30	1500		13.8	13.9	13.7	10	12	26	15.6
Cobalt	--	--		4.7	5	4.7	3.2	4.4	3.2	4.7
Copper	50	270		9.4	9.2	9.7	5.7	9.1	11.3	12.1
Iron	--	--		13900	14700	14900	9030	12200	11300	15100
Lead	63	1000		18.3	14.1	18.1	5.1	16.3	7.4	32.1
Magnesium	--	--		2180	2170	2280	1310	1780	1780	1880
Manganese	1600	10000		328	241	261	162	237	141	222
Mercury	0.18	2.8		0.074	0.053	0.095	0.009 J	0.042 J	0.014 J	0.091
Nickel	30	310		9.4	9.9	9.9	6.9	9.2	8.9	9
Potassium	--	--		758	711	652	697	683	729	751
Selenium	3.9	1500		1.1	1.5	1.2	1.1	1.4	0.91 J	0.96 J
Silver	2	1500		0.51 U	0.5 U	0.44 U	0.51 U	0.55 U	0.51 U	0.54 U
Sodium	--	--		63.9	70.7	64.1	91	64.3	127	178
Thallium	--	--		0.71 U	0.7 U	0.62 U	0.72 U	0.77 U	0.72 U	0.75 U
Vanadium	--	--		20.5	21.4	21.6	11.2	18.3	17.3	19.2
Zinc	109	10000		32.7	29.6	29	15.4	26.2	19.3	38.1

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-33	GSB-44	GSB-44	LP-1	LP-1	LP-2
			Sample Date:	2/2/2011	1/31/2011	1/31/2011	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	2-4	0-2	2-4	10-12	14-16	10-12
Aluminum	--	--		7790	7920	5230	1360	1070	3210
Antimony	--	--		0.77 U	0.81 U	0.74 U	0.5 U	0.5 U	0.52 U
Arsenic	13	16		3.1	3.7	1.9	0.5 U	0.5 U	2
Barium	350	400		28.3	37.8	21.3	4.2	2	13
Beryllium	7.2	590		0.26 J	0.24 J	0.23 J	0.2 U	0.2 U	0.35
Cadmium	2.5	9.3		0.48 U	0.3 J	0.46 U	0.5 U	0.5 U	0.52 U
Calcium	--	--		1060	1550	550	50 U	49.6 U	2540
Chromium	30	1500		9.4	8.3	13.1	2	2.1	20.7
Cobalt	--	--		3.1	2.7	3.2	1 U	0.99 U	1.4
Copper	50	270		7.1	12.1	5.5	2.8	1.3	21.6
Iron	--	--		10500	8440	8210	949	804	8840
Lead	63	1000		9.8	31.7	3.6	0.83	0.36	5.2
Magnesium	--	--		1210	1130	1940	151	57	653
Manganese	1600	10000		211	195	179	9.2	5.2	28.8
Mercury	0.18	2.8		0.073	0.18	0.012 J	0.034 U	0.033 U	0.054
Nickel	30	310		7	7	8.2	1.4	1.1	4.5
Potassium	--	--		581	485	575	111	49.6 U	289
Selenium	3.9	1500		0.91 J	0.74 J	0.38 J	0.5 U	0.5 U	0.45 J
Silver	2	1500		0.48 U	0.51 U	0.46 U	1 U	0.99 U	1 U
Sodium	--	--		82.4	27.4 J	16.8 J	50 U	49.6 U	172
Thallium	--	--		0.68 U	0.71 U	0.65 U	0.2 U	0.2 U	0.21 U
Vanadium	--	--		12.8	12.9	11.9	1.9	1.6	12.1
Zinc	109	10000		18.7	34.5	12.4	4.7	4 U	50

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-2	LP-3	LP-3	LP-4	LP-4	LP-4
Parameter	Unrestricted	Restricted	Sample Date:	11/15/2010	11/15/2010	11/15/2010	2/3/2011	11/15/2010	2/3/2011
(Concentrations in mg/kg)	Use	Commercial	Sample Depth (ft bls):	14-16	10-12	14-16	10-11	14-16	14-16
Aluminum	--	--		829	1070	700	4410	2310	2060
Antimony	--	--		0.49 U	0.52 U	0.5 U	0.82 U	0.52 U	0.77 U
Arsenic	13	16		0.49 U	0.52 U	0.5 U	1.9	1	0.62
Barium	350	400		4.1	3.2	2.5	13.4	4.7	5.7
Beryllium	7.2	590		0.2 U	0.21 U	0.2 U	0.24 J	0.31	0.16 J
Cadmium	2.5	9.3		0.49 U	0.52 U	0.5 U	0.12 J	0.52 U	0.48 U
Calcium	--	--		49.1 U	58.1	49.9 U	1170	94.2	90
Chromium	30	1500		1.8	2.4	2.4	10.2	13.4	3.5
Cobalt	--	--		0.98 U	1 U	1 U	1.3	1 U	0.57
Copper	50	270		1.3	2.8	1.4	16.1	5.2	3.3
Iron	--	--		1110	1330	1170	4660	6320	2510
Lead	63	1000		0.5	0.92	0.66	4.4	1.9	1.1
Magnesium	--	--		85.2	105	70.3	825	111	258
Manganese	1600	10000		12.5	4.5	7	29.5	7.8	19
Mercury	0.18	2.8		0.031 J	0.034 U	0.039	0.024 J	0.034 U	0.05 U
Nickel	30	310		0.98 U	1.1	1 U	4.8	2.7	1.9
Potassium	--	--		59.5	48.8 J	40.8 J	376	94.6	169
Selenium	3.9	1500		0.49 U	0.52 U	0.5 U	0.44 J	0.52 U	0.39 J
Silver	2	1500		0.98 U	1 U	1 U	0.51 U	1 U	0.48 U
Sodium	--	--		49.1 U	51.7 U	49.9 U	30.7 J	51.9 U	47.9 U
Thallium	--	--		0.2 U	0.21 U	0.2 U	0.72 U	0.21 U	0.67 U
Vanadium	--	--		2.1	2.2	2.4	7.7	18.5	4.3
Zinc	109	10000		3.9 U	20.6	3.6 J	65.1	23.6	7.7

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC	NYSDEC							
	Part 375	Part 375	Sample Designation:	LP-5	LP-15	LP-5	LP-15	LP-6	LP-6
Parameter	Unrestricted	Restricted	Sample Date:	11/15/2010	2/3/2011	11/15/2010	2/3/2011	11/15/2010	11/15/2010
(Concentrations in mg/kg)	Use	Commercial	Sample Depth (ft bls):	10-12	12-13	14-16	14-16	10-12	14-16
Aluminum	--	--		1720	1980	1100	1570	2250	1200
Antimony	--	--		0.51 U	0.77 U	0.51 U	0.89 U	0.5 U	0.5 U
Arsenic	13	16		1.5	0.17 J	0.51 U	0.28 J	0.81	0.62
Barium	350	400		6.9	4.1	3.4	3.5	5.4	5.2
Beryllium	7.2	590		0.23	0.48 U	0.2 U	0.56 U	0.22	0.2 U
Cadmium	2.5	9.3		0.51 U	0.48 U	0.51 U	0.56 U	0.5 U	0.5 U
Calcium	--	--		75.7	32.7 J	50.8 U	34.2 J	90.5	44.3 J
Chromium	30	1500		11.5	1.5	2.9	2.1	5.1	3.3
Cobalt	--	--		1 U	0.18 J	1 U	0.23 J	1 U	1 U
Copper	50	270		5.7	1.7	2.7	1.8	6.5	2.4
Iron	--	--		4120	455	1390	642	2980	1490
Lead	63	1000		1.5	0.81	0.72	0.68	1.8	1.2
Magnesium	--	--		167	94.5	100	97.1	168	96.7
Manganese	1600	10000		8.6	6.5	5.6	11	8.2	7.6
Mercury	0.18	2.8		0.031 U	0.046 U	0.032 U	0.055 U	0.034 U	0.031 U
Nickel	30	310		2.8	1.4	1.5	1.3	3.3	1.4
Potassium	--	--		98.1	75	71.4	78	128	83.5
Selenium	3.9	1500		0.38 J	0.97 U	0.51 U	1.1 U	0.4 J	0.5 U
Silver	2	1500		1 U	0.48 U	1 U	0.56 U	1 U	1 U
Sodium	--	--		51.4 U	48.4 U	50.8 U	55.7 U	56	50.2 U
Thallium	--	--		0.21 U	0.68 U	0.2 U	0.78 U	0.2 U	0.2 U
Vanadium	--	--		7	1.1	2.5	1.5	5.7	2.5
Zinc	109	10000		7.9	3.1 J	5.8	5.5 J	36.8	5.3

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-7	LP-7DUP	LP-7	LP-8	LP-8	LP-9
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	10-12	14-16	10-12	14-16	10-12
Aluminum	--	--		1610	1120	1300	1480	1060	3160
Antimony	--	--		0.51 U	0.51 U	0.52 U	0.51 U	0.52 U	0.52 U
Arsenic	13	16		0.5 J	0.51 U	0.47 J	1.1	0.52 U	1.1
Barium	350	400		4.6	3	2.3	3.4	4.2	14.5
Beryllium	7.2	590		0.21 U	0.2 U	0.18 J	0.2 U	0.21 U	0.21
Cadmium	2.5	9.3		0.51 U	0.51 U	0.52 U	0.51 U	0.52 U	0.52 U
Calcium	--	--		63.8	227	131	80.7	51.9 U	99.7
Chromium	30	1500		3.1	2.6	4.1	3.9	2.2	31.8
Cobalt	--	--		1 U	1 U	1 U	1 U	1 U	1.1
Copper	50	270		3	2.1	2.9	4.6	2.6	5.6
Iron	--	--		1590	1270	1440	3120	1040	5080
Lead	63	1000		1.5	0.54	0.89	1.3	0.9	1.7
Magnesium	--	--		167	171	91.2	111	72.3	714
Manganese	1600	10000		7	11.1	5.4	4.9	8.9	47.4
Mercury	0.18	2.8		0.034 U	0.034 U	0.034 U	0.037	0.031 U	0.032 U
Nickel	30	310		2	1.5	1.6	2.2	1.3	5.2
Potassium	--	--		118	62.3	44.8 J	84.2	51.4 J	492
Selenium	3.9	1500		0.51 U	0.39 J	0.52 U	0.51 U	0.52 U	0.52 U
Silver	2	1500		1 U	1 U	1 U	1 U	1 U	1 U
Sodium	--	--		51.4 U	51.2 U	51.9 U	51.1 U	51.9 U	58.8
Thallium	--	--		0.21 U	0.2 U	0.21 U	0.2 U	0.21 U	0.21 U
Vanadium	--	--		2.9	2.4	3.3	3	2.2	11.6
Zinc	109	10000		12.8	17.8	38.4	20.1	9.3	8.3

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-9	LP-10	LP-10	LP-11	LP-11	LP-12
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	15-17	19-21	11-13
Aluminum	--	--		1250	3630	1160	1040	936	1430
Antimony	--	--		0.52 U	0.51 U	0.51 U	0.5 U	0.51 U	0.5 U
Arsenic	13	16		0.52 U	1.7	0.51 U	0.5 U	0.51 U	0.5 U
Barium	350	400		4	10.6	3.4	2.4	3.8	4.1
Beryllium	7.2	590		0.21 U	0.3	0.2 U	0.2 U	0.2 U	0.2 U
Cadmium	2.5	9.3		0.52 U	0.51 U	0.51 U	0.5 U	0.51 U	0.5 U
Calcium	--	--		52.3 U	451	50.8 U	50.2 U	50.6 U	328
Chromium	30	1500		2.6	10.5	2.5	2	1.8	2.2
Cobalt	--	--		1 U	1.1	1 U	1 U	1 U	1 U
Copper	50	270		2.2	9	2.2	1.7	1.4	5
Iron	--	--		655	6410	761	553	594	758
Lead	63	1000		1.3	3.8	0.95	1.3	1	2
Magnesium	--	--		80.9	509	86.2	61.1	68.5	198
Manganese	1600	10000		7	21.4	3.9	3.8	13.9	4.8
Mercury	0.18	2.8		0.035 U	0.033 U	0.033 U	0.034 U	0.034 U	0.031 U
Nickel	30	310		1.5	3.5	1.2	1.4	1.3	1.7
Potassium	--	--		71.4	237	76.3	57.6	53.4	86.5
Selenium	3.9	1500		0.52 U	0.75	0.51 U	0.39 J	0.51 U	0.5 U
Silver	2	1500		1 U	1 U	1 U	1 U	1 U	1 U
Sodium	--	--		52.3 U	51.3 U	50.8 U	50.2 U	50.6 U	50.5 U
Thallium	--	--		0.21 U	0.21 U	0.2 U	0.2 U	0.2 U	0.2 U
Vanadium	--	--		1.8	9.4	1.7	1.4	1.3	1.7
Zinc	109	10000		4.2 U	31.8	9.1	4.7	4.1 U	41.9

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-12	LP-13	LP-13	LP-14	LP-15	LP-16
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	17-19	10-12	15-17	14-16	14-16	10-12
Aluminum	--	--		1110	1470	1440	825	1430	844
Antimony	--	--		0.5 U	0.52 U	0.51 U	0.5 U	0.51 U	0.51 U
Arsenic	13	16		0.5 U	0.52 U	0.51 U	0.5 U	0.51 U	0.51 U
Barium	350	400		4	3.8	5.1	2.6	5.6	2.2
Beryllium	7.2	590		0.2 U	0.21 U	0.21 U	0.2 U	0.2 U	0.2 U
Cadmium	2.5	9.3		0.5 U	0.52 U	0.51 U	0.5 U	0.51 U	0.51 U
Calcium	--	--		50.2 U	384	57.8	49.9 U	45.1 J	76.9
Chromium	30	1500		1.5	3.1	3.5	1.8	2.6	1.7
Cobalt	--	--		1 U	1 U	1 U	1 U	1 U	1 U
Copper	50	270		1.8	4.2	1.6	0.99 J	2.1	8.4
Iron	--	--		515	928	948	542	918	498
Lead	63	1000		1	1.8	1.3	0.91	1	1.3
Magnesium	--	--		79.1	188	92.1	46.6 J	142	57.6
Manganese	1600	10000		2.6	6.5	11	2.1	14.7	2.7
Mercury	0.18	2.8		0.033 U	0.034	0.032 U	0.033 U	0.026 J	0.031 J
Nickel	30	310		1.4	2.1	2.1	1.1	1.8	0.96 J
Potassium	--	--		68.4	101	83.2	40.5 J	77.9	41.1 J
Selenium	3.9	1500		0.5 U	0.52 U	0.37 J	0.5 U	0.51 U	0.51 U
Silver	2	1500		1 U	1 U	1 U	1 U	1 U	1 U
Sodium	--	--		50.2 U	52 U	51.3 U	49.9 U	50.6 U	50.9 U
Thallium	--	--		0.2 U	0.21 U	0.21 U	0.2 U	0.2 U	0.2 U
Vanadium	--	--		1.3	1.9	1.9	1.3	2.1	1.1
Zinc	109	10000		5.6	27.6	6.5	3.4 J	4.5	11.2

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-16	LP-17	LP-17	LP-18	LP-18	LP-19
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	10-12
Aluminum	--	--		1350	1050	738	1330	923	1870
Antimony	--	--		0.51 U	0.49 U	0.48 U	0.5 U	0.5 U	0.52 U
Arsenic	13	16		0.51 U	0.49 U	0.44 J	0.46 J	0.84	0.66
Barium	350	400		3.2	2.3	2.1	4.4	3.2	3.7
Beryllium	7.2	590		0.2 U	0.2 U	0.19 U	0.2 U	0.2 U	0.21 U
Cadmium	2.5	9.3		0.51 U	0.49 U	0.48 U	0.5 U	0.5 U	0.52 U
Calcium	--	--		180	49.8	48 U	62.1	50.3 U	65.7
Chromium	30	1500		2.9	2.1	2.2	2.4	3.1	2.7
Cobalt	--	--		1 U	0.99 U	0.96 U	1 U	1 U	1 U
Copper	50	270		4.8	4.7	3.2	7.6	3.5	3.4
Iron	--	--		1480	1260	1030	1290	2250	1570
Lead	63	1000		0.92	0.96	0.65	1.1	0.75	1.2
Magnesium	--	--		109	82.2	65.8	108	63.5	148
Manganese	1600	10000		6.5	2.8	2.5	4	4.4	6.1
Mercury	0.18	2.8		0.032 U	0.034 U	0.028 J	0.032 U	0.033 U	0.035 U
Nickel	30	310		1.7	1.1	0.97	1.3	1.1	1.5
Potassium	--	--		57.5	48.6 J	48 U	87.6	41.1 J	83.3
Selenium	3.9	1500		0.51 U	0.49 U	0.48 U	0.5 U	0.38 J	0.52 U
Silver	2	1500		1 U	0.99 U	0.96 U	1 U	1 U	1 U
Sodium	--	--		50.7 U	49.5 U	48 U	50.5 U	50.3 U	52.5 U
Thallium	--	--		0.2 U	0.2 U	0.19 U	0.2 U	0.2 U	0.21 U
Vanadium	--	--		1.5	2	2	2.4	2.8	3
Zinc	109	10000		17.4	27.9	20.4	17.7	19.5	24.1

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-19	LP-20	LP-20	LP-21	LP-21DUP	LP-22
Parameter	Unrestricted	Restricted	Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	2/3/2011
(Concentrations in mg/kg)	Use	Commercial	Sample Depth (ft bls):	14-16	10-12	14-16	14-16	14-16	12-13
Aluminum	--	--		901	2790	1880	1020	1120	2280
Antimony	--	--		0.52 U	0.53 U	0.51 U	0.51 U	0.47 U	0.78 U
Arsenic	13	16		7.8	1.5	1.8	0.72	0.75	1.1
Barium	350	400		2.6	11.3	8.5	3.1	2.7	5.2
Beryllium	7.2	590		0.33	0.21	0.15 J	0.2 U	0.19 U	0.49 U
Cadmium	2.5	9.3		0.52 U	0.45 J	0.51 U	0.51 U	0.47 U	0.49 U
Calcium	--	--		57.5	3020	234	51.1 U	47.3 U	96.5
Chromium	30	1500		72.4	7.1	9.8	13.6	13.1	3.6
Cobalt	--	--		1 U	1.4	1 U	1 U	0.95 U	0.46 J
Copper	50	270		4	40.4	23.4	18	18.2	2.2
Iron	--	--		10600	5610	4490	1490	1700	2750
Lead	63	1000		2.7	8.9	3.7	0.99	0.86	0.99
Magnesium	--	--		50.7 J	1550	367	74.6	74.6	217
Manganese	1600	10000		7	46.2	18.5	4.4	4.3	10.2
Mercury	0.18	2.8		0.034 U	0.048	0.082	0.034 U	0.027 J	0.049 U
Nickel	30	310		0.93 J	3.8	2.8	1.1	1.1	1.8
Potassium	--	--		51.5 U	200	173	54.7	49.8	136
Selenium	3.9	1500		0.38 J	0.51 J	0.51 U	0.51 U	0.47 U	0.97 U
Silver	2	1500		1 U	1.1 U	1 U	1 U	0.95 U	0.49 U
Sodium	--	--		51.5 U	53.1 U	50.5 U	51.1 U	47.3 U	35.1 J
Thallium	--	--		0.21 U	0.21 U	0.2 U	0.2 U	0.19 U	0.68 U
Vanadium	--	--		9.2	6.6	6.4	3	3	3.6
Zinc	109	10000		30.5	90.2	103	14.3	16.9	4 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-22	LP-22	LP-23	LP-23	LP-23	LP-23DUP	LP-24
			Sample Date:	11/16/2010	2/3/2011	2/3/2011	11/16/2010	2/3/2011	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	14-16	12-13	14-16	14-16	14-16	14-16
Aluminum	--	--		1010	2280	1680	964	2190	926	1350
Antimony	--	--		0.51 U	0.84 U	0.82 U	0.49 U	0.77 U	0.48 U	0.5 U
Arsenic	13	16		0.93	2.2	0.8	0.49 U	1.3	0.48 U	0.83
Barium	350	400		4.4	3.4	16.7	41.5	89.2	39.3	17.9
Beryllium	7.2	590		0.2 U	0.17 J	0.51 U	0.2 U	0.17 J	0.19 U	0.2 U
Cadmium	2.5	9.3		0.51 U	0.53 U	0.12 J	0.49 U	0.3 J	0.48 U	0.5 U
Calcium	--	--		96	62.9	51 J	47.4 J	104	589	620
Chromium	30	1500		22.7	10.6	3.9	6.2	16.7	8.2	6.7
Cobalt	--	--		1 U	1.1	0.33 J	0.99 U	0.46 J	0.96 U	1.8
Copper	50	270		20.7	2.7	3.4	2.7	5.3	2.9	2.6
Iron	--	--		1780	3890	1860	1710	6140	1550	2430
Lead	63	1000		2	1.1	1.1	0.82	1.4	0.98	1.1
Magnesium	--	--		94.4	138	111	69.6	133	359	262
Manganese	1600	10000		5.9	16.4	6.1	6.1	12.9	7.8	25.3
Mercury	0.18	2.8		0.031 U	0.051 U	0.051 U	0.032 U	0.004 J	0.034 U	0.033 U
Nickel	30	310		0.83 J	1.6	1.4	0.99 U	2.5	0.96 U	1.2
Potassium	--	--		49.3 J	124	98.9	51.4	124	41.9 J	65.9
Selenium	3.9	1500		0.5 J	0.46 J	0.34 J	0.49 U	0.36 J	0.48 U	0.5 U
Silver	2	1500		1 U	0.53 U	0.51 U	0.99 U	0.48 U	0.96 U	0.99 U
Sodium	--	--		51 U	42.4 J	51.2 U	49.3 U	17.1 J	48 U	49.6 U
Thallium	--	--		0.2 U	0.74 U	0.72 U	0.2 U	0.67 U	0.19 U	0.2 U
Vanadium	--	--		2.3	4	2	1.3	4.7	1.5	1.9
Zinc	109	10000		18.9	3.7 J	39.4	30.4	58.8	25.3	25.5

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC	NYSDEC							
	Part 375	Part 375	Sample Designation:	LP-25	LP-26	LP-26	LP-26	LP-27	LP-28
Parameter	Unrestricted	Restricted	Sample Date:	11/16/2010	2/3/2011	11/16/2010	2/3/2011	11/16/2010	11/16/2010
(Concentrations in mg/kg)	Use	Commercial	Sample Depth (ft bls):	14-16	12-13	14-16	14-16	14-16	14-16
Aluminum	--	--		1180	3100	1390	1960	3210	1210
Antimony	--	--		0.48 U	0.84 U	0.52 U	0.78 U	0.52 U	0.5 U
Arsenic	13	16		0.75	3	0.67	0.55	1.9	0.5 U
Barium	350	400		55.8	172	40.3	25.8	22	3.2
Beryllium	7.2	590		0.19 U	0.22 J	0.21 U	0.49 U	0.27	0.2 U
Cadmium	2.5	9.3		0.44 J	0.92	0.52 U	0.17 J	0.52 U	0.5 U
Calcium	--	--		92.4	8700	49.1 J	3340	245	51.8
Chromium	30	1500		8.9	122	7.8	16.5	44.5	2.1
Cobalt	--	--		0.96 U	1.3	1	0.52	0.91 J	1 U
Copper	50	270		7.7	28.2	5.9	5.1	5.6	4.5
Iron	--	--		4190	13500	2880	3330	8460	1350
Lead	63	1000		1.4	14.8	1.3	2.4	4.3	1.1
Magnesium	--	--		87.7	877	118	443	213	50.5
Manganese	1600	10000		9.6	72.6	11.1	41.3	94	3.2
Mercury	0.18	2.8		0.034 U	0.049	0.033 U	0.012 J	0.034 U	0.034 U
Nickel	30	310		1.2	3.5	1.1	1.8	2.8	0.89 J
Potassium	--	--		53	143	53.5	103	117	50.3 U
Selenium	3.9	1500		0.35 J	0.37 J	0.53	0.31 J	0.44 J	0.5 U
Silver	2	1500		0.96 U	0.12 J	1 U	0.49 U	1 U	24.7
Sodium	--	--		48.2 U	26 J	51.7 U	39.9 J	51.9 U	50.3 U
Thallium	--	--		0.19 U	0.74 U	0.21 U	0.68 U	0.21 U	0.2 U
Vanadium	--	--		3.2	9.1	2.5	2.2	18	1.7
Zinc	109	10000		51.3	108	52.8	43	32.3	5.6

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-29	LP-29	LP-29	LP-29	LP-29DUP	LP-29	LP-29
Parameter	Unrestricted	Restricted	Sample Date:	11/16/2010	2/4/2011	11/16/2010	2/4/2011	2/4/2011	2/4/2011	2/4/2011
(Concentrations in mg/kg)	Use	Commercial	Sample Depth (ft bls):	10-12	10-12	14-16	14-16	14-16	15-16	18-20
Aluminum	--	--		1280	2110	1150	1980	2600	1820	2380
Antimony	--	--		0.49 U	0.78 U	0.49 U	0.66 U	0.79 U	0.7 U	0.83 U
Arsenic	13	16		0.75	0.78	1.2	1.3	1	0.86	1.4
Barium	350	400		3.3	6	4.8	7.1	7.3	7.1	3.9
Beryllium	7.2	590		0.2 U	0.49 U	0.2 U	0.41 U	0.16 J	0.17 J	0.16 J
Cadmium	2.5	9.3		0.49 U	0.11 J	0.49 U	0.41 U	0.5 U	0.29 J	0.11 J
Calcium	--	--		262	229	60.4	62.5	5140	204	52.8
Chromium	30	1500		4	4.2	3	6.6	10.4	4.6	3.4
Cobalt	--	--		0.99 U	0.69	0.99 U	0.39 J	1.1	0.47	0.67
Copper	50	270		12.3	4.9	2.1	2.3	7.3	4.7	2.4
Iron	--	--		2350	2720	2890	4360	3940	2950	3090
Lead	63	1000		1.5	1.3	1	1.3	1.9	1.6	1.1
Magnesium	--	--		165	273	154	191	3040	210	243
Manganese	1600	10000		5.1	21.2	9	7.3	54	10.1	10.1
Mercury	0.18	2.8		0.033 U	0.049 U	0.034 U	0.049 U	0.004 J	0.045 U	0.048 U
Nickel	30	310		1.5	3.5	1.5	1.8	3.9	2.2	2.1
Potassium	--	--		60.2	135	80.9	215	219	104	107
Selenium	3.9	1500		0.49 U	0.39 J	0.49 U	0.46 J	0.99 U	0.53 J	0.34 J
Silver	2	1500		16.9	8.9	7.5	6.6	9.9	20.6	11.6
Sodium	--	--		49.4	19.8 J	49.5 U	22 J	45.5 J	46.5	23.5 J
Thallium	--	--		0.2 U	0.68 U	0.2 U	0.58 U	0.69 U	0.61 U	0.72 U
Vanadium	--	--		3.2	3.2	3.6	4.1	5.4	3.8	3.1
Zinc	109	10000		11.6	5.2	4.4	3.4 J	6.1	4.8	4.3 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 3. Summary of Metals in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	MW-17A	MW-20	MW-21
Parameter	Unrestricted	Restricted	Sample Date:	2/1/2011	11/17/2010	1/31/2011
(Concentrations in mg/kg)	Use	Commercial	Sample Depth (ft bls):	20-22	18-20	20-22'
Aluminum	--	--		1380	1220	3060
Antimony	--	--		0.8 U	0.52 U	0.85 U
Arsenic	13	16		0.66	1	1.3
Barium	350	400		4.4	4.6	9.4
Beryllium	7.2	590		0.5 U	0.21 U	0.17 J
Cadmium	2.5	9.3		0.5 U	0.52 U	0.53 U
Calcium	--	--		67.1	116	45 J
Chromium	30	1500		2.7	3	5.2
Cobalt	--	--		0.27 J	1 U	0.43 J
Copper	50	270		1.2	1.7	2.2
Iron	--	--		1760	2010	4240
Lead	63	1000		0.93	2	1
Magnesium	--	--		106	112	201
Manganese	1600	10000		32.3	40	12
Mercury	0.18	2.8		0.047 U	0.034 U	0.0065 J
Nickel	30	310		0.98	1	1.6
Potassium	--	--		75.8	63.3	199
Selenium	3.9	1500		1 U	0.52 U	1.1 U
Silver	2	1500		0.5 U	1 U	0.53 U
Sodium	--	--		18.6 J	52.4 U	24 J
Thallium	--	--		0.7 U	0.21 U	0.74 U
Vanadium	--	--		2	2.2	3.8
Zinc	109	10000		1.6 J	4.2 U	3.8 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-1	DW-1	DW-2	DW-2	DW-2	DW-2	DW-2
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	2/4/2011	11/17/2010	2/4/2011	2/4/2011
			Sample Depth (ft bls):	8.5-10.5	14.5-16.5	9-11	9-11	15-17	15-17	18-20
Aroclor-1016	--	--		74 U	72 U	75 U	19 U	76 U	18 U	18 U
Aroclor-1221	--	--		74 U	72 U	75 U	19 U	76 U	18 U	18 U
Aroclor-1232	--	--		74 U	72 U	75 U	19 U	76 U	18 U	18 U
Aroclor-1242	--	--		74 U	72 U	75 U	19 U	76 U	18 U	18 U
Aroclor-1248	--	--		74 U	72 U	75 U	19 U	76 U	18 U	18 U
Aroclor-1254	--	--		74 U	72 U	75 U	19 U	76 U	18 U	18 U
Aroclor-1260	--	--		74 U	72 U	75 U	19 U	76 U	18 U	18 U
Total PCBs	100	1000		0	0	0	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-14	DW-14	DW-15	DW-15	DW-16	DW-16
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	12-14	6-8
Aroclor-1016	--	--		77 U	73 U	76 U	78 U	72 U	71 U
Aroclor-1221	--	--		77 U	73 U	76 U	78 U	72 U	71 U
Aroclor-1232	--	--		77 U	73 U	76 U	78 U	72 U	71 U
Aroclor-1242	--	--		77 U	73 U	76 U	78 U	72 U	71 U
Aroclor-1248	--	--		77 U	73 U	76 U	78 U	72 U	71 U
Aroclor-1254	--	--		77 U	73 U	76 U	78 U	72 U	71 U
Aroclor-1260	--	--		77 U	73 U	76 U	78 U	72 U	71 U
Total PCBs	100	1000		0	0	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-19	DW-19	DW-20	DW-20	DW-21	DW-21	DW-22
			Sample Date:	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/4/2011	11/17/2010
			Sample Depth (ft bls):	13-14	18-19	19-20	24-25	14-15	19-20	10-12
Aroclor-1016	--	--		20 U	19 U	20 U	19 U	19 U	19 U	71 U
Aroclor-1221	--	--		20 U	19 U	20 U	19 U	19 U	19 U	71 U
Aroclor-1232	--	--		20 U	19 U	20 U	19 U	19 U	19 U	71 U
Aroclor-1242	--	--		20 U	19 U	20 U	19 U	19 U	19 U	71 U
Aroclor-1248	--	--		20 U	19 U	20 U	19 U	19 U	19 U	71 U
Aroclor-1254	--	--		20 U	19 U	20 U	19 U	19 U	19 U	71 U
Aroclor-1260	--	--		20 U	19 U	11 J	19 U	19 U	19 U	71 U
Total PCBs	100	1000		0	0	11	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-22	GSB-4	GSB-4	GSB-05	GSB-05	GSB-7	GSB-7
			Sample Date:	11/17/2010	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	14-16	0-2	2-4	0-2	2-4	0-2	2-4
Aroclor-1016	--	--		72 U	20 U	20 U	20 U	20 U	19 U	18 U
Aroclor-1221	--	--		72 U	20 U	20 U	20 U	20 U	19 U	18 U
Aroclor-1232	--	--		72 U	20 U	20 U	20 U	20 U	19 U	18 U
Aroclor-1242	--	--		72 U	20 U	20 U	20 U	20 U	19 U	18 U
Aroclor-1248	--	--		72 U	20 U	20 U	20 U	20 U	19 U	18 U
Aroclor-1254	--	--		72 U	20 U	20 U	20 U	20 U	19 U	18 U
Aroclor-1260	--	--		72 U	20 U	20 U	20 U	20 U	19 U	18 U
Total PCBs	100	1000		0	0	0	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-08 2/2/2011 0-2	GSB-08 2/2/2011 2-4	GSB-10 2/1/2011 0-2	GSB-10 2/1/2011 2-4	GSB-12 1/31/2011 0-2	GSB-12 1/31/2011 2-4	GSB-13 1/31/2011 0-2
Aroclor-1016	--	--		19 U	20 U	18 U	17 U	18 U	17 U	350 U
Aroclor-1221	--	--		19 U	20 U	18 U	17 U	18 U	17 U	350 U
Aroclor-1232	--	--		19 U	20 U	18 U	17 U	18 U	17 U	350 U
Aroclor-1242	--	--		19 U	20 U	18 U	17 U	18 U	17 U	350 U
Aroclor-1248	--	--		19 U	20 U	18 U	17 U	18 U	17 U	350 U
Aroclor-1254	--	--		19 U	20 U	18 U	17 U	38	17 U	350 U
Aroclor-1260	--	--		19 U	20 U	18 U	17 U	17 J	17 U	2100
Total PCBs	100	1000		0	0	0	0	55	0	2100

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-13	GSB-13A	GSB-13A	GSB-17	GSB-17	GSB-18	GSB-18
			Sample Date:	1/31/2011	1/31/2011	1/31/2011	1/31/2011	1/31/2011	2/3/2011	2/3/2011
			Sample Depth (ft bls):	2-4	0-2	2-4	0-2	2-4	0-2	2-4
Aroclor-1016	--	--		17 U	18 U	17 U	17 U	17 U	19 U	17 U
Aroclor-1221	--	--		17 U	18 U	17 U	17 U	17 U	19 U	17 U
Aroclor-1232	--	--		17 U	18 U	17 U	17 U	17 U	19 U	17 U
Aroclor-1242	--	--		17 U	18 U	17 U	17 U	17 U	19 U	17 U
Aroclor-1248	--	--		17 U	18 U	17 U	17 U	17 U	19 U	17 U
Aroclor-1254	--	--		17 U	18 U	17 U	17 U	17 U	6 J	24 p
Aroclor-1260	--	--		26	15 J	17 U	17 U	17 U	19 U	22
Total PCBs	100	1000		26	15	0	0	0	6	46

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-30	GSB-30	GSB-30 DUP	GSB-32	GSB-32	GSB-32	GSB-32 DUP
			Sample Date:	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	0-2	2-4	2-4	0-2	2-4	8-10	8-10
Aroclor-1016	--	--		18 U	19 U	19 U	19 U	18 U	19 U	19 U
Aroclor-1221	--	--		18 U	19 U	19 U	19 U	18 U	19 U	19 U
Aroclor-1232	--	--		18 U	19 U	19 U	19 U	18 U	19 U	19 U
Aroclor-1242	--	--		18 U	19 U	19 U	19 U	18 U	19 U	19 U
Aroclor-1248	--	--		18 U	19 U	19 U	19 U	18 U	19 U	19 U
Aroclor-1254	--	--		18 U	19 U	19 U	19 U	18 U	19 U	19 U
Aroclor-1260	--	--		18 U	19 U	19 U	19 U	18 U	19 U	19 U
Total PCBs	100	1000		0	0	0	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32E	GSB-32E	GSB-32N	GSB-32N	GSB-32S	GSB-32S	GSB-32W
			Sample Date:	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/2/2011	2/3/2011
			Sample Depth (ft bls):	0-2	4-6	0-2	2-4	0-2	2-4	0-2
Aroclor-1016	--	--		19 U	19 U	19 U	19 U	18 U	19 U	18 U
Aroclor-1221	--	--		19 U	19 U	19 U	19 U	18 U	19 U	18 U
Aroclor-1232	--	--		19 U	19 U	19 U	19 U	18 U	19 U	18 U
Aroclor-1242	--	--		19 U	19 U	19 U	19 U	18 U	19 U	18 U
Aroclor-1248	--	--		19 U	19 U	19 U	19 U	18 U	19 U	18 U
Aroclor-1254	--	--		19 U	19 U	19 U	19 U	18 U	19 U	18 U
Aroclor-1260	--	--		19 U	19 U	19 U	19 U	18 U	19 U	18 U
Total PCBs	100	1000		0	0	0	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32W	GSB-32W	GSB-33	GSB-33	GSB-44	GSB-44	LP-1
			Sample Date:	2/3/2011	2/3/2011	2/2/2011	2/2/2011	1/31/2011	1/31/2011	11/15/2010
			Sample Depth (ft bls):	2-4	10-12	0-2	2-4	0-2	2-4	10-12
Aroclor-1016	--	--		19 U	18 U	18 U	19 U	19 U	18 U	70 U
Aroclor-1221	--	--		19 U	18 U	18 U	19 U	19 U	18 U	70 U
Aroclor-1232	--	--		19 U	18 U	18 U	19 U	19 U	18 U	70 U
Aroclor-1242	--	--		19 U	18 U	18 U	19 U	19 U	18 U	70 U
Aroclor-1248	--	--		19 U	18 U	18 U	19 U	19 U	18 U	70 U
Aroclor-1254	--	--		19 U	18 U	18 U	19 U	19 U	18 U	70 U
Aroclor-1260	--	--		19 U	18 U	18 U	19 U	19 U	18 U	70 U
Total PCBs	100	1000		0	0	0	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-1	LP-2	LP-2	LP-3	LP-3	LP-4
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	2/3/2011
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	10-11
Aroclor-1016	--	--		70 U	70 U	69 U	69 U	71 U	18 U
Aroclor-1221	--	--		70 U	70 U	69 U	69 U	71 U	18 U
Aroclor-1232	--	--		70 U	70 U	69 U	69 U	71 U	18 U
Aroclor-1242	--	--		70 U	70 U	69 U	69 U	71 U	18 U
Aroclor-1248	--	--		70 U	70 U	69 U	69 U	71 U	18 U
Aroclor-1254	--	--		70 U	320	69 U	43 J	71 U	80
Aroclor-1260	--	--		70 U	70 U	69 U	69 U	71 U	20 p
Total PCBs	100	1000		0	320	0	43	0	100

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-4	LP-4	LP-5	LP-5	LP-6	LP-6
			Sample Date:	11/15/2010	2/3/2011	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	14-16	10-12	14-16	10-12	14-16
Aroclor-1016	--	--		70 U	18 U	70 U	70 U	69 U	69 U
Aroclor-1221	--	--		70 U	18 U	70 U	70 U	69 U	69 U
Aroclor-1232	--	--		70 U	18 U	70 U	70 U	69 U	69 U
Aroclor-1242	--	--		70 U	18 U	70 U	70 U	69 U	69 U
Aroclor-1248	--	--		70 U	18 U	70 U	70 U	69 U	69 U
Aroclor-1254	--	--		70 U	13 J	57 J	53 J	73	69 U
Aroclor-1260	--	--		70 U	18 U	70 U	70 U	69 U	69 U
Total PCBs	100	1000		0	13	57	53	73	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-7	LP-7DUP	LP-7	LP-8	LP-8	LP-9
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	10-12	14-16	10-12	14-16	10-12
Aroclor-1016	--	--		69 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1221	--	--		69 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1232	--	--		69 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1242	--	--		69 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1248	--	--		69 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1254	--	--		25 J	69 U	38 J	34 J	69 U	70 U
Aroclor-1260	--	--		69 U	69 U	70 U	69 U	69 U	70 U
Total PCBs	100	1000		25	0	38	34	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-9	LP-10	LP-10	LP-11	LP-11	LP-12
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	15-17	19-21	11-13
Aroclor-1016	--	--		70 U	71 U	69 U	69 U	69 U	69 U
Aroclor-1221	--	--		70 U	71 U	69 U	69 U	69 U	69 U
Aroclor-1232	--	--		70 U	71 U	69 U	69 U	69 U	69 U
Aroclor-1242	--	--		70 U	71 U	69 U	69 U	69 U	69 U
Aroclor-1248	--	--		27 J	71 U	69 U	69 U	69 U	69 U
Aroclor-1254	--	--		70 U	210	32 J	69 U	69 U	220
Aroclor-1260	--	--		70 U	110	21 J	69 U	69 U	69 U
Total PCBs	100	1000		27	320	53	0	0	220

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-12	LP-13	LP-13	LP-14	LP-15	LP-15
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	2/3/2011	11/16/2010
			Sample Depth (ft bls):	17-19	10-12	15-17	14-16	12-13	14-16
Aroclor-1016	--	--		69 U	71 U	69 U	69 U	17 U	70 U
Aroclor-1221	--	--		69 U	71 U	69 U	69 U	17 U	70 U
Aroclor-1232	--	--		69 U	71 U	69 U	69 U	17 U	70 U
Aroclor-1242	--	--		69 U	71 U	69 U	69 U	17 U	70 U
Aroclor-1248	--	--		69 U	71 U	69 U	69 U	17 U	70 U
Aroclor-1254	--	--		69 U	52 J	69 U	69 U	17 U	70 U
Aroclor-1260	--	--		69 U	23 J	69 U	69 U	17 U	70 U
Total PCBs	100	1000		0	75	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-15	LP-16	LP-16	LP-17	LP-17	LP-18
			Sample Date:	2/3/2011	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	10-12
Aroclor-1016	--	--		20 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1221	--	--		20 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1232	--	--		20 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1242	--	--		20 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1248	--	--		20 U	69 U	70 U	69 U	69 U	70 U
Aroclor-1254	--	--		20 U	69 U	70 U	69 U	69 U	39 J
Aroclor-1260	--	--		20 U	69 U	70 U	69 U	69 U	70 U
Total PCBs	100	1000		0	0	0	0	0	39

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-18	LP-19	LP-19	LP-20	LP-20	LP-21
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	14-16	14-16
Aroclor-1016	--	--		70 U	70 U	69 U	71 U	70 U	70 U
Aroclor-1221	--	--		70 U	70 U	69 U	71 U	70 U	70 U
Aroclor-1232	--	--		70 U	70 U	69 U	71 U	70 U	70 U
Aroclor-1242	--	--		70 U	70 U	69 U	71 U	70 U	70 U
Aroclor-1248	--	--		70 U	70 U	69 U	71 U	70 U	70 U
Aroclor-1254	--	--		70 U	70 U	69 U	71 U	82	70 U
Aroclor-1260	--	--		70 U	70 U	69 U	71 U	70 U	70 U
Total PCBs	100	1000		0	0	0	0	82	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-21DUP	LP-22	LP-22	LP-22	LP-23	LP-23	LP-23
			Sample Date:	11/16/2010	2/3/2011	11/16/2010	2/3/2011	2/3/2011	11/16/2010	2/3/2011
			Sample Depth (ft bls):	14-16	12-13	14-16	14-16	12-13	14-16	14-16
Aroclor-1016	--	--		70 U	17 U	70 U	18 U	89 U	70 U	17 U
Aroclor-1221	--	--		70 U	17 U	70 U	18 U	89 U	70 U	17 U
Aroclor-1232	--	--		70 U	17 U	70 U	18 U	89 U	70 U	17 U
Aroclor-1242	--	--		70 U	17 U	70 U	18 U	89 U	70 U	17 U
Aroclor-1248	--	--		70 U	17 U	70 U	18 U	89 U	70 U	17 U
Aroclor-1254	--	--		70 U	17 U	310	18 U	710	110	120
Aroclor-1260	--	--		70 U	17 U	70 U	18 U	310	70 U	54
Total PCBs	100	1000		0	0	310	0	1020	110	174

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-23DUP	LP-24	LP-25	LP-26	LP-26	LP-26
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	2/3/2011	11/16/2010	2/3/2011
			Sample Depth (ft bls):	14-16	14-16	14-16	12-13	14-16	14-16
Aroclor-1016	--	--		70 U	70 U	70 U	730 U	70 U	97 U
Aroclor-1221	--	--		70 U	70 U	70 U	730 U	70 U	97 U
Aroclor-1232	--	--		70 U	70 U	70 U	730 U	70 U	97 U
Aroclor-1242	--	--		70 U	70 U	70 U	730 U	70 U	97 U
Aroclor-1248	--	--		70 U	70 U	70 U	730 U	70 U	97 U
Aroclor-1254	--	--		56 J	50 J	110	2900	82	730
Aroclor-1260	--	--		70 U	79	70 U	4100	70 U	750
Total PCBs	100	1000		56	129	110	7000	82	1480

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-27	LP-28	LP-29	LP-29	LP-29	LP-29
	Unrestricted	Restricted	Sample Date:	11/16/2010	11/16/2010	11/16/2010	2/4/2011	11/16/2010	2/4/2011
	Use	Commercial	Sample Depth (ft bls):	14-16	14-16	10-12	10-12	14-16	14-16
Aroclor-1016	--	--		69 U	70 U	69 U	17 U	69 U	18 U
Aroclor-1221	--	--		69 U	70 U	69 U	17 U	69 U	18 U
Aroclor-1232	--	--		69 U	70 U	69 U	17 U	69 U	18 U
Aroclor-1242	--	--		69 U	70 U	69 U	17 U	69 U	18 U
Aroclor-1248	--	--		69 U	70 U	69 U	17 U	69 U	18 U
Aroclor-1254	--	--		69 U	70 U	69 U	17 U	69 U	18 U
Aroclor-1260	--	--		69 U	70 U	69 U	17 U	69 U	18 U
Total PCBs	100	1000		0	0	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 4. Summary of Polychlorinated Biphenyls in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-29DUP	LP-29	LP-29	MW-17A	MW-20	MW-21
			Sample Date:	2/4/2011	2/4/2011	2/4/2011	2/1/2011	11/17/2010	1/31/2011
			Sample Depth (ft bls):	14-16	15-16	18-20	20-22	18-20	20-22'
Aroclor-1016	--	--		18 U	17 U	17 U	18 U	72 U	18 U
Aroclor-1221	--	--		18 U	17 U	17 U	18 U	72 U	18 U
Aroclor-1232	--	--		18 U	17 U	17 U	18 U	72 U	18 U
Aroclor-1242	--	--		18 U	17 U	17 U	18 U	72 U	18 U
Aroclor-1248	--	--		18 U	17 U	17 U	18 U	72 U	18 U
Aroclor-1254	--	--		18 U	17 U	17 U	18 U	72 U	18 U
Aroclor-1260	--	--		18 U	17 U	17 U	18 U	72 U	18 U
Total PCBs	100	1000		0	0	0	0	0	0

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	DW-1	DW-1	DW-2	DW-2	DW-2	DW-2
	Unrestricted	Restricted	Sample Date:	11/17/2010	11/17/2010	11/17/2010	2/4/2011	11/17/2010	2/4/2011
	Use	Commercial	Sample Depth (ft bls):	14.5-16.5	8.5-10.5	9-11	9-11	15-17	15-17
4,4'-DDD	3.3	92000		7.2 U	7.4 U	7.5 U	3.3 J p	7.6 U	2.6 J
4,4'-DDE	3.3	62000		7.2 U	7.4 U	7.5 U	2.2 J p	7.6 U	3.5 U
4,4'-DDT	3.3	47000		7.2 U	7.4 U	7.5 U	16 p	7.6 U	0.75
Aldrin	5	680		7.2 U	7.4 U	7.5 U	1.9 U	7.6 U	1.8 U
alpha-BHC	20	3400		7.2 U	7.4 U	7.5 U	1.9 U	7.6 U	1.8 U
alpha-Chlordane	94	24000		7.2 U	7.4 U	7.5 U	6.1 p	7.6 U	2.2
beta-BHC	36	3000		7.2 U	7.4 U	7.5 U	1.9 U	7.6 U	1.8 U *
delta-BHC	40	500000		7.2 U	7.4 U	7.5 U	1.9	7.6 U	1.8 U
Dieldrin	5	1400		7.2 U	7.4 U	7.5 U	3.7 U	7.6 U	3.5 U
Endosulfan I	2400	200000		7.2 U	7.4 U	7.5 U	1.9 U	7.6 U	1.8 U
Endosulfan II	2400	200000		7.2 U	7.4 U	7.5 U	1.2 J p	7.6 U	3.5 U
Endosulfan sulfate	2400	200000		7.2 U	7.4 U	7.5 U	8.5 p	7.6 U	3.5 U
Endrin aldehyde	--	--		7.2 U	7.4 U	7.5 U	1.2 J p	7.6 U	3.5 U
Endrin ketone	--	--		7.2 U	7.4 U	7.5 U	3.7 U	7.6 U	3.5 U
Endrin	14	89000		7.2 U	7.4 U	7.5 U	17 p	7.6 U	8.9 p
gamma-BHC (Lindane)	100	9200		7.2 U	7.4 U	7.5 U	1.9 U	7.6 U	1.8 U
gamma-Chlordane	--	--		7.2 U	7.4 U	7.5 U	1.9 U	7.6 U	1.8 U
Heptachlor epoxide	--	--		7.2 U	7.4 U	7.5 U	1.9 U	7.6 U	0.47 J p
Heptachlor	42	15000		7.2 U	7.4 U	7.5 U	1.9 U	7.6 U	1.8 U
Methoxychlor	--	--		7.2 U	7.4 U	7.5 U	19 U	7.6 U	18 U
Toxaphene	--	--		72 U	74 U	75 U	94 U	76 U	89 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-2 2/4/2011 18-20	DW-14 11/17/2010 10-12	DW-14 11/17/2010 14-16	DW-15 11/17/2010 10-12	DW-15 11/17/2010 14-16
4,4'-DDD	3.3	92000		2 J p	7.7 U	7.3 U	7.6 U	7.8 U
4,4'-DDE	3.3	62000		1 J p	7.7 U	7.3 U	7.6 U	7.8 U
4,4'-DDT	3.3	47000		9.3 p	7.7 U	7.3 U	7.6 U	7.8 U
Aldrin	5	680		1.8 U	7.7 U	7.3 U	7.6 U	7.8 U
alpha-BHC	20	3400		1.8 U	7.7 U	7.3 U	7.6 U	7.8 U
alpha-Chlordane	94	24000		3	7.7 U	7.3 U	7.6 U	7.8 U
beta-BHC	36	3000		1.8 U *	7.7 U	7.3 U	7.6 U	7.8 U
delta-BHC	40	500000		6.5	7.7 U	7.3 U	7.6 U	7.8 U
Dieldrin	5	1400		3.5 U	7.7 U	7.3 U	7.6 U	7.8 U
Endosulfan I	2400	200000		1.8 U	7.7 U	7.3 U	7.6 U	7.8 U
Endosulfan II	2400	200000		3.5 U	7.7 U	7.3 U	7.6 U	7.8 U
Endosulfan sulfate	2400	200000		3.5 U	7.7 U	7.3 U	7.6 U	7.8 U
Endrin aldehyde	--	--		3.5 U	7.7 U	7.3 U	7.6 U	7.8 U
Endrin ketone	--	--		3.5 U	7.7 U	7.3 U	7.6 U	7.8 U
Endrin	14	89000		17 p	7.7 U	7.3 U	7.6 U	7.8 U
gamma-BHC (Lindane)	100	9200		1.8 U	7.7 U	7.3 U	7.6 U	7.8 U
gamma-Chlordane	--	--		1.8 U	7.7 U	7.3 U	7.6 U	7.8 U
Heptachlor epoxide	--	--		1.2 J p	7.7 U	7.3 U	7.6 U	7.8 U
Heptachlor	42	15000		1.8 U	7.7 U	7.3 U	7.6 U	7.8 U
Methoxychlor	--	--		18 U	7.7 U	7.3 U	7.6 U	7.8 U
Toxaphene	--	--		88 U	77 U	73 U	76 U	78 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-16 11/17/2010 12-14	DW-16 11/17/2010 6-8	DW-19 2/4/2011 13-14	DW-19 2/4/2011 18-19	DW-20 2/4/2011 19-20	DW-20 2/4/2011 24-25	DW-21 2/4/2011 14-15
4,4'-DDD	3.3	92000		7.2 U	7.1 U	3.8 U	3.7 U	3.8 U	3.7 U	3.6 U
4,4'-DDE	3.3	62000		7.2 U	7.1 U	3.8 U	3.7 U	5.6 p	3.7 U	3.6 U
4,4'-DDT	3.3	47000		7.2 U	7.1 U	3.8 U	3.7 U	9.7 p	3.7 U	3.6 U
Aldrin	5	680		7.2 U	7.1 U	2 U	1.9 U	2 U	1.9 U	1.9 U
alpha-BHC	20	3400		7.2 U	7.1 U	2 U	1.9 U	2 U	1.9 U	1.9 U
alpha-Chlordane	94	24000		7.2 U	7.1 U	2 U	1.9 U	2.1 p	1.9 U	1.9 U
beta-BHC	36	3000		7.2 U	7.1 U	2 U *	0.5 J p	2 U *	1.9 U *	1.9 U *
delta-BHC	40	500000		7.2 U	7.1 U	2 U	1.9 U	0.65 J p	1.9 U	1.9 U
Dieldrin	5	1400		7.2 U	7.1 U	3.8 U	3.7 U	3.8 U	3.7 U	3.6 U
Endosulfan I	2400	200000		7.2 U	7.1 U	2 U	1.9 U	2 U	1.9 U	1.9 U
Endosulfan II	2400	200000		7.2 U	7.1 U	3.8 U	3.7 U	3.8 U	3.7 U	3.6 U
Endosulfan sulfate	2400	200000		7.2 U	7.1 U	3.8 U	3.7 U	3.8 U	3.7 U	3.6 U
Endrin aldehyde	--	--		7.2 U	7.1 U	3.8 U	0.74 J p	3.8 U	0.6 J	3.6 U
Endrin ketone	--	--		7.2 U	7.1 U	3.8 U	3.7 U	3.8 U	3.7 U	3.6 U
Endrin	14	89000		7.2 U	7.1 U	3.8 U	3.7 U	8.4 p	3.7 U	3.6 U
gamma-BHC (Lindane)	100	9200		7.2 U	7.1 U	2 U	1.9 U	2 U	1.9 U	1.9 U
gamma-Chlordane	--	--		7.2 U	7.1 U	2 U	1.9 U	1.4 J p	1.9 U	1.9 U
Heptachlor epoxide	--	--		7.2 U	7.1 U	2 U	1.9 U	2.9 p	1.9 U	1.9 U
Heptachlor	42	15000		7.2 U	7.1 U	2 U	1.9 U	2 U	1.9 U	1.9 U
Methoxychlor	--	--		7.2 U	7.1 U	20 U	19 U	20 U	19 U	19 U
Toxaphene	--	--		72 U	71 U	96 U	92 U	95 U	94 U	92 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	DW-21 2/4/2011 19-20	DW-22 11/17/2010 10-12	DW-22 11/17/2010 14-16	GSB-4 2/1/2011 0-2	GSB-4 2/1/2011 2-4	GSB-05 2/1/2011 0-2	GSB-05 2/1/2011 2-4
4,4'-DDD	3.3	92000		3.7 U	7.1 U	7.2 U	3.8 U	3.9 U	3.8 U	3.8 U
4,4'-DDE	3.3	62000		3.7 U	7.1 U	7.2 U	0.99 J p	3.9 U	3.8 U	3.8 U
4,4'-DDT	3.3	47000		3.7 U	7.1 U	7.2 U	5.9	3.9 U	2 J p	3.3 J p
Aldrin	5	680		1.9 U	7.1 U	7.2 U	2 U	2 U	2 U	2 U
alpha-BHC	20	3400		1.9 U	7.1 U	7.2 U	2 U	2 U	2 U	2 U
alpha-Chlordane	94	24000		1.9 U	7.1 U	7.2 U	2 U	2 U	2 U	2 U
beta-BHC	36	3000		1.9 U	7.1 U	7.2 U	2 U	2 U	2 U	2 U
delta-BHC	40	500000		1.9 U	7.1 U	7.2 U	2 U	2 U	2 U	2 U
Dieldrin	5	1400		3.7 U	7.1 U	7.2 U	3.8 U	3.9 U	3.8 U	3.8 U
Endosulfan I	2400	200000		1.9 U	7.1 U	7.2 U	2 U	2 U	2 U	2 U
Endosulfan II	2400	200000		3.7 U	7.1 U	7.2 U	3.8 U	3.9 U	3.8 U	3.8 U
Endosulfan sulfate	2400	200000		3.7 U	7.1 U	7.2 U	3.8 U	3.9 U	3.8 U	3.8 U
Endrin aldehyde	--	--		0.48 J p	7.1 U	7.2 U	3.3 J p	1.1 J	1 J p	2.2 J p
Endrin ketone	--	--		3.7 U	7.1 U	7.2 U	3.9	2.2 J	3.8 U	3.8 U
Endrin	14	89000		3.7 U	7.1 U	7.2 U	3.8 U	3.9 U	3.8 U	3.8 U
gamma-BHC (Lindane)	100	9200		1.9 U	7.1 U	7.2 U	2 U	2 U	2 U	2 U
gamma-Chlordane	--	--		1.9 U	7.1 U	7.2 U	2 U	2 U	2 U	2 U
Heptachlor epoxide	--	--		0.47 J p	7.1 U	7.2 U	2 U	2 U	2 U	2 U
Heptachlor	42	15000		1.9 U	7.1 U	7.2 U	0.37 J p	2 U	2 U	2 U
Methoxychlor	--	--		19 U	7.1 U	7.2 U	4.2 J p	20 U	20 U	20 U
Toxaphene	--	--		93 U	71 U	72 U	96 U	98 U	96 U	96 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-7 2/1/2011 0-2	GSB-7 2/1/2011 2-4	GSB-7 2/1/2011 8-10	GSB-08 2/2/2011 0-2	GSB-08 2/2/2011 2-4	GSB-8 2/2/2011 8-10	GSB-10 2/1/2011 0-2
4,4'-DDD	3.3	92000		3.6 U	1.4 J	3.5 U	3.7 U	3.8 U	3.5 U	3.5 U
4,4'-DDE	3.3	62000		3.6 U	1 J p	3.5 U	3.7 U	3.8 U	3.5 U	1.7 J p
4,4'-DDT	3.3	47000		9.9	9.6	3.5 U	3.7 U	3.6 J	3.5 U	7.1
Aldrin	5	680		1.9 U	1.8 U	1.8 U	1.9 U	2 U	1.8 U	1.8 U
alpha-BHC	20	3400		1.9 U	1.8 U	1.8 U	1.9 U	2 U	1.8 U	1.8 U
alpha-Chlordane	94	24000		1.9 U	1.8 U	1.8 U	1.9 U	2 U	1.8 U	1.8 U
beta-BHC	36	3000		6.9 p	2.1 p	1.8 U	0.77 J p	1.3 J p	1.8 U	1.8 U
delta-BHC	40	500000		1.5 J	1.8 U	1.8 U	1.9 U	2 U	1.8 U	1.8 U
Dieldrin	5	1400		3.6 U	3.5 U	3.5 U	3.7 U	3.8 U	3.5 U	3.5 U
Endosulfan I	2400	200000		1.9 U	1.8 U	1.8 U	1.9 U	2 U	1.8 U	1.8 U
Endosulfan II	2400	200000		3.6 U	3.5 U	3.5 U	3.7 U	3.8 U	3.5 U	3.5 U
Endosulfan sulfate	2400	200000		3.6 U	3.5 U	3.5 U	3.7 U	3.8 U	3.5 U	3.5 U
Endrin aldehyde	--	--		3.5 J p	3.8 p	3.5 U	3.7 U	3.8 U	3.5 U	6.5
Endrin ketone	--	--		6.8	5.3	3.5 U	3.7 U	3.8 U	3.5 U	5.1
Endrin	14	89000		4.2 p	3.5 p	3.5 U	0.99 J p	1.5 J p	3.5 U	3.6 p
gamma-BHC (Lindane)	100	9200		1.9 U	1.8 U	1.8 U	1.9 U	2 U	1.8 U	1.8 U
gamma-Chlordane	--	--		1.9 U	1.8 U	1.8 U	1.9 U	2 U	1.8 U	1.8 U
Heptachlor epoxide	--	--		1.9 U	2.2 p	1.8 U	1.9 U	2 U	1.8 U	1.8 U
Heptachlor	42	15000		1.9 U	1.8 U	1.8 U	1.9 U	2 U	1.8 U	1.8 U
Methoxychlor	--	--		19 U	4.7 J p	18 U	19 U	20 U	18 U	8.2 J
Toxaphene	--	--		91 U	89 U	89 U	92 U	96 U	88 U	87 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-10 2/1/2011 2-4	GSB-12 1/31/2011 0-2	GSB-12 1/31/2011 2-4	GSB-13 1/31/2011 0-2	GSB-13 1/31/2011 2-4	GSB-13A 1/31/2011 0-2	GSB-13A 1/31/2011 2-4
	Use	Commercial								
4,4'-DDD	3.3	92000		3.4 U	6.9 U	3.3 U	34 U	3.3 U	6.9 U	3.3 U
4,4'-DDE	3.3	62000		3.4 U	4.4 J p	3.3 U	23 J	3.3 U	6.9 U	3.3 U
4,4'-DDT	3.3	47000		3.4 U	4.9 J p	3.3 U	34 U	3.3 U	6.9 U	3.3 U
Aldrin	5	680		1.7 U	1.1 J p	1.7 U	18 U	1.7 U	3.5 U	1.7 U
alpha-BHC	20	3400		1.7 U	3.5 U	1.7 U	18 U	1.7 U	3.5 U	1.7 U
alpha-Chlordane	94	24000		1.7 U	2.2 J	0.49 J *	4.7 J *	1.7 U	3.5 U	1.7 U
beta-BHC	36	3000		1.7 U	3.5 U	1.7 U	18 U	1.7 U	3.5 U	1.7 U
delta-BHC	40	500000		1.7 U	3.5 U	1.7 U	18 U	1.7 U	3.5 U	1.7 U
Dieldrin	5	1400		3.4 U	1.4 J p	3.3 U	82	0.96 J p	6.9 U	3.3 U
Endosulfan I	2400	200000		1.7 U	3.5 U	1.7 U	18 U	1.7 U	3.5 U	1.7 U
Endosulfan II	2400	200000		3.4 U	6.9 U	3.3 U	34 U	3.3 U	6.9 U	3.3 U
Endosulfan sulfate	2400	200000		3.4 U	6.9 U	3.3 U	34 U	3.3 U	6.9 U	3.3 U
Endrin aldehyde	--	--		3.4 U	1.6 J p	3.3 U	24 J p	1.7 J p	1.7 J p	3.3 U
Endrin ketone	--	--		3.4 U	6.9 U	3.3 U	34 U	3.3 U	6.9 U	3.3 U
Endrin	14	89000		3.4 U	6.9 U	3.3 U	12 J p	3.3 U	6.9 U	3.3 U
gamma-BHC (Lindane)	100	9200		1.7 U	3.5 U	1.7 U	18 U	1.7 U	3.5 U	1.7 U
gamma-Chlordane	--	--		1.7 U	3.8	1.7 U	9.9 J p	1.7 U	3.5 U	1.7 U
Heptachlor epoxide	--	--		1.7 U	0.8 J p	1.7 U	4.1 J p	0.46 J	3.5 U	1.7 U
Heptachlor	42	15000		1.7 U	3.5 U	1.7 U	6.6 J	1.7 U	3.5 U	1.7 U
Methoxychlor	--	--		17 U	35 U	17 U	180 U	17 U	35 U	17 U
Toxaphene	--	--		85 U	170 U	83 U	870 U	84 U	170 U	84 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-17 1/31/2011 0-2	GSB-17 1/31/2011 2-4	GSB-18 2/3/2011 0-2	GSB-18 2/3/2011 2-4	GSB-30 2/1/2011 0-2	GSB-30 2/1/2011 2-4	GSB-30 DUP 2/1/2011 2-4
4,4'-DDD	3.3	92000		3.4 U	3.3 U	3.6 U	3.4 U	3.6 U	3.7 U	3.6 U
4,4'-DDE	3.3	62000		3.4 U	3.3 U	3.6 U	3.4 U	3.6 U	1.8 J p	2.1 J p
4,4'-DDT	3.3	47000		3.4 U	3.3 U	3.5 J	2.4 J	3.6 U	6.9	11
Aldrin	5	680		1.7 U	1.7 U	1.9 U	1.7 U	1.8 U	1.9 U	0.26 J p
alpha-BHC	20	3400		1.7 U	1.7 U	1.9 U	1.7 U	1.8 U	1.9 U	1.9 U
alpha-Chlordane	94	24000		0.36 J p	1.7 U	1.9 U	1.7 U	1.8 U	1.9 U	1.9 U
beta-BHC	36	3000		1.7 U	1.7 U	0.88 J p	1.7 U	1.8 U	1.9 U	1.9 U
delta-BHC	40	500000		1.7 U	1.7 U	1.9 U	1.7 U	1.8 U	1.9 U	1.9 U
Dieldrin	5	1400		3.4 U	3.3 U	3.6 U	3.4 U	3.6 U	3.7 U	3.6 U
Endosulfan I	2400	200000		1.7 U	1.7 U	1.9 U	1.7 U	1.8 U	1.9 U	1.9 U
Endosulfan II	2400	200000		3.4 U	3.3 U	3.6 U	3.4 U	3.6 U	3.7 U	3.6 U
Endosulfan sulfate	2400	200000		3.4 U	3.3 U	3.6 U	3.4 U	3.6 U	3.7 U	3.6 U
Endrin aldehyde	--	--		3.4 U	3.3 U	2.2 J	3.4 U	3.6 U	4.2 p	8.1
Endrin ketone	--	--		3.4 U	3.3 U	1.8 J p	3.4 U	3.6 U	3.9 p	4.2 p
Endrin	14	89000		3.4 U	3.3 U	2.9 J	3.4 U	3.6 U	2.6 J p	9.1 p
gamma-BHC (Lindane)	100	9200		1.7 U	1.7 U	1.9 U	1.7 U	1.8 U	1.9 U	1.9 U
gamma-Chlordane	--	--		1.7 U	1.7 U	1.9 U	1.7 U	1.8 U	1.9 U	1.9 U
Heptachlor epoxide	--	--		0.43 J	1.7 U	0.46 J p	1.7 U	1.8 U	1.9 U	1.9 U
Heptachlor	42	15000		1.7 U	1.7 U	1.9 U	1.7 U	1.8 U	1.1 J p	1.3 J p
Methoxychlor	--	--		17 U	17 U	19 U	17 U	18 U	19 U	5.2 J p
Toxaphene	--	--		84 U	84 U	91 U	85 U	90 U	93 U	91 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-30 2/1/2011 8-10	GSB-32 2/1/2011 0-2	GSB-32 2/1/2011 2-4	GSB-32 2/1/2011 8-10	GSB-32 DUP 2/1/2011 8-10	GSB-32E 2/2/2011 0-2	GSB-32E 2/2/2011 4-6
4,4'-DDD	3.3	92000		3.6 U	3.7 U	3.5 U	3.7 U	3.8 U	3.7 U	3.6 U
4,4'-DDE	3.3	62000		1 J p	3.7 U	3.5 U	3.7 U	3.8 U	3.7 U	3.6 U
4,4'-DDT	3.3	47000		5.5	3.7 U	3 J p	3.7 U	3.8 U	3.7 U	3.6 U
Aldrin	5	680		0.3 J p	1.9 U	1.8 U	1.9 U	1.9 U	1.9 U	1.9 U
alpha-BHC	20	3400		1.9 U	1.9 U	1.8 U	1.9 U	1.9 U	1.9 U	1.9 U
alpha-Chlordane	94	24000		1.9 U	1.9 U	1.8 U	1.9 U	1.9 U	1.9 U	1.9 U
beta-BHC	36	3000		1.9 U	2.9 p	1.8 U	2.8 p	1.1 J p	1.5 J	0.84 J p
delta-BHC	40	500000		1.9 U	1.9 U	1.8 U	1.9 U	1.9 U	1.9 U	1.9 U
Dieldrin	5	1400		3.6 U	3.7 U	3.5 U	3.7 U	3.8 U	3.7 U	3.6 U
Endosulfan I	2400	200000		1.9 U	1.9 U	1.8 U	1.9 U	1.9 U	1.9 U	1.9 U
Endosulfan II	2400	200000		3.6 U	3.7 U	1.1 J p	3.7 U	3.8 U	3.7 U	3.6 U
Endosulfan sulfate	2400	200000		3.6 U	3.7 U	3.5 U	3.7 U	3.8 U	3.7 U	3.6 U
Endrin aldehyde	--	--		5.2	3.7 U	3.2 J p	1.1 J p	0.83 J p	3.7 U	3.6 U
Endrin ketone	--	--		3.6 U	3.7 U	2.4 J p	3.7 U	3.8 U	3.7 U	3.6 U
Endrin	14	89000		4.2 p	3.7 U	1.3 J p	3.7 U	3.8 U	3.7 U	3.6 U
gamma-BHC (Lindane)	100	9200		1.9 U	1.9 U	1.8 U	1.9 U	1.9 U	1.9 U	1.9 U
gamma-Chlordane	--	--		1.9 U	1.9 U	1 J	0.77 J	1.9 U	1.9 U	1.9 U
Heptachlor epoxide	--	--		0.33 J p	1.9 U	0.72 J p	0.52 J p	1.9 U	1.9 U	1.9 U
Heptachlor	42	15000		0.85 J p	1.9 U	1.8 U	0.62 J p	1.9 U	1.9 U	1.9 U
Methoxychlor	--	--		19 U	19 U	6.8 J	19 U	19 U	19 U	19 U
Toxaphene	--	--		91 U	94 U	87 U	93 U	95 U	92 U	90 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-32N 2/2/2011 0-2	GSB-32N 2/2/2011 2-4	GSB-32S 2/2/2011 0-2	GSB-32S 2/2/2011 2-4	GSB-32W 2/3/2011 0-2	GSB-32W 2/3/2011 2-4	GSB-32W 2/3/2011 10-12
4,4'-DDD	3.3	92000		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
4,4'-DDE	3.3	62000		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
4,4'-DDT	3.3	47000		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
Aldrin	5	680		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	1.8 U
alpha-BHC	20	3400		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	1.8 U
alpha-Chlordane	94	24000		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	1.8 U
beta-BHC	36	3000		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	0.71 J p
delta-BHC	40	500000		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	1.8 U
Dieldrin	5	1400		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
Endosulfan I	2400	200000		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	1.8 U
Endosulfan II	2400	200000		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
Endosulfan sulfate	2400	200000		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
Endrin aldehyde	--	--		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
Endrin ketone	--	--		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
Endrin	14	89000		3.6 U	3.6 U	3.4 U	3.8 U	3.5 U	3.8 U	3.6 U
gamma-BHC (Lindane)	100	9200		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1 J p	1.8 U
gamma-Chlordane	--	--		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	1.8 U
Heptachlor epoxide	--	--		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	1.8 U
Heptachlor	42	15000		1.9 U	1.9 U	1.8 U	1.9 U	1.8 U	1.9 U	1.8 U
Methoxychlor	--	--		19 U	19 U	18 U	19 U	18 U	19 U	18 U
Toxaphene	--	--		91 U	91 U	86 U	95 U	89 U	95 U	90 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	GSB-33 2/2/2011 0-2	GSB-33 2/2/2011 2-4	GSB-33 2/2/2011 8-10	GSB-44 1/31/2011 0-2	GSB-44 1/31/2011 2-4	LP-1 11/15/2010 10-12	LP-1 11/15/2010 14-16
4,4'-DDD	3.3	92000		3.5 U	3.6 U	0.94 J	3.6 U	3.5 U	7 U	7 U
4,4'-DDE	3.3	62000		3.5 U	3.6 U	3.8 U	3.6 U	3.5 U	7 U	7 U
4,4'-DDT	3.3	47000		1.9 J p	4.1	1.4 J	3.6 U	3.5 U	7 U	7 U
Aldrin	5	680		1.8 U	1.9 U	0.89 J	1.9 U	1.8 U	7 U	7 U
alpha-BHC	20	3400		1.8 U	1.9 U	0.63 J	0.55 J p	1.8 U	7 U	7 U
alpha-Chlordane	94	24000		1.8 U	1.9 U	1.1 J	1.9 U	0.46 J *	7 U	7 U
beta-BHC	36	3000		1.8 U	1.4 J p	0.67 J p	1.9 U	1.8 U	7 U	7 U
delta-BHC	40	500000		1.8 U	1.9 U	0.7 J	1.9 U	1.8 U	7 U	7 U
Dieldrin	5	1400		3.5 U	3.6 U	1.2 J	3.6 U	3.5 U	7 U	7 U
Endosulfan I	2400	200000		1.8 U	1.9 U	1.2 J	1.9 U	1.8 U	7 U	7 U
Endosulfan II	2400	200000		3.5 U	3.6 U	1.2 J	3.6 U	3.5 U	7 U	7 U
Endosulfan sulfate	2400	200000		3.5 U	3.6 U	1 J p	3.6 U	3.5 U	7 U	7 U
Endrin aldehyde	--	--		3.5 U	3.6 U	0.63 J p	0.8 J p	3.5 U	7 U	7 U
Endrin ketone	--	--		3.5 U	2 J p	1.4 J	3.6 U	3.5 U	7 U	7 U
Endrin	14	89000		1.1 J p	2.1 J p	1.2 J	0.96 J p	3.5 U	7 U	7 U
gamma-BHC (Lindane)	100	9200		1.2 J p	1.9 U	0.84 J	1.9 U	1.8 U	7 U	7 U
gamma-Chlordane	--	--		1.8 U	1.9 U	1 J	1.9 U	1.8 U	7 U	7 U
Heptachlor epoxide	--	--		1.8 U	1.9 U	1.1 J	0.53 J	0.46 J	7 U	7 U
Heptachlor	42	15000		1.8 U	1.9 U	1 J	0.46 J p	1.8 U	7 U	7 U
Methoxychlor	--	--		18 U	19 U	19 U	19 U	18 U	7 U	7 U
Toxaphene	--	--		89 U	91 U	95 U	91 U	87 U	70 U	70 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-2	LP-2	LP-3	LP-3	LP-4	LP-4	LP-4
	Unrestricted	Restricted	Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	2/3/2011	11/15/2010	2/3/2011
	Use	Commercial	Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-11	14-16	14-16
4,4'-DDD	3.3	92000		13 p	6.9 U	6.9 U	7.1 U	1.2 J p	7 U	3.4 U
4,4'-DDE	3.3	62000		9.3	6.9 U	6.9 U	7.1 U	7	7 U	3.4 U
4,4'-DDT	3.3	47000		30	6.9 U	6.9 U	7.1 U	14 p	7 U	3.4 U
Aldrin	5	680		7 U	6.9 U	6.9 U	7.1 U	1.8 U	7 U	1.8 U
alpha-BHC	20	3400		7 U	6.9 U	6.9 U	7.1 U	1.8 U	7 U	1.8 U
alpha-Chlordane	94	24000		7 U	6.9 U	6.9 U	7.1 U	0.47 J	7 U	1.8 U
beta-BHC	36	3000		7 U	6.9 U	6.9 U	7.1 U	0.76 J p	7 U	1.8 U
delta-BHC	40	500000		7 U	6.9 U	6.9 U	7.1 U	1.8 U	7 U	1.8 U
Dieldrin	5	1400		7 U	6.9 U	6.9 U	7.1 U	2 J p	7 U	3.4 U
Endosulfan I	2400	200000		7 U	6.9 U	6.9 U	7.1 U	0.57 J p	7 U	1.8 U
Endosulfan II	2400	200000		7 U	6.9 U	6.9 U	7.1 U	3.6 U	7 U	3.4 U
Endosulfan sulfate	2400	200000		7 U	6.9 U	6.9 U	7.1 U	3.6 U	7 U	3.4 U
Endrin aldehyde	--	--		7 U	6.9 U	6.9 U	7.1 U	1.2 J p	7 U	3.4 U
Endrin ketone	--	--		7 U	6.9 U	6.9 U	7.1 U	3.6 U	7 U	3.4 U
Endrin	14	89000		7 U	6.9 U	6.9 U	7.1 U	0.83 J p	7 U	3.4 U
gamma-BHC (Lindane)	100	9200		7 U	6.9 U	6.9 U	7.1 U	1.8 U	7 U	1.8 U
gamma-Chlordane	--	--		7 U	6.9 U	6.9 U	7.1 U	2.6 p	7 U	1.8 U
Heptachlor epoxide	--	--		7 U	6.9 U	6.9 U	7.1 U	1.3 J p	7 U	1.8 U
Heptachlor	42	15000		7 U	6.9 U	6.9 U	7.1 U	1.8 U	7 U	1.8 U
Methoxychlor	--	--		7 U *	6.9 U	6.9 U	7.1 U	18 U	7 U	18 U
Toxaphene	--	--		70 U	69 U	69 U	71 U	90 U	70 U	86 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-5 11/15/2010 10-12	LP-5 11/15/2010 14-16	LP-6 11/15/2010 10-12	LP-6 11/15/2010 14-16	LP-7 11/15/2010 10-12	LP-7DUP 11/15/2010 10-12
4,4'-DDD	3.3	92000		7 U	7 U	5.6 J	6.9 U	6.9 U	6.9 U
4,4'-DDE	3.3	62000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
4,4'-DDT	3.3	47000		7.9	5.7 J	6.2 J	6.9 U	6.9 U	6.9 U
Aldrin	5	680		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
alpha-BHC	20	3400		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
alpha-Chlordane	94	24000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
beta-BHC	36	3000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
delta-BHC	40	500000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Dieldrin	5	1400		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Endosulfan I	2400	200000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Endosulfan II	2400	200000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Endosulfan sulfate	2400	200000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Endrin aldehyde	--	--		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Endrin ketone	--	--		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Endrin	14	89000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
gamma-BHC (Lindane)	100	9200		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
gamma-Chlordane	--	--		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Heptachlor epoxide	--	--		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Heptachlor	42	15000		7 U	7 U	6.9 U	6.9 U	6.9 U	6.9 U
Methoxychlor	--	--		7 U *	7 U *	6.9 U *	6.9 U	6.9 U	6.9 U
Toxaphene	--	--		70 U	70 U	69 U	69 U	69 U	69 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-7 11/15/2010 14-16	LP-8 11/15/2010 10-12	LP-8 11/15/2010 14-16	LP-9 11/15/2010 10-12	LP-9 11/15/2010 14-16	LP-10 11/15/2010 10-12
	Use	Commercial							
4,4'-DDD	3.3	92000		7 U	6.9 U	6.9 U	7 U	7 U	16
4,4'-DDE	3.3	62000		7 U	6.9 U	6.9 U	7 U	7 U	8.6
4,4'-DDT	3.3	47000		3.9 J	6.9 U	6.9 U	7 U	7 U	22
Aldrin	5	680		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
alpha-BHC	20	3400		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
alpha-Chlordane	94	24000		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
beta-BHC	36	3000		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
delta-BHC	40	500000		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
Dieldrin	5	1400		7 U	6.9 U	6.9 U	7 U	7 U	6.2 J p
Endosulfan I	2400	200000		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
Endosulfan II	2400	200000		7 U	6.9 U	6.9 U	7 U	7 U	8.1 p
Endosulfan sulfate	2400	200000		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
Endrin aldehyde	--	--		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
Endrin ketone	--	--		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
Endrin	14	89000		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
gamma-BHC (Lindane)	100	9200		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
gamma-Chlordane	--	--		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
Heptachlor epoxide	--	--		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
Heptachlor	42	15000		7 U	6.9 U	6.9 U	7 U	7 U	7.1 U
Methoxychlor	--	--		7 U *	6.9 U	6.9 U	7 U	7 U	7.1 U *
Toxaphene	--	--		70 U	69 U	69 U	70 U	70 U	71 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-10 11/15/2010 14-16	LP-11 11/15/2010 15-17	LP-11 11/15/2010 19-21	LP-12 11/15/2010 11-13	LP-12 11/15/2010 17-19	LP-13 11/15/2010 10-12
	Use	Commercial							
4,4'-DDD	3.3	92000		6.9 U	6.9 U	6.9 U	14	6.9 U	7.1 U
4,4'-DDE	3.3	62000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
4,4'-DDT	3.3	47000		4 J	6.9 U	6.9 U	19	6.9 U	7.1 U
Aldrin	5	680		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
alpha-BHC	20	3400		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
alpha-Chlordane	94	24000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
beta-BHC	36	3000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
delta-BHC	40	500000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Dieldrin	5	1400		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Endosulfan I	2400	200000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Endosulfan II	2400	200000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Endosulfan sulfate	2400	200000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Endrin aldehyde	--	--		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Endrin ketone	--	--		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Endrin	14	89000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
gamma-BHC (Lindane)	100	9200		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
gamma-Chlordane	--	--		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Heptachlor epoxide	--	--		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Heptachlor	42	15000		6.9 U	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Methoxychlor	--	--		6.9 U *	6.9 U	6.9 U	6.9 U	6.9 U	7.1 U
Toxaphene	--	--		69 U	69 U	69 U	69 U	69 U	71 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-13 11/15/2010 15-17	LP-14 11/15/2010 14-16	LP-15 2/3/2011 12-13	LP-15 11/16/2010 14-16	LP-15 2/3/2011 14-16	LP-16 11/16/2010 10-12	LP-16 11/16/2010 14-16
	Use	Commercial								
4,4'-DDD	3.3	92000		6.9 U	6.9 U	3.4 U	7 U	3.9 U	6.9 U	7 U
4,4'-DDE	3.3	62000		6.9 U	6.9 U	3.4 U	7 U	3.7 J p	6.9 U	7 U
4,4'-DDT	3.3	47000		6.9 U	6.9 U	3.4 U	7 U	3.9 U	6.9 U	7 U
Aldrin	5	680		6.9 U	6.9 U	0.47 J	7 U	3.3 p	6.9 U	7 U
alpha-BHC	20	3400		6.9 U	6.9 U	1.7 U	7 U	2 U	6.9 U	7 U
alpha-Chlordane	94	24000		6.9 U	6.9 U	1.7 U	7 U	2 U	6.9 U	7 U
beta-BHC	36	3000		140 p	6.9 U	1.7 U	7 U	2 U	6.9 U	7 U
delta-BHC	40	500000		6.9 U	6.9 U	1.7 U	7 U	2 U	6.9 U	7 U
Dieldrin	5	1400		6.9 U	6.9 U	3.4 U	7 U	3.9 U	6.9 U	7 U
Endosulfan I	2400	200000		6.9 U	6.9 U	1.7 U	7 U	2 U	6.9 U	7 U
Endosulfan II	2400	200000		6.9 U	6.9 U	3.4 U	7 U	3.9 U	6.9 U	7 U
Endosulfan sulfate	2400	200000		59 p	6.9 U	3.4 U	7 U	3.9 U	6.9 U	7 U
Endrin aldehyde	--	--		72 p	6.9 U	3.4 U	7 U	3.9 U	6.9 U	7 U
Endrin ketone	--	--		6.9 U	6.9 U	3.4 U	7 U	3.9 U	6.9 U	7 U
Endrin	14	89000		6.9 U	6.9 U	3.4 U	7 U	3.9 U	6.9 U	7 U
gamma-BHC (Lindane)	100	9200		6.9 U	6.9 U	1.7 U	7 U	2 U	6.9 U	7 U
gamma-Chlordane	--	--		91 p	6.9 U	1.7 U	7 U	4.2	6.9 U	7 U
Heptachlor epoxide	--	--		6.9 U	6.9 U	1.7 U	7 U	2 U	6.9 U	7 U
Heptachlor	42	15000		6.9 U	6.9 U	1.7 U	7 U	2 U	6.9 U	7 U
Methoxychlor	--	--		110	6.9 U	17 U	7 U	20 U	6.9 U	7 U
Toxaphene	--	--		69 U	69 U	85 U	70 U	98 U	69 U	70 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375	NYSDEC Part 375	Sample Designation:	LP-17	LP-17	LP-18	LP-18	LP-19	LP-19
	Unrestricted	Restricted	Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
	Use	Commercial	Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
4,4'-DDD	3.3	92000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
4,4'-DDE	3.3	62000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
4,4'-DDT	3.3	47000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Aldrin	5	680		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
alpha-BHC	20	3400		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
alpha-Chlordane	94	24000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
beta-BHC	36	3000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
delta-BHC	40	500000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Dieldrin	5	1400		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endosulfan I	2400	200000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endosulfan II	2400	200000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endosulfan sulfate	2400	200000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endrin aldehyde	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endrin ketone	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Endrin	14	89000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
gamma-BHC (Lindane)	100	9200		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
gamma-Chlordane	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Heptachlor epoxide	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Heptachlor	42	15000		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Methoxychlor	--	--		6.9 U	6.9 U	7 U	7 U	7 U	6.9 U
Toxaphene	--	--		69 U	69 U	70 U	70 U	70 U	69 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-20 11/16/2010 10-12	LP-20 11/16/2010 14-16	LP-21 11/16/2010 14-16	LP-21DUP 11/16/2010 14-16	LP-22 2/3/2011 12-13	LP-22 11/16/2010 14-16	LP-22 2/3/2011 14-16
	Use	Commercial								
4,4'-DDD	3.3	92000		10	5.1 J	7 U	7 U	3.4 U	22	3.5 U
4,4'-DDE	3.3	62000		5.8 J p	7 U	7 U	7 U	3.4 U	9.2	3.5 U
4,4'-DDT	3.3	47000		9.7	6 J	7 U	7 U	3.4 U	30	3.5 U
Aldrin	5	680		7.1 U	7 U	7 U	7 U	1.7 U	7 U	1.8 U
alpha-BHC	20	3400		7.1 U	7 U	7 U	7 U	1.7 U	7 U	1.8 U
alpha-Chlordane	94	24000		7.1 U	7 U	7 U	7 U	1.7 U	7 U	1.8 U
beta-BHC	36	3000		21 p	7 U	7 U	7 U	1.7 U	7 U	1.8 U
delta-BHC	40	500000		7.1 U	7 U	7 U	7 U	1.7 U	7 U	1.8 U
Dieldrin	5	1400		7.1 U	7 U	7 U	7 U	3.4 U	8.4 p	3.5 U
Endosulfan I	2400	200000		7.1 U	7 U	7 U	7 U	1.7 U	7 U	1.8 U
Endosulfan II	2400	200000		6.1 J p	7 U	7 U	7 U	3.4 U	7 U	3.5 U
Endosulfan sulfate	2400	200000		7.1 U	7 U	7 U	7 U	3.4 U	7 U	3.5 U
Endrin aldehyde	--	--		5.5 J	7 U	7 U	7 U	3.4 U	4.8 J	3.5 U
Endrin ketone	--	--		7.1 U	7 U	7 U	7 U	3.4 U	7 U	3.5 U
Endrin	14	89000		7.1 U	7 U	7 U	7 U	3.4 U	7 U	3.5 U
gamma-BHC (Lindane)	100	9200		7.1 U	7 U	7 U	7 U	1.7 U	7 U	1.8 U
gamma-Chlordane	--	--		7.1 U	7 U	7 U	7 U	1.7 U	5.3 J p	1.8 U
Heptachlor epoxide	--	--		7.1 U	7 U	7 U	7 U	0.46 J p	7 U	0.7 J p
Heptachlor	42	15000		7.1 U	7 U	7 U	7 U	1.7 U	7 U	1.8 U
Methoxychlor	--	--		7.1 U	7 U	7 U	7 U	17 U	7 U	18 U
Toxaphene	--	--		71 U	70 U	70 U	70 U	85 U	70 U	87 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-23 2/3/2011 12-13	LP-23 11/16/2010 14-16	LP-23 2/3/2011 14-16	LP-23DUP 11/16/2010 14-16	LP-24 11/16/2010 14-16	LP-25 11/16/2010 14-16	LP-26 2/3/2011 12-13
4,4'-DDD	3.3	92000		3.4 U	11	3.4 U	3.6 J p	7.4	9.1	3.5 U
4,4'-DDE	3.3	62000		14	7 U	2.2 J	7 U	7 U	7 U	63
4,4'-DDT	3.3	47000		3.4 U	15	3.4 U	7.2	9	12	3.5 U
Aldrin	5	680		1.8 U	7 U	1.7 U	7 U	7 U	7 U	1.8 U
alpha-BHC	20	3400		1.8 U	7 U	1.7 U	7 U	7 U	7 U	1.8 U
alpha-Chlordane	94	24000		1.2 J	7 U	1.7 U	7 U	7 U	7 U	2.4 p
beta-BHC	36	3000		1.8 U	7 U	1.7 U	7 U	7 U	7 U	1.8 U
delta-BHC	40	500000		1.8 U	7 U	1.7 U	7 U	7 U	7 U	1.8 U
Dieldrin	5	1400		5.5 p	6.2 J	0.82 J p	7 U	7 U	7 U	49 p
Endosulfan I	2400	200000		1.7 J p	7 U	1.7 U	7 U	7 U	7 U	4.7 p
Endosulfan II	2400	200000		1.7 J p	7 U	3.4 U	7 U	7 U	7 U	3.5 U
Endosulfan sulfate	2400	200000		3.4 U	7 U	3.4 U	7 U	7 U	7 U	2.6 J p
Endrin aldehyde	--	--		4.4 p	7 U	3.4 U	7 U	7 U	7 U	43 p
Endrin ketone	--	--		3.4 U	7 U	3.4 U	7 U	7 U	7 U	3.5 U
Endrin	14	89000		2.7 J p	7 U	3.4 U	7 U	7 U	7 U	18 p
gamma-BHC (Lindane)	100	9200		1.8 U	7 U	1.7 U	7 U	7 U	7 U	1.8 U
gamma-Chlordane	--	--		6.9 p	7 U	1.3 J p	7 U	7 U	7 U	28 p
Heptachlor epoxide	--	--		1.8 U	7 U	0.76 J p	7 U	7 U	7 U	13 p
Heptachlor	42	15000		1.8 U	7 U	1.7 U	7 U	7 U	7 U	1.8 U
Methoxychlor	--	--		18 U	7 U	17 U	7 U	7 U	7 U	18 U
Toxaphene	--	--		86 U	70 U	85 U	70 U	70 U	70 U	89 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-26 11/16/2010 14-16	LP-26 2/3/2011 14-16	LP-27 11/16/2010 14-16	LP-28 11/16/2010 14-16	LP-29 11/16/2010 10-12	LP-29 2/4/2011 10-12	LP-29 11/16/2010 14-16
4,4'-DDD	3.3	92000		5.8 J	3.8 U	6.9 U	7 U	6 J	3.3 U	6.9 U
4,4'-DDE	3.3	62000		7 U	16	6.9 U	7 U	6.9 U	3.3 U	6.9 U
4,4'-DDT	3.3	47000		7.8	69	6.9 U	7 U	6.9 U	3.3 U	6.9 U
Aldrin	5	680		7 U	1.9 U	6.9 U	7 U	6.9 U	1.7 U	6.9 U
alpha-BHC	20	3400		7 U	1.9 U	6.9 U	7 U	6.9 U	1.7 U	6.9 U
alpha-Chlordane	94	24000		7 U	0.69 J p	6.9 U	7 U	6.9 U	1.7 U	6.9 U
beta-BHC	36	3000		7 U	1.9 U	6.9 U	7 U	6.9 U	1.7 U *	6.9 U
delta-BHC	40	500000		7 U	1.9 U	6.9 U	7 U	6.9 U	1.7 U	6.9 U
Dieldrin	5	1400		7 U	9.3 p	6.9 U	7 U	6.9 U	3.3 U	6.9 U
Endosulfan I	2400	200000		7 U	1.5 J p	6.9 U	7 U	6.9 U	1.7 U	6.9 U
Endosulfan II	2400	200000		7 U	2.6 J p	6.9 U	7 U	6.9 U	3.3 U	6.9 U
Endosulfan sulfate	2400	200000		7 U	3.8 U	6.9 U	7 U	6.9 U	3.3 U	6.9 U
Endrin aldehyde	--	--		7 U	8.2 p	6.9 U	7 U	6.9 U	3.3 U	6.9 U
Endrin ketone	--	--		7 U	3.8 U	6.9 U	7 U	6.9 U	3.3 U	6.9 U
Endrin	14	89000		7 U	4.1 p	6.9 U	7 U	6.9 U	3.3 U	6.9 U
gamma-BHC (Lindane)	100	9200		7 U	1.9 U	6.9 U	7 U	6.9 U	1.7 U	6.9 U
gamma-Chlordane	--	--		7 U	7.5 p	6.9 U	7 U	6.9 U	1.7 U	6.9 U
Heptachlor epoxide	--	--		7 U	3.1 p	6.9 U	7 U	6.9 U	1.7 U	6.9 U
Heptachlor	42	15000		7 U	1.9 U	6.9 U	7 U	6.9 U	0.38 J	6.9 U
Methoxychlor	--	--		7 U	19 U	6.9 U	7 U	6.9 U	17 U	6.9 U
Toxaphene	--	--		70 U	94 U	69 U	70 U	69 U	84 U	69 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 5. Summary of Pesticides in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in µg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-29 2/4/2011 14-16	LP-29DUP 2/4/2011 14-16	LP-29 2/4/2011 15-16	LP-29 2/4/2011 18-20	MW-17A 2/1/2011 20-22	MW-20 11/17/2010 18-20	MW-21 1/31/2011 20-22'
4,4'-DDD	3.3	92000		3.4 U	3.5 U	0.76 J p	1.1 J	3.5 U	7.2 U	3.6 U
4,4'-DDE	3.3	62000		3.4 U	3.5 U	3.4 U	3.4 U	3.5 U	7.2 U	3.6 U
4,4'-DDT	3.3	47000		3.4 U	3.5 U	3.4 U	3.4 U	3.5 U	7.2 U	3.6 U
Aldrin	5	680		1.8 U	1.8 U	1.7 U	1.7 U	1.8 U	7.2 U	1.8 U
alpha-BHC	20	3400		1.8 U	1.8 U	1.7 U	1.7 U	1.8 U	7.2 U	1.8 U
alpha-Chlordane	94	24000		0.55 J	0.36 J	0.99 J	1 J	1.8 U	7.2 U	0.35 J *
beta-BHC	36	3000		1.8 U *	1.8 U *	1.7 U *	1.7 U *	1.8 U	7.2 U	1.8 U
delta-BHC	40	500000		1.8 U	1.8 U	1.7 U	1.7 U	1.8 U	7.2 U	1.8 U
Dieldrin	5	1400		3.4 U	3.5 U	3.4 U	3.4 U	3.5 U	7.2 U	3.6 U
Endosulfan I	2400	200000		1.8 U	1.8 U	1.7 U	1.7 U	1.8 U	7.2 U	1.8 U
Endosulfan II	2400	200000		3.4 U	3.5 U	3.4 U	3.4 U	3.5 U	7.2 U	3.6 U
Endosulfan sulfate	2400	200000		3.4 U	3.5 U	3.4 U	3.4 U	3.5 U	7.2 U	3.6 U
Endrin aldehyde	--	--		3.4 U	3.5 U	3.4 U	3.4 U	3.5 U	7.2 U	3.6 U
Endrin ketone	--	--		3.4 U	3.5 U	3.4 U	3.4 U	3.5 U	7.2 U	3.6 U
Endrin	14	89000		3.4 U	3.5 U	3.4 U	3.4 U	3.5 U	7.2 U	3.6 U
gamma-BHC (Lindane)	100	9200		1.8 U	1.8 U	1.7 U	1.7 U	1.8 U	7.2 U	1.8 U
gamma-Chlordane	--	--		0.85 J p	1.8 U	0.61 J p	0.57 J p	1.8 U	7.2 U	1.8 U
Heptachlor epoxide	--	--		1.8 U	1.8 U	0.31 J p	1.7 U	1.8 U	7.2 U	1.8 U
Heptachlor	42	15000		1.8 U	0.37 J p	1.7 U	1.7 U	1.8 U	7.2 U	1.8 U
Methoxychlor	--	--		18 U	18 U	17 U	17 U	18 U	7.2 U	18 U
Toxaphene	--	--		86 U	87 U	85 U	85 U	87 U	72 U	90 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

p - The %RPD between the primary and confirmation column/detector is >40%.

The lower value has been reported

*- Laboratory Control Sample (LCS) or LCS Duplicate exceeds the control limits

DUP - Duplicate sample

µg/kg - Micrograms per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

**Table 6. Summary of Petroleum Hydrocarbons in Soil, Former Avis Headquarters
900 Old Country Road, Garden City, New York**

Sample Designation	Sample Date	Sample Depth	Diesel Range Organics (mg/kg)	Gasoline Range Organics (mg/kg)
DW-1	11/17/2010	8.5-10.5	27	2.5 U
DW-1	11/17/2010	14.5-16.5	18 U	2.4 U
DW-2	11/17/2010	9-11	49	2.7 U
DW-2	2/4/2011	9-11	690	2.6 U
DW-2	11/17/2010	15-17	960	2.4 U
DW-2	2/4/2011	15-17	220	2.5 U
DW-2	2/4/2011	18-20	220	2.6 U
DW-14	11/17/2010	10-12	38	2.6 U
DW-14	11/17/2010	14-16	18 U	2.5 U
DW-15	11/17/2010	10-12	550	2.6 U
DW-15	11/17/2010	14-16	20 U	2.8 U
DW-16	11/17/2010	6-8	18 U	7.5
DW-16	11/17/2010	12-14	18 U	2.6 U
DW-19	2/4/2011	13-14	20 U	2.9 U
DW-19	2/4/2011	18-19	20	2.8 U
DW-20	2/4/2011	19-20	210	2.8 U
DW-20	2/4/2011	24-25	19 U	2.8 U
DW-21	2/4/2011	14-15	19 U	2.4 U
DW-21	2/4/2011	19-20	19 U	2.8 U
DW-22	11/17/2010	10-12	18 U	2.3 U
DW-22	11/17/2010	14-16	18 U	2.3 U
GSB-4	2/1/2011	0-2	130	2.9 U
GSB-4	2/1/2011	2-4	53	2.7 U
GSB-05	2/1/2011	0-2	29	2.4 U
GSB-05	2/1/2011	2-4	66	2.8 U
GSB-7	2/1/2011	0-2	300	2.5 U
GSB-7	2/1/2011	2-4	170	2.5 U
GSB-08	2/2/2011	0-2	90	2.8 U
GSB-08	2/2/2011	2-4	78	2.5 U
GSB-10	2/1/2011	0-2	320	2.6 U
GSB-10	2/1/2011	2-4	530	2.5 U
GSB-12	1/31/2011	0-2	66	6.2
GSB-12	1/31/2011	2-4	17 U	2.3 U
GSB-13	1/31/2011	0-2	420	2.3 U
GSB-13	1/31/2011	2-4	19	2.2 U
GSB-13A	1/31/2011	0-2	39	2.4 U
GSB-13A	1/31/2011	2-4	17 U	2.4 U
GSB-17	1/31/2011	0-2	17 U	2.5 U
GSB-17	1/31/2011	2-4	17 U	2.2 U
GSB-18	2/3/2011	0-2	550	2.6 U
GSB-18	2/3/2011	2-4	23	2.5 U
GSB-30	2/1/2011	0-2	19 U	2.6 U
GSB-30	2/1/2011	2-4	180	2.4 U
GSB-30DUP	2/1/2011	2-4	190	2.3 U
GSB-32	2/1/2011	0-2	19 U	2.8 U
GSB-32	2/1/2011	2-4	190	2.6 U
GSB-32	2/1/2011	8-10	6500	2.5 U
GSB-32DUP	2/1/2011	8-10	270	2.8 U
GSB-32E	2/2/2011	0-2	35	2.5 U
GSB-32E	2/2/2011	4-6	18 U	2.5 U

**Table 6. Summary of Petroleum Hydrocarbons in Soil, Former Avis Headquarters
900 Old Country Road, Garden City, New York**

Sample Designation	Sample Date	Sample Depth	Diesel Range Organics (mg/kg)	Gasoline Range Organics (mg/kg)
GSB-32N	2/2/2011	0-2	25	2.4 U
GSB-32N	2/2/2011	2-4	34	2.8 U
GSB-32S	2/2/2011	0-2	18 U	2.4 U
GSB-32S	2/2/2011	2-4	20 U	2.5 U
GSB-32W	2/3/2011	0-2	18 U	2.5 U
GSB-32W	2/3/2011	2-4	68	2.6 U
GSB-32W	2/3/2011	10-12	100	2.4 U
GSB-33	2/2/2011	0-2	73	2.3 U
GSB-33	2/2/2011	2-4	89	2.5 U
GSB-44	1/31/2011	0-2	24	2.5 U
GSB-44	1/31/2011	2-4	18 U	2.5 U
LP-1	11/15/2010	10-12	18 U	2.4 U
LP-1	11/15/2010	14-16	18 U	2.5 U
LP-2	11/15/2010	10-12	40	2.6 U H
LP-2	11/15/2010	14-16	18 U	2.2 U H
LP-3	11/15/2010	10-12	18 U	2.3 U
LP-3	11/15/2010	14-16	18 U	2.5 U
LP-4	2/3/2011	10-11	190	2.5 U
LP-4	11/15/2010	14-16	18 U	2.5 U H
LP-4	2/3/2011	14-16	17 U	2.2 U
LP-5	11/15/2010	10-12	18 U	2.4 U H
LP-5	11/15/2010	14-16	18 U	2.3 U H
LP-6	11/15/2010	10-12	18 U	2.4 U H
LP-6	11/15/2010	14-16	18 U	2.4 U H
LP-7	11/15/2010	10-12	17 U	2.3 U H
LP-7DUP	11/15/2010	10-12	18 U	2.4 U H
LP-7	11/15/2010	14-16	18 U	2.4 U H
LP-8	11/15/2010	10-12	18 U	2.5 U H
LP-8	11/15/2010	14-16	18 U	2.3 U H
LP-9	11/15/2010	10-12	18 U	2.5 U H
LP-9	11/15/2010	14-16	18 U	2.3 U H
LP-10	11/15/2010	10-12	18 U	2.3 U H
LP-10	11/15/2010	14-16	18 U	2.2 U H
LP-11	11/15/2010	15-17	18 U	2.3 U H
LP-11	11/15/2010	19-21	18 U	2.3 U H
LP-12	11/15/2010	11-13	32	2.3 U H
LP-12	11/15/2010	17-19	18 U	2.3 U H
LP-13	11/15/2010	10-12	18 U	2.5 U H
LP-13	11/15/2010	15-17	18 U	2.4 U H
LP-14	11/15/2010	14-16	18 U	2.5 U H
LP-15	2/3/2011	12-13	17 U	2.4 U
LP-15	11/16/2010	14-16	18 U	2.4 U
LP-15	2/3/2011	14-16	20 U	2.6 U
LP-16	11/16/2010	10-12	18 U	2.2 U
LP-16	11/16/2010	14-16	28	2.4 U
LP-17	11/16/2010	10-12	18 U	2.5 U
LP-17	11/16/2010	14-16	18 U	2.3 U
LP-18	11/16/2010	10-12	18 U	2.5 U
LP-18	11/16/2010	14-16	18 U	2.3 U
LP-19	11/16/2010	10-12	18 U	2.4 U

**Table 6. Summary of Petroleum Hydrocarbons in Soil, Former Avis Headquarters
900 Old Country Road, Garden City, New York**

Sample Designation	Sample Date	Sample Depth	Diesel Range Organics (mg/kg)	Gasoline Range Organics (mg/kg)
LP-19	11/16/2010	14-16	18 U H	2.4 U
LP-20	11/16/2010	10-12	280	2.6 U
LP-20	11/16/2010	14-16	24	2.3 U
LP-21	11/16/2010	14-16	18 U	2.5 U
LP-21DUP	11/16/2010	14-16	18 U	2.5 U
LP-22	2/3/2011	12-13	17 U	2.5 U
LP-22	11/16/2010	14-16	100	2.4 U
LP-22	2/3/2011	14-16	18 U	2.5 U
LP-23	2/3/2011	12-13	18 U	2.2 U
LP-23	11/16/2010	14-16	18 U	2.5 U
LP-23DUP	11/16/2010	14-16	18 U	2.4 U
LP-23	2/3/2011	14-16	17 U	2.3 U
LP-24	11/16/2010	14-16	18 U	2.5 U
LP-25	11/16/2010	14-16	18 U	2.4 U
LP-26	2/3/2011	12-13	60	2.7 U
LP-26	11/16/2010	14-16	18 U	2.5 U
LP-26	2/3/2011	14-16	19 U	2.9 U
LP-27	11/16/2010	14-16	18 U	2.3 U
LP-28	11/16/2010	14-16	18 U	2.3 U
LP-29	11/16/2010	10-12	18 U	2.3 U
LP-29	2/4/2011	10-12	18 U	2.2 U
LP-29	11/16/2010	14-16	17 U	2.3 U
LP-29	2/4/2011	14-16	18 U	2.4 U
LP-29DUP	2/4/2011	14-16	110	2.5 U
LP-29	2/4/2011	15-16	18 U	2.3 U
LP-29	2/4/2011	18-20	18 U	2.3 U
MW-17A	2/1/2011	20-22	18 U	2.6 U
MW-20	11/17/2010	18-20	18 U	2.3 U
MW-21	1/31/2011	20-22	18 U	2.6 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

H - Sample was prepped or analyzed beyond the specified holding time

DUP - Duplicate sample

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Restricted Commercial Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Shaded data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-1	DW-1	DW-2	DW-2	DW-2	DW-2
			Sample Date:	11/17/2010	11/17/2010	11/17/2010	2/4/2011	11/17/2010	2/4/2011
			Sample Depth (ft bls):	8.5-10.5	14.5-16.5	9-11	9-11	15-17	15-17
Chromium, Hexavalent	1	400		NA	NA	NA	1.1 U	NA	1.1 U
Chromium, Trivalent	30	1500		NA	NA	NA	7.8	NA	4.8
Cyanide, Free	27	27		0.552 U	0.54 U	0.563 U	0.35 J	0.468 J	0.45 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-2	DW-14	DW-14	DW-15	DW-15	DW-16
			Sample Date:	2/4/2011	11/17/2010	11/17/2010	11/17/2010	11/17/2010	11/17/2010
			Sample Depth (ft bls):	18-20	10-12	14-16	10-12	14-16	12-14
Chromium, Hexavalent	1	400		1.1 U	NA	NA	NA	NA	NA
Chromium, Trivalent	30	1500		4.9	NA	NA	NA	NA	NA
Cyanide, Free	27	27		0.22 J	0.21 J	0.544 U	0.57 U	0.581 U	0.534 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-16	DW-19	DW-19	DW-20	DW-20	DW-21	DW-21
			Sample Date:	11/17/2010	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/4/2011	2/4/2011
			Sample Depth (ft bls):	6-8	13-14	18-19	19-20	24-25	14-15	19-20
Chromium, Hexavalent	1	400		NA	1.1 U	1 U	1.2 U	1.1 U	1.1 U	1.1 U
Chromium, Trivalent	30	1500		NA	9	3.2	8.8	3.5	7.2	3.2
Cyanide, Free	27	27		0.529 U	0.16 J	0.56 U	0.44 J	0.57 U	0.56 U	0.57 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	DW-22	DW-22	GSB-4	GSB-4	GSB-05	GSB-05	GSB-7
			Sample Date:	11/17/2010	11/17/2010	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	10-12	14-16	0-2	2-4	0-2	2-4	0-2
Chromium, Hexavalent	1	400		NA	NA	1.2 U	1.1 U	1.2 U	1.1 U	1.1 U
Chromium, Trivalent	30	1500		NA	NA	14.8	9.3	20.4	15.4	12.3
Cyanide, Free	27	27		0.53 U	0.539 U	0.59 U	0.61 U	0.58 U	0.59 U	0.56 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-7	GSB-08	GSB-08	GSB-10	GSB-10	GSB-12	GSB-12
			Sample Date:	2/1/2011	2/2/2011	2/2/2011	2/1/2011	2/1/2011	1/31/2011	1/31/2011
			Sample Depth (ft bls):	2-4	0-2	2-4	0-2	2-4	0-2	2-4
Chromium, Hexavalent	1	400		1.1 U	1.1 U	1.2 U	1.1 U	1 U	1.1 U	0.99 U
Chromium, Trivalent	30	1500		10.9	13	13.1	12.8	9.4	7.6	7
Cyanide, Free	27	27		0.55 U	0.56 U	0.58 U	0.53 U	0.16 J	0.53 U	0.51 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:		GSB-13	GSB-13	GSB-13A	GSB-13A	GSB-17	GSB-17
			Sample Date:		1/31/2011	1/31/2011	1/31/2011	1/31/2011	1/31/2011	1/31/2011
			Sample Depth (ft bls):		0-2	2-4	0-2	2-4	0-2	2-4
Chromium, Hexavalent	1	400			1 U	0.99 U	1 U	1 U	0.96 U	1 U
Chromium, Trivalent	30	1500			8.2	5.9	7.4	11.7	17.3	8
Cyanide, Free	27	27			0.53 U	0.51 U	0.53 U	0.51 U	0.51 U	0.51 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-18	GSB-18	GSB-30	GSB-30	GSB-30DUP	GSB-32	GSB-32
			Sample Date:	2/3/2011	2/3/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011	2/1/2011
			Sample Depth (ft bls):	0-2	2-4	0-2	2-4	2-4	0-2	2-4
Chromium, Hexavalent	1	400		1.1 U	0.99 U	1.1 U	1.1 U	1.1 U	1.1 U	1.8
Chromium, Trivalent	30	1500		9.5	5.8	13.2	12.2	10.9	16.1	16.2
Cyanide, Free	27	27		0.55 U	0.52 U	0.55 U	0.56 U	0.55 U	0.57 U	0.53 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	GSB-32	GSB-32DUP	GSB-32E	GSB-32E	GSB-32N	GSB-32N
			Sample Date:	2/1/2011	2/1/2011	2/2/2011	2/2/2011	2/2/2011	2/2/2011
			Sample Depth (ft bls):	8-10	8-10	0-2	4-6	0-2	2-4
Chromium, Hexavalent	1	400		1.1 U	1.1 U	1.1 U	1.1 U	1.1 U	1.1 U
Chromium, Trivalent	30	1500		18.7	20.4	8.6	17.2	9.2	13.8
Cyanide, Free	27	27		0.57 U	0.58 U	0.56 U	0.55 U	0.14 J	0.56 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC	NYSDEC								
	Part 375	Part 375	Sample Designation:	GSB-32S	GSB-32S	GSB-32W	GSB-32W	GSB-32W	GSB-33	GSB-33
	Unrestricted	Restricted	Sample Date:	2/2/2011	2/2/2011	2/3/2011	2/3/2011	2/3/2011	2/2/2011	2/2/2011
	Use	Commercial	Sample Depth (ft bls):	0-2	2-4	0-2	10-12	2-4	0-2	2-4
Chromium, Hexavalent	1	400		1.1 U	1.2 U	1 U	1 U	1.1 U	1.1 U	1.1 U
Chromium, Trivalent	30	1500		13.9	13.7	10	26	12	15.6	9.4
Cyanide, Free	27	27		0.52 U	0.58 U	0.54 U	0.54 U	0.57 U	0.55 U	0.55 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:		Sample Date:		Sample Depth (ft bls):			
			GSB-44	GSB-44	LP-1	LP-1	LP-2	LP-2		
			1/31/2011	1/31/2011	11/15/2010	11/15/2010	11/15/2010	11/15/2010		
			0-2	2-4	10-12	14-16	10-12	14-16		
Chromium, Hexavalent	1	400	1.1 U	1.1 U	NA	NA	NA	NA		
Chromium, Trivalent	30	1500	8.3	13.1	NA	NA	NA	NA		
Cyanide, Free	27	27	0.55 U	0.53 U	0.52 U	0.52 U	0.524 U	0.52 U		

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-3 11/15/2010 10-12	LP-3 11/15/2010 14-16	LP-4 2/3/2011 10-11	LP-4 11/15/2010 14-16	LP-4 2/3/2011 14-16	LP-5 11/15/2010 10-12
	Part 375	Part 375							
	Unrestricted	Restricted							
	Use	Commercial							
Chromium, Hexavalent	1	400		NA	NA	1.1 U	NA	1 U	NA
Chromium, Trivalent	30	1500		NA	NA	10.2	NA	3.5	NA
Cyanide, Free	27	27		0.517 U	0.529 U	0.54 U	0.525 U	0.52 U	0.525 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-5	LP-6	LP-6	LP-7	LP-7DUP	LP-7
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	14-16	10-12	14-16	10-12	10-12	14-16
Chromium, Hexavalent	1	400		NA	NA	NA	NA	NA	NA
Chromium, Trivalent	30	1500		NA	NA	NA	NA	NA	NA
Cyanide, Free	27	27		0.523 U	0.519 U	0.517 U	0.514 U	0.517 U	0.524 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-8	LP-8	LP-9	LP-9	LP-10	LP-10
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
Chromium, Hexavalent	1	400		NA	NA	NA	NA	NA	NA
Chromium, Trivalent	30	1500		NA	NA	NA	NA	NA	NA
Cyanide, Free	27	27		0.516 U	0.519 U	0.524 U	0.523 U	0.529 U	0.518 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-11	LP-11	LP-12	LP-12	LP-13	LP-13
			Sample Date:	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010	11/15/2010
			Sample Depth (ft bls):	15-17	19-21	11-13	17-19	10-12	15-17
Chromium, Hexavalent	1	400		NA	NA	NA	NA	NA	NA
Chromium, Trivalent	30	1500		NA	NA	NA	NA	NA	NA
Cyanide, Free	27	27		0.517 U	0.516 U	0.515 U	0.517 U	0.53 U	0.518 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-14	LP-15	LP-15	LP-15	LP-16	LP-16
			Sample Date:	11/15/2010	11/16/2010	2/3/2011	2/3/2011	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	14-16	12-13	14-16	10-12	14-16
Chromium, Hexavalent	1	400		NA	NA	1 U	1.1 U	NA	NA
Chromium, Trivalent	30	1500		NA	NA	1.5	2.1	NA	NA
Cyanide, Free	27	27		0.519 U	0.522 U	0.52 U	0.59 U	0.519 U	0.523 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-17	LP-17	LP-18	LP-18	LP-19	LP-19
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	10-12	14-16
Chromium, Hexavalent	1	400		NA	NA	NA	NA	NA	NA
Chromium, Trivalent	30	1500		NA	NA	NA	NA	NA	NA
Cyanide, Free	27	27		0.519 U	0.518 U	0.525 U	0.523 U	0.525 U	0.515 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-20	LP-20	LP-21	LP-21DUP	LP-22	LP-22
			Sample Date:	11/16/2010	11/16/2010	11/16/2010	11/16/2010	11/16/2010	2/3/2011
			Sample Depth (ft bls):	10-12	14-16	14-16	14-16	14-16	12-13
Chromium, Hexavalent	1	400		NA	NA	NA	NA	NA	1 U
Chromium, Trivalent	30	1500		NA	NA	NA	NA	NA	3.6
Cyanide, Free	27	27		0.531 U	0.52 U	0.526 U	0.525 U	0.52 U	0.52 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC	NYSDEC	Sample Designation: Sample Date: Sample Depth (ft bls):	LP-22 2/3/2011 14-16	LP-23 11/16/2010 14-16	LP-23 2/3/2011 12-13	LP-23 2/3/2011 14-16	LP-23DUP 11/16/2010 14-16	LP-24 11/16/2010 14-16
	Part 375	Part 375							
	Unrestricted	Restricted							
	Use	Commercial							
Chromium, Hexavalent	1	400		1.1 U	NA	1 U	1 U	NA	NA
Chromium, Trivalent	30	1500		10.6	NA	3.9	16.7	NA	NA
Cyanide, Free	27	27		0.53 U	0.523 U	0.52 U	0.52 U	0.523 U	0.521 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-25	LP-26	LP-26	LP-26	LP-27	LP-28
			Sample Date:	11/16/2010	11/16/2010	2/3/2011	2/3/2011	11/16/2010	11/16/2010
			Sample Depth (ft bls):	14-16	14-16	12-13	14-16	14-16	14-16
Chromium, Hexavalent	1	400		NA	NA	1 U	1.1 U	NA	NA
Chromium, Trivalent	30	1500		NA	NA	122	16.5	NA	NA
Cyanide, Free	27	27		0.52 U	0.522 U	0.54 U	0.58 U	0.519 U	0.34 J

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC Part 375 Unrestricted Use	NYSDEC Part 375 Restricted Commercial	Sample Designation:	LP-29	LP-29	LP-29	LP-29	LP-29DUP	LP-29
			Sample Date:	11/16/2010	11/16/2010	2/4/2011	2/4/2011	2/4/2011	2/4/2011
			Sample Depth (ft bls):	10-12	14-16	10-12	14-16	14-16	15-16
Chromium, Hexavalent	1	400		NA	NA	1 U	1 U	1 U	1 U
Chromium, Trivalent	30	1500		NA	NA	4.2	6.6	10.4	4.6
Cyanide, Free	27	27		9.37	0.711	0.15 J	0.37 J	1.1	20.5

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 7. Summary of General Chemistry in Soil, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Parameter (Concentrations in mg/kg)	NYSDEC	NYSDEC	Sample Designation:	LP-29	MW-17A	MW-20	MW-21
	Part 375	Part 375					
	Unrestricted	Restricted					
	Use	Commercial					
			Sample Date:	2/4/2011	2/1/2011	11/17/2010	1/31/2011
			Sample Depth (ft bls):	18-20	20-22	18-20	20-22
Chromium, Hexavalent	1	400		1 U	1.1 U	NA	1 U
Chromium, Trivalent	30	1500		3.4	2.7	NA	5.2
Cyanide, Free	27	27		0.47 J	0.53 U	0.535 U	0.54 U

Notes:

J - Estimated value

U - Indicates that the compound was analyzed for but not detected

mg/kg - Milligrams per kilogram

ft bls - Feet below land surface

DUP - Duplicate

NYSDEC - New York State Department of Environmental Conservation

-- No NYSDEC Part 375 Standards available

Bold data indicates that parameter was detected above the NYSDEC Part 375

Unrestricted Use Standards

Boxed data indicates that parameter was detected above the NYSDEC Part 375

Restricted Commercial Standards

Table 8. Analytical Methods/Quality Assurance Summary Table, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Sample Matrix	Target Analytes	Analysis Method	Field Samples	Replicates ¹	Trip Blanks ²	Field Blanks ³	Matrix Spikes ⁴	Spike Duplicates ⁴	Total No. of Samples	Sample Preservation	Container Type	Sample Holding Time
Soil	PCBs	USEPA SW-846 Method 8082	27	2	0	10	2	2	43	Cool to 4°C	8 oz glass with Teflon lined lid	14 Days to Extract; 40 days for analysis
Soil	Pesticides	USEPA SW-846 Method 8081A	77	4	0	10	4	4	99	Cool to 4°C	4 or 8 oz glass with Teflon lined lid	14 Days to Extract; 40 days for analysis
Soil	SVOCs	USEPA SW-846 Method 8270C	71	4	0	10	4	4	93	Cool to 4°C	8 oz glass with Teflon lined lid	14 Days to Extract; 40 days for analysis
Soil	Metals	USEPA SW-846 Method 6020	40	2	0	10	2	2	56	Cool to 4°C	8 oz glass with Teflon lined lid	6 Months
Soil	Metals- Hexavalent Chromium	USEPA SW-846 Method 7196A	5	1	0	10	1	1	18	Cool to 4°C	4 oz glass with Teflon lined lid	24 hours

Notes:

¹ Based on 1 per 20 samples or 1 per Sample Delivery Group (3 days max)

² Trip blanks are not required as no samples will be collected for volatiles analysis

³ Based on 1 per day

⁴ Based on 1 per 20 samples or 1 per Sample Delivery Group (3 days max)

USEPA - United States Environmental Protection Agency

PCBs - Polychlorinated Biphenyls

SVOCs - Semivolatile Organic Compounds

°C – Degrees Celsius

Table 9. Leach Pool / Drywell Soil Removal, Former Avis Headquarters, 900 Old Country Road, Garden City, New York

Drywell ID	Depth to Bottom of Drywell	Interval to remove from within drywell	Target Analytes
LP-1	10	No Action Needed	NA
LP-2/DW-23	7	top 6'	TAL metals, TCL PCBs, TCL pesticides
LP-3	10	No Action Needed	NA
LP-4	10	top 2'	TAL metals, TCL PCBs, TCL pesticides
LP-5	10	top 7'	TCL pesticides
LP-6	10	top 3'	TCL pesticides
LP-7	10	top 7'	TCL pesticides
LP-8	10	No Action Needed	NA
LP-9	10	top 3'	TAL metals
LP-10	10	top 7'	TCL PCBs, TCL pesticides
LP-11	13	No Action Needed	NA
LP-12	11	top 3'	TCL PCBs, TCL pesticides
LP-13	10	top 8'	TCL pesticides
LP-14	10	top 4'	TCL PCBs
LP-15/DW-24	10	top 7'	TAL metals, TCL PCBs, TCL pesticides
LP-16	10	No Action Needed	NA
LP-17	10	No Action Needed	NA
LP-18	10	No Action Needed	NA
LP-19	10	top 7'	TAL metals
LP-20	10	top 7'	TCL BNA/SVOCs+20, TCL pesticides
LP-21/DW-26	10	top 4'	TAL metals, TCL PCBs, TCL BNA/SVOCs+20
LP-22	10	top 7'	TAL metals, TCL PCBs, TCL pesticides
LP-23	10	top 7'	TAL metals, TCL PCBs, TCL pesticides
LP-24	10	top 7'	TCL PCBs, TCL pesticides
LP-25	10	top 7'	TAL metals, TCL PCBs, TCL pesticides
LP-26	10	top 8'	TAL metals, TCL PCBs, TCL pesticides
LP-27	10	top 7'	TAL metals, TCL PCBs, TCL BNA/SVOCs+20
LP-28/DW-25	10	top 7'	TAL metals
LP-29	10	top 11'	TAL metals, TCL pesticides
DW-1	8.5*	top 2'	TAL metals, TCL BNA/SVOCs+20
DW-2	9*	top 12'	TAL metals, TCL pesticides, TCL BNA/SVOCs+20
DW-14	10	top 4'	TAL metals, TCL BNA/SVOCs+20
DW-15	10	top 3'	TCL BNA/SVOCs+20
DW-16	1.5	top 11'	TCL BNA/SVOCs+20
DW-19	10	top 9'	TAL metals, TCL BNA/SVOCs+20
DW-20	16	top 5'	TAL metals, TCL pesticides, TCL BNA/SVOCs+20
DW-21	11	top 9'	TAL metals, TCL BNA/SVOCs+20
DW-22	1.5	top 9'	TAL metals, TCL BNA/SVOCs+20

Notes:

* Depth to bottom encountered during Roux Associates investigation,
soil removal will proceed to 10.5 feet in DW-1 and 21 feet in DW-2

NA- Not applicable



TCL- Target Compound List

TAL- Target Analyte List

PCBs- Polychlorinated Biphenyls

BNA- Base neutral/Acid

SVOCs- Semivolatile Organic Compounds



Title:

SITE LOCATION MAP

FORMER AVIS HEADQUARTERS PROPERTY
900 OLD COUNTRY ROAD
GARDEN CITY, NY 11530

Prepared for:

EQUITY ONE, INC.




ROUX ASSOCIATES, INC.
Environmental Consulting
& Management

Compiled by: B.H.	Date: 25FEB11
Prepared by: G.M.	Scale: AS SHOWN
Project Mgr.: C.W.	Project No.: 192401Y
File: 1924.0001Y109R.02.CDR	

FIGURE

1

V:\CAD\PROJECTS\1924\0001Y109R2\1924.0001Y109R2.01.DWG



Title: PROPOSED IRM EXCAVATION PLAN FORMER AVIS HEADQUARTERS PROPERTY 900 OLD COUNTRY ROAD GARDEN CITY, NY, 11530			
Prepared For: EQUITY ONE, INC.			
ROUX ROUX ASSOCIATES, INC. Environmental Consulting and Management	Compiled by: W.M.	Date: 15APR11	FIGURE 2
	Prepared by: J.A.D.	Scale: AS SHOWN	
	Project Mgr: C.W.	Project: 1924.0001Y000	
	File: 1924.0001Y109R2.01		



GSB-30	2/1/11	2/1/11	2/1/11
Depth	0-2'	2-4'	8-10'
Metals			
Mercury	NE	0.35	0.34
Pesticides			
4,4'-DDT	NE	6.9	5.5
SVOCs			
Benzo[a]anthracene	NE	1600	1600
Benzo[a]pyrene	NE	1500	1600
Benzo[b]fluoranthene	NE	1400	1700
Chrysene	NE	1600	1600
Indeno[1,2,3-cd]pyrene	NE	1200	1200

GSB-07	2/1/11	2/1/11	2/1/11
Depth	0-2'	2-4'	8-10'
Pesticides			
4,4'-DDT	9.9	9.6	NE
SVOCs			
Benzo[a]anthracene	14000	6900	NE
Benzo[a]pyrene	14000	6200	NE
Benzo[b]fluoranthene	16000	7900	NE
Benzo[k]fluoranthene	5200	2900	NE
Chrysene	15000	7700	NE
Dibenzo[a,h]anthracene	3600	1700	NE
Indeno[1,2,3-cd]pyrene	11000	5000	NE

GSB-08	2/2/11	2/2/11	2/2/11
Depth	0-2'	2-4'	8-10'
Pesticides			
4,4'-DDT	NE	3.6 J	NE
SVOCs			
Benzo[a]anthracene	1800	2600	NA
Benzo[a]pyrene	1700	3200	NA
Benzo[b]fluoranthene	2000	4100	NA
Benzo[k]fluoranthene	860	1800	NA
Chrysene	1800	3000	NA
Dibenzo[a,h]anthracene	NE	720	NA
Indeno[1,2,3-cd]pyrene	1100	2700	NA


LEGEND

- SOIL SAMPLE LOCATION
- MW-20 MONITORING WELL INSTALLED BY ROUX ASSOCIATES
- V-1 SOIL VAPOR SAMPLE
- G-27 GORE MODULE
- LP-25 LEACH POOL
- CB-3 CATCH BASIN
- DW-1 DRY WELL

SAMPLE I.D.			
GSB-10	2/1/11	2/1/11	SAMPLE DATE
Depth	0-2'	2-4'	SAMPLE DEPTH
Pesticides			
4,4'-DDT	7.1	NE	CONCENTRATION
SVOCs			
Benzo[a]anthracene	1500	NE	

Parameter	Standards*	Standards**
Metals (mg/kg)		
Chromium, Hexavalent	1	400
Mercury	0.18	2.8
PCBs (µg/kg)		
Total PCBs	100	1000
Pesticides (µg/kg)		
4,4'-DDE	3.3	62000
4,4'-DDT	3.3	47000
Dieldrin	5	1400
SVOCs (µg/kg)		
Benzo[a]anthracene	1000	5600
Benzo[a]pyrene	1000	1000
Benzo[b]fluoranthene	1000	5600
Benzo[k]fluoranthene	800	56000
Chrysene	1000	56000
Dibenzo[a,h]anthracene	330	560
Indeno[1,2,3-cd]pyrene	500	560
Phenanthrene	100000	500000
VOCs (µg/kg)		
Acetone	50	500000

µg/kg - Micrograms per kilogram
mg/kg - Milligrams per kilogram
* - NYSDEC Part 375 Unrestricted Use Criteria
** - NYSDEC Part 375 Restricted Commercial Criteria
NYSDEC - New York State Department of Environmental Conservation
B - Analyte found in associated blank as well as the sample.
J - Estimated value
p - The %RPD between the primary and confirmation column/detector is >40%.
The lower value has been reported
VOCs - Volatile Organic Compounds
SVOCs - Semivolatile Organic Compounds
PCBs - Polychlorinated Biphenyls
NE - No exceedances
NA - Not Analyzed



Title: SOIL SAMPLE RESULTS FEBRUARY 2011 FORMER AVIS HEADQUARTERS PROPERTY 900 OLD COUNTRY ROAD GARDEN CITY, NY 11530			
Prepared For: EQUITY ONE, INC.			
ROUX ROUX ASSOCIATES, INC. Environmental Consulting and Management	Compiled by: W.M. Prepared by: B.H.C. Project Mgr: C.W.	Date: 25FEB11 Scale: AS SHOWN Project: 1924.0001Y	PLATE 1

GSB-32N	2/2/11	2/2/11
Depth	0-2'	2-4'
No Exceedances		

GSB-32	2/1/11	2/1/11	2/1/11
Depth	0-2'	2-4'	8-10'
Metals			
Chromium, Hexavalent	NE	1.8	NE
VOCs			
Acetone	NE	52 B	NE

GSB-32W	2/3/11	2/3/11	2/3/11
Depth	0-2'	2-4'	10-12'
No Exceedances			

GSB-32S	2/2/11	2/2/11
Depth	0-2'	2-4'
No Exceedances		

GSB-32E	2/2/11	2/2/11
Depth	0-2'	4-6'
No Exceedances		

GSB-33	2/2/11	2/2/11	2/2/11
Depth	0-2'	2-4'	8-10'
Pesticides			
4,4'-DDT	NE	4.1	NE
SVOCs			
Benzo[a]anthracene	3800	3300	NA
Benzo[a]pyrene	4100	3600	NA
Benzo[b]fluoranthene	4900	3500	NA
Benzo[k]fluoranthene	2000	1600	NA
Chrysene	3800	3400	NA
Dibenzo[a,h]anthracene	840	880	NA
Indeno[1,2,3-cd]pyrene	3200	3100	NA
VOCs			
Acetone	NE	130	NA

GSB-05	2/1/11	2/1/11	2/1/11
Depth	0-2'	2-4'	8-10'
Metals			
Mercury	0.23	0.26	NE
SVOCs			
Benzo[a]anthracene	NE	1200	NE
Benzo[a]pyrene	NE	1300	NE
Benzo[b]fluoranthene	NE	1800	NE
Chrysene	NE	1300	NE
Indeno[1,2,3-cd]pyrene	NE	770	NE
VOCs			
Acetone	120 B	NE	NA

GSB-04	2/1/11	2/1/11	2/1/11
Depth	0-2'	2-4'	8-10'
Metals			
Mercury	NE	0.36	NE
Pesticides			
4,4'-DDT	5.9	NE	NA
SVOCs			
Benzo[a]anthracene	1800	NE	NA
Benzo[a]pyrene	2000	NE	NA
Benzo[b]fluoranthene	2300	NE	NA
Benzo[k]fluoranthene	990	NE	NA
Chrysene	2000	NE	NA
Dibenzo[a,h]anthracene	770	NE	NA
Indeno[1,2,3-cd]pyrene	2400	NE	NA

MW-21	1/31/11
Depth	20-22'
No Exceedances	

GSB-18	2/3/11	2/3/11
Depth	0-2'	2-4'
Pesticides		
4,4'-DDT	3.5 J	NE
SVOCs		
Benzo[a]pyrene	1200	NE
Benzo[b]fluoranthene	1600	NE
Chrysene	1100	NE
Indeno[1,2,3-cd]pyrene	1200	NE

MW-17A	2/1/11
Depth	20-22'
No Exceedances	

GSB-17	1/31/11	1/31/11
Depth	0-2'	2-4'
No Exceedances		

GSB-44	1/31/11	1/31/11
Depth	0-2'	2-4'
No Exceedances		

MW-20	11/17/10
Depth	18-20'
No Exceedances	

GSB-10	2/1/11	2/1/11
Depth	0-2'	2-4'
Pesticides		
4,4'-DDT	7.1	NE
SVOCs		
Benzo[a]anthracene	1500	NE
Benzo[a]pyrene	1700	NE
Benzo[b]fluoranthene	2400	NE
Benzo[k]fluoranthene	930	NE
Chrysene	1900	NE
Dibenzo[a,h]anthracene	440	NE
Indeno[1,2,3-cd]pyrene	1700	NE

GSB-12	1/31/11	1/31/11
Depth	0-2'	2-4'
Pesticides		
4,4'-DDE	4.4 J p	NE
4,4'-DDT	4.9 J p	NE
SVOCs		
Dibenzo[a,h]anthracene	390	NE
Indeno[1,2,3-cd]pyrene	600	NE

GSB-13A	1/31/11	1/31/11
Depth	0-2'	2-4'
SVOCs		
Indeno[1,2,3-cd]pyrene	600	NE

GSB-13	1/31/11	1/31/11
Depth	0-2'	2-4'
Metals		
Mercury	0.43	NE
PCBs		
Total PCBs	2100	NE
Pesticides		
4,4'-DDE	23 J	NE
Dieldrin	82	NE
SVOCs		
Dibenzo[a,h]anthracene	370	NE



LEGEND

- SOIL SAMPLE LOCATION
- LEACH POOL
- DRY WELL
- CATCH BASIN

SAMPLE I.D.		SAMPLE DATE				SAMPLE DEPTH		CONCENTRATION	
LP-29	11/16/10	11/16/10	2/4/11	2/4/11	2/4/11	10-12'	14-16'	15-18'	18-20'
Metals	16.9	7.5	20.6	11.6	11.6	10-12'	14-16'	15-18'	18-20'
Pesticides	6 J	NE	NE	NE	NE	10-12'	14-16'	15-18'	18-20'

Parameter	Standards*	Standards**
Metals (mg/kg)		
Arsenic	13	16
Barium	350	400
Cadmium	2.5	9.3
Chromium	30	1500
Chromium, Trivalent	30	1500
Copper	50	270
Lead	63	1000
Mercury	0.18	2.8
Nickel	30	310
Silver	2	1500
Zinc	109	10000
PCBs (ug/kg)		
Total PCBs	100	1000
Pesticides (ug/kg)		
4,4'-DDD	3.3	92000
4,4'-DDE	3.3	62000
4,4'-DDT	3.3	47000
beta-BHC	36	3000
Dieldrin	5	1400
SVOCs (ug/kg)		
Endrin	14	89000
Benzo(a)anthracene	1000	5600
Benzo(a)pyrene	1000	1000
Benzo(b)fluoranthene	1000	5600
Benzo(k)fluoranthene	800	56000
Chrysene	1000	56000
Dibenz(a,h)anthracene	330	560
Fluorene	100000	500000
Indeno(1,2,3-cd)pyrene	500	5600
Pentachlorophenol	800	6700
Phenanthrene	100000	500000
Pyrene	100000	500000

ug/kg - Micrograms per kilogram
mg/kg - Milligrams per kilogram
* - NYSDEC Part 375 Unrestricted Use Criteria
** - NYSDEC Part 375 Restricted Commercial Criteria
NYSDEC - New York State Department of Environmental Conservation
J - Estimated value
p - The %RPD between the primary and confirmation column/detector is >40%.
The lower value has been reported.
VOCs - Volatile Organic Compounds
SVOCs - Semivolatile Organic Compounds
PCBs - Polychlorinated Biphenyls
NE - No Exceedances
NA - Not Analyzed

NOTES

- FEBRUARY 2011 SAMPLES FOR LP-29 COLLECTED ADJACENT TO LEACH POOL STRUCTURE.

100' 0 100'

Title: DRYWELL / LEACHING POOL SAMPLE RESULTS			
FORMER AVIS HEADQUARTERS PROPERTY 900 OLD COUNTRY ROAD GARDEN CITY, NY 11530			
Prepared For: EQUITY ONE, INC.			
ROUX ROUX ASSOCIATES, INC. Environmental Consulting and Management	Compiled by: W.M.	Date: 25FEB11	PLATE
	Prepared by: B.H.C.	Scale: AS SHOWN	
	Project Mgr: C.W.	Project: 1924.0001Y	
	File: 1924.0001Y109R.01.DWG		
			2

