

GEI Consultants

Remedial Investigation Work Plan

20-40 Jerusalem Ave Dry Cleaner Dry Wells Site
20 & 40 Jerusalem Avenue
Hicksville, NY 11801

Submitted to:
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway
Albany, NY 12233

Submitted by:
GEI Consultants, Inc.
1000 New York Avenue, Suite B
Huntington Station, NY 11746
631.760.9300

March 2026
Project No. 2408313



William J. Fitchett
Project Manager

Gary Rozmus, P.E.
Senior Consultant

Table of Contents

Acronyms and Abbreviations iii

Certification i

1. Background and Site Description 1
1.1. Introduction 1
1.2. Objective of the Remedial Investigation Work Plan 1
1.3. Background 2
1.4. Lithology and Hydrogeology 2
1.5. Summary of Available Previous Investigations 2
1.6. Proposed Future Use of Site 5
1.7. Project Organizational Structure and Responsibility 5

2. Scope of Work 7
2.1. Execution of the RIWP 7
2.2. Areas of Concern 7
2.3. Mobilization and Site Access 7
2.4. Site Preparation 8
2.5. Geophysical Survey 8
2.6. Soil Boring Installation and Sampling 8
2.7. Groundwater Monitoring Well Installation and Sampling 10
2.7.1. Site Hydrogeological Conditions 10
2.7.2. Monitoring Well Installation 10
2.7.3. Monitoring Well Development 10
2.7.4. Groundwater Sample Collection 10
2.8. Soil Vapor Point Installation and Sampling 11
2.9. Material Handling 12
2.10. Site Restoration 12

3. Quality Assurance/Quality Control Protocols 13

4. Health and Safety Protocols 14

5. Remedial Investigation Report/Remedial Action Work Plan 15
5.1. Remedial Investigation Report 15
5.1.1. Geologic/Hydrogeologic Characteristics 15
5.1.2. Data Evaluation 15

5.1.3. Qualitative Human Health Risk Assessment 16
5.1.4. Additional Field Investigations 16
5.1.5. Interim Remedial Measures 17
5.2. Remedial Action Work Plan 17
6. Green and Sustainable Remediation 18
7. Citizen Participation Activities 19
8. Schedule 21

Figures

Figure 1. Site Location Map
Figure 2. Site Plan
Figure 3. Previous Investigation Soil Sample Exceedance Summary
Figure 4. Previous Investigation Elevated Soil Vapor Detections
Figure 5. Proposed Sample Location Map

Appendices

Appendix A Previous Reports
Appendix B Key GEI Personnel Resumes
Appendix C Field Sampling Plan
Appendix D Quality Assurance Project Plan
Appendix E NYSDOH Generic Community Air Monitoring Plan
Appendix F Health and Safety Plan

Acronyms and Abbreviations


6NYCRR	Title 6 New York Codes, Rules and Regulations
AOC	Area of Concern
ASP	Analytical Services Protocol
ASTs	Aboveground Storage Tanks
AWQS	Part 703.5 Class GA Ambient Water Quality Standards and Guidance Values
BCA	Brownfield Cleanup Agreement
BCP	Brownfield Cleanup Program
C&D	Construction and Demolition Debris
CAMP	Community Air Monitoring Program
CFR	Code of Federal Regulations
CHASP	Construction Health and Safety Plan
CLP	Contract Laboratory Program
COCs	Contaminants of Concern
CPP	Citizen Participation Plan
CQAP	Construction Quality Assurance Plan
DER-10	Division of Environmental Remediation-10 Technical Guidance for Site Investigation and Remediation
DO	Dissolved Oxygen
DMM	Division of Materials Management
DUSR	Data Usability Summary Report
EC/IC	Engineering Control/Institutional Control
ECL	Environmental Conservation Law
EDD	Electronic Data Deliverable
EIMS	Environmental Information Management System
ELAP	Environmental Laboratory Accreditation Program
ESA	Environmental Site Assessment
FEMA	Federal Emergency Management Agency
FER	Final Engineering Report
FSP	Field Sampling Plan
GEI	GEI Consultants, Inc.
GHG	Greenhouse Gases
GPR	Ground Penetrating Radar
GPS	Global Positioning System
GQS	Groundwater Quality Standards
GTA	GTA Engineering Services of New York, P.C.
HAZWOPER	Hazardous Waste Operations and Emergency Response

HDPE	High-Density Polyethylene
IRM	Intermediate Remedial Measure
IRMWP	Interim Remedial Measure Work Plan
ISCO	In Situ Chemical Oxidation
ISCR	In Situ Chemical Reduction
LDPE	Low-Density Polyethylene
MS/MSDs	Matrix Spikes and Matrix Spike Duplicates
MTA	Metropolitan Transportation Authority
NYCDEP	New York City Department of Environmental Protection
NYCDOB	New York City Department of Buildings
NYCDOT	New York City Department of Transportation
NYS	New York State
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
ORP	Oxidation Reduction Potential
OSHA	Occupational Safety and Health Administration
PAH	Polycyclic Aromatic Hydrocarbons
PCBs	Polychlorinated Biphenyls
PCE	Tetrachloroethene
PFAS	Per- and Polyfluoroalkyl Substances
PFOA	Per-fluorooctanoic Acid
PFOS	Per-fluorooctanesulfonic Acid
PGWSCOs	Protection of Groundwater Soil Cleanup Objectives
PID	Photoionization Detector
PPE	Personal Protective Equipment
PVC	Polyvinyl Chloride
QA/QC	Quality Assurance/Quality Control
QEP	Qualified Environmental Professional
QHHEA	Quantitative Human Health Exposure Assessment
RAO	Remedial Action Objectives
RAWP	Remedial Action Work Plan
RCA	Recycled Concrete Aggregate
RECs	Recognized Environmental Conditions
RI	Remedial Investigation
RIR	Remedial Investigation Report
RIWP	Remedial Investigation Work Plan
RRUSCO	Restricted Residential Use Soil Cleanup Objectives
SCGs	Standards, Criteria and Guidance values
SCOs	Soil Cleanup Objectives
SDS	Safety Data Sheet

SEFA	
SEQRA	State Environmental Quality Review Act
SIM	Selective Ion Monitoring
SMP	Site Management Plan
SOE	Support of Excavation
SoMMP	Soil/Materials Management Plan
SOP	Standard Operating Procedure
SPDES	State Pollutant Discharge Elimination System
SSDS	Sub-Slab Depressurization System
S-MicroSVI®	Sulfidated-Micro Zero Valent Ion
SSO	Site Safety Officer
SVE	Soil Vapor Extraction
SVI	Soil Vapor Intrusion
SVOCs	Semi-Volatile Organic Compounds
SWPPP	Storm-Water Pollution Prevention Plan
TAL	Target Analyte List
TCE	Trichloroethene
TCL	Target Compound List
TOGS	Technical & Operational Guidance Series
USCG	United States Coast Guard
USEPA	United States Environmental Protection Agency
USGS	United States Geological Survey
UST	Underground Storage Tank
UUSCO	Unrestricted Use Soil Cleanup Objectives
VMS	Vapor Mitigation System
VOCs	Volatile Organic Compounds
Measurements	
CY	Cubic Yard
ft. bgs	Feet Below Ground Surface
L/min	Liters per Minute
mg/kg	Milligrams per Kilogram
ng/L	Nanograms per Liter
NTU	Nephelometric Turbidity Unit
PM-10	Particulate Matter 10 Micrometers or less in diameter
ppm	Parts per Million
sf	Square Feet
µg/L	Micrograms per Liter
$\mu g/m^3$	Micrograms per Cubic Meter

Certification

I, Gary Rozmus, P.E., certify that I am currently a Qualified Environmental Professional as defined in 6 NYCRR Part 375 and that this Remedial Investigation Work Plan (RIWP) was prepared in accordance with all applicable statutes and regulations and in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10) and DER Green Remediation (DER-31).



Signature

March 19, 2026
Date

1. Background and Site Description

1.1. Introduction

GEI Consultants, Inc. (GEI) has prepared this Remedial Investigation Work Plan (RIWP) for the Site located at 20 & 40 Jerusalem Avenue [Section 11, Block 179, Lots 324 (p/o) and 325, and Lot 102] in Hicksville, New York (the "Site"), in accordance with New York State Department of Environmental Conservation (NYSDEC) Brownfield Cleanup Program (BCP) requirements, as further described below. A Site Location Map is provided as Figure 1 and a Site plan is provided as Figure 2.

Information regarding Site conditions and contaminant distribution and concentrations was obtained from an April 2024 Phase I Environmental Site Assessment (ESA) prepared by GEI for 20 Jerusalem Avenue, , an October 2024 Phase I ESA prepared by GEI for 40 Jerusalem Avenue, a March 2025 Phase II ESA prepared by GEI for 40 Jerusalem Avenue, a July 2025 Supplemental Phase I ESA prepared by GEI for 20 & 40 Jerusalem Avenue, a February 2026 Phase I ESA for 20 & 40 Jerusalem Avenue, and a March 2026 Phase II ESA prepared by GEI for 20 Jerusalem Avenue. Previous Environmental Reports are included as Appendix A.

1.2. Objective of the Remedial Investigation Work Plan

Per the requirements of NYSDEC's DER-10 guidance document (Section 1.3(b)59 and Section 3.1(c)1), which states the purpose of RI is to fully delineate the areal and vertical nature and extent of contamination in all media at the Site along with other goals, the Remedial Investigation (RI) for the Site has been planned to further delineate previously identified contaminants and to address remaining data gaps in accordance with the requirements of the NYSDEC BCP.

Based on the historical use of the Site and documented characterization results, the following work scope has been developed to further investigate environmental conditions at the Site. This RIWP details specific tasks that will facilitate Site characterization in compliance with NYSDEC BCP requirements. In conjunction with the findings of the previous investigations, the findings of the RI will be used to:

- Describe the location, concentration, persistence, mobility, form (e.g., solid, liquid, vapor), and other significant characteristics of the contamination present at the Site.
- Define hydrogeological factors (e.g., depth to saturated zone, and hydrologic gradients, if practical).
- Define the thickness and areal extent of the Site contaminated fill material and characterize the chemical composition of the contaminated fill.
- If applicable, define the extent of which the contaminants of concern have potential to migrate, and whether potential future migration may pose a threat to human health or the environment.
- Determine the extent to which contaminant levels pose an unacceptable risk to public health and the environment.

- Provide sufficient information to allow for the identification of potentially feasible remedial alternatives.
- Develop Remedial Action Objectives (RAOs) for the Site based on the contaminant characterization results, exposure pathways, and risk evaluation.

1.3. Background

The 20-40 Jerusalem Ave Dry Cleaner Dry Wells Site consists of two full tax lots and a portion of a third lot [Section 11, Block 179, Lots 324 (p/o) and 325 and Lot 102] and is located in Hicksville, New York. The Site is located on the western side of Jerusalem Avenue and the eastern side of Nelson Avenue, between Nelson Avenue to the north and West Marie Street to the south. The Site comprises approximately 1.74 acres. Lot 325 and the portion of Lot 324 included in the proposed BCP Site are utilized as a contiguous asphalt paved parking lot associated with the address 20 Jerusalem Avenue. Lot 102 is occupied by a contiguous, rectangular-shaped single-story masonry and wood-framed commercial building and associated parking lot, associated with the address 40 Jerusalem Avenue. This building is presently occupied by a deli and laundromat.

GEI's analysis of historical information indicates that the northern portion of the Site (identified by the address of 20 Jerusalem Avenue) was developed by 1908 with a church and later several residential dwellings. Additional residential dwellings were added throughout the years, and by 1957 they were demolished and replaced with the present-day parking lot. The middle/eastern portion of the Site (identified by the 40 Jerusalem Avenue address) was originally occupied by a residential dwelling that existed on the Site as early as 1926. This dwelling was demolished in 1966 for the development of the current single-story structure. Historical identified uses for the 40 Jerusalem Avenue portion of the Site included a dry-cleaning business, a floor retail business, a laundromat, and food type businesses (i.e., bagel store and a delicatessen).

1.4. Lithology and Hydrogeology

According to previous Phase II environmental assessments, the Site is underlain by brown to tan widely graded sand with varying amounts of silt and fine gravel. Evidence of fill material, including brick and concrete fragments, were observed from approximately 1 to 2 ft. bgs. Groundwater was identified at approximately 55 ft. bgs.

1.5. Summary of Available Previous Investigations

Previous investigations performed at the Site include an April 2024 Phase I ESA prepared by GEI for 20 Jerusalem Avenue, an October 2024 Phase I ESA prepared by GEI for 40 Jerusalem Avenue, a March 2025 Phase II ESA prepared by GEI for 40 Jerusalem Avenue, a July 2025 Supplemental Phase I ESA prepared by GEI for 20 & 40 Jerusalem Avenue, a February 2026 Phase I ESA for 20 & 40 Jerusalem Avenue, and a March 2026 Phase II ESA prepared by GEI for 20 Jerusalem Avenue. A summary of the findings of the previous investigations is provided below:

Stormwater Dry Wells (20 and 40 Jerusalem Avenue)

GEI observed numerous open grate stormwater dry wells in the parking areas of both 20 and 40 Jerusalem Avenue. Stormwater dry wells are often impacted by automotive lubricants and fluids, tire particles, vehicle exhaust, degrading asphalt, or parking lot sealants. These drainage systems represent a REC. During previous Phase II Investigations performed in 2024 and 2025, GEI confirmed that the stormwater dry wells are heavily impacted by SVOCs. It is recommended the bottom sediments be removed and properly disposed as part of a BCP Site remediation. The plan is to remove the dry wells require to facilitate redevelopment of the Site, in accordance with the USEPA UIC Program.

Sanitary System (20 Jerusalem Avenue)

Evidence exists that the 20 Jerusalem Avenue building discharges sanitary wastewater to an on-site septic/cesspool system. During the Phase II ESA performed by GEI as reported in March 2026, a sediment sample was collected from the septic tank. This sample displayed a detection of mercury of 1.76 mg/kg, above the Protection of Groundwater Soil Cleanup Objective (PGWSCO), as well as detections of VOCs and TPH. Further investigation and sampling prior to closing the system in accordance with all NCDOH protocols is required. Additionally, it should be noted that it is a Nassau County Public Health Ordinance requirement that the building be connected to the municipal sewer system and the on-site sanitary system must be properly closed in accordance with NCDOH On-site Sanitary System Abandonment Procedures.

Cesspool and Three Equipment Dry Wells (40 Jerusalem Avenue)

Historically, a 1966 Site Plan depicts the 40 Jerusalem Avenue building as having a cesspool in the front of the building and three equipment dry wells, which appear to be connected to the building. The actual date the septic system was closed, and the property was connected to the municipal sewer system is unknown. The equipment dry wells were inspected and sampled as part of the July 2025 Phase II ESA performed by GEI. Several chlorinated VOCs (cis-1,2-dichloroethene, tetrachloroethene, and trichloroethene) were detected significantly above the PGSCOs in one of the equipment dry wells, with tetrachloroethene also detected slightly above its PGSCO in the same equipment dry well. The upper approximately 4 to 6 inches of the sediment within this equipment dry well, consisted of a black sludge-like material. Several PAHs (benzo[a]anthracene, benzo[b]fluoranthene, benzo[k]fluoranthene, and chrysene) were also detected above the PGSCOs in this equipment dry well. No other exceedances of the PGSCOs were identified in any of the other subsurface drainage structures investigated.

Fuel Oil Tanks (20 and 40 Jerusalem Avenue)

No USTs or ASTs were observed on the Site and no visual evidence (e.g., fill port or vent line, plumbing, etc.) for a fuel oil tank was observed. However, the historical 20 Jerusalem Avenue building and tax assessor records indicated that the 20 Jerusalem Avenue building utilized fuel oil for heating at the time the building was constructed. Mr. David Grossman, the building owner and member of 2020 Partners, Inc, stated during an interview for the April 2024 Phase I ESA that since he purchased the building in 2005, natural gas has always been utilized for heating and that he is unaware of any fuel oil tanks on this portion of the Site. A geophysical survey was conducted on this portion of the Site as part

of the March 2026Phase II ESA report. Based upon thus geophysical investigation, no anomaly associated with an UST was detected.

Historical records indicated that the 40 Jerusalem Avenue building had a 1,000-gallon fuel oil UST that was closed in place in 1994. It is assumed that this UST was installed when the building was constructed in 1966. A geophysical survey was conducted as part of the March 2025 Phase II ESA performed by GEI on this portion of the Site as well. Based upon this geophysical investigation, an anomaly indicative of an UST was identified on the southern side of the front parking lot area along Jerusalem Avenue. It should be noted that no VOCs, SVOCs or metals were detected above applicable SCOs in the soil samples collected to date in proximity to this UST anomaly. However, no further testing or closure information concerning this UST was obtained by the Freedom of Information Act request to the Nassau County Department of Health (NCDOH), which did have a record of this tank being closed in place but no other records, and no other records were able to be located by GEI.

Historical Dry Cleaner Operation (40 Jerusalem Avenue)

Historically, the 40 Jerusalem Avenue building had been operating as a dry-cleaning business since 1966 when it was constructed. The exact duration of this original dry-cleaning operation is unknown; however, telephone directory information depicted a dry-cleaning business to be associated with the Site in the late 1980s. Other records suggest the dry cleaning operations were present until approximately 1994 when the facility appears to have converted into a laundromat. No dry-cleaning activities are presently conducted on-site. Dry-cleaning operations typically involve the storage and use of significant quantities of dry-cleaning solvents, including perchloroethylene. In addition, dry-cleaning operations typically generate significant quantities of waste dry-cleaning solvents. Soil vapor sampling was conducted as part of the March 2025 Phase II ESA performed by GEI, in exterior areas of the Site. Multiple chlorinated VOCs (1,1-dichloroethylene, cis-1,2-dichloroethylenewere, tetrachloroethylene, trichloroethylene, and vinyl chloride) were detected at concentrations well above the “mitigate” threshold in one or more of all collected soil vapor samples. The greater concentrations and occurrences of VOCs were detected in the soil vapor point located in the northwest corner of the front parking lot area along Jerusalem Avenue, in the vicinity of the equipment dry wells. Elevated Chlorinated CVOC detections were also identified during soil vapor sampling performed as part of the July 2025 Supplemental Phase II ESA performed by GEI on both the 20 and 40 Jerusalem Avenue properties. In general, the greater chlorinated VOC concentrations in soil vapor were identified in the vicinity of the equipment dry wells at 40 Jerusalem Avenue.

In addition, it is noted that concentrations of the above chlorinated VOCs on the 20 Jerusalem Avenue property were generally detected in all SV probes. These detections are likely associated with the former dry-cleaning operations at the Site.

Previous environmental reports are included as Appendix A. Previous Investigation Soil Exceedances and Previous Investigation Elevated Soil Vapor Detections are included on Figures 3 and 4.

1.6. Proposed Future Use of Site

As discussed previously, the Site is presently occupied by a parking lot and small single-story commercial building. Following further investigation and potential remediation, the Site will be developed into a 4-story mixed use residential and commercial building with associated parking. The redevelopment program includes much-needed multi-family housing, responding to a well-documented regional shortage. The project will deliver 106 units of housing including 11 units of workforce/affordable housing at 80% Area Mean Income (AMI), supporting local employees, first responders, veterans, and young professionals, while contributing to Hicksville's broader affordability objectives. This housing aligns with the Hicksville Downtown Revitalization Initiative (DRI), which plan was designed to catalyze transit-oriented redevelopment, infrastructure enhancements, and environmental remediation of underutilized properties in Downtown Hicksville. The DRI Strategic Investment Plan identifies the Jerusalem Avenue corridor as a priority redevelopment sub-area intended for "enhanced walkability, pedestrian-oriented street frontage, and mixed-use housing." Multiple DRI strategies emphasized converting aging commercial structures into modern, code-compliant, environmentally remediated residential buildings to support economic vitality and the long-term repositioning of Downtown Hicksville. Therefore, as a prominently located infill parcel in the Jerusalem Avenue corridor, remediation of this property directly advances the DRI goals.

1.7. Project Organizational Structure and Responsibility

GEI will coordinate with NYSDEC for review and approval of the RIWP. Approval of the RIWP will be obtained prior to commencement of the RI.

The drilling subcontractor will be responsible for all drilling activities to include, but not be limited to, compliance with all applicable Occupational Safety and Health Administration (OSHA) regulations, personnel health and safety, installation of soil borings, groundwater monitoring wells, and soil vapor probes, and any other tasks specified in this RIWP.

GEI will be responsible for project management, subcontractor oversight, RIWP compliance, determination of corrective measures when needed, monitoring for health and safety, collection of analytical samples, maintenance of Site sampling logs, and preparation of daily field activities and monthly progress reports. GEI will also serve as the Site Health and Safety Officer.

The following are the key personnel or agencies involved with RIWP activities at the Site:

NYSDEC:	Sankavi Sampath Division of Environmental Remediation NYSDEC 625 Broadway Albany, New York, 12233

NYSDOH	Project Manager to be Assigned. Public Health Specialist Bureau of Environmental Exposure Investigation NYSDOH Empire State Plaza – Corning Tower, 17th Floor Albany, New York 12237
Drilling Subcontractor:	To be Selected
GEI:	Gary Rozmus, P.E. Program Manager 1000 New York Avenue, Suite B Huntington Station, NY 11746 631.760.9300 William J. Fitchett Project Manager 1000 New York Avenue, Suite B Huntington Station, NY 11746 631.760.9300
Remedial Party Contact:	Anthony Bartone Cornerstone Hicksville, LLC c/o Terwilliger and Bartone Properties 141 Merritts Rd., 2nd Floor Farmingdale, NY 11735

Resumes of key GEI personnel for this project are included in Appendix B.

2. Scope of Work

All field work will be performed in accordance with the Field Sampling Plan (FSP) methods included in Appendix C. Analytical sampling will be performed in accordance with the Quality Assurance Project Plan (QAPP) included in Appendix E. A CAMP, consistent with the provisions of NYSDOH's Generic CAMP (included in Appendix E), will be implemented during field activities.

Proposed soil, groundwater, and soil vapor sample locations are provided on Figure 5.

2.1. Execution of the RIWP

Site work consisting of preparation activities will commence daily at 7 am Monday through Friday. All work will be completed, and the work area closed for the evening, at 5 pm, unless otherwise authorized by the Site owner. During working hours, the drilling subcontractor will make every effort to minimize potential community impacts, including minimization of noise and traffic concerns. Site work will not be conducted on weekends or holidays without prior approval by the Site owner. Daily Field Reports for each workday will be submitted to NYSDEC and NYSDOH by the end of the next business day. Daily Field reports will include air monitoring results (including summary of any exceedances and corrective measures taken, if any) in the daily report. A figure will be included showing where work was conducted during the reporting period and where prior work has occurred. NYSDEC and NYSDOH will be notified at least 7 days prior to mobilization to the Site for the RIWP.

2.2. Areas of Concern

The Areas of Concern (AOC) identified for this Site are:

1. Stormwater drywells across the Site where elevated concentrations of SVOCs and metals were previously detected.
2. The sanitary system on the northern portion of the property displayed an elevated concentration of mercury.
3. The area near the former dry cleaner equipment dry wells elevated concentrations of PCE were detected in soil and soil vapor.
4. The area of the previously abandoned UST.
5. The potential presence of historic fill across the Site.

2.3. Mobilization and Site Access

The selected drilling subcontractor will submit a Site-specific Health and Safety Plan (HASP) meeting the minimum requirements of GEI's HASP, provided in Appendix F. All work will be performed in accordance with OSHA, state, and industry safety standards. All on-site personnel performing intrusive activities which present the potential for contact with impacted materials will have the requisite 1910.120 OSHA HAZWOPER 40-hour and 8-hour refresher training. Supervisory personnel will also have supervisory

training. All personnel will be in a medical surveillance program. Also, Site-specific training will be given to all personnel performing fieldwork at the Site on a daily basis. This Site-specific training will include a review of potential Site hazards, required PPE, and Site warning and evacuation procedures.

The drilling subcontractor will apply for and obtain all necessary federal, state, and local permits associated with the RIWP. These permits may include, but are not limited to, traffic routing, road opening, construction/zoning, etc. Conditions of these permits will be complied with during the construction.

The drilling subcontractor will be responsible for coordinating One-Call utility mark-outs prior to implementation of any intrusive activities. The Contractor is responsible for resolving all potential utility conflicts. Underground utility protection will be the responsibility of the selected Contractor. When all utilities have been verified/confirmed/ protected, then intrusive activities may be initiated.

The selected drilling subcontractor will mobilize all necessary labor, equipment, supplies, and materials to complete the RIWP. Lay down areas for equipment, supplies and materials, the appropriate exclusion zone(s) and support area(s) will be identified, as necessary, to conduct the planned activities safely and effectively. All equipment will be inspected prior to utilization for the RIWP and checked periodically for performance and corrective repair. All equipment will be cleaned prior to arrival on the Site.

The Site owners have provided access to the Site for all RIWP activities. However, the Site is still utilized by activity tenants. Therefore, investigation activities will be respectful of the ongoing operations on the Site.

2.4. Site Preparation

Site preparation activities include the establishment of work zones, support facilities, decontamination facilities, and installation of temporary security measures around work areas, as necessary. The work area may change daily based on the locations of the sampling points.

2.5. Geophysical Survey

Another geophysical survey, including a magnetometer and ground penetrating radar survey, will be performed across accessible areas of the Site to investigate for the presence of potential USTs, buried drums, etc. and for the potential presence of underground utilities within the work area.

2.6. Soil Boring Installation and Sampling

As depicted on Figure 5, a total of 24 soil borings are planned for advancement at strategic locations throughout the Site. The soil borings will attempt to vertically and horizontally delineate the known contamination to better understand the most suitable remedy for the Site. Soil borings will be advanced utilizing either a skid-mounted Geoprobe®, limited-access Geoprobe, or hand augers. Soil cores will be obtained using a stainless-steel macro-core sampler with an internal acetate liner. Soil cores will be examined for lithology and screened impacts using a photoionization detector (PID) with an 11.7 eV lamp, as well as by visual and olfactory methods.

Two soil borings (RISB-17 and RISB-22) will be installed within the single-story commercial building. One soil boring (RISB-17) will be installed within the tenant space presently occupied by the laundromat (former dry cleaner space) and one soil boring (RISB-22) will be installed within the tenant space presently occupied by the deli. These soil borings will be installed to the maximum depth feasible based upon the accessibility of the boring location to a portable indoor drilling rig machine. From the interior soil borings, a sample will be collected from the 0 to 2-foot interval, and the 2-foot interval at the deepest extent of the soil boring, expected to be approximately 8 to 10 ft. bgs.

The exterior soil borings will be advanced to the depth of the surrounding stormwater dry wells, which is between approximately 8 and 16 ft. bgs. In the event that no evidence of soil contamination is identified, two soil samples will be collected at each soil boring. One soil sample will be collected from the 0 to 2-foot interval, and one soil sample will be collected from the 2-foot interval which corresponds to the depth of the nearest storm drain, in an attempt to delineate the known impacts within each storm drain at this depth. If visual or olfactory/observations and PID readings reveal the presence of contamination, the soil boring will be extended until the vertical extent of contamination is reached.

Additionally, during previous investigations GEI observed a septic/cesspool system in the parking lot of 20 Jerusalem Avenue, numerous open grate stormwater dry wells and manholes with solid covers in the parking areas of both 20 and 40 Jerusalem Avenue, as well as three equipment dry wells located at 40 Jerusalem Avenue. To vertically delineate the previously identified contaminants within the storm drains, septic /cesspool system and one of the equipment dry wells, one soil sample will be collected from the 2-foot interval beginning at 5 feet below the bottom of each structure. An additional sample will be collected from 5 feet below this sample, which will be placed on hold pending results of the shallow sample.

Appendix C details the Field Sampling Standard Operation Procedures (SOPs) for logging and sample acquisition.

Soil samples will be properly transported to a NYSDOH Environmental Laboratory Approval Program (ELAP)-certified laboratory under chain-of-custody (COC) procedures and analyzed for the following:

- VOCs by United States Environmental Protection Agency (USEPA) Method 8260C.
- SVOCs by USEPA Method 8270D.
- Target Analyte List (TAL) Metals by USEPA Method 6010D and Mercury by USEPA Method 7471B.
- Pesticides by USEPA Method 8081B.
- Polychlorinated Biphenyls (PCBs) by USEPA Method 8082A.
- Perfluoroalkyl and polyfluoroalkyl substances (PFAS) using modified USEPA Method 1633A.

A total of approximately 48 soil samples will be collected from the soil borings. A total of 20 soil samples will be collected from the septic/cesspool system, stormwater dry wells, and one equipment dry well. Additional soil samples are not planned for the two remaining equipment dry wells that did not display exceedances during the previous investigations. An additional 20 deeper soil samples will be collected and placed on hold, pending the results of the shallower soil samples.

In addition, quality assurance/quality control (QA/QC) samples such as trip blanks, equipment/field blanks, matrix spike and field duplicate samples will be collected, per the QAPP and NYSDEC requirements. Additional laboratory analyses may be included based on field observations. The data will be provided in a Category B data deliverable.

All non-dedicated, downhole sampling equipment will be decontaminated between soil boring locations in accordance with accepted drilling practices using a high-pressure hot water "steam" cleaner or scrubbed using Alconox followed by clean potable water rinse.

2.7. Groundwater Monitoring Well Installation and Sampling

2.7.1. Site Hydrogeological Conditions

Based on information obtained during previous site investigations, groundwater is anticipated to be encountered at a depth approximately 55 ft. bgs across the Site and is assumed to flow in a southerly direction.

2.7.2. Monitoring Well Installation

Groundwater samples collected during previous investigations were collected from temporary monitoring wells which no longer exist on the Site. As shown on Figure 5, five permanent monitoring wells will be installed throughout the Site as part of this RI in similar locations. The monitoring well screens will be positioned to straddle the groundwater surface. The nomenclature of each monitoring well will highlight the monitoring well location, e.g., RIMW-01, RIMW-02, etc.

Each monitoring well will be constructed of 2-inch outside diameter (OD), flush joint, SCH 40 polyvinylchloride (PVC) equipped with 10 feet of 0.020-inch slot well screen and a PVC riser pipe extending to the surface. The wells will be completed with a Morie #2 sand pack to 2 feet above top-of-screen, 2 feet of wetted bentonite pellets, and tremie-grout to surface. The monitoring wells will be completed with a J-plug and a flush mounted protective casing in a concrete pad.

2.7.3. Monitoring Well Development

The newly installed monitoring wells will be developed no sooner than 24 hours following construction completion. The development procedure will be completed using a submersible pump and purging a minimum of three-well volumes and periodically surging the water in the monitoring well to loosen and remove suspended fines from the well screen and sandpack.

2.7.4. Groundwater Sample Collection

Groundwater sampling will be completed utilizing the USEPA's low-flow (minimal drawdown) procedures with dedicated and decontaminated sampling equipment. Prior to collecting the groundwater samples, the depth to groundwater and the total well depth will be measured at each of the groundwater monitoring wells using a multi-parameter interface probe attached to a measuring tape accurate to 0.01 foot. Field parameters (e.g., turbidity, pH, oxidation-reduction potential, and dissolved oxygen) will be measured during completion of the groundwater sampling event.

The monitoring wells will be sampled for the following analytical:

- VOCs using USEPA Method 8260C.
- Perfluoroalkyl and polyfluoroalkyl substances (PFAS) using USEPA Method 1633A.
- 1,4-Dioxane using a modified USEPA Method 8270 (with selective ion monitoring [SIM] to be used during analysis).
- SVOCs using USEPA Method 8270D.
- TAL metals (including mercury) via USEPA Method 6010D and Method 7473.
- Pesticides via USEPA Method 8081B.
- PCBs via USEPA Method 8082.

In addition, quality QA/QC samples such as equipment/field blanks, matrix spike and field duplicate samples will be collected, per the QAPP and NYSDEC requirements. Additional laboratory analyses may be included based on field observations. The data will be provided in a Category B data deliverable.

All new monitoring wells will be surveyed by a New York State-Licensed Land Surveyor. The elevation of each monitoring well will be determined to an ±0.01-foot accuracy and all monitoring well locations and elevations will be tied to the New York State Plane Coordinate System.

2.8. Soil Vapor Point Installation and Sampling

As depicted on Figure 5, 12 soil vapor probes are proposed to be installed throughout the Site, to further delineate previously identified contaminants in Site soil vapor. One outdoor ambient air sample will be collected concurrently with the soil vapor samples.

All samples will be collected in accordance with the Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York (NYSDOH October 2006) and associated updates. Conditions in the field may require adjustment to the sampling locations. The Site building is slated for demolition and as such, sub-slab soil samples and co-located indoor air samples are not proposed.

The temporary soil vapor probes will be installed to the planned excavation depth, approximately 15 ft. bgs. The soil vapor points will be advanced using direct push drilling methods and will consist of 1-inch diameter steel rods with a prefabricated 3-inch perforated steel vapor probe tip attached to ⅜-inch diameter low-density polyethylene (LDPE) plastic tubing. Once driven to depth, the rods will be removed leaving only the perforated tip and tubing. The vapor probe borehole will be backfilled with #2 Morie well grade gravel and a surface seal will be constructed using an impermeable bentonite clay seal at the last 6 inches of the annulus from surface grade. The vapor well will be purged using a hand pump or equivalent device after installation.

Samples will be collected in 6-liter Summa canisters which have been batch-certified clean by the laboratory and analyzed for VOCs using USEPA Method TO-15. Flow rate of both purging and sampling will not exceed 0.2 liters per minute (L/min). Sampling will occur for a duration of 2 hours. A sample log sheet will be maintained summarizing sample identification, date and time of sample collection,

sampling depth, identity of samplers, sampling methods and devices, soil vapor purge volumes, volume of the soil vapor extracted, vacuum of canisters before and after the samples are collected, apparent moisture content of the sampling zone, and chain of custody protocols. The indoor air samples and the outdoor air sample will be collected concurrently with the soil vapor sampling.

As part of the vapor intrusion evaluation, a tracer gas will be used in accordance with NYSDOH protocols to serve as a QA/QC device to verify the integrity of the soil vapor probe seal. Helium will be used as the tracer gas and a box will serve to keep it in contact with the probe during testing. A portable monitoring device will be used to analyze a sample of soil vapor for the tracer prior to sampling. If the tracer sample results show a 10% presence of the tracer, the probe seals will be adjusted to prevent infiltration. As the conclusion of the sampling round, tracer monitoring will be performed a second time to confirm the integrity of the probe seals. Samples will be analyzed using TO15 methodology.

2.9. Material Handling

Investigation derived waste (IDW) produced during the RI, including soil cuttings, groundwater, and decontamination waters will be collected and stored in 55-gallon drums for proper off-site transportation and disposal (T&D). An approved storage area will be established on-site for IDW storage. The drums will be placed on secondary containments and will be kept covered.

2.10. Site Restoration

The drilling subcontractor will restore all disturbed areas to pre-existing conditions, as necessary. Restoration actions shall include, but may not be limited to:

- Removal of all temporary facilities, including decontamination areas, and unused materials.
- Replacement or repair of all removed or damaged asphalt and concrete surfaces, as appropriate.

3. Quality Assurance/Quality Control Protocols

QA/QC protocols are included in Appendix D.

4. Health and Safety Protocols

Health and safety protocols are detailed in the site-specific HASP, included in Appendix F.

5. Remedial Investigation Report/Remedial Action Work Plan

Following receipt of the validated analytical results from the RI, GEI will prepare a Remedial Investigation Report (RIR) and Remedial Action Work Plan (RAWP), as described below.

5.1. Remedial Investigation Report

The RIR will include a summary of RI fieldwork performed, soil/groundwater/soil vapor sample analytical data tables, soil boring and well construction logs, groundwater levels and flow directions, photos, and sample location figures. The RIR will also include recommendations for further characterization or remediation of the Site, as necessary. Key objectives and/or specific components of the RIR are further described below, as necessary. A Fish and Wildlife Exposure Assessment will be performed (if needed) based on the RI results in accordance with Section 3.10 of DER-10, and the Fish and Wildlife Resources Impact Analysis Decision key in DER-10, Appendix 3C.

5.1.1. Geologic/Hydrogeologic Characteristics

Geologic and hydrogeologic characterization of the Site will be accomplished through review of the RI and associated historical soil boring logs, soil and groundwater sampling results, and groundwater levels and flow directions. The RIR will include conclusions established based on review of soil and fill characteristics and the direction, gradients, and potential fluctuations or anomalies of shallow groundwater at and in the immediate vicinity of the Site.

5.1.2. Data Evaluation

Sample analytical data generated during the RI will be summarized and evaluated in the RIR to determine the extents of soil, groundwater, and soil vapor impacts, and to ensure that data are adequate in quantity and quality, pursuant to project objectives. In order to make this determination, the data will be reviewed for quality of data coverage, compatibility of data collection methods, and completeness.

To facilitate the data evaluation process, the data will be tabulated in data summary tables. Figures showing sampling locations with corresponding analytical results and comparison to applicable regulatory criteria (as discussed below) will also be prepared to enhance the overall understanding of Site conditions, with regard to the magnitude, location, and flow and transport of contamination at the Site.

Upon receipt, the analytical data will be validated in accordance with the USEPA Region II Functional Guidelines for Evaluating Organic Analyses (September 2006) and the USEPA Region 2 Standard Operating Procedure for the Evaluation of Metals for the Contract Laboratory Program, SOP HW-2, Revision 13 (September 2006), modified, as necessary, to accommodate the non-Contract Laboratory Program methodologies used. Analytical results for the soil, groundwater, and soil vapor samples will be compared to the NYSDEC Part 375 SCOs, the NYSDEC Class GA groundwater standards, and the NYSDOH soil vapor guidance values, respectively.

Laboratory data will be provided as Category B deliverables, and a DUSR will be prepared for each laboratory data package and any quality control non-conformances and associated impact to the usability of the analytical data will be identified. In addition, all data will be submitted to NYSDEC in the appropriate Electronic Data Deliverable (EDD) format.

Based on review of the RI analytical sample results, recommendations for further characterization of the Site will be provided, if necessary. In the event that no additional characterization is required, the RIR will include a Qualitative Human Health Risk Assessment (QHHRA). In the event that additional investigation is determined to be required, the QHHRA will be completed following the receipt of validated results of any additional characterization needed.

5.1.3. Qualitative Human Health Risk Assessment

The purpose of the QHHRA is to determine if the presence and concentrations of chemicals in the environmental media at the Site pose potential human health concerns.

The QHHRA will consist of the evaluation of five elements associated with exposure pathways, and how each of these elements pertains to the Site. The five exposure pathway elements to be evaluated include:

- A description of the contaminant source(s), including the location of the contaminant release to the environment (any waste disposal area or point of discharge, or if the original source is unknown), and the contaminated environmental medium (soil, groundwater, soil vapor, etc.) at the point of exposure.
- An explanation of the contaminant release and transport mechanisms to the exposed population.
- Identification of all potential exposure point(s) where actual or potential human contact with a contaminated medium may occur.
- Description(s) of the route(s) of exposure (i.e., ingestion, inhalation, dermal absorption).
- A characterization of the receptor populations who may be exposed to contaminants at a point of exposure.

5.1.4. Additional Field Investigations

The RIR will identify whether further characterization of the Site may be required, based on the findings and conclusions of the RI. Conditions that would warrant additional investigation include data gaps, identification of unexpected areas or concentrations of contamination, or to gather additional data necessary to properly evaluate the effectiveness of a proposed remedial technology.

If additional investigation is warranted, such will be discussed with the NYSDEC and an additional investigation work plan will be prepared and submitted to the NYSDEC for review and approval, as necessary, prior to the implementation of any additional investigation activities.

5.1.5. Interim Remedial Measures

The RIR will identify whether any Interim Remedial Measures (IRMs) may be warranted to be implemented at the Site, based on the findings and conclusions of the RI, prior to development and implementation of the RAWP described below. As such, the RIR may include recommendations to implement one or more IRMs at the Site to address any identified imminent risks to human health or the environment. In such cases, preliminary results from the RI would be used to evaluate the necessity for such an immediate response associated with a particular medium, route of exposure, or potential sensitive receptor.

If an IRM is determined to be necessary, an IRM work plan would be submitted to NYSDEC for review and approval. The IRM would be selected with the understanding that the measure should be compatible with the overall project objectives and long-term RA goals, and the IRM Work Plan would describe the proposed measure, justification for its selection, and a schedule for the activities associated with its implementation.

5.2. Remedial Action Work Plan

Based on the findings and conclusions of the RI, any required further investigation activities, and/or implementation of any IRMs, a RAWP will be developed for the Site. The RAWP will include an evaluation of remedial alternatives, based on the results of the RI, any required further investigation activities, and/or implementation of any IRMs, as well as the planned layout of the new building to be constructed at the Site.

Multiple remedial alternatives will be identified, evaluated, and ultimately selected to be implemented at the Site. The goal of these remedial measures is to be protective of human health and the environment under the proposed future use scenario. As part of this effort, potential Site constituent migration pathways for soil/fill, groundwater, soil vapor/indoor air and airborne dust will be evaluated. Once the degree of contamination associated with these media and other Site characteristics are established, General Response Alternatives for Site remediation will be defined.

The General Response Alternatives to be considered will include the “no action” measure, which will be utilized as a baseline against which other remedial measures, if necessary, will be compared and a Track 1 alternative. Proposed SCOs for the Site will also be presented in the RAWP based on the proposed future use of the Site. SCOs will be based on published SCGs and other NYSDEC and NYSDOH accepted values as appropriate. The RAWP will also include a Soil/Fill Management Plan, which will describe a plan for characterization and handling of excavated soil/fill based on NYSDEC SCOs as specified in 6 NYCRR Subpart 375-6.

6. Green and Sustainable Remediation

DER-31 requires that green remediation concepts and techniques be considered during all stages of the remedial program. As such, this work plan was prepared in a manner that considers all environmental effects of remedy implementation and incorporates Best Management Practices (BMP) to minimize the environmental footprint of remedial cleanups, in compliance with DER-31. BMPs and subsequent reporting methods are described below.

- DER-31 outlines best practices and techniques that can be applied throughout all stages of the remediation process, including the RI. In compliance with DER-31, the techniques identified below will be implemented unless a site-specific evaluation demonstrates impracticability or favors an alternative green approach. *Use of renewable energy to offset electricity demand at the site to the extent feasible.*
- *Reduce vehicle idling. All vehicles, both on and off road (including construction equipment) will be shut off when not in use for more than 5 minutes, consistent with 6 NYCRR Part 217 Motor Vehicle Emissions, Subpart 217-3 Idling Prohibition for Heavy Duty Vehicles.*
- *Design cover systems, to the extent possible, to be usable for alternate uses such as habitat or passive recreation, require minimal maintenance (e.g. less mowing), allow for infiltration of storm water and/or be integrated with the next use of the site.*
- *Beneficially reuse materials that would otherwise be considered a waste (e.g. crushed clean concrete as base or fill).*
- *Use of Ultra Low Sulfur Diesel (ULSD).*

During the implementation of this RI, the only applicable technique listed above is bullet point two: reducing vehicle idling. Heavy equipment, including drilling rigs, will be shut off during any break in use lasting more than 5 minutes.

DER-31 requires that all work reports submitted to the DEC include a description of green remediation and sustainability efforts. Accordingly, each daily field report will document the Green and Sustainable Remediation (GSR) practices and techniques employed, as outlined above. A comprehensive summary of all GSR measures implemented during the RI will also be included in the RIR.

7. Citizen Participation Activities

A Citizen Participation Plan (CPP) will be developed and deposited by GEI in the Community Information Repository. As part of this effort, GEI will provide personnel and materials to assist the NYSDEC in providing the community with information related to the RI at the Site.

GEI will complete the following related activities:

- Establish a Community Information Repository at the local library, or other community center.
- Participate in public meetings that the NYSDEC deems necessary to apprize the community of the current or proposed activities.
- Identify public and elected officials who may have a need to be informed.
- Identify the affected or interested public.
- Disseminate the approved Fact Sheets to the Site Contact List.

In addition to the CPP, the following historical and future documents will be filed in the repository, and the public will be so notified with a Fact Sheet, as necessary:

- Phase I ESA Reports
- Supplemental Investigation Report
- Project HASPs
- Final RIWP
- Draft and Final RIR
- Draft and Final IRM Plan, if necessary
- Draft and Final RAWP
- Draft and Final Engineering Report (FER)
- Draft and Final Site Management Plan

Following completion and filing of the RIR, a Fact Sheet and notice of public meeting, if necessary, will be distributed by mailing. Public comments will be solicited to aid in the preparation of the Final RAWP. A public meeting will be conducted, if required. Following the public comment period, NYSDEC will issue a Decision Document, and the RAWP will then be finalized.

Following completion of the RA or actions, two Fact Sheets will be prepared. The first will summarize the findings of the FER and the second will announce the issuance of the Certificate of Completion. The two Fact Sheets will be combined if the FER and Certificate of Completion issuance occur concurrently.

Following completion and filing of the FER, an SMP will be drafted and filed, if not pursuing a Track 1 status. The SMP will describe any required ongoing post-remedial site monitoring activities which may be

required to ensure that operation of the Site remains protective of human health and the environment under the proposed future use scenario.

8. Schedule

The project schedule for implementation of the RIWP activities is presented below. It should be noted that the below schedule assumes that no further characterization or IRM activities will be required at the Site.

The below schedule may be affected by regulatory review time periods, contractor response timeframes, time needed to negotiate access agreements with property owners and/or tenants, community issues, permit review and approval timeframes, or other unknown factors. In addition, in the event that the proposed RIWP scope changes as a result of the above, additional effort may be required to reschedule and/or renegotiate with subcontractors, which has the potential to further impact the below schedule. Every effort will be made to keep the project on the anticipated schedule.

Milestone	Estimated Schedule	
	Estimated Weeks	Estimated End Date
Submittal of Draft RIWP to NYSDEC with BCP Application	0	2026-March
30 day Public Comment Period	8	2026-July
NYSDEC Approves Final RIWP / Issue Fact Sheet	4	2026-August
Implementation of RIWP	2	2026-August-September
Submittal of RIR and RAWP to NYSDEC	8	2026-October
RAWP Comment Period	7	2026-November-December
NYSDEC Approves RIR		2026-December
NYSDEC Approves RAWP and issues Decision Document	8	22026-December
Remediation	8	2027-January
Submittal of SMP to NYSDEC		2027-September
Submittal of FER to NYSDEC	8	2027-October
NYSDEC Approves FER/Issuance of COC	40	2027-December

Figures

Figure 1. Site Location Map

Figure 2. Site Plan

Figure 3. Previous Investigation Soil Sample Exceedance Summary

Figure 4. Previous Investigation Elevated Soil Vapor Detections

Figure 5. Proposed Sample Location Map

Appendix A Previous Reports

AMERICAN DENTAL OFFICES # 12 (Continued) **1028020603**

Number of Containers:	5
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	25
Quantity Unit of Measure Code:	G
Quantity Unit of Measure Description:	Gallons
Waste Quantity, in Tons:	0.104253545
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.104253545
Waste Quantity, in Kilograms:	94.5611
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	94.5611
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

R112 **AMERICAN DENTAL OFFICES #12** **E MANIFEST** **1027792501**
ESE **180 BROADWAY / 35 BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.236 mi.
1248 ft. **Site 2 of 2 in cluster R**

Relative: E MANIFEST:
Lower

Actual:
143 ft.

Manifest Tracking Number:	015927122JJK
Last Updated Date:	20191228
Shipped Date:	20190814
Received Date:	20190828
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018668044JJK
Last Updated Date:	20190731
Shipped Date:	20190508
Received Date:	20190521
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Manifest Tracking Number:	018668255JJK
Last Updated Date:	20191114
Shipped Date:	20190710
Received Date:	20190724
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018668393JJK
Last Updated Date:	20200114
Shipped Date:	20191009
Received Date:	20191025
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018668475JJK
Last Updated Date:	20200623
Shipped Date:	20191113
Received Date:	20191122
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018668815JJK
Last Updated Date:	20190514
Shipped Date:	20190313
Received Date:	20190329
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018669654JJK
Last Updated Date:	20180928
Shipped Date:	20180808
Received Date:	20180828
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	110 EDISON AVENUE
Generator Location Street 2:	Not reported
Generator Location City:	MOUNT VERNON
Generator Location Zip:	10550
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	PAD085690592
Designated Facility Name:	Republic Env Sys Inc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	2869 Sandstone Drive
Designated Facility Mail City:	Hatfield
Designated Facility Mail Zip:	19440
Designated Facility Mail State:	PA
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	2869 Sandstone Drive
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Hatfield
Designated Facility Location Zip:	19440
Designated Facility Location State:	PA
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018669758JJK
Last Updated Date:	20181003
Shipped Date:	20180912
Received Date:	20180926
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	110 EDISON AVENUE
Generator Location Street 2:	Not reported
Generator Location City:	MOUNT VERNON
Generator Location Zip:	10550
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018669965JJK
Last Updated Date:	20181130
Shipped Date:	20181114
Received Date:	20181127
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	110 EDISON AVENUE
Generator Location Street 2:	Not reported
Generator Location City:	MOUNT VERNON
Generator Location Zip:	10550
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018670229JJK
Last Updated Date:	20200401
Shipped Date:	20200311
Received Date:	20200320
Manifest Status:	Signed

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018670252JJK
Last Updated Date:	20200227
Shipped Date:	20200212
Received Date:	20200221
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	018670447JJK
Waste Line Number:	1
Federal Waste Code:	D011
Federal Waste: SILVER	

Transporter:

Manifest Tracking Number:	018670447JJK
Transporter Line Number:	1
Transporter EPA ID:	NYR000076513
Transporter Name:	Approved Storage & Waste Haul.

Waste Line:

Manifest Tracking Number:	018670447JJK
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082 Hazardous Waste, Liquid, N.O.S. (Silver) Iii 9 D011=1#
Non-Hazardous Waste Description:	Not reported
Number of Containers:	2
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	10
Quantity Unit of Measure Code:	G
Quantity Unit of Measure Description:	Gallons
Waste Quantity, in Tons:	0.041701417
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.041701417
Waste Quantity, in Kilograms:	37.824436
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	37.824436
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported

AMERICAN DENTAL OFFICES #12 (Continued) **1027792501**

Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

Click this hyperlink while viewing on your computer to access
2 additional US EManifest: record(s) in the EDR Site Report.

S113 **RESIDENCE** **NY LTANKS** **S101508910**
NW **20 WYCOFFE STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.240 mi.
1265 ft. **Site 1 of 3 in cluster S**

Relative: LTANKS:
Lower

Name:	RESIDENCE
Address:	20 WYCOFFE STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9500106 / 1995-04-04
Facility ID:	9500106
Site ID:	100402
Spill Date:	1995-04-04
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	1995-04-04
SWIS:	3000
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1995-04-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-04-05
Spill Record Last Update:	2001-02-09
Spiller Name:	Not reported
Spiller Company:	RELIANCE
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	89148
Latitude:	40.7689925
Longitude:	-73.5292525
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE

RESIDENCE (Continued) **S101508910**

Remarks: OVERFILL

All Materials:
Site ID: 100402
Operable Unit ID: 1010864
Operable Unit: 01
Material ID: 368723
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 1.00
Units: G
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

Q114 **DAHLS AUTO BODY INC.** **NY UST** **U004427279**
NNE **56 E. BARCLAY ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.240 mi.
1266 ft. **Site 7 of 8 in cluster Q**

Relative: **Higher**
Actual: **149 ft.**

NASSAU CO. UST:
Facility ID: #41055
Owner Name: IVING LE BOWITZ
Owner Address: 56 EAST BARCLAY STREET
Owner City,St,Zip: HICKSVILLE, NY 11801
Permitee Name: Not reported
Permitee Address: Not reported
Permitee City,St,Zip: Not reported

Tank Status: 4-Abandoned in Place
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Q115 **JVC AUTO COLLISION** **NY TANKS** **S121488109**
NNE **56 E BARCLAY ST** **NY AIRS** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.240 mi.
1266 ft. **Site 8 of 8 in cluster Q**

Relative: **Higher**
Actual: **149 ft.**

TANKS NASSAU:
Name: AUTO LAB SERVICE CENTER
Address: 56 E. BARCLAY ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported

JVC AUTO COLLISION (Continued) **S121488109**

Permit End Date: 4/1/2001
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Name: DAHLS AUTO BODY INC.
Address: 56 E. BARCLAY ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 8/1/1990
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

AIRS:
Name: JVC AUTO COLLISION
Address: 56 E BARCLAY ST
City,State,Zip: HICKSVILLE, NY 11801
DECID: 1282401067
Process ID: Not reported
Latitude: Not reported
Longitude: Not reported
FIPS Code: Not reported
Auth Type Code: AFR

Permit Status: Issued
Auth Status Code: 2
Emissions: Not reported
Issue date: 01/25/2008
Expired Date: Not reported
Emission Unit date: Not reported
Contamination: Not reported
EPA Control Code: Not reported
Control Eff: Not reported
Unit: Not reported

T116 **HENRY J. STOCK FUNERAL HM** **NY AST** **S106125699**
SSW **132 NEWBRIDGE RD.** **NY TANKS** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801** **NY Spills**
0.240 mi.
1267 ft. **Site 1 of 2 in cluster T**

Relative: **Lower**

NASSAU CO. AST:
Facility ID: #38017

Actual: **139 ft.**

Tank ID: 2
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 250 (Gal.)
Description: OIL, FUEL #2 (P)
Date Permit Ends: 09/01/1993

TANKS NASSAU:
Name: HENRY J. STOCK FUNERAL HM
Address: 132 NEWBRIDGE RD.
City,State,Zip: HICKSVILLE, NY 11801

HENRY J. STOCK FUNERAL HM (Continued) **S106125699**

Facility Status:	Not reported
Permit End Date:	9/1/1993
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

SPILLS:

Name:	HENRY J STOCK FUNERAL HOM
Address:	132 NEWBRIDGE ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0312277 / 2004-08-05
Facility ID:	0312277
Facility Type:	ER
DER Facility ID:	246212
Site ID:	304815
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3024
Spill Date:	2004-02-04
Investigator:	DHRAYMON
Referred To:	Not reported
Reported to Dept:	2004-02-04
CID:	405
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-02-04
Spill Record Last Update:	2005-01-11
Spiller Name:	STEVEN MCGINN
Spiller Company:	HENRY J STOCK FUNERAL HOM
Spiller Address:	132 NEWBRIDGE ROAD
Spiller Company:	001
Contact Name:	STEVEN MCGINN
Latitude:	40.7633149
Longitude:	-73.5276479
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was RAYMOND 2/4/04 TELECON WITH STEVEN MCGINN, HIS PLAN IS TO REMOVE THE TANK AND EXCAVATE CONT SOIL ON FRIDAY, NO DRAINS OR PRIVATE WELLS AFFECTED
Remarks:	The spill has been happening over time. The cause was a leaking above ground tank. Clean up will be starting in the next day or two.

All Materials:

Site ID:	304815
Operable Unit ID:	877504
Operable Unit:	01
Material ID:	497501
Material Code:	0001A

HENRY J. STOCK FUNERAL HM (Continued) **S106125699**

Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

T117 **HENRY J. STOCK FUNERAL HM** **NY UST** **U004426904**
SSW **132 NEWBRIDGE RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.240 mi.
1267 ft. **Site 2 of 2 in cluster T**

Relative: **Lower**
Actual: **139 ft.**

NASSAU CO. UST:

Facility ID:	#38017
Owner Name:	HENRY J. STOCK FUNERAL HM
Owner Address:	132 NEWBRIDGE ROAD
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	W. & I. STOFFEL
Permitee Address:	132 NEWBRIDGE ROAD
Permitee City,St,Zip:	HICKSVILLE, NY 11801
Tank Status:	4-Abandoned in Place
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	04/01/1945
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

S118 **EMERALD DRY CLEANERS** **NY TANKS** **1004756355**
NW **48 W JOHN ST** **RCRA NonGen / NLR** **NYD055288468**
1/8-1/4 **HICKSVILLE, NY 11801** **FINDS**
0.245 mi. **ECHO**
1293 ft. **Site 2 of 3 in cluster S** **NY MANIFEST**

Relative: **Higher**
Actual: **144 ft.**

TANKS NASSAU:

Name:	EMERALD FRENCH CLEANERS
Address:	48 W. JOHN ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	8/1/2003
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Emerald Dry Cleaners
Handler Address:	W John St
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD055288468
Contact Name:	Not reported
Contact Address:	W JOHN ST
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	W JOHN ST
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	Ownername
Owner Type:	Private
Operator Name:	Ownername
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No

EMERALD DRY CLEANERS (Continued) **1004756355**

Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	F002
Waste Description:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: OWNERNAME	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: OWNERNAME	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: OWNERNAME	
Legal Status:	Private

EMERALD DRY CLEANERS (Continued) **1004756355**

Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19950406
Handler Name: EMERALD DRY CLEANERS	
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name: EMERALD DRY CLEANERS	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: EMERALD DRY CLEANERS	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19851105
Handler Name: EMERALD DRY CLEANERS	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

EMERALD DRY CLEANERS (Continued) **1004756355**

Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110006443937

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1004756355
Registry ID: 110006443937
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110006443937
Name: EMERALD DRY CLEANERS
Address: 48 W JOHN ST
City,State,Zip: HICKSVILLE, NY 11801

NY MANIFEST:
EPA ID: NYD055288468
Country: USA
Name: EMERALD CLEANERS
Address: 48 W JOHN ST
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801
Zip 4: Not reported
Location Address 1: 48 WEST JOHN STREET
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY 11801
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:

EMERALD DRY CLEANERS (Continued) **1004756355**

Mailing Name: EMERALD CLEANERS
Mailing Contact: EMERALD CLEANERS
Mailing Address 1: 48 WEST JOHN STREET
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5169388297

Manifest Data:
Document ID: NYC0367569
Manifest Status: Not reported
Trans1 State ID: 000000000
Year: 1990
Trans2 State ID: Not reported
Generator Ship Date: 07/16/1990
Trans1 Recv Date: 07/16/1990
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/16/1990
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD055288468
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000708198
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00060
Units: Pounds
Number of Containers: 001
Container Type: Metal drums, barrels, kegs
Handling Method: Burn

EMERALD DRY CLEANERS (Continued) **1004756355**

Specific Gravity: 01.00

Document ID: NYA6827038
Manifest Status: K - Completed after the designated time
Trans1 State ID: CT7869
Year: 1987
Trans2 State ID: Not reported
Generator Ship Date: 871006
Trans1 Recv Date: 871006
Trans2 Recv Date: Not reported
TSD Site Recv Date: 871006
Part A Recv Date: 871117
Part B Recv Date: 871014
Generator EPA ID: NYD055288468
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000708198
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00080
Units: Pounds
Number of Containers: 001
Container Type: Fiber or plastic boxes, cartons, cases
Handling Method: Recycle
Specific Gravity: 100

Document ID: NYA5685246
Manifest Status: C - Completed copy
Trans1 State ID: AT8755
Year: 1987
Trans2 State ID: Not reported
Generator Ship Date: 870313

EMERALD DRY CLEANERS (Continued) **1004756355**

Trans1 Recv Date:	870313
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	870313
Part A Recv Date:	870317
Part B Recv Date:	870318
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC0899425
Manifest Status:	Not reported
Trans1 State ID:	GF1411
Year:	1991
Trans2 State ID:	Not reported
Generator Ship Date:	04/17/1991
Trans1 Recv Date:	04/17/1991
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/17/1991
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYA6659594
Manifest Status:	C - Completed copy
Trans1 State ID:	22335GU
Year:	1987
Trans2 State ID:	Not reported
Generator Ship Date:	870428
Trans1 Recv Date:	870428
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	870428
Part A Recv Date:	870506
Part B Recv Date:	870505
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYA9570194
Manifest Status:	C - Completed copy
Trans1 State ID:	000000000
Year:	1989
Trans2 State ID:	000000000
Generator Ship Date:	890711
Trans1 Recv Date:	890711
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890711
Part A Recv Date:	890719
Part B Recv Date:	890714
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE,

EMERALD DRY CLEANERS (Continued) **1004756355**

CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00080
Units: Pounds
Number of Containers: 001
Container Type: Metal drums, barrels, kegs
Handling Method: Recycle
Specific Gravity: 100

Document ID: NYC5908588
Manifest Status: Not reported
Trans1 State ID: NYJE4744
Year: 1999
Trans2 State ID: Not reported
Generator Ship Date: 10/21/1999
Trans1 Recv Date: 10/21/1999
Trans2 Recv Date: Not reported
TSD Site Recv Date: 10/21/1999
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD055288468
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000708198
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2: Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00060
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYA8617792
Manifest Status:	C - Completed copy
Trans1 State ID:	CT7869
Year:	1987
Trans2 State ID:	Not reported
Generator Ship Date:	871229
Trans1 Recv Date:	871229
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	871229
Part A Recv Date:	880104
Part B Recv Date:	880104
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00080
Units:	Pounds
Number of Containers:	001
Container Type:	Fiber or plastic boxes, cartons, cases

EMERALD DRY CLEANERS (Continued) **1004756355**

Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC0610266
Manifest Status:	Not reported
Trans1 State ID:	GF1411
Year:	1990
Trans2 State ID:	Not reported
Generator Ship Date:	12/04/1990
Trans1 Recv Date:	12/04/1990
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/04/1990
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00060
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYA8821045
Manifest Status:	C - Completed copy
Trans1 State ID:	CT7869
Year:	1988
Trans2 State ID:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

Generator Ship Date:	880422
Trans1 Recv Date:	880422
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880422
Part A Recv Date:	880429
Part B Recv Date:	880427
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00080
Units:	Pounds
Number of Containers:	001
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC5793478
Manifest Status:	Not reported
Trans1 State ID:	Not reported
Year:	2001
Trans2 State ID:	NYAT8756
Generator Ship Date:	07/02/2001
Trans1 Recv Date:	07/02/2001
Trans2 Recv Date:	07/02/2001
TSD Site Recv Date:	07/02/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	SCR000074591

EMERALD DRY CLEANERS (Continued) **1004756355**

Trans2 EPA ID:	SCR000075150
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00120
Units:	Pounds
Number of Containers:	002
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00150
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

EMERALD DRY CLEANERS (Continued) **1004756355**

Click this hyperlink while viewing on your computer to access
28 additional NY MANIFEST: record(s) in the EDR Site Report.

S119 **B QUICK PRINTERS** **RCRA NonGen / NLR** **1000344538**
NW **46 W JOHN ST** **FINDS** **NYD982720476**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.245 mi.
1293 ft. **Site 3 of 3 in cluster S**

Relative: **Higher**
Actual: **144 ft.**

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	B Quick Printers
Handler Address:	W John St
Handler City,State,Zip:	HICKSVILLE, NY 11801-1006
EPA ID:	NYD982720476
Contact Name:	Not reported
Contact Address:	W JOHN ST
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	W JOHN ST
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	Thomas Korattikara
Owner Type:	Private
Operator Name:	Thomas Korattikara
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No

B QUICK PRINTERS (Continued) **1000344538**

Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: THOMAS KORATTIKARA	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: THOMAS KORATTIKARA	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: THOMAS KORATTIKARA	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported

B QUICK PRINTERS (Continued) **1000344538**

Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19990708
Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010801
Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Conditionally Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes

B QUICK PRINTERS (Continued) **1000344538**

Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	19881216
Handler Name: B QUICK PRINTERS	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004426595

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000344538
Registry ID:	110004426595
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004426595
Name:	B QUICK PRINTERS
Address:	46 W JOHN ST
City,State,Zip:	HICKSVILLE, NY 11801

120
SE
1/8-1/4
0.249 mi.
1315 ft.

WESTERN AUTO REPAIR
67 OLD COUNTRY RD
HICKSVILLE, NY 11801

RCRA NonGen / NLR
FINDS
ECHO
NY MANIFEST

1000402170
NYD986890564

Relative:
Lower

Actual:
142 ft.

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Western Auto Repair
Handler Address:	Old Country Rd
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD986890564
Contact Name:	Not reported
Contact Address:	OLD COUNTRY RD
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	OLD COUNTRY RD
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	Western Auto Repair
Owner Type:	Private
Operator Name:	Western Auto Repair
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No

WESTERN AUTO REPAIR (Continued) **1000402170**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: WESTERN AUTO REPAIR	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: WESTERN AUTO REPAIR	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: WESTERN AUTO REPAIR	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

WESTERN AUTO REPAIR (Continued) **1000402170**

Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19990708
Handler Name: WESTERN AUTO REPAIR
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: WESTERN AUTO REPAIR
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: WESTERN AUTO REPAIR
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900127
Handler Name: WESTERN AUTO REPAIR
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:

WESTERN AUTO REPAIR (Continued) **1000402170**

NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110006446140

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000402170
Registry ID:	110006446140
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110006446140
Name:	WESTERN AUTO REPAIR
Address:	67 OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801

NY MANIFEST:

EPA ID:	NYD986890564
Country:	USA
Name:	WESTERN AUTO REPAIR
Address:	67 OLD COUNTRY RD
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	67 OLD COUNTRY ROAD
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	WESTERN AUTO REPAIR
Mailing Contact:	WESTERN AUTO REPAIR
Mailing Address 1:	67 OLD COUNTRY ROAD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	Not reported
Mailing Country:	USA

WESTERN AUTO REPAIR (Continued) **1000402170**

Mailing Phone: 5169319563

Manifest Data:

Document ID:	NYA8317953
Manifest Status:	Not reported
Trans1 State ID:	MK 8837
Year:	1990
Trans2 State ID:	Not reported
Generator Ship Date:	03/01/1990
Trans1 Recv Date:	03/01/1990
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/01/1990
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986890564
Trans1 EPA ID:	NYD006801245
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	IGNITABLE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

121
NNE
1/4-1/2
0.277 mi.
1462 ft.

CANTIAGUE PARK ADMIN BLDG **NY LTANKS** **S100177519**
WEST JOHN STREET **N/A**
HICKSVILLE, NY

Relative:
Higher

Actual:
150 ft.

LTANKS:

Name:	CANTIAGUE PARK MAINTENANCE BLDG
Address:	WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9110529 / 1992-02-25
Facility ID:	9110529

CANTIAGUE PARK ADMIN BLDG (Continued) **S100177519**

Site ID:	250286
Spill Date:	1992-01-07
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	1992-02-25
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1992-01-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1992-01-08
Spill Record Last Update:	2019-05-06
Spiller Name:	PETER WITKOWSKI
Spiller Company:	NCDPW
Spiller Address:	425 SALISBURY PARK DRIVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	289226
Latitude:	40.7685249
Longitude:	-73.5298450
DEC Memo:	2/4/92 TANK REMOVED WITH BRIAN CAMPBELL-DEC ON SITE, NO EVIDENCE OF CONT SOIL. NO FURTHER ACTION NEEDED AT THIS TIME
Remarks:	2500 FAILED AT -.05, PETROTITE TANK ONLY, NCDPW TO RETEST TANK, TESTER THINKS TEST WAS PERFORMED IMPROPERLY

All TTF:

Facility ID:	9110529
Spill Number:	9110529
Spill Tank Test:	1539494
Site ID:	250286
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	250286

CANTIAGUE PARK ADMIN BLDG (Continued) **S100177519**

Operable Unit ID:	960554
Operable Unit:	01
Material ID:	419056
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	CANTIAGUE PARK ADMIN BLDG
Address:	WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9110582 / 1992-02-24
Facility ID:	9110582
Site ID:	250287
Spill Date:	1992-01-08
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	B3
Cleanup Ceased:	1992-02-24
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1992-01-09
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1992-01-10
Spill Record Last Update:	2019-05-06
Spiller Name:	PETER WITKOWSKI
Spiller Company:	NCDPW
Spiller Address:	425 SALISBURY PARK DRIVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	289226
Latitude:	40.7685249
Longitude:	-73.5298450
DEC Memo:	SYSTEMS RETEST FOR 91-09619, TANK REMOVED 2/4/92 5-10 YDS, NO FURTHER ACTION NEEDED AT THIS TIME.SEE 9109619
Remarks:	PASSED TANK ALONE ON DEC 17TH THEY HOOKED UP NEW PIPING AND FAILED SYSTEM TEST, PROBLEM IN PIPING, 1500 FAILED AT -.09 PETROTITE

All TTF:

Facility ID:	9110582
Spill Number:	9110582

CANTIAGUE PARK ADMIN BLDG (Continued) **S100177519**

Spill Tank Test:	1539503
Site ID:	250287
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	250287
Operable Unit ID:	960605
Operable Unit:	01
Material ID:	419104
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

U122 **MERIT GAS STATION** **NY LTANKS** **S100170133**
ESE **272 NORTH BROADWAY** **NY Spills** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.289 mi.
1524 ft. **Site 1 of 2 in cluster U**

Relative: **Lower**

Actual: **143 ft.**

LTANKS:

Name:	MERIT
Address:	272 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8909841 / 1991-10-22
Facility ID:	8909841
Site ID:	79861
Spill Date:	1990-01-12
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	1991-10-22
SWIS:	3024
Investigator:	AYLEUNG
Referred To:	Not reported
Reported to Dept:	1990-01-12
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester

MERIT GAS STATION (Continued) **S100170133**

Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-01-17
Spill Record Last Update:	2011-04-21
Spiller Name:	Not reported
Spiller Company:	MERIT
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	290752
Latitude:	40.7775110
Longitude:	-73.5300555
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was LEUNG ENSO OF GI FOUND LEAKY COUPLING USING AIR TEST. REPAIRED AND RETESTED SYSTEM. SYSTEM PASSED.
Remarks:	NCFM ON SCENE. MERRITT CORP WAS NOTIFIED. WILL UNCOVER AND RETEST. 8K FAILED AT -.107

All TTF:

Facility ID:	8909841
Spill Number:	8909841
Spill Tank Test:	1536674
Site ID:	79861
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	79861
Operable Unit ID:	934779
Operable Unit:	01
Material ID:	442988
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

MERIT GAS STATION (Continued) **S100170133**

Name:	MERIT S/S
Address:	272 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8911133 / 1990-04-04
Facility ID:	8911133
Site ID:	79862
Spill Date:	1990-02-22
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	1990-04-04
SWIS:	3024
Investigator:	AYLEUNG
Referred To:	Not reported
Reported to Dept:	1990-02-22
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-02-26
Spill Record Last Update:	2011-05-03
Spiller Name:	Not reported
Spiller Company:	MERIT S/S
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	290752
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was LEUNG
Remarks:	6K FAILED AT -.186 GASOLINE INSTALLATION TESTER

All TTF:

Facility ID:	8911133
Spill Number:	8911133
Spill Tank Test:	1536795
Site ID:	79862
Tank Number:	Not reported
Tank Size:	0
Material:	0012
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

MERIT GAS STATION (Continued) **S100170133**

All Materials:

Site ID:	79862
Operable Unit ID:	936659
Operable Unit:	01
Material ID:	440675
Material Code:	0012A
Material Name:	kerosene
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

Name:	MERIT GAS STATION
Address:	272 NORTH BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9104943 / 1991-09-18
Facility ID:	9104943
Site ID:	256206
Spill Date:	1991-08-07
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	Not reported
Cleanup Ceased:	1991-09-18
SWIS:	3000
Investigator:	KMYAGER
Referred To:	Not reported
Reported to Dept:	1991-08-07
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1991-08-12
Spill Record Last Update:	1991-09-18
Spiller Name:	Not reported
Spiller Company:	MERIT GAS STATION
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	209823
Latitude:	40.7772794
Longitude:	-73.5299110
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEROSA 09/18/91: PASSED RETEST 8/15/91 AT +.047, COUPLING ON 4 RISOR WAS LEAKING, TIGHTENED AND PASSED RETEST, NO FURTHER ACTION.
Remarks:	2-6K FAILED AT -0.278 GAS INSTALLATION TESTER.

MERIT GAS STATION (Continued) **S100170133**

All TTF:

Facility ID:	9104943
Spill Number:	9104943
Spill Tank Test:	1538868
Site ID:	256206
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	256206
Operable Unit ID:	955659
Operable Unit:	01
Material ID:	423992
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

Name:	MERIT OIL GAS STATION
Address:	272 NORTH BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9204856 / 1995-08-18
Facility ID:	9204856
Site ID:	256207
Spill Date:	1992-07-28
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	1995-08-18
SWIS:	3000
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1992-07-28
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True

MERIT GAS STATION (Continued) **S100170133**

UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1992-07-30
Spill Record Last Update:	1995-08-21
Spiller Name:	Not reported
Spiller Company:	MERIT OIL GAS STATION
Spiller Address:	272 NORTH BROADWAY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	209823
Latitude:	40.7772794
Longitude:	-73.5299110
DEC Memo:	Not reported
Remarks:	6K FAILED PETROTITE TEST, GASOLINE INSTALLATIONS TESTER, SYSTEMS TEST, WILL EXCAVATE ISOLATE AND RETEST

All TTF:

Facility ID:	9204856
Spill Number:	9204856
Spill Tank Test:	1540298
Site ID:	256207
Tank Number:	Not reported
Tank Size:	0
Material:	0008
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	256207
Operable Unit ID:	968504
Operable Unit:	01
Material ID:	409100
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

Name:	MERIT S/S
Address:	272 NORTH BROADWAY
City,State,Zip:	HICKSVILLE, NY

MERIT GAS STATION (Continued) **S100170133**

Spill Number/Closed Date:	9402688 / 1995-08-18
Facility ID:	9402688
Site ID:	256208
Spill Date:	1994-05-24
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	1995-08-18
SWIS:	3000
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1994-05-24
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1994-05-25
Spill Record Last Update:	1995-08-21
Spiller Name:	Not reported
Spiller Company:	MERIT S/S
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	209823
Latitude:	40.7772794
Longitude:	-73.5299110
DEC Memo:	Not reported
Remarks:	550 FAILED GROSS LEAK, PETROTITE, TYREE TESTER

All TTF:

Facility ID:	9402688
Spill Number:	9402688
Spill Tank Test:	1542773
Site ID:	256208
Tank Number:	Not reported
Tank Size:	0
Material:	0022
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	256208

MERIT GAS STATION (Continued) **S100170133**

Operable Unit ID:	996475
Operable Unit:	01
Material ID:	382865
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

Name:	ISLAND TRANSPORTATION COR
Address:	272 NORTH BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9407508 / 1994-09-21
Facility ID:	9407508
Site ID:	256209
Spill Date:	1994-09-03
Spill Cause:	Tank Failure
Spill Source:	Tank Truck
Spill Class:	A2
Cleanup Ceased:	1994-09-21
SWIS:	3000
Investigator:	WJPARISH
Referred To:	Not reported
Reported to Dept:	1994-09-03
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Fire Department
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1994-09-07
Spill Record Last Update:	1994-09-21
Spiller Name:	Not reported
Spiller Company:	ISLAND TRANSPORTATION COR
Spiller Address:	EDISON AVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	209823
Latitude:	40.7772794
Longitude:	-73.5299110
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was PARISH / / : AT MERIT S/S. 09/21/94: AT MERIT S/S CLEANUP BY MEG HIRED BY ITC, TO CLEAN UP DEBRIS & CLEAN DRAINAGE. DISPOSAL RECPTS REC'VD & FILED, NO OTHER ACTION NEEDED.
Remarks:	SPILL DURING DELIVERY IN DRAINAGE ON GROUND,

All Materials:

Site ID:	256209

MERIT GAS STATION (Continued) **S100170133**

Operable Unit ID:	1001766
Operable Unit:	01
Material ID:	380514
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	.00
Resource Affected:	Sewer
Oxygenate:	Not reported

SPILLS:

Name:	MERIT GAS STATION
Address:	272 NORTH BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9506034 / 2000-02-03
Facility ID:	9506034
Facility Type:	ER
DER Facility ID:	501989
Site ID:	256210
DEC Region:	1
Spill Cause:	Other
Spill Class:	B3
SWIS:	3024
Spill Date:	1995-08-14
Investigator:	RBC WELL
Referred To:	Not reported
Reported to Dept:	1995-08-16
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1995-08-17
Spill Record Last Update:	2017-05-12
Spiller Name:	SCOTT CULLINA/ANGELO FATI
Spiller Company:	MERIT GAS STATION
Spiller Address:	551 WEST LANCASTER AVENUE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7775930
Longitude:	-73.5304848
DEC Memo:	Not reported
Remarks:	TANK REMOVAL FOUND CONTAMINATION SOIL

All Materials:

Site ID:	256210
Operable Unit ID:	1016930
Operable Unit:	01

MERIT GAS STATION (Continued) **S100170133**

Material ID:	364017
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Name:	MERIT
Address:	272 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8805048 / 1988-09-12
Facility ID:	8805048
Facility Type:	ER
DER Facility ID:	290752
Site ID:	79860
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	Not reported
SWIS:	3024
Spill Date:	1988-09-11
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1988-09-11
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Fire Department
Cleanup Ceased:	1988-09-12
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	1988-09-13
Spill Record Last Update:	2006-06-07
Spiller Name:	Not reported
Spiller Company:	MERIT SERVICE STATION
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE FD 09/12/88: TYREE CLEANED UP ON PAVEMENT ONLY,NO DRAINS. 1 DRUM DEBRIS. NCFM ON SCENE FOR CLEANUP. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	SPLIT HOSE.. HOSE REPLACED. SPEEDY DRY USED TO CLEANUP

All Materials:

Site ID:	79860
Operable Unit ID:	920237

MERIT GAS STATION (Continued) **S100170133**

Operable Unit:	01
Material ID:	456966
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

V123 **WE TRANSPORT** **UST FINDER RELEASE** **1029062339**
East **42 EAST CARLE STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.306 mi.
1618 ft. **Site 1 of 3 in cluster V**

Relative: **Higher**
Actual: **145 ft.**

UST FINDER RELEASE:

Object ID:	266127
Facility ID:	NY171879
Lust ID:	NY9825271
Name:	WE TRANSPORT
Address:	42 EAST CARLE STREET
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1999/03/04 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1331
Domestic Wells within 1500ft:	2
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.51912
Y Coord:	40.7660000000001
Latitude:	40.7659999999999
Longitude:	-73.51912

V124 **WE TRANSPORT** **UST FINDER RELEASE** **1029075684**
East **42 EAST CARL STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.306 mi.
1618 ft. **Site 2 of 3 in cluster V**

Relative:
Higher

Actual:
145 ft.

UST FINDER RELEASE:

Object ID:	266123
Facility ID:	NY403269
Lust ID:	NY8911439
Name:	WE TRANSPORT
Address:	42 EAST CARL STREET
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1990/03/02 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1204
Domestic Wells within 1500ft:	2
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.5197199999999
Y Coord:	40.76543
Latitude:	40.76543
Longitude:	-73.51972

V125 **WE TRANSPORT INC** **NY LTANKS** **1000419314**
East **42 E CARL ST** **NY UST** **NYD003778057**
1/4-1/2 **HICKSVILLE, NY 11801** **NY TANKS**
0.306 mi. **NY Spills**
1618 ft. **Site 3 of 3 in cluster V** **RCRA NonGen / NLR**
FINDS

Relative:
Higher

ECHO
NY MANIFEST

Actual:
145 ft.

LTANKS:

Name:	WE TRANSPORT
Address:	42 EAST CARL STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8911439 / 1994-05-06
Facility ID:	8911439
Site ID:	289832

WE TRANSPORT INC (Continued) **1000419314**

Spill Date:	1990-03-02
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	1994-05-06
SWIS:	3024
Investigator:	MIRZA
Referred To:	Not reported
Reported to Dept:	1990-03-05
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-03-06
Spill Record Last Update:	2011-05-04
Spiller Name:	JOHN RILLEY
Spiller Company:	WE TRANSPORT
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	403269
Latitude:	40.7654295
Longitude:	-73.5197224
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was MIRZA WELL
Remarks:	NCFM ON SITE. TANKS PUMPED OUT. STEEL TANKS PRIOR TO 1978

All TTF:

Facility ID:	8911439
Spill Number:	8911439
Spill Tank Test:	1536818
Site ID:	289832
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	289832
Operable Unit ID:	938380
Operable Unit:	01

WE TRANSPORT INC (Continued) **1000419314**

Material ID:	440961
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

Name:	WE TRANSPORT INC
Address:	42 EAST CARL STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9903082 / 2000-03-28
Facility ID:	9903082
Site ID:	289833
Spill Date:	1999-06-17
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	COSTELLO
Referred To:	Not reported
Reported to Dept:	1999-06-17
CID:	252
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1999-06-17
Spill Record Last Update:	2000-03-29
Spiller Name:	UNK
Spiller Company:	METRO FUEL OIL CORP
Spiller Address:	500 KINGSLAND AVENUE
Spiller County:	001
Spiller Contact:	STEVE SCHOTT
Spiller Phone:	(516) 822-8617
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	234680
Latitude:	40.7659983
Longitude:	-73.5191174
DEC Memo:	Not reported
Remarks:	SPILL CREW ON SITE FOR CLEANUP-SPILL HAS BEEN CONTAINED AND HAS NOT AFFECTED ANY WATERWAYS OR SEWERS.

All Materials:

Site ID:	289833
Operable Unit ID:	1082008
Operable Unit:	01
Material ID:	303007
Material Code:	0008

WE TRANSPORT INC (Continued) **1000419314**

Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 40.00
Units: G
Recovered: .00
Resource Affected: Soil
Oxygenate: Not reported

NCFM UST:
Batt/Dept: 93
Location Id: 26062
Vendor: UNBRANDED

Unit Type: HH
Status: Removed
Tank Contents: 30199301
Installed Date: 08/09/1982
Last Test Date: 09/05/1995

Unit Type: HF
Status: Active
Tank Contents: 30120303
Installed Date: 06/11/1990
Last Test Date: 08/19/2010

Unit Type: HB
Status: Removed
Tank Contents: 10000000
Installed Date: 06/01/1971
Last Test Date: 08/27/1990

TANKS NASSAU:
Name: EDUCATIONAL BUS TRANSPORT
Address: 42 E. CARL ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 4/1/2026
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Name: EDUCATIONAL BUS TRANSPORT
Address: 42 E. CARL ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 6/1/2021
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

WE TRANSPORT INC (Continued) **1000419314**

Name:	WE TRANSPORT INC.
Address:	42 E. CARL ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	7/1/2007
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

SPILLS:

Name:	WE TRANSPORT
Address:	42 EAST CARLE STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9825271 / 1999-05-20
Facility ID:	9825271
Facility Type:	ER
DER Facility ID:	171879
Site ID:	207094
DEC Region:	1
Spill Cause:	Other
Spill Class:	B3
SWIS:	3024
Spill Date:	1999-03-04
Investigator:	HMCIRRIT
Referred To:	Not reported
Reported to Dept:	1999-03-04
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Tank Tester
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	1999-03-04
Spill Record Last Update:	2012-02-18
Spiller Name:	FRANK CARPENTER
Spiller Company:	WE TRANSPORT
Spiller Address:	42 EAST CARLE STREET
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7659983
Longitude:	-73.5191174
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was CIRRITO 98-177 TANK REMOVED, CONTAMINATED SOIL EXCAVATED SOIL BORING PERFORMED, SAMPLES TAKEN/DISPOSAL REC'VD. NO FURTHER ACTION
Remarks:	CONTAMINATION FOUND DURING ROUTINE REMOVAL OF 1 4K SINGLE-WALL FIBERGLASS COATED STEEL TANK. TANK SEEMS OK; APPEARS TO BE LINE OR HOUSEKEEPING PROBLEM. MAY NOT BE ABLE TO DIG OUT- ANOTHER TANK NEXT TO IT.

All Materials:

Site ID:	207094

WE TRANSPORT INC (Continued) **1000419314**

Operable Unit ID:	1076891
Operable Unit:	01
Material ID:	308981
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	We Transport Inc
Handler Address:	E Carl St
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD003778057
Contact Name:	Not reported
Contact Address:	E CARL ST
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	E CARL ST
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	J Berish
Owner Type:	Private
Operator Name:	J Berish
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: J BERISH	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: J BERISH	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED

WE TRANSPORT INC (Continued) **1000419314**

Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: J BERISH
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19950330
Handler Name: WE TRANSPORT INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: WE TRANSPORT INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: WE TRANSPORT INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

WE TRANSPORT INC (Continued) **1000419314**

Receive Date:	19870108
Handler Name:	WE TRANSPORT INC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Has the Facility Received Notices of Violations:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Evaluation Action Summary:

Evaluation Date:	20001018
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDRI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:

Registry ID: 110004342088

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000419314
Registry ID:	110004342088
DFR URL:	http://echo.epa.gov/detailed-facility-report?fid=110004342088
Name:	WE TRANSPORT INC
Address:	42 E CARL ST
City,State,Zip:	HICKSVILLE, NY 11801

NY MANIFEST:

EPA ID:	NYD003778057
Country:	USA
Name:	WE TRANSPORT
Address:	42 E CARL ST
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	42 E CHERRY
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	WE TRANSPORT

WE TRANSPORT INC (Continued) **1000419314**

Mailing Contact: WINSTON FORTE
Mailing Address 1: 42 E CHERRY
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5168221155

Manifest Data:
Document ID: NYC5038053
Manifest Status: Not reported
Trans1 State ID: NYGF1411
Year: 1998
Trans2 State ID: Not reported
Generator Ship Date: 04/06/1998
Trans1 Recv Date: 04/06/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/06/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD003778057
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000708198
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: TETRACHLOROETHYLENE
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00015
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Metal drums, barrels, kegs
Handling Method: Recycle
Specific Gravity: 01.00
Waste Code 7: TETRACHLOROETHYLENE
Waste Code 8: Not reported
Waste Code: Not reported
Waste Code 10: Not reported
Waste Code 11: Not reported
Quantity: 00005
Units: Gallons (liquids only)
Number of Containers: 001

WE TRANSPORT INC (Continued) **1000419314**

Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYC5621343
Manifest Status:	Not reported
Trans1 State ID:	NYAT8011
Year:	1999
Trans2 State ID:	Not reported
Generator Ship Date:	05/07/1999
Trans1 Recv Date:	05/07/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/07/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00016
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYC5597616

WE TRANSPORT INC (Continued) **1000419314**

Manifest Status:	Not reported
Trans1 State ID:	NYGF1411
Year:	1999
Trans2 State ID:	Not reported
Generator Ship Date:	04/16/1999
Trans1 Recv Date:	04/16/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/16/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00017
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC6283326
Manifest Status:	Not reported
Trans1 State ID:	NY75313AV
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	10/19/2000

WE TRANSPORT INC (Continued) **1000419314**

Trans1 Recv Date:	10/19/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/19/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00017
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYC4403092
Manifest Status:	Not reported
Trans1 State ID:	NYCAT8011
Year:	1996
Trans2 State ID:	Not reported
Generator Ship Date:	12/13/1996
Trans1 Recv Date:	12/13/1996
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/13/1996
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00016
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NYC6266665
Manifest Status:	Not reported
Trans1 State ID:	NY75313AV
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	09/19/2000
Trans1 Recv Date:	09/19/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/19/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00015
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYC4665420
Manifest Status:	Not reported
Trans1 State ID:	NYCAT8011
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	03/10/1997
Trans1 Recv Date:	03/10/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/10/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00016
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC4436368
Manifest Status:	Not reported
Trans1 State ID:	NYCAT8011
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	01/13/1997
Trans1 Recv Date:	01/13/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/13/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00017
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYC4875535
Manifest Status:	Not reported
Trans1 State ID:	NYCAT8011
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	05/08/1997
Trans1 Recv Date:	05/08/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/08/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00016
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC6104968
Manifest Status:	Not reported
Trans1 State ID:	NYLP3938
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	02/15/2000
Trans1 Recv Date:	02/15/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/15/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00010
Units:	Gallons (liquids only)

WE TRANSPORT INC (Continued) **1000419314**

Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC6177554
Manifest Status:	Not reported
Trans1 State ID:	75313AV
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	07/25/2000
Trans1 Recv Date:	07/25/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/25/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	TETRACHLOROETHYLENE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00017
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	TETRACHLOROETHYLENE

WE TRANSPORT INC (Continued) **1000419314**

Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
59 additional NY MANIFEST: record(s) in the EDR Site Report.

U126 **FAIRHAVEN APTS** **NY LTANKS** **S100494010**
ESE **290 BROADWAY** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.315 mi.
1661 ft. **Site 2 of 2 in cluster U**

Relative: LTANKS:
Lower

Actual:
142 ft.

Name:	FAIRHAVEN APTS
Address:	290 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9206862 / 1992-12-28
Facility ID:	9206862
Site ID:	81148
Spill Date:	1992-09-14
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	E4
Cleanup Ceased:	1992-12-28
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1992-09-14
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1992-09-16
Spill Record Last Update:	2020-04-21
Spiller Name:	PETER PEARSALL
Spiller Company:	CENTRAL MANAGEMENT CORP
Spiller Address:	PO BOX 419
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	75107
Latitude:	40.7785526
Longitude:	-73.5306039

FAIRHAVEN APTS (Continued) **S100494010**

DEC Memo: 9/16/92 PER PEARSALL, WILL REPAIR AND RETEST.PER LEDDY TANK FAILED ORIGINALLY DUE TO VAPOR PRODUCT, TANK SYSTEM RETESTED 9/23/92 PASSED, NO FURTHER ACTION NEEDED AT THIS TIME
Remarks: 5K FAILED GROSS LEAK, PROTEST TESTER, U/G TANK WILL NOTIFY NCDH

All TTF:
Facility ID: 9206862
Spill Number: 9206862
Spill Tank Test: 1540572
Site ID: 81148
Tank Number: Not reported
Tank Size: 0
Material: 0001
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 81148
Operable Unit ID: 973967
Operable Unit: 01
Material ID: 407551
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Resource Affected: Groundwater
Oxygenate: Not reported

127
SSW
1/4-1/2
0.330 mi.
1744 ft.

MOBIL S/S **NY LTANKS** **S100172986**
OLD COUNTRY & NEWBRIDGE **N/A**
HICKSVILLE, NY

Relative:
Lower

Actual:
137 ft.

LTANKS:
Name: MOBIL S/S
Address: OLD COUNTRY & NEWBRIDGE
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 8900786 / 1992-10-01
Facility ID: 8900786
Site ID: 82085
Spill Date: 1989-04-24
Spill Cause: Tank Test Failure
Spill Source: Gasoline Station or other PBS Facility
Spill Class: B3
Cleanup Ceased: 1992-10-01

MOBIL S/S (Continued) **S100172986**

SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1989-04-24
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-04-24
Spill Record Last Update:	2011-03-16
Spiller Name:	Not reported
Spiller Company:	mobil s/s
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	401236
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	PETROTITE SYSTEMS FAILURE, WILL DIG UP AND RETEST 2/13/92 LEFT MESSAGE FOR BOB JACKMORE TANK PASSED SYSTEMS RETEST AFTER BLEEDER WAS INSTALLED, NO FURTHER ACTION NEEDED AT THIS TIME
Remarks:	12K TANK FAILED GROSS LEAK. ISLAND PUMP & TANK TESTER.PETROTITE SYSTEMS FAILURE. WILL DIG UP AND RETEST

All TTF:

Facility ID:	8900786
Spill Number:	8900786
Spill Tank Test:	1535385
Site ID:	82085
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	82085
Operable Unit ID:	926983
Operable Unit:	01
Material ID:	452111
Material Code:	0009
Material Name:	gasoline

MOBIL S/S (Continued) **S100172986**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

128
SSE
1/4-1/2
0.338 mi.
1784 ft.

HICKSVILLE MIDDLE SCHOOL
JERUSALEM AVE
HICKSVILLE, NY 11801

NY LTANKS **1000446609**
RCRA NonGen / NLR **NYD986912889**
NY MANIFEST

Relative:
Lower

Actual:
139 ft.

LTANKS:

Name:	HICKSVILLE JR HS
Address:	JERUSALEM AVENUE & 2ND STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8705026 / 1988-05-17
Facility ID:	8705026
Site ID:	195996
Spill Date:	1987-09-16
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Not reported
Cleanup Ceased:	1988-05-17
SWIS:	3024
Investigator:	KDGOERTZ
Referred To:	Not reported
Reported to Dept:	1987-09-16
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-09-16
Spill Record Last Update:	2006-10-18
Spiller Name:	Not reported
Spiller Company:	HICKSVILLE JR HS
Spiller Address:	JERUSALEM AVE & 2ND ST
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	163288
Latitude:	40.7615030
Longitude:	-73.5232440
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was GOERTZ FD / / : BAIN HEATING TESTER. 05/17/88: BAIN RETESTED SYSTEM AFTER REPLACING VENT LINE WHISTLE & PASSED.DEC NOT PRESENT DURING RETEST. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	10K FAILED SYSTEM TEST-GROSS FAILURE

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

All TTF:

Facility ID:	8705026
Spill Number:	8705026
Spill Tank Test:	1531635
Site ID:	195996
Tank Number:	Not reported
Tank Size:	0
Material:	0002
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	195996
Operable Unit ID:	911334
Operable Unit:	01
Material ID:	467632
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Hicksville Middle School
Handler Address:	Jerusalem Ave
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD986912889
Contact Name:	Not reported
Contact Address:	DIVISION AVE & 6TH ST ADMIN
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

State District:	NYSDEC R1
Mailing Address:	DIVISION AVE & 6TH ST ADMIN
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	Hicksville Public Schools
Owner Type:	District
Operator Name:	Hicksville Public Schools
Operator Type:	District
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	D002

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Waste Description: Corrosive Waste

Waste Code: D003
Waste Description: Reactive Waste

Waste Code: NONE
Waste Description: Not Defined

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: HICKSVILLE PUBLIC SCHOOLS
Legal Status: District
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: HICKSVILLE PUBLIC SCHOOLS
Legal Status: District
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HICKSVILLE PUBLIC SCHOOLS
Legal Status: District
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19950321
Handler Name: HICKSVILLE MIDDLE SCHOOL
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: HICKSVILLE MIDDLE SCHOOL
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: HICKSVILLE MIDDLE SCHOOL
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900913
Handler Name: HICKSVILLE MIDDLE SCHOOL
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:
EPA ID: NYD986912889
Country: USA

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Name:	HICKSVILLE MIDDLE SCHOOL
Address:	JERUSALEM AVE
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	2ND STREET & FREVERT PLACE
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	HICKSVILLE MIDDLE SCHOOL
Mailing Contact:	DOMINICK CIARAMELLA
Mailing Address 1:	2ND STREET & FREVERT PLACE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	5169370900

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/11/2011
Trans1 Recv Date:	07/11/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/21/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	CDX480000000
TSDF ID 2:	Not reported
Manifest Tracking Number:	008693475JJK
Import Indicator:	N
Export Indicator:	Y
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	CORROSIVE WASTE
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	40
Units:	Pounds
Number of Containers:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/11/2011
Trans1 Recv Date:	07/11/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/21/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	CDX480000000
TSDF ID 2:	Not reported
Manifest Tracking Number:	008693475JJK
Import Indicator:	N
Export Indicator:	Y
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	CORROSIVE WASTE
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	80
Units:	Pounds
Number of Containers:	2

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Container Type: Fiberboard or plastic drums, barrels, kegs
Handling Method: Landfill
Specific Gravity: 1

Document ID: NYB5717673
Manifest Status: Not reported
Trans1 State ID: PD9938
Year: 1992
Trans2 State ID: Not reported
Generator Ship Date: 07/29/1992
Trans1 Recv Date: 07/29/1992
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/29/1992
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986912889
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: IGNITABLE WASTE
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00046
Units: Gallons (liquids only)
Number of Containers: 002
Container Type: Metal drums, barrels, kegs
Handling Method: Burn
Specific Gravity: 01.00
Waste Code 7: REACTIVE WASTE
Waste Code 8: Not reported
Waste Code: Not reported
Waste Code 10: Not reported
Waste Code 11: Not reported
Quantity: 00200
Units: Pounds
Number of Containers: 001
Container Type: Metal drums, barrels, kegs
Handling Method: Burn
Specific Gravity: 01.00
Waste Code 12: CORROSIVE WASTE
Waste Code 13: Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00003
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 17:	CORROSIVE WASTE
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00001
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYB5717718
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	07/29/1992
Trans1 Recv Date:	07/29/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/29/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	IGNITABLE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Gallons (liquids only)

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYB5378562
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	07/22/1993
Trans1 Recv Date:	07/22/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/22/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	IGNITABLE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00015
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	MERCURY
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00010
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Document ID:	NYG1708128
Manifest Status:	Not reported
Trans1 State ID:	71169ASNY
Year:	1999
Trans2 State ID:	Not reported
Generator Ship Date:	11/08/1999
Trans1 Recv Date:	11/08/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/09/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD077444263
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00008
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 7:	LEAD
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00010
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 12:	CORROSIVE WASTE
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00006

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 17:	IGNITABLE WASTE
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00006
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/21/2011
Trans1 Recv Date:	07/21/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/05/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	CDX480000000
TSDF ID 2:	Not reported
Manifest Tracking Number:	008825526JJK
Import Indicator:	N
Export Indicator:	Y
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	MERCURY
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Quantity:	20
Units:	Pounds
Number of Containers:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	1
Document ID:	NYB5212665
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	09/07/1993
Trans1 Recv Date:	09/07/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/07/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	IGNITABLE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYB5212674
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	09/07/1993
Trans1 Recv Date:	09/07/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/07/1993

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CHROMIUM
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00010
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	IGNITABLE WASTE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 12:	IGNITABLE WASTE
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00008
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 17:	CORROSIVE WASTE
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Waste Code 21:	Not reported
Quantity:	00008
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYB4360797
Manifest Status:	Not reported
Trans1 State ID:	HM3506
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	10/16/1992
Trans1 Recv Date:	10/16/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/16/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	2,4-DINITROPHENOL (OR) PHENOL, 2,4-DINITRO-
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYB2379321
Manifest Status:	Not reported
Trans1 State ID:	HM5506
Year:	1991
Trans2 State ID:	Not reported
Generator Ship Date:	05/31/1991
Trans1 Recv Date:	05/31/1991
Trans2 Recv Date:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

TSD Site Recv Date:	06/03/1991
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	IGNITABLE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00010
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 7:	LEAD
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00123
Units:	Pounds
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 12:	IGNITABLE WASTE
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00003
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Click this hyperlink while viewing on your computer to access
8 additional NY MANIFEST: record(s) in the EDR Site Report.

---

129 **EXXON GAS STATION** **UST FINDER RELEASE** **1029080012**
ESE **210 SOUTH BROADWAY** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.357 mi.
1885 ft.

Relative:
Lower

Actual:
141 ft.

UST FINDER RELEASE:

Object ID:	266126
Facility ID:	NY98983
Lust ID:	NY8605541
Name:	EXXON GAS STATION
Address:	210 SOUTH BROADWAY
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1986/12/02 16:00:00+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	968
Domestic Wells within 1500ft:	3
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.5195399999999
Y Coord:	40.7638900000001
Latitude:	40.76389
Longitude:	-73.51954

W130
NNW
1/4-1/2
0.360 mi.
1899 ft.

EXXON
106 N. BROADWAY
HICKSVILLE, NY 11801

Site 1 of 2 in cluster W

UST FINDER **1028579879**
UST FINDER RELEASE **N/A**

Relative:
Higher

Actual:
149 ft.

UST FINDER:

Object ID:	301447
Facility ID:	NY361563
Name:	EXXON
Address:	106 N. BROADWAY
City,State,Zip:	HICKSVILLE, NY 11801
Address Match Type:	Not reported
Open USTs:	1
Closed USTs:	0
TOS USTs:	0
Population 1500ft:	1076
Private Wells 1500ft:	0
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Facility Status:	Open UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.527551
Y Coord:	40.772344
Latitude:	40.772344
Longitude:	-73.527551

UST FINDER:

Object ID:	1247714
Facility ID:	NY361563
Tank ID:	NY102579
Tank Status:	Open
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	Not reported
Substances:	Not reported
Tank Wall Type:	Not reported

UST FINDER RELEASE:

Object ID:	261397
Facility ID:	NY361563
Lust ID:	NY9608671
Name:	FORMER GAS STATION
Address:	88 RIVERSIDE DRIVE
City,State,Zip:	CHESTERTOWN, NY 0

EXXON (Continued) **1028579879**

Address Match Type:	Not reported
Reported Date:	1996/09/01 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	249
Domestic Wells within 1500ft:	93
Land Use:	Developed, Low Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY5630075_32807
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020200010604
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.8020999999999
Y Coord:	43.6531600000001
Latitude:	43.65316
Longitude:	-73.8020999999999

W131 **EXXON # 70261** **UST FINDER RELEASE** **1029074006**
NNW **106 NORTH BROADWAY & JAME** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.373 mi.
1972 ft. **Site 2 of 2 in cluster W**

Relative:
Higher

Actual:
149 ft.

UST FINDER RELEASE:

Object ID:	266092
Facility ID:	NY319244
Lust ID:	NY606066
Name:	EXXON # 70261
Address:	106 NORTH BROADWAY & JAME
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	PointAddress
Reported Date:	2006/08/21 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1135
Domestic Wells within 1500ft:	0
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311

EXXON # 70261 (Continued) **1029074006**

WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	Geocode
X Coord:	-73.52714
Y Coord:	40.7716100000001
Latitude:	40.77161
Longitude:	-73.52714

---

132 **EDWARD CONDRA RESIDENCE** **NY LTANKS** **S102670721**
WSW **219 WEST MARIE STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.400 mi.
2111 ft.

Relative:
Lower

Actual:
136 ft.

LTANKS:

Name:	EDWARD CONDRA RESIDENCE
Address:	219 WEST MARIE STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9509442 / 1995-10-31
Facility ID:	9509442
Site ID:	79338
Spill Date:	1995-10-30
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1995-10-30
CID:	209
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-10-30
Spill Record Last Update:	1995-11-01
Spiller Name:	Not reported
Spiller Company:	UNK
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	EDWARD CONDRA
Spiller Phone:	(516) 931-1093
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	73752

EDWARD CONDRA RESIDENCE (Continued) **S102670721**

Latitude:	40.7643643
Longitude:	-73.5301128
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE NO FURTHER ACTIONS
Remarks:	HISTORICAL STAIN

All Materials:

Site ID:	79338
Operable Unit ID:	1020018
Operable Unit:	01
Material ID:	360403
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

133
SW
1/4-1/2
0.434 mi.
2290 ft.

COUNTRY BRIDGE **NY LTANKS** **S116156819**
244/260 WEST OLD COUNTRY RD **N/A**
HICKSVILLE, NY

Relative:
Lower

Actual:
136 ft.

LTANKS:

Name:	COUNTRY BRIDGE
Address:	244/260 WEST OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	1310184 / 2014-05-16
Facility ID:	1310184
Site ID:	491015
Spill Date:	2014-01-21
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3024
Investigator:	hmcirrit
Referred To:	Not reported
Reported to Dept:	2014-01-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2014-01-21
Spill Record Last Update:	2018-12-19
Spiller Name:	Not reported
Spiller Company:	MUSSO PROPERTIES
Spiller Address:	Not reported
Spiller County:	999

COUNTRY BRIDGE (Continued) **S116156819**

Spiller Contact:	BOB URBAN
Spiller Phone:	(631) 321-4670
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	446027
Latitude:	40.7612003
Longitude:	-73.5302942
DEC Memo:	01/21/14 1210 Hrs (A): Called Urban- this is a shopping center, and THE TESTS WERE DONE FOR A POTENTIAL BUYER. He provided the name and phone number for the current owner. 01/21/14 1210 Hrs (B): BOTH tanks failed with dry leaks . There was supposed to have been a third tank tested, but he is not certain whether it is actually present. DR 3 TANKS ON PROPERTY REMOVED, NO CONTAMINATED SOIL IDENTIFIED
Remarks:	two 550 gal ust

All Materials:

Site ID:	491015
Operable Unit ID:	1240567
Operable Unit:	01
Material ID:	2240765
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	Not reported
Resource Affected:	Soil
Oxygenate:	Not reported

X134 **WOODMAX MOBIL INC** **UST FINDER RELEASE** **1029056539**
NE **94 WOODBURY ROAD** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.445 mi.
2347 ft. **Site 1 of 2 in cluster X**

Relative:
Higher

Actual:
154 ft.

UST FINDER RELEASE:

Object ID:	266136
Facility ID:	NY100510
Lust ID:	NY9908970
Name:	WOODMAX MOBIL INC
Address:	94 WOODBURY ROAD
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1999/10/23 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1897
Domestic Wells within 1500ft:	0
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317

WOODMAX MOBIL INC (Continued) **1029056539**

WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.5169299999999
Y Coord:	40.7725500000001
Latitude:	40.77255
Longitude:	-73.51693

---

135 North 1/4-1/2 0.446 mi. 2353 ft. **CHUANG RESIDENCE** **NY LTANKS S101174498**
48 LENOX AVENUE **NY Spills N/A**
HICKSVILLE, NY

Relative: Higher

Actual: 153 ft.

LTANKS:

Name:	CHUANG RESIDENCE
Address:	48 LENOX AVE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9404612 / 2004-02-10
Facility ID:	9404612
Site ID:	84147
Spill Date:	1994-07-05
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	BPAUSTIN
Referred To:	Not reported
Reported to Dept:	1994-07-05
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1994-07-06
Spill Record Last Update:	2004-02-12
Spiller Name:	Not reported
Spiller Company:	CHUANG RESIDENCE
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	77399

CHUANG RESIDENCE (Continued) **S101174498**

Latitude:	40.7728871
Longitude:	-73.5252563
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN 1/30/04 MEMO CRITERION #3 CLOSURE SPILL LESS THAN 25 GALS, RESIDUAL CONTAMINATION DOES NOT POSE THREAT TO GW
Remarks:	SPILL ON DIRT IN CRAWL SPACE, TANK BEING PUMPED OUT BY SERVICE

All Materials:

Site ID:	84147
Operable Unit ID:	998727
Operable Unit:	01
Material ID:	381226
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

SPILLS:

Name:	CHUANG RESIDENCE
Address:	48 LENOX AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9600135 / 1999-05-20
Facility ID:	9600135
Facility Type:	ER
DER Facility ID:	183832
Site ID:	222333
DEC Region:	1
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	3024
Spill Date:	1996-04-03
Investigator:	BPAUSTIN
Referred To:	Not reported
Reported to Dept:	1996-04-03
CID:	349
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-04-03
Spill Record Last Update:	2015-06-08
Spiller Name:	CHUANG RESIDENCE
Spiller Company:	CHUANG RESIDENCE
Spiller Address:	48 LENOX AVENUE
Spiller Company:	001
Contact Name:	CHUANG RESIDENCE

CHUANG RESIDENCE (Continued) **S101174498**

Latitude:	40.7728871
Longitude:	-73.5252563
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN CASE BEING HANDLED UNDER SPILL #94-04612
Remarks:	serviceman was there for no heat call - old tank in crawl space -found historical stain

All Materials:

Site ID:	222333
Operable Unit ID:	1027810
Operable Unit:	01
Material ID:	353533
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

X136 **WOODMAX MOBIL INC** **NY LTANKS** **S103565586**
NE **94 WOODBURY ROAD** **NY Spills** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.448 mi.
2366 ft. **Site 2 of 2 in cluster X**

Relative:
Higher

Actual:
155 ft.

LTANKS:

Name:	WOODMAX MOBIL INC
Address:	94 WOODBURY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9908970 / 1999-12-03
Facility ID:	9908970
Site ID:	115345
Spill Date:	1999-10-23
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1999-10-23
CID:	322
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1999-10-23
Spill Record Last Update:	1999-12-06
Spiller Name:	SCOTT FALLON
Spiller Company:	WOODMAX MOBIL INC

WOODMAX MOBIL INC (Continued) **S103565586**

Spiller Address: 94 WOODBURY ROAD
Spiller County: 001
Spiller Contact: SCOTT FALLON
Spiller Phone: (516) 931-9118
Spiller Extention: Not reported
DEC Region: 1
DER Facility ID: 100510
Latitude: 40.7725462
Longitude: -73.5169339
DEC Memo: Not reported
Remarks: gross tank failure -

All TTF:
Facility ID: 9908970
Spill Number: 9908970
Spill Tank Test: 1547772
Site ID: 115345
Tank Number: middle n
Tank Size: 6000
Material: 0009
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 03
Test Method 2: Horner EZ Check I or II
Leak Rate: .00
Gross Fail: F
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 115345
Operable Unit ID: 1087643
Operable Unit: 01
Material ID: 555928
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Resource Affected: Groundwater
Oxygenate: Not reported

SPILLS:
Name: WOODMAX MOBIL SS
Address: 94 WOODBURY RD/MAX AVENUE
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 9104913 / 1991-08-08
Facility ID: 9104913
Facility Type: ER
DER Facility ID: 255062
Site ID: 316367
DEC Region: 1

WOODMAX MOBIL INC (Continued) **S103565586**

Spill Cause:	Other
Spill Class:	C2
SWIS:	3024
Spill Date:	1991-08-07
Investigator:	KMYAGER
Referred To:	Not reported
Reported to Dept:	1991-08-07
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Responsible Party
Cleanup Ceased:	1991-08-08
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1991-08-07
Spill Record Last Update:	2012-02-15
Spiller Name:	Not reported
Spiller Company:	WOODMAX MOBIL SS
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7725462
Longitude:	-73.5169339
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEROSA 08/08/91: CONTAMINATION REMOVED 8/7, NO FURTHER ACTION.
Remarks:	CONTAMINATION DISCOVERED DURING TANK REMOVAL. NOTIFIED NCHD/ NOT LOGGED IN LOG BOOK

All Materials:

Site ID:	316367
Operable Unit ID:	955646
Operable Unit:	01
Material ID:	423965
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

137
East
1/4-1/2
0.450 mi.
2378 ft.

VALVOLINE INSTANT OIL **NY LTANKS** **S105997301**
56 EAST OLD COUNTRY ROAD **N/A**
HICKSVILLE, NY

Relative:
Higher

Actual:
144 ft.

LTANKS:

Name:	VALVOLINE INSTANT OIL
Address:	56 EAST OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY

VALVOLINE INSTANT OIL (Continued) **S105997301**

Spill Number/Closed Date:	0208423 / 2003-02-13
Facility ID:	0208423
Site ID:	173495
Spill Date:	2002-11-14
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3024
Investigator:	BXDONOVA
Referred To:	Not reported
Reported to Dept:	2002-11-14
CID:	270
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-11-14
Spill Record Last Update:	2015-02-12
Spiller Name:	TODD COOPER
Spiller Company:	VALVOLINE INSTANT OIL
Spiller Address:	56 EAST OLD COUNTRY ROAD
Spiller County:	001
Spiller Contact:	TODD COOPER
Spiller Phone:	(800) 606-5823
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	145958
Latitude:	40.7647536
Longitude:	-73.5175929
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was BRIAN D 12/4/02 FILE REASSIGNED TANKS BEING REMOVED 3 TANKS EXCAVATED, TWO 1000 GALLONS, ONE 550 GALLON, NO PETROLEUM ODORS IN THE EXCAVATION
Remarks:	uncover repair retest

All TTF:

Facility ID:	0208423
Spill Number:	0208423
Spill Tank Test:	1527709
Site ID:	173495
Tank Number:	1
Tank Size:	1000
Material:	0022
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	01
Test Method 2:	Petro-Tite/Petro Comp
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

VALVOLINE INSTANT OIL (Continued) **S105997301**

All Materials:

Site ID:	173495
Operable Unit ID:	859849
Operable Unit:	01
Material ID:	552552
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

---

138 **JOE MCSHANE RESIDENCE** **NY LTANKS** **S103824066**
SSW **33 FLOWER STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.451 mi.
2383 ft.

Relative: **Lower**

Actual: **135 ft.**

LTANKS:

Name:	JOE MCSHANE RESIDENCE
Address:	33 FLOWER STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9813375 / 1999-09-22
Facility ID:	9813375
Site ID:	140767
Spill Date:	1999-02-01
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	COSTELLO
Referred To:	Not reported
Reported to Dept:	1999-02-01
CID:	281
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1999-02-01
Spill Record Last Update:	1999-09-23
Spiller Name:	JOE MCSHANE
Spiller Company:	JOE MCSHANE RESIDENCE
Spiller Address:	33 FLOWER STREET
Spiller County:	001
Spiller Contact:	JOE MCSHANE
Spiller Phone:	(516) 433-7622
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	120216

JOE MCSHANE RESIDENCE (Continued) **S103824066**

Latitude:	40.7605110
Longitude:	-73.5295816
DEC Memo:	Not reported
Remarks:	CALLER RESPONDED TO ABOVE LOCATION FOR ODOR OF OIL IN RESIDENCE. TANK TO BE DRAINED AND REPLACED/RELOCATED. NO CALL BACK REQUESTED.

All Materials:

Site ID:	140767
Operable Unit ID:	1070747
Operable Unit:	01
Material ID:	310096
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Soil
Oxygenate:	Not reported

Y139 **NCBP HICKSVILLE LLC** **NY LTANKS** **1000413037**
West **201 W JOHN ST** **NY UST** **NYD005574371**
1/4-1/2 **HICKSVILLE, NY 11801** **NY Spills**
0.460 mi. **RCRA NonGen / NLR**
2429 ft. **Site 1 of 2 in cluster Y** **FINDS**
ECHO

Relative:
Lower

Actual:
139 ft.

LTANKS:

Name:	FEDERAL EXPRESS
Address:	201 WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9506499 / 1996-03-28
Facility ID:	9506499
Site ID:	204311
Spill Date:	1995-08-25
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B4
Cleanup Ceased:	Not reported
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1995-08-25
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1995-08-29
Spill Record Last Update:	2013-12-16
Spiller Name:	DEBBIE MATTAS
Spiller Company:	FEDERAL EXPRESS ENV MGT
Spiller Address:	3975 AIRWAYS MODULE E 1ST

NCBP HICKSVILLE LLC (Continued) **1000413037**

Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	444961
Latitude:	40.7674414
Longitude:	-73.5340734
DEC Memo:	PER CBM CONSTRUCTION FAILURE WAS DUE TO AIR POCKET NO LEAKAGE OCCURRED. SYSTEM PASSED 8/29/95 TANK REMOVED 3/27/96 NCFM GUERIN ATTENDED, NO CONTAMINATION FOUND, NO FURTHER ACTION NEEDED AT THIS TIME. BRINE SOLUTION PUMPED OUT PER GUERIN TO BE DISPOSED OF
Remarks:	10K FAILED -0.152

All TTF:

Facility ID:	9506499
Spill Number:	9506499
Spill Tank Test:	1544111
Site ID:	204311
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	204311
Operable Unit ID:	1017265
Operable Unit:	01
Material ID:	364464
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Groundwater
Oxygenate:	Not reported

Name:	FEDERAL EXPRESS
Address:	201 WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9506571 / 1995-09-07
Facility ID:	9506571
Site ID:	204312
Spill Date:	1995-08-28
Spill Cause:	Tank Test Failure

NCBP HICKSVILLE LLC (Continued) **1000413037**

Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	1995-09-07
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1995-08-28
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1995-08-30
Spill Record Last Update:	2013-12-26
Spiller Name:	ENVIRONMENTAL MANAGEMENT GROUP
Spiller Company:	federal express
Spiller Address:	3975 AIRWAYS
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	444961
Latitude:	40.7674414
Longitude:	-73.5340734
DEC Memo:	CONTRACTOR WILL CHECK ALL FITTINGS, VALVES AND TOP OF TANK. WILL THEN RETEST TOMORROW IF THEY CAN GET FM OUT PER GUERIN 9/7/95 RETEST OF SPILL # 95-06499
Remarks:	WILL HAVE MAINTENANCE CONTRACTOR COME IN TO CHECK ALL VALVES & FITTINGS & BUNG BECAUSE THEY DO NOT BELIEVE TANK ITSELF IS LEAKING, WILL DO RETEST, 10K FAILED PETROTITE

All TTF:

Facility ID:	9506571
Spill Number:	9506571
Spill Tank Test:	1544114
Site ID:	204312
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	204312
Operable Unit ID:	1017322

NCBP HICKSVILLE LLC (Continued) **1000413037**

Operable Unit: 01
Material ID: 364534
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Resource Affected: Groundwater
Oxygenate: Not reported

NCFM UST:
Batt/Dept: 93
Location Id: 23571
Vendor: UNBRANDED

Unit Type: HC
Status: Removed
Tank Contents: 10000000
Installed Date: 12/01/1987
Last Test Date: 05/17/1996

SPILLS:
Name: FEDERAL EXPRESS
Address: 201 WEST JOHN STREET
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 9405394 / 1994-09-06
Facility ID: 9405394
Facility Type: ER
DER Facility ID: 444961
Site ID: 204310
DEC Region: 1
Spill Cause: Human Error
Spill Class: C3
SWIS: 3024
Spill Date: 1994-07-20
Investigator: BPAUSTIN
Referred To: Not reported
Reported to Dept: 1994-07-20
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Local Agency
Cleanup Ceased: 1994-09-06
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1994-07-21
Spill Record Last Update: 2013-12-16
Spiller Name: Not reported
Spiller Company: FEDERAL EXPRESS
Spiller Address: Not reported

NCBP HICKSVILLE LLC (Continued) **1000413037**

Spiller Company:	999
Contact Name:	Not reported
Latitude:	40.7674414
Longitude:	-73.5340734
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN 7/20/94 TYREE PUMPED OUT DRIANS, AUSTIN CHECKED DRAINS, CLEANUP COMPLETE.
Remarks:	SOMEONE DROVE AWAY WITH NOZZLE IN TRUCK, GAS IN 2 DRYWELLS, WILL HAVE IT CLEANED

All Materials:

Site ID:	204310
Operable Unit ID:	1002598
Operable Unit:	01
Material ID:	381984
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	30.00
Units:	G
Recovered:	.00
Resource Affected:	Sewer
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:	20210413
Handler Name:	Ncbp Hicksville Llc
Handler Address:	W John St
Handler City,State,Zip:	HICKSVILLE, NY 11801-1007
EPA ID:	NYD005574371
Contact Name:	KEVIN MALDONADO
Contact Address:	OLD TARRYTOWN RD
Contact City,State,Zip:	WHITE PLAINS, NY 10603
Contact Telephone:	914-414-6972
Contact Fax:	Not reported
Contact Email:	KMALDONADO@NCBP.COM
Contact Title:	INVENTORY SPECIALIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	OLD TARRYTOWN RD
Mailing City,State,Zip:	WHITE PLAINS, NY 10603
Owner Name:	Ncbp Hickville Llc
Owner Type:	Private
Operator Name:	Sk Distibution Llc
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No

NCBP HICKSVILLE LLC (Continued) **1000413037**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	U210
Waste Description:	Ethene, Tetrachloro- (Or) Tetrachloroethylene

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: FEDERAL EXPRESS CORP	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported

NCBP HICKSVILLE LLC (Continued) **1000413037**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: FEDERAL EXPRESS CORP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: SK DISTIBUTION LLC
Legal Status: Private
Date Became Current: 20140801
Date Ended Current: Not reported
Owner/Operator Address: 535 OLD TARRYTOWN RD
Owner/Operator City,State,Zip: WHITE PLAINS, NY 10603
Owner/Operator Telephone: 914-414-6972
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KMALDONADO@NCBP.COM

Owner/Operator Indicator: Owner
Owner/Operator Name: FEDERAL EXPRESS CORP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NCBP HICKVILLE LLC
Legal Status: Private
Date Became Current: 20140801
Date Ended Current: Not reported
Owner/Operator Address: 535 OLD TARRYTOWN RD
Owner/Operator City,State,Zip: WHITE PLAINS, NY 10603
Owner/Operator Telephone: 914-414-6972
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KMALDONADO@NCBP.COM

Historic Generators:
Receive Date: 19990708
Handler Name: FEDERAL EXPRESS CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No

NCBP HICKSVILLE LLC (Continued) **1000413037**

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name:	FEDERAL EXPRESS CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name:	FEDERAL EXPRESS CORP
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19831013
Handler Name:	FEDERAL EXPRESS CORP
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20210413
Handler Name:	NCBP HICKSVILLE LLC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes

NCBP HICKSVILLE LLC (Continued) **1000413037**

Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 423330
NAICS Description: ROOFING, SIDING, AND INSULATION MATERIAL MERCHANT WHOLESALERS

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004342408

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000413037
Registry ID: 110004342408
DFR URL: http://echo.epa.gov/detailed-facility-report?fid=110004342408
Name: NCBP HICKSVILLE LLC
Address: 201 W JOHN ST
City,State,Zip: HICKSVILLE, NY 11801

Y140 **FEDERAL EXPRESS** **UST FINDER RELEASE** **1029076174**
West **201 WEST JOHN STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.460 mi.
2429 ft. **Site 2 of 2 in cluster Y**

Relative:
Lower

Actual:
139 ft.

UST FINDER RELEASE:
Object ID: 266032
Facility ID: NY444961
Lust ID: NY9506499
Name: FEDERAL EXPRESS
Address: 201 WEST JOHN STREET
City,State,Zip: HICKSVILLE, NY 0
Address Match Type: Not reported
Reported Date: 1995/08/25 15:59:59+00
Status: No Further Action
Substance: Not reported
Population within 1500ft: 1105
Domestic Wells within 1500ft: 0

FEDERAL EXPRESS (Continued) **1029076174**

Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.53407
Y Coord:	40.7674400000001
Latitude:	40.76744
Longitude:	-73.53407

Object ID:	266033
Facility ID:	NY444961
Lust ID:	NY9506571
Name:	FEDERAL EXPRESS
Address:	201 WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1995/08/28 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1105
Domestic Wells within 1500ft:	0
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State

FEDERAL EXPRESS (Continued) **1029076174**

X Coord:	-73.53407
Y Coord:	40.7674400000001
Latitude:	40.76744
Longitude:	-73.53407

---

141 **NYNEX** **UST FINDER RELEASE** **1029075796**
WSW **202 DUFFY AVENUE** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.477 mi.
2519 ft.

Relative: **Lower**
Actual: **137 ft.**

UST FINDER RELEASE:

Object ID:	266040
Facility ID:	NY409403
Lust ID:	NY9707470
Name:	NYNEX
Address:	202 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1997/09/24 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1272
Domestic Wells within 1500ft:	0
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.53356
Y Coord:	40.7648100000001
Latitude:	40.7648099999999
Longitude:	-73.5335599999999

142
WSW
1/2-1
0.812 mi.
4287 ft.

ALSY MANUFACTURING, INC.
270/280 DUFFY AVENUE
HICKSVILLE, NY 11801

NY SHWS **S104541551**
NY ENG CONTROLS **N/A**
NY INST CONTROL
NY VAPOR REOPENED

Relative:
Lower

Actual:
126 ft.

SHWS:

Name:	ALSY MANUFACTURING, INC.
Address:	270/280 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Program:	HW
Site Code:	55767
Classification:	Site is properly closed - requires continued management.
Region:	1
Acres:	4.000
HW Code:	130027
Record Add:	11/18/1999
Record Upd:	09/25/2023
Updated By:	JLDYBER

Site Description: "Location: The ALSY site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. ALSY Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. ALSY s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction. "

Env Problem: "Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. "

Health Problem: "Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the

ALSY MANUFACTURING, INC. (Continued) **S104541551**

movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings."

Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	7/1/77
Disp Term:	8/1/84
Lat/Long:	40:45:47:0 / 73:32:28:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2011-10-28 09:23:00
Updated By:	HMDUDEK
Own Op:	4
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Alsy Manufacturing, Inc.
Owner Address:	270/280 Duffy Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Hicksville, NY 11801
Owner Country:	United States of America
Own Op:	4
Sub Type:	E
Owner Name:	AL GINDEL, PRES.
Owner Company:	BALATEM CORPORATION
Owner Address:	270 DUFFY AVENUE
Owner Addr2:	Not reported
Owner City,St,Zip:	HICKSVILLE, NY 11801
Owner Country:	United States of America
Own Op:	1
Sub Type:	NNN
Owner Name:	David Hercman (2021)
Owner Company:	Long Island Industrial Property Management
Owner Address:	6851 Jericho Tpke.
Owner Addr2:	Suite 155
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
HW Code:	130027
Waste Type:	METHYLENE CHLORIDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Waste Type:	ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	(DOO7) (DOO8)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	NYD981184237
Cross Ref Type Code:	05
Cross Ref Type:	EPA Site ID
Record Added Date:	1999-11-18 12:00:00
Record Updated:	2001-05-10 16:31:00
Updated By:	REGTRANS

ENG CONTROLS:

Name:	ALSY MANUFACTURING, INC.
Address:	270/280 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Site Code:	55767
HW Code:	130027
Control Code:	13
Control Type:	ENG
Date Record Added:	06/18/2013
Date Rec Updated:	05/28/2021
Updated By:	RWSTRANG
Site Description:	"Location: The ALSY site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. ALSY Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. ALSY s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction. "
Env Problem:	"Remediation at the site is complete. Prior to remediation, the

ALSY MANUFACTURING, INC. (Continued) **S104541551**

primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. "

Health Problem: "Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings."

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 4
Sub Type: NNN
Owner Name: Not reported
Owner Company: Alsy Manufacturing, Inc.
Owner Address: 270/280 Duffy Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Hicksville, NY 11801
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman (2021)
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Owner Addr2:	Suite 155
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
HW Code:	130027
Waste Type:	METHYLENE CHLORIDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	(DOO7) (DOO8)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	NYD981184237
Cross Ref Type Code:	05
Cross Ref Type:	EPA Site ID
Record Added Date:	1999-11-18 12:00:00
Record Updated:	2001-05-10 16:31:00
Updated By:	REGTRANS

INST CONTROL:

Name:	ALSY MANUFACTURING, INC.
Address:	270/280 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Site Code:	55767
Control Name:	Ground Water Use Restriction
HW Code:	130027
Control Code:	08
Control Type:	INST
Dt record added:	06/18/2013
Dt rec updated:	05/28/2021
Updated By:	RWSTRANG
Site Code:	55767
Site Description:	"Location: The ALSY site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. ALSY Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. ALSY s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction. "

Env Problem: "Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. "

Health Problem: "Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings."

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 4
Sub Type: NNN
Owner Name: Not reported

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Owner Company: Alsy Manufacturing, Inc.
Owner Address: 270/280 Duffy Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Hicksville, NY 11801
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman (2021)
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Address:	270/280 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Site Code:	55767
Control Name:	Environmental Notice
HW Code:	130027
Control Code:	N
Control Type:	INST
Dt record added:	06/18/2013
Dt rec updated:	05/28/2021
Updated By:	RWSTRANG
Site Code:	55767
Site Description:	"Location: The ALSY site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. ALSY Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. ALSY s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction. "
Env Problem:	"Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. "
Health Problem:	"Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling

ALSY MANUFACTURING, INC. (Continued) **S104541551**

	indicates soil vapor intrusion is not a concern for off-site buildings."
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	7/1/77
Disp Term:	8/1/84
Lat/Long:	40:45:47:0 / 73:32:28:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2011-10-28 09:23:00
Updated By:	HMDUDEK
Own Op:	4
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Alsy Manufacturing, Inc.
Owner Address:	270/280 Duffy Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Hicksville, NY 11801
Owner Country:	United States of America
Own Op:	4
Sub Type:	E
Owner Name:	AL GINDEL, PRES.
Owner Company:	BALATEM CORPORATION
Owner Address:	270 DUFFY AVENUE
Owner Addr2:	Not reported
Owner City,St,Zip:	HICKSVILLE, NY 11801
Owner Country:	United States of America
Own Op:	1
Sub Type:	NNN
Owner Name:	David Hercman (2021)
Owner Company:	Long Island Industrial Property Management
Owner Address:	6851 Jericho Tpke.
Owner Addr2:	Suite 155
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
HW Code:	130027
Waste Type:	METHYLENE CHLORIDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity:	UNKNOWN

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
Control Name: Site Management Plan
HW Code: 130027
Control Code: 32
Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 05/28/2021
Updated By: RWSTRANG
Site Code: 55767
Site Description: "Location: The ALSY site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. ALSY Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. ALSY s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction. "
Env Problem: "Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use.

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Residual contamination in the soil and groundwater is being managed under a Site Management Plan. "

Health Problem: "Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings."

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 4
Sub Type: NNN
Owner Name: Not reported
Owner Company: Alsy Manufacturing, Inc.
Owner Address: 270/280 Duffy Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Hicksville, NY 11801
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman (2021)
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
Control Name: Soil Management Plan
HW Code: 130027
Control Code: 14
Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 05/28/2021
Updated By: RWSTRANG
Site Code: 55767
Site Description: "Location: The ALSY site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site:

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. ALSY Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. ALSY s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction. "

Env Problem: "Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. "

Health Problem: "Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings."

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 4
Sub Type: NNN
Owner Name: Not reported
Owner Company: Alsy Manufacturing, Inc.
Owner Address: 270/280 Duffy Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Hicksville, NY 11801
Owner Country: United States of America
Own Op: 4

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman (2021)
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
Control Name: Monitoring Plan
HW Code: 130027
Control Code: 31

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 05/28/2021
Updated By: RWSTRANG
Site Code: 55767
Site Description: "Location: The ALSY site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. ALSY Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. ALSY s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction. "
Env Problem: "Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. "
Health Problem: "Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings."
Dump: False
Structure: True
Lagoon: False
Landfill: False

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 4
Sub Type: NNN
Owner Name: Not reported
Owner Company: Alsy Manufacturing, Inc.
Owner Address: 270/280 Duffy Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Hicksville, NY 11801
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman (2021)
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
Control Name: Landuse Restriction
HW Code: 130027
Control Code: 25
Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 05/28/2021
Updated By: RWSTRANG
Site Code: 55767
Site Description: "Location: The ALSY site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. ALSY Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. ALSY s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction. "
Env Problem: "Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan. "
Health Problem: "Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater

ALSY MANUFACTURING, INC. (Continued) **S104541551**

because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings."

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 4
Sub Type: NNN
Owner Name: Not reported
Owner Company: Alsy Manufacturing, Inc.
Owner Address: 270/280 Duffy Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Hicksville, NY 11801
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman (2021)
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported

ALSY MANUFACTURING, INC. (Continued) **S104541551**

HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

VAPOR REOPENED:
Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY
Site Code: 130027
Facility Status: Complete (Mitigate)

143
East
1/2-1
0.814 mi.
4299 ft.

Relative:
Higher

Actual:
146 ft.

HICKSVILLE OPERATIONS CENTER-PSEG
E OLD COUNTRY RD
HICKSVILLE, NY 11801

CORRACTS **1000178398**
RCRA-TSDF **NYD006866008**
RCRA-LQG
US FIN ASSUR
2020 COR ACTION
PADS
E MANIFEST
NJ MANIFEST

CORRACTS:
Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: RFA COMPLETED
Actual Date: 19890615
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: CA PRIORITIZATION-LOW CA PRIORITY
Actual Date: 19910624
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: STABILIZATION MEASURES EVALUATION-FACILITY NOT AMENABLE TO STABILIZATION
Actual Date: 19920624
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: REMEDY DECISION
Actual Date: 20160330
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED
Actual Date: 20160330
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 20100923
Air Release Indicator: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 20160328
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE
Actual Date: 20210930
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: CA PERFORMANCE STANDARDS ATTAINED - NO CONTROLS NECESSARY
Actual Date: 20210930
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

RCRA TSDF:
Treatment Storage and Disposal Type: Storage
Full Enforcement Universe: Storage
Corrective Action Workload Universe: Yes
Permit Renewals Workload Universe: Storage
Permit Workload Universe: Storage
Permit Progress Universe: Storage
Post-Closure Workload Universe: Not reported
Closure Workload Universe: Not reported
Operating TSDF Universe: Storage
Commercial TSD Indicator: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Storage
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: Yes
TSDFs Only Subject to CA under Discretionary Auth Universe: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Biennial: List of Years
Year: 2021

Click Here for Biennial Reporting System Data:
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2017

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2013

Click Here for Biennial Reporting System Data:
Year: 2011

Click Here for Biennial Reporting System Data:
Year: 2009

Click Here for Biennial Reporting System Data:
Year: 2007

Click Here for Biennial Reporting System Data:
Year: 2005

Click Here for Biennial Reporting System Data:
Year: 2003

Click Here for Biennial Reporting System Data:
Year: 2001

Click Here for Biennial Reporting System Data:

RCRA Listings:

Date Form Received by Agency:	20240104
Handler Name:	Hicksville Operations Center-Pseg
Handler Address:	E Old Country Rd
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
Contact Name:	RYAN C ALWORTH
Contact Address:	E OLD COUNTRY RD
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	516-418-9280
Contact Fax:	Not reported
Contact Email:	RYAN.ALWORTH@PSEG.COM
Contact Title:	RESOURCE RECOVERY SPECIALIST
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Large Quantity Generator
Non-Notifier:	Not reported
Biennial Report Cycle:	2023
Accessibility:	Not reported
Active Site Indicator:	Handler Activities, Permitting Activities, Corrective Action Activities

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	E OLD COUNTRY RD
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	National Grid Corporate Services Llc
Owner Type:	Private
Operator Name:	Long Island Electric Utility Servco Llc
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	Yes
Transfer Facility Activity:	Yes
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	Yes
Universal Waste Indicator:	Yes
Universal Waste Destination Facility:	Yes
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Subpart K - Withdrawal
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Accomplished
202 GPRA Corrective Action Baseline:	Yes
Subject to Corrective Action Universe:	Yes
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	Low
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	Yes
Groundwater Controls Indicator:	Yes
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Corrective Action, Sudden Third-Party Liability
Handler Date of Last Change:	20240105
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2021

Click Here for Biennial Reporting System Data:
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2017

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2013

Click Here for Biennial Reporting System Data:
Year: 2011

Click Here for Biennial Reporting System Data:
Year: 2009

Click Here for Biennial Reporting System Data:
Year: 2007

Click Here for Biennial Reporting System Data:
Year: 2005

Click Here for Biennial Reporting System Data:
Year: 2003

Click Here for Biennial Reporting System Data:
Year: 2001

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D000
Waste Description: Not Defined

Waste Code: D001
Waste Description: Ignitable Waste

Waste Code: D002
Waste Description: Corrosive Waste

Waste Code: D003
Waste Description: Reactive Waste

Waste Code: D004
Waste Description: Arsenic

Waste Code: D005
Waste Description: Barium

Waste Code: D006
Waste Description: Cadmium

Waste Code: D007
Waste Description: Chromium

Waste Code: D008
Waste Description: Lead

Waste Code: D009
Waste Description: Mercury

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code:	D010
Waste Description:	Selenium
Waste Code:	D011
Waste Description:	Silver
Waste Code:	D012
Waste Description:	Endrin (1,2,3,4,10,10-Hexachloro-1,7-Epoxy-1,4,4a,5,6,7,8,8a-Octahydro-1,4-En do, Endo-5,8-Dimeth-Ano-Naphthalene)
Waste Code:	D013
Waste Description:	Lindane (1,2,3,4,5,6-Hexa-Chlorocyclohexane, Gamma Isomer)
Waste Code:	D014
Waste Description:	Methoxychlor (1,1,1-Trichloro-2,2-Bis [P-Methoxyphenyl] Ethane)
Waste Code:	D015
Waste Description:	Toxaphene (C10 H10 Cl8, Technical Chlorinated Camphene, 67-69 Percent Chlorine)
Waste Code:	D016
Waste Description:	2,4-D (2,4-Dichlorophenoxyacetic Acid)
Waste Code:	D017
Waste Description:	2,4,5-Tp Silvex (2,4,5-Trichlorophenoxypropionic Acid)
Waste Code:	D018
Waste Description:	Benzene
Waste Code:	D019
Waste Description:	Carbon Tetrachloride
Waste Code:	D020
Waste Description:	Chlordane
Waste Code:	D021
Waste Description:	Chlorobenzene
Waste Code:	D022
Waste Description:	Chloroform
Waste Code:	D023
Waste Description:	O-Cresol
Waste Code:	D024
Waste Description:	M-Cresol
Waste Code:	D025
Waste Description:	P-Cresol
Waste Code:	D026
Waste Description:	Cresol
Waste Code:	D027
Waste Description:	1,4-Dichlorobenzene

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code:	D028
Waste Description:	1,2-Dichloroethane
Waste Code:	D029
Waste Description:	1,1-Dichloroethylene
Waste Code:	D030
Waste Description:	2,4-Dinitrotoluene
Waste Code:	D031
Waste Description:	Heptachlor (And Its Epoxide)
Waste Code:	D032
Waste Description:	Hexachlorobenzene
Waste Code:	D033
Waste Description:	Hexachlorobutadiene
Waste Code:	D034
Waste Description:	Hexachloroethane
Waste Code:	D035
Waste Description:	Methyl Ethyl Ketone
Waste Code:	D036
Waste Description:	Nitrobenzene
Waste Code:	D037
Waste Description:	Pentachlorophenol
Waste Code:	D038
Waste Description:	Pyridine
Waste Code:	D039
Waste Description:	Tetrachloroethylene
Waste Code:	D040
Waste Description:	Trichloroethylene
Waste Code:	D041
Waste Description:	2,4,5-Trichlorophenol
Waste Code:	D042
Waste Description:	2,4,6-Trichlorophenol
Waste Code:	D043
Waste Description:	Vinyl Chloride
Waste Code:	F001
Waste Description:	The Following Spent Halogenated Solvents Used In Degreasing: Tetrachloroethylene, Trichlorethylene, Methylene Chloride, 1,1,1-Trichloroethane, Carbon Tetrachloride And Chlorinated Fluorocarbons; All Spent Solvent Mixtures/Blends Used In Degreasing Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code: F002
Waste Description: The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: F003
Waste Description: The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: F004
Waste Description: The Following Spent Nonhalogenated Solvents: Cresols, Cresylic Acid, And Nitrobenzene; And The Still Bottoms From The Recovery Of These Solvents; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: F005
Waste Description: The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: U188
Waste Description: Phenol

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO, LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 EAST OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEYSPAN CORP DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: E OLD COUNTRY RD.
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEYSPAN CORPORATE SERVISES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: NATIONAL GRID
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEYSPAN CORP DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: E OLD COUNTRY RD.
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID USA SERVICE COMPANY INC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MARKETSPAN CORPORATE SERVICES
Legal Status: Private

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 175 EAST OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-755-6650
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: KEYSPAN CORP DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MARKETSPAN CORPORATE SERVICES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 175 EAST OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-755-6650
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: HICKSVILLE OPERATIONS CENTER - TSDF
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MARKETSPAN CORPORATE SERVICES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-755-6650
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: KEY SPAN
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEYSPAN CORP DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E. OLD COUNTRY RD.
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID USA SERVICE COMPANY INC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: NO NAME FOUND
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO, LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 EAST OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MARKETSPAN CORPORATE SERVICES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-755-6650
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID USA SERVICE COMPANY INC
Legal Status: Private

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Date Became Current:	19980528
Date Ended Current:	Not reported
Owner/Operator Address:	175 E OLD COUNTRY RD
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-545-2401
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: KEY SPAN	
Legal Status:	Private
Date Became Current:	19980528
Date Ended Current:	Not reported
Owner/Operator Address:	E OLD COUNTRY RD
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: HICKSVILLE OPERATIONS CENTER	
Legal Status:	Private
Date Became Current:	19980528
Date Ended Current:	Not reported
Owner/Operator Address:	175 E OLD COUNTRY RD
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC	
Legal Status:	Private
Date Became Current:	20140101
Date Ended Current:	Not reported
Owner/Operator Address:	175 E OLD COUNTRY RD
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC	
Legal Status:	Private
Date Became Current:	20140101
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Indicator: Operator
Owner/Operator Name: KEYSPAN ENERGY DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E. OLD COUNTRY RD.
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19980625
Handler Name: KEYSPAN
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20131223
Handler Name: SERVCO HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140227
Handler Name: SERVCO HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20100303
Handler Name: HICKSVILLE OPERATIONS CENTER - TSDF
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20120217
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140303
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20160128
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20180109
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20200108
Handler Name: NATIONAL GRID-HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20210122
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20220105
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20230105
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20240104
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

Receive Date:	19791231
Handler Name: KEYSPAN	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20010801
Handler Name: KEYSPAN	
Federal Waste Generator Description:	Conditionally Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060214
Handler Name: KEYSPAN HICKSVILLE OPERATIONS CENTER -	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: KEYSPAN HICKSVILLE OPERATIONS CENTER -	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20190729
Handler Name: SERVCO (PSEG-LI) HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 19800818
Handler Name: KEYSPAN
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20131119
Handler Name: SERVCO HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900301
Handler Name: LONG ISLAND LIGHTING COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Receive Date: 19920227
Handler Name: LILCO HICKSVILLE OPER.
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19940328
Handler Name: HICKSVILLE OPERATION CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960308
Handler Name: LILCO-HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19980227
Handler Name: LILCO-HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010101
Handler Name: HICKSVILLE OPERATIONS CTR
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20020228
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20040224
Handler Name: HICKSVILLE OPERATION CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060215
Handler Name: KEYSPAN HICKSVILLE OPERATIONS CENTER -
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20080306
Handler Name: HICKSVILLE OPERATIONS CENTER-TSDF
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 221
NAICS Description: UTILITIES

NAICS Code: 2211
NAICS Description: ELECTRIC POWER GENERATION, TRANSMISSION AND DISTRIBUTION

NAICS Code: 22111
NAICS Description: ELECTRIC POWER GENERATION

NAICS Code: 221121
NAICS Description: ELECTRIC BULK POWER TRANSMISSION AND CONTROL

NAICS Code: 221122
NAICS Description: ELECTRIC POWER DISTRIBUTION

NAICS Code: 2212
NAICS Description: NATURAL GAS DISTRIBUTION

NAICS Code: 22121
NAICS Description: NATURAL GAS DISTRIBUTION

NAICS Code: 811111
NAICS Description: GENERAL AUTOMOTIVE REPAIR

NAICS Code: 8112
NAICS Description: ELECTRONIC AND PRECISION EQUIPMENT REPAIR AND MAINTENANCE

Has the Facility Received Notices of Violations:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Closure/Post-Closure
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 000
Date of Enforcement Action: 19950131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 6750
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Listing - General
Date Violation was Determined: 20151026
Actual Return to Compliance Date: 20151028

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20151026
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20151125
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: VERBAL INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20070327
Actual Return to Compliance Date: 20080623
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20070604
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20080715
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYKMY
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Manifest
Date Violation was Determined: 20080331
Actual Return to Compliance Date: 20080331

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20080430
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20080715
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19870420
Actual Return to Compliance Date: 19871021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19870920
Enforcement Identifier: 003
Date of Enforcement Action: 19870820
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYDEC

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Manifest
Date Violation was Determined: 20070327
Actual Return to Compliance Date: 20070416
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20070604
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20080715
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYKMY
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Closure/Post-Closure
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19950623
Enforcement Identifier: 000
Date of Enforcement Action: 19950523
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NYAGI

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1500
Paid Amount: 1500
Final Count: 1
Final Amount: 1500

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - Preparedness and Prevention
Date Violation was Determined: 19931217
Actual Return to Compliance Date: 19940815
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: 19940129
Enforcement Identifier: 000
Date of Enforcement Action: 19940815
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Rcra-94-0202
Enforcement Attorney: R2
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: R2JFH
Enforcement Responsible Sub-Organization: RCB
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 24500
Paid Amount: Not reported
Final Count: 1
Final Amount: 24500

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Manifest
Date Violation was Determined: 19860516
Actual Return to Compliance Date: 19860518
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19860518
Enforcement Identifier: 002
Date of Enforcement Action: 19860516
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYDEC

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Manifest
Date Violation was Determined: 19881020
Actual Return to Compliance Date: 19881022

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19881022
Enforcement Identifier: 006
Date of Enforcement Action: 19881020
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYDEC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Listing - General
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 20011019
Actual Return to Compliance Date: 20030228
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: 20020107
Enforcement Identifier: 001
Date of Enforcement Action: 20011105
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSSE
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20080331
Actual Return to Compliance Date: 20080331

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20080430
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20080715
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20120229
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD IS-Container Use and Management
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100324
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD IS-Tank System Standards
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Used Oil - Generators
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19920224
Actual Return to Compliance Date: 19930518

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19920531
Enforcement Identifier:	000
Date of Enforcement Action:	19920602
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYAGI
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	2500
Paid Amount:	2500
Final Count:	1
Final Amount:	2500

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	TSD - General
Date Violation was Determined:	19950131
Actual Return to Compliance Date:	19950607
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	000
Date of Enforcement Action:	19950131
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYAGI

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 6750
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Financial Requirements
Date Violation was Determined: 19871211
Actual Return to Compliance Date: 19880824

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19880111
Enforcement Identifier: 005
Date of Enforcement Action: 19871211
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYDEC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Permits - Application
Date Violation was Determined: 19931217
Actual Return to Compliance Date: 19940815
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 000
Date of Enforcement Action: 19931229
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Rcra-94-0202
Enforcement Attorney: RH
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R2JFH

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: RCB
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 29000
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100414

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Financial Requirements
Date Violation was Determined: 20080331
Actual Return to Compliance Date: 20080331
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20080430
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20080715
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Universal Waste - Small Quantity Handlers
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20111213
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20111212

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100324
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20230307
Actual Return to Compliance Date: 20230310
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20230323
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20230323
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20230307
Actual Return to Compliance Date: 20230310

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20230323
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20230323
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Universal Waste - Small Quantity Handlers
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20111213
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD IS-Tank System Standards
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19950623
Enforcement Identifier: 000
Date of Enforcement Action: 19950523
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1500
Paid Amount: 1500
Final Count: 1
Final Amount: 1500

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20140129

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - Preparedness and Prevention
Date Violation was Determined: 19931217
Actual Return to Compliance Date: 19940815
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 000
Date of Enforcement Action: 19931229
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Rcra-94-0202
Enforcement Attorney: RH
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R2JFH
Enforcement Responsible Sub-Organization: RCB
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 29000
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20120229

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Permits - Application
Date Violation was Determined: 19931217
Actual Return to Compliance Date: 19940815
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: 19940129
Enforcement Identifier: 000
Date of Enforcement Action: 19940815
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Rcra-94-0202
Enforcement Attorney: R2
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: R2JFH

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: RCB
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 24500
Paid Amount: Not reported
Final Count: 1
Final Amount: 24500

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20020906
Actual Return to Compliance Date: 20030117
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20021011
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSSE

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20180327
Actual Return to Compliance Date: 20180501

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20180417
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20180511
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Universal Waste - Small Quantity Handlers
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20111213
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Universal Waste - Small Quantity Handlers
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100324
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20020906
Actual Return to Compliance Date: 20030117
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20021011
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSSE
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Closure/Post-Closure
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19950623
Enforcement Identifier: 000
Date of Enforcement Action: 19950523
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1500
Paid Amount: 1500
Final Count: 1
Final Amount: 1500

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19950623
Enforcement Identifier: 000
Date of Enforcement Action: 19950523
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NYAGI

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1500
Paid Amount: 1500
Final Count: 1
Final Amount: 1500

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19930110
Actual Return to Compliance Date: 19930518
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19930311
Enforcement Identifier: 000
Date of Enforcement Action: 19930110
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 19960207
Actual Return to Compliance Date: 19960207

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19960207
Enforcement Identifier: 000
Date of Enforcement Action: 19960207
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NYDW
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL CIVIL JUDICIAL ACTION FOR COMPLIANCE AND/OR MONETARY PENALTY
Enforcement Responsible Person: NYBEC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1000
Paid Amount: Not reported
Final Count: 1
Final Amount: 1000

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19860331
Actual Return to Compliance Date: 19860929
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19860817
Enforcement Identifier: 001
Date of Enforcement Action: 19860717
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYDEC

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20151026
Actual Return to Compliance Date: 20151026
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20151026
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20151125
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: VERBAL INFORMAL
Enforcement Responsible Person: NYAPL

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 000
Date of Enforcement Action: 19950131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 6750
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	TSD - Closure/Post-Closure
Date Violation was Determined:	19950131
Actual Return to Compliance Date:	19950607
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	000
Date of Enforcement Action:	19950131
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYAGI

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 6750
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130920
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20121029
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Financial Requirements
Date Violation was Determined: 19871021
Actual Return to Compliance Date: 19880824
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19871121
Enforcement Identifier: 004
Date of Enforcement Action: 19871021
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYDEC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100414

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100826
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19930928
Actual Return to Compliance Date: 19931115
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19931028
Enforcement Identifier: 000
Date of Enforcement Action: 19930928
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	19870227
Evaluation Responsible Agency:	EPA-Initiated Oversight/Observation/Training Actions
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2ME
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19950607
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20151026
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20151028
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19940101
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20070327
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYKMY
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20080623
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20080331
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20080331
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19870420
Evaluation Responsible Agency:	State

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19871021
Scheduled Compliance Date:	19870920
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20070327
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYKMY
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20070416
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19941014
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	19950623
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	19940815

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Scheduled Compliance Date:	19940129
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20000616
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYJFA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19860516
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19860518
Scheduled Compliance Date:	19860518
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19940815
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	NO LONGER A SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19881020
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19881022
Scheduled Compliance Date:	19881022
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20011019
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20030228
Scheduled Compliance Date:	20020107
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20080331
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20080331
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20120229
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100324
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20030731
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYTCA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20210317
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19910927
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19930518
Scheduled Compliance Date:	19920531
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19941014
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYSRA
Evaluation Responsible Sub-Organization: R1
Actual Return to Compliance Date: 20100708
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19871211
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier: NYDEC
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19880824
Scheduled Compliance Date: 19880111
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19931217
Evaluation Responsible Agency: EPA
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: R2
Evaluation Responsible Sub-Organization: RCB
Actual Return to Compliance Date: 19940815
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20130912
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYAPL
Evaluation Responsible Sub-Organization: R1
Actual Return to Compliance Date: 20130912
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 20100324
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYSRA
Evaluation Responsible Sub-Organization: R1
Actual Return to Compliance Date: 20100414

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20080331
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20080331
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19990914
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19900914
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130917
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2AHJ
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20111213
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20111212
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100324
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20230307
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20230310
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20230307
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20230310
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20111213
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20021015
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19950607
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	19950623
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20140129
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19970730
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2AHJ
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	19940815
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20111212
Evaluation Responsible Agency:	State

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20120229
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	19940815
Scheduled Compliance Date:	19940129
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20020906
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20030117

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19870227
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20180327
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20180501
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20111213
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100324
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20020906
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20030117
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19950607
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	19950623
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19941014
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	19950623
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19920918
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19930518
Scheduled Compliance Date:	19930311
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19960207
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	FOCUSED COMPLIANCE INSPECTION
Evaluation Responsible Person Identifier:	NYBEC
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19960207
Scheduled Compliance Date:	19960207
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19860331
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19860929
Scheduled Compliance Date:	19860817
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19900914
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	AG
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20151026
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20151026
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19950607
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19960321
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYKMY
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19941014
Evaluation Responsible Agency:	State

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130920
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19980929
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19970110
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYTJN
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20060920
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2AHJ
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20050314
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYKMY
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20121029
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19871021
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19880824
Scheduled Compliance Date:	19871121
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100414
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100826
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20060714
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	R2JG2
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19970912
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYTJN
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19871016
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19890929
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19870420
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2JC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19930729
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19931115
Scheduled Compliance Date:	19931028
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19881118
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Request Agency: Not reported
Former Citation: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

US FIN ASSUR:

Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
County:	Not reported
Mechanism type:	B
Mechanism Type Description:	SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate:	1206243.6
Face value:	1206243.6
Effective date:	2022-04-01 00:00:00
Provider:	TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region:	2

Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
County:	Not reported
Mechanism type:	X
Mechanism Type Description:	STANDBY TRUST FUND
Cost estimate:	1206243.6
Face value:	0
Effective date:	2021-04-01 00:00:00
Provider:	DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region:	2

Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
County:	Not reported
Mechanism type:	B
Mechanism Type Description:	SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate:	1382004.6
Face value:	1382004.6
Effective date:	2023-04-23 00:00:00
Provider:	TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region:	2

Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
County:	Not reported
Mechanism type:	X
Mechanism Type Description:	STANDBY TRUST FUND
Cost estimate:	1382004.6
Face value:	0
Effective date:	2021-04-01 00:00:00
Provider:	DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region:	2

Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 2000000
Face value: 2000000
Effective date: 2023-05-15 00:00:00
Provider: MARSH USA INC
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: B
Mechanism Type Description: SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate: 1120552.5
Face value: 1120552.5
Effective date: 2020-03-18 00:00:00
Provider: TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1120552.5
Face value: 0
Effective date: 2020-03-01 00:00:00
Provider: DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: B
Mechanism Type Description: SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate: 1139059.13
Face value: 1139059.13
Effective date: 2021-04-01 00:00:00
Provider: TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1139059.13
Face value: 0

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective date:	2021-04-01 00:00:00
Provider:	DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region:	2
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
County:	Not reported
Mechanism type:	I
Mechanism Type Description:	INSURANCE
Cost estimate:	2000000
Face value:	10000000
Effective date:	2022-05-15 00:00:00
Provider:	MARSH USA INC
EPA region:	2
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
County:	Not reported
Mechanism type:	B
Mechanism Type Description:	SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate:	1431756.77
Face value:	1431756.77
Effective date:	2024-04-01 00:00:00
Provider:	TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region:	2
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
County:	Not reported
Mechanism type:	L
Mechanism Type Description:	LETTER OF CREDIT
Cost estimate:	354290
Face value:	1067585
Effective date:	2009-05-19 00:00:00
Provider:	JPMORGAN CHASE BANK, N.A.
EPA region:	2
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD006866008
County:	Not reported
Mechanism type:	X
Mechanism Type Description:	STANDBY TRUST FUND
Cost estimate:	354290
Face value:	0
Effective date:	2009-09-02 00:00:00
Provider:	JPMORGAN CHASE BANK, N.A.
EPA region:	2
Name:	HICKSVILLE OPERATIONS CENTER-PSEG

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 2000000
Face value: 35000000
Effective date: 2008-04-01 00:00:00
Provider: AEGIS ENERGY SYNDICATE 1225
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: L
Mechanism Type Description: LETTER OF CREDIT
Cost estimate: 1097438
Face value: 1097438
Effective date: 2011-06-13 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1097438
Face value: 0
Effective date: 2009-09-02 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: L
Mechanism Type Description: LETTER OF CREDIT
Cost estimate: 1101120
Face value: 1101120
Effective date: 2012-08-09 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1101120
Face value: 0
Effective date: 2009-09-02 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: L
Mechanism Type Description: LETTER OF CREDIT
Cost estimate: 1107610
Face value: 1107610
Effective date: 2013-07-18 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1107610
Face value: 0
Effective date: 2009-09-02 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: L
Mechanism Type Description: LETTER OF CREDIT
Cost estimate: 1062324
Face value: 1062324
Effective date: 2008-07-24 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1062324
Face value: 0
Effective date: 2009-09-02 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: L
Mechanism Type Description: LETTER OF CREDIT
Cost estimate: 1067585
Face value: 1067585
Effective date: 2009-05-19 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1067585
Face value: 0
Effective date: 2009-09-02 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: L
Mechanism Type Description: LETTER OF CREDIT
Cost estimate: 1072536
Face value: 1072536
Effective date: 2010-06-18 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1072536
Face value: 0
Effective date: 2009-09-02 00:00:00
Provider: JPMORGAN CHASE BANK, N.A.
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

EPA ID: NYD006866008
County: Not reported
Mechanism type: B
Mechanism Type Description: SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate: 563314
Face value: 563314
Effective date: 2017-04-23 00:00:00
Provider: TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 563314
Face value: 0
Effective date: 2015-06-19 00:00:00
Provider: DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 2000000
Face value: 2000000
Effective date: 2017-05-15 00:00:00
Provider: AEGIS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 10000000
Face value: 10000
Effective date: 2021-05-15 00:00:00
Provider: MARSH USA INC
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1431756.77

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Face value: 0
Effective date: 2021-04-01 00:00:00
Provider: DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1102906
Face value: 0
Effective date: 2019-02-01 00:00:00
Provider: DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: B
Mechanism Type Description: SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate: 1102906
Face value: 1102906
Effective date: 2019-04-23 00:00:00
Provider: TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 2000000
Face value: 2000000
Effective date: 2015-01-01 00:00:00
Provider: AEGIS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 2000000
Face value: 2000000
Effective date: 2015-01-01 00:00:00
Provider: AEGIS
EPA region: 2

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 553311
Face value: 0
Effective date: 2015-06-19 00:00:00
Provider: DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: B
Mechanism Type Description: SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate: 553311
Face value: 553311
Effective date: 2015-06-19 00:00:00
Provider: TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 545349
Face value: 0
Effective date: 2014-07-24 00:00:00
Provider: DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: B
Mechanism Type Description: SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate: 545349
Face value: 545349
Effective date: 2014-04-23 00:00:00
Provider: TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mechanism type: B
Mechanism Type Description: SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate: 558290
Face value: 558290
Effective date: 2016-05-23 00:00:00
Provider: TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 2000000
Face value: 2000000
Effective date: 2016-05-15 00:00:00
Provider: AEGIS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 2000000
Face value: 2000000
Effective date: 2015-01-01 00:00:00
Provider: AEGIS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 2000000
Face value: 2000000
Effective date: 2018-05-15 00:00:00
Provider: AEGIS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: X
Mechanism Type Description: STANDBY TRUST FUND
Cost estimate: 1064600.86
Face value: 0
Effective date: 2015-06-19 00:00:00

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Provider: DEUTSCHE BANK TRUST COMPANY AMERICAS
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: B
Mechanism Type Description: SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Cost estimate: 1064600.86
Face value: 1064600.86
Effective date: 2017-11-02 00:00:00
Provider: TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
EPA region: 2

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
County: Not reported
Mechanism type: I
Mechanism Type Description: INSURANCE
Cost estimate: 10000
Face value: 10000
Effective date: 2019-05-15 00:00:00
Provider: MARSH USA INC
EPA region: 2

2020 COR ACTION:
EPA ID: NYD006866008
Region: 2
Action: Remedy Construction

PADS:
Name: HICKSVILLE OPERATION CENTER
Address: 175 OLD COUNTRY RD
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801
EDR ID: 1000178398
EPAID: NYD006866008
Region: 02
Generator: Y
Storer: N
Disposer: N
Transporter: Y
Smelter: N
Research Facility: N
Mailing Address: 175 OLD COUNTRY RD
Mailing Address 2: Not reported
Mailing City: HICKSVILLE
Mailing State: NY
Mailing Zip: 11801
Mailing Country: US
Owner Name: MARKETSPAN CORPORATE SVCS LLC
Certification Date: 06/15/1998

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Contact Name:	ROBERT D TEETZ
Contact Title:	Not reported
Contact Telephone:	516-391-6133
Contact Text:	Not reported
Contact Email:	Not reported

E MANIFEST:

Manifest Tracking Number:	001712056VES
Last Updated Date:	20191209
Shipped Date:	20191203
Received Date:	20191203
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257
Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD980536593
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	1
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	1 EDEN LANE
Designated Facility Mail City:	FLANDERS
Designated Facility Mail Zip:	07836
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	1
Designated Facility Location Street 1:	1 EDEN LANE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	FLANDERS
Designated Facility Location Zip:	07836
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS LLC
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	002085603VES
Last Updated Date:	20230427
Shipped Date:	20230418
Received Date:	20230419
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257
Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD002454544
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	125
Designated Facility Mail Street 1:	125 FACTORY LANE
Designated Facility Mail Street 2:	L.L.C.
Designated Facility Mail City:	MIDDLESEX
Designated Facility Mail Zip:	08846
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	125
Designated Facility Location Street 1:	L.L.C.
Designated Facility Location Street 2:	125 FACTORY LANE
Designated Facility Location City:	MIDDLESEX
Designated Facility Location Zip:	08846
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	002085604VES
Last Updated Date:	20230428
Shipped Date:	20230418
Received Date:	20230419
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257
Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD980536593
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	1
Designated Facility Mail Street 1:	1 EDEN LANE
Designated Facility Mail Street 2:	L.L.C.

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Designated Facility Mail City:	FLANDERS
Designated Facility Mail Zip:	07836
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	1
Designated Facility Location Street 1:	L.L.C.
Designated Facility Location Street 2:	1 EDEN LANE
Designated Facility Location City:	FLANDERS
Designated Facility Location Zip:	07836
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	001800772VES
Last Updated Date:	20200826
Shipped Date:	20200806
Received Date:	20200806
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li) Hicksville Operations Center
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	175
Generator Location Street 1:	E OLD COUNTRY RD
Generator Location Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	CLEAN EARTH OF NORTH JERSEY
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	001801516VES
Last Updated Date:	20200826
Shipped Date:	20200820
Received Date:	20200820

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257
Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD980536593
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	1
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	EDEN LANE
Designated Facility Mail City:	FLANDERS
Designated Facility Mail Zip:	07836
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	1
Designated Facility Location Street 1:	EDEN LANE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	FLANDERS
Designated Facility Location Zip:	07836
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS LLC
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	001801544VES
Last Updated Date:	20200714
Shipped Date:	20200709
Received Date:	20200709
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257
Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD980536593
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	1
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	EDEN LANE
Designated Facility Mail City:	FLANDERS
Designated Facility Mail Zip:	07836
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	1
Designated Facility Location Street 1:	EDEN LANE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	FLANDERS
Designated Facility Location Zip:	07836
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS LLC
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	001801895VES
Last Updated Date:	20210405
Shipped Date:	20210325
Received Date:	20210325
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Web
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY ROAD
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801
Generator Location Street Number:	175
Generator Location Street 1:	E OLD COUNTRY RD
Generator Location Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	CLEAN EARTH OF NORTH JERSEY
Manifest Residue Indicator:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Rejection Indicator:	N
Manifest Tracking Number:	001802129VES
Last Updated Date:	20200511
Shipped Date:	20200416
Received Date:	20200416
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257
Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD980536593
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	1
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	EDEN LANE
Designated Facility Mail City:	FLANDERS
Designated Facility Mail Zip:	07836
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	1
Designated Facility Location Street 1:	EDEN LANE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	FLANDERS
Designated Facility Location Zip:	07836
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS LLC
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	001881683VES
Last Updated Date:	20220414
Shipped Date:	20220328
Received Date:	20220330
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD980536593
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	1
Designated Facility Mail Street 1:	1 EDEN LANE
Designated Facility Mail Street 2:	L.L.C.
Designated Facility Mail City:	FLANDERS
Designated Facility Mail Zip:	07836
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	1
Designated Facility Location Street 1:	L.L.C.
Designated Facility Location Street 2:	1 EDEN LANE
Designated Facility Location City:	FLANDERS
Designated Facility Location Zip:	07836
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	001881684VES
Last Updated Date:	20220406
Shipped Date:	20220328
Received Date:	20220329
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257
Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD002454544
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	125
Designated Facility Mail Street 1:	125 FACTORY LANE
Designated Facility Mail Street 2:	L.L.C.
Designated Facility Mail City:	MIDDLESEX
Designated Facility Mail Zip:	08846
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	125
Designated Facility Location Street 1:	L.L.C.

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Designated Facility Location Street 2:	125 FACTORY LANE
Designated Facility Location City:	MIDDLESEX
Designated Facility Location Zip:	08846
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	001881861VES
Last Updated Date:	20221020
Shipped Date:	20220928
Received Date:	20220930
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Servco (Pseg-Li)
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	175 E OLD COUNTRY RD
Generator Mail Street 2:	EAST OFFICE BLDG., 2ND FLOOR
Generator Mail City:	HICKSVILLE
Generator Mail State:	NY
Generator Mail Zip:	11801-4257
Generator Location Street Number:	Not reported
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	OFC BLDG, 2ND FL
Generator Location City:	HICKSVILLE
Generator Location Zip:	11801-4257
Generator Location State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD980536593
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	1
Designated Facility Mail Street 1:	1 EDEN LANE
Designated Facility Mail Street 2:	L.L.C.
Designated Facility Mail City:	FLANDERS
Designated Facility Mail Zip:	07836
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	1
Designated Facility Location Street 1:	L.L.C.
Designated Facility Location Street 2:	1 EDEN LANE
Designated Facility Location City:	FLANDERS
Designated Facility Location Zip:	07836
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	VEOLIA ES TECHNICAL SOLUTIONS
Manifest Residue Indicator:	N
Rejection Indicator:	N

Federal Waste:

Manifest Tracking Number:	001881872VES
Waste Line Number:	1
Federal Waste Code:	D001
Federal Waste:	IGNITABLE WASTE

Manifest Tracking Number:	001881872VES
Waste Line Number:	2
Federal Waste Code:	D001

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Federal Waste: IGNITABLE WASTE

Manifest Tracking Number: 001881872VES
Waste Line Number: 2
Federal Waste Code: D018
Federal Waste: BENZENE

Manifest Tracking Number: 001881872VES
Waste Line Number: 2
Federal Waste Code: F003
Federal Waste: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

Manifest Tracking Number: 001881872VES
Waste Line Number: 2
Federal Waste Code: F005
Federal Waste: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

State Waste:
Manifest Tracking Number: 001881872VES
Waste Line Number: 1
State Waste Code Owner: NY
State Waste Code: B
State Waste: Incineration, heat recovery, burning. Waste management method code to be used on e-Manifest only

Manifest Tracking Number: 001881872VES
Waste Line Number: 2
State Waste Code Owner: NY
State Waste Code: B
State Waste: Incineration, heat recovery, burning. Waste management method code to be used on e-Manifest only

Transporter:
Manifest Tracking Number: 001881872VES
Transporter Line Number: 1
Transporter EPA ID: NJD080631369
Transporter Name: Veolia Es Technical Solutions

Waste Line:
Manifest Tracking Number: 001881872VES
Waste Line Number: 1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN1263
U.S. DOT Description:	Un1263, Waste Paint Related Material, 3, Ii, Rq (D001)
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	DM
Container Type Description:	Metal drums, barrels, kegs
Waste Quantity:	100
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.05
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.05
Waste Quantity, in Kilograms:	45.3515
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	45.3515
Management Method Code:	H061
Management Method Description:	FUEL BLENDING
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Manifest Tracking Number:	001881872VES
Waste Line Number:	2
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN1325
U.S. DOT Description:	Un1325, Waste Flammable Solids, Organic, N.O.S., (Acetone, Toluene), 4.1, Iii, Rq (D001, D018)
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	CF
Container Type Description:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	500
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.25
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.25
Waste Quantity, in Kilograms:	226.7575
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	226.7575
Management Method Code:	H061
Management Method Description:	FUEL BLENDING
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y

Click this hyperlink while viewing on your computer to access
46 additional US EManifest: record(s) in the EDR Site Report.

NJ MANIFEST:

EPA ID:	NYD006866008
Name:	LONG ISLAND LIGHTING CO
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
County:	Not reported
Mailing Address:	175 E OLD COUNTRY RD
Mailing City,State,Zip:	HICKSVILLE 11801
Telephone:	5163916590
Emergency Telephone:	Not reported
Contact:	Not reported
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPAID:	Not reported
Generator Flag:	X
Transporter Flag:	Not reported
TSDF Flag:	D
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYD006866008
Manifest Number:	000431362SKS
Date Shipped:	06/18/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/18/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/19/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H14
Quantity:	60
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	001307128SKS
Date Shipped:	07/02/2008
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	07/02/2008
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/07/2008
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H141
Quantity:	100
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	000181275VES
Date Shipped:	04/01/2009
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/01/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/09/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	546
Unit:	K
Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	1200
Unit:	P
Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	400
Unit:	P
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H141
Quantity:	60
Unit:	P
Manifest Year:	Not reported
Waste Code:	U159
Hand Code:	H141
Quantity:	28
Unit:	P

EPA ID:	NYD006866008
Manifest Number:	000346873VES
Date Shipped:	04/16/2010
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/16/2010
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/20/2010
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	4000
Unit:	P

EPA ID:	NYD006866008
Manifest Number:	000291248VES
Date Shipped:	09/10/2009
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	09/10/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	09/10/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	60
Unit:	P

EPA ID:	NYD006866008
Manifest Number:	000406667SKS
Date Shipped:	03/23/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/23/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/27/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H14
Quantity:	100
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	000017571VES
Date Shipped:	06/05/2007
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/05/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/05/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H14
Quantity:	750
Unit:	P

Manifest Year:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code:	D009
Hand Code:	H14
Quantity:	100
Unit:	P

EPA ID:	NYD006866008
Manifest Number:	001643161SKS
Date Shipped:	01/12/2009
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/12/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/15/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H141
Quantity:	45
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	000290141VES
Date Shipped:	08/10/2009

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

TSDF EPA ID:	NJD002454544
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/10/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	08/10/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H061
Quantity:	1200
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	NJA4114912
Date Shipped:	01/10/2006
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/10/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/10/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	02270621
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

EPA ID:	NYD006866008
Manifest Number:	000160185VES
Date Shipped:	02/05/2008
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	NJD080631369
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	02/05/2008
Date Trans2 Transported Waste:	02/14/2008
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	02/14/2008
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D009
Hand Code:	H141
Quantity:	50
Unit:	P

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	200
Unit:	P

Manifest Year:	Not reported
Waste Code:	D011
Hand Code:	H141
Quantity:	400
Unit:	P

Click this hyperlink while viewing on your computer to access
189 additional NJ MANIFEST: record(s) in the EDR Site Report.

144
WSW
1/2-1
0.939 mi.
4959 ft.

Relative:
Lower

Actual:
121 ft.

SPORT STAMP & THE CLOSET
290 DUFFY AVE
HICKSVILLE, NY 11801

CORRACTS **1000323314**
RCRA-TSDF **NYD005923560**
NY SHWS
NY INST CONTROL
NY Spills
RCRA NonGen / NLR
2020 COR ACTION
NY MANIFEST

CORRACTS:

Name:	SPORT STAMP & THE CLOSET
Address:	290 DUFFY AVE
Address 2:	Not reported
EPA ID:	NYD005923560
Area Name:	SITEWIDE
Corrective Action:	RFA COMPLETED
Actual Date:	19950420
Air Release Indicator:	Not reported
Groundwater Release Indicator:	Y
Soil Release Indicator:	Y
Surface Water Release Indicator:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NECESSARY
Actual Date: 19950524
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: CA PRIORITIZATION-LOW CA PRIORITY
Actual Date: 19960826
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: REFERRED TO A NON-RCRA AUTHORITY-OTHER
Actual Date: 19950619
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: INVESTIGATION WORKPLAN APPROVED
Actual Date: 19930730
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: REMEDY CONSTRUCTION-REMEDY CONSTRUCTED
Actual Date: 20110923
Air Release Indicator: Not reported
Groundwater Release Indicator: Y

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 20110923
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 20140226
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE
Actual Date: 20140220
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: CA PROCESS IS TERMINATED-REMEDIAL ACTIVITIES COMPLETE
Actual Date: 20140219
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Click this hyperlink while viewing on your computer to access additional CORRACTS: detail in the EDR Site Report.

RCRA TSDF:
Treatment Storage and Disposal Type: Storage, Treatment

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Full Enforcement Universe:	Not reported
Corrective Action Workload Universe:	No
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Storage, Treatment
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
Operating TSDF Universe:	Not reported
Commercial TSD Indicator:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	Yes

SHWS:

Name:	MAGNUSONICS DEVICES
Address:	290 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Program:	HW
Site Code:	55770
Classification:	C
Region:	1
Acres:	3.000
HW Code:	130031
Record Add:	11/18/1999
Record Upd:	02/19/2014
Updated By:	SRHEIGEL
Site Description:	"Location: Magnusonics is a 3 acre site located at 290 Duffy Avenue, in the Hicksville section of the Town of Oyster Bay. Site Features: The entire site is paved or covered by the building structure. The northernmost and southernmost portions of the site are used as parking areas. Current Zoning and land use: Site is zoned light industrial and is presently occupied by Custom Closets and the Daily News. The site is located within a mixed use area that consists of commercial/industrial properties to the north, east and west and residential properties to the south. The Long Island Railroad tracks border the site to the north. Historical Uses: Magnusonics Devices manufactured computer tape recording heads, an operation which generated both hazardous and non-hazardous wastes. Processes included photographic etching of thin sheet metal as well as copper and chrome electroplating. The facility used a physical chemical treatment system that processed rinse waters from its plating and chemical milling operations, and discharged the treated wastewater, which contained metals and solvents, into on-site leaching pools. Plating wastes containing chromium and lead were discharged into a leaching pool. A ferric hydroxide sludge which contained lead and iron was generated as part of the facility's processes and discovered beneath the parking lot at the northern portion of the site. Site Geology and Hydrogeology: Groundwater was encountered at a depth of approximately 60 feet below land surface. Groundwater flow direction was determined to be to the south. "
Env Problem:	"Nature and Extent of Contamination: Remediation at the site is complete. The primary site contaminants of concern were metals in soils and groundwater. The selected remedy was performed and met the remediation goals identified in the Record of Decision. "

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Health Problem:	"Remedial actions taken have eliminated the potential for contact with site-related contaminants. "
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	1978
Disp Term:	1986
Lat/Long:	40:45:44:0 / 73:32:33:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2013-10-11 14:04:00
Updated By:	BFJANKAU
Own Op:	3
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	MAGNUSONICS DEVICES
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	ZZ
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Hicksville Public Library
Owner Address:	169 Jerusalem Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Hicksville, NY 11801
Owner Country:	United States of America
Own Op:	1
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Long Island Industrial
Owner Address:	575 Underhill Blvd
Owner Addr2:	Suite 200
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
HW Code:	130031
Waste Type:	CHROMIUM D007
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130031
Waste Type:	LEAD D008
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	NYD005923560
Cross Ref Type Code:	06
Cross Ref Type:	RCRA EPA ID No.
Record Added Date:	1999-11-18 12:00:00
Record Updated:	2011-03-31 07:41:00
Updated By:	DADESNOY
Crossref ID:	Sport Stamp
Cross Ref Type Code:	27
Cross Ref Type:	Alternate Site Name
Record Added Date:	2011-03-31 07:42:00
Record Updated:	2011-03-31 07:42:00

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Updated By: DADESNOY
Crossref ID: SPORT STAMP & THE CLOSET
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-06-16 00:00:00
Record Updated: 2011-06-16 00:00:00
Updated By: jdjarrat
Crossref ID: NYD005923560
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS
Crossref ID: WP-045-83
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2009-02-26 13:45:00
Record Updated: 2009-02-26 13:45:00
Updated By: DMMOLOUG

INST CONTROL:
Name: MAGNUSONICS DEVICES
Address: 290 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55770
Control Name: Monitoring Plan
HW Code: 130031
Control Code: 31
Control Type: INST
Dt record added: 07/29/2009
Dt rec updated: 10/17/2013
Updated By: BFJANKAU
Site Code: 55770
Site Description: "Location: Magnusonics is a 3 acre site located at 290 Duffy Avenue, in the Hicksville section of the Town of Oyster Bay. Site Features: The entire site is paved or covered by the building structure. The northernmost and southernmost portions of the site are used as parking areas. Current Zoning and land use: Site is zoned light industrial and is presently occupied by Custom Closets and the Daily News. The site is located within a mixed use area that consists of commercial/industrial properties to the north, east and west and residential properties to the south. The Long Island Railroad tracks border the site to the north. Historical Uses: Magnusonics Devices manufactured computer tape recording heads, an operation which generated both hazardous and non-hazardous wastes. Processes included photographic etching of thin sheet metal as well as copper and chrome electroplating. The facility used a physical chemical treatment system that processed rinse waters from its plating and chemical milling operations, and discharged the treated wastewater, which contained metals and solvents, into on-site leaching pools. Plating wastes containing chromium and lead were discharged into a leaching pool. A ferric hydroxide sludge which contained lead and iron was generated as part of the facility's processes and discovered beneath the parking lot at the northern portion of the site. Site Geology and Hydrogeology: Groundwater was encountered at a depth of approximately 60 feet below land surface. Groundwater flow direction was determined to be to the south. "

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Env Problem:	"Nature and Extent of Contamination: Remediation at the site is complete. The primary site contaminants of concern were metals in soils and groundwater. The selected remedy was performed and met the remediation goals identified in the Record of Decision. "
Health Problem:	"Remedial actions taken have eliminated the potential for contact with site-related contaminants. "
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	1978
Disp Term:	1986
Lat/Long:	40:45:44:0 / 73:32:33:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2013-10-11 14:04:00
Updated By:	BFJANKAU
Own Op:	3
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	MAGNUSONICS DEVICES
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	ZZ
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Hicksville Public Library
Owner Address:	169 Jerusalem Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Hicksville, NY 11801
Owner Country:	United States of America
Own Op:	1
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Long Island Industrial
Owner Address:	575 Underhill Blvd
Owner Addr2:	Suite 200
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
HW Code:	130031
Waste Type:	CHROMIUM D007
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130031
Waste Type:	LEAD D008
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	NYD005923560
Cross Ref Type Code:	06
Cross Ref Type:	RCRA EPA ID No.
Record Added Date:	1999-11-18 12:00:00
Record Updated:	2011-03-31 07:41:00
Updated By:	DADESNOY
Crossref ID:	Sport Stamp

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-03-31 07:42:00
Record Updated: 2011-03-31 07:42:00
Updated By: DADESNOY
Crossref ID: SPORT STAMP & THE CLOSET
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-06-16 00:00:00
Record Updated: 2011-06-16 00:00:00
Updated By: jdjarrat
Crossref ID: NYD005923560
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS
Crossref ID: WP-045-83
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2009-02-26 13:45:00
Record Updated: 2009-02-26 13:45:00
Updated By: DMMOLOUG

Name: MAGNUSONICS DEVICES
Address: 290 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55770
Control Name: Decision Document
HW Code: 130031
Control Code: D
Control Type: INST
Dt record added: 07/29/2009
Dt rec updated: 10/17/2013
Updated By: BFJANKAU
Site Code: 55770
Site Description: "Location: Magnusonics is a 3 acre site located at 290 Duffy Avenue, in the Hicksville section of the Town of Oyster Bay. Site Features: The entire site is paved or covered by the building structure. The northernmost and southernmost portions of the site are used as parking areas. Current Zoning and land use: Site is zoned light industrial and is presently occupied by Custom Closets and the Daily News. The site is located within a mixed use area that consists of commercial/industrial properties to the north, east and west and residential properties to the south. The Long Island Railroad tracks border the site to the north. Historical Uses: Magnusonics Devices manufactured computer tape recording heads, an operation which generated both hazardous and non-hazardous wastes. Processes included photographic etching of thin sheet metal as well as copper and chrome electroplating. The facility used a physical chemical treatment system that processed rinse waters from its plating and chemical milling operations, and discharged the treated wastewater, which contained metals and solvents, into on-site leaching pools. Plating wastes containing chromium and lead were discharged into a leaching pool. A ferric hydroxide sludge which contained lead and iron was generated as part of the facility's processes and discovered beneath the parking lot at the northern portion of the site. Site Geology and

SPORT STAMP & THE CLOSET (Continued) **1000323314**

	Hydrogeology: Groundwater was encountered at a depth of approximately 60 feet below land surface. Groundwater flow direction was determined to be to the south. "
Env Problem:	"Nature and Extent of Contamination: Remediation at the site is complete. The primary site contaminants of concern were metals in soils and groundwater. The selected remedy was performed and met the remediation goals identified in the Record of Decision. "
Health Problem:	"Remedial actions taken have eliminated the potential for contact with site-related contaminants. "
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	1978
Disp Term:	1986
Lat/Long:	40:45:44:0 / 73:32:33:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2013-10-11 14:04:00
Updated By:	BFJANKAU
Own Op:	3
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	MAGNUSONICS DEVICES
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	ZZ
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Hicksville Public Library
Owner Address:	169 Jerusalem Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Hicksville, NY 11801
Owner Country:	United States of America
Own Op:	1
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Long Island Industrial
Owner Address:	575 Underhill Blvd
Owner Addr2:	Suite 200
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
HW Code:	130031
Waste Type:	CHROMIUM D007
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130031
Waste Type:	LEAD D008
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	NYD005923560
Cross Ref Type Code:	06
Cross Ref Type:	RCRA EPA ID No.
Record Added Date:	1999-11-18 12:00:00

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Record Updated: 2011-03-31 07:41:00
Updated By: DADESNOY
Crossref ID: Sport Stamp
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-03-31 07:42:00
Record Updated: 2011-03-31 07:42:00
Updated By: DADESNOY
Crossref ID: SPORT STAMP & THE CLOSET
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-06-16 00:00:00
Record Updated: 2011-06-16 00:00:00
Updated By: jdjarrat
Crossref ID: NYD005923560
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS
Crossref ID: WP-045-83
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2009-02-26 13:45:00
Record Updated: 2009-02-26 13:45:00
Updated By: DMMOLOUG

SPILLS:

Name:	VOLPONE STAMP CO INC
Address:	290 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9914330 / 2000-03-20
Facility ID:	9914330
Facility Type:	ER
DER Facility ID:	162269
Site ID:	194746
DEC Region:	1
Spill Cause:	Deliberate
Spill Class:	D5
SWIS:	3024
Spill Date:	2000-01-01
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	2000-03-20
CID:	198
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Citizen
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-03-20
Spill Record Last Update:	2018-03-19
Spiller Name:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Spiller Company:	VOLPONE STAMP CO INC
Spiller Address:	290 DUFFY AVENUE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7632022
Longitude:	-73.5386212
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE
Remarks:	CALLER STATES ONGOING PROBLEM WITH BUSINESS DUMPING CHEMICALS THAT ARE USED FOR CLEANING, FOR THEIR BUSINESS, DOWN THEIR SINK DRAINS. CALLER REFUSED ANY FURTHER INFO. STATES IT HAS BEEN INVESTIGATED BEFORE.

All Materials:

Site ID:	194746
Operable Unit ID:	1088848
Operable Unit:	01
Material ID:	292613
Material Code:	0063A
Material Name:	unknown hazardous material
Case No.:	Not reported
Material FA:	Hazardous Material
Quantity:	.00
Units:	G
Recovered:	.00
Resource Affected:	Sewer
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Sport Stamp & The Closet
Handler Address:	Duffy Ave
Handler City,State,Zip:	HICKSVILLE, NY 11801-3605
EPA ID:	NYD005923560
Contact Name:	Not reported
Contact Address:	DUFFY AVE
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	DUFFY AVE
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	M Levitt
Owner Type:	Private
Operator Name:	M Levitt
Operator Type:	Private

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	Yes
Subject to Corrective Action Universe:	Yes
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	Low
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	Yes
Groundwater Controls Indicator:	Yes
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D002
Waste Description:	Corrosive Waste
Waste Code:	F001
Waste Description:	The Following Spent Halogenated Solvents Used In Degreasing: Tetrachloroethylene, Trichlorethylene, Methylene Chloride, 1,1,1-Trichloroethane, Carbon Tetrachloride And Chlorinated Fluorocarbons; All Spent Solvent Mixtures/Blends Used In Degreasing Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code:	F006

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Waste Description: Wastewater Treatment Sludges From Electroplating Operations, Except From The Following Processes: (1) Sulfuric Acid Anodizing Of Aluminum; (2) Tin Plating On Carbon Steel; (3) Zinc Plating (Segregated Basis) On Carbon Steel; (4) Aluminum Or Zinc-Aluminum Plating On Carbon Steel; (5) Cleaning/Stripping Associated With Tin, Zinc, And Aluminum Plating On Carbon Steel; And (6) Chemical Etching And Milling Of Aluminum.

Waste Code: F007
Waste Description: Spent Cyanide Plating Bath Solutions From Electroplating Operations.

Waste Code: F009
Waste Description: Spent Stripping And Cleaning Bath Solutions From Electroplating Operations In Which Cyanides Are Used In The Process.

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: M LEVITT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	290 DUFFY AVE
Owner/Operator City,State,Zip:	OPERCITY, NY 99999
Owner/Operator Telephone:	516-938-4700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: M LEVITT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	290 DUFFY AVE
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-938-4700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: M LEVITT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	290 DUFFY AVE
Owner/Operator City,State,Zip:	OPERCITY, NY 99999
Owner/Operator Telephone:	516-938-4700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: M LEVITT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Owner/Operator Address: 290 DUFFY AVE
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-938-4700
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19801119
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19990708
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19800804
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 334419
NAICS Description: OTHER ELECTRONIC COMPONENT MANUFACTURING

Has the Facility Received Notices of Violations:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 19860425
Actual Return to Compliance Date: 19870226
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19860920
Enforcement Identifier: 001
Date of Enforcement Action: 19860820
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Final Count: Not reported
Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 19840321
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19840302
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19860425
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYDEC
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19870226
Scheduled Compliance Date: 19860920
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19871109
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYDEC
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

2020 COR ACTION:
EPA ID: NYD005923560
Region: 2
Action: Remedy Construction

NY MANIFEST:
EPA ID: NYD005923560
Country: USA
Name: MAGNUSONIC DEVICES INC
Address: 290 DUFFY AVE
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801-3605
Zip 4: Not reported
Location Address 1: 290 DUFFY AVE
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY 11801
Location Zip 4: 3605
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: MAGNUSONIC DEVICES INC
Mailing Contact: DENNIS HOFF
Mailing Address 1: 290 DUFFY AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: 3605
Mailing Country: USA
Mailing Phone: 5169384700

Manifest Data:
Document ID: NYO2904102
Manifest Status: K - Completed after the designated time
Trans1 State ID: NY2A074
Year: 1982
Trans2 State ID: Not reported
Generator Ship Date: 821124
Trans1 Recv Date: 821124
Trans2 Recv Date: Not reported
TSD Site Recv Date: 821124
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD005923560
Trans1 EPA ID: NYD000824334
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000824334
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Waste Code 7:	ETHENE, TRICHLORO- (OR) TRICHLOROETHYLENE
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00240
Units:	Gallons (liquids only)
Number of Containers:	004
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYO3014766
Manifest Status:	K - Completed after the designated time
Trans1 State ID:	JA165
Year:	1982
Trans2 State ID:	JA165
Generator Ship Date:	821214
Trans1 Recv Date:	821214
Trans2 Recv Date:	821214
TSD Site Recv Date:	821215
Part A Recv Date:	030104
Part B Recv Date:	030104
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NJD065825341
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD089216790
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 7:	LEAD
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 12:	LEAD
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 17:	LEAD
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 22:	CORROSIVE WASTE
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	003

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Document ID:	NYO2520324
Manifest Status:	C - Completed copy
Trans1 State ID:	1A-042
Year:	1983
Trans2 State ID:	Not reported
Generator Ship Date:	831128
Trans1 Recv Date:	831128
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	831128
Part A Recv Date:	031205
Part B Recv Date:	031205
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00220
Units:	Gallons (liquids only)
Number of Containers:	004
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Waste Code 7:	MERCURY
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Waste Code 12:	SILVER
Waste Code 13:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Waste Code 17:	CORROSIVE WASTE
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Waste Code 22:	CHROMIUM
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100

Document ID:	CTB0047052
Manifest Status:	C - Completed copy
Trans1 State ID:	CT87420
Year:	1986
Trans2 State ID:	Not reported
Generator Ship Date:	861104
Trans1 Recv Date:	861104
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	861104
Part A Recv Date:	861112
Part B Recv Date:	861112
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	CTD093616613
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD093616613
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01685
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Landfill
Specific Gravity:	100

Document ID:	NYA1325259
Manifest Status:	C - Completed copy
Trans1 State ID:	8385RW
Year:	1984
Trans2 State ID:	Not reported
Generator Ship Date:	841127
Trans1 Recv Date:	841127
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	841128
Part A Recv Date:	841203
Part B Recv Date:	841207
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00300
Units:	Gallons (liquids only)
Number of Containers:	006
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100

Document ID:	NYO4067415
Manifest Status:	C - Completed copy
Trans1 State ID:	1A-042
Year:	1984

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Trans2 State ID:	Not reported
Generator Ship Date:	840809
Trans1 Recv Date:	840809
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	840809
Part A Recv Date:	840817
Part B Recv Date:	840820
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00155
Units:	Gallons (liquids only)
Number of Containers:	005
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Document ID:	NYO4146075
Manifest Status:	C - Completed copy
Trans1 State ID:	1A-042
Year:	1984
Trans2 State ID:	Not reported
Generator Ship Date:	840906
Trans1 Recv Date:	840906
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	840906
Part A Recv Date:	840911
Part B Recv Date:	840917
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00225
Units:	Gallons (liquids only)
Number of Containers:	005
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100

Document ID:	NYO4066146
Manifest Status:	C - Completed copy
Trans1 State ID:	1A-042
Year:	1984
Trans2 State ID:	Not reported
Generator Ship Date:	840625
Trans1 Recv Date:	840625
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	840625
Part A Recv Date:	840703
Part B Recv Date:	840703
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00550
Units:	Gallons (liquids only)

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Number of Containers: 010
Container Type: Metal drums, barrels, kegs
Handling Method: Not reported
Specific Gravity: 100

Document ID: NYO4064841
Manifest Status: C - Completed copy
Trans1 State ID: 1A-042
Year: 1984
Trans2 State ID: Not reported
Generator Ship Date: 840523
Trans1 Recv Date: 840523
Trans2 Recv Date: Not reported
TSD Site Recv Date: 840523
Part A Recv Date: 840531
Part B Recv Date: 840530
Generator EPA ID: NYD005923560
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: CORROSIVE WASTE
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00495
Units: Gallons (liquids only)
Number of Containers: 009
Container Type: Metal drums, barrels, kegs
Handling Method: Not reported
Specific Gravity: 100

Document ID: NYA2582325
Manifest Status: C - Completed copy
Trans1 State ID: NY8385-RW
Year: 1986
Trans2 State ID: Not reported
Generator Ship Date: 860110
Trans1 Recv Date: 860110
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860113
Part A Recv Date: 860113
Part B Recv Date: 860116

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Generator EPA ID: NYD005923560
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: LEAD
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00440
Units: Gallons (liquids only)
Number of Containers: 008
Container Type: Metal drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 107
Waste Code 7: CORROSIVE WASTE
Waste Code 8: Not reported
Waste Code: Not reported
Waste Code 10: Not reported
Waste Code 11: Not reported
Quantity: 00440
Units: Gallons (liquids only)
Number of Containers: 008
Container Type: Fiberboard or plastic drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 112

Document ID: CTB0046991
Manifest Status: C - Completed copy
Trans1 State ID: CT81023
Year: 1986
Trans2 State ID: Not reported
Generator Ship Date: 860915
Trans1 Recv Date: 860915
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860915
Part A Recv Date: 860917
Part B Recv Date: 860924
Generator EPA ID: NYD005923560
Trans1 EPA ID: CTD093616613
Trans2 EPA ID: Not reported
TSDF ID 1: CTD093616613
TSDF ID 2: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	CORROSIVE WASTE
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01500
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Landfill
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
117 additional NY MANIFEST: record(s) in the EDR Site Report.

Count: 2 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
HICKSVILLE	S100151481	JERICHO JEWISH CENTER	NORTH BROADWAY		NY LTANKS
HICKSVILLE	S128781501	J & J CLEANERS	73E OLD COUNTRY RD	11801	NY DRYCLEANERS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 08/27/2024
Date Data Arrived at EDR: 09/03/2024
Date Made Active in Reports: 09/19/2024
Number of Days to Update: 16

Source: EPA
Telephone: N/A
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 08/27/2024
Date Data Arrived at EDR: 09/03/2024
Date Made Active in Reports: 09/19/2024
Number of Days to Update: 16

Source: EPA
Telephone: N/A
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 08/27/2024
Date Data Arrived at EDR: 09/03/2024
Date Made Active in Reports: 09/19/2024
Number of Days to Update: 16

Source: EPA
Telephone: N/A
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 06/07/2024
Date Data Arrived at EDR: 06/25/2024
Date Made Active in Reports: 09/19/2024
Number of Days to Update: 86

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 09/24/2024
Next Scheduled EDR Contact: 01/09/2025
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 07/24/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 27

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/20/2025
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 07/24/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 27

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/20/2025
Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 06/03/2024
Date Data Arrived at EDR: 06/07/2024
Date Made Active in Reports: 06/20/2024
Number of Days to Update: 13

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 06/03/2024
Date Data Arrived at EDR: 06/07/2024
Date Made Active in Reports: 06/20/2024
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/03/2024
Date Data Arrived at EDR: 06/07/2024
Date Made Active in Reports: 06/20/2024
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 06/03/2024
Date Data Arrived at EDR: 06/07/2024
Date Made Active in Reports: 06/20/2024
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 06/03/2024
Date Data Arrived at EDR: 06/07/2024
Date Made Active in Reports: 06/20/2024
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 07/15/2024
Date Data Arrived at EDR: 07/17/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 84

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 07/31/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 07/24/2024
Date Data Arrived at EDR: 08/08/2024
Date Made Active in Reports: 08/15/2024
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 08/08/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 07/24/2024
Date Data Arrived at EDR: 08/08/2024
Date Made Active in Reports: 08/15/2024
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 08/08/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/11/2024
Date Data Arrived at EDR: 06/17/2024
Date Made Active in Reports: 09/04/2024
Number of Days to Update: 79

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 08/01/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 4

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Annually

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 03/25/2024
Date Data Arrived at EDR: 03/27/2024
Date Made Active in Reports: 06/18/2024
Number of Days to Update: 83

Source: Department of Environmental Conservation
Telephone: 518-402-8678
Last EDR Contact: 09/18/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Quarterly

Lists of state and tribal leaking storage tanks

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/11/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 05/07/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

LTANKS: Spills Information Database
Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 07/30/2024
Date Data Arrived at EDR: 07/31/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 5

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 03/15/2024
Date Data Arrived at EDR: 03/19/2024
Date Made Active in Reports: 06/17/2024
Number of Days to Update: 90

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 09/25/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 06/17/2024
Date Data Arrived at EDR: 06/18/2024
Date Made Active in Reports: 09/12/2024
Number of Days to Update: 86

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 06/17/2024
Date Data Arrived at EDR: 06/18/2024
Date Made Active in Reports: 09/12/2024
Number of Days to Update: 86

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 06/17/2024
Date Data Arrived at EDR: 06/18/2024
Date Made Active in Reports: 09/12/2024
Number of Days to Update: 86

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 06/17/2024
Date Data Arrived at EDR: 06/18/2024
Date Made Active in Reports: 09/12/2024
Number of Days to Update: 86

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/11/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 05/14/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 90

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 07/10/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

TANKS: Storage Tank Faciliy Listing
This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 06/17/2024
Date Data Arrived at EDR: 06/18/2024
Date Made Active in Reports: 09/12/2024
Number of Days to Update: 86
Source: Department of Environmental Conservation
Telephone: 518-402-9543
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

RES DECL: Restrictive Declarations Listing
A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 03/22/2024
Date Data Arrived at EDR: 06/13/2024
Date Made Active in Reports: 09/04/2024
Number of Days to Update: 83
Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 09/10/2024
Next Scheduled EDR Contact: 12/23/2024
Data Release Frequency: Varies

ENV RES DECL: Environmental Restrictive Declarations
The Environmental Restrictive Declarations (ERD) listed were recorded in connection with a zoning action against the noted Tax Blocks and Tax Lots, or portion thereof, and are available in the property records on file at the Office of the City Register for Bronx, Kings, New York and Queens counties or at the Richmond County Clerk's office. They contain environmental requirements with respect to hazardous materials, air quality and/or noise in accordance with Section 11-15 of this Resolution.

Date of Government Version: 06/14/2024
Date Data Arrived at EDR: 06/14/2024
Date Made Active in Reports: 09/04/2024
Number of Days to Update: 82
Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 09/09/2024
Next Scheduled EDR Contact: 12/23/2024
Data Release Frequency: Varies

ENG CONTROLS: Registry of Engineering Controls
Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 08/01/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 4
Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls
Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 08/01/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 4
Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Quarterly

Lists of state and tribal voluntary cleanup sites

INDIAN VCP R1: Voluntary Cleanup Priority Listing
A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 09/10/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Varies

VCP NYC: Voluntary Cleanup Program Listing NYC
New York City voluntary cleanup program sites.

Date of Government Version: 06/03/2024
Date Data Arrived at EDR: 06/05/2024
Date Made Active in Reports: 09/03/2024
Number of Days to Update: 90

Source: New York City Office of Environmental Protection
Telephone: 212-788-8841
Last EDR Contact: 09/04/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng
A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 07/08/2021
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

VCP: Voluntary Cleanup Agreements
New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 08/01/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 4

Source: Department of Environmental Conservation
Telephone: 518-402-9711
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Semi-Annually

Lists of state and tribal brownfield sites

BROWNFIELDS: Brownfields Site List
A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 08/01/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 4

Source: Department of Environmental Conservation
Telephone: 518-402-9764
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Semi-Annually

ERP: Environmental Restoration Program Listing
In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a $200 million Environmental Restoration or Brownfields Fund as part of the $1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 08/01/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 4

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 06/10/2024
Date Data Arrived at EDR: 06/11/2024
Date Made Active in Reports: 09/04/2024
Number of Days to Update: 85

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 09/11/2024
Next Scheduled EDR Contact: 12/23/2024
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 02/27/2018
Date Data Arrived at EDR: 04/06/2018
Date Made Active in Reports: 06/08/2018
Number of Days to Update: 63

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 09/05/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: No Update Planned

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 03/25/2024
Date Data Arrived at EDR: 03/27/2024
Date Made Active in Reports: 06/18/2024
Number of Days to Update: 83

Source: Department of Environmental Conservation
Telephone: 518-402-8678
Last EDR Contact: 09/18/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Quarterly

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 07/22/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Varies

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 10/09/2024
Next Scheduled EDR Contact: 01/27/2025
Data Release Frequency: No Update Planned

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 04/01/2014
Date Data Arrived at EDR: 08/06/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 176

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 07/18/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 05/20/2024
Date Data Arrived at EDR: 08/19/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 51

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 08/19/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: No Update Planned

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 08/01/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 4

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 05/20/2024
Date Data Arrived at EDR: 08/19/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 51

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 08/19/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Spill Liens Information

Lien information from the Oil Spill Fund.

Date of Government Version: 04/19/2024
Date Data Arrived at EDR: 04/19/2024
Date Made Active in Reports: 06/26/2024
Number of Days to Update: 68

Source: Office of the State Comptroller
Telephone: 518-474-9034
Last EDR Contact: 07/24/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Quarterly

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 08/27/2024
Date Data Arrived at EDR: 09/03/2024
Date Made Active in Reports: 09/19/2024
Number of Days to Update: 16

Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/14/2024
Date Data Arrived at EDR: 06/17/2024
Date Made Active in Reports: 06/24/2024
Number of Days to Update: 7

Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 07/30/2024
Date Data Arrived at EDR: 07/31/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 5

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/12/2013
Number of Days to Update: 40

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 06/03/2024
Date Data Arrived at EDR: 06/07/2024
Date Made Active in Reports: 06/20/2024
Number of Days to Update: 13

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 07/31/2024
Date Data Arrived at EDR: 08/12/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 58

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 08/12/2024
Next Scheduled EDR Contact: 11/26/2024
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 07/11/2024
Next Scheduled EDR Contact: 10/21/2024
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 10/03/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 02/03/2023
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 08/05/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 06/10/2024
Date Data Arrived at EDR: 06/17/2024
Date Made Active in Reports: 09/04/2024
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA Watch List

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 07/25/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: No Update Planned

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 06/14/2022
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 283

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 10/03/2024
Next Scheduled EDR Contact: 12/23/2024
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2022
Date Data Arrived at EDR: 11/13/2023
Date Made Active in Reports: 02/07/2024
Number of Days to Update: 86

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 09/25/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 07/11/2024
Date Data Arrived at EDR: 07/11/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 1

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 07/11/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 08/27/2024
Date Data Arrived at EDR: 09/03/2024
Date Made Active in Reports: 09/19/2024
Number of Days to Update: 16

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 12/09/2024
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 07/12/2024
Date Data Arrived at EDR: 07/17/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 10/09/2024
Next Scheduled EDR Contact: 01/27/2025
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 09/19/2023
Date Data Arrived at EDR: 10/03/2023
Date Made Active in Reports: 10/19/2023
Number of Days to Update: 16

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 05/23/2024
Date Data Arrived at EDR: 07/02/2024
Date Made Active in Reports: 09/26/2024
Number of Days to Update: 86

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 09/25/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 06/06/2024
Date Data Arrived at EDR: 06/07/2024
Date Made Active in Reports: 09/04/2024
Number of Days to Update: 89
Source: Nuclear Regulatory Commission
Telephone: 301-415-0717
Last EDR Contact: 10/09/2024
Next Scheduled EDR Contact: 01/27/2025
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2022
Date Data Arrived at EDR: 11/27/2023
Date Made Active in Reports: 02/22/2024
Number of Days to Update: 87
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 10/03/2024
Next Scheduled EDR Contact: 12/09/2024
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 08/22/2024
Next Scheduled EDR Contact: 12/09/2024
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 09/18/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 01/02/2020
Date Data Arrived at EDR: 01/28/2020
Date Made Active in Reports: 04/17/2020
Number of Days to Update: 80

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 07/23/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2024
Date Data Arrived at EDR: 07/08/2024
Date Made Active in Reports: 09/26/2024
Number of Days to Update: 80

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 09/25/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2021
Date Data Arrived at EDR: 03/09/2023
Date Made Active in Reports: 03/20/2023
Number of Days to Update: 11

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023
Date Data Arrived at EDR: 03/03/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 98

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 07/24/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 05/08/2024
Date Data Arrived at EDR: 08/14/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 14

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 08/08/2024
Next Scheduled EDR Contact: 11/26/2024
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 08/27/2024
Date Data Arrived at EDR: 09/03/2024
Date Made Active in Reports: 09/19/2024
Number of Days to Update: 16

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data
A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

MINES VIOLATIONS: MSHA Violation Assessment Data
Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 10/01/2024
Date Data Arrived at EDR: 10/02/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 7

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Quarterly

US MINES: Mines Master Index File
Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/06/2024
Date Data Arrived at EDR: 08/14/2024
Date Made Active in Reports: 08/15/2024
Number of Days to Update: 1

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 08/14/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing
This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 05/02/2024
Date Data Arrived at EDR: 08/20/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 50

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 08/20/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing
Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 08/22/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System
Mineral Resources Data System

Date of Government Version: 08/23/2022
Date Data Arrived at EDR: 11/22/2022
Date Made Active in Reports: 02/28/2023
Number of Days to Update: 98

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 08/22/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 06/13/2024
Date Data Arrived at EDR: 06/14/2024
Date Made Active in Reports: 09/04/2024
Number of Days to Update: 82

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 09/10/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 08/13/2024
Date Data Arrived at EDR: 08/20/2024
Date Made Active in Reports: 08/28/2024
Number of Days to Update: 8

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 08/20/2024
Next Scheduled EDR Contact: 12/09/2024
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 06/23/2024
Date Data Arrived at EDR: 06/28/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 14

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 10/01/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 09/06/2023
Date Data Arrived at EDR: 09/13/2023
Date Made Active in Reports: 12/11/2023
Number of Days to Update: 89

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 10/03/2024
Next Scheduled EDR Contact: 01/20/2025
Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 08/13/2024
Next Scheduled EDR Contact: 12/02/2024
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 08/13/2024
Date Data Arrived at EDR: 08/13/2024
Date Made Active in Reports: 10/09/2024
Number of Days to Update: 57

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 08/13/2024
Next Scheduled EDR Contact: 11/26/2024
Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 703-603-8895
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-566-0250
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 06/24/2020
Date Data Arrived at EDR: 03/17/2021
Date Made Active in Reports: 11/08/2022
Number of Days to Update: 601

Source: Department of Health & Human Services
Telephone: 202-741-5770
Last EDR Contact: 07/18/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS PROJECT: NORTHEASTERN UNIVERSITY PFAS PROJECT

The PFAS Contamination Site Tracker records qualitative and quantitative data from each site in a chart, specifically examining discovery, contamination levels, government response, litigation, health impacts, media coverage, and community characteristics. All data presented in the chart were extracted from government websites, such as state health departments or the Environmental Protection Agency, and news articles.

Date of Government Version: 05/19/2023
Date Data Arrived at EDR: 04/05/2024
Date Made Active in Reports: 06/06/2024
Number of Days to Update: 62

Source: Social Science Environmental Health Research Institute
Telephone: N/A
Last EDR Contact: 09/05/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS ECHO FIRE TRAIN: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facilitys name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PFAS PT 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration?s document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/01/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 11

Source: Environmental Protection Agency
Telephone: 202-267-2675
Last EDR Contact: 10/02/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PCS ENF: Enforcement data

No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 09/25/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 12/16/2016
Date Data Arrived at EDR: 01/06/2017
Date Made Active in Reports: 03/10/2017
Number of Days to Update: 63

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 09/25/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: No Update Planned

BIOSOLIDS: ICIS-NPDES Biosolids Facility Data

The data reflects compliance information about facilities in the biosolids program.

Date of Government Version: 04/14/2024
Date Data Arrived at EDR: 04/16/2024
Date Made Active in Reports: 07/12/2024
Number of Days to Update: 87

Source: Environmental Protection Agency
Telephone: 202-564-4700
Last EDR Contact: 07/16/2024
Next Scheduled EDR Contact: 10/28/2024
Data Release Frequency: Varies

UST FINDER: UST Finder Database

EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories . UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

Date of Government Version: 06/08/2023
Date Data Arrived at EDR: 10/04/2023
Date Made Active in Reports: 01/18/2024
Number of Days to Update: 106

Source: Environmental Protection Agency
Telephone: 202-564-0394
Last EDR Contact: 08/08/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Varies

UST FINDER RELEASE: UST Finder Releases Database

US EPA's UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA's Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

Date of Government Version: 06/08/2023
Date Data Arrived at EDR: 10/31/2023
Date Made Active in Reports: 01/18/2024
Number of Days to Update: 79

Source: Environmental Protecton Agency
Telephone: 202-564-0394
Last EDR Contact: 08/08/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Semi-Annually

E MANIFEST: Hazardous Waste Electronic Manifest System

EPA established a national system for tracking hazardous waste shipments electronically. This system, known as ?e-Manifest,? will modernize the nation?s cradle-to-grave hazardous waste tracking process while saving valuable time, resources, and dollars for industry and states.

Date of Government Version: 07/24/2023
Date Data Arrived at EDR: 04/18/2024
Date Made Active in Reports: 06/06/2024
Number of Days to Update: 49

Source: Environmental Protection Agency
Telephone: 833-501-6826
Last EDR Contact: 09/17/2024
Next Scheduled EDR Contact: 12/30/2024
Data Release Frequency: Varies

PFAS 2: New York State Inactive Landfill Initiative

A list of landfills that were investigated and the analytical results for PFOA and PFOS for those landfills. These data represent the landfills from the ILI database that were investigated.

Date of Government Version: 12/12/2022
Date Data Arrived at EDR: 08/10/2023
Date Made Active in Reports: 10/25/2023
Number of Days to Update: 76

Source: Department of Environmental Conservation
Telephone: 518-402-9662
Last EDR Contact: 07/24/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Varies

PFAS 3: PFAS Environmental Site Remediation List

A list of records included in the Environmental Remediation database whose material is listed as Perfluorooctanoic Acid or Perfluorooctane Sulfonic Acid.

Date of Government Version: 08/01/2024
Date Data Arrived at EDR: 08/01/2024
Date Made Active in Reports: 08/05/2024
Number of Days to Update: 4

Source: Department of Environmental Conservation
Telephone: 518-402-9759
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Varies

PFAS: PFAS Contamination Site Location Listing

DEC surveyed select businesses, fire departments, fire training centers, bulk storage facilities, airports, and Department of Defense (DoD) facilities. The responses to the survey have helped to determine if these entities used or stored materials containing PFOA/PFOS including AFFF and dispersants used in Teflon coating operations. The results of this survey will be updated periodically as additional responses are received..

Date of Government Version: 01/16/2019
Date Data Arrived at EDR: 05/08/2019
Date Made Active in Reports: 06/24/2019
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-9020
Last EDR Contact: 08/01/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Varies

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 05/06/2024
Date Data Arrived at EDR: 05/09/2024
Date Made Active in Reports: 08/06/2024
Number of Days to Update: 89

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 10/09/2024
Next Scheduled EDR Contact: 01/27/2025
Data Release Frequency: Annually

COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 06/24/2024
Date Data Arrived at EDR: 06/26/2024
Date Made Active in Reports: 09/17/2024
Number of Days to Update: 83

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 09/18/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Quarterly

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 08/29/2024
Date Data Arrived at EDR: 08/29/2024
Date Made Active in Reports: 09/03/2024
Number of Days to Update: 5

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 08/27/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 05/06/2024
Date Data Arrived at EDR: 06/12/2024
Date Made Active in Reports: 09/04/2024
Number of Days to Update: 84

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 09/10/2024
Next Scheduled EDR Contact: 12/23/2024
Data Release Frequency: Semi-Annually

FIN ASSURANCE 1: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 07/01/2024
Date Data Arrived at EDR: 07/02/2024
Date Made Active in Reports: 09/25/2024
Number of Days to Update: 85

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 10/03/2024
Next Scheduled EDR Contact: 01/06/2025
Data Release Frequency: Quarterly

FIN ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 08/30/2024
Date Data Arrived at EDR: 08/30/2024
Date Made Active in Reports: 09/13/2024
Number of Days to Update: 14

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 08/27/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: Varies

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NYC LEAD: Lead-based Paint Testing Results

The results of the inspections for all classrooms serving students under six in applicable buildings. Identifies all classrooms, whether there was observation of peeling paint, and if there was, standard response protocol was followed.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 01/31/2024
Date Made Active in Reports: 04/22/2024
Number of Days to Update: 82

Source: New York City Department of Education
Telephone: 212-374-5141
Last EDR Contact: 07/30/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Varies

NYC LEAD 2: Recent Lead Paint Violations

Pursuant to New York City?s Housing Maintenance Code, the Department of Housing Preservation and Development (HPD) issues violations against conditions in rental dwelling units that have been verified to violate the New York City Housing Maintenance Code (HMC) or the New York State Multiple Dwelling Law (MDL). Violations are issued when an inspection verifies that a violation of the HMC or MDL exists. It is closed when the violation is corrected, as observed/verified by HPD or as certified by the landlord.

Date of Government Version: 04/29/2024
Date Data Arrived at EDR: 05/01/2024
Date Made Active in Reports: 07/25/2024
Number of Days to Update: 85

Source: New York City Department of Housing Preservation & Development
Telephone: 212-863-8200
Last EDR Contact: 07/30/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Varies

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 11/30/2023
Date Made Active in Reports: 12/01/2023
Number of Days to Update: 1

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 07/25/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Quarterly

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 04/12/2024
Date Data Arrived at EDR: 05/09/2024
Date Made Active in Reports: 08/06/2024
Number of Days to Update: 89

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 10/09/2024
Next Scheduled EDR Contact: 01/27/2025
Data Release Frequency: No Update Planned

VAPOR REOPENED: Vapor Intrusion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 01/01/2022
Date Data Arrived at EDR: 02/08/2022
Date Made Active in Reports: 05/06/2022
Number of Days to Update: 87

Source: Department of Environmenal Conservation
Telephone: 518-402-9814
Last EDR Contact: 08/08/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: Varies

UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 05/27/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/26/2024
Number of Days to Update: 88

Source: Department of Environmental Conservation
Telephone: 518-402-8056
Last EDR Contact: 08/28/2024
Next Scheduled EDR Contact: 12/09/2024
Data Release Frequency: Quarterly

COOLING TOWERS: Registered Cooling Towers

This data includes the location of cooling towers registered with New York State. The data is self-reported by owners/property managers of cooling towers in service in New York State. In August 2015, the New York State Department of Health released emergency regulations requiring the owners of cooling towers to register them with New York State.

Date of Government Version: 07/02/2024
Date Data Arrived at EDR: 07/10/2024
Date Made Active in Reports: 10/01/2024
Number of Days to Update: 83

Source: Department of Health
Telephone: 518-402-7650
Last EDR Contact: 10/08/2024
Next Scheduled EDR Contact: 01/20/2025
Data Release Frequency: Varies

ILI: New York State Inactive Landfill Initiative
A solid waste site priority list of mitigation and remedial activities to address sites causing, or substantially contributing to, impairments of drinking water quality. Inactive solid waste disposal sites, primarily landfills, and their potential impact on New York?s drinking water resources from site-related contaminants, with a focus on emerging contaminants.

Date of Government Version: 05/16/2024
Date Data Arrived at EDR: 05/30/2024
Date Made Active in Reports: 08/26/2024
Number of Days to Update: 88
Source: Department of Environmental Conservation
Telephone: 518-402-8671
Last EDR Contact: 07/24/2024
Next Scheduled EDR Contact: 11/11/2024
Data Release Frequency: Varies

NYC LAND USE: New York City Land Use Information
Land use colors

Date of Government Version: 05/03/2024
Date Data Arrived at EDR: 06/12/2024
Date Made Active in Reports: 06/28/2024
Number of Days to Update: 16
Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 09/10/2024
Next Scheduled EDR Contact: 12/23/2024
Data Release Frequency: Varies

NYC OER: OER Cleanup Sites Listing
Properties remediated under OER's oversight, both in the E-Designation program and the NYC Voluntary Cleanup Program. Includes sites completed and in progress.

Date of Government Version: 06/03/2024
Date Data Arrived at EDR: 06/05/2024
Date Made Active in Reports: 09/03/2024
Number of Days to Update: 90
Source: Office of Environmental Remediation
Telephone: 212-788-8841
Last EDR Contact: 09/04/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: Varies

MGP: Manufactured Gas Plants Listing
From the late 1800's to the mid 1900's, hundreds of manufactured gas plants across New York State supplied homes and industry with fuel for heating, cooking, and lighting. Today, the New York State DEC is overseeing the investigation and cleanup of contamination left behind from these plants.

Date of Government Version: 08/28/2024
Date Data Arrived at EDR: 08/28/2024
Date Made Active in Reports: 10/01/2024
Number of Days to Update: 34
Source: Department of Environmental Conservation
Telephone: 518-402-9662
Last EDR Contact: 08/27/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A
Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 193

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COUNTY RECORDS

CORTLAND COUNTY:

AST - CORTLAND: Cortland County Storage Tank Listing
A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019
Date Data Arrived at EDR: 08/20/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 57

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 07/17/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Quarterly

UST - CORTLAND: Cortland County Storage Tank Listing
A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019
Date Data Arrived at EDR: 08/20/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 57

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 07/17/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Quarterly

NASSAU COUNTY:

AST - NASSAU: Registered Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 07/18/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: No Update Planned

AST NCFM: Storage Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 07/17/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Varies

TANKS NASSAU: Registered Tank Database in Nassau County
A listing of facilities in Nassau County with storage tanks.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Department of Health
Telephone: 516-227-9691
Last EDR Contact: 07/18/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: No Update Planned

UST - NASSAU: Registered Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 07/18/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: No Update Planned

UST NCFM: Storage Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 07/17/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Varies

ROCKLAND COUNTY:

AST - ROCKLAND: Petroleum Bulk Storage Database
A listing of aboveground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 189

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 08/21/2024
Next Scheduled EDR Contact: 12/09/2024
Data Release Frequency: No Update Planned

UST - ROCKLAND: Petroleum Bulk Storage Database
A listing of underground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 189

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 08/21/2024
Next Scheduled EDR Contact: 12/09/2024
Data Release Frequency: No Update Planned

SUFFOLK COUNTY:

AST - SUFFOLK: Storage Tank Database
A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 02/07/2019
Number of Days to Update: 63

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 07/17/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: No Update Planned

TANKS SUFFOLK: Storage Tank Database
This county is not included in the state?s database. These are facilities that have no tank information in the storage tank database.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 02/05/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 31

Source: Department of Health Services
Telephone: 631-854-2516
Last EDR Contact: 07/17/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Varies

UST - SUFFOLK: Storage Tank Database
A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 02/07/2019
Number of Days to Update: 63

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 07/17/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

AST - WESTCHESTER: Listing of Storage Tanks
A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 04/15/2024
Date Data Arrived at EDR: 05/15/2024
Date Made Active in Reports: 08/08/2024
Number of Days to Update: 85

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 07/23/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Semi-Annually

UST - WESTCHESTER: Listing of Storage Tanks
A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 04/15/2024
Date Data Arrived at EDR: 05/15/2024
Date Made Active in Reports: 08/08/2024
Number of Days to Update: 85

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 07/23/2024
Next Scheduled EDR Contact: 11/04/2024
Data Release Frequency: Semi-Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 05/05/2024
Date Data Arrived at EDR: 05/07/2024
Date Made Active in Reports: 08/01/2024
Number of Days to Update: 86

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 08/06/2024
Next Scheduled EDR Contact: 11/18/2024
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 09/25/2024
Next Scheduled EDR Contact: 01/13/2025
Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 10/03/2024
Next Scheduled EDR Contact: 01/20/2025
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 08/08/2024
Next Scheduled EDR Contact: 11/26/2024
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data
Hazardous waste manifest information.

Date of Government Version: 10/28/2019
Date Data Arrived at EDR: 10/29/2019
Date Made Active in Reports: 01/09/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 10/03/2024
Next Scheduled EDR Contact: 01/20/2025
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 08/28/2024
Next Scheduled EDR Contact: 12/16/2024
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: Endeavor Business Media
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data
Source: Endeavor Business Media
This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.
Daycare Centers: Day Care Providers
Source: Department of Health
Telephone: 212-676-2444

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

40 JERUSALEM AVENUE
40 JERUSALEM AVENUE
HICKSVILLE, NY 11801

TARGET PROPERTY COORDINATES

Latitude (North):	40.766247 - 40° 45' 58.49''
Longitude (West):	73.525382 - 73° 31' 31.38''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	624460.1
UTM Y (Meters):	4513643.0
Elevation:	144 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	14105976 HICKSVILLE, NY
Version Date:	2019
South Map:	14115948 FREEPORT, NY
Version Date:	2019

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
36059C0145F	FEMA Q3 Flood data

Additional Panels in search area:	FEMA Source Type
36059C0143F	FEMA Q3 Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
HICKSVILLE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Location Relative to TP:	1/2 - 1 Mile WSW
Site Name:	Alsy Manufacturing
Site EPA ID Number:	NYD981184237
Groundwater Flow Direction:	South
Inferred Depth to Water:	approximately 60 feet.
Hydraulic Connection:	The surficial aquifer and underlying aquifer are hydraulically connected.
Sole Source Aquifer:	No information about a sole source aquifer is available
Data Quality:	Information is inferred in the CERCLIS investigation report(s)

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site--specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Cenozoic
System:	Quaternary
Series:	Pleistocene
Code:	Qp *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	USGS40000832087	0 - 1/8 Mile NNW
B4	USGS40000832116	1/8 - 1/4 Mile North
7	USGS40000832143	1/8 - 1/4 Mile NNE
9	USGS40000832095	1/4 - 1/2 Mile WNW
F16	USGS40000831901	1/4 - 1/2 Mile SSW
F17	USGS40000831903	1/4 - 1/2 Mile SSW
F18	USGS40000831902	1/4 - 1/2 Mile SSW
F21	USGS40000831866	1/4 - 1/2 Mile SSW
22	USGS40000832019	1/2 - 1 Mile WSW
H24	USGS40000831928	1/2 - 1 Mile SE
25	USGS40000831878	1/2 - 1 Mile SW
I27	USGS40000832284	1/2 - 1 Mile NNE
31	USGS40000831726	1/2 - 1 Mile South
I33	USGS40000832294	1/2 - 1 Mile NNE
I34	USGS40000832293	1/2 - 1 Mile NNE
41	USGS40000832324	1/2 - 1 Mile NNE
I42	USGS40000832285	1/2 - 1 Mile NNE
K44	USGS40000832010	1/2 - 1 Mile ESE
K45	USGS40000832034	1/2 - 1 Mile ESE
L47	USGS40000832046	1/2 - 1 Mile East
49	USGS40000832003	1/2 - 1 Mile ESE
M50	USGS40000832408	1/2 - 1 Mile NNE
52	USGS40000831987	1/2 - 1 Mile WSW
L53	USGS40000832072	1/2 - 1 Mile East
M54	USGS40000832407	1/2 - 1 Mile NNE
M55	USGS40000832409	1/2 - 1 Mile NNE
56	USGS40000832272	1/2 - 1 Mile NW
N57	USGS40000831892	1/2 - 1 Mile ESE
58	USGS40000831890	1/2 - 1 Mile ESE
N59	USGS40000831891	1/2 - 1 Mile ESE
O60	USGS40000832410	1/2 - 1 Mile NNE
O61	USGS40000832411	1/2 - 1 Mile NNE
Q63	USGS40000832093	1/2 - 1 Mile East
Q64	USGS40000832094	1/2 - 1 Mile East
Q65	USGS40000832086	1/2 - 1 Mile East
R67	USGS40000831615	1/2 - 1 Mile SSE
R68	USGS40000831616	1/2 - 1 Mile SSE
69	USGS40000831714	1/2 - 1 Mile SE
70	USGS40000831879	1/2 - 1 Mile WSW
R71	USGS40000831612	1/2 - 1 Mile SSE
R72	USGS40000831613	1/2 - 1 Mile SSE
R73	USGS40000831614	1/2 - 1 Mile SSE
76	USGS40000832150	1/2 - 1 Mile ENE
S77	USGS40000831775	1/2 - 1 Mile SE
S78	USGS40000831761	1/2 - 1 Mile SE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
8	NY0002829	1/8 - 1/4 Mile NW

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION


MAP ID	WELL ID	LOCATION FROM TP

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A2	NYREG1200058279	0 - 1/8 Mile ENE
B3	NYREG1200058331	0 - 1/8 Mile NNE
C5	NYREG1200058796	1/8 - 1/4 Mile ENE
C6	NYREG1200058715	1/8 - 1/4 Mile ENE
10	NYREG1200056292	1/4 - 1/2 Mile SSW
D11	NYREG1200054831	1/4 - 1/2 Mile SSE
D12	NYREG1200056710	1/4 - 1/2 Mile SSE
D13	NYREG1200056744	1/4 - 1/2 Mile SSE
E14	NYREG1200058309	1/4 - 1/2 Mile SSW
E15	NYREG1200058308	1/4 - 1/2 Mile SSW
G19	NYREG1200052551	1/4 - 1/2 Mile NW
G20	NYREG1200052552	1/4 - 1/2 Mile NW
23	NYREG1200053091	1/2 - 1 Mile West
H26	NYREG1200052298	1/2 - 1 Mile SE
28	NYREG1200058449	1/2 - 1 Mile ESE
J29	NYREG1200058336	1/2 - 1 Mile SSW
H30	NYREG1200052114	1/2 - 1 Mile SE
J32	NYREG1200058335	1/2 - 1 Mile SSW
J35	NYREG1200058334	1/2 - 1 Mile SSW
K36	NYREG1200058453	1/2 - 1 Mile East
K37	NYREG1200058454	1/2 - 1 Mile East
K38	NYREG1200058450	1/2 - 1 Mile East
K39	NYREG1200058451	1/2 - 1 Mile East
K40	NYREG1200058452	1/2 - 1 Mile East
K43	NYREG1200055269	1/2 - 1 Mile East
L46	NYREG1200055590	1/2 - 1 Mile East
48	NYREG1200058084	1/2 - 1 Mile ENE
51	NYREG1200056975	1/2 - 1 Mile SE
P62	NYREG1200058265	1/2 - 1 Mile WSW
P66	NYREG1200058396	1/2 - 1 Mile WSW
S74	NYREG1200055925	1/2 - 1 Mile SE
S75	NYREG1200056033	1/2 - 1 Mile SE

PHYSICAL SETTING SOURCE MAP - 7789191.2s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons
- Groundwater Flow Direction
- Indeterminate Groundwater Flow at Location
- Groundwater Flow Varies at Location
- Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	40 Jerusalem Avenue	CLIENT:	GEI Consultants
ADDRESS:	40 Jerusalem Avenue Hicksville NY 11801	CONTACT:	Richard Fasciani
		INQUIRY #:	7789191.2s
LAT/LONG:	40.766247 / 73.525382	DATE:	October 10, 2024 1:28 pm

Copyright © 2024 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

A1
NNW
0 - 1/8 Mile
Higher | **FED USGS** | **USGS40000832087**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9018. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	405
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

A2
ENE
0 - 1/8 Mile
Higher | **NY WELLS** | **NYREG1200058279**

WELLS REG 1:

Well Number:	N004085	Well Type:	Geothermal - Ac Only
Owner:	Mr. Johanna Taliaferro	Diameter (in):	6
Well Depth (ft):	66	Casing Length (ft):	Not Reported
Screen Length (ft):	5	Pump Capacity (gpm):	69

B3
NNE
0 - 1/8 Mile
Higher | **NY WELLS** | **NYREG1200058331**

WELLS REG 1:

Well Number:	N004025D	Well Type:	Geothermal Diffusion
Owner:	Hicksville Bank	Diameter (in):	4
Well Depth (ft):	25	Casing Length (ft):	4
Screen Length (ft):	11	Pump Capacity (gpm):	Not Reported

B4
North
1/8 - 1/4 Mile
Higher | **FED USGS** | **USGS40000832116**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 844. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	258
Well Depth Units:	ft	Well Hole Depth:	258
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	134	Level reading date:	1957-12-27
Feet below surface:	Not Reported	Feet to sea level:	82.41
Note:	Not Reported		
Level reading date:	1957-07-29	Feet below surface:	Not Reported
Feet to sea level:	84.15	Note:	Not Reported
Level reading date:	1956-09-26	Feet below surface:	Not Reported
Feet to sea level:	85.04	Note:	Not Reported
Level reading date:	1956-08-30	Feet below surface:	Not Reported
Feet to sea level:	85.41	Note:	Not Reported
Level reading date:	1956-06-29	Feet below surface:	Not Reported
Feet to sea level:	85.93	Note:	Not Reported
Level reading date:	1956-06-01	Feet below surface:	Not Reported
Feet to sea level:	86.11	Note:	Not Reported
Level reading date:	1956-04-27	Feet below surface:	Not Reported
Feet to sea level:	85.66	Note:	Not Reported
Level reading date:	1956-03-01	Feet below surface:	Not Reported
Feet to sea level:	85.24	Note:	Not Reported
Level reading date:	1956-01-26	Feet below surface:	Not Reported
Feet to sea level:	85.36	Note:	Not Reported
Level reading date:	1955-12-27	Feet below surface:	Not Reported
Feet to sea level:	85.39	Note:	Not Reported
Level reading date:	1955-11-09	Feet below surface:	Not Reported
Feet to sea level:	84.51	Note:	Not Reported
Level reading date:	1955-09-29	Feet below surface:	Not Reported
Feet to sea level:	83.81	Note:	Not Reported
Level reading date:	1955-08-25	Feet below surface:	Not Reported
Feet to sea level:	83.31	Note:	Not Reported
Level reading date:	1955-07-28	Feet below surface:	Not Reported
Feet to sea level:	82.63	Note:	Not Reported
Level reading date:	1955-07-05	Feet below surface:	Not Reported
Feet to sea level:	83.07	Note:	Not Reported
Level reading date:	1955-05-27	Feet below surface:	Not Reported
Feet to sea level:	83.68	Note:	Not Reported
Level reading date:	1955-05-02	Feet below surface:	Not Reported
Feet to sea level:	83.67	Note:	Not Reported
Level reading date:	1955-03-30	Feet below surface:	Not Reported
Feet to sea level:	83.82	Note:	Not Reported
Level reading date:	1955-02-24	Feet below surface:	Not Reported
Feet to sea level:	83.76	Note:	Not Reported
Level reading date:	1955-01-24	Feet below surface:	Not Reported
Feet to sea level:	83.52	Note:	Not Reported
Level reading date:	1954-12-27	Feet below surface:	Not Reported

Feet to sea level:	83.38	Note:	Not Reported
Level reading date:	1954-11-29	Feet below surface:	Not Reported
Feet to sea level:	83.31	Note:	Not Reported
Level reading date:	1954-10-26	Feet below surface:	Not Reported
Feet to sea level:	83.28	Note:	Not Reported
Level reading date:	1954-09-27	Feet below surface:	Not Reported
Feet to sea level:	83.36	Note:	Not Reported
Level reading date:	1954-08-23	Feet below surface:	Not Reported
Feet to sea level:	83.06	Note:	Not Reported
Level reading date:	1954-07-28	Feet below surface:	Not Reported
Feet to sea level:	83.37	Note:	Not Reported
Level reading date:	1954-06-28	Feet below surface:	Not Reported
Feet to sea level:	83.82	Note:	Not Reported
Level reading date:	1954-05-24	Feet below surface:	Not Reported
Feet to sea level:	84.12	Note:	Not Reported
Level reading date:	1954-04-28	Feet below surface:	Not Reported
Feet to sea level:	84.13	Note:	Not Reported
Level reading date:	1954-03-24	Feet below surface:	Not Reported
Feet to sea level:	84.28	Note:	Not Reported
Level reading date:	1954-02-24	Feet below surface:	Not Reported
Feet to sea level:	84.51	Note:	Not Reported
Level reading date:	1954-01-27	Feet below surface:	Not Reported
Feet to sea level:	84.78	Note:	Not Reported
Level reading date:	1953-12-21	Feet below surface:	Not Reported
Feet to sea level:	84.88	Note:	Not Reported
Level reading date:	1953-11-24	Feet below surface:	Not Reported
Feet to sea level:	84.92	Note:	Not Reported
Level reading date:	1953-10-29	Feet below surface:	Not Reported
Feet to sea level:	85.13	Note:	Not Reported
Level reading date:	1953-10-01	Feet below surface:	Not Reported
Feet to sea level:	85.40	Note:	Not Reported
Level reading date:	1953-08-26	Feet below surface:	Not Reported
Feet to sea level:	85.81	Note:	Not Reported
Level reading date:	1953-08-05	Feet below surface:	Not Reported
Feet to sea level:	85.81	Note:	Not Reported
Level reading date:	1953-06-29	Feet below surface:	Not Reported
Feet to sea level:	85.94	Note:	Not Reported
Level reading date:	1953-05-29	Feet below surface:	Not Reported
Feet to sea level:	85.59	Note:	Not Reported
Level reading date:	1953-04-28	Feet below surface:	Not Reported
Feet to sea level:	84.56	Note:	Not Reported

Level reading date:	1953-04-01	Feet below surface:	Not Reported
Feet to sea level:	83.41	Note:	Not Reported
Level reading date:	1953-02-25	Feet below surface:	Not Reported
Feet to sea level:	82.76	Note:	Not Reported
Level reading date:	1953-02-02	Feet below surface:	Not Reported
Feet to sea level:	82.88	Note:	Not Reported
Level reading date:	1952-12-22	Feet below surface:	Not Reported
Feet to sea level:	83.21	Note:	Not Reported
Level reading date:	1952-12-05	Feet below surface:	Not Reported
Feet to sea level:	83.32	Note:	Not Reported
Level reading date:	1952-11-03	Feet below surface:	Not Reported
Feet to sea level:	83.68	Note:	Not Reported
Level reading date:	1952-06-25	Feet below surface:	Not Reported
Feet to sea level:	83.43	Note:	Not Reported
Level reading date:	1952-05-28	Feet below surface:	Not Reported
Feet to sea level:	82.26	Note:	Not Reported
Level reading date:	1952-04-29	Feet below surface:	Not Reported
Feet to sea level:	81.77	Note:	Not Reported
Level reading date:	1952-03-31	Feet below surface:	Not Reported
Feet to sea level:	81.34	Note:	Not Reported
Level reading date:	1952-02-25	Feet below surface:	Not Reported
Feet to sea level:	80.69	Note:	Not Reported
Level reading date:	1952-02-06	Feet below surface:	Not Reported
Feet to sea level:	80.44	Note:	Not Reported
Level reading date:	1951-12-20	Feet below surface:	Not Reported
Feet to sea level:	80.12	Note:	Not Reported
Level reading date:	1951-11-27	Feet below surface:	Not Reported
Feet to sea level:	80.16	Note:	Not Reported
Level reading date:	1951-10-29	Feet below surface:	Not Reported
Feet to sea level:	80.29	Note:	Not Reported
Level reading date:	1951-09-25	Feet below surface:	Not Reported
Feet to sea level:	81.01	Note:	Not Reported
Level reading date:	1951-08-28	Feet below surface:	Not Reported
Feet to sea level:	80.98	Note:	Not Reported
Level reading date:	1951-07-26	Feet below surface:	Not Reported
Feet to sea level:	81.22	Note:	Not Reported
Level reading date:	1951-06-28	Feet below surface:	Not Reported
Feet to sea level:	81.41	Note:	Not Reported
Level reading date:	1951-05-31	Feet below surface:	Not Reported
Feet to sea level:	81.27	Note:	Not Reported
Level reading date:	1951-04-25	Feet below surface:	Not Reported
Feet to sea level:	80.59	Note:	Not Reported

Level reading date:	1951-04-04	Feet below surface:	Not Reported
Feet to sea level:	80.42	Note:	Not Reported
Level reading date:	1951-02-28	Feet below surface:	Not Reported
Feet to sea level:	79.99	Note:	Not Reported
Level reading date:	1951-01-31	Feet below surface:	Not Reported
Feet to sea level:	80.08	Note:	Not Reported
Level reading date:	1950-12-19	Feet below surface:	Not Reported
Feet to sea level:	80.36	Note:	Not Reported
Level reading date:	1950-11-29	Feet below surface:	Not Reported
Feet to sea level:	80.51	Note:	Not Reported
Level reading date:	1950-11-02	Feet below surface:	Not Reported
Feet to sea level:	80.73	Note:	Not Reported
Level reading date:	1950-09-27	Feet below surface:	Not Reported
Feet to sea level:	80.97	Note:	Not Reported
Level reading date:	1950-09-02	Feet below surface:	Not Reported
Feet to sea level:	81.12	Note:	Not Reported
Level reading date:	1950-08-01	Feet below surface:	Not Reported
Feet to sea level:	81.18	Note:	Not Reported
Level reading date:	1950-06-28	Feet below surface:	Not Reported
Feet to sea level:	81.44	Note:	Not Reported
Level reading date:	1950-05-31	Feet below surface:	Not Reported
Feet to sea level:	81.64	Note:	Not Reported
Level reading date:	1950-05-03	Feet below surface:	Not Reported
Feet to sea level:	81.84	Note:	Not Reported
Level reading date:	1950-04-04	Feet below surface:	Not Reported
Feet to sea level:	82.07	Note:	Not Reported
Level reading date:	1950-03-02	Feet below surface:	Not Reported
Feet to sea level:	82.31	Note:	Not Reported
Level reading date:	1950-01-25	Feet below surface:	Not Reported
Feet to sea level:	82.73	Note:	Not Reported
Level reading date:	1949-12-28	Feet below surface:	Not Reported
Feet to sea level:	83.10	Note:	Not Reported
Level reading date:	1949-11-30	Feet below surface:	Not Reported
Feet to sea level:	83.50	Note:	Not Reported
Level reading date:	1949-10-28	Feet below surface:	Not Reported
Feet to sea level:	83.90	Note:	Not Reported
Level reading date:	1949-09-27	Feet below surface:	Not Reported
Feet to sea level:	84.27	Note:	Not Reported
Level reading date:	1949-08-30	Feet below surface:	Not Reported
Feet to sea level:	84.46	Note:	Not Reported
Level reading date:	1949-06-28	Feet below surface:	Not Reported
Feet to sea level:	84.78	Note:	Not Reported

Level reading date:	1949-05-31	Feet below surface:	Not Reported
Feet to sea level:	84.86	Note:	Not Reported
Level reading date:	1949-04-26	Feet below surface:	Not Reported
Feet to sea level:	84.39	Note:	Not Reported
Level reading date:	1949-03-31	Feet below surface:	Not Reported
Feet to sea level:	83.98	Note:	Not Reported
Level reading date:	1949-03-01	Feet below surface:	Not Reported
Feet to sea level:	83.43	Note:	Not Reported
Level reading date:	1949-01-26	Feet below surface:	Not Reported
Feet to sea level:	82.66	Note:	Not Reported
Level reading date:	1948-12-28	Feet below surface:	Not Reported
Feet to sea level:	82.33	Note:	Not Reported
Level reading date:	1948-12-07	Feet below surface:	Not Reported
Feet to sea level:	82.50	Note:	Not Reported
Level reading date:	1948-11-03	Feet below surface:	Not Reported
Feet to sea level:	82.60	Note:	Not Reported
Level reading date:	1948-09-29	Feet below surface:	Not Reported
Feet to sea level:	82.78	Note:	Not Reported
Level reading date:	1948-08-30	Feet below surface:	Not Reported
Feet to sea level:	82.85	Note:	Not Reported
Level reading date:	1948-07-30	Feet below surface:	Not Reported
Feet to sea level:	82.72	Note:	Not Reported
Level reading date:	1948-06-29	Feet below surface:	Not Reported
Feet to sea level:	82.46	Note:	Not Reported
Level reading date:	1948-05-30	Feet below surface:	Not Reported
Feet to sea level:	82.13	Note:	Not Reported
Level reading date:	1948-05-07	Feet below surface:	Not Reported
Feet to sea level:	81.67	Note:	Not Reported
Level reading date:	1948-03-20	Feet below surface:	Not Reported
Feet to sea level:	80.27	Note:	Not Reported
Level reading date:	1948-02-27	Feet below surface:	Not Reported
Feet to sea level:	79.76	Note:	Not Reported
Level reading date:	1948-01-31	Feet below surface:	Not Reported
Feet to sea level:	79.80	Note:	Not Reported
Level reading date:	1948-01-02	Feet below surface:	Not Reported
Feet to sea level:	79.97	Note:	Not Reported
Level reading date:	1947-12-06	Feet below surface:	Not Reported
Feet to sea level:	80.03	Note:	Not Reported
Level reading date:	1947-11-01	Feet below surface:	Not Reported
Feet to sea level:	80.06	Note:	Not Reported
Level reading date:	1947-09-27	Feet below surface:	Not Reported
Feet to sea level:	80.42	Note:	Not Reported

Level reading date:	1947-09-09	Feet below surface:	Not Reported
Feet to sea level:	80.52	Note:	Not Reported
Level reading date:	1947-08-07	Feet below surface:	Not Reported
Feet to sea level:	80.73	Note:	Not Reported
Level reading date:	1947-07-07	Feet below surface:	Not Reported
Feet to sea level:	80.86	Note:	Not Reported
Level reading date:	1947-06-02	Feet below surface:	Not Reported
Feet to sea level:	81.01	Note:	Not Reported
Level reading date:	1947-04-30	Feet below surface:	Not Reported
Feet to sea level:	80.98	Note:	Not Reported
Level reading date:	1947-04-07	Feet below surface:	Not Reported
Feet to sea level:	81.04	Note:	Not Reported
Level reading date:	1947-02-28	Feet below surface:	Not Reported
Feet to sea level:	81.41	Note:	Not Reported
Level reading date:	1947-01-31	Feet below surface:	Not Reported
Feet to sea level:	81.73	Note:	Not Reported
Level reading date:	1946-12-31	Feet below surface:	Not Reported
Feet to sea level:	82.01	Note:	Not Reported
Level reading date:	1946-11-27	Feet below surface:	Not Reported
Feet to sea level:	82.33	Note:	Not Reported
Level reading date:	1946-10-29	Feet below surface:	Not Reported
Feet to sea level:	82.53	Note:	Not Reported
Level reading date:	1946-09-24	Feet below surface:	Not Reported
Feet to sea level:	82.67	Note:	Not Reported
Level reading date:	1946-08-29	Feet below surface:	Not Reported
Feet to sea level:	82.61	Note:	Not Reported
Level reading date:	1946-07-29	Feet below surface:	Not Reported
Feet to sea level:	82.46	Note:	Not Reported
Level reading date:	1946-07-03	Feet below surface:	Not Reported
Feet to sea level:	82.41	Note:	Not Reported
Level reading date:	1946-06-04	Feet below surface:	Not Reported
Feet to sea level:	82.29	Note:	Not Reported
Level reading date:	1946-04-25	Feet below surface:	Not Reported
Feet to sea level:	82.31	Note:	Not Reported
Level reading date:	1946-04-03	Feet below surface:	Not Reported
Feet to sea level:	82.27	Note:	Not Reported
Level reading date:	1946-02-26	Feet below surface:	Not Reported
Feet to sea level:	81.89	Note:	Not Reported
Level reading date:	1946-02-05	Feet below surface:	Not Reported
Feet to sea level:	81.50	Note:	Not Reported
Level reading date:	1945-12-26	Feet below surface:	Not Reported
Feet to sea level:	81.16	Note:	Not Reported

Level reading date:	1945-11-27	Feet below surface:	Not Reported
Feet to sea level:	81.16	Note:	Not Reported
Level reading date:	1945-11-02	Feet below surface:	Not Reported
Feet to sea level:	81.33	Note:	Not Reported
Level reading date:	1945-10-02	Feet below surface:	Not Reported
Feet to sea level:	81.50	Note:	Not Reported
Level reading date:	1945-09-12	Feet below surface:	Not Reported
Feet to sea level:	81.50	Note:	Not Reported
Level reading date:	1945-08-04	Feet below surface:	Not Reported
Feet to sea level:	81.64	Note:	Not Reported
Level reading date:	1945-06-30	Feet below surface:	Not Reported
Feet to sea level:	81.70	Note:	Not Reported
Level reading date:	1945-06-01	Feet below surface:	Not Reported
Feet to sea level:	81.82	Note:	Not Reported
Level reading date:	1945-05-04	Feet below surface:	Not Reported
Feet to sea level:	81.93	Note:	Not Reported
Level reading date:	1945-03-26	Feet below surface:	Not Reported
Feet to sea level:	81.69	Note:	Not Reported

C5
ENE
1/8 - 1/4 Mile
Higher

NY WELLS **NYREG1200058796**

WELLS REG 1:

Well Number:	N003482	Well Type:	Geothermal - Ac Only
Owner:	L.I. Community Playhouses, Inc.	Diameter (in):	8
Well Depth (ft):	89	Casing Length (ft):	79
Screen Length (ft):	10	Pump Capacity (gpm):	250

C6
ENE
1/8 - 1/4 Mile
Higher

NY WELLS **NYREG1200058715**

WELLS REG 1:

Well Number:	N003580D	Well Type:	Geothermal Diffusion
Owner:	L.I. Community Playhouses, Inc.	Diameter (in):	8
Well Depth (ft):	106	Casing Length (ft):	91
Screen Length (ft):	15	Pump Capacity (gpm):	Not Reported

7
NNE
1/8 - 1/4 Mile
Higher

FED USGS **USGS40000832143**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 5899. 1	Type:	Well
Description:	Not Reported	HUC:	02030202

Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	91
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

8
NW
1/8 - 1/4 Mile
Higher

FRDS PWS **NY0002829**

PWS ID:	NY0002829	PWS type:	System Owner/Responsible Party
PWS name:	CUSICK GILBERT E	PWS address:	Not Reported
PWS city:	HICKSVILLE	PWS state:	NY
PWS zip:	11801	PWS ID:	NY0002829
Activity status:	Active	Date system activated:	Not Reported
Date system deactivated:	Not Reported	Retail population:	00047810
System name:	HICKSVILLE WATER DISTRICT	System address:	Not Reported
System address:	4 DEAN STREET	System city:	HICKSVILLE
System state:	NY	System zip:	11802
County FIPS:	029	City served:	OYSTER BAY (T)
Latitude:	404605	Longitude:	0733143
Latitude:	404537	Longitude:	0733046
Latitude:	404537	Longitude:	0733046
Latitude:	404537	Longitude:	0733046
Latitude:	404521	Longitude:	0733102
Latitude:	404521	Longitude:	0733102
Latitude:	404521	Longitude:	0733102
Latitude:	404706	Longitude:	0733052
Latitude:	404706	Longitude:	0733052
Latitude:	404626	Longitude:	0733231
Latitude:	404626	Longitude:	0733231
Latitude:	404455	Longitude:	0733249
Latitude:	404455	Longitude:	0733249
Latitude:	404455	Longitude:	0733203
Latitude:	404446	Longitude:	0733057
Latitude:	404441	Longitude:	0733209
Latitude:	404639	Longitude:	0733111
Latitude:	404639	Longitude:	0733111

Latitude:	404639	Longitude:	0733111

9
WNW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000832095**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9463. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	638
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	1	Level reading date:	1986-04-22
Feet below surface:	Not Reported	Feet to sea level:	75.36
Note:	Not Reported		

10
SSW
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200056292**

WELLS REG 1:

Well Number:	N006673	Well Type:	Cooling (Commercial/Industrial)
Owner:	H. J. Stock Funeral Home	Diameter (in):	4
Well Depth (ft):	85	Casing Length (ft):	Not Reported
Screen Length (ft):	5	Pump Capacity (gpm):	20

D11
SSE
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200054831**

WELLS REG 1:

Well Number:	N008573D	Well Type:	Geothermal Diffusion
Owner:	Hicksville Public Library	Diameter (in):	6
Well Depth (ft):	90	Casing Length (ft):	Not Reported
Screen Length (ft):	20	Pump Capacity (gpm):	Not Reported

D12
SSE
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200056710**

WELLS REG 1:

Well Number:	N006124D	Well Type:	Geothermal Diffusion
Owner:	Hicksville Public Library	Diameter (in):	4
Well Depth (ft):	88	Casing Length (ft):	Not Reported
Screen Length (ft):	15	Pump Capacity (gpm):	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

D13
SSE
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200056744**

WELLS REG 1:

Well Number:	N006069	Well Type:	Geothermal - Ac Only
Owner:	Hicksville Public Library	Diameter (in):	6
Well Depth (ft):	89	Casing Length (ft):	Not Reported
Screen Length (ft):	10	Pump Capacity (gpm):	105

E14
SSW
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200058309**

WELLS REG 1:

Well Number:	N004050	Well Type:	Cooling (Commercial/Industrial)
Owner:	H.C. Bohack Co. Inc.	Diameter (in):	8
Well Depth (ft):	77	Casing Length (ft):	69
Screen Length (ft):	11	Pump Capacity (gpm):	69

E15
SSW
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200058308**

WELLS REG 1:

Well Number:	N004051D	Well Type:	Geothermal Diffusion
Owner:	H C Bohack Co. Inc.	Diameter (in):	8
Well Depth (ft):	61	Casing Length (ft):	48
Screen Length (ft):	16	Pump Capacity (gpm):	Not Reported

F16
SSW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000831901**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7234. 1	Type:	Well
Description:	NEW: N 7234. 2 196612	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	70	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Ground water levels,Number of Measurements:	3	Level reading date:	1963-09-20
Feet below surface:	Not Reported	Feet to sea level:	78.30
Note:	Not Reported		

Level reading date:	1962-03-15	Feet below surface:	Not Reported

Feet to sea level:	82.25	Note:	Not Reported
Level reading date:	1962-01-24	Feet below surface:	Not Reported
Feet to sea level:	81.12	Note:	Not Reported

F17
SSW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000831903**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8441. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	84
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	61	Level reading date:	1982-09-08
Feet below surface:	Not Reported	Feet to sea level:	79.17
Note:	Not Reported		
Level reading date:	1982-06-29	Feet below surface:	Not Reported
Feet to sea level:	79.38	Note:	Not Reported
Level reading date:	1982-03-18	Feet below surface:	Not Reported
Feet to sea level:	79.10	Note:	Not Reported
Level reading date:	1982-01-08	Feet below surface:	Not Reported
Feet to sea level:	78.52	Note:	Not Reported
Level reading date:	1981-09-15	Feet below surface:	Not Reported
Feet to sea level:	79.47	Note:	Not Reported
Level reading date:	1981-06-03	Feet below surface:	Not Reported
Feet to sea level:	81.20	Note:	Not Reported
Level reading date:	1981-03-13	Feet below surface:	Not Reported
Feet to sea level:	81.85	Note:	Not Reported
Level reading date:	1980-12-19	Feet below surface:	Not Reported
Feet to sea level:	82.97	Note:	Not Reported
Level reading date:	1980-09-04	Feet below surface:	Not Reported
Feet to sea level:	84.71	Note:	Not Reported
Level reading date:	1980-05-29	Feet below surface:	Not Reported
Feet to sea level:	85.63	Note:	Not Reported
Level reading date:	1980-03-19	Feet below surface:	Not Reported
Feet to sea level:	83.90	Note:	Not Reported
Level reading date:	1979-12-10	Feet below surface:	Not Reported
Feet to sea level:	85.29	Note:	Not Reported
Level reading date:	1979-09-14	Feet below surface:	Not Reported
Feet to sea level:	86.01	Note:	Not Reported

Level reading date:	1979-06-08	Feet below surface:	Not Reported
Feet to sea level:	86.65	Note:	Not Reported
Level reading date:	1979-04-20	Feet below surface:	Not Reported
Feet to sea level:	86.22	Note:	Not Reported
Level reading date:	1979-03-22	Feet below surface:	Not Reported
Feet to sea level:	83.53	Note:	Not Reported
Level reading date:	1979-03-12	Feet below surface:	Not Reported
Feet to sea level:	85.22	Note:	Not Reported
Level reading date:	1978-12-29	Feet below surface:	Not Reported
Feet to sea level:	82.47	Note:	Not Reported
Level reading date:	1978-12-17	Feet below surface:	Not Reported
Feet to sea level:	82.64	Note:	Not Reported
Level reading date:	1978-11-21	Feet below surface:	Not Reported
Feet to sea level:	82.80	Note:	Not Reported
Level reading date:	1978-10-25	Feet below surface:	Not Reported
Feet to sea level:	83.13	Note:	Not Reported
Level reading date:	1978-09-26	Feet below surface:	Not Reported
Feet to sea level:	83.50	Note:	Not Reported
Level reading date:	1978-09-15	Feet below surface:	Not Reported
Feet to sea level:	83.75	Note:	Not Reported
Level reading date:	1978-08-23	Feet below surface:	Not Reported
Feet to sea level:	84.04	Note:	Not Reported
Level reading date:	1978-07-28	Feet below surface:	Not Reported
Feet to sea level:	84.25	Note:	Not Reported
Level reading date:	1978-06-27	Feet below surface:	Not Reported
Feet to sea level:	84.70	Note:	Not Reported
Level reading date:	1978-06-07	Feet below surface:	Not Reported
Feet to sea level:	85.09	Note:	Not Reported
Level reading date:	1978-05-30	Feet below surface:	Not Reported
Feet to sea level:	85.03	Note:	Not Reported
Level reading date:	1978-03-28	Feet below surface:	Not Reported
Feet to sea level:	84.98	Note:	Not Reported
Level reading date:	1977-12-21	Feet below surface:	Not Reported
Feet to sea level:	81.97	Note:	Not Reported
Level reading date:	1977-09-07	Feet below surface:	Not Reported
Feet to sea level:	79.69	Note:	Not Reported
Level reading date:	1977-06-13	Feet below surface:	Not Reported
Feet to sea level:	80.60	Note:	Not Reported
Level reading date:	1977-03-30	Feet below surface:	Not Reported
Feet to sea level:	80.80	Note:	Not Reported
Level reading date:	1976-12-08	Feet below surface:	Not Reported
Feet to sea level:	81.84	Note:	Not Reported

Level reading date:	1976-09-08	Feet below surface:	Not Reported
Feet to sea level:	82.73	Note:	Not Reported
Level reading date:	1976-06-10	Feet below surface:	Not Reported
Feet to sea level:	83.53	Note:	Not Reported
Level reading date:	1976-03-11	Feet below surface:	Not Reported
Feet to sea level:	83.94	Note:	Not Reported
Level reading date:	1975-12-16	Feet below surface:	Not Reported
Feet to sea level:	82.40	Note:	Not Reported
Level reading date:	1975-09-08	Feet below surface:	Not Reported
Feet to sea level:	81.93	Note:	Not Reported
Level reading date:	1975-06-11	Feet below surface:	Not Reported
Feet to sea level:	81.14	Note:	Not Reported
Level reading date:	1975-03-21	Feet below surface:	Not Reported
Feet to sea level:	80.14	Note:	Not Reported
Level reading date:	1974-12-18	Feet below surface:	Not Reported
Feet to sea level:	79.47	Note:	Not Reported
Level reading date:	1974-09-18	Feet below surface:	Not Reported
Feet to sea level:	79.79	Note:	Not Reported
Level reading date:	1974-06-17	Feet below surface:	Not Reported
Feet to sea level:	81.20	Note:	Not Reported
Level reading date:	1974-03-28	Feet below surface:	Not Reported
Feet to sea level:	81.07	Note:	Not Reported
Level reading date:	1973-12-04	Feet below surface:	Not Reported
Feet to sea level:	80.63	Note:	Not Reported
Level reading date:	1973-09-21	Feet below surface:	Not Reported
Feet to sea level:	81.55	Note:	Not Reported
Level reading date:	1973-06-13	Feet below surface:	Not Reported
Feet to sea level:	81.74	Note:	Not Reported
Level reading date:	1973-03-22	Feet below surface:	Not Reported
Feet to sea level:	80.27	Note:	Not Reported
Level reading date:	1972-12-22	Feet below surface:	Not Reported
Feet to sea level:	78.92	Note:	Not Reported
Level reading date:	1972-06-09	Feet below surface:	Not Reported
Feet to sea level:	76.97	Note:	Not Reported
Level reading date:	1972-03-24	Feet below surface:	Not Reported
Feet to sea level:	75.74	Note:	Not Reported
Level reading date:	1971-12-18	Feet below surface:	Not Reported
Feet to sea level:	75.59	Note:	Not Reported
Level reading date:	1971-09-24	Feet below surface:	Not Reported
Feet to sea level:	75.13	Note:	Not Reported
Level reading date:	1971-06-04	Feet below surface:	Not Reported
Feet to sea level:	76.25	Note:	Not Reported

Level reading date:	1971-03-18	Feet below surface:	Not Reported
Feet to sea level:	75.77	Note:	Not Reported
Level reading date:	1970-09-11	Feet below surface:	Not Reported
Feet to sea level:	76.35	Note:	Not Reported
Level reading date:	1970-03-05	Feet below surface:	Not Reported
Feet to sea level:	76.15	Note:	Not Reported
Level reading date:	1969-09-22	Feet below surface:	Not Reported
Feet to sea level:	74.47	Note:	Not Reported
Level reading date:	1969-04-15	Feet below surface:	Not Reported
Feet to sea level:	73.37	Note:	Not Reported
Level reading date:	1968-09-24	Feet below surface:	Not Reported
Feet to sea level:	71.97	Note:	Not Reported

F18
SSW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000831902**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7234. 2	Type:	Well
Description:	OLD: N 7234. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	80
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

G19
NW
1/4 - 1/2 Mile
Higher

NY WELLS **NYREG1200052551**

WELLS REG 1:

Well Number:	N013940	Well Type:	Geothermal - Ac Only
Owner:	Broadway Mall	Diameter (in):	16
Well Depth (ft):	270	Casing Length (ft):	Not Reported
Screen Length (ft):	40	Pump Capacity (gpm):	1090

G20
NW
1/4 - 1/2 Mile
Higher

NY WELLS **NYREG1200052552**

WELLS REG 1:

Well Number:	N013940	Well Type:	Geothermal - Ac Only
Owner:	Broadway Mall	Diameter (in):	16
Well Depth (ft):	270	Casing Length (ft):	Not Reported
Screen Length (ft):	40	Pump Capacity (gpm):	1090

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

F21
SSW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000831866**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9919. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	19810925	Well Depth:	84
Well Depth Units:	ft	Well Hole Depth:	84
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	51	Level reading date:	1991-08-27
Feet below surface:	Not Reported	Feet to sea level:	76.76
Note:	Not Reported		

Level reading date:	1990-04-20	Feet below surface:	Not Reported
Feet to sea level:	75.20	Note:	Not Reported
Level reading date:	1989-08-30	Feet below surface:	Not Reported
Feet to sea level:	74.06	Note:	Not Reported
Level reading date:	1989-07-24	Feet below surface:	Not Reported
Feet to sea level:	73.50	Note:	Not Reported
Level reading date:	1989-06-27	Feet below surface:	Not Reported
Feet to sea level:	72.47	Note:	Not Reported
Level reading date:	1989-05-19	Feet below surface:	Not Reported
Feet to sea level:	70.01	Note:	Not Reported
Level reading date:	1989-04-26	Feet below surface:	Not Reported
Feet to sea level:	69.41	Note:	Not Reported
Level reading date:	1989-03-22	Feet below surface:	Not Reported
Feet to sea level:	69.22	Note:	Not Reported
Level reading date:	1989-02-28	Feet below surface:	Not Reported
Feet to sea level:	69.38	Note:	Not Reported
Level reading date:	1989-01-25	Feet below surface:	Not Reported
Feet to sea level:	69.77	Note:	Not Reported
Level reading date:	1988-12-29	Feet below surface:	Not Reported
Feet to sea level:	69.69	Note:	Not Reported
Level reading date:	1988-11-30	Feet below surface:	Not Reported
Feet to sea level:	69.55	Note:	Not Reported
Level reading date:	1988-10-14	Feet below surface:	Not Reported
Feet to sea level:	68.96	Note:	Not Reported
Level reading date:	1988-09-14	Feet below surface:	Not Reported
Feet to sea level:	69.43	Note:	Not Reported

Level reading date:	1988-08-09	Feet below surface:	Not Reported
Feet to sea level:	69.74	Note:	Not Reported
Level reading date:	1988-07-07	Feet below surface:	Not Reported
Feet to sea level:	70.06	Note:	Not Reported
Level reading date:	1988-06-02	Feet below surface:	Not Reported
Feet to sea level:	70.55	Note:	Not Reported
Level reading date:	1988-05-05	Feet below surface:	Not Reported
Feet to sea level:	70.54	Note:	Not Reported
Level reading date:	1988-04-11	Feet below surface:	Not Reported
Feet to sea level:	70.70	Note:	Not Reported
Level reading date:	1988-03-11	Feet below surface:	Not Reported
Feet to sea level:	70.57	Note:	Not Reported
Level reading date:	1988-02-11	Feet below surface:	Not Reported
Feet to sea level:	70.59	Note:	Not Reported
Level reading date:	1988-01-22	Feet below surface:	Not Reported
Feet to sea level:	70.72	Note:	Not Reported
Level reading date:	1987-12-16	Feet below surface:	Not Reported
Feet to sea level:	70.98	Note:	Not Reported
Level reading date:	1987-11-17	Feet below surface:	Not Reported
Feet to sea level:	71.28	Note:	Not Reported
Level reading date:	1987-10-16	Feet below surface:	Not Reported
Feet to sea level:	71.50	Note:	Not Reported
Level reading date:	1987-09-17	Feet below surface:	Not Reported
Feet to sea level:	71.75	Note:	Not Reported
Level reading date:	1987-09-16	Feet below surface:	Not Reported
Feet to sea level:	71.77	Note:	Not Reported
Level reading date:	1987-08-19	Feet below surface:	Not Reported
Feet to sea level:	72.19	Note:	Not Reported
Level reading date:	1987-07-28	Feet below surface:	Not Reported
Feet to sea level:	72.63	Note:	Not Reported
Level reading date:	1987-07-22	Feet below surface:	Not Reported
Feet to sea level:	72.83	Note:	Not Reported
Level reading date:	1987-06-23	Feet below surface:	Not Reported
Feet to sea level:	73.10	Note:	Not Reported
Level reading date:	1987-05-20	Feet below surface:	Not Reported
Feet to sea level:	73.30	Note:	Not Reported
Level reading date:	1987-04-16	Feet below surface:	Not Reported
Feet to sea level:	73.20	Note:	Not Reported
Level reading date:	1987-03-19	Feet below surface:	Not Reported
Feet to sea level:	72.91	Note:	Not Reported
Level reading date:	1987-02-19	Feet below surface:	Not Reported
Feet to sea level:	72.75	Note:	Not Reported

Level reading date:	1987-01-12	Feet below surface:	Not Reported
Feet to sea level:	72.31	Note:	Not Reported
Level reading date:	1986-12-16	Feet below surface:	Not Reported
Feet to sea level:	72.06	Note:	Not Reported
Level reading date:	1986-11-25	Feet below surface:	Not Reported
Feet to sea level:	71.87	Note:	Not Reported
Level reading date:	1986-11-03	Feet below surface:	Not Reported
Feet to sea level:	71.91	Note:	Not Reported
Level reading date:	1986-09-23	Feet below surface:	Not Reported
Feet to sea level:	72.39	Note:	Not Reported
Level reading date:	1986-08-29	Feet below surface:	Not Reported
Feet to sea level:	72.81	Note:	Not Reported
Level reading date:	1986-07-25	Feet below surface:	Not Reported
Feet to sea level:	73.14	Note:	Not Reported
Level reading date:	1986-06-12	Feet below surface:	Not Reported
Feet to sea level:	75.25	Note:	Not Reported
Level reading date:	1986-05-16	Feet below surface:	Not Reported
Feet to sea level:	74.90	Note:	Not Reported
Level reading date:	1986-04-18	Feet below surface:	Not Reported
Feet to sea level:	75.25	Note:	Not Reported
Level reading date:	1986-03-24	Feet below surface:	Not Reported
Feet to sea level:	75.42	Note:	Not Reported
Level reading date:	1986-02-24	Feet below surface:	Not Reported
Feet to sea level:	75.53	Note:	Not Reported
Level reading date:	1986-01-13	Feet below surface:	Not Reported
Feet to sea level:	75.85	Note:	Not Reported
Level reading date:	1985-12-10	Feet below surface:	Not Reported
Feet to sea level:	76.01	Note:	Not Reported
Level reading date:	1983-04-08	Feet below surface:	Not Reported
Feet to sea level:	76.93	Note:	Not Reported
Level reading date:	1982-12-09	Feet below surface:	Not Reported
Feet to sea level:	76.50	Note:	Not Reported

22
WSW
1/2 - 1 Mile
Lower

FED USGS **USGS40000832019**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10316. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	72

Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	2	Level reading date:	1991-08-27
Feet below surface:	Not Reported	Feet to sea level:	79.27
Note:	Not Reported		
Level reading date:	1990-05-02	Feet below surface:	Not Reported
Feet to sea level:	77.20	Note:	Not Reported

23
West
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200053091**

WELLS REG 1:

Well Number:	N013413	Well Type:	Multipurpose/Other
Owner:	Giant, Dormer/ Vescova c/o Vescova 3 LLC		
Diameter (in):	6	Well Depth (ft):	276
Casing Length (ft):	256	Screen Length (ft):	20
Pump Capacity (gpm):	31		

H24
SE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831928**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 5663. 1	Type:	Well
Description:	1 4045400733100 112GLCLU5 NJ 829 3104 01400		
HUC:	02030202	Drainage Area:	Not Reported
Drainage Area Units:	Not Reported	Contrib Drainage Area:	Not Reported
Contrib Drainage Area Unts:	Not Reported		
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	Not Reported
Well Depth Units:	Not Reported	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

25
SW
1/2 - 1 Mile
Lower

FED USGS **USGS40000831878**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8602. 1	Type:	Well
Description:	Not Reported	HUC:	02030201
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	84
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H26
SE
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200052298**

WELLS REG 1:

Well Number:	N014185D	Well Type:	Geothermal Diffusion
Owner:	Advantage Care	Diameter (in):	6
Well Depth (ft):	100	Casing Length (ft):	Not Reported
Screen Length (ft):	30	Pump Capacity (gpm):	Not Reported

I27
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832284**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 149. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	153
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	13	Level reading date:	1973-11-24
Feet below surface:	Not Reported	Feet to sea level:	79.71
Note:	Not Reported		

Level reading date:	1970-05-05	Feet below surface:	Not Reported
Feet to sea level:	80.12	Note:	Not Reported
Level reading date:	1969-11-18	Feet below surface:	Not Reported
Feet to sea level:	77.43	Note:	Not Reported
Level reading date:	1969-09-18	Feet below surface:	Not Reported
Feet to sea level:	77.01	Note:	Not Reported
Level reading date:	1969-08-06	Feet below surface:	Not Reported
Feet to sea level:	76.52	Note:	Not Reported
Level reading date:	1969-06-18	Feet below surface:	Not Reported
Feet to sea level:	76.14	Note:	Not Reported
Level reading date:	1969-05-13	Feet below surface:	Not Reported
Feet to sea level:	76.21	Note:	Not Reported
Level reading date:	1969-04-03	Feet below surface:	Not Reported
Feet to sea level:	75.96	Note:	Not Reported
Level reading date:	1969-02-24	Feet below surface:	Not Reported
Feet to sea level:	75.69	Note:	Not Reported
Level reading date:	1969-01-09	Feet below surface:	Not Reported
Feet to sea level:	75.51	Note:	Not Reported

Level reading date:	1968-12-09	Feet below surface:	Not Reported
Feet to sea level:	75.51	Note:	Not Reported
Level reading date:	1968-11-15	Feet below surface:	Not Reported
Feet to sea level:	75.36	Note:	Not Reported
Level reading date:	1968-10-11	Feet below surface:	Not Reported
Feet to sea level:	75.00	Note:	Not Reported

28
ESE **NY WELLS** **NYREG1200058449**
1/2 - 1 Mile
Lower

WELLS REG 1:

Well Number:	N003900	Well Type:	Cooling (Commercial/Industrial)
Owner:	L.I. Lighting Co., Well #3	Diameter (in):	8
Well Depth (ft):	156	Casing Length (ft):	138
Screen Length (ft):	11	Pump Capacity (gpm):	100

J29
SSW **NY WELLS** **NYREG1200058336**
1/2 - 1 Mile
Lower

WELLS REG 1:

Well Number:	N004020	Well Type:	Cooling (Commercial/Industrial)
Owner:	Birchwood Homes At Westbury	Diameter (in):	Not Reported
Well Depth (ft):	32	Casing Length (ft):	Not Reported
Screen Length (ft):	3	Pump Capacity (gpm):	240

H30
SE **NY WELLS** **NYREG1200052114**
1/2 - 1 Mile
Lower

WELLS REG 1:

Well Number:	N014374D	Well Type:	Geothermal Diffusion
Owner:	Advantage Care	Diameter (in):	6
Well Depth (ft):	100	Casing Length (ft):	80
Screen Length (ft):	20	Pump Capacity (gpm):	Not Reported

31
South **FED USGS** **USGS40000831726**
1/2 - 1 Mile
Lower

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7674. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	152	Well Depth Units:	ft

Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

J32
SSW
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200058335**

WELLS REG 1:

Well Number:	N004021	Well Type:	Cooling (Commercial/Industrial)
Owner:	Birchwood Homes At Westbury	Diameter (in):	Not Reported
Well Depth (ft):	35	Casing Length (ft):	Not Reported
Screen Length (ft):	3	Pump Capacity (gpm):	240

I33
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832294**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9488. 2	Type:	Well
Description:	OLD: N 9488. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	575
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

I34
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832293**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9488. 1	Type:	Well
Description:	NEW: N 9488. 2 197907	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	638	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

J35
SSW
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200058334**

WELLS REG 1:

Well Number:	N004022	Well Type:	Cooling (Commercial/Industrial)
Owner:	Birchwood Homes At Westbury	Diameter (in):	Not Reported
Well Depth (ft):	33	Casing Length (ft):	Not Reported

Screen Length (ft):	3	Pump Capacity (gpm):	240

K36
East
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058453**

WELLS REG 1:

Well Number:	N003898	Well Type:	Cooling (Commercial/Industrial)
Owner:	Lilco	Diameter (in):	12
Well Depth (ft):	136	Casing Length (ft):	109
Screen Length (ft):	22	Pump Capacity (gpm):	175

K37
East
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058454**

WELLS REG 1:

Well Number:	N003898	Well Type:	Cooling (Commercial/Industrial)
Owner:	Lilco	Diameter (in):	12
Well Depth (ft):	136	Casing Length (ft):	109
Screen Length (ft):	22	Pump Capacity (gpm):	175

K38
East
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058450**

WELLS REG 1:

Well Number:	N003899	Well Type:	Cooling (Commercial/Industrial)
Owner:	L.I. Lighting Co.	Diameter (in):	8
Well Depth (ft):	134	Casing Length (ft):	114
Screen Length (ft):	11	Pump Capacity (gpm):	100

K39
East
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058451**

WELLS REG 1:

Well Number:	N003899	Well Type:	Cooling (Commercial/Industrial)
Owner:	L.I. Lighting Co.	Diameter (in):	8
Well Depth (ft):	134	Casing Length (ft):	114
Screen Length (ft):	11	Pump Capacity (gpm):	100

K40
East
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058452**

WELLS REG 1:

Well Number:	N003899	Well Type:	Cooling (Commercial/Industrial)
Owner:	L.I. Lighting Co.	Diameter (in):	8
Well Depth (ft):	134	Casing Length (ft):	114
Screen Length (ft):	11	Pump Capacity (gpm):	100

41
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832324**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9927. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	19811015	Well Depth:	94
Well Depth Units:	ft	Well Hole Depth:	94
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	3	Level reading date:	1987-09-22
Feet below surface:	Not Reported	Feet to sea level:	76.62
Note:	Not Reported		

Level reading date:	1987-07-28	Feet below surface:	Not Reported
Feet to sea level:	77.67	Note:	Not Reported

Level reading date:	1987-05-28	Feet below surface:	Not Reported
Feet to sea level:	78.35	Note:	Not Reported

I42
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832285**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 150. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	148
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

K43
East
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200055269**

WELLS REG 1:

Well Number:	N008001D	Well Type:	Multipurpose/Other
Owner:	National Grid	Diameter (in):	20
Well Depth (ft):	148	Casing Length (ft):	Not Reported

Screen Length (ft):	Not Reported	Pump Capacity (gpm):	Not Reported

---

K44
ESE **FED USGS** **USGS40000832010**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 3899. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	134
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

K45
ESE **FED USGS** **USGS40000832034**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 3898. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	138
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

L46
East **NY WELLS** **NYREG1200055590**
1/2 - 1 Mile
Higher

WELLS REG 1:

Well Number:	N007531	Well Type:	Geothermal - Ac Only
Owner:	Keyspan Corporate Services Llc.	Diameter (in):	12
Well Depth (ft):	187	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	450

L47
East **FED USGS** **USGS40000832046**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 5149. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported

Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	193
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

48
ENE
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058084**

WELLS REG 1:

Well Number:	N004301	Well Type:	Irrigation
Owner:	Robert W. Bogart	Diameter (in):	6
Well Depth (ft):	87	Casing Length (ft):	Not Reported
Screen Length (ft):	6	Pump Capacity (gpm):	12

49
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000832003**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 3900. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	156
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

M50
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832408**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8249. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	495
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

51
SE
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200056975**

WELLS REG 1:

Well Number:	N005663	Well Type:	Geothermal - Ac Only
Owner:	Health Insurance Plan Of Greater New York		
Diameter (in):	8	Well Depth (ft):	101
Casing Length (ft):	89	Screen Length (ft):	10
Pump Capacity (gpm):	160		

52
WSW
1/2 - 1 Mile
Lower

FED USGS **USGS40000831987**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10315. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	66
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

L53
East
1/2 - 1 Mile
Higher

FED USGS **USGS40000832072**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7531. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	187
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

M54
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832407**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 2072. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported

Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	159
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

M55
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832409**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7562. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	550
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

56
NW
1/2 - 1 Mile
Lower

FED USGS **USGS40000832272**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9928. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	19820120	Well Depth:	86
Well Depth Units:	ft	Well Hole Depth:	86
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	6	Level reading date:	1991-08-27
Feet below surface:	Not Reported	Feet to sea level:	83.56
Note:	Not Reported		

Level reading date:	1990-05-03	Feet below surface:	Not Reported
Feet to sea level:	80.69	Note:	Not Reported
Level reading date:	1987-09-22	Feet below surface:	Not Reported
Feet to sea level:	78.15	Note:	Not Reported
Level reading date:	1987-07-28	Feet below surface:	Not Reported
Feet to sea level:	78.57	Note:	Not Reported
Level reading date:	1987-05-27	Feet below surface:	Not Reported
Feet to sea level:	79.61	Note:	Not Reported
Level reading date:	1986-07-21	Feet below surface:	Not Reported
Feet to sea level:	79.85	Note:	Not Reported

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

N57
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831892**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10208. 1	Type:	Well
Description:	3 4045370733046 211MGTY 7 NJ 849 3104 01400		
HUC:	02030202	Drainage Area:	Not Reported
Drainage Area Units:	Not Reported	Contrib Drainage Area:	Not Reported
Contrib Drainage Area Unts:	Not Reported		
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	Not Reported
Well Depth Units:	Not Reported	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

58
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831890**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8778. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	590
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	2	Level reading date:	1986-04-18
Feet below surface:	Not Reported	Feet to sea level:	73.50
Note:	Not Reported		

Level reading date:	1986-03-05	Feet below surface:	Not Reported
Feet to sea level:	74.82	Note:	Not Reported

N59
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831891**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8779. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	585
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	2	Level reading date:	1986-04-18
Feet below surface:	Not Reported	Feet to sea level:	73.04
Note:	Not Reported		
Level reading date:	1986-03-05	Feet below surface:	Not Reported
Feet to sea level:	74.39	Note:	Not Reported

O60
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832410**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10311. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	225
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

O61
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832411**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10310. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	105
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

P62
WSW
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200058265**

WELLS REG 1:

Well Number:	N004094D	Well Type:	Geothermal Diffusion
Owner:	Metalab Equipment Corp.	Diameter (in):	6
Well Depth (ft):	79	Casing Length (ft):	Not Reported
Screen Length (ft):	16	Pump Capacity (gpm):	Not Reported

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

Q63
East
1/2 - 1 Mile
Higher | **FED USGS** | **USGS40000832093**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 1214. 1	Type:	Well
Description:	NEW: N 1214. 2 195002	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	80
Well Depth Units:	ft	Well Hole Depth:	80
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	35	Level reading date:	1982-09-08
Feet below surface:	Not Reported	Feet to sea level:	79.95
Note:	Not Reported		

Level reading date:	1982-06-29	Feet below surface:	Not Reported
Feet to sea level:	81.11	Note:	Not Reported
Level reading date:	1982-03-18	Feet below surface:	Not Reported
Feet to sea level:	80.89	Note:	Not Reported
Level reading date:	1982-01-08	Feet below surface:	Not Reported
Feet to sea level:	82.52	Note:	Not Reported
Level reading date:	1981-09-14	Feet below surface:	Not Reported
Feet to sea level:	81.83	Note:	Not Reported
Level reading date:	1981-06-03	Feet below surface:	Not Reported
Feet to sea level:	84.46	Note:	Not Reported
Level reading date:	1981-03-13	Feet below surface:	Not Reported
Feet to sea level:	84.36	Note:	Not Reported
Level reading date:	1980-12-18	Feet below surface:	Not Reported
Feet to sea level:	85.28	Note:	Not Reported
Level reading date:	1980-09-04	Feet below surface:	Not Reported
Feet to sea level:	86.19	Note:	Not Reported
Level reading date:	1980-05-29	Feet below surface:	Not Reported
Feet to sea level:	88.01	Note:	Not Reported
Level reading date:	1980-03-19	Feet below surface:	Not Reported
Feet to sea level:	86.66	Note:	Not Reported
Level reading date:	1979-12-10	Feet below surface:	Not Reported
Feet to sea level:	87.58	Note:	Not Reported
Level reading date:	1979-09-14	Feet below surface:	Not Reported
Feet to sea level:	88.22	Note:	Not Reported
Level reading date:	1979-06-07	Feet below surface:	Not Reported
Feet to sea level:	90.00	Note:	Not Reported

Level reading date:	1948-07-19	Feet below surface:	Not Reported
Feet to sea level:	81.80	Note:	Not Reported
Level reading date:	1948-04-06	Feet below surface:	Not Reported
Feet to sea level:	79.43	Note:	Not Reported
Level reading date:	1947-10-24	Feet below surface:	Not Reported
Feet to sea level:	79.48	Note:	Not Reported
Level reading date:	1947-04-14	Feet below surface:	Not Reported
Feet to sea level:	80.40	Note:	Not Reported
Level reading date:	1946-09-25	Feet below surface:	Not Reported
Feet to sea level:	81.82	Note:	Not Reported
Level reading date:	1946-02-12	Feet below surface:	Not Reported
Feet to sea level:	82.10	Note:	Not Reported
Level reading date:	1945-07-11	Feet below surface:	Not Reported
Feet to sea level:	80.98	Note:	Not Reported
Level reading date:	1945-03-09	Feet below surface:	Not Reported
Feet to sea level:	80.68	Note:	Not Reported
Level reading date:	1944-05-09	Feet below surface:	Not Reported
Feet to sea level:	80.07	Note:	Not Reported
Level reading date:	1944-01-28	Feet below surface:	Not Reported
Feet to sea level:	78.68	Note:	Not Reported
Level reading date:	1943-05-27	Feet below surface:	Not Reported
Feet to sea level:	80.33	Note:	Not Reported
Level reading date:	1943-04-15	Feet below surface:	Not Reported
Feet to sea level:	80.07	Note:	Not Reported
Level reading date:	1943-04-06	Feet below surface:	Not Reported
Feet to sea level:	79.90	Note:	Not Reported
Level reading date:	1942-09-16	Feet below surface:	Not Reported
Feet to sea level:	78.87	Note:	Not Reported
Level reading date:	1941-11-19	Feet below surface:	Not Reported
Feet to sea level:	79.26	Note:	Not Reported
Level reading date:	1940-12-04	Feet below surface:	Not Reported
Feet to sea level:	81.40	Note:	Not Reported
Level reading date:	1940-10-09	Feet below surface:	Not Reported
Feet to sea level:	81.84	Note:	Not Reported
Level reading date:	1940-05-11	Feet below surface:	Not Reported
Feet to sea level:	82.39	Note:	Not Reported
Level reading date:	1940-04-26	Feet below surface:	Not Reported
Feet to sea level:	82.48	Note:	Not Reported
Level reading date:	1940-03-21	Feet below surface:	Not Reported
Feet to sea level:	82.61	Note:	Not Reported
Level reading date:	1938-10-13	Feet below surface:	Not Reported
Feet to sea level:	79.90	Note:	Not Reported

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

Q64
East
1/2 - 1 Mile
Higher | **FED USGS** | **USGS40000832094**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 1214. 2	Type:	Well
Description:	OLD: N 1214. 1 196509 NEW: N 1214. 3 196509		
HUC:	02030202	Drainage Area:	Not Reported
Drainage Area Units:	Not Reported	Contrib Drainage Area:	Not Reported
Contrib Drainage Area Unts:	Not Reported		
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	77
Well Depth Units:	ft	Well Hole Depth:	77
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	40	Level reading date:	1965-06-09
Feet below surface:	Not Reported	Feet to sea level:	76.59
Note:	Not Reported		

Level reading date:	1965-03-16	Feet below surface:	Not Reported
Feet to sea level:	76.77	Note:	Not Reported
Level reading date:	1964-12-15	Feet below surface:	Not Reported
Feet to sea level:	78.43	Note:	Not Reported
Level reading date:	1964-06-25	Feet below surface:	Not Reported
Feet to sea level:	79.86	Note:	Not Reported
Level reading date:	1964-04-02	Feet below surface:	Not Reported
Feet to sea level:	80.23	Note:	Not Reported
Level reading date:	1963-12-23	Feet below surface:	Not Reported
Feet to sea level:	81.31	Note:	Not Reported
Level reading date:	1963-09-19	Feet below surface:	Not Reported
Feet to sea level:	81.67	Note:	Not Reported
Level reading date:	1963-06-28	Feet below surface:	Not Reported
Feet to sea level:	82.57	Note:	Not Reported
Level reading date:	1963-03-13	Feet below surface:	Not Reported
Feet to sea level:	83.95	Note:	Not Reported
Level reading date:	1962-12-03	Feet below surface:	Not Reported
Feet to sea level:	83.84	Note:	Not Reported
Level reading date:	1962-07-30	Feet below surface:	Not Reported
Feet to sea level:	84.13	Note:	Not Reported
Level reading date:	1962-03-19	Feet below surface:	Not Reported
Feet to sea level:	84.96	Note:	Not Reported
Level reading date:	1961-12-27	Feet below surface:	Not Reported
Feet to sea level:	84.19	Note:	Not Reported
Level reading date:	1961-10-17	Feet below surface:	Not Reported
Feet to sea level:	84.47	Note:	Not Reported

Level reading date:	1961-07-17	Feet below surface:	Not Reported
Feet to sea level:	84.64	Note:	Not Reported
Level reading date:	1960-12-02	Feet below surface:	Not Reported
Feet to sea level:	83.25	Note:	Not Reported
Level reading date:	1960-05-26	Feet below surface:	Not Reported
Feet to sea level:	82.45	Note:	Not Reported
Level reading date:	1959-10-19	Feet below surface:	Not Reported
Feet to sea level:	81.71	Note:	Not Reported
Level reading date:	1959-05-12	Feet below surface:	Not Reported
Feet to sea level:	83.02	Note:	Not Reported
Level reading date:	1958-12-02	Feet below surface:	Not Reported
Feet to sea level:	84.81	Note:	Not Reported
Level reading date:	1958-04-25	Feet below surface:	Not Reported
Feet to sea level:	83.41	Note:	Not Reported
Level reading date:	1957-07-26	Feet below surface:	Not Reported
Feet to sea level:	82.33	Note:	Not Reported
Level reading date:	1957-04-30	Feet below surface:	Not Reported
Feet to sea level:	83.27	Note:	Not Reported
Level reading date:	1956-11-29	Feet below surface:	Not Reported
Feet to sea level:	85.67	Note:	Not Reported
Level reading date:	1956-04-16	Feet below surface:	Not Reported
Feet to sea level:	86.46	Note:	Not Reported
Level reading date:	1955-12-02	Feet below surface:	Not Reported
Feet to sea level:	84.10	Note:	Not Reported
Level reading date:	1955-07-26	Feet below surface:	Not Reported
Feet to sea level:	81.58	Note:	Not Reported
Level reading date:	1955-04-06	Feet below surface:	Not Reported
Feet to sea level:	83.19	Note:	Not Reported
Level reading date:	1954-09-23	Feet below surface:	Not Reported
Feet to sea level:	83.14	Note:	Not Reported
Level reading date:	1954-04-23	Feet below surface:	Not Reported
Feet to sea level:	83.42	Note:	Not Reported
Level reading date:	1953-09-23	Feet below surface:	Not Reported
Feet to sea level:	84.25	Note:	Not Reported
Level reading date:	1953-03-28	Feet below surface:	Not Reported
Feet to sea level:	83.24	Note:	Not Reported
Level reading date:	1952-10-22	Feet below surface:	Not Reported
Feet to sea level:	81.67	Note:	Not Reported
Level reading date:	1952-06-18	Feet below surface:	Not Reported
Feet to sea level:	82.54	Note:	Not Reported
Level reading date:	1951-11-29	Feet below surface:	Not Reported
Feet to sea level:	77.56	Note:	Not Reported

Level reading date:	1951-05-18	Feet below surface:	Not Reported
Feet to sea level:	78.88	Note:	Not Reported
Level reading date:	1951-01-02	Feet below surface:	Not Reported
Feet to sea level:	77.83	Note:	Not Reported
Level reading date:	1950-09-04	Feet below surface:	Not Reported
Feet to sea level:	78.77	Note:	Not Reported
Level reading date:	1950-04-18	Feet below surface:	Not Reported
Feet to sea level:	79.65	Note:	Not Reported
Level reading date:	1950-02-18	Feet below surface:	Not Reported
Feet to sea level:	86.79	Note:	Not Reported

Q65
East
1/2 - 1 Mile
Higher

FED USGS **USGS40000832086**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 1214. 3	Type:	Well
Description:	OLD: N 1214. 2	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	85
Well Depth Units:	ft	Well Hole Depth:	85
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	77	Level reading date:	1982-03-18
Feet below surface:	Not Reported	Feet to sea level:	80.89
Note:	Not Reported		
Level reading date:	1982-01-08	Feet below surface:	Not Reported
Feet to sea level:	82.52	Note:	Not Reported
Level reading date:	1981-09-14	Feet below surface:	Not Reported
Feet to sea level:	81.83	Note:	Not Reported
Level reading date:	1981-06-03	Feet below surface:	Not Reported
Feet to sea level:	84.46	Note:	Not Reported
Level reading date:	1981-03-13	Feet below surface:	Not Reported
Feet to sea level:	84.36	Note:	Not Reported
Level reading date:	1980-12-18	Feet below surface:	Not Reported
Feet to sea level:	85.28	Note:	Not Reported
Level reading date:	1980-09-04	Feet below surface:	Not Reported
Feet to sea level:	86.19	Note:	Not Reported
Level reading date:	1980-05-29	Feet below surface:	Not Reported
Feet to sea level:	88.01	Note:	Not Reported
Level reading date:	1980-03-19	Feet below surface:	Not Reported
Feet to sea level:	86.66	Note:	Not Reported
Level reading date:	1979-12-10	Feet below surface:	Not Reported

Feet to sea level:	87.58	Note:	Not Reported
Level reading date:	1979-09-14	Feet below surface:	Not Reported
Feet to sea level:	88.22	Note:	Not Reported
Level reading date:	1979-06-07	Feet below surface:	Not Reported
Feet to sea level:	90.00		
Note:	A nearby site that taps the same aquifer had been pumped recently.		
Level reading date:	1979-05-24	Feet below surface:	Not Reported
Feet to sea level:	89.96	Note:	Not Reported
Level reading date:	1979-04-19	Feet below surface:	Not Reported
Feet to sea level:	88.56	Note:	Not Reported
Level reading date:	1979-03-21	Feet below surface:	Not Reported
Feet to sea level:	88.08	Note:	Not Reported
Level reading date:	1979-03-12	Feet below surface:	Not Reported
Feet to sea level:	86.68	Note:	Not Reported
Level reading date:	1978-12-27	Feet below surface:	Not Reported
Feet to sea level:	86.33	Note:	Not Reported
Level reading date:	1978-12-06	Feet below surface:	Not Reported
Feet to sea level:	85.32	Note:	Not Reported
Level reading date:	1978-11-20	Feet below surface:	Not Reported
Feet to sea level:	84.84	Note:	Not Reported
Level reading date:	1978-10-23	Feet below surface:	Not Reported
Feet to sea level:	85.36	Note:	Not Reported
Level reading date:	1978-09-26	Feet below surface:	Not Reported
Feet to sea level:	85.33	Note:	Not Reported
Level reading date:	1978-09-15	Feet below surface:	Not Reported
Feet to sea level:	85.55	Note:	Not Reported
Level reading date:	1978-08-23	Feet below surface:	Not Reported
Feet to sea level:	86.29	Note:	Not Reported
Level reading date:	1978-07-28	Feet below surface:	Not Reported
Feet to sea level:	85.37	Note:	Not Reported
Level reading date:	1978-06-27	Feet below surface:	Not Reported
Feet to sea level:	85.81	Note:	Not Reported
Level reading date:	1978-06-07	Feet below surface:	Not Reported
Feet to sea level:	86.59	Note:	Not Reported
Level reading date:	1978-05-31	Feet below surface:	Not Reported
Feet to sea level:	87.01	Note:	Not Reported
Level reading date:	1978-03-28	Feet below surface:	Not Reported
Feet to sea level:	86.63	Note:	Not Reported
Level reading date:	1977-12-21	Feet below surface:	Not Reported
Feet to sea level:	82.58	Note:	Not Reported
Level reading date:	1977-09-07	Feet below surface:	Not Reported
Feet to sea level:	80.62	Note:	Not Reported

Level reading date:	1977-06-13	Feet below surface:	Not Reported
Feet to sea level:	82.79	Note:	Not Reported
Level reading date:	1977-03-30	Feet below surface:	Not Reported
Feet to sea level:	83.39	Note:	Not Reported
Level reading date:	1976-12-08	Feet below surface:	Not Reported
Feet to sea level:	84.18	Note:	Not Reported
Level reading date:	1976-09-08	Feet below surface:	Not Reported
Feet to sea level:	84.13	Note:	Not Reported
Level reading date:	1976-06-10	Feet below surface:	Not Reported
Feet to sea level:	85.66	Note:	Not Reported
Level reading date:	1976-03-11	Feet below surface:	Not Reported
Feet to sea level:	85.88	Note:	Not Reported
Level reading date:	1975-12-17	Feet below surface:	Not Reported
Feet to sea level:	83.08	Note:	Not Reported
Level reading date:	1975-09-08	Feet below surface:	Not Reported
Feet to sea level:	82.81	Note:	Not Reported
Level reading date:	1975-06-11	Feet below surface:	Not Reported
Feet to sea level:	83.54	Note:	Not Reported
Level reading date:	1975-03-21	Feet below surface:	Not Reported
Feet to sea level:	82.40	Note:	Not Reported
Level reading date:	1975-01-13	Feet below surface:	Not Reported
Feet to sea level:	82.86	Note:	Not Reported
Level reading date:	1974-09-18	Feet below surface:	Not Reported
Feet to sea level:	81.69	Note:	Not Reported
Level reading date:	1974-06-17	Feet below surface:	Not Reported
Feet to sea level:	82.34	Note:	Not Reported
Level reading date:	1974-03-28	Feet below surface:	Not Reported
Feet to sea level:	83.94	Note:	Not Reported
Level reading date:	1973-12-04	Feet below surface:	Not Reported
Feet to sea level:	82.94	Note:	Not Reported
Level reading date:	1973-09-21	Feet below surface:	Not Reported
Feet to sea level:	84.31	Note:	Not Reported
Level reading date:	1973-06-13	Feet below surface:	Not Reported
Feet to sea level:	83.66	Note:	Not Reported
Level reading date:	1973-03-22	Feet below surface:	Not Reported
Feet to sea level:	82.36	Note:	Not Reported
Level reading date:	1972-12-22	Feet below surface:	Not Reported
Feet to sea level:	80.73	Note:	Not Reported
Level reading date:	1972-09-07	Feet below surface:	Not Reported
Feet to sea level:	78.16	Note:	Not Reported
Level reading date:	1972-06-12	Feet below surface:	Not Reported
Feet to sea level:	77.42	Note:	Not Reported

Level reading date:	1972-03-22	Feet below surface:	Not Reported
Feet to sea level:	77.24	Note:	Not Reported
Level reading date:	1971-12-23	Feet below surface:	Not Reported
Feet to sea level:	77.16	Note:	Not Reported
Level reading date:	1971-10-04	Feet below surface:	Not Reported
Feet to sea level:	77.02	Note:	Not Reported
Level reading date:	1971-07-19	Feet below surface:	Not Reported
Feet to sea level:	77.04	Note:	Not Reported
Level reading date:	1971-03-29	Feet below surface:	Not Reported
Feet to sea level:	78.44	Note:	Not Reported
Level reading date:	1970-12-16	Feet below surface:	Not Reported
Feet to sea level:	78.11	Note:	Not Reported
Level reading date:	1970-09-22	Feet below surface:	Not Reported
Feet to sea level:	77.38	Note:	Not Reported
Level reading date:	1970-06-18	Feet below surface:	Not Reported
Feet to sea level:	78.61	Note:	Not Reported
Level reading date:	1970-03-10	Feet below surface:	Not Reported
Feet to sea level:	77.46	Note:	Not Reported
Level reading date:	1970-01-29	Feet below surface:	Not Reported
Feet to sea level:	76.36	Note:	Not Reported
Level reading date:	1969-09-23	Feet below surface:	Not Reported
Feet to sea level:	75.61	Note:	Not Reported
Level reading date:	1969-07-11	Feet below surface:	Not Reported
Feet to sea level:	74.67	Note:	Not Reported
Level reading date:	1969-04-18	Feet below surface:	Not Reported
Feet to sea level:	74.60	Note:	Not Reported
Level reading date:	1969-01-28	Feet below surface:	Not Reported
Feet to sea level:	73.83	Note:	Not Reported
Level reading date:	1968-09-27	Feet below surface:	Not Reported
Feet to sea level:	72.66	Note:	Not Reported
Level reading date:	1968-06-26	Feet below surface:	Not Reported
Feet to sea level:	73.91	Note:	Not Reported
Level reading date:	1968-04-18	Feet below surface:	Not Reported
Feet to sea level:	73.83	Note:	Not Reported
Level reading date:	1967-12-18	Feet below surface:	Not Reported
Feet to sea level:	74.53	Note:	Not Reported
Level reading date:	1967-10-06	Feet below surface:	Not Reported
Feet to sea level:	73.16	Note:	Not Reported
Level reading date:	1967-07-19	Feet below surface:	Not Reported
Feet to sea level:	73.04	Note:	Not Reported
Level reading date:	1967-04-19	Feet below surface:	Not Reported
Feet to sea level:	73.21	Note:	Not Reported

Level reading date:	1967-01-03	Feet below surface:	Not Reported
Feet to sea level:	72.41	Note:	Not Reported
Level reading date:	1966-09-28	Feet below surface:	Not Reported
Feet to sea level:	73.39	Note:	Not Reported
Level reading date:	1966-06-07	Feet below surface:	Not Reported
Feet to sea level:	73.56	Note:	Not Reported
Level reading date:	1966-03-03	Feet below surface:	Not Reported
Feet to sea level:	75.08	Note:	Not Reported
Level reading date:	1965-12-03	Feet below surface:	Not Reported
Feet to sea level:	74.16	Note:	Not Reported

P66
WSW **NY WELLS** **NYREG1200058396**
1/2 - 1 Mile
Lower

WELLS REG 1:

Well Number:	N003964	Well Type:	Cooling (Commercial/Industrial)
Owner:	Matalah Equipment Corp.	Diameter (in):	6
Well Depth (ft):	103	Casing Length (ft):	93
Screen Length (ft):	10	Pump Capacity (gpm):	100

R67
SSE **FED USGS** **USGS40000831615**
1/2 - 1 Mile
Lower

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 6193. 2	Type:	Well
Description:	OLD: N 6193. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	472
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	4	Level reading date:	1986-04-17
Feet below surface:	Not Reported	Feet to sea level:	72.12
Note:	Not Reported		
Level reading date:	1986-03-05	Feet below surface:	Not Reported
Feet to sea level:	72.78	Note:	Not Reported
Level reading date:	1973-03-20	Feet below surface:	Not Reported
Feet to sea level:	76.61	Note:	Not Reported
Level reading date:	1964-12-29	Feet below surface:	Not Reported
Feet to sea level:	72.01	Note:	Not Reported

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

R68
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831616**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 6193. 1	Type:	Well
Description:	NEW: N 6193. 2 195806	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	737	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

69
SE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831714**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10589. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	76
Well Depth Units:	ft	Well Hole Depth:	76
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	39	Level reading date:	1989-08-30
Feet below surface:	Not Reported	Feet to sea level:	73.71
Note:	Not Reported		

Level reading date:	1989-07-24	Feet below surface:	Not Reported
Feet to sea level:	73.59	Note:	Not Reported
Level reading date:	1989-06-27	Feet below surface:	Not Reported
Feet to sea level:	72.74	Note:	Not Reported
Level reading date:	1989-05-19	Feet below surface:	Not Reported
Feet to sea level:	70.40	Note:	Not Reported
Level reading date:	1989-04-26	Feet below surface:	Not Reported
Feet to sea level:	69.79	Note:	Not Reported
Level reading date:	1989-03-22	Feet below surface:	Not Reported
Feet to sea level:	69.96	Note:	Not Reported
Level reading date:	1989-02-28	Feet below surface:	Not Reported
Feet to sea level:	70.17	Note:	Not Reported
Level reading date:	1989-01-25	Feet below surface:	Not Reported
Feet to sea level:	70.42	Note:	Not Reported
Level reading date:	1988-12-29	Feet below surface:	Not Reported

Feet to sea level:	70.24	Note:	Not Reported
Level reading date:	1988-11-30	Feet below surface:	Not Reported
Feet to sea level:	69.67	Note:	Not Reported
Level reading date:	1988-10-14	Feet below surface:	Not Reported
Feet to sea level:	68.91	Note:	Not Reported
Level reading date:	1988-09-14	Feet below surface:	Not Reported
Feet to sea level:	69.09	Note:	Not Reported
Level reading date:	1988-08-09	Feet below surface:	Not Reported
Feet to sea level:	69.39	Note:	Not Reported
Level reading date:	1988-07-07	Feet below surface:	Not Reported
Feet to sea level:	69.96	Note:	Not Reported
Level reading date:	1988-06-02	Feet below surface:	Not Reported
Feet to sea level:	70.88	Note:	Not Reported
Level reading date:	1988-05-05	Feet below surface:	Not Reported
Feet to sea level:	71.17	Note:	Not Reported
Level reading date:	1988-04-11	Feet below surface:	Not Reported
Feet to sea level:	71.36	Note:	Not Reported
Level reading date:	1988-03-11	Feet below surface:	Not Reported
Feet to sea level:	71.39	Note:	Not Reported
Level reading date:	1988-02-11	Feet below surface:	Not Reported
Feet to sea level:	71.26	Note:	Not Reported
Level reading date:	1988-01-22	Feet below surface:	Not Reported
Feet to sea level:	71.16	Note:	Not Reported
Level reading date:	1987-12-16	Feet below surface:	Not Reported
Feet to sea level:	70.16	Note:	Not Reported
Level reading date:	1987-11-16	Feet below surface:	Not Reported
Feet to sea level:	70.99	Note:	Not Reported
Level reading date:	1987-10-15	Feet below surface:	Not Reported
Feet to sea level:	71.02	Note:	Not Reported
Level reading date:	1987-09-16	Feet below surface:	Not Reported
Feet to sea level:	71.13	Note:	Not Reported
Level reading date:	1987-08-18	Feet below surface:	Not Reported
Feet to sea level:	71.56	Note:	Not Reported
Level reading date:	1987-07-28	Feet below surface:	Not Reported
Feet to sea level:	72.07	Note:	Not Reported
Level reading date:	1987-07-22	Feet below surface:	Not Reported
Feet to sea level:	72.16	Note:	Not Reported
Level reading date:	1987-06-23	Feet below surface:	Not Reported
Feet to sea level:	72.72	Note:	Not Reported
Level reading date:	1987-05-20	Feet below surface:	Not Reported
Feet to sea level:	73.52	Note:	Not Reported

Level reading date:	1987-04-16	Feet below surface:	Not Reported
Feet to sea level:	73.52	Note:	Not Reported
Level reading date:	1987-03-19	Feet below surface:	Not Reported
Feet to sea level:	73.44	Note:	Not Reported
Level reading date:	1987-02-19	Feet below surface:	Not Reported
Feet to sea level:	73.16	Note:	Not Reported
Level reading date:	1987-01-12	Feet below surface:	Not Reported
Feet to sea level:	72.65	Note:	Not Reported
Level reading date:	1986-12-16	Feet below surface:	Not Reported
Feet to sea level:	72.24	Note:	Not Reported
Level reading date:	1986-11-25	Feet below surface:	Not Reported
Feet to sea level:	71.75	Note:	Not Reported
Level reading date:	1986-11-03	Feet below surface:	Not Reported
Feet to sea level:	71.33	Note:	Not Reported
Level reading date:	1986-09-23	Feet below surface:	Not Reported
Feet to sea level:	71.53	Note:	Not Reported
Level reading date:	1986-08-29	Feet below surface:	Not Reported
Feet to sea level:	72.08	Note:	Not Reported
Level reading date:	1986-07-25	Feet below surface:	Not Reported
Feet to sea level:	72.45	Note:	Not Reported

70
WSW
1/2 - 1 Mile
Lower

FED USGS **USGS40000831879**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10314. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	64
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

R71
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831612**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 6192. 1	Type:	Well
Description:	NEW: N 6192. 2 195806	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	657	Well Depth Units:	ft

Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

R72
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831613**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9180. 1	Type:	Well
Description:	NEW: N 9180. 2 197711	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	700	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

R73
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831614**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9180. 2	Type:	Well
Description:	OLD: N 9180. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	635
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	1	Level reading date:	1986-04-17
Feet below surface:	Not Reported	Feet to sea level:	61.09
Note:	Not Reported		

S74
SE
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200055925**

WELLS REG 1:

Well Number:	N007120	Well Type:	Cooling (Commercial/Industrial)
Owner:	Sonic Recording Products Inc.	Diameter (in):	8
Well Depth (ft):	120	Casing Length (ft):	Not Reported
Screen Length (ft):	16	Pump Capacity (gpm):	150

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

S75
SE
1/2 - 1 Mile
Lower | **NY WELLS** | **NYREG1200056033**

WELLS REG 1:

Well Number:	N006996	Well Type:	Cooling (Commercial/Industrial)
Owner:	Sonic Recording Products Inc.	Diameter (in):	8
Well Depth (ft):	120	Casing Length (ft):	Not Reported
Screen Length (ft):	11	Pump Capacity (gpm):	150

76
ENE
1/2 - 1 Mile
Higher | **FED USGS** | **USGS40000832150**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 1481. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	77
Well Depth Units:	ft	Well Hole Depth:	77
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	28	Level reading date:	1958-04-25
Feet below surface:	Not Reported	Feet to sea level:	83.91
Note:	Not Reported		

Level reading date:	1957-05-08	Feet below surface:	Not Reported
Feet to sea level:	84.44	Note:	Not Reported
Level reading date:	1956-11-29	Feet below surface:	Not Reported
Feet to sea level:	83.82	Note:	Not Reported
Level reading date:	1956-04-16	Feet below surface:	Not Reported
Feet to sea level:	84.52	Note:	Not Reported
Level reading date:	1955-12-02	Feet below surface:	Not Reported
Feet to sea level:	85.81	Note:	Not Reported
Level reading date:	1955-07-26	Feet below surface:	Not Reported
Feet to sea level:	83.33	Note:	Not Reported
Level reading date:	1955-06-09	Feet below surface:	Not Reported
Feet to sea level:	83.90	Note:	Not Reported
Level reading date:	1953-09-23	Feet below surface:	Not Reported
Feet to sea level:	86.08	Note:	Not Reported
Level reading date:	1953-03-28	Feet below surface:	Not Reported
Feet to sea level:	84.81	Note:	Not Reported
Level reading date:	1952-10-22	Feet below surface:	Not Reported
Feet to sea level:	83.60	Note:	Not Reported

Level reading date:	1952-06-18	Feet below surface:	Not Reported
Feet to sea level:	83.24	Note:	Not Reported
Level reading date:	1951-11-29	Feet below surface:	Not Reported
Feet to sea level:	79.74	Note:	Not Reported
Level reading date:	1951-05-18	Feet below surface:	Not Reported
Feet to sea level:	80.90	Note:	Not Reported
Level reading date:	1951-01-08	Feet below surface:	Not Reported
Feet to sea level:	80.11	Note:	Not Reported
Level reading date:	1950-09-04	Feet below surface:	Not Reported
Feet to sea level:	80.87	Note:	Not Reported
Level reading date:	1950-04-18	Feet below surface:	Not Reported
Feet to sea level:	81.67	Note:	Not Reported
Level reading date:	1949-11-04	Feet below surface:	Not Reported
Feet to sea level:	85.25	Note:	Not Reported
Level reading date:	1949-06-16	Feet below surface:	Not Reported
Feet to sea level:	84.66	Note:	Not Reported
Level reading date:	1949-01-10	Feet below surface:	Not Reported
Feet to sea level:	82.40	Note:	Not Reported
Level reading date:	1948-07-19	Feet below surface:	Not Reported
Feet to sea level:	82.45	Note:	Not Reported
Level reading date:	1948-04-06	Feet below surface:	Not Reported
Feet to sea level:	80.46	Note:	Not Reported
Level reading date:	1947-10-24	Feet below surface:	Not Reported
Feet to sea level:	79.79	Note:	Not Reported
Level reading date:	1947-04-12	Feet below surface:	Not Reported
Feet to sea level:	81.10	Note:	Not Reported
Level reading date:	1946-09-27	Feet below surface:	Not Reported
Feet to sea level:	82.23	Note:	Not Reported
Level reading date:	1946-02-12	Feet below surface:	Not Reported
Feet to sea level:	81.23	Note:	Not Reported
Level reading date:	1945-07-11	Feet below surface:	Not Reported
Feet to sea level:	81.43	Note:	Not Reported
Level reading date:	1945-03-09	Feet below surface:	Not Reported
Feet to sea level:	81.54	Note:	Not Reported
Level reading date:	1944-05-01	Feet below surface:	Not Reported
Feet to sea level:	81.23	Note:	Not Reported

S77
SE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831775**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 6996. 1	Type:	Well

Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	120
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

S78
SE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831761**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7120. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	120
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

County	Town	Num Tests	Avg Result	Geo Mean	Max Result
NASSAU	GLEN COVE	6	2.53	2.15	5.5
NASSAU	HEMPSTEAD	350	1.19	0.86	8.3
NASSAU	LONG BEACH (CITY DESIGNATION)	2	0.25	0.2	0.4
NASSAU	N. HEMPSTEAD	164	1.61	1.2	7.5
NASSAU	OYSTER BAY	208	1.77	1.2	13.9

Federal EPA Radon Zone for NASSAU County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for NASSAU COUNTY, NY

Number of sites tested: 226

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.640 pCi/L	98%	2%	0%
Basement	1.100 pCi/L	98%	2%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database
Source: Department of Environmental Conservation
Telephone: 518-402-8072
These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon
Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix I Nassau County Department of Health & Fire Marshal Information

Fasciani, Rich

From: do-not-reply@nassaucountyny.gov
Sent: Tuesday, October 15, 2024 8:47 AM
To: Fasciani, Rich
Subject: [EXT] Nassau County FOIL - The Fire Commission - Hazardous Materials Division Department does not have records pertaining to your FOIL Request - DO NOT REPLY

EXTERNAL EMAIL

Nassau County FOIL Request
Fire Commission - Hazardous Materials Division

Dear **Richard Fasciani**,

Regarding your Freedom of Information Law ("FOIL") request (Reference # 357600):

Please be advised that this Office has diligently searched our records and have not found any documents responsive to your request.

If you believe this request was improperly denied or the response is incomplete you have the right to appeal.

Appeals must be submitted in writing within thirty (30) days to the FOIL Appeals Officer, located at 1 West Street, Mineola, N 11501. See Public Officers Law • 89(4)(a). Please include a copy of this response along with a copy of your original request with your appeal.

Thank you.

Nassau County
https://www.nassaucountyny.gov/

CONFIDENTIALITY NOTICE: This transmission (including any attachments) may contain confidential information, privileged material (including material protected by the attorney-client or other applicable privileges), or constitute non-public information. Any use of this information by anyone other than the intended recipient is prohibited. If you have received this transmission in error, please immediately reply to the sender and delete this information from your system. Use, dissemination, distribution, or reproduction of this transmission by unintended recipients is not authorized and may be unlawful.

Fasciani, Rich

From: do-not-reply@nassaucountyny.gov
Sent: Tuesday, October 15, 2024 11:16 AM
To: Fasciani, Rich
Subject: [EXT] Nassau County FOIL - Your FOIL request has been acknowledged - DO NOT REPLY

EXTERNAL EMAIL

Nassau County FOIL Request
Health

The Health department has received your Freedom of Information Law ("FOIL") request dated (Reference # 357580).

Please be advised that your request is being reviewed to determine if the records you request are available and subject to th FOIL.

You should receive a response within twenty (20) business days.

Thank you.

Nassau County
https://www.nassaucountyny.gov/

CONFIDENTIALITY NOTICE: This transmission (including any attachments) may contain confidential information, privileged material (including material protected by the attorney-client or other applicable privileges), or constitute non-public information. Any use of this information by anyone other than the intended recipient is prohibited. If you have received this transmission in error, please immediately reply to the sender and delete this information from your system. Use, dissemination, distribution, or reproduction of this transmission by unintended recipients is not authorized and may be unlawful.

Appendix J Photographs



Photo 1. View of the 1-story building on the Site.



Photo 2. View looking west along the north side of the building.



Photo 3. View looking south along the western (rear) side of the building. Note the dry well.




Photo 4. View looking toward the east along the south side of the building. The building is the end of the property line.



Photo 5. Typical view of the laundromat.



Photo 6. View of the kitchen area of the deli.



Photo 7. Another view of the deli.



Photo 8. Sewer connection cleanout in rear parking area.



Photo 9. Chimney that is no longer being used. Behind this area of the building is the kitchen for the deli.



Photo 10. Front parking area along Jersusalem Avenue.



Photo 11. Looking west at the adjoining parking lot to the south of the builidng.



Photo 12. View of the adjacent property to the west.



Photo 13. View of the property to the east, across Jerusalem Avenue.



Photo 14. Looking at the adjacent property located to the north.

Appendix C User Questionnaire

ESA Phase I User Questionnaire

(Reference ASTM E 1527)

PROJECT SITE ADDRESS: 20 and 40 Jerusalem Avenue, Hicksville, NY

GEI PROJECT NO: 2408313

This User Questionnaire is required to be completed in order to comply with the All Appropriate Inquiry (AAI) as required by ASTM E1527. In order to qualify for one of the Landowner Liability Protections *(LLPs)* offered by the Small Business Liability Relief and Brownfields Revitalization Act of 2001, the user must provide the following information (if available) to the environmental professional. Failure to provide this information could result in a determination that an appropriate inquiry is not complete.

1. In order to assist us in determining the history of and past use(s) of the property, GEI Consultants, Inc. (GEI) would like to discuss this information with the past and present owners of the subject property. If known, please supply us with their contact information so that we contact them during the course of this Phase I ESA investigation.

2020 PARTNERS, DAVID GROSSMAN

2. As the user of this Phase I ESA Report, a title report should be obtained. This would indicate any lien records for environmental liens currently recorded against or relating to the property. Therefore, do you have a Title Report? If yes, does the Title Report depict any environmental liens? If no, then please answer question 3.

NO ENVIRO LIENS ON TITLE REPORT

3. If a Title Report is not in your possession, to the best of you knowledge, are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state or local law? If yes, please explain in detail:

N/A

4. Are you aware of any Activities and Use Limitations (AULs), such as engineering controls, land use restrictions or institutional controls that are in place at the site and/or have been filed or recorded in a registry under federal, tribal, state or local law? If yes, please explain in detail:

NO

5. As the user of this ESA do you have any specialized knowledge or experience related to the property or nearby properties? For example, are you involved in the same line of business as the current or former occupants of the property or an adjoining property so that you would have specialized knowledge of the chemicals and processes used by this type of business. If yes, please explain in detail:

NO

6. To the best of your knowledge is there a property value reduction due to environmental issues? If yes, please explain in detail:

NO

7. Are you aware of commonly known or reasonably ascertainable information of about the property that would help the environmental professional to identify conditions? If yes, please explain in detail:

(a) Do you know past use of the property?

OFFICE

(b) Do you know of specific chemicals that are present or once were present at the property?

NO

(c) Do you know of spills or other chemical releases that have taken place at the property?

NO

(d) Do you know of any environmental cleanups that have taken place at the property?

NO

8. As the user of this Phase I ESA, based on your knowledge and experience related to the property are there any obvious indicators that point to the presence or likely presence of contamination at the property?

NO

9. Please provide following information:

(a) The reason why the Phase I ESA is required.

ACQUISITION (+) RE DEVELOPMENT

(b) The type of property and type of transaction? For example, sale, purchase, exchange, refinance, etc.

SALE

(c) The complete and correct address for the property (a map, site survey or other documentation showing property location and boundaries is helpful).

20 JERUSALEM AVE, HICKSVILLE, NY

(d) Please indicate how the person(s) signing below is associated with the project site (e.g., owner, owner's representative, purchaser, etc.).

CONTRACT VENDEE TO ACQUIRE

(e) If this is a refinance, please indicate the name of the entity that owns the project site and how long have you/the borrower/entity owned the property.

Signature

ANTHONY BARTOSH

Print Name

MANAGING PARTNER, TB

Title, Company

2/9/26

Date

Appendix D EDR Sanborn and Topographic Maps and Aerial Photographs

20 and 40 Jerusalem Avenue

20 Jerusalem Avenue

Hicksville, NY 11801

Inquiry Number: 8240370.8

February 02, 2026

The EDR Aerial Photo Decade Package

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

EDR Aerial Photo Decade Package

02/02/26

Site Name:

20 and 40 Jerusalem Avenue
20 Jerusalem Avenue
Hicksville, NY 11801
EDR Inquiry # 8240370.8

Client Name:

GEI Consultants
1000 New York Avenue, Suite B
Huntington Station, NY 11746
Contact: William Fitchett

Environmental Data Resources, Inc. (EDR) Aerial Photo Decade Package is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's professional researchers provide digitally reproduced historical aerial photographs, and when available, provide one photo per decade.

Search Results:

Year	Scale	Details	Source
2024	1"=500'	Flight Year: 2024	USDA/NAIP
2021	1"=500'	Flight Year: 2021	USDA/NAIP
2017	1"=500'	Flight Year: 2017	USDA/NAIP
2013	1"=500'	Flight Year: 2013	USDA/NAIP
2009	1"=500'	Flight Year: 2009	USDA/NAIP
2006	1"=500'	Flight Year: 2006	USDA/NAIP
1994	1"=500'	Acquisition Date: April 08, 1994	USGS/DOQQ
1985	1"=500'	Flight Date: March 16, 1985	USDA
1980	1"=500'	Flight Date: April 07, 1980	Aero
1974	1"=500'	Flight Date: March 14, 1974	USGS
1970	1"=500'	Flight Date: May 30, 1970	USDA
1966	1"=500'	Flight Date: February 23, 1966	USGS
1962	1"=500'	Flight Date: March 18, 1962	EDR Proprietary Aerial Viewpoint
1957	1"=500'	Flight Date: March 24, 1957	Jack
1953	1"=500'	Flight Date: December 02, 1953	USGS
1947	1"=500'	Flight Date: September 01, 1947	USDA
1938	1"=500'	Flight Date: August 03, 1938	USDA

When delivered electronically by EDR, the aerial photo images included with this report are for ONE TIME USE ONLY. Further reproduction of these aerial photo images is prohibited without permission from EDR. For more information contact your EDR Account Executive.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.

Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2026 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.



INQUIRY #: 8240370.8

YEAR: 2024

= 500'

N

EDR




INQUIRY #: 8240370.8

YEAR: 2021


= 500'


N

EDR


INQUIRY #: 8240370.8
YEAR: 2017
= 500'
N
EDR


INQUIRY #: 8240370.8
YEAR: 2013
= 500'
N
EDR


INQUIRY #: 8240370.8
YEAR: 2009
= 500'
N
EDR


INQUIRY #: 8240370.8
YEAR: 2006
= 500'
N
EDR



INQUIRY #: 8240370.8

YEAR: 1994

= 500'

N

EDR



INQUIRY #: 8240370.8

YEAR: 1985

= 500'

N

EDR



INQUIRY #: 8240370.8

YEAR: 1980

= 500'

N

EDR


INQUIRY #: 8240370.8
YEAR: 1974
= 500'
N
EDR


INQUIRY #: 8240370.8
YEAR: 1970
= 500'
N
EDR


INQUIRY #: 8240370.8
YEAR: 1966
= 500'
N
EDR


INQUIRY #: 8240370.8
YEAR: 1962
= 500'
N
EDR




INQUIRY #: 8240370.8

YEAR: 1957

= 500'

N

EDR



INQUIRY #: 8240370.8

YEAR: 1953

= 500'

N

EDR




INQUIRY #: 8240370.8

YEAR: 1947

= 500'

N

EDR


INQUIRY #: 8240370.8
YEAR: 1938
= 500'
N
EDR

20 and 40 Jerusalem Avenue

20 Jerusalem Avenue

Hicksville, NY 11801

Inquiry Number: 8240370.3

February 03, 2026

Certified Sanborn® Map Report

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

Certified Sanborn® Map Report

02/03/26

Site Name:

20 and 40 Jerusalem Avenue
20 Jerusalem Avenue
Hicksville, NY 11801
EDR Inquiry # 8240370.3

Client Name:

GEI Consultants
1000 New York Avenue, Suite B
Huntington Station, NY 11746
Contact: William Fitchett

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by GEI Consultants were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

Certified Sanborn Results:

Certification # 71A0-4859-B50B

PO # 2408313

Project 20 and 40 Jerusalem Avenue

Maps Provided:

1968
1947
1925
1917
1908
1902
1895

Sanborn® Library search results

Certification #: 71A0-4859-B50B

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ☑ Library of Congress
- ☑ University Publications of America
- ☑ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

GEI Consultants (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT. Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2026 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.


Sanborn Sheet Key


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1968 Source Sheets


Volume 1, Sheet 6
1968


Volume 1, Sheet 7
1968


Volume 1, Sheet 2
1968


Volume 1, Sheet 10
1968


Volume 1, Sheet 3
1968

1947 Source Sheets



Volume 1, Sheet 3
1947



Volume 1, Sheet 2
1947


Volume 1, Sheet 7
1947


Volume 1, Sheet 6
1947

1925 Source Sheets


Volume 1, Sheet 6
1925


Volume 1, Sheet 7
1925


Volume 1, Sheet 2
1925



Volume 1, Sheet 3
1925

Sanborn Sheet Key

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1917 Source Sheets


Volume 1, Sheet 5
1917


Volume 1, Sheet 3
1917


Volume 1, Sheet 2
1917

1908 Source Sheets


Volume 1, Sheet 5
1908


Volume 1, Sheet 3
1908


Volume 1, Sheet 2
1908

1902 Source Sheets


Volume 1, Sheet 3
1902


Volume 1, Sheet 2
1902


1895 Source Sheets


Volume 1, Sheet 1
1895


Volume 1, Sheet 2
1895

Certified Sanborn® Map

1968




Site Name:	20 and 40 Jerusalem Avenue
Address:	20 Jerusalem Avenue
City, ST, ZIP:	Hicksville, NY 11801
Client:	GEI Consultants
EDR Inquiry:	8240370.3
Order Date:	02/03/2026
Certification #	71A0-4859-B50B
Copyright	1968

The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 3
Volume 1, Sheet 10
Volume 1, Sheet 2
Volume 1, Sheet 7
Volume 1, Sheet 6

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #71A0-4859-B50B

Site Name:	20 and 40 Jerusalem Avenue
Address:	20 Jerusalem Avenue
City, ST, ZIP:	Hicksville, NY 11801
Client:	GEI Consultants
EDR Inquiry:	8240370.3
Order Date:	02/03/2026
Certification #:	71A0-4859-B50B
Copyright	1947

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 6
Volume 1, Sheet 7
Volume 1, Sheet 2
Volume 1, Sheet 3

0 Feet 150 300 600

N

Certified Sanborn® Map

1925




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #71A0-4859-B50B

Site Name:	20 and 40 Jerusalem Avenue
Address:	20 Jerusalem Avenue
City, ST, ZIP:	Hicksville, NY 11801
Client:	GEI Consultants
EDR Inquiry:	8240370.3
Order Date:	02/03/2026
Certification #	71A0-4859-B50B
Copyright	1925

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 3
Volume 1, Sheet 2
Volume 1, Sheet 7
Volume 1, Sheet 6

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	20 and 40 Jerusalem Avenue
Address:	20 Jerusalem Avenue
City, ST, ZIP:	Hicksville, NY 11801
Client:	GEI Consultants
EDR Inquiry:	8240370.3
Order Date:	02/03/2026
Certification #	71A0-4859-B50B
Copyright	1917

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 2
Volume 1, Sheet 3
Volume 1, Sheet 5

0 Feet 150 300 600

N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.


Certification #71A0-4859-B50B

Site Name:	20 and 40 Jerusalem Avenue
Address:	20 Jerusalem Avenue
City, ST, ZIP:	Hicksville, NY 11801
Client:	GEI Consultants
EDR Inquiry:	8240370.3
Order Date:	02/03/2026
Certification #	71A0-4859-B50B
Copyright	1908

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.


0 Feet 150 300 600






Volume 1, Sheet 2
Volume 1, Sheet 3
Volume 1, Sheet 5


N



Site Name: 20 and 40 Jerusalem Avenue
Address: 20 Jerusalem Avenue
City, ST, ZIP: Hicksville, NY 11801
Client: GEI Consultants
EDR Inquiry: 8240370.3
Order Date: 02/03/2026
Certification #: 71A0-4859-B50B
Copyright: 1902

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.






Volume 1, Sheet 2
Volume 1, Sheet 3

0 Feet 150 300 600

N




The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Site Name:	20 and 40 Jerusalem Avenue
Address:	20 Jerusalem Avenue
City, ST, ZIP:	Hicksville, NY 11801
Client:	GEI Consultants
EDR Inquiry:	8240370.3
Order Date:	02/03/2026
Certification #	71A0-4859-B50B
Copyright	1895

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.





Volume 1, Sheet 2
Volume 1, Sheet 1

0 Feet 150 300 600

N

Appendix E EDR City Directory Report

20 and 40 Jerusalem Avenue
20 Jerusalem Avenue
Hicksville, NY 11801

Inquiry Number: 8240370.5
February 04, 2026

The EDR-City Directory Image Report

EDR® Environmental Data Resources Inc

6 Armstrong Road
Shelton, CT 06484
800.352.0050
www.edrnet.com

TABLE OF CONTENTS

SECTION

Executive Summary

Findings

City Directory Images

Thank you for your business.
Please contact EDR at 1-800-352-0050
with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA), ARISING OUT OF OR IN ANY WAY CONNECTED WITH THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2023 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Report is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Report includes a search of available business directory data at approximately five year intervals.

RECORD SOURCES

The EDR City Directory Report accesses a variety of business directory sources, including Haines, InfoUSA, Polk, Cole, Bresser, and Stewart. Listings marked as EDR Digital Archive access Cole and InfoUSA records. The various directory sources enhance and complement each other to provide a more thorough and accurate report.

EDR is licensed to reproduce certain City Directory works by the copyright holders of those works. The purchaser of this EDR City Directory Report may include it in report(s) delivered to a customer.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. A check mark indicates where information was identified in the source and provided in this report.

Year	*Target Street*	*Cross Street*	*Source*
2022	☑	☐	EDR Digital Archive
2017	☑	☐	Cole Information
2014	☑	☐	Cole Information
2010	☑	☐	Cole Information
2005	☑	☐	Cole Information
2000	☑	☐	Cole Information
1995	☑	☐	Cole Information
1992	☑	☐	Cole Information
1987	☑	☐	Cole Criss-Cross Directory
1982	☑	☐	Cole Criss-Cross Directory
1977	☑	☐	Cole Criss-Cross Directory
1972	☑	☐	Cole Criss-Cross Directory

FINDINGS

TARGET PROPERTY STREET

20 Jerusalem Avenue
Hicksville, NY 11801

Year	*CD Image*	*Source*
JERUSALEM AVE		
2022	pg A2	EDR Digital Archive
2017	pg A9	Cole Information
2014	pg A13	Cole Information
2010	pg A16	Cole Information
2005	pg A20	Cole Information
2000	pg A24	Cole Information
1995	pg A29	Cole Information
1992	pg A33	Cole Information
1987	pg A38	Cole Criss-Cross Directory
1987	pg A39	Cole Criss-Cross Directory
1982	pg A40	Cole Criss-Cross Directory
1982	pg A41	Cole Criss-Cross Directory
1977	pg A42	Cole Criss-Cross Directory
1977	pg A43	Cole Criss-Cross Directory
1972	pg A44	Cole Criss-Cross Directory

FINDINGS

CROSS STREETS

No Cross Streets Identified

City Directory Images

Target Street	Cross Street	Source
✓	-	EDR Digital Archive

JERUSALEM AVE 2022

2	AMAR SINGH
	HICKSVILLE PRO SHOP
	JEFF BINDER
	MANHATTAN SALON & SPA
	PAPA JOHNS PIZZA
4	JAMES ROLLA
	JD BARBER SHOP
	PEOPLE CARE INC PEOPLE
6	MICHAEL OTTO
	PC COM
8	GRILL JUNCTION
	JAMAL SEEMA
	THE HALAL CHICKEN AND RICE COMPANY
20	NGUYEN
	ADAM WANASELJA
	ANNE SAMUELS
	ANSWERPHONE, INC
	BANK OF AMERICA
	CJ CANALES
	CONSTANCE TRUSNOVEC
	DDHM ASSOCIATES
	DEVON ARCHITECTS PC
	DHMURRARRY ARCHITECTURE
	DONLEY H. MURRAY ARCHITECT, PLLC
	ELLEN BULLINGER
	FERN GINDER
	FERN LEIBERMAN
	FERN LIEBERMAN
	GIULIA CHIARLITTI
	GRAPPONE TECHNOLOGIES INC
	HICKSVILLE
	HOME CARE THERAPIES
	HORIZON GROUP
	HORIZON HEALTH CARE
	HORIZON HEALTH CARE STAFFING, CORPORATION
	HORIZON HEALTHCARE STAFFING
	HORIZON STAFFING SOLUTIONS
	HORIZON WELLNESS GROUP
	JACOB STEIN
	JOHN CHIESA
	JOHN DEPAULO
	KEN BLAZICK
	NANCY DIAZ
	NASSAU SUFFOLK ELECTRIC CORPORATION
	RADIANT WELLNESS
	SCOTT CARTER
	SHING WEN
	STEIN-FORUM PLACE LLC
	THE HORIZON GROUP
	THE HUT GROUP

Target Street	Cross Street	Source
✓	-	EDR Digital Archive

JERUSALEM AVE 2022 (Cont'd)

20	THEUPSTUDIO
	THG
	THOMAS MURRAY
	UP STUDIO ARCHITECTURE &AMP DSGN
	US XPRESS ENTERPRISES INC
	VICTOR F GRAPPONE
	VULCAN BASEMENT WATERPROOFING
21	ASHRAF SHEHATA
	ASK ABSTRACT
	DINESH GULATI
	IIT INC
	JESSICA ERNST
	JOHN MCDERMOTT
	KAKKAR BALRAM
	OFFICE OF KAKKAR BALRAM
40	HICKSVILLE LAUNDRY CENTER
	SAN EDUARDO DELI & BAKERY
47	BETH DALTON
	DALTON THOMAS F FUNERAL HOME INC HICKSVILLE
60	APNI AUTO INC
	LAHORI RAM
	WISSER ENTERPRISES
62	DREW CONWAY
	ERICA ODOHNELL
	FRIEDERIKA CONWAY
	ROSALIA VANGA
64	MOHAMMED KADRI
	SAMINA ULLAH
	TAUQEER BHATTI
66	CANON SOLUTIONS AMERICA
	DAVID TRAYER
	MONICA ALVAREZ
68	ERA DONOVAN REALTY
	HELENANN VICCORA
	JOE DONOVAN
	PRISCILLA GONZALEZ
	RITA GONZALEZ
70	IT TECH
	JOSEPH LYNCH
	RAVI CHAITHANYA
	VIJAY VERMA
72	NABARAJ ADHIKARI
	NICOLE ROTH
	PRADEEP ADHIKARI
76	JOANN MUSTAC
	SATINDERPREET SINGH
	THOMAS MCCORMICK
80	ALEX NIVEN
	ELLEN ZUCKERMAN
	IHLC MANAGEMENT INC

Target Street	Cross Street	Source
✓	-	EDR Digital Archive

JERUSALEM AVE 2022 (Cont'd)

80	INTERSTATE HOME LOAN CENTER INC
89	DECOR MY PALACE
90	JOSE CHAVEZ
91	SPRINKLER COMPANY
	STEVEN BELLIS
95	CYCLE COMPUTER CONSULTANTS INC
	TONY MANZ
98	OLIVIA AIELLO
99	JAIME AGUILAR
	PAT FLEMING
	RITA PANTALEO
104	DENISE BENNER
	JENNY JARAMILLO
108	EMAD SALEIB
	RACQUEL BENAVIDES
	RAQUEL BENAVIDES
118	JOHN MARINO
	MARINO JOHN DR DDS
	SOLOMON TIEGERMAN
	TIEGERMAN SOLOMON PH.D.
124	FAITH COFIELD
125	FARMERS INSURANCE
	HEALTH CORNER CHIROPRACTIC
	KIMBERLY OCONNOR
	MI REALTORS INC
130	HOLY TRINITY EPISCOPAL CHURCH
	JOAN GRIMM FRASER
169	CHRIS GROVER
	DANIAL RUSS
	HICKSVILLE FREE PUBLIC LIBRARY
	HICKSVILLE PUBLIC LIBRARY
	JAMES JANIS
	MARIANNE MALAGON
	NASSAU LIBRARY SYSTEM
	SEAFORD PUBLIC LIBRARY
172	JHESICA OCHOA
	NELSON MORALES
176	BESY MEDINA
200	ANGELICA PIETRZAK
	ASHLEY PIETRZAK
	BOGUSLAWA PIETRZAK
	IRENA PIETRZAK
	MICHAEL PIETRZAK
	MICHELLE PIETRZAK
	RYSZARD PIETRZAK
	ZBIGNIEW PIETRZAK
204	ALEXIS TON
	DANIELLE TON
	JOAN TON
	JONATHAN TON

Target Street	Cross Street	Source
✓	-	EDR Digital Archive

JERUSALEM AVE 2022 (Cont'd)

208	ARTIN ACEMOGLU
	BERCUHI ACEMOGLU
	SERDA ACEMOGLU
215	DITRANO
	GUANTI
	BRIAN VOLLMER
	CHRISTOPHER ROBSON
	HICKSVILLE HIGH SCHOOL
	HICKSVILLE MIDDLE SCHOOL
	HICKSVILLE UN FREE SCHL DST
	HICKSVILLE UNION FREE SCH DIST
	HICKSVILLE UNION FREE SCHOOL DISTRICT
	HICKSVILLE UNION FREE SCHOOL DISTRICT INC
	LAURA ROSS
	MIRIAM VILLEGAS
	MIRIAM VILLEGAS DO
	NANCY RUISI
	WILBER CLAUDIO
	ZENDESK TEST ACCOUNT
220	CAILEY HUTCHISON
	EILEEN HUTCHISON
	ROBERT HUTCHISON
224	BRIDGET DOHENY
	MARIO LOPEZ
	MARTHA ALVARADO
230	HARLEEN BEDI
234	SANDEE LARSEN
	ZHENJIE CHEN
235	CHAITALI PARIKH
	NILAM PARIKH
	PIYUSH PARIKH
	SHAIL PARIKH
	SHALL PARIKH
240	KAPALDIP KAUR
	NAVDEEP KAUR
242	JAMES SHEEHAN
	JOHN SHEEHAN
248	GLADYS JIMENEZ
	JOSE JIMENEZ
	MICHAEL JIMENEZ
	ROBERT JIMENEZ
	WILMER JIMENEZ
259	DENISE PRUSAK
	EDWARD PRUSAK
	JULIANA PRUSAK
	MATTHEW PRUSAK
	OLIVIA PRUSAK
265	ERIC KUNZ
	ERIN KUNZ
	JOSEPH KUNZ

Target Street	Cross Street	Source
✓	-	EDR Digital Archive

JERUSALEM AVE 2022 (Cont'd)

265	MARGARET KUNZ
	MICHELE KUNZ
	MICHELLE KUNZ
	MIRIAM ROSENBERG
281	ANGELA PORCU
	ELISA PORCU
	FRANK PORCU
283	FARIDA CHOUDHURY
	SUBHAN CHOUDHURY
287	CARLA HOENE
	EDWARD HOENE
290	IGNACIO MENDOZA
	SYEDSHAH QADRI
295	ELVIRA BIANCHINO
	GIACOMO BIANCHINO
298	BASHIR GAWHARY
	HELEN MOHMAND
	SHAMSUNNISA QADRI
299	TONY FIORE
301	JOAN ANGELAKIS
	K ANGELAKIS
	SHARON KISHANUK
302	DR EDWARD J ANTONELLIS PETPITHALIGY
	YAI
303	DORI HEGEL
	EDWARD HEGEL
	FRANCES HEGEL
	JEFFREY HEGEL
305	KARIN CALDWELL
306	ETTIE GANZ
	GENEROSO VARASSI
	ROSE VARASSI
309	ARUNA SHILAGANI
	CHAITANYA SHILAGANI
	DEVI SHILAGANI
	KRISHNA SHILAGANI
	PRAKASH SHILAGANI
311	CARLOS MEDRANO
	DAMARIS MEJIA
	MARK SMITH
	NATALIE MEDRANO
	NTICE DESIGNS CORP
	TOTAL HOME SOLUTIONS LLC
	TOTAL HOME SOLUTIONS, LLC
	TOTAL HOMES REALTY INC
319	ARYA SAMAJ OF LONG ISLAND INC
	INTI PERU
325	BEST PRODUCTS SALES & SERVICE INC
	HICKSVILLE GAS CORPORATION
333	ABC VAC & SEW

Target Street	Cross Street	Source
✓	-	EDR Digital Archive

JERUSALEM AVE 2022 (Cont'd)

337	JARMIN YEN
	SUMMIT DRY CLEANERS
341	BALJINDER KAUR
	MZF MEDICAL SERVICES PC
	NISREEN EZZI
	NISREEN J EZZI MD
	R K EMPORIUM INC
343	INDIA PENTECOSTAL ASSEMBLY CHURCH INC
377	LANDON TRAFICANTE
	TRAFICANTE CONTRACTING INC.
	VINCENT A TRAFICANTE
	VINCENT TRAFICANTE
385	M AND N INDUSTRIES
399	ANNMARIE ZACCHEO
	CVS PHARMACY
400	EPAKCHI SAEED
	LIBERTY MUTUAL INSURANCE
	MOSHE SCHUCK
	SAEED EPAKCHI
	SCHUCK, MOSHE DDS
404	JAMES NAPOLITANO
	JAMES NAPOLITANO CPA
	PHILIP TORNATORE
	PHILLIP TORNATORE
	SCHUMACHER THOMAS COUNSELOR
	SK SCANS INC
	THOMAS SCHUMACHER
	TORNATORE PHILIP M DDS
406	CHAUNCEYS BAR
	GENTRYSPUB
	S BS BAR
410	WASH & DRY
412	SUNS NAIL
413	7-ELEVEN
	ANDREW SZEGO
414	MONAOCS PIZZERIA
415	ALICIA SINGER
	SUSAN OWEN
416	HIBACHI AND NOODLE JAPAN
	J J CAFE HICKSVILLE
425	BUMYONG KIM
	H2H NAILS
	JAY CLEANERS
	PHILISE STAFFORD
	R K INCORPORATED
430	BHARATKUMAR A PATEL PHD
	DOLLAR TREE
	JAMES LYNN
	RITE AID CORPORATION
432	CAMILO RIOS

Target Street	Cross Street	Source
✓	-	EDR Digital Archive

JERUSALEM AVE 2022 (Cont'd)

432	DUNKIN
	DUNKIN DONUTS
434	ANNETTE THOMAS
	BEST FARMS FRASCH
	BEST YET MARKET
	BEST YET MARKET HICKSVILLE INC
	KRIS BUCCOLA
436	LASIA HAIR SALON
	MARIANNE WALSH
438	JERUSALEM LIQUOR STORE
	KARU NAGARAN
442	YOGGI 442
495	BEATRICE CARDINALE
497	ANTHONETTE FERRANTE
	RICCARDO FERRANTE
	V FERRANTE
	VINCENZINA FERRANTE
501	AIYSHA SAJJAD
	JOSEPH QUARESIMO
	RAFFAELE DIFINO
503	GAGAN GUJRAL
	SHALINI GUJRAL
505	DANIEL FISHER
511	GIOSINA MUSCARELLA
	NATALE MUSCARELLA
	PASQUALE MUSCARELLA
524	CLAUDIA LOBA
	KRZYSZTOF LOBA
	MARIA LOBA
527	ELENI POLITOPOULOS
530	KELSEY FIALA
	ROBIN FIALA
535	HICKSVILLE WATER DISTRICT PLANT 3
581	ADEL MOHAMED
583	JOSEPH HUBER
	PATRICIA HUBER

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2017

2	A 24 HOUR EMERGENCY JERUSALEM AVE LO
	HICKSVILLE PRO SHOP
	MANHATTAN SALON & SPA
3	JERUSALEM GARAGE DOORS
	LOCKS & KEYS LOCKSMITH
	STATION DELI CORP
4	HERE TO RESCUE LOCKSMITH
	MELODY TIME CORP
	NY EMERGENCY GARAGE DOORS
	PEOPLE CARE INC
6	PC COM
8	ALWAYS HERE GARAGE DOORS
	ANYTIME HANDYMAN CONSTRUCTION INC
	CHOICE DELI & RESTAURANT
	EMERGENCY LOCKSMITH GLEN
	GRILL JUNCTION
20	ASSURED LOCKSMITH COMPANY
	BANK OF AMERICA
	BANK OF AMERICA FINANCIAL CENTER
	CELLMAX INC
	DDHM ASSOCIATES
	DEVON ARCHITECTS PC
	GRAPPONE TECHNOLOGIES INC
	HORIZON HEALTH CARE STAFFING
	HORIZON STAFFING SOLUTIONS
	IN GARAGE DOORS
21	FRANKS BARBER SHOP
	INTERNATIONAL BARTENDERS
	JOYOUS MUSIC SCHOOL
	LEO J PYZYNSKI ARCHITECT
	PAN AM MORTGAGE INCORPORATED
	WOODBRIDGE KITCHEN DESIGNS
40	HICKSVILLE LAUNDRY CENTER
	JERICHO BAGELS
47	THOMAS F DALTON FUNERAL HOMES
60	APNI AUTO INC
62	24 HOUR 7 DAY EMERGENCY LOCKSMITH
	DAVALOS, BERNARDO C
	DIGIUSEPPE, ALEX D
	MANYA BARBER SHOP
	RIBIEV, MARK
	S & T CUSTOM ALTERATIONS & TAILORING
64	KAUR, NAVJOT
	PUFF, N
	RAO, MUHUMMAD
66	CANON COPIER AUTHORIZED SVCE
	SAKURA SPA NY INC
68	HOUSE OF
	HOUSE OF TALENT STUDIO
	HUDSON, JAMES H

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2017 (Cont'd)

70	APONE, ANGELO J
	IT TECH
	KAUR, SATNAM
	LINDSAY, RICHARD P
72	BASNET, ARUNA
	VULETIC, PETER
76	VITAGLIANO, LINDA
80	INTERSTATE HOME LOAN CENTER
	UNITED AUTO WORKERS LOCAL 259
91	RAINBOW WATER WORKS
	USA SPRINKLER COMPANY
95	CYCLE COMPUTER CONSULTANT
98	SOLOMON, MARTIN L
99	AGUILAR, JAIME I
	FLEMING, PAT
	PANTALEO, RITA M
104	MCDERMOTT, KEN G
	SCHMITT, CAROL A
108	BENAVIDES, RAQUE
118	JOHN DR MARINO DDS
	SOLOMON TIEGERMAN PHD
124	FRASER, ROSS R
125	HEALTH CORNER
	IRA L GOLDBERG PC
130	HOLY TRINITY EPISCOPAL CHURCH
169	HICKSVILLE PUBLIC LIBRARY
172	SIMON, PHILIP E
176	PASCALE, NICOLE
200	PIETRZAK, MICHAEL I
204	TON, JONATHAN
208	ACEMOGLU, BERCUHI A
215	HICKSVILLE MIDDLE SCHOOL
220	HUTCHISON, ROBERT P
224	DOHENY, BRIDGET
230	LABRADOR, ANTHONY K
234	CHEN, ZHENJIE
235	PARIKH, MILAM P
240	KAUR, KAPALDIP
242	SHEEHAN, JAMES R
248	JIMENEZ, ROBERT E
259	PRUSAK, EDWARD F
265	KUNZ, ERIC J
281	PORCU, FRANK L
283	CHOUDHURY, SUBHA M
287	HOENE, EDWARD J
290	AFRIDI, FAEQ
295	BIANCHINO, GIACOMO
298	HIRJI, ALI
299	FIORE, TONY S
301	KISHANUK, GARY

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2017 (Cont'd)

302	MACEDONIO, JARRETT W
	YOUNG ADULT I
	YOUNG ADULT INSTITUTE YAI
303	GAMBALE, CJ
	HEGEL, DORI J
	SCORCIA, DARLENE
306	CABRERA, ANGEL
311	DURAN, MANUEL A
325	HICKSVILLE GAS CORP
333	ABC VAC & SEW
	SEMOR APPLIANCE SERVICE CENTER INCOR
335	INDOOR YARDSALE
337	SUMMIT DRY CLEANERS
339	KATIE & COMPANY
343	INDIA PENTECOSTAL ASSEMBLY CHURCH IN
377	TRAFICANTE, AURELIO R
399	24 HOUR
	CVS PHARMACY
400	SAEED D EPAKCHI M D
404	JAMES NAPOLITANO CPA
	PHILIP M TORNATORE DDS
	THOMAS SCHUMACHER COUNSELOR
406	HICKSVILLE LOCKSMITH STORE
	HICKSVILLE PLUMBING HEATING & COOL
	S BS BAR
408	JADE CHINESE KITCHEN
412	AT YOUR SERVICE LOCKSMITH
	HICKSVILLE NAILS
	HICKSVILLE NEW YORK EMERGENCY GARAGE
413	7ELEVEN
414	AMERICANA KAFE
416	HICKSVILLE LOCKSMITH
	YOUR EVERYDAY GARAGE DOORS
419	VILLAGE DAIRY DRIVE IN INC
425	BRIGHT CLEANERS AT JERSUALEM INC
430	DOLLAR TREE
432	DUNKIN DONUTS
434	BEST YET MARKET
436	GOT YOUR KEYS GARAGE DOORS
	LASIA HAIR SALON
	THE LOCK SHOPPE LOCKSMITH
495	ROMANO, PETER J
497	FERRANTE, RICCARDO V
499	CENTRAL NASSAU GUIDANCE & COUNSELI
	WEST, JOHN
503	GAGAN, GUJRAL
505	PHELPS, JANICE M
511	MUSCARELLA, GIOSINA
524	LOBA, KRZYSZTOF K
527	DAMASKOPOULOS, SAM

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2017 (Cont'd)

530	FIALA, HARVEY F
581	DATTOMA, JOSEPH F
583	HUBER, JOSEPH J

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2014

2	HICKSVILLE PRO SHOP
	MANHATTAN SALON & SPA
3	CAFE MADINAH
	LOCKS & KEYS LOCKSMITH
4	HERE TO RESCUE LOCKSMITH
	MELODY TIME CORPORATION
6	PCCOM
8	ANYTIME HANDYMAN CONSTRUCTION INCORP
	CHOICE DELI & RESTAURANT
	EMERGENCY LOCKSMITH GLEN
10	PAPA JOHNS PIZZA
20	ASSURED LOCKSMITH CO
	ASSURED LOCKSMITH COMPANY
	DDHM ASSOCIATES
	GRAPPONE TECHNOLOGIES INCORPORATED
	HORIZON HEALTH CARE STAFFING
	SCARLETT, NORMA
21	FRANKS BARBER SHOP
	INTERNATIONAL BARTENDERS
	JOYOUS MUSIC SCHOOL
	KAKKAR BALRAM
	PAN AM MORTGAGE INCORPORATED
	WOODBRIDGE KITCHEN DESIGNS
40	HICKSVILLE LAUNDRY CENTER
	JERICHO BAGELS
	SSYJ DELI
47	DALTON THOM F FUNERAL HOME
60	APNI AUTOMOBILE INCORPORATED
	WISSER ENTERPRISES
62	24 HOUR 7 DAY EMERGENCY LOCKSMITH
	DAVALOS, BERNARDO C
	DIGIUSEPPE, ALEX D
	MANYA BARBER SHOP
	RIBIEV, MARK
64	PUFF N
68	HOUSE OF TALENTED STUDIO
	HUDSON, JAMES H
	RANA, FAIZ
	VICCORA, HELENANN M
70	APONE, ANGELO J
	IT TECH
	KAUR, SATNAM
	LINDSAY, RICHARD P
72	ROTH, NICOLE
76	MCCORMICK, THOMAS J
	MUSTAC, JOANN A
	STEIGELE, WALTER F
80	INTERSTATE HOME LOAN CENTER
91	RAINBOW WATER WORKS
	SPRINKLER COMPANY

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2014 (Cont'd)

91	USA SPRINKLER COMPANY
95	CYCLE COMPUTER CONSULTANT
	J WACHTER TREE & LANSCAPE
98	SOLOMON, MARTIN L
99	AGUILAR, JAIME I
	FLEMING, PAT
	PANTALEO, RITA M
104	MCDERMOTT, KEN G
	REILLY, MATTHEW T
108	BENAVIDES, RAQUE
	REA, LUIS H
	UY, PATRICIA L
118	MARINO JOHN DR DDS
	TIEGERMAN SOLOMON PHD
124	FRASER, ROSS R
125	HEALTH CORNER
	IRA L GOLDBERG PC
130	HOLY TRINITY EPISCOPAL CHURCH
169	HICKSVILLE FREE PUBLIC LIBRARY
172	SIMON, PHILIP E
176	OCCUPANT UNKNOWN,
200	PIETRZAK, MICHAEL
204	TON, JOAN M
208	ACEMOGLU, BERCUHI A
215	HICKSVILLE MIDDLE SCHOOL
220	HUTCHISON, ROBERT P
224	DOHENY, BRIDGET
230	LABRADOR, ANTHONY K
234	LARSEN, SANDEE
235	OCCUPANT UNKNOWN,
240	HOFFMAN, MORRIS
242	SHEEHAN, JAMES R
248	JIMENEZ, ROBERT E
259	PRUSAK, EDWARD F
265	KUNZ, ERIC
281	PORCU, ELISA M
283	CHOUDHURY, SUBHA M
287	HOENE, EDWARD J
290	OCCUPANT UNKNOWN,
295	BIANCHINO, GIACOMO
298	HIRJI, ALI
299	FIORE, TONY S
301	KISHANUK, GARY
302	CLOLERY, RICHARD H
	YOUNG ADULT INSTITUTE YAI
303	BASIR, SANA
	CARUSO, CLIFF
	OCCUPANT UNKNOWN,
305	OCCUPANT UNKNOWN,
306	VARASSI, GENEROSO

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2014 (Cont'd)

309	SHILAGANI, TANYA
311	DURAN, MANUEL A
319	CURVES
	PICCOLA ITALIA DELI
325	HICKSVILLE GASOLINE CORPORATION
333	ABC VAC & SEW
	ABC VACUUMS
	SEMOR APPLIANCE SERVICE CENTER INCOR
337	SUMMIT DRY CLEANERS
341	HICKSVILLE FIVE & TEN INC
	R K EMPORIUM INCORPORATED
360	DIETER, M
377	OCCUPANT UNKNOWN,
399	24 HOUR ONE HICKSVILLE EMERGENCY LOC
	CVS PHARMACY
400	SCHUCK MOSHE PC DMD
404	NAPOLITANO JAMES CPA
	SCHUMACHER THOMAS COUNSELOR
	TORNATORE PHILIP M DDS
406	HICKSVILLE PLUMBING HEATING & COOL
	S BS BAR
408	JADE CHINESE KITCHEN
410	WASH & DRY
412	HICKSVILLE NAILS
413	7ELEVEN
415	GREEN, JASON
416	FITS RIGHT LOCKSMITH
	HICKSVILLE LOCKSMITH
419	BOARDWALK CONVENIENCE
	VILLAGE DAIRY DRIVE IN INCORPORATED
425	BRIGHT CLEANERS AT JERSUALEM INCORPO
430	DOLLAR TREE
434	BEST YET MARKET
436	LASIA HAIR SALON
	THE LOCK SHOPPE LOCKSMITH
438	JERUSALEM LIQUOR STORE
495	ROMANO, PETER J
497	FERRANTE, RICCARDO V
499	WEST, JOHN
501	OCCUPANT UNKNOWN,
503	GAGAN, GUJRAL
505	PHELPS, ROBERT A
511	MUSCARELLA, PASQUALE
524	LOBA, KRZYSZTOF K
530	FIALA, HARVEY F
558	GREY, ANDREA
581	DATTOMA, JOSEPH F
583	HUBER, JOSEPH J
585	MADDEN, PATRICK J

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2010

2	NU STAR NAILS & DAY SPA
3	STATION DELI CORP
6	SUNCASTLE
8	HICKSVILLE VIDEO & FANCY WORLD
20	ASSURED LOCKSMITH CO
	BLISS EXTERMINATOR CO
	FAIRFIELD COUNTY SHOW BUS
	GRAPPONE TECHNOLOGIES INC
	HOME CARE THERAPIES
	HORIZON GROUP
	HORIZON HEALTHCARE STAFFING
	HORIZON STAFFING SOLUTIONS
	INDUSTRIAL TECHNIGRAPHICS CO
	JACOB STEIN REALTY
	JANSEN GROUP
	LANDSCAPE RESOURCES
	MODERN PLANNING II
	NASSAU SUFFOLK ELECTRIC CORP
	PROCOM
	PROFESSIONAL SPEAKING ANSWER
	REAL PROPERTY ASSESMENT CNSLTS
	U S LOGISTICS
	VULCAN BASEMENT WATERPROOFING
	WESTBURY TELEPHONE ANSWERING
21	INTERNATIONAL BARTENDERS
	KAKKAR BALRAM
	LOTUS SPA INC
	WOODBRIDGE KITCHENS
40	HARVEST DELI
	HICKSVILLE LAUNDRY CTR
47	THOMAS F DALTON FUNERAL HOMES
60	APNI AUTO INC
	WISSER ENTERPRISES
62	DIGIUSEPPE, ALEX D
	GERKEN, BARBARA
	MANYA BARBER SHOP
64	BHATTI, IBTISAM
	NELSON, ROBERT A
	PUFF N STUFF
	PUFF, N
66	ALL IN ONE MAINTENANCE INC
	TRAYER, DAVID H
	YILDIRIM, RAHMAN
68	ERA DONOVAN REALTY
	HOUSE OF TALENT STUDIO
	HUDSON, JAMES H
70	ALLEN, FRED A
	I T TECH
	SASHA CONSULTING
76	MCCORMICK, THOMAS J

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2010 (Cont'd)

76	THOMAS MC CORMICK
80	INTERSTATE HOME LOAN
91	RAINBOW WATER WORKS
	SPRINKLER CO
	TLC LAWN SPRINKLERS
95	CYCLE COMPUTER CONSULTANT
	J WACHTER TREE & LANDSCAPE
98	AIELLO, OLIVA
	M SOLOMON & CO INC
99	FLEMING, PAT
	HOFFMAN, GEORGETTE
104	APT
	CASSELLA, AUGUST J
108	AUGUST, J C
	BENAVIDES, RAQUEL
	BROWN, IESHA
	REA, LUIS H
118	ARLENE RUBIN MARRIAGE & FAMILY
	FARKAS ERVI
	HENIG HERBERT D DDS
	MANNO, JOHN
	MARINO JOHN DDS
	MARINO, JOHN
	TIEGERMAN SOLOMON
124	FRASER, ROSS R
125	IRA L GOLDBERG PC
	RIVER OF LIFE CHURCH
130	HOLY TRINITY EPISCOPAL CHURCH
169	HICKSVILLE PUBLIC LIBRARY
172	SIMON, PHILIP E
176	ZOUNEK, WILLIAM
200	PIETRZAK, RYSZARD
204	TON, JOAN M
208	ACEMOGLU, BERCUHI A
210	PAPA JOHNS PIZZA
215	HICKSVILLE MIDDLE SCHOOL
	VILLEGAS MIRIAM DO
220	HUTCHISON, ROBERT P
224	BRENNAN, EDWARD J
230	LABRADOR, ANTHONY K
234	LARSEN, SONDRA J
235	OCCUPANT UNKNOWN,
240	HOFNER, S
242	SHEEHAN, JAMES R
248	OCCUPANT UNKNOWN,
259	HICKSVILLE ELECTROLOGIST
	PRUSAK, EDWARD F
265	KUNZ, ERIC
281	PORCU, FRANK L
283	LENTINI, ANTHONY M

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2010 (Cont'd)

287	HOENE, EDWARD J
290	DINUZZO, NEIKO
295	BIANCHINO, GIACOMO
298	QADRI, SHAMSUNNISA
299	FIORE, TONY S
301	KISHANUK, GARY
302	CLOLERY, RICHARD H
	YOUNG ADULT INSTITUTE
303	FERGUSON, JAMES A
	HEGEL, JEFFREY F
305	GELORMINO, JOHN G
306	PRUZINER, WILLIAM M
309	SHIKOWITZ, MARK
311	MEDRANO, CARLOS A
	TOTAL HOME SOLUTIONS LLC
319	BRAVOS FAMILY MEXICAN RSTRNT
	CURVES
	NORBA IMPORT EXPORT
	PICCOLA ITALIA DELI
325	ACTIVA INC
	GEORGES PARK AVENUE BRAKE CO
333	ABC VAC & SEW
	SEMOR APPLIANCE SVC CTR INC
335	UNCLE LOUIE G
337	SUMMIT DRY CLEANERS
339	BEAUTY & BARBER
341	HICKSVILLE FIVE & TEN INC
	UNIVERSAL EATERY
343	INDIA PENTECOSTAL ASSEMBLY INC
360	DIETER, M
397	KITCHEN CATERING CORP
399	PETERS FRENCH CLEANERS & TLRS
400	FAMILY DENTAL
404	NAPOLITANO JAMES CPA
	SCHUMACHER THOMAS
	TORNATORE PHILIP M DDS
408	JADE CHINESE KITCHEN
410	WASH & DRY
412	SUNS NAIL
413	7ELEVEN
414	AMERICANA KAFE
415	MARTINEZ, CLAUDIA V
416	LENNYS PIZZA & PASTA
419	VILLAGE DAIRY DRIVE IN INC
425	MINUTE MAN CLEANERS
433	IORIO, DAVID M
434	BEST YET MARKET
436	LASIA HAIR SALON
438	JERUSALEM PLAZA LIQUOR
442	YOGGI 442

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2010 (Cont'd)

495	ROMANO, PETER J
497	FERRANTE, RICCARDO V
499	CENTRAL NASSAU GUIDANCECNSLNG
	WEST, JOHN
501	OCCUPANT UNKNOWN,
505	PHELPS, ROBERT A
511	MUSCARELLA, GIOSINA
524	LOBA, KRZYSZTOF K
527	POLITOPOULOUS, ELENI
530	FIALA, HARVEY F
577	CHEUNG, YAT L
581	DATTOMA, JOSEPH F
583	BHUIYAN, ABDUL
585	MADDEN, PATRICK J

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2005

3	STATION DELI
6	P C DOT COM
10	BOTTOMS UP PUB
	DELL & SONS INDUSTRIAL CO
16	TOPAKIAN, EDMOND A
20	ASSURED LOCKSMITH CO
	INTERNATIONAL BROTHERHOOD F EL
	JACOB STEIN REALTY INC
	LOCAL UNION 589
21	DEZBA ASSET RECOVERY INC
	HOLIDAY CONCESSIONS INC
23	OCCUPANT UNKNOWN,
42	EMPIRE DINER
47	THOMAS F DALTON FUNERAL HOMES INC
60	K L AUTO SERVICE
	WISSER ENTERPRISES
62	DIGIUSEPPE, ALEX D
	MALMAN, JEREMY
	PIVI-DAVALOS, G
	STYLING CHAIR INC
	VANGA, ROZALIA
64	DEJESUS, GLORIA
	PUFF N STUFF
	YANG, QI I
66	BOMBRIA, JASON M
	DINI, MATTHEW G
	MORALI, ERCAN
	YILDIRIM, RAHMAN
68	DONOVAN BROTHERS REALTY INC
	HUDSON, JAMES
	JEZZABELLE NAILS
70	IT TECH
	LYNCH, KEVIN F
	ONEILL, MARILYN M
	ZUNIGA, JOSE D
72	LUPUSWANSEY, MAZAR
76	STEIGELE, WALTER F
80	INTERSTATE HOME LOAN CENTER
91	RAINBOW WATER WORKS
	SPRINKLER CO
	T L C LAWN SPRINKLERS
95	SANTANA, JUAN
98	ADVANTAGE MEDICAL SOLUTIONS LTD
	AIELLO, OLIVA
99	DYRLIE, ERNEST J
104	A P T
	APT ELECTRICAL CONTRACTING
	MCDONALD, JACQUELINE K
	SABINO, SEBASTIAN
108	AUGUST, J C

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2005 (Cont'd)

108	BENAVIDES, RAQUEL
	DINAPOLI, JENI R
	MYERS, A
	REA, LUIS H
	SERRANO, KEITH
	UY, PATRICIA L
118	ANTMAN GLEICHER SALLY DR
	ERVI FARKAS PHD
	HERBERT D HENIG DDS
	JOHN MARINO DMD
	MARINO, JOHN
	SOLOMON TIEGERMAN
124	FRASER, ROSS R
125	THE RIVER OF LIFE CHURCH
130	HOLY TRINITY EPISCOPAL CHURCH
169	HICKSVILLE PUBLIC LIBRARY
172	SIMON, PHILIP E
176	MARTIN, PAUL H
200	CERVELLI, MICHAEL P
204	BONELLI, VINCENT
208	ACEMOGLU, ARTIN A
215	HICKSVILLE UNION SCHOOL DISTRICT
220	E BH HOCKEY SUPPLIES
	HUTCHISON, ROBERT P
224	BRENNAN, EDWARD J
230	LABRADOR, JOSEPH E
234	LARSEN, SONDRA J
235	COLWELL, JAMES P
240	HOFFMAN CAMERA CORP
	HOFNER, S
	SOLO SOUL
242	SHEEHAN, JAMES R
248	JIMENEZ, ROBERTO E
259	PRUSAK, EDWARD F
265	KUNZ, JOSEPH C
281	ELLINGER, WILLIAM
283	LENTINI, ANTHONY M
287	HOENE, EDWARD J
290	DESANTIS, GINO
295	BIANCHINO, GIACOMO
298	OCCUPANT UNKNOWN,
301	ANGELAKIS, JOAN K
302	CLOLERY, RICHARD H
	YOUNG ADULT INSTITUTE
303	HEGEL, JEFFREY F
	OCCUPANT UNKNOWN,
305	GERDTS, ROBERT J
306	VARASSI, GENEROSO
309	FABULOUS NOVELTIES COM INC
	SHILAGEN, PRAKESH

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2005 (Cont'd)

311 DIVERSITY ACQUISITION CORP
MEDRANO, CARLOS
TOTAL HOME SOLUTIONS LLC
319 CURVES FOR WOMEN
OCCUPANT UNKNOWN,
PICCOLA ITALIA INC
325 ACTIVATE INC
GEORGE S PARK AVENUE BRAKE & ALIGN
333 ABC VAC & SEW
STABRIT INC
337 HI TECH CLEANERS
339 GRACES NAIL STUDIO INC
341 UZELFOOD INC
343 INDIA PENTECOSTAL ASSEMBLY NEW YORK
377 TRAFICANTE LANDSCAPING INC
VALENSIA, JOSE A
397 KITCHEN CATERING CORP THE
LONG ISLAND BALLOON
399 JARMIN CORP
TEDDYS DELI
400 EPAKCHI SAEED
FAMILY DENTAL PC
401 HICKSVILLE FIVE & TEN INC
LONIS PLACE
404 ATLANTIC POWERWASHING INC
CHIDICHIMO PTER PHYS THERAPIST
GREEN SIDE UP LANDSCAPING CORP
HOLBROOK SECURITY SYSTEMS INC
JLA IMAGING SERVICES CORP
LEONARDO CAPITAL CORP
N G IMPORT EXPORT INC
PHYSICAL THERAPY & FITNESS OF HICKSV
SCHUMACHER THOMAS
THOMAS MCBRYDE OF FLA INC
TORNATORE PHILIP M
405 NORTH FORK BANK
408 JADE CHINESE KITCHEN
412 NAIL PORT
415 MARTINEZ, JEANNETTE
416 LENNYS PIZZA & PASTA
TRINOS CORP
425 MINUTE MAN CLEANERS
RK INC
430 ECKERD DRUG STORE
GENOVESE EXPRESS PHOTO
432 PRINCESS BAKERY OF HICKSVILLE
433 IORIO, DAVID M
434 SCATURRO FOOD MKTS
SCATURRO SUPERMARKET
436 LASIA HAIR SALON INC

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2005 (Cont'd)

438	JERUSALEM PLAZA LIQUOR
442	ALLIED STATIONERY
	YOGGI 442
495	CARDINALE, BEATRICE
497	SHAPIRO, LEE
499	CENTRAL NASSAU GUIDANCE CO
	WEST, JOHN
501	AHUJA, ANCHAL
502	DEFINO, R
503	DIFINO, ANTONIO
505	PHELPS, ROBERT A
511	MUSCARELLA, GIOSINA
524	LOBA, KRZYSZTOF K
527	WHITAKER, BEATRICE I
530	HARVEY, FIALA F
550	STAR NAIL SPA
577	CHEUNG, YAT L
583	HUBER, JOSEPH P
585	MADDEN, PATRICK J

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2000

2	SKIZZARS
3	STATION CAFE
4	BODY DESIGNS
	PEOPLE CARE INCORPORATED
8	RAGS THRIFT SHOP
10	AMITY ANSWERING SVCE
	BOTTOMS UP PUB
	DELL & SONS INDUSTRIAL COATING CORPORATION
16	PRECISION AUTO REPR
	TOPAKIAN, E
20	A ABLE PARKING SYSTEMS
	AAAAAAAA A ANSWERING SVCE OF HICKSVILLE
	AMITY ANSWERING SVCE MAIN O
	ANSWERPHONE INCORPORATED
	ANTONESCU WOLFE DAN MD
	BADHEY MOHAN R PC
	BELLANSWER TELEPHONE ANSWERING SVCE
	BIL RO LANDSCAPING CORPORATION
	BOSAN CONSULTING SVCES INCORPORATED
	BRADY W H COMPANY
	COMMUNICATION PLUS OF NASSAU
	EAST COAST SYSTEMS INSTALLERS INCORPORATED
	EMERGENCY LOCATOR WRAYMAC
	FIRST ATLANTIC TITLE INS CORPORATION
	HICKSVILLE TELEPHONE ANSWERING SVCE
	INTER COUNTY ROOFING SYSTEMS
	ISLAND TELEPHONE ANSWERING SVCE INCORPORATED
	LOCAL UNION 589 INTERNATIONAL BROTHERHOOD OF ELECTL WORKERS
	M R W COMMUNICATIONS CORPORATION
	MISHKIN MORRIS J CPA
	MODEREATERS INCORPORATED
	MODERN PLANNING II
	NASSAU SUFFOLK ELECTRIC CORP
	NORTH SHORE ANSWERING SERVICE
	PARKING SYSTEMS
	PERPIGNANO PETER ASSOCIATES
	PERRONE RONALD MD
	REAL PROPERTY ASSESMENT CONSULTANTS INCORPORATED
	REUBEN RITA S MD OFFICE
	ROYAL HEALTH CARE SVCES INCORPORATED
	STEIN JACOB REAL ESTATE
	TELEPHONE ANSWERING EXC INCORPORATED
	TELEPHONE ANSWERING SERVICE INCORPORATED
	THURER GERALD DR
	VERITY REFRGRTN INCORPORATED
	WESTBURY TEL ANSWRNG SVCE
21	BRINT ANDREW S CPA
	FLIGEL BRINT & COMPANY
	TAX TIPS
23	WEINER RICHARD M ATTORNEY

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2000 (Cont'd)

40	HICKSVILLE LAUNDRY CENTER
	JERICHO BAGELS
42	EMPIRE DINER
47	DALTON THOMAS F FUNERAL HOMES INCORPORATED
60	K L AUTO SERVICE
	WISSER ENTERPRISES
62	DIGIUSEPPE, ALEX
	STYLING CHAIR
64	DEJESUS, GLORIA
	PUFF N STUFF
66	A KNICKERBOCKER BUSINESS MACHINES INCORPORATED
	CANON COPIER AUTHORIZED SERVICE
	HEWLETT PACKARD AUTHORIZED SVCE
	KARAGOZ, A
	SILVER REED TYPEWRITER REPR SVCE
	YILDIRIM, RAHMAN
68	4X4 STORE DOT COM
	E R A DONOVAN REALTY
	GULD, JAMES
	JEZZABELLE NAILS
70	LYNCH, P
	ROMANOS HOME IMPROVEMENT CORPORATION
	RUDES, DANIEL
72	BUDZINSKI, THOMAS
	CEDEGREN, ANNA
76	MCCORMICK, THOMAS
	STEIGELE, WALTER
80	CHERTOCK RICHARD J ATTORNEY
	INTERSTATE HOME LOAN CENTER
90	ANCHOR BROKERAGE COMPANY INCORPORATED
	ARTHUR MONTGOMERY TAX PREPARATION
	SANI SYSTEMS LIMITED
91	RAINBOW WATER WORKS
	SPRINKLER COMPANY
	T L C LAWN SPRINKLERS
95	OCCUPANT UNKNOWN,
98	ADMIRAL ADVERTISING INCORPORATED
	AIELLO, OLIVIA
	SOLOMON M & COMPANY INCORPORATED
	SOLOMON, MARTIN
99	CASSELLA, AUGUST
104	A P T
	CASSELLA, AUGUST
	DENKO, ROBERT
	PEPPLES, MOIRA
	SABINO, J
108	DINAPOLI, JENI
	GREGORY, MATTHEW R
	REA, LUIS H
	UY, P

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2000 (Cont'd)

118	ANTMAN GLEICHER SALLY DR
	FARKAS ERVI DR
	HENIG HERBERT D DDS PC
	MARINO JOHN DR DDS
	SEGAL MIRIAM PHD
	TIEGERMAN SOLOMON PHD
124	CACOPERDO, PETER A
125	FORNES, L
	LEVY ZACHARY ATTORNEY
169	HICKSVILLE PUBLIC LIBRARY
172	SIMON, PHILIP
176	SHARKEY, MELISSA
200	MOLINARI, TODD
204	BONELLI, VINCENT
208	ACEMOGLU, ARTIN
	HORAK, GREGORY
220	DOHENY, EILEEN
224	BRENNAN, EDWARD J
230	LABRADOR, MARIE
	MORRIS, LUIGIA
234	RECKMAN, WILLIAM
235	OCCUPANT UNKNOWN,
240	HOFNER, S
242	SHEEHAN, JAMES
248	CALIX, RODOLFO N
259	HICKSVILLE ELECTROLOGIST
	PRUSAK, EDWARD
265	KUNZ, JOSEPH C
281	PORCU, FRANK
283	LENTINI, ANTHONY
287	HOENE, EDWARD
290	ATHANASOPOULOS, D
295	OCCUPANT UNKNOWN,
299	OCCUPANT UNKNOWN,
301	KISHANUK, ALICE
302	AHMED, FAROOQ
	ALI, ASIF
	RASHID, M
	SHABBIL, SOHAIL
303	ALOIZOS, DEMETRA
	BASMAS, TOMMY
	FERGUSON, JAMES A
	HEGEL, JEFFREY F
305	BENEVENTANO, ROBERT
306	PRUZINER, WILLIAM M
	VARASSI, G
	VARRASSI, GARY
309	MACK, M
311	ABBALLE, FRANCO J
319	STOP SHOP & GO

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2000 (Cont'd)

325	GEORGES PARK AVENUE BRAKE & ALIGNMENT COMPANY INCORPORATED
333	ABC VAC & SEW
	SEMOR APPLIANCE SVCE CENTER INCORPORATED
337	HI TECHNOLOGY CLEANERS
339	GRACES NAIL STUDIO INCORPORATED
360	FRIED ROBERT M PODIATRIST
366	SESSA, MARY J
377	TRAFICANTE LANDSCAPING INCORPORATED
397	KITCHEN CATERING CORPORATION THE
	LONG ISLAND BALLOON
399	MEYERS DELICATESSEN
	PETERS FRENCH CLEANRS TAILORS
400	EPAKCHI SAEED DMD
	FAMILY DENTAL
401	LONIS PLACE
	RAMSONS 5 & 10 VARIETY
403	QUALITY WHOL PRODUCE
404	CHIDICHIMO PETER A PHYSICAL THERAPIST
	FAMILY MEDICINE SPECIALISTS PC
	GEFFKEN JACK W DO
	SKLAR BARRETT D MD
	TORNATORE PHILIP M DDS
405	RELIANCE FEDERAL SAVINGS BANK
408	JADE CHINESE KITCHEN
412	NAIL PORT
413	KOSAL AUTO REPAIR & BODY SHOP
414	ALLIED DELCATESN
	ALLIED DELICATESSEN
415	SCHUMACHER THOMAS COUNSELOR
	TORNATORE PHILIP DDS
	TURETZKY STANLEY N DDS
416	LENNYS PIZZA & PASTA
419	VILLAGE DAIRY DRIVE IN INCORPORATED
425	MINUTE MAN CLEANERS
430	GENOVESE DRUG STORE
	HMJLM DEVELOPMENT CORP
432	PRINCESS BAKERY OF HICKSVILLE INCORPORATED
434	SCATURRO CHARLES & SONS
	SCATURRO FOOD MKTS
436	LASIA HAIR SALON
438	MIDWAY DISCOUNT LIQUORS
442	ALLIED STATIONERY
	PATEL, B M
495	CARDINALE, B
	ROMANO, PETER
497	FERRANTE, R
	GRABOW, C
499	WEST, JOHN
501	JERUSALEM FAMILY CHIROPRACTIC
	PAM DAVID B DC

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 2000 (Cont'd)

501	QUARESIMO, JOSEPH
503	DELLEDERA, VITO
505	PHELPS, ROBERT
511	MUSCARELLA, NATALE
524	ROSE, ROBERT R
527	WHITAKER, B I
530	FIALA, HARVEY
531	HUPFER, ALLEN
538	OCCUPANT UNKNOWN,
539	OCCUPANT UNKNOWN,
577	OCCUPANT UNKNOWN,
581	DATTOMA, JOSEPH F
	FAGAN, JAMES J
	J D PRATT INCORPORATED
583	HUBER, JOSEPH
585	MADDEN, PATRICK

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 1995

2	LA FEMMINA BEAUTY SALONS INC-SALON LOCATIONS-HICKSVILLE
	LEMON TREE UNISEX HAIRCUTTERS-SHOPS-HICKSVILLE
3	STATION CAFE
10	BOTTOMS UP PUB
16	PRECISION AUTO REPR
20	A & H ANSWERING SVCE
	A BELLANSWER PHONE SERVICE
	A BELLANSWER PHONE SVCE
	AAAAAAAA-A ANSWERING SVCE OF FARMINGDALE
	AAAAAAAA-A ANSWERING SVCE OF HICKSVILLE
	AAAAAAAAA ANSWERING SVCE OF SYOSSET
	ABLE PARKING SYSTEMS
	AMITY ANSWERING SVCE, MAIN OFC
	ANSWERPHONE
	ANSWERPHONE OF LONG ISLAND
	ANSWERPHONE OF NASSAU & SUFFOLK-MAIN OFFICE
	ANTONESCU-WOLFE, DAN, MD
	B S R CONTRCTNG CORP
	BELLANSWER TELEPHONE ANSWERING SVCE
	BIL-RO LANDSCAPING CORP
	BILL'S QUALITY CRAFT
	DOCTORS TEL ANSWERING EXCH OF HEMPSTEAD
	DUFFY ROOFING & SIDING CO
	FARMINGDALE TELEPHONE ANSWERING SVCE
	FIRST EMPIRE AUTO LEASE
	FORIER CONSTR
	HEMPSTEAD ANSWERING SERVICE
	HEMPSTEAD TEL ANSWERING SVCE
	HICKSVILLE A BELLANSWER PHONE SVCE
	HICKSVILLE TELEPHONE ANSWERING SVCE
	INTER COUNTY ROOFING SYSTEMS
	ISLAND TELE ANS SVCE INC
	ISLAND TELEMESSAGE SVCE INC
	ISLAND TELEPHONE ANSWERING SERVICE
	ISLAND TELEPHONE ANSWERING SVCE INC
	J M FLOOR SANDING CO
	LEUKEMIA AID AND ASSISTANCE-LEUKEMIA SOCIETY OF AMERICA INC
	M R W COMMUNICATIONS CORP
	MANHASSET BAY PLUMBING INC
	MASTER INSTALLATION & EQUIPMENT CO
	MISHKIN, MORRIS J, CPA
	MODEREATERS INC
	NORTH SHORE ANSWERING SVC
	PARKING SYSTEMS
	PEGASUS ETC
	PERRONE, RONALD, MD
	PSR TECHNOLOGY INC
	REUBEN, RITA S, MD OFC
	ROYAL HEALTH CARE SVCES INC
	SPRINT SECURITY SYSTEMS

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 1995 (Cont'd)

20	STEIN JACOB, RL EST
	SUNRISE HOUSEHOLD FUEL
	SWENSON-MAURER
	SYOSSET TELEPHONE ANSWERING SVCE
	T R W MEDICAL ELECTRONIC SVCES
	TELEPHONE ANSWERING EXC INC
	TELEPHONE ANSWERING EXCH OF HEMPSTEAD INC
	TELEPHONE ANSWERING EXCHANGE INC
	TELEPHONE ANSWERING SVCE HICKSVILLE
	THURER, GERALD
	VERITY REFRGRTN INC
	VULCAN
	VULCAN BASEMENT WATERPROOFING CO
	WESTBURY TEL ANSWRNG SVCE
21	BRINT, ANDREW S, CPA
	FLIGEL BRINT & CO
	FLIGEL, BERNARD I, CPA
	TAX TIPS
23	WEINER, RICHARD M, ATTY
40	HICKSVILLE LAUNDRY CENTER
	KWIK DISCOUNT CLEANERS
42	EMPIRE DINER
47	DALTON THOMAS F FUNERAL HOMES INC-HICKSVILLE
60	K L AUTO SERVICE
	WISSER ENTERPRISES
62	STYLING CHAIR
64	PUFF N STUFF TRADING CORP
66	A-KNICKERBOCKER BUSINESS MACHINES INC
	CANON COPIER AUTHORIZED SVCE
	HEWLETT-PACKARD AUTHORIZED SVCE
	KNICKERBOCKER BUSINESS MACHINES INC
	SIERRA-JUKI TYPEWRITER REPR SVCE
	SILVER-REED TYPEWRITER REPR SVCE
68	DONOVAN REALTY
	E R A DONOVAN REALTY
	SEMPRE MODA BOUTIQUE
70	BASEBALL CARD & COLLECTORS EXCH
80	CAMARDI, MICHAEL J MD PC
	CARPENTERS LOCAL UNION 1772 INC
	MELSHEDON INSURANCE AGENCY
89	HOBBY IMAGES
90	A & B HEALTH CARE SVC INC
	A & B HEALTH CARE SVCE INC
	ADMIRAL ADVTNG
	EMESCO SVCS CORP
	GLICK & GLICK
91	RAINBOW WATER WORKS
	SPRINKLER COMPANY
	T L C LAWN SPRINKLERS
104	A P T

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 1995 (Cont'd)

118	ANTMAN-GLEICHER, SALLY DR
	FARKAS, ERVI DR
	HENIG, HERBERT D DDS PC
	KAPPENBERG, CATHERINE FAITH
	MARINO, JOHN, DDS
	SEGAL, MIRIAM, PHD
	TIEGERMAN, SOLOMON, PHD
125	LEVY, ZACHARY, ATTY
169	HICKSVILLE FREE PUBLIC LIBRARY
	HICKSVILLE PUBLIC LIBRARY
259	HICKSVILLE ELECTROLOGIST
319	NAPA AUTO PARTS
	VALOR AUTO PARTS CORP
325	GEORGE'S PARK AV BRAKE & ALIGNMENT CO INC
333	ABC VAC & SEW
	SEMOR APPLIANCE SVCE CENTER INC
337	HI-TECH CLEANERS
341	PIZZA HUT-DELIVERY OR CARRYOUT
360	MORAN, JOSEPH, DPM
377	TRAFICANTE LANDSCAPING INC
385	KAMMSON INDUSTRIES INC
	M & N INDUSTRIES
397	LONG ISLAND BALLOON
399	MEYER'S DELICATESSEN
400	RACKSON, CHESTER B DDS PC
401	BOB AND FRANS DISCOUNT
	MONIKA'S LTD
	RAMSON'S VARIETY
403	QUALITY WHOL PRODUCE
404	ARCATI, ANTHONY T, MD OFC
	CHIDICHIMO, PETER A, PHYSICAL THERAPIST
	FAMILY MEDICINE SPECIALISTS PC
	SKLAR, BARRETT D, MD OFC
405	BANK OF WESTBURY
406	BANK OF WESTBURY
408	JADE CHINESE KITCHEN
412	NAIL PORT
413	KOSAL AUTO REPAIR & BODY SHOP
414	ALLIED DELCATESN
	ALLIED DELICATESSEN
415	SCHUMACHER, THOMAS, COUNSELOR
	TORNATORE, PHILIP, DDS
	TURETZKY, STANLEY N, DDS
416	LENNY'S PIZZA & PASTA
419	VILLAGE DAIRY DRIVE-IN INC
420	KARATE SHOP
422	PETER'S FRENCH CLEANRS & TAILORS
424	RAMSON'S 5 & 10
425	MINUTE MAN CLEANERS
428	MIDWAY DISCOUNT LIQUORS

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 1995 (Cont'd)

430	LEVCO DRUG CENTR
432	PRINCESS BAKERY OF HICKSVILLE INC
434	SCATURRO FOOD MKTS
436	L'ASIA HAIR SALON
438	DIVA FLORAL DESIGN
440	IRENE'S BOUTIQUE
442	ALLIED STATIONERY
501	JERUSALEM FAMILY CHIROPRACTIC
	PAM DAVID B, DC
577	POOL MAN INC
581	J D PRATT INC

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 1992

1	JERICHO YELLOW CAB CO
2	LA FEMMINA BEAUTY SALONS INC-SALON LOCATIONS-HICKSVILLE
	LEMON TREE UNISEX HAIRCUTTERS-SHOPS-HICKSVILLE
3	SILVER STREAK CAFE
6	ISLAND RAPID REPRO INC
8	HICKSVILLE GROCERY
10	BOTTOMS UP PUB
16	PRECISION AUTO REPR
20	A & H ANSWERING SVCE
	A BELLANSWER PHONE SERVICE
	A BELLANSWER PHONE SVCE
	A CAPGO
	AAAAAAAA-A ANSWERING SVCE OF FARMINGDALE
	AAAAAAAA-A ANSWERING SVCE OF HICKSVILLE
	AAAAAAAAA ANSWERING SVCE OF SYOSSET
	ADMEN GRAPHICS SUPL
	AMITY ANSWERING SVCE, MAIN OFC
	ANSWERING EXCH INC
	ANSWERPHONE
	ANSWERPHONE OF LONG ISLAND
	ANSWERPHONE OF NASSAU & SUFFOLK-MAIN OFFICE
	ANTONESCU-WOLFE DAN, MD
	B S R CONTRCTNG CORP
	BELLANSWER TELEPHONE ANSWERING SVCE
	BRITON DUNHILL & LLOYD INC
	BROOKTOWN TV INC
	CALENDAR PRODS INC
	DOCTORS TEL ANSWERING EXCH OF HEMPSTEAD
	E-DELE PAINT PRODS CO INC
	ETTINGER, PHYLLIS, PHYSTHRPST
	EVER-READY MECHANICAL INC
	FARMINGDALE TELEPHONE ANSWERING SVCE
	FARRELL, EDWARD J, ATTY
	FISH OF MID-ISLAND
	FORIER CONSTR
	GREENVALD W I J CORP
	H L FERGENSON ASSOCS
	HEMPSTEAD ANSWERING SERVICE
	HEMPSTEAD TEL ANSWERING SVCE
	HICKSVILLE A BELLANSWER PHONE SVCE
	HICKSVILLE TELEPHONE ANSWERING SVCE
	ISLAND TEL ANS SVC
	ISLAND TELE ANS SVCE INC
	ISLAND TELEMESSAGE
	ISLAND TELEMESSAGE SVCE INC
	ISLAND TELEPHONE ANSWERING SERVICE
	ISLAND TELEPHONE ANSWERING SVCE
	ISLAND TELEPHONE ANSWERING SVCE INC
	LANDSCAPE CREATIONS BY ANDERSON BROS
	LEUKEMIA AID AND ASSISTANCE-LEUKEMIA SOCIETY OF AMERICA INC

JERUSALEM AVE 1992 (Cont'd)

20	LONG ISLAND VETERINARY MEDICAL ASSOC
	LYNCH & NEILLY, ATTYS
	LYNCH, JOHN J, ATTY
	MARKETING DISTRIBUTION SYSTEMS INC
	MASTER INSTALLATION & EQUIPMENT CO
	MID-ISLAND TELEPHONE ANSWERING SVCE INC
	MISHKIN, MORRIS J, CPA
	MODEREATERS INC
	NATIONAL WESTMINSTER BANK USA-BRANCHES-HICKSVILLE
	NEILLY, JAMES R, ATTY
	PARKING SYSTEMS
	PENEPENT, ANTHONY, MD
	PERRONE, RONALD, MD
	ROTHSTEIN, LEO H, CPA
	ROYAL HEALTH CARE SVCES INC
	SEAFORD TELEPHONE ANSWERING SVCE INC
	SENTRY CHEMICAL CO INC
	SHIELD AUTO SALES
	SPRINT SECURITY SYSTEMS
	STEIN JACOB, RL EST
	SUMMIT LAND SALES CO
	SUNRISE HOUSEHOLD FUEL
	SYOSSET TELEPHONE ANSWERING SVCE
	TELEPHONE ANSWERING EXC INC
	TELEPHONE ANSWERING EXCH OF HEMPSTEAD INC
	TELEPHONE ANSWERING EXCHANGE INC
	TELEPHONE ANSWERING SVCE HICKSVILLE
	TELEPHONE ANSWERING SVCE OF NASSAU & SUFFOLK
	THURER, GERALD
	WESTBURY TEL ANSWERING SVCE
21	FRED VILLARI'S STUDIOS OF SELF DEFENSE
	VILLARI'S STUDIOS OF SELF DEFENSE
23	A A A HOLLYWOOD
	FAMILY SERVICE ASSOCIATION HICKSVILLE
	HOLLYWOOD COMMERCIAL RENEWALS
	SCRATCH & DENT APPLIANCE CORP
	VIETNAM VETERANS RESOURCE CENTER
40	KWIK DISCOUNT CLEANERS
42	EMPIRE DINER
47	DALTON THOMAS F FUNERAL HOMES INC-HICKSVILLE
60	K L AUTO SERVICE
62	DIGIUSEPPE, A
	STYLING CHAIR
64	PUFF N STUFF TRADING CORP
66	A-KNICKERBOCKER BUSINESS MACHINES INC
	CABRERA, HILDA S
	CANON COPIER AUTHORIZED SVCE
	KNICKERBOCKER BUSINESS MACHINES INC
	SIERRA-JUKI TYPEWRITER REPR SVCE
	SILVER-REED TYPEWRITER REPR SVCE

JERUSALEM AVE 1992 (Cont'd)

66	SINGH, KASHMIR
68	BARON, EDWARD
	DONOVAN REALTY
	E R A DONOVAN REALTY
	MAMUS, JOHN
70	BASEBALL CARD & COLLECTORS EXCH
	LYNCH, P
	NATHANSON, K
	VELASQUEZ DE CHAVEZ, NELLY DE JESUS
72	MOTEK, KATHERINE
	NEAL, J
76	SCHOENFELD, RICHARD & KERRIE
80	CAMARDI, MICHAEL J MD PC
	CARPENTERS LOCAL UNION 1772 INC
	MELSHEDON INSURANCE AGENCY
89	HOBBY IMAGES
90	A & B HEALTH CARE SVC INC
	A & B HEALTH CARE SVCE INC
	ADMIRAL ADVTNG
	GLICK & GLICK
	INTERGRAPHIC MACHINE & SUPL INC
	INTERGRAPHIC MACHINE & SUPPLY INC
	KINGS CROWN REALTY LTD
	SOLOMON M & CO INC
91	HUETTNER, ARTHUR F
95	PULS, WAYNE
99	CASSELLA, AUGUST JR & RUTH
	THORRICK, J
101	KUNTZI, WILBUR
104	A P T
	ALPS CESSPOOL SVCE
	ALPS PLUMBING & HEATING
	ALPS PLUMBING & HEATING INC
	CASSELLA, AUGUST
	MCDONALD, JACQUELINE
	PEPPLES, MOIRA
108	CASSELLA, AUGUST
	DRAGOO, LORI
	KNAVEL, TIMOTHY
118	GIORDANO, PAULA, DDS
	HENIG, HERBERT D DDS PC
	SEGAL MIRIAM, DR KAPPENBERG CATHERINE FAITH
	SEGAL, MIRIAM, PHD
	TIEGERMAN, SOLOMON, PHD
124	CIANNELLA, DOMENICK K
125	FORNES, L
	LEVY, ZACHARY, ATTY
169	HICKSVILLE FREE PUBLIC LIBRARY
	HICKSVILLE PUBLIC LIBRARY
172	SIMON, PHILIP & LUCIA

Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 1992 (Cont'd)

176 FAMIGLETTI, ROBERT
200 WOOLEVER, THOMAS R
208 ACEMOGLU, ARTIN
220 DOHENY, MICHAEL
224 BRENNAN, EDW J
230 LABRADOR, M
MORRIS, EARL W
234 MCGANN, JOHN P
235 COLWELL, MAUREEN
REARDON, J
240 HOFNER, S
242 SHEEHAN, JAMES
259 HICKSVILLE ELECTROLOGIST
265 ASSURED CLEANING SERVICES
GULLANS, ROGER
283 LENTINI, ANTHONY
287 KAPPLEMANN, ANITA
290 FERRUZZI, JOHN
FERRUZZI, VINCENT
295 CANNAVINA, ANDREA & DAN
298 FLORES, MARCO A
REDDY P,
SPARA, JACK
301 KISHANUK, ALEX
302 ANDERSON, WOODROW, JR
GODFREY, SANDRA
303 FERGUSON, JAMES A
LOWENHAUPT, ROBERT W
NAVROT, C
305 BENEVENTANO, ROBERT
306 MC CARTNEY, DANIEL J
MILLAN, MARTHA
311 BENO, JOHN
319 VALOR AUTO PARTS CORP
325 GEORGE'S PARK AV BRAKE & ALIGNMENT CO INC
333 ABC VAC & SEW
335 WASCOMAT WASH CENTER
337 HI-TECH CLEANERS
339 LA BARBIERA HAIRCUTTERS
341 VOLPE'S DELCATESN
377 TRAFICANTE LANDSCAPING INC
TYERS, D
385 KAMMSON INDUSTRIES INC
M & N INDUSTRIES
397 LONG ISLAND BALLOON
399 ALEIXO, MANUEL
GEGZNA, RAYMOND A
MEYER'S DELICATESSEN
MONTALVO, EDWIN
400 RACKSON, CHESTER B DDS PC


Target Street	Cross Street	Source
✓	-	Cole Information

JERUSALEM AVE 1992 (Cont'd)

401	BOB AND FRANS DISCOUNT
	MONIKA'S LTD
403	QUALITY WHOL PRODUCE
404	ARCATI, ANTHONY T, MD OFC
	CHIDICHIMO, PETER A, PHYSICAL THERAPIST
	FAMILY MEDICINE SPECIALISTS PC
	SKLAR, BARRETT D, MD OFC
405	WESTBURY FEDERAL SAVINGS & LOAN ASSOC
408	JADE CHINESE KITCHEN
412	VIDEO QUEST
413	ALEX AUTO REPAIR & BODY SHOP
414	ALLIED DELCATESN
	ALLIED DELICATESSEN
415	SCHUMACHER, THOMAS, COUNSELOR
	TURETZKY, STANLEY N, DDS
416	LENNY'S PIZZA & PASTA
420	CINNAMON BOOKS
422	PETER'S FRENCH CLEANRS & TAILORS
424	RAMSON'S 5 & 10
425	MINUTE MAN CLEANERS
428	MIDWAY LIQUORS
430	LEVCO DRUG CENTR
432	NEW CROWN BITTI BAKE SHOP
434	GRAND UNION COMPANY THE-DIVISION EXECUTIVE OFFICE-STORES-HIC
436	L'ASIA HAIR SALON
438	ABBOTT'S FLORIST
440	IRENE'S BOUTIQUE
442	ALLIED STATIONERY
499	PILGRIM, RUSSEL
501	LACKRITZ, BUDDY M
	REILLY, C
503	DELLEDERA, VITO
511	MUSCARELLA, NATALE
527	FLOMER, ARTHUR
530	FIALA, HARVEY, JR
577	BULKLEY, ROBERT A
	POOL MAN INC
581	DATTOMA, JOSEPH
	DATTOMA, JOSEPH F
	FAGAN, JAMES J
583	KESSLER, P
585	MADDEN, PATK
406407	WESTBURY FEDERAL SAVINGS & LOAN ASSOC

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

JERUSALEM AVE 1987



● JERUSALEM AVE 11801

Hicksville PO

1– 160 CT5193 $D..G11
161– 585 CT5192 $D..H11

1★ Jericho Yellow Cab . . 931-8000
2★ Lafemmina Bty Saln . .76 935-1292
★ Lemon Tree Haircut . .78 935-1259
6★ Islnd Rapd Repro . . .73 433-0630
10★ Bottoms Up Pub . . .81 931-9702
16 . . . . . NP
20★ A 938-4444
★ Aaaa-A Answrng Srv . 249-3000
★ Aaaa-A Answrng Srv . 931-5765
★ AAAAAAAA-A Answrg 921-2600
★ A Capgo 78 921-8267
★ Able Fire Equip Co . . 694-0112
★ Admen Graphcs Sply .85 349-2931
★ All Amer Rfng&Sdng . ¤ 496-9755
★ All State Motr Clb . .83 364-1900
★ American Turbne Co .85 293-2558
★ Amity Answrng Srv . .82 935-4434
★ Anderson Bros Lnds . . 922-3066
★ Arrow Extrmntg Co . . – 433-7770
★ Avon Products Inc . . 433-7771
★ BSR Contractng Crp .83 933-1321
★ Brooktown Elct Sv . .72 931-1800
★ Brooktown Electrnc . .72 931-1800
★ T V Brooktown Inc . .72 931-1800
★ Caddy McHnry Co . . . ¤ 694-4831
★ Calendar Prods 433-4444
★ Co Soda Systems . . .84 681-5613
★ Custom Design Data .81 931-5765
★ Dial-A-Mattress 84 628-8737
★ Direct Dental 85 293-2557
★ Driver Improvmt 85 249-3331
★ E-Dele Paint Co . . . 433-1548
★ Farmngdl A A Answr . 249-3000
★ Farmngdl A A Answr . 694-0500
★ Farmngdl Wndw Clng . 931-1800
★ E J Farrell Aty 77 931-5200
★ Ferrara Contr 78 921-1041
★ Fish of Mid-Islnd . . .70 938-6333
★ Forier Constr 85 933-1336
★ L L Futterman Aty . .84 681-4488
★ Graph Coat Inc 82 433-2792
★ Green Acrs Landscp . .83 931-1800
★ W I J Greenvald . . . 822-2800
★ H L Fergenson Assc .85 681-4500
★ Hicksvll AA Ans Sv . . 931-5765
★ Island Tel Ans Sv . . ¤ 681-4500
★ ISL Telephn Answrn .76 433-4444
★ Islnd Tele Answrng . .76 433-4444
★ Island Tel Answrng . . 694-0500
★ Israel Bonds 75 681-5400
★ Jedierowski Window .81 931-3335
★ Kennedy Limousines . .77 935-4457
★ L J Security Inc . . . ¤ 938-2199
★ Landscape Creation . . 922-3066
★ Leukemia Aid&Assis . .76 938-3900
★ R Lipkin Co 79 922-7131
★ LI Veterinary Mdcl . .77 694-0500
★ John J Lynch Aty . . .74 931-5200
★ Lynch&Neilly Aty . . .78 931-5200
★ Master Instl&Eqpm . .84 933-1317
★ Mastercraft Applnc . . – 433-5942
★ W McGunnigle&Son . .85 334-2156
★ M J Mishkin CPA . . .77 822-4711
★ Modereaters Inc 81 938-6556
★ NAS Sfk Fire Extgr . .77 921-2600
★ Ntl Westminster Bk . .73 935-1500
★ James R Neilly Aty . .81 931-5200
★ NE Carpet&Flr Svcs . . ¤ 935-4546
★ Oyster Bay AA Svc . . 922-5900
★ Parking Systems . . .80 822-1221
★ Regal Exterminatng . .79 938-4444
★ Sentry Chemical Co . .82 349-2900
★ Sentry Chemical . . .82 349-2910
★ Shearson Cptl Crp . . ¤ 931-1313
★ Sidney Sherrin CPA . .79 822-9668
★ S D Siegel Assocs . .74 822-7170
★ Stuart A Sinclair . . .83 935-2086
★ Southwstrn Indstrs . .79 420-8353
★ Sprint Security 85 933-1306
★ St of Israel Bond . . .77 681-5400
★ Jacob Stein RI Est . . 938-6012
★ Sun-Glo Clng&Pntng . ¤ 933-1357
★ A A Syosset Serv . . 921-2600

© COPYRIGHT INFORMATION ON THIS PAGE

¤ — New Listing To The Directory – — New Listi

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

JERUSALEM AVE 1987

20	★	Tlphn Answrng Srv	. .		938-8600
	★	Telephone Answerng	.		935-4444
	★	Telephone Answg Sv	.		694-0500
	★	Telephn Answrg Svc	.		921-2600
	★	Telephone Answg Sv	.		922-5900
	★	Dr Gerald Thurer	. . .	74	433-6844
	★	Trav-A-Dial Dial	. . .	73	420-8353
	★	Welcome Wagon Intr	.	72	931-5765
	★	J D Wells Corp	. . . .	84	935-1111
	★	William-James Rlty	. .	80	935-4546
	★	M H Willig Assocs	. .	74	822-7170
	★	Willig&Siegel	. . . . .	74	822-7170
23	A ★	Help-Aid-Dirctn	. . .	83	935-6858
	A ★	Jean Philip&Co Inc	.	⌑	822-0200
	A ★	Vertical Computer	.	85	933-8190
	A ★	Vietnam Vets Rsrce		85	935-6858
40	★	Fashion Floors Inc	. .	74	938-4476
	★	Kwik Discount Clnr	. .	81	931-9269
	★	R J Foote Fashions	. .	85	938-4476
42	★	Empire Diner	. . . . .		433-3350
47		Richard Brucato	. . . .	73	433-0770
	★	T F Dalton Fnrl Hm	. .		931-0262
60	★	Joros Svce Sta	. . . .	85	935-1611
62		J Augustowski	. . . . .	⌑	681-5813
		A Digiuseppe	. . . . .	79	931-6356
	★	Exquisite Gifts	. . . .	⌑	935-0943
64		William Clark	. . . . .	81	681-0234
	★	Donovan Agency	. . .	83	822-1222
	★	Donovan Realty	. . . .	82	822-1222
	★	ERA Donovan Realty	.	⌑	939-0333
66	★	A M Dental Labrtry	. .	83	931-0126
		Hilda S Cabrera	. . . .	85	822-2758
		A Skorpil	. . . . .	75	822-9733
68		Dolores Bonura	. . . .	⌑	935-1653
		Michael J Busch	. . . .	83	935-4688
		Joseph Donovan	. . . .	⌑	935-4774
	★	Peter Kenney Flwrs	. .	78	931-7481

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

JERUSALEM AVE 1982

JERUSALEM AVE 11801
Hicksville PO
1- 160 TZ5193 $D..G 7
161- 585 TZ5192 $D..F 7
079200

1	★Jericho Yellow Cab	931-8000
2	★House of Energy	931-6556
	★Lafemmina Bty Saln	935-1292
	★Lemon Tree Haircut	935-1259
	★Primary Electric	681-0606
6	★Islnd Rapd Repro	433-0630
8	★Drug Masters Inc	681-1200
10	★Bottoms Up Pub	931-9702
16	★National Body Shop	938-4040
20	★A	938-4444
	★Aaaaaaaa-A Answrg	249-3000
	★Aaaaaaaa-A Answrg	931-5765
	★Aaaaaaaa-A Answrg	921-2600
	★A A Arnsn CRS	752-7737
	★Able Fire Equip	694-0112
	★Action Alarm Co	694-0500
	★Anderson Bros Lnds	922-3066
	★Arrow Exterminatng	433-7770
	★Avon Products Inc	433-7771
	★W H Brady Comp	433-6088
	★Brooktown Elct Sv	931-1800
	★Bryce Rolls Royce	931-4840
	★Calendar Prods	433-4444
	★Capgo Limousine Sv	921-8267
	★Capital Apinc Co	694-5099
	★Custom Design Data	931-5765
	★D&D Enterprises	681-6550
	★Del Rossos Klean	249-2410
	★Development Israel	681-5400
	★Dorco Industries	938-3500
	★E-Dele Paint Co	433-1548
	★Econo-Car Rental	681-8412
	★Elegant Tag Sl Svc	922-5900
	★Farmngdl A A Answr	249-3000
	★Farmngdl A A Answr	694-0500
	★Farmngdl Wndw Clng	931-1800
	★E J Farrell Atty	931-5200
	★Federal Cleaning	938-8770
	★Ferrara Contr	921-1041
	★Fish of Mid-Islnd	938-6333
	★Flanagan Agncy Ins	935-4546
	★Fram Corporation	938-1177
	★Global Cleaning Sv	938-3500
	★Global Maintenance	433-5540
	★Rose M Goetz	922-1140
	★Grand Carpet Clng	628-8211
	★Grassi Sheet Metal	938-8600
	★Hcksvl AA Answg Sv	681-4500
	★Hicksvll AA Ans Sv	931-5765
	★Hicksville TV Ser	931-0005
	★Hicksvl Window Cln	938-8600
	★Indstrl Tchngrphcs	293-4429
	★Island Reptg Corp	935-6464
	★Island Tele Answrg	938-4444
	★Island Tel Answrng	433-4444
	★Island Tel Answrng	694-0500
	★Island Tel Answrng	935-4444
	★Israel Bonds	681-5400
	★J & M Carriers	681-4500
	★J M Carting Co	922-1515
	★Jedierowski Window	931-3335
	★C J Kantor CPA	433-1010
	★Kennedy Limousines	935-4457
	★Landscape Creation	922-3066
	★Harry Lemberg CPA	822-4711
	★Leukemia Aid&Assis	938-3900
	★Robert Lipkin Coln	922-7131
	★Ll Veterinary Mdcl	694-0500
	★John J Lynch Atty	931-5200
	★Lynch&Neilly Atty	931-5200

S AUTHORIZED IN WRITING BY THE PUBLISHER
C — Census Tract Wealth Rating CL10 — Map Location

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

JERUSALEM AVE 1982

		11801	
20	★Marketing Magic In		694-0500
	★Mickeys Remodeling		931-6489
	★M-I Ctrl Sta Mnt		931-1809
	★M J Mishkin CPA		822-4711
	★Modereaters Inc		938-6556
	★Modern Co Coffee		293-6576
	★Modern Co Maintnce		293-6576
	★NAS Sfk Fire Extgr		921-2600
	★National Bank N A		935-1500
	★James R Neilly		931-5200
	★Nevamar Corp		931-1494
	★Owls Head Jwlry		681-4500
	★Oyster Bay AA Svc		922-5900
	★Parking Systems		822-1221
	★L Pickard&Co CPA		935-1100
	★Refrigeratn&Applnc		922-6655
	★Regal Exterminatng		938-4444
	★Reliable Clnrs		938-8600
	★H Sadowsky&Assocs		681-6550
	★Sidney Sherrin CPA		822-9668
	★S D Siegel Assocs		822-7170
	★Southwstrn Indstrs		420-8353
	★St of Israel Bond		681-5400
	★Jacob Stein Rl Est		938-6012
	★Storage Tech Corp		822-8355
	★A A Syosset Serv		921-2600
	★Telephone Answ Ser		938-8600
	★Tel Answering Serv		938-3500
	★Telephone Answerng		935-4444
	★Telephone Answg Sv		694-0500
	★Telephn Answrg Svc		921-2600
	★Telephone Answg Sv		922-5900
	★Thompson Bagel Mch		293-2716
	★Dr Gerald Thurer		433-6844
	★Top Line Fasteners		921-2600
	★Trans AM Machinery		938-6630
	★Trav-A-Dial Sls&Sv		420-8353
	★Union Capital Corp		681-6622
	★Welcome Wagon Intr		931-5765
	★William-James Rlty		935-4546
	★M H Willig Assocs		822-7170
	★Willig&Siegel		822-7170
	★Zekon Plastics Aso		249-5990
21	★Pierre Stationers		938-8398
40	★Fashion Floors Inc		938-4476
42	★Empire Diner		433-3350
47	Richard Brucato	.73	433-0770
	★T F Dalton Fnrl Hm		931-0262
62	A Digiuseppe	.79	931-6356
	★Plain&Fancy Bridal		935-1763
	H Sulewski	.79	931-3348
64	William Clark	-	681-0234
	Jadwiga Edwards	.79	822-1031
	Curt Epstein	-	822-6135
	★3-Way Whol Dstrbtr		931-8995
	C B Ziccardy		822-6135
66	A Skorpil	.75	822-9733
	★Something Old		935-9502
68	A T Barry	.77	931-1683
	★Flowers By Kenney		931-7481
	★Peter Kenney Flwrs		931-7481
	A Schultz	.78	822-9442
70	R Areson	.76	433-3845
	★Basebl Crd&Clr Exc		822-4089
	Stanley Sulewski	.74	822-2026

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

JERUSALEM AVE 1977



JERUSALEM AV 11801

Hicksville PO

1 - 160 TZ 5193 $D..G 7
161 - 585 TZ 5192 $D..F 7

1★Jericho Yellow Cab .. WE1-8000
2★Lafemmina Bty Sain .. – 935-1292
3★Supacycles .. 822-5508
4★A&F Station Stop .. 931-9491
6★Isind Rapd Repro .. 433-0630
8★Drug Masters Inc .. 681-1200
10★The Lounge .. 931-9702
17★Hi-Trac Transmssns .. 433-3508
20★A .. 938-4444
★Aaaaaaaa-A Answrg .. CH9-3000
★Aaaaaaaa-A Answrg .. WE1-5765
★Aaaaaaaa-A Answrg .. WA1-2600
★A A Brnts Cesspool .. WE5-4444
★A A Extrmintg .. WE1-5765
★AMD Fuel Oil Inc .. 935-8436
★A-1 Sewer&Drain .. WE1-5765
★Able Fire Equip .. 694-0112
★Action Alarm Co .. □ MY4-0500
★Amulet Security .. □ 938-6250
★Anderson Bros Lnds .. WA2-3066
★Arrow Exterminatng .. GE3-7770
★Avon Products Inc .. 433-7771
Robert E Boerckel .. 5 681-2266
★Bradshaw Dairy .. – 249-4144
★W H Brady Comp .. 433-6088
★Brooktown Elct Sv .. 931-1800
★Brunettes Cesspool .. WE5-4444
★E J Burke Security .. 822-8853
★Calendar Prods .. GE3-4444
★Capital Apinc Co .. 694-5099
★Chemical Materials .. WE5-4444
★Clayco Industries .. 822-0841
★David J Cohen .. □ 752-0060
★Commte Factl Info .. WA1-2600
★Crane Floor Waxng .. OV1-4500
★Creston Supl Co .. OV1-4500
★D&D Enterprises .. □ 681-6550
★DJV Carting Corp .. □ GE3-4444
★Del Rossos .. □ 249-2410
★Del-Ton Electroncs .. □ 694-4464
★N Deperno Crpntr .. OV1-4500
★Development Israel .. 681-5400
★Dog Training Club .. – 433-7334
★Dolomite Paving .. □ 931-1800
★Dorco Industries .. WE8-3500
★E-Dele Paint Co .. GE3-1548
★E Nassau Paychthrp .. WE5-4444
★Exxon Chemical Co .. □ 931-1494
★Farmngdl A A Answr .. CH9-3000
★Farmngdl A A Answr .. MY4-0500
★Farmngdl Wndw Clng .. 931-1800
★Fish of Farmngdale .. 249-3474
★Fish of Mid-Isind .. WE8-6333
★Fish of Oyster Bay .. 922-7600
★Global Cleaning Sv .. WE8-3500
★Global Maintenance .. 433-5540
★Grassi Sheet Metal .. 938-8600
★HBF Security Systm .. □ MY4-0500
★Haines Prodts Inc .. – 420-1177
★Harmony Music Co .. WA1-4723
★Hcksvl AA Answg Sv .. OV1-4500
★Hcksvl AA Answr Sv .. WE1-5765
★Hicksvl Window Cln .. 938-8600
★Arthur S Hoyt Co .. OV1-2800
★Island Reptg Corp .. 935-6464
★Island Tele Answrg .. – 938-4444
★Island Tel Answrng .. GE3-4444
★Island Tel Answrng .. MY4-0500
★Island Tel Answrng .. WE5-4444
★Israel Bonds .. 681-5400
★J M Carting Co .. 922-1515
★J&S Appliance .. □ 822-2822
★Jubilee Painting .. □ 938-4444
★L M Krug CPA .. 249-6474
★Lampion Grphcs Ltd .. □ 938-6958
★Landscape Creation .. WA2-3066
★Leukemia Assn .. – 938-3900
★John J Lynch Atty .. WE1-5200
★Maurice Electric .. WA1-8430
★Mehr Fuel Corp .. WE8-3500
★Modern Co Maintnce .. 293-6576
★Monarch Air Condtg .. 938-5553
★Natl Bnk of N Amer .. 731-9450
★James R Neilly Aty .. WE1-5200
★Owls Head Jwlry .. OV1-4500
★Oyster Bay AA Svc .. WA2-5900
★Paramount Electrnc .. 681-1700
★PRO Employmt Agncy .. 822-0700
★Pro-File Personnel .. 822-0700
★Pure Gluten Food .. OV1-2800
★Quality Supls Co .. □ 935-7677
★Regal Extermnt Inc .. □ 938-4444
★Reliable Clnrs .. 938-8600
★H Sadowsky&Assocs .. 681-6550
★Sentry Insurnce Co .. 694-8400
★S D Siegel Assocs .. 822-7170
★Irving Singer .. WA1-2600
★Standard Document .. 938-4444
★Jacob Stein Rl Est .. WE8-6012
★Storage Tech Corp .. 822-8355
★Syntar Industries .. □ 931-0091
★A A Syosset Serv .. WA1-2600
★TV Director Inc .. □ WA1-2600
★Telephone Answ Ser .. 938-8600
★Tel Answering Serv .. WE8-3500
★Telephone Answerng .. WE5-4444
★Telephone Answg Sv .. MY4-0500
★Telephn Answrg Svc .. WA1-2600
★Telephone Answg Sv .. WA2-5900
★The Human Relation .. WE8-3500
★Dr Gerald Thurer .. 433-6844
★Times Wire&Cable .. 822-1070
★Trav-A-Dial Sls&Sv .. 420-8353
★Triple A Parking .. □ 822-1221

Photocopied In Any Manner Whatsoever Except As Authorized In
3 4 5 etc — Year First Listed 1973 '74 '75 SA $B etc — Cer


Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

JERUSALEM AVE 1977

20	★	US Guard Dog	-	433-7334
	★	R Walis Roofing		WE1-5765
	★	Welcome Wagon Intr		WE1-5765
	★	Murray H Willig		822-7170
	★	Willig&Siegel		822-7170
21	★	Howarth Busns Mchn	-	822-7451
	★	Pierre Stationers	□	938-8398
40	★	Fashion Floors Inc		938-4476
42	★	Empire Diner		433-3350
47		Richard Brucato	3	433-0770
	★	T F Dalton Fnrl Hm		931-0262
60	★	Levittwn Motrcycl		OV1-6566
	★	Vantage Petroleum		931-9300
	★	Vantage Petroleum		931-9573
62		Joseph Dougherty	8	935-2107
		Frances Miller	□	935-4401
	★	Why Not Antiques		935-9575
64	★	Bodega Dels Palmas		935-9873
		Fred H Heuer	9	822-1618
		Carl E Peterson		WE5-0759
66		Joseph Courrier	2	935-5861
	★	H Walters Sportswr	□	931-8520
		A Skorpil	5	822-9733
68		Sandra S Miller	4	822-2174
70		R Areson	-	433-3845
	★	Bric-Mold Corp		433-6442
		Stanley Sulewski	4	822-2026
72		Norman G Bowne	3	WE5-0042
		Robert J Neal		WE1-7931
76		Henry Steigele		WE5-4820
80	★	Jerome Arthur Ltd		433-0666
	★	Dr T C Catalano		WE1-2329
	★	Dr Joseph Mitchell		WE5-8884
	★	Dr Wm H Walker		WE1-2329

Target Street	Cross Street	Source
✓	-	Cole Criss-Cross Directory

JERUSALEM AVE 1972



JERUSALEM AV 11801

HICKSVILLE PO

1- 160 T 5193 $E..G 7

161- 585 T 5192 $D..F 7

1 *JERICHO YELLOW CAB WE18000
*PLAINVW YELLOW CAB WE13333
2 *ROMEO&JULIET HRSTL 9316991
*ROMEO&JULIET HRSTL WE18420
*THE LOUNGE 9319702
3 *NASSAU SWIM POOL -6811111
4 *A&F STATION STOP 9319491
6 *ROLLINS RAPID REPR 4330630
8 *DRUG MASTERS INC 6811200
20 *A WE84444
*AAAAAAAA-A ANSWRG CH93000
*AAAAAAAA-A ANSWRG WE15765
*AAAAAAAA-A ANSWRG WA12600
*A A BRNTS CESSPOOL WE54444
*A A EXTRMINTG WE15765
*A&B MAINTNCE CO NA81717
*AID CESSPOOL INC 9388600
*AID CESSPOOL SERV 6942979
*A&K 6942979
*A-1 SEWER&DRAIN WE15765
*ABLE FIRE EQUIP 6940112
*AL-ANON 9384444
*ALCOHOLICS ANONYMS ¤9384444
*ANDERSON BROS LNDS WA23066
*APOLLO MNTNCE INC 9388525
*ARROW EXTRMINTG CO GE37770
*ARROW PEST CONTRL GE37770
*ASSOCIATED CLEANG ¤9388525
*AVON PRODUCTS INC 4337771
*B&B MAINTENANCE CO 9355400
*BETHPGE CHMNY&FRNC 9312625
*BRUNETTES CESSPOOL WE54444
*CALENDAR PRODS GE34444
*CAPITAL APLNC CO 6945099
*P J CASEY ATTY 4338282
*P J CASEY ATTY 4338328
*CENTRAL CESSPL SV ¤6942979
*CHEMICAL MATERIALS WE54444
*COMMTE FACTL INFO WA12600
*CRANE FLOOR WAXNG OV14500
*CRESTON SUPL CO OV14500
*CROSS ISL COOKIE WE83500
*D&S SERVICE CO INC GE34444
*DATABILITY INC ¤9384444
*DAUGHTREY TILE OV14500
*N DEPERNO CRPNTR OV14500
*E-DELE PAINT CO GE31548
*EJ ROBERTS&ASSOCS 2492673
*E NASSAU PSYCHTHRP WE54444
*EDEN ENTERPRISES 9355400
*FARMNGDL A A ANSWR CH93000
*FARMNGDL A A ANSWR MY40500
*FARMINGDL WNDW CLG WE11800
EDWARD J FARRELL 0 4338349
*EDWARD J FARRELL WE15200
*FARRELL&ASSOCS WE15200
*FISH OF EAST MEADW ¤WE88600
*FISH OF MID-ISLND WE86333
*FUTURAIRE DEVEL CP 9355400
*GEORGE OIL CORP CH93000
*GLOBAL CLEANING ¤WE83500
*GLOBAL MAINTENANCE 4335540
*GOOD PHOTOGRAPHY WE11800
*B&L MACHINE TOOL -6940010
*HARCO DESIGN CO ¤CH93000
*HARMONY MUSIC CO WA14723
*HARTIG CASEY&MAHON 4338282
*R W HARTIG ATTY 4338282
*HCKSVL A A ANSWG S OV14500
*HCKSVL AA ANSWR SV WE15765
*HICKSVL WINDOW CLN 9388600
*HOME REPAIRS UNLTD ¤9384444
*ARTHUR S HOYT CO OV12800
*FRANK J HUDAK WE53316
*ISLAND TEL ANSWRNG GE34444
*ISLAND TEL ANSWRNG MY40500
*ISLAND TEL ANSWRNG WE54444
*JOHNS RSDNTL PAINT 8222360
*KEPE BLDG SVC CORP 9213040
*LANDSCAPE CREATION WA23066
*LAVENDER LINE MFG -2933512
*LAWN-A-MAT-NE NAS WA12600
*LI CHARCOAL CO WE11800
*LI DRAFT INFRMTN WE15765
*M-K CO WE53316
*PATK J MAHON ATTY 4338282
*MAURICE ELECTRIC WA18430
*MEHR FUEL CORP WE83500
*MERCHANTS MUTL INS 4338282
*MODERN MNTNNC CO 2936576
*MODERN METHODS CO WE88600
*MOEN FAUCET GE34444
*MOTOROLA ELECTRONC 2490777
*MULTI TYPE LTD ¤8222462
*N&L WINDW REPLCMNT 2492708
*JAMES R NEILLY WE15200
*NEW HAMPSHR MERCHT 4338282
*OWLS HEAD JWLRY OV14500
*OYSTER BAY AA SVC WA25900
*PARAMOUNT ELECTRNC 6811700
*F G PERROTTA ATTY WE15200
*PURE GLUTEN FOOD OV12800
*PURITAN FUEL OIL CH93000
*RELIABLE CLNRS 9388600
*RICHARDS SCRTY PRD ¤8222422
*H SADOWSKY&ASSOCS OV16550
*SAN REMO HTG&COOLG 9219058
*IRVING SINGER WA12600
*STNDRD DOCUMENTATN WE84444
*JOHN W STEDMAN JR WA27557
*JACOB STEIN RL EST WE86012
*A A SYOSSET SERV WA12600
*TELEPHONE ANSWG SV WE54444
*TELEPHONE ANSWG SV MY40500
*TELEPHN ANSWRG SVC WA12600
*TELEPHONE ANSWG SV WA25900
*TELEPHONE ANSWG SV 9388600
*TOWN&CNTRY CNTRCTG ¤9384444
*TWIN CNTY EXTRMNTR ¤4338844
*UNION OIL CO CH93000
*VBS SERVICE CO GE34444
*R WALIS ROOFING WE15765
21 *EAST ISLE PRINTING 9388398
36 *FASHION CLEANRS 4332620
*MID-ISL DRPRY CLNR ¤8226233
42 *EMPIRE DINER 4333350
47 *T F DALTON FNRL HM 9310262
MARGARET SULLIVAN 0 8226834
60 *LEVITTWN MOTRCYCL OV16566
*WISSER CO 9319300
*WISSER CO 9319573
62 JOSEPH DOUGHERTY 8 9352107
*PAUL INTERIORS WE17511
JOHN RUTHOWICZ WE54312
64 FRED H HEUER 9 8221618
CARL E PETERSON WE50759

©COPYRIGHT INFORMATION ON THIS PAGE

Appendix F Town of Oyster Bay Building Department and Nassau County Historical tax Assessor Information

7-15 INC

SECTION	BLK.	LOT	ADDRESS	CARD NO
11	179	~~7-15 Int~~		1 of 5

PROPERTY DESCRIPTION

41,240 41,240 611

A=39-D-18-80

AMERICA
8-561 A-022165

41,240 611

7-A-39-25-D-18

478
AMERICA
998-561

220,950 611

7-A-39-25-D-18

A-022165

C1-7-13

CLASS 461.14 REASON CODE 18

CLASS 461.14 REASON CODE 18

NOB 17 86202-1413 66,782 611-4
NOB 1-2-3-9-23-33-93-57-A-39-D-18-55 102,168 611-4
1-2-3-9-23-33-93-57-A-39-D-18-55 168,950
1-NATIONAL WESTMINSTER BANK SEC 11 BLOCK 179 NATLOTS 17-18 SEE LIBER 5998-561
SEE LIBER K0721 86
NOB 341,540

REMARKS

Lot 7-15 Resolve T.O.B. 9-14-71 Re 58
Rezone to Central Business G-1"
1.0 EST - 11-5-71

10/25/57 Bank Bldg. Permit + 98950 BBM 58
9-27-60 - Roof Sign ADDED H/C - C.J.
1-23-63 Store Card 2/3 demolished as date J.C
R. Permit #730288 "See Report in Folder" 4/5/72 (RA) 59
6-26-74 Appl # 770864 "See Report in folder DF 60

Court Order
See Page

105 GUINEA TR

C1-7-13 34 X 200 X 98% X 100 = 6664

		LAND	BLDGS.	TOTAL
	58	32670	22701	55350
		32670	60577	93250
	58	32670	159547	192200
	60	72004	159547	231550
	64	72004	148970	220950
	79	22004	19236	41240

ASSESSMENT SUMMARY

15/15 LAND RECORD

NO UTILITIES		LOW	
NO SEWER		HIGH	
NO WATER		ROUGH	8-13
NO GAS		ROCKY	
NO ELECTRICITY		SWAMP	15-15
		HILLSIDE	
NO STREET		WOODED	14
DIRT STREET		BRUSH	
SEMI IMPROVED ST.		TILLABLE	7-13
NO. SIDEWALK			
			15-18

ASSESSMENT RECORD NASSAU COUNTY, NEW YORK

LAND VALUE COMPUTATIONS

FRONTAGE FIGURED	AVERAGE DEPTH	UNIT PRICE	UNIT PERCENT	FRONT FT. PRICE	COR. INFL.	TOTAL	$ DEPR.	VALUE
~~195~~	~~95~~	~~100~~	~~98%~~	~~96.00~~		~~19110~~		
~~100~~	~~79~~	~~100~~	~~90~~	~~90.00~~		~~9000~~	~~32670~~	
~~57~~	~~60~~	~~100~~	~~80~~	~~80.00~~		~~4560~~		
195	95	200	98	196.00	1.664	44784		
100	79	200	90	180.00		18000	72004	
57	60	200	80	160.00		9120		

COURT ORDER - 50,000 = 22004

FORM AB30 30M 2-55

OCCUPANCY	CONSTRUCTION	SIZE	GRADE	AGE	REMODL'D	COND.	PHY. DEP.	FUNCT. DEP.	REPL. VALUE	PHYSICAL VALUE	SOUND VALUE
									TOTAL		

~~4/25/57 KP Comb $5,000 stm.~~

FOUNDATION

CONCRETE WALLS	
CEMENT BLK. WALLS	
BRICK WALLS	
STONE WALLS	
PIERS	

BASEMENT AREA

¼	½	¾	

EXTERIOR WALLS

CLAPBOARDS	
COLONIAL SIDING	
SINGLE SIDING	
WOOD SHINGLES	
COMPO. SHINGLES	
STUCCO ON FRAME	
STUCCO ON TILE OR C.B.	
FACE BRICK VENEER	
FACE BR. ON TILE OR C.B.	
COM. BRICK VENEER	
COM. BR. ON TILE OR C.B.	
SOLID COM. BRICK	
STONE VENEER	
SOLID STONE	
ROOF INSULATION	
BLANKET INSULATION	

ROOF TYPE

HIP		GABLE	
MANSARD		FLAT	
GAMBREL			

ROOFING

ASPHALT SHINGLE	
WOOD SHINGLE	
ASBESTOS SHINGLE	
SLATE – STD. WT.	
SLATE – HEAVY	
TILE	
METAL	
COMPOSITION	

FLOORS

	B	1ST	2ND	3RD
CEMENT				
EARTH				
PINE				
HARDWOOD				
SINGLE FL				

ATTIC & BSMT. FIN.

ATTIC FL. & STAIRS	
FIN. ATTIC AREA	
FIN. BSMT. AREA	
RECREATION RM. BSMT.	
GARAGE IN BSMT.	

ROOMS

BSMT.	1ST
2ND	3RD

INTERIOR FINISH

	1ST	2ND	3RD
PINE			
ENAMELED			
CHESTNUT			
HARDWOOD			
WALL BOARD			
MATCH BEAD			
UNFIN. INT			

HEATING

STEAM	
HOT WATER	
VAPOR	
AIR COND.	
HOT AIR	
PIPELESS	
NO HEATING SYST.	
OIL BURNER	
COAL STOKER	
GAS BOILER	

FIREPLACES

FIREPLACE STACKS	
FIREPLACES	
ARTIFICIAL FIREPLACE	
INCINERATOR	

LIGHTING

NO ELECTRIC LTG.	
GAS LIGHTING	
PRIVATE LTG. SYST.	

MEASURED	
LISTED	
AREA COMP.	
PRICED	

PLUMBING

BATHROOMS	
STALL SHOWER BATH ROOM	
STALL SHOWER EXTRA	
TOILET ROOMS	
WATER CLOSET EXTRA	
LAVATORY EXTRA	
SINK EXTRA	
SEPTIC TANK OR CESSPOOL	
DRILLED WELL	
PRIVATE WATER SYST.	
WATER ONLY	
NO PLUMBING	

TILING

BATH FLOOR & WAINSCOT	
BATH FLOOR & WALLS	
BATH FLOOR ONLY	
TOILET RM. FL. & WAINS.	
TOILET RM. FL. & WALLS	
TOILET RM. FL. ONLY	
KITCHEN WAINSCOT	

LOCATION

GOOD	FAIR	POOR

INCOME

BUILDING COMPUTATION

	S.F.		19
	S.F.		
	S.F.		
	S.F.		19
	S.F.		
	S.F.		19
	S.F.		
	S.F.		
			19
BSMT. AREA			
WALLS			
			19
ROOF			
FLOORS			
FLOORS			
ATTIC			19
INT. FIN.			
HEATING			
FIREPLACES			19
PLUMBING			
TILING			
			19
TOTAL			19
COST FACTOR			
REPLACEMENT VALUE			

OUTBUILDINGS

WALL FOUNDATION		CONC. FLOOR	19
PIER FOUNDATION		EARTH FLOOR	
SINGLE WALL SDG.			
DOUBLE WALL SDG.		SHINGLE ROOF	
SHINGLE WALLS		ROLL ROOFING	
STUCCO ON			
CEMENT BLOCK		ELECTRIC LIGHTS	19
BRICK		FINISHED INT.	
UNIT PRICE #1		UNIT PRICE #2	

SECTION 11	BLOCK 179	LOT 7-18 Inc.	ADDRESS COR Inwood & Newbridge Rd	CARD No. 2062 375

PROPERTY DESCRIPTION

REMARKS

Court Order of Hon. Robert C. Meade
Consolidated Index No 12280/72, Calendar
No. S-5973 dated March 30, 1978. Writs
730264, 741888, 751901, 762562, 772518 and
784069 Settled as follows:

MAY 1, 1972	assessment of	220,950	changed to	97,610
MAY 1, 1973	"	"	"	94,170
MAY 1, 1974	"	"	"	85,590
MAY 1, 1975	"	"	"	77,180
MAY 1, 1976	"	"	"	77,180
MAY 1, 1977	"	"	"	77,180
MAY 1, 1978	"	"	"	41,240

1958 CONSTR.

ASSESSMENT SUMMARY

19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	
19	LAND	
	BLDGS.	
	TOTAL	

LAND RECORD

NO UTILITIES		LOW	
NO SEWER		HIGH	
NO WATER		ROUGH	
NO GAS		ROCKY	
NO ELECTRICITY		SWAMPY	
		HILLSIDE	
NO STREET		WOODED	
DIRT STREET		BRUSH LAND	
SEMI IMPROVED ST.		TILLABLE	
NO SIDEWALK			

LAND VALUE COMPUTATIONS

FRONTAGE FIGURED	AVERAGE DEPTH	UNIT PRICE	UNIT PERCENT	FRONT FT. PRICE	COR. INFL.	TOTAL	% DEPR.	VALUE

ASSESSMENT RECORD NASSAU COUNTY, NEW YORK

AR33-10M-2/46

59,744


OCCUPANCY	CONSTRUCTION	SIZE	GRADE	AGE	REMODL'D	COND.	PHY. DEP.	FUNCT. DEP.	REPL. VALUE	PHYSICAL VALUE	SOUND VALUE
BANK BLDG	3S+B FBR+CB			1957		G	3%		149360	~~144,879~~	18704
DRIVE IN BOOTH 1SBR 176 @ 100% + 1/2 + TUNNEL 16SF @ 35% = 578				1957		G	3%		2690	107~~2609~~	337
BT PAVING 13000 SF @ 4%				1957		G	5%		1560	624 ~~+482~~	195
								60	68.7	TOTAL ~~148970~~	19236

EXTERIOR WALLS	BSMT	1ST	2ND	3RD			PRICE
SOLID COM. BRICK							
RUBBLE OR NATIVESTONE							
360 SF CONCRETE 11'+FTG.	✓	16" ✓	+PLAST FRONT	2.75	+3%	10.32	3690
CEMENT OR CINDER BLOCK							
COM. BR. ON TILE OR C. B.							
280 SF FACE BR. ON TILE OR C. B. 4½	✓		✓	✓	✓	1.35	54.03 15688
FACE BR. ON COM. BR.							19378
FACE BR. VENEER							
COM. BR. VENEER							
650 SF TILE PANELS	✓		✓	PRICED WITH TILING			
ART. STONE FACING							
STONE FACING							
TERRA COTTA FACING							
STONE OR T. C. TRIM							
STUCCO ON TILE OR C. B.							
STUCCO ON FRAME							
SIDING OR SHINGLES							
WOOD FRAME WINDOWS	FENESTRA SASH		DOORS				
PLATE GLASS ~~SGL~~ + DBL. FR	✓ METAL FRAME		WOOD FRAME				
PLASTERED DIRECT							
PLASTER ON FURRING	✓	✓	✓	✓	✓		
UNFINISHED INTERIOR							

FLOORS & BSMT. AREAS							
BASEMENT AREA	✓	✓					
CONCRETE 3" W/ WIRE MESH	✓	✓	✓	✓	✓		
EARTH	AREA	EXCAVATION AV.			DEEP		
PINE OR FIR							
HARDWOOD							
Tentile	✓	✓	✓	✓	✓		
SUB FLOOR							
WOOD JOISTS							
STEEL JOISTS							
REINFORCED CONCRETE							
FLAT ARCH TILE							
STEEL BEAMS							
TIMBER BEAMS							
REIN. CONC. BEAMS							

CEILINGS							
LATH AND PLASTER							
PRESSED METAL							
CEILING 1½ YGZ SUSPENDED			✓				
SUSPENDED (Acoustic)	✓	✓	✓	✓	✓		

ROOFING & FRAMING



MISCELLANEOUS ITEMS			
✓	CHIMNEYS 4'X4'6"X55'		990
	FIREPLACES	INCINERATORS	
	BULKHEADS	AREAWAYS	
✓	PENT HOUSES 240 SF @ 5% + 140 SF @ 3%		1690
✓	PASSENGER ELEVATOR 1-3SB + 1-1SR SIEBERC		6600
	FREIGHT ELEVATOR		
	DUMB WAITERS 2 Vault Cut		2000
	SPRINKLER SYSTEM		
	VENTILATING FANS TRANS. VAULT 228 SF 3%		684
✓	REFRIGERATORS 944 F Bank Coil		940
G	FIREPROOF CONST: BRS	STEEL FRAME	240
✓	CANOPY 244 SF @ 1.50		366
✓	CANOPY 152 SF @ 1.50		228
✓	SIEBOLD NITE DEPOSITORY		750
✓	SAFE DEPOSIT VAULT & DOOR		12000
✓	2 Vestibules Ent.		25888

	TAR & SLAG 3PLY. BLT UP.		SLATE			METAL					LOCATION	GOOD	FAIR	POOR	
	COMPOSITION ON 1" 2no 3rd SURF.										GROSS CUBAGE 49	307818 + 31520 = 339338 @ .14			45¢
											COMPUTATIONS				
	WOOD JOIST		METAL JOIST			✓ SHEATHING						WALLS (VERTICAL)			19378
	WOOD BEAMS		STEEL BEAMS									DOORS & WINDOWS			
	WOOD TRUSSES		STEEL TRUSSES								29006	STORE FRONTS Glass & Metal FRAME		2.50	7250
	SKY LIGHTS		VENTILATORS			ROOF DRAINS						FACE BRICK OR WALL TRIM			
												Tiles			25888
	PARTITIONS														
	L. & P. ON WOOD STUDS										67824	ROOF & FLOORS ETC. (HORIZONTAL)		12.32	77,394
	COM. WOOD BOARD											BASEMENT AREA			
	PLST. BD. ON STUDS											STAIRS & FIRE ESCAPES 10@500 10@250			3000
	PLST. ON TILE OR C. B. (10M.)	✓	✓	✓	✓	1.60						INTERIOR FINISH			
	PLST. ON BRICK								FILL	22		SAFE DEPOSIT BOOTHS BASMNT			1500
	5"	✓	"	"	"	"			BSL	45		OIL BURNER			
	STAIRS & FIRE ESCAPES								15 FHC	1.00		PLUMBING			3150
	PINE STAIRS						2nd FL HC			2.00		TILING T. RMS. & PANELS 1400 + 975			2375
	HARDWOOD STAIRS								RUC	1.00		Terrazzo FL Part of Lamb. Ill.			1500
10	METAL STAIRS 2500					45%			STL	1.80	3604	20 BBT ENTRANCE CLASS + METAL FIR + BR.		5.00	1800
	Terrazzo stairs 500	✓					Heat & Gas Conv.			3.05	1250	EXT'D BSMNT AREA + INT FIN.		3.50	6125
	FIRE ESCAPES								LT.	1.00					
	INTERIOR FINISH								SUP	.20					
	PINE DOORS & TRIM								PART	1.60					
	HARDWOOD DOORS & TRIM									17.37		141.435 NET TOTAL REPLACEMENT VALUE			149,360
	ENAMEL DOORS & TRIM											OCCUPANCY DETAIL & INCOME			
	FIRE PROOF DOORS														
	BUILT IN FEATURES														
	HEATING														
	STEAM														
	VAPOR														
	HOT WATER 4 Gas Conv 305	✓	✓50	✓45	✓85	✓65	KENAP UNIT					TOTAL			
	HOT AIR											RENTAL CAPITALIZATION			
	PIPELESS FURNACE											PERCENTAGE ITEMS		FLAT EXPENSE ITEMS	
	H B SMITH BOILER	✓										TAXES		COST OF OWNING LAND	
	NO HEATING SYSTEM											INSURANCE		VACANCY ALLOWANCE	
	OIL BURNER	✓	GAS BOILER			COAL STOKER								COST OF HEATING	
	PLUMBING											MAINTENANCE		COST OF WATER	
7	TOILET ROOMS 500 + 900	✓	BATH ROOMS (4 Inj.)		✓	(900)								COST OF ELECTRICITY	
7	WATER CLOSETS EXTRA 700	✓	SINKS EXTRA 55 4	✓		URINALS 3	✓					DEPR. ALLOWANCE		COST OF MANAGEMENT	
	G. I. PIPING		BRASS PIPING			BASINS 7	✓							COST OF JANITOR	
	TILING 200 sq.											CONTINGENCIES			
7	TOILET ROOM FL. & WAINSCOT	✓	TOILET ROOM FL.												
	BATH ROOM FL. & WAINSCOT		BATH ROOM FL.									TOTAL CAP. RATE		TOTAL FLAT EXPENSES	
3004	Terrazzo $1500	✓	TILE PANELS 6.04			.18						GROSS ANNUAL INCOME			
												LESS FLAT EXPENSES			
	ELECTRICAL WIRING 35¢											BALANCE FOR PERCENTAGE CAPITALIZATION			
	FLEXIBLE CONDUIT		PIPE CONDUIT												
	KNOB & TUBE														

11 179 T E2131283 N197490

This builder shall make application to Nassau County Department of Public Works for sidewalk permit and line and grades.

County approval of installation to be obtained before certificate of occupancy is applied for.

TER BAY

the approval of the Building Department) shall be kept at the site of the work and exhibited on demand to any Building Inspector of the Town of Oyster Bay.

Dept of Health 8-22-56
" " LABOR 5-20964-6-20-56
" " JURISDICTION

Application No. .....

Building Dept.

B.A. Appeal #5562

APPLICATION FOR NEW BUILDING PERMIT

4087

TOWN OF OYSTER BAY, OYSTER BAY, N. Y.

Issued Pursuant to the Provisions of the Building Zone Ordinance and Building Code

Zone Bus. G Checked ..... School Dist. ..... Section 11 Block 179

Date Sept. 12, 1956 Map Plot on Newbridge Rd.& Jerusalem Ave. Lots 7-21 incl.

Location S/W cor. of the intersection of Newbridge Road & Jerusalem Avenue, Hicksville, N. Y.

Residence - Garage ..... Business Yes

New Building Yes Alteration ..... Repair .....

Size of lot—Feet Front Irregular (see plot plan) Feet Deep .....

Size of existing buildings—Feet Front 44 90 Feet Deep 95 76 % of lot occupied 23.2

NOTE: Bldgs. to be removed 29 42

Size of proposed buildings—Feet Front 101 Feet Deep 60 % of lot occupied 19.75

Existing buildings used for Stores & Residence Proposed buildings used for Bank & Offices

Number of Stories—Existing Buildings 1 & 2 Proposed Buildings Three see drawings

Material of Footings Reinf. Conc. Size under Walls ..... Under Columns .....

Material of Foundation Walls Reinf. Conc. Thickness 16" see drawings Height 14'-6" Max.

Material of Exterior Walls Brick of ins. panels Thickness 8" - 1½" panels

Kind of Framing—Balloon ..... Western ..... Corner Braced .....

Exterior Wall Sheathing—Type ..... Thickness .....

Diagonally Sheathed ..... Horizontally Sheathed .....

Wood Studs—Size ..... o. c. ..... Height .....

Size of Beams:
1st floor ..... o. c. ..... 2nd floor ..... o.c. ..... 3rd floor ..... o.c. .....

Size of rafters or roof beams ..... o.c. ..... Size of Collar Beams .....

Size of corner posts ..... Sills ..... Plates ..... Bridging .....

Size of basement girders ..... No. and size of columns .....

Floor Construction—Fireproof Yes ..... Wood ..... Fire stopped at all floors .....

Maximum liveload per sq. ft. each floor—1st 100 2nd 75 3rd 75 4th .....

Roof Sheathing—Type ..... Thickness ..... Pitch of Roof Flat

Roof. Material Built-up

All structural steel shapes must be indicated on plans by both size and weight .....

Plumbing Yes (Yes or No) Lighting Electric (Electric or Other)

Heating Oil (Oil, Gas or Other) Type Hot Water (Steam, Hot Water, Hot Air)

Does work include installation of any automatic gas-fired appliances? .....

If so, give details .....

Chimney—Materials and dimensions 3'-8" x 4'-8" brick

No. and size of flue linings one 6x20 - one 8x12

Estimated cost of proposed buildings, alterations or etc.

$250,000.00

Estimated value of existing improvements .....

Note: Roof pitch less than 4" must be checked with Building Dept. first.

10/15/56

Appeal Board Case #5562

Building Permit Fee $ 254.00

Building Permit No. .....

WORKMEN'S COMPENSATION INSURANCE

Pursuant to Section 57, of the Workmen's Compensation Law a Certificate of Insurance on the standard form approved by the Industrial Commissioner must be filed with this application covering all operations in connection therewith.

APPLICATIONS FOR BUILDING PERMITS WILL BE EXAMINED AND CHECKED AS SOON AFTER FILING AS VOLUME OF BUSINESS ALLOWS. NO WORK IS TO BE STARTED UNTIL BUILDING PERMIT HAS BEEN RECEIVED BY APPLICANT.

Approved 8-53 NY

MEADOWBROOK NAT BANK OWNER
JOHN T. DIXON CO CONTRACTORS
W. THOMAS STANDARD

RB

CESSPOOL PERMIT

No. 2350

TOWN OF OYSTER BAY BUILDING DEPARTMENT
OYSTER BAY, NASSAU COUNTY, N. Y.

5-16-51

This permit issued subject to provisions of the Building Code, Building Zone Ordinance, Section 57 of the Workmen's Compensation Law, New York State Labor Law and all laws and rules relating to construction of said buildings, additions, alterations, and appurtenances. Permission is granted to

	OWNER	CONTRACTOR	SUPPLIER
NAME	MEADOWBROOK NATIONAL BANK	ARTHUR W. FUNFGELD ASSOC.	A. CARLSON
STREET	NEWBRIDGE RD.	15 OLD COUNTRY RD.	RAILROAD, AVNEUE
POST OFFICE	HICKSVILLE, N.Y.	HICKSVILLE, NEW YORK	KINGS PARK, N.Y.
PHONE			
NIGHT PHONE OF CONTRACTOR		WELLS 1-0843	

TO CONSTRUCT CESSPOOL

NO. OF UNITS NINE(9) LOCATED AT MEADOWBROOK NATIONAL BANK E/ SIDE OF NEWBRIDGE RD. CORNER OF W/ OF JERUSLAEM AVENUE, HICKSVILLE, NEW YORK

Section 11 Block 179 Lots 7-21 20A & 233 School Dist. 17 Zone G

All in conformity with the approved plans and application

Building Permit No.

POLICE MUST HAVE COPY OF THIS PERMIT BEFORE EXCAVATING

Permit Fee $ 45.00 ~~$5.00~~

Application No. 2570

Depth of Pool Feet from Fin. Grade
Diameter
Depth of Cover Feet from Fin. Grade

Date of Final Approval
By
Assistant Building Inspector

TOWN OF OYSTER BAY
BUILDING DEPARTMENT

CHARLES F. HICKS, *Mgr.*

Date Issued

(Over)

PERMIT MAY BE VOIDED.

NOTE: The holder of this permit agrees to comply with all provisions of the Building and Zoning Ordinances and with the provisions of all laws and rules relating to the construction of said buildings, additions or alterations, whether herein described or not. Any violation of the provisions of said Ordinances or this permit shall render the offender liable for the penalties provided therefor, and in addition thereto may result in the immediate revocation of the permit. (Over)

PLOT DIAGRAM

NOTE: Applicant shall locate all existing or proposed buildings and indicate all set-back dimensions.


Applicant must indicate the building line or lines clearly and distinctly on the drawings.

Prevailing setback in block 0'-10" feet

Distance from proposed building to property lines:

	Front yard		Side yard		Side yard		Rear yard	
Main building	10-0"	feet	5-0"	feet		feet		feet
Accessory Bldg.		feet		feet		feet		feet
		feet		feet		feet		feet

No building shall be occupied or used in whole or in part for any purpose whatever until a Certificate of Occupancy shall have been applied for in writing and granted by the Building Inspector certifying that such building conforms substantially to the approved plans and specifications and the requirements of the ordinance applying to building of its class and kind.



AFFIDAVIT OF PROPERTY OWNER

STATE OF NEW YORK } ss.:
COUNTY OF NASSAU }

B. C. PETRICOLAS V.P. FOR THE MEADOW BROOK NAT'L BANK being duly sworn, deposes and says: That he resides at 370 CHARLES ST. in the VILLAGE of EAST WILLISTON in the State of NEW YORK that he is the owner in fee of all that certain lot, piece or parcel of land shown on the diagram annexed to the foregoing application and made a part thereof, situate, lying and being within the unincorporated area of the Town of Oyster Bay, designated on the Tax Map of the Town of Oyster Bay as Block No. 179 Lot No. 7 TO 21 INCL Sec. No. 11 and therein more particularly described, and that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by THE MEADOW BROOK NATIONAL BANK (Name of Owner or Lessee) and that J. J. DIXON CO. INC. (Name of Applicant) is duly authorized by the aforesaid THE MEADOW BROOK NATIONAL BANK (Owner or Lessee) to make application for a permit to perform said work in the foregoing application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

Sworn to before me this 12 day of SEPTEMBER, 1956

Austin K. Pink
Notary Public

AUSTIN K. PINK
NOTARY PUBLIC, State of New York
No. 30-3106250
Qualified in Nassau County
Term Expires March 30, 1957

(Sign here) Meadow Brook Natl Bk
B. C. Petricolas
(Owner)

Applicant John J. Dixon Vice President Dixon Co. Inc.
W. R. Washburn

Application No. | Residence ☐ Commercial ☐ | Permit No.

Approved by | Number of Units | Permit Fee

Building Permit No. | Date Issued

TOWN OF OYSTER BAY BUILDING DEPARTMENT
OYSTER BAY, NASSAU COUNTY, N. Y.

APPLICATION FOR CESSPOOL PERMIT

2570

Print in ink or typewrite answers to all questions

	OWNER	CONTRACTOR	SUPPLIER
Name	THE MEADOWBROOK NATIONAL BANK	ARTHUR W. FUNFGELD ASSOC. INC	ANDREW CARLSON & SONS INC.
Street	S/W COR NEWBRIDGE RD & JERUSALEM AVE	15 OLD COUNTRY RD	RAILROAD AVE
Post Office	HICKSVILLE, N.Y.	HICKSVILLE, N.Y.	KINGS PARK, N.Y.
Phone			

Night Phone of Contractor WE1-0843

Application is hereby made for sanitary facilities to be constructed at MEADOWBROOK NATIONAL BANK E/side of NEWBRIDGE RD street at ~~point~~ COR feet W/ of JERUSALEM AVE (nearest intersection) street HICKSVILLE (Post Office) Town of Oyster Bay, N. Y.

Section 11 Block 179 Lots 7-21 204 & 233 School District 17 Zone C Checked EJ

For residence ☐ Commercial ☒ other, describe ☐ TOTAL NUMBER OF UNITS 9

WORKMEN'S COMPENSATION INSURANCE


Pursuant to section 57, of the Workmen's Compensation Law a certificate of Insurance on the standard form approved by the Industrial Commissioner must be on file covering all operations.

INDEMNITY INS. CO. NO. AMERICA (Name of Insurance Carrier) WC 120806 (Policy Number) 4/24/58 (Expires, Date)

Has supplier filed affidavit on product with Building Department (Yes or No)

If for ground exploration only check here ☐

DRAW IN DIMENSIONS OF POOL BELOW OR IF DIFFERENT ATTACH DRAWINGS



GIVE DIMENSIONS BELOW

A	15'-6"	Feet
B	7'-4"	"
C	10'-6"	"
D	2'-0"	"
E	3'-0"	"
F	0'-6"	"

CONSTRUCTION

Blocks	☐
Precast	☒
Cast in Place	☐

NOTE — WITH BLOCK CONSTRUCTION MAX. DEPTH A IS 15 FEET.

"A" Depth of Pool to bottom measured from finished Grade.
"B" Diameter of pool
"C" Depth of straight courses below corbelling
"D" Depth of Cover below finished Grade (Max. Cover 2'-0")
"E" Depth of Corbelled Courses (To be laid in Mortar)
"F" Total Depth of excavation deeper than 15 feet. * Note

Note * Requires PRECAST UNITS TO BE USED. IF SET ON BACKFILL SUCH BACKFILL MUST BE CLEAN GRAVEL OR STONE LARGER THAN ¾" — MAX. 5" BANK RUN NOT ALLOWED — All work involving the backfilling of excavations must be certified in the form of an affidavit by a licensed Engineer that the work was done in conformity with this section.

It is agreed that by acceptance of the permit that the contractor will comply with all requirements of the Building Code.

Signature Applicant L. S.

AFFIDAVIT OF PROPERTY OWNER

STATE OF NEW YORK } ss.: EVERETT R., ENCK VICE-PRES. AND CASHIER being duly sworn, deposes and says:
COUNTY OF NASSAU } AN OFFICER OF The Meadow Brook National Bank, A NATIONAL BANKING CORPORATION

That he is the Owner in fee of the above ~~property~~ premises, and work described above will be done in accordance with this application and that ARTHUR W. FUNFGELD ASSOC., INC. (Name of Applicant) is hereby authorized to apply for this permit.

Sworn to before me this 10th day of May 1957

(Sign here) Everett R Enck (Owner)

Residence Address EVERETT R., ENCK VICE-PRES. AND CASHIER

Post Office The Meadow Brook National Bank OF NASSAU COUNTY WEST HEMPSTEAD, N.Y.

Rita M. Schmidt Notary Public

RITA M. SCHMIDT
Notary Public, State of New York
No. 41-8824115 Queens County
Cert. filed Nassau County Clerk
Term Expires March 30, 1958

NOTE: POLICE DEPARTMENT MUST HAVE ON FILE A COPY OF PERMIT BEFORE STARTING WORK

AFFIDAVIT OF MANUFACTURER WHEN AN INDIVIDUAL

STATE OF NEW YORK)
COUNTY OF) ss.:

, being duly sworn, deposes and says that he is the Manufacturer of the Cement Masonry Units and/or Precast Reinforced Concrete Sections or Units, to be used in the Construction of the Facilities shown on the reverse side of this application and that all such Items made by him conform in every respect to the requirements of the Building Code of the Town of Oyster Bay, N. Y.

Sworn to before me, this
day of 19

AFFIDAVIT OF MANUFACTURER WHEN A CORPORATION OR PARTNERSHIP

STATE OF NEW YORK)
COUNTY OF Suffolk) ss.:

Henry L. Carlson, being duly sworn, deposes and says that he is the Sec. & Treas of Andrew Carlson & Sons, Inc. the corporation which is the Manufacturer of the Cement Masonry Units and/or Precast Reinforced Concrete Sections or Units, to be used in the Construction of the Facilities shown on the reverse side of this Application and that all such Items made by it conform in every respect to the requirements of the Building Code of the Town of Oyster Bay, N. Y.

Deponent further says that the reason this verification is made by deponent and not by Andrew Carlson & Sons, Inc. is because the said Andrew Carlson & Sons, Inc. is a domestic corporation and deponent is an officer thereof, to-wit its Sec. & Treas.

Sworn to before me, this
16 day of April 1957
Samuel J. Fallon

SAMUEL J. FALLON
Notary Public, State of New York
Residing in Suffolk County
Clerk's No. 52-6228400
Commission Expires March 30, 1958

Henry L Carlson
Title Sec & Treas

AFFIDAVIT OF CONTRACTOR OR INSTALLER AS INDIVIDUAL

STATE OF NEW YORK)
COUNTY OF) ss.:

, being duly sworn, deposes and says that he will install only the materials furnished by the Manufacturer whose affidavit is above, except that such other materials as may be needed, (Portland Cement, Sand, Fine and Coarse Aggregate, etc.,) and any other items used in construction of the Facilities shown on the reverse side of this Application will meet all requirements of the Building Code of the Town of Oyster Bay, N. Y.

Sworn to before me, this
day of 19

AFFIDAVIT OF CONTRACTOR OR INSTALLER WHEN A CORPORATION OR PARTNERSHIP

STATE OF NEW YORK)
COUNTY OF NASSAU) ss.:

JOHN FUNFGELD, being duly sworn, deposes and says that he is the TREASURER of ARTHUR W. FUNFGELD & ASSOC. INC. the corporation which will use only the materials furnished by the Manufacturer whose affidavit is above, except that such other materials as may be needed, (Portland Cement, Sand, Fine and Coarse Aggregate, etc.) and any other items used in construction of the Facilities shown on the reverse side of this Application will meet all requirements of the Building Code of the Town of Oyster Bay, N. Y.

Deponent further says that the reason this verification is made by deponent and not by
is because the said
is a corporation and deponent is an officer thereof, to-wit
its

Sworn to before me, this
10 day of May 1957
Charles J. Barnes
NOTARY PUBLIC
Qualified in Nassau County
Term Expires March 30, 1958

John Funfgeld
Title (Treas.)

PLUMBING INSPECTOR'S COPY

TOWN OF OYSTER BAY,

AUDREY AVENUE, OYSTER BAY, NEW YORK 11771

DEPARTMENT OF ENGINEERING & BUILDING

BUILDING PERMIT

POST THIS PERMIT CONSPICUOUSLY

SECTION	BLOCK	LOT	ZONE	APPLICATION NO.	B/A CASE NO.	RECEIPT NO.	DATE ISSUED	PERMIT NO.
11	179	102-104	G	1736		5877	6-3-66	C 2486

BM/lp

PERMITTEE: Z. & Z. Corp.

STREET ADDRESS: 333 Broadway

POST OFFICE: Jericho

TELEPHONE NO.:

CONTRACTOR: PHONE NO.:

PLUMBER: Bruce Taylor PHONE NO.:

320 Litchfield Ave. Babylon

HEATING: PHONE NO.:

SANITARY: PHONE NO.:

PERMISSION GRANTED FOR CONSTRUCTION OF:

FAMILY DWELLING ☐ COMMERCIAL ☒ FACTORY ☐ ☐

Installation of 2 550 oil tank below grade

Tie in With permit #C921

MUCH CHECK WITH BUILDING INSPECTOR BEFORE WORK BEGINS.

LOCATED ON	SIDE OF	FEET	OF	POST OFFICE	EST. VAL. CONSTRUCTION
W	Jerusalem Ave.	93.53	N/ Merle Street	Hicksville	$

STRUCTURE WTH.	LENGTH	HEIGHT	STORIES	FRONT YARD	REAR YARD	SIDE YARD	SIDE YARD	Front Side Yd.

S. BLOCK	PRECAST	SEPTIC TANK	DRY WELLS	NO. PLUMB. FIXTURES	NO. BURNERS OIL	NO. BURNERS GAS	NO. BURNERS COAL	SEWER CONNECTION NEW	SEWER CONNECTION RENEW	SPRINKLER MAIN
		GAL.								IN.

OIL TANK INSIDE		OIL TANK OUTSIDE			HOT WATER HEATERS OIL	HOT WATER HEATERS GAS
GAUGE	GAL.	7 GAUGE	550	GAL.		

FEE FOR	AMOUNT
CONSTRUCTION	
PLUMBING	
BURNER	
TANK	3 00
SANITARY	
PLUMB. C. A.	
CONST. C. A.	
TOTAL FEE	3 00

YOUR LICENSE IS NOT TRANSFERABLE AND IS SUBJECT TO REVOCATION UPON VIOLATION.

FOUNDATION SURVEY MUST BE APPROVED BEFORE WALLS, STEEL OR FRAMING STARTS, SEE 4 *


BUILDING SET-BACK APPROVED BY
DEPARTMENT OF PUBLIC WORKS
NASSAU COUNTY, N. Y.

APPROVED BY Rev Gillespie

DATE 12/30/65

APPROVED IN ACCORDANCE WITH CHAPTER 710 SECTION 280K OF THE GENERAL MUNICIPAL LAW.
Rev Gillespie for
E. F. Gibbons
COMMISSIONER OF PUBLIC WORKS
NASSAU COUNTY, N. Y.
DATE 12/30/65

As provided in Red



LEGEND

A - DRYWELL (1 REQ'D) 4'-0" x 8'-0" ø REINF PRECAST LEACHING RING + DOME W/ CONC COVER 1'-0" BELOW GRADE

B. EQUIPMENT DRYWELLS (3 REQ'D) EACH POOL TO BE (2) 4'-0" x 8'-0" ø REINF PRECAST LEACHING RING + DOME. 1ST WELL TO HAVE INSECT-PROOF C.I FRAME & COVER @ GRADE. OTHER WELLS TO HAVE CONC COVERS 1'-0" BELOW FIN. GRADE

C. CESSPOOL (1 REQ'D) (2) 4'-0" x 8'-0" ø REINF PRECAST LEACHING RINGS + DOMES WITH INSECT PROOF C.I FRAME & COVER @ FIN GRADE

D - STORM DRAIN (1 REQ'D) 4'-0" x 8'-0" ø REINF PRECAST LEACHING RING + DOME W/ C.I FRAME & GRATE @ FIN GRADE

MAP OF
ELIZABETH SEVIN PROPERTY
SITUATED AT
HICKSVILLE, NASSAU CO., N.Y.
SECT: 11 BLK: 179 LOTS: P/o. 2, 3 & 4

PLAN NO. 22481 SCALE: 1"=20'-0"

JOSEPH MAGGIO ASSOC.

BRUCE A. BLAKEMAN

NASSAU COUNTY EXECUTIVE

NASSAU COUNTY DEPARTMENT OF HEALTH

October 14, 2024

Current Resident
40 JERUSALEM AVE.
HICKSVILLE NY 11801

RE: ABANDONMENT
40 JERUSALEM AVE.
HICKSVILLE NY 11801

To Whom It May Concern:

This letter is to verify that the following tank abandonment information was filed with the Nassau County Department of Health.

Date Abandonment Completed:	08/16/1994
Tank Size:	1000 Gallons
Fill Material:	SAND
New Gas Conversion	Yes
New Tank Size:	
Dec Spill # (if applicable)	
New Location:	Gas Conversion

Note: An above ground tank may be installed outdoors, indoors, or in a basement

Contractor:


Comments:


If you have any questions regarding this information call the Office of Toxic and Hazardous Materials Storage at (516) 227-9691.

Office of Toxic and Hazardous Materials Storage

200 COUNTY SEAT DRIVE, MINEOLA, NEW YORK 11501
Phone: 516-227-9691 Fax: 516-227-9613


F
OMAT





REFLECTED CEILING PLAN

SCALE 1/4"=1'-0"



SCALE 1/4"=1'-0"

PLUMBING RISER DIAGRAM

N.T.S.

ELECTRICAL NOTES:

CONTRACTOR TO INSTALL WASHING MACHINES AND DRYERS ACCORDING TO MANUFACTURERS SPECIFICATION AND ALL APPLICABLE CODES.

TOWN OF OYSTER BAY
APPROVED PLAN
Permit No.
Date

REVISIONS

DATE	BY/BY	REMARKS
1/15/95	J.S.	

DRAWINGS OF

MAINTAIN INTERIOR
ALTERATIONS OF RETAIL
STORE TO COIN-OP LAUNDROMAT

DATE 1/15/95 DRAWN BY J.S.
SCALE AS NOTED CHECKED BY M.V.K.
FILE # 94576

PLANS FOR

HICKSVILLE LAUNDRY
40 JERUSALEM AVE.
HICKSVILLE, NY 11801

1
1

000192

BUILDING INSPECTOR'S COPY

TOWN OF OYSTER BAY,

DEPARTMENT OF ENGINEERING & BUILDING

AUDREY AVENUE, OYSTER BAY, NEW YORK 11771

BUILDING PERMIT

POST THIS PERMIT CONSPICUOUSLY

SECTION	BLOCK	LOT	ZONE	APPLICATION NO.	B/A CASE NO.	RECEIPT NO.	DATE ISSUED	PERMIT NO.
11	179	~~102-3&4~~ 102-103-104	G	8670		3268	1/4/66	C 923

PERMITTEE: Z & Z Hicksville Corp.

STREET ADDRESS: 333 Broadway

POST OFFICE: Jericho, N.Y.

TELEPHONE NO.

CONTRACTOR: A. Hansen — PHONE NO.
1159 5th Ave., E. Northport, N.

PLUMBER — PHONE NO.

HEATING — PHONE NO.

SANITARY — PHONE NO.

P.D./ E.S.

PERMISSION GRANTED FOR CONSTRUCTION OF:

FAMILY DWELLING ☐ COMMERCIAL ☐ FACTORY ☐

Demolish existing building (Note all existing cesspools to be located & filled as per Board of Health & Build. Insp.

THIS PERMIT IS ISSUED SUBJECT TO COMPLIANCE WITH ARTICLE 7.6, SECTION 7-11 OF THE BUILDING ORDINANCE OF THE TOWN OF OYSTER BAY (continued).

LOCATED ON	SIDE OF	FEET	OF	POST OFFICE	EST. VAL. CONSTRUCTION
W	Jerusalem Ave.	93.53 N	Marie St.,	Hicksville	$

STRUCTURE WTH.	LENGTH	HEIGHT	STORIES	FRONT YARD	REAR YARD	SIDE YARD	SIDE YARD	Front Side Yd.

S. BLOCK	PRECAST	SEPTIC TANK	DRY WELLS	NO. PLUMB. FIXTURES	NO. BURNERS OIL	GAS	COAL	SEWER CONNECTION NEW	RENEW	SPRINKLER MAIN
		GAL.								IN.

OIL TANK INSIDE		OIL TANK OUTSIDE		HOT WATER HEATERS OIL	GAS
GAUGE	GAL.	GAUGE	GAL.		

FEE FOR	AMOUNT
CONSTRUCTION	5 00
PLUMBING	
BURNER	
TANK	
SANITARY	
PLUMB. C. A.	
CONST. C. A.	
TOTAL FEE	5 00

YOUR LICENSE IS NOT TRANSFERABLE AND IS SUBJECT TO REVOCATION UPON VIOLATION.

FOUNDATION SURVEY MUST BE APPROVED BEFORE WALLS, STEEL OR FRAMING STARTS, SEE 4 *

Appendix G EDR Regulatory Agency Database Report

20 and 40 Jerusalem Avenue
20 Jerusalem Avenue
Hicksville, NY 11801

Inquiry Number: 8248910.4s
February 10, 2026

The EDR Radius Map™ Report with GeoCheck®

6 Armstrong Road, 4th floor
Shelton, CT 06484
Toll Free: 800.352.0050
www.edrnet.com

TABLE OF CONTENTS

LIGHTBOX LIVE

Open LightBox Live to access data, tools, and advanced analytics in one online platform.

http://www.web.edrnet.com/ordering/switchboard/login.aspx?s=goto_lightbox&pguid=FB3E2878-F0DE-4ACB-B7D5-0F021559AC1D

SECTION	PAGE
Executive Summary	ES1
Overview Map	2
Detail Map	3
Map Findings Summary	4
Map Findings	9
Orphan Summary	888
Government Records Searched/Data Currency Tracking	GR-1

GEOCHECK ADDENDUM

Physical Setting Source Addendum	A-1
Physical Setting Source Summary	A-2
Physical Setting Source Map	A-8
Physical Setting Source Map Findings	A-9
Physical Setting Source Records Searched	PSGR-1

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, LLC. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. This Report is provided on an "AS IS", "AS AVAILABLE" basis. **NO WARRANTY EXPRESS OR IMPLIED IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, LLC AND ITS SUBSIDIARIES, AFFILIATES AND THIRD PARTY SUPPLIERS DISCLAIM ALL WARRANTIES, OF ANY KIND OR NATURE, EXPRESS OR IMPLIED, ARISING OUT OF OR RELATED TO THIS REPORT OR ANY OF THE DATA AND INFORMATION PROVIDED IN THIS REPORT, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES REGARDING ACCURACY, QUALITY, CORRECTNESS, COMPLETENESS, COMPREHENSIVENESS, SUITABILITY, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE, NON-INFRINGEMENT, MISAPPROPRIATION, OR OTHERWISE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, LLC OR ITS SUBSIDIARIES, AFFILIATES OR THIRD PARTY SUPPLIERS BE LIABLE TO ANYONE FOR ANY DIRECT, INCIDENTAL, INDIRECT, SPECIAL, CONSEQUENTIAL OR OTHER DAMAGES OF ANY TYPE OR KIND (INCLUDING BUT NOT LIMITED TO LOSS OF PROFITS, LOSS OF USE, OR LOSS OF DATA) INFORMATION PROVIDED IN THIS REPORT.** Any analyses, estimates, ratings, environmental risk levels, or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only an assessment performed by a qualified environmental professional can provide findings, opinions or conclusions regarding the environmental risk or conditions in, on or at any property.

Copyright 2026 by Environmental Data Resources, LLC. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, LLC, or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, LLC or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E1527 - 21), the ASTM Standard Practice for Environmental Site Assessments for Forestland or Rural Property (E2247 - 23), the ASTM Standard Practice for Limited Environmental Due Diligence: Transaction Screen Process (E1528 - 22) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

20 JERUSALEM AVENUE
HICKSVILLE, NY 11801

COORDINATES

Latitude (North):	40.7667650 - 40° 46' 0.35''
Longitude (West):	73.5256200 - 73° 31' 32.23''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	624439.1
UTM Y (Meters):	4513700.5
Elevation:	144 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map:	50026528 HICKSVILLE, NY
Version Date:	2023
South Map:	50026526 FREEPORT, NY
Version Date:	2023

AERIAL PHOTOGRAPHY IN THIS REPORT

Photo Year:	2024
Source:	USDA

MAPPED SITES SUMMARY

Target Property Address:
20 JERUSALEM AVENUE
HICKSVILLE, NY 11801

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
A1	CHRYSLER CORPORATION	22 JERUSALEM AVENUE	PRP		TP
A2	KWIK DISCOUNT DRY CL	36 JERUSALEM AVE	EDR Hist Cleaner		TP
A3	KWIK DISCOUNT DRY CL	40 JERUSALEM AVE	EDR Hist Cleaner		TP
A4	LAUNDROMAT	40 JERUSALEM AVE	NY TANKS, RCRA NonGen / NLR, FINDS, ECHO, NY...		TP
A5	KWIK CLEANERS	40 JERUSALEM AVE.	NY UST		TP
Reg	NEW CASSEL/HICKSVILL	SOUTHERN END OF IRIS	NPL, SEMS, RCRA-VSQG, US ENG CONTROLS, US INST...	Same	2384, 0.452, SSE
B6		JERUSALEM AVE.	NY SPILLS 80	Higher	10, 0.002, NNE
B7	UNKNOWN	JERUSALEM AVENUE/HER	NY Spills	Higher	34, 0.006, North
A8	BONDCO TRANSMISSION	27 HERZOG PL.	NY AST	Higher	102, 0.019, ENE
A9	UNKNOWN	27 HERZOG PLACE	NY Spills	Higher	102, 0.019, ENE
A10	HICKSVILLE TRANSMISS	27 HERZOG PLACE	EDR Hist Auto	Higher	102, 0.019, ENE
B11	UNKNOWN	7O JERUSALEM AVENUE	NY Spills	Higher	134, 0.025, NE
C12	CITGO - M.S.S.T. INC	60 JERUSALEM AVE	NY UST	Higher	185, 0.035, SSE
C13	K.L. AUTO SERVICE IN	60 JERUSALEM AVE.	NY UST	Higher	185, 0.035, SSE
C14	APNI AUTO INC.	60 JERUSALEM AVE.	NY AST	Higher	185, 0.035, SSE
C15	VANTAGE #50-NORTHEAS	60 JERUSALEM AVE.	NY UST	Higher	185, 0.035, SSE
C16	MSST INC.	60 JERUSALEM AVE.	NY UST	Higher	185, 0.035, SSE
C17	WISSER ENTERPRISES I	60 JERUSALEM AVE	EDR Hist Auto	Higher	185, 0.035, SSE
C18	K.L. AUTO SERVICE IN	60 JERUSALEM AVE.	NY AST	Higher	185, 0.035, SSE
C19	VANTAGE #50-NORTHEAS	60 JERUSALEM AVE.	NY TANKS, NY Spills	Higher	185, 0.035, SSE
B20	ORANGE &WHITE RENTL	30 HERZOG PL	EDR Hist Auto	Higher	198, 0.038, NNE
B21	SAMMY'S AUTO REPAIR	30 HERZOG PL.	NY TANKS	Higher	198, 0.038, NNE
B22	AUTO LAB SERVICE CEN	30 HERZOG PL.	NY AST, NY TANKS	Higher	198, 0.038, NNE
B23	IFO HOLY SPIRIT CHRI	1577 HERZOG PLACE	NY Spills	Higher	246, 0.047, NE
B24	HOLY SPIRIT CHURCH	1517 HERZOG PLACE	NY Spills	Higher	246, 0.047, NE
D25	NY TELEPHONE GARAGE	20 DUFFY AVENUE	NY Spills	Lower	255, 0.048, WSW
C26	STORE	66 JERUSALEM AVENUE	NY Spills	Lower	257, 0.049, SSE
D27	BOUCHARD OIL TRANSPO	77 NEWBRIDGE RD	RCRA-VSQG	Lower	260, 0.049, West
D28	KIDD HOLDING	77 NEWBRIDGE ROAD	NY Spills	Lower	260, 0.049, West
E29	THRIFT SHOP	13 HERZOZ PLACE	NY Spills	Higher	263, 0.050, NE
C30	SPILL NUMBER 9609380	68 JERUSALEM AVENUE	NY Spills	Lower	277, 0.052, SSE
F31	SOVEREIGN VOLKSWAGON	45 NELSON AVE.	NY UST	Lower	279, 0.053, SSW
F32	SAVRIN JAGUAR DEALER	45 NELSON AVENUE	NY Spills	Lower	279, 0.053, SSW
F33	PLATINUM VOLKSWAGEN	45 NELSON AVE.	NY AST	Lower	279, 0.053, SSW
F34	SOVEREGIN JAGUAR LTD	45 NELSON AVE	RCRA NonGen / NLR, FINDS, ECHO	Lower	279, 0.053, SSW
F35	SOVEREIGN VOLKSWAGON	45 NELSON AVE.	NY AST	Lower	279, 0.053, SSW
F36	HICKSVILLE HIGH SCHO	18 DIVISION AVE	NY Spills	Lower	293, 0.055, South
E37	LIRR MAIN TRACK	RTE 107 & RTE 109	NY Spills	Higher	303, 0.057, NNE
D38	UNKNOWN	DUFFY AVENUE	NY Spills	Lower	305, 0.058, WSW

MAPPED SITES SUMMARY

Target Property Address:
20 JERUSALEM AVENUE
HICKSVILLE, NY 11801

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
D39	PROPERTY REDEVELOPME	99 NEWBRIDGE RD	NY Spills	Lower	310, 0.059, WNW
D40	ALPINE HICKSVILLE	99 NEWBRIDGE RD	RCRA-LQG, E MANIFEST	Lower	310, 0.059, WNW
E41	LI REPTILE MUSEUM	70 BROADWAY	NY Spills	Higher	311, 0.059, ENE
F42	CIANO & SONS CARTING	WEST MARIE STREET	NY Spills	Lower	312, 0.059, SW
43	SAZAKLIS RESIDENCE	112 WEST MARIE STREE	NY Spills	Lower	371, 0.070, SW
E44	LIRR	RT 107 AND HERZOG PL	NY Spills	Higher	387, 0.073, NE
D45	SOIL	44 DUFFY AVENUE	NY Spills	Lower	390, 0.074, WSW
G46	OMEGA AUTO BODY INC	16 JERUSALEM AVENUE	NJ MANIFEST	Higher	489, 0.093, NNW
G47	PRECISION AUTO WORKS	16 JERUSALEM AVE.	NY AST	Higher	489, 0.093, NNW
G48	OMEGA AUTO BODY INC	16 JERUSALEM AVE	RCRA-VSQG, NY Spills, US AIRS, FINDS, ECHO, NY...	Higher	489, 0.093, NNW
G49	PRECISION AUTO WORKS	16 JERUSALEM AVE.	NY UST	Higher	489, 0.093, NNW
E50	NEW YORK TEAM FEDERA	65 BROADWAY	NY UST	Higher	498, 0.094, NE
E51	ABANDON TRUCK	71 BROADWAY	NY Spills	Higher	505, 0.096, NE
E52	BUSINESS	67-69 BROADWAY	NY Spills	Higher	506, 0.096, NE
F53	UNKNOWN	99 WEST NICHOLAI STR	NY Spills	Lower	511, 0.097, South
54	LINCOLN CLEANERS 2	24 NEWBRIDGE RD	EDR Hist Cleaner	Lower	520, 0.098, WNW
G55	25 BARCLAY ASSOCIATE	25 W. BARCLAY ST.	NY UST	Higher	522, 0.099, NNW
G56	EASTLAND REALTY	25 WEST BARKLAY STRE	NY Spills	Higher	522, 0.099, NNW
G57	B. NO. 50	25 WEST BARCLAY STRE	NY MOSF, NY TANKS, NY Spills	Higher	522, 0.099, NNW
G58	N.Y.TELEPHONE-HICKSV	25 W. BARCLAY ST.	NY UST	Higher	522, 0.099, NNW
G59	PRAEDIUM REALTY, INC	25 W. BARCLAY ST.	NY UST	Higher	522, 0.099, NNW
H60	LIRR	BROADWAY	NY Spills	Higher	537, 0.102, East
H61	ROMANO, ORLANDO	BROADWAY	NY Spills	Higher	537, 0.102, East
I62	UNKNOWN	41 BROADWAY	NY Spills	Higher	545, 0.103, NNE
I63	UNKNOWN	15 FREDERICK STREET	NY Spills	Higher	558, 0.106, NNE
H64	ARMSTRONG JAMES SR	87 NO BROADWAY	EDR Hist Auto	Higher	577, 0.109, ENE
H65	EL SALVIDOR	87 BROADWAY	NY Spills	Higher	577, 0.109, ENE
H66	GEBHART PLAZA	EAST MARIE ST & BROA	NY Spills	Higher	583, 0.110, ENE
H67	LIRR	EAST MARIE & BARKLEY	NY LTANKS	Higher	596, 0.113, ENE
68	PHILIPPS INT'L HOLD	25 WEST BARKLEY STRE	NY LTANKS	Higher	629, 0.119, NW
G69	GIBRALTER TRANSMISSI	30 NORTH JERUSALEM A	NY AST, NY Spills	Higher	642, 0.122, NNW
G70	CORNWELL ARNOLD	30 NORTH JERUSALEM A	EDR Hist Auto	Higher	642, 0.122, NNW
G71	GREAT AMERICAN TRANS	30 N. JERUSALEM AVE.	NY UST	Higher	642, 0.122, NNW
J72	HICKSVILLE 1	100 DUFFY AVE.	NY UST	Lower	687, 0.130, West
J73	HICKSVILLE 1	100 DUFFY AVE.	NY LTANKS, NY AST, NY TANKS, NY Spills	Lower	687, 0.130, West
J74	CHEMICAL BANK	100-110 DUFFY AVE.	NY AST, NY TANKS	Lower	687, 0.130, West
J75	CHEMICAL BANK	100-110 DUFFY AVE.	NY UST	Lower	687, 0.130, West
H76	MASSAPEQUA TRANSMISS	103 BROADWAY	NY AST, NY TANKS	Higher	693, 0.131, East
H77	MARGIOTTA'S CAR CARE	103 BROADWAY	NY TANKS	Higher	693, 0.131, East

MAPPED SITES SUMMARY

Target Property Address:
20 JERUSALEM AVENUE
HICKSVILLE, NY 11801

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
H78	P. D. AUTOMOTIVE INC	103 BROADWAY	NY AST	Higher	693, 0.131, East
H79	BROADWAY MOTORS	103 BROADWAY	NY TANKS	Higher	693, 0.131, East
H80	MARGIOTTA'S CAR CARE	103 BROADWAY	NY AST	Higher	693, 0.131, East
H81	MASSAPEQUA TRANSMISS	103 BROADWAY	NY UST	Higher	693, 0.131, East
G82	CORNICHE CLEANERS	285-4 BROADWAY	NY TANKS	Higher	746, 0.141, NNW
K83	INDIGO PRINTING LTD	128 BROADWAY	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	749, 0.142, ESE
H84	HICKSVILLE REALTY CO	19 E. MARIE ST.	NY TANKS	Higher	777, 0.147, ENE
H85	HICKSVILLE REALTY CO	19 E. MARIE ST.	NY UST	Higher	777, 0.147, ENE
K86	FRAMING	144 BROADWAY	RCRA NonGen / NLR, FINDS, ECHO	Higher	782, 0.148, ESE
I87	AAMCO TRANSMISSIONS	24 E. BARCLAY ST.	NY AST	Higher	788, 0.149, NNE
I88	NEW YORK PLUMBING LL	24 E BARCLAY ST	NJ MANIFEST	Higher	788, 0.149, NNE
I89	NEW YORK PLUMBING LL	24 E BARCLAY ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	788, 0.149, NNE
L90	HICKSVILLE FIRE DEPT	20 EAST MARINE STREE	UST FINDER RELEASE	Higher	792, 0.150, ENE
L91	CHEM POLL CONTROL-OY	20 E MARIE ST	NY UST, NY AST, RCRA NonGen / NLR, FINDS, ECHO	Higher	792, 0.150, ENE
L92	HICKSVILLE FIRE DEPT	20 EAST MARINE STREE	NY LTANKS	Higher	792, 0.150, ENE
L93	CHEM POLL CONTROL-OY	20 E MARIE ST	NY TANKS, RCRA NonGen / NLR, NY MANIFEST	Higher	792, 0.150, ENE
L94	HICKSVILLE FIRE DIST	20 E. MARIE ST.	NY UST	Higher	792, 0.150, ENE
L95	HICKSVILLE FIRE DIST	20 E. MARIE ST.	NY UST	Higher	792, 0.150, ENE
L96	STATION ONE FIREHOUS	20 E MARIE STREET	FINDS, ECHO, PFAS ECHO	Higher	792, 0.150, ENE
97	CANTIAGUE PARK	WEST JOHN STREET	NY CBS, NY CBS AST, NY Spills	Higher	800, 0.152, North
K98	ISLAND BRIDAL GOWN R	148 BROADWAY	NY DRYCLEANERS	Higher	805, 0.152, ESE
M99	IGLE GAS CORP.	118 NEWBRIDGE RD.	UST FINDER	Lower	836, 0.158, SSW
M100	SUNOCO 0013-1326	118 NEWBRIDGE RD.	NY UST	Lower	836, 0.158, SSW
M101	IGLE GAS CORP.	118 NEWBRIDGE RD.	NY UST	Lower	836, 0.158, SSW
M102	PETRO GAS GROUP US I	118 NEWBRIDGE RD.	NY UST	Lower	836, 0.158, SSW
M103	CITGO GAS STATION	118 NEWBRIDGE RD	NY TANKS, RCRA NonGen / NLR, FINDS, ECHO, NY...	Lower	836, 0.158, SSW
N104	PAL AUTO SERVICES, I	32 E. BARCLAY ST.	NY TANKS	Higher	867, 0.164, NNE
N105	BARCLAY AUTO REPAIR	32 E. BARCLAY ST.	NY TANKS	Higher	867, 0.164, NNE
O106	ST. IGNATIUS LOYOLA	129 BROADWAY	NY UST	Higher	898, 0.170, East
O107	ST IGNATIUS OF LOYOL	129 BROADWAY	NY LTANKS, NY Spills	Higher	898, 0.170, East
O108	ST. IGNATIUS LOYOLA	129 BROADWAY	NY AST, NY TANKS	Higher	898, 0.170, East
N109	R & A AUTO BODY	40 BARCLAY STREET	E MANIFEST	Higher	913, 0.173, NNE
P110	VERIZON NEW YORK INC	69 W CHERRY ST	NY UST	Lower	949, 0.180, SSE
P111	BELL ATLANTIC - TRG	69 W CHERRY ST	NY Spills, RCRA NonGen / NLR, FINDS, ECHO, NY...	Lower	949, 0.180, SSE
M112	NY TELEPHONE	WEST CHERRY STREET	NY LTANKS	Lower	1005, 0.190, SSW
N113	JVC AUTO REPAIRS	50 E. BARCLAY ST.	NY AST, NY TANKS	Higher	1007, 0.191, NNE
N114	FIRST CALL AUTO MALL	50 E. BARCLAY ST.	NY TANKS	Higher	1007, 0.191, NNE
N115	PETE'S GARAGE, INC.	50 E. BARCLAY ST.	NY TANKS	Higher	1007, 0.191, NNE
N116	JVC AUTO COLLISION	50 E.BARCLAY ST.	NY TANKS	Higher	1007, 0.191, NNE

MAPPED SITES SUMMARY

Target Property Address:
20 JERUSALEM AVENUE
HICKSVILLE, NY 11801

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
N117	PETE'S GARAGE, INC.	50 E. BARCLAY ST.	NY AST	Higher	1007, 0.191, NNE
N118	FIRST CALL AUTO MALL	50 E. BARCLAY ST.	NY AST	Higher	1007, 0.191, NNE
M119	HENRY J. STOCK FUNER	132 NEWBRIDGE RD.	NY UST	Lower	1029, 0.195, SSW
M120	HENRY J. STOCK FUNER	132 NEWBRIDGE RD.	NY AST, NY TANKS, NY Spills	Lower	1029, 0.195, SSW
Q121	HOLY TRINITY EPISCOP	130 JERUSALEM AVE.	NY TANKS	Lower	1034, 0.196, SSE
Q122	HOLY TRINITY EPISCOP	130 JERUSALEM AVE.	NY UST	Lower	1034, 0.196, SSE
P123	CLIN-PATH/TOX LABS	15 FREDERICH PL.	NY TANKS	Lower	1044, 0.198, SE
N124	J V C AUTO COLLISION	56-60 E BARCLAY ST	RCRA-SQG, NY MANIFEST	Higher	1062, 0.201, NNE
N125	JVC AUTO COLLISION	56 E BARCLAY ST	NY TANKS, NY AIRS	Higher	1062, 0.201, NNE
N126	DAHLS AUTO BODY INC.	56 E. BARCLAY ST.	NY UST	Higher	1062, 0.201, NNE
N127	TRIPLE J V C AUTO CO	56 BARCLAY ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1062, 0.201, NNE
R128	NEW YORK COMMUNITY B	102 DUFFY AVE.	NY TANKS, NY COOLING TOWERS	Lower	1069, 0.202, WSW
R129	NEW YORK COMMUNITY B	102 DUFFY AVE.	NY UST	Lower	1069, 0.202, WSW
S130	B QUICK PRINTERS	46 W JOHN ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1095, 0.207, NW
T131	J.V.C. AUTO COLLISIO	60E BARCLAY STREET	E MANIFEST	Higher	1098, 0.208, NE
S132	EMERALD DRY CLEANERS	48 W JOHN ST	NY TANKS, RCRA NonGen / NLR, FINDS, ECHO, NY...	Higher	1103, 0.209, NW
P133	JOSEPH GENTILE	96-100 W. OLD COUNTR	NY TANKS	Lower	1119, 0.212, SSE
P134	GENTILE JOSEPH	96 W OLD COUNTRY RD	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Lower	1119, 0.212, SSE
P135	JOSEPH GENTILE	96-100 W. OLD COUNTR	NY UST	Lower	1119, 0.212, SSE
U136	L.I. KAWASAKI YAMAHA	67 N. BROADWAY (RTE	NY TANKS	Higher	1134, 0.215, North
S137	POLANSKY TAX SERVICE	54 W JOHN ST	RCRA NonGen / NLR, FINDS, ECHO	Higher	1146, 0.217, NW
V138	RESIDENCE	20 WYCOFFE STREET	NY LTANKS	Lower	1150, 0.218, NW
W139	HICKSVILLE WATER DIS	111 W BARCLAY ST	RCRA NonGen / NLR, E MANIFEST	Lower	1187, 0.225, West
W140	HICKSVILLE WATER DIS	111 W BARCLAY ST	NY AST	Lower	1187, 0.225, West
W141	HICKSVILLE WATER DIS	111 W BARCLAY ST	NY CBS, NY MANIFEST	Lower	1187, 0.225, West
T142	LITMOR PUBLISHING CO	81 E BARCLAY ST	RCRA NonGen / NLR, FINDS, ECHO, NY MANIFEST	Higher	1192, 0.226, NE
X143	TEXACO	180 OLD COUNTRY ROAD	NY AST, NY Spills	Lower	1196, 0.227, SSW
X144	TEXACO SERVICE STATI	180 OLD COUNTRY RD	RCRA NonGen / NLR, FINDS, ECHO	Lower	1196, 0.227, SSW
X145	TEXACO SERVICE STATI	180 OLD COUNTRY RD.	NY UST	Lower	1196, 0.227, SSW
X146	FELCO REALTY LLC	180 OLD COUNTRY ROAD	NY TANKS, NY SPDES	Lower	1196, 0.227, SSW
X147	TEXACO	180 OLD COUNTRY ROAD	UST FINDER RELEASE	Lower	1196, 0.227, SSW
W148	GILISON KNITWER CO.	65-89 W. JOHN ST.	NY UST	Lower	1199, 0.227, WNW
U149	76 N. BROADWAY LLC	76 N. BROADWAY	NY UST	Higher	1200, 0.227, NNW
U150	OFFICE BLDG.	76 N. BROADWAY	NY TANKS	Higher	1200, 0.227, NNW
U151	OFFICE BLDG.	76 N. BROADWAY	NY UST	Higher	1200, 0.227, NNW
U152	76 N. BROADWAY LLC	76 N. BROADWAY	NY TANKS	Higher	1200, 0.227, NNW
Y153	ALDRICH MGMNT CO, LL	25 WOODBURY RD.	NY UST	Higher	1205, 0.228, NE
Y154	ALDRICH MGMNT CO, LL	25 WOODBURY RD.	NY TANKS	Higher	1205, 0.228, NE
Z155	AMERICAN DENTAL OFFI	180 BROADWAY	E MANIFEST	Lower	1210, 0.229, ESE

MAPPED SITES SUMMARY

Target Property Address:
20 JERUSALEM AVENUE
HICKSVILLE, NY 11801

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
Z156	AMERICAN DENTAL OFFI	180 BROADWAY / 35 BR	E MANIFEST	Lower	1210, 0.229, ESE
V157	CANTIAGUE PARK ADMIN	WEST JOHN STREET	NY LTANKS	Lower	1237, 0.234, WNW
V158	RELIANCE UTILITIES	WEST JOHN STREET	NY LTANKS	Lower	1237, 0.234, WNW
V159	CANTIAGUE PARK ADMIN	WEST JOHN STREET	NY LTANKS	Lower	1237, 0.234, WNW
AA160	AUTO-SPA	56 OLD COUNTRY RD.	NY UST	Lower	1247, 0.236, SE
AA161	AUTO SPA-HICKSVILLE	56 OLD COUNTRY RD.	NY TANKS	Lower	1247, 0.236, SE
AA162	VALVOLINE INST. OIL	56 OLD COUNTRY RD.	NY AST	Lower	1247, 0.236, SE
AA163	VALVOLINE INST OIL C	56 OLD COUNTRY RD.	NY AST	Lower	1247, 0.236, SE
AA164	AUTO SPA-HICKSVILLE	56 OLD COUNTRY RD.	NY UST	Lower	1247, 0.236, SE
AA165	AUTO-SPA	56 OLD COUNTRY RD.	NY TANKS	Lower	1247, 0.236, SE
AA166	VALVOLINE INST. OIL	56 OLD COUNTRY RD.	NY TANKS	Lower	1247, 0.236, SE
AA167	VALVOLINE INST OIL C	56 OLD COUNTRY RD.	NY UST	Lower	1247, 0.236, SE
Y168	HICKSVILLE AUTO SPRI	23 HEITZ PL E MARIE	NY AST, RCRA NonGen / NLR, FINDS, ECHO, NY...	Higher	1254, 0.237, ENE
Q169	VERNON C. WAGNER F.H	125 OLD COUNTRY RD.	NY TANKS	Lower	1257, 0.238, SSE
AB170	RIDGEWOOD SAVINGS BA	169 OLD COUNTRY RD.	NY UST	Lower	1261, 0.239, South
R171	110 DUFFY LLC	110 DUFFY AVE	RCRA-LQG, NY MANIFEST	Lower	1285, 0.243, WSW
172	CVS PHARMACY #1931	202 OLD COUNTRY RD	RCRA-VSQG, E MANIFEST, NY MANIFEST	Lower	1296, 0.245, SSW
AB173	HICKSVILLE OPERATION	175 EAST OLD COUNTRY	NY LTANKS, NY TANKS, NY Spills, NY MANIFEST	Lower	1300, 0.246, South
X174	UNKNOWN	197 OLD COUNTRY ROAD	UST FINDER RELEASE	Lower	1437, 0.272, SSW
175	MOBIL S/S	OLD COUNTRY & NEWBRI	NY LTANKS	Lower	1506, 0.285, SSW
AC176	WE TRANSPORT	42 EAST CARLE STREET	UST FINDER RELEASE	Higher	1602, 0.303, East
AC177	WE TRANSPORT	42 EAST CARL STREET	UST FINDER RELEASE	Higher	1602, 0.303, East
AC178	WE TRANSPORT INC	42 E CARL ST	NY LTANKS, NY UST, NY TANKS, NY Spills, RCRA...	Higher	1602, 0.303, East
AD179	HICKSVILLE METHODIST	OLD COUNTRY ROAD	NY LTANKS	Lower	1665, 0.315, ESE
180	EXXON	106 N. BROADWAY	UST FINDER, UST FINDER RELEASE	Higher	1665, 0.315, NNW
181	HICKSVILLE MIDDLE SC	JERUSALEM AVE	NY LTANKS, RCRA NonGen / NLR, NY MANIFEST	Lower	1701, 0.322, SSE
AD182	EXXON GAS STATION	210 SOUTH BROADWAY	UST FINDER RELEASE	Lower	1706, 0.323, SE
AE183	FORMER PETRO TERMINA	SOUTH OYSTER BAY ROA	NY LTANKS, NY Spills	Lower	1762, 0.334, SSE
AE184	ZARA CONT CO	ENGEL STREET	NY LTANKS	Lower	1762, 0.334, SSE
AD185	WEST. CO. AIRPORT	OLD CAR RENTAL SITE	NY LTANKS	Lower	1799, 0.341, ESE
186	COUNTRY BRIDGE	244/260 WEST OLD COU	NY LTANKS	Lower	1804, 0.342, SSW
187	EDWARD CONDRA RESIDE	219 WEST MARIE STREE	NY LTANKS	Lower	1845, 0.349, WSW
188	CHUANG RESIDENCE	48 LENOX AVENUE	NY LTANKS, NY Spills	Higher	2122, 0.402, North
189	JOE MCSHANE RESIDENC	33 FLOWER STREET	NY LTANKS	Lower	2130, 0.403, SSW
190	JERICHO JEWISH CENTE	NORTH BROADWAY	NY LTANKS	Higher	2165, 0.410, NNW
AF191	NCBP HICKSVILLE LLC	201 W JOHN ST	NY LTANKS, NY UST, NY Spills, RCRA NonGen / NLR,...	Lower	2170, 0.411, West
AF192	FEDERAL EXPRESS	201 WEST JOHN STREET	UST FINDER RELEASE	Lower	2170, 0.411, West
AG193	WOODMAX MOBIL SS	94 WOODBURY RD/MAX A	NY LTANKS, NY Spills	Higher	2229, 0.422, NE
AG194	WOODMAX MOBIL INC	94 WOODBURY ROAD	UST FINDER RELEASE	Higher	2229, 0.422, NE

MAPPED SITES SUMMARY

Target Property Address:
20 JERUSALEM AVENUE
HICKSVILLE, NY 11801

Click on Map ID to see full detail.

MAP ID	SITE NAME	ADDRESS	DATABASE ACRONYMS	RELATIVE ELEVATION	DIST (ft. & mi.) DIRECTION
195	VALVOLINE INSTANT OI	56 EAST OLD COUNTRY	NY LTANKS	Higher	2275, 0.431, ESE
AH196	NYNEX	202 DUFFY AVENUE	UST FINDER RELEASE	Lower	2323, 0.440, WSW
AH197	AMPEREX	210 DUFFY AVENUE	NY LTANKS	Lower	2492, 0.472, WSW
198	ABANDONED GAS STATIO	285 WEST JOHN STREET	UST FINDER RELEASE	Lower	2593, 0.491, West
199	HICKSVILLE OPERATION	175 E OLD COUNTRY RD	CORRACTS, RCRA-TSDF, RCRA-LQG, US FIN ASSUR, 2020..	Lower	3620, 0.686, ESE
200	ALSY MANUFACTURING,	270/280 DUFFY AVENUE	NY SHWS, NY ENG CONTROLS, NY INST CONTROL, NY...	Lower	4081, 0.773, WSW
201	SPORT STAMP & THE CL	290 DUFFY AVE	CORRACTS, RCRA-TSDF, NY SHWS, NY INST CONTROL, NY	Lower	4687, 0.888, WSW
202	MATTIACE PETROCHEMIC		NY DEL SHWS	Lower	5109, 0.968, West
203	BOWE SYSTEC,INC.	200 FRANK RD.	NY SHWS, NY TANKS, NY Spills	Lower	5222, 0.989, WSW

EXECUTIVE SUMMARY

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 9 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
CHRYSLER CORPORATION 22 JERUSALEM AVENUE HICKSVILLE, NY 11801	PRP	N/A
KWIK DISCOUNT DRY CL 36 JERUSALEM AVE HICKSVILLE, NY 11801	EDR Hist Cleaner	N/A
KWIK DISCOUNT DRY CL 40 JERUSALEM AVE HICKSVILLE, NY 11801	EDR Hist Cleaner	N/A
LAUNDROMAT 40 JERUSALEM AVE HICKSVILLE, NY 11802	NY TANKS Database: TANKS NASSAU, Date of Government Version: 11/27/2023 RCRA NonGen / NLR EPA ID:: NYD114131923 FINDS Registry ID:: 110004380571 ECHO Registry ID: 110004380571 NY MANIFEST EPA ID: NYD114131923	NYD114131923
KWIK CLEANERS 40 JERUSALEM AVE. HICKSVILLE, NY 11801	NY UST Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #546	N/A

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

Proposed NPL---------- Proposed National Priority List Sites

NPL LIENS ---- Federal Superfund Liens

Lists of Federal Delisted NPL sites

Delisted NPL ---- National Priority List Deletions

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY ---- Federal Facility Site Information listing

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE ---- Superfund Enterprise Management System Archive

Federal institutional controls / engineering controls registries

LUCIS ---- Land Use Control Information System

Federal ERNS list

ERNS ---- Emergency Response Notification System

Lists of state and tribal landfills and solid waste disposal facilities

NY SWF/LF ---- Facility Register

Lists of state and tribal leaking storage tanks

INDIAN LUST ---- Leaking Underground Storage Tanks on Indian Land
NY HIST LTANKS ---- Listing of Leaking Storage Tanks

Lists of state and tribal registered storage tanks

FEMA UST ---- Underground Storage Tank Listing
NY CBS UST ---- Chemical Bulk Storage Database
NY MOSF UST ---- Major Oil Storage Facilities Database
NY MOSF AST ---- Major Oil Storage Facilities Database
INDIAN UST ---- Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

NY RES DECL ---- Restrictive Declarations Listing

Lists of state and tribal voluntary cleanup sites

NY VCP ---- Voluntary Cleanup Agreements
INDIAN VCP ---- Voluntary Cleanup Priority Listing

Lists of state and tribal brownfield sites

NY BROWNFIELDS ---- Brownfields Site List
NY ERP ---- Environmental Restoration Program Listing

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS ---- A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

NY SWTIRE ---- Registered Waste Tire Storage & Facility List
NY SWRCY ---- Registered Recycling Facility List
INDIAN ODI ---- Report on the Status of Open Dumps on Indian Lands
ODI ---- Open Dump Inventory
DEBRIS REGION 9 ---- Torres Martinez Reservation Illegal Dump Site Locations
IHS OPEN DUMPS ---- Open Dumps on Indian Land

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL ---- Delisted National Clandestine Laboratory Register
US CDL ---- National Clandestine Laboratory Register

Local Lists of Registered Storage Tanks

NY HIST UST ---- Historical Petroleum Bulk Storage Database
NY HIST AST ---- Historical Petroleum Bulk Storage Database

Local Land Records

NY LIENS ---- Spill Liens Information
LIENS 2 ---- CERCLA Lien Information

Records of Emergency Release Reports

HMIRS ---- Hazardous Materials Information Reporting System
NY Hist Spills ---- SPILLS Database
NY SPILLS 90 ---- SPILLS 90 data from FirstSearch

Other Ascertainable Records

FUDS ---- Formerly Used Defense Sites
DOD ---- Department of Defense Sites
SCRD DRYCLEANERS ---- State Coalition for Remediation of Drycleaners Listing
EPA WATCH LIST ---- EPA WATCH LIST
TSCA ---- Toxic Substances Control Act
TRIS ---- Toxic Chemical Release Inventory System
SSTS ---- Section 7 Tracking Systems
RMP ---- Risk Management Plans
RAATS ---- RCRA Administrative Action Tracking System
ICIS ---- Integrated Compliance Information System
FTTS ---- FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
MLTS ---- Material Licensing Tracking System
COAL ASH DOE ---- Steam-Electric Plant Operation Data
COAL ASH EPA ---- Coal Combustion Residues Surface Impoundments List
PCB TRANSFORMER ---- PCB Transformer Registration Database
RADINFO ---- Radiation Information Database
HIST FTTS ---- FIFRA/TSCA Tracking System Administrative Case Listing
DOT OPS ---- Incident and Accident Data
CONSENT ---- Superfund (CERCLA) Consent Decrees
INDIAN RESERV ---- Indian Reservations
FUSRAP ---- Formerly Utilized Sites Remedial Action Program

UMTRA ---- Uranium Mill Tailings Sites
LEAD SMELTERS ---- Lead Smelter Sites
US MINES ---- Mines Master Index File
ABANDONED MINES ---- Abandoned Mines
MINES MRDS ---- Mineral Resources Data System
DOCKET HWC ---- Hazardous Waste Compliance Docket Listing
UXO ---- Unexploded Ordnance Sites
FUELS PROGRAM ---- EPA Fuels Program Registered Listing
PFAS FEDERAL SITES ---- Federal Sites PFAS Information
PFAS TRIS ---- List of PFAS Added to the TRI
PFAS TSCA ---- PFAS Manufacture and Imports Information
PFAS RCRA MANIFEST ---- PFAS Transfers Identified In the RCRA Database Listing
PFAS ATSDR ---- PFAS Contamination Site Location Listing
PFAS WQP ---- Ambient Environmental Sampling for PFAS
PFAS PROJECT ---- NORTHEASTERN UNIVERSITY PFAS PROJECT
PFAS NPDES ---- Clean Water Act Discharge Monitoring Information
PFAS ECHO FIRE TRAIN ---- Facilities in Industries that May Be Handling PFAS Listing
PFAS PT 139 AIRPORT ---- All Certified Part 139 Airports PFAS Information Listing
AQUEOUS FOAM NRC ---- Aqueous Foam Related Incidents Listing
BIOSOLIDS ---- ICIS-NPDES Biosolids Facility Data
NY PFAS ---- PFAS Contamination Site Location Listing
NY COAL ASH ---- Coal Ash Disposal Site Listing
NY E DESIGNATION ---- E DESIGNATION SITE LISTING
NY Financial Assurance ---- Financial Assurance Information Listing
NY HSWDS ---- Hazardous Substance Waste Disposal Site Inventory
NY LEAD ---- Lead-based Paint Testing Results
NY UIC ---- Underground Injection Control Wells
NY NYC LAND USE ---- New York City Land Use Information
NY ILI ---- New York State Inactive Landfill Initiative
NY MGP ---- Manufactured Gas Plants Listing
NY NYC OER ---- OER Cleanup Sites Listing

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP ---- EDR Proprietary Manufactured Gas Plants

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

NY RGA HWS ---- Recovered Government Archive State Hazardous Waste Facilities List
NY RGA LF ---- Recovered Government Archive Solid Waste Facilities List

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.
Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in ***bold italics*** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

EXECUTIVE SUMMARY

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: Also known as Superfund, the National Priority List database is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund program. The source of this database is the U.S. EPA.

A review of the NPL list, as provided by EDR, and dated 12/26/2025 has revealed that there is 1 NPL site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NEW CASSEL/HICKSVILL Cerclis ID:: 203974 EPA Id: NY0001095363	***SOUTHERN END OF IRIS***	***SSE 1/4 - 1/2 (0.452 mi.)***	***0***	***25***

Lists of Federal sites subject to CERCLA removals and CERCLA orders

SEMS: SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

A review of the SEMS list, as provided by EDR, and dated 12/26/2025 has revealed that there is 1 SEMS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NEW CASSEL/HICKSVILL Site ID: 0203974 EPA Id: NY0001095363	***SOUTHERN END OF IRIS***	***SSE 1/4 - 1/2 (0.452 mi.)***	***0***	***25***

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: CORRACTS is a list of handlers with RCRA Corrective Action Activity. This report shows which nationally-defined corrective action core events have occurred for every handler that has had corrective action activity.

A review of the CORRACTS list, as provided by EDR, and dated 11/30/2025 has revealed that there are 2 CORRACTS sites within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
HICKSVILLE OPERATION	***175 E OLD COUNTRY RD***	***ESE 1/2 - 1 (0.686 mi.)***	***199***	***466***
SPORT STAMP & THE CL	***290 DUFFY AVE***	***WSW 1/2 - 1 (0.888 mi.)***	***201***	***852***

EPA ID:: NYD005923560

Lists of Federal RCRA generators

RCRA-LQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

A review of the RCRA-LQG list, as provided by EDR, and dated 11/30/2025 has revealed that there are 2 RCRA-LQG sites within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALPINE HICKSVILLE EPA ID:: NYR000265843	***99 NEWBRIDGE RD***	***WNW 0 - 1/8 (0.059 mi.)***	***D40***	***79***
110 DUFFY LLC EPA ID:: NYR000149567	***110 DUFFY AVE***	***WSW 1/8 - 1/4 (0.243 mi.)***	***R171***	***342***

RCRA-SQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

A review of the RCRA-SQG list, as provided by EDR, and dated 11/30/2025 has revealed that there is 1 RCRA-SQG site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
J V C AUTO COLLISION EPA ID:: NYD987017324	***56-60 E BARCLAY ST***	***NNE 1/8 - 1/4 (0.201 mi.)***	***N124***	***218***

RCRA-VSQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-VSQG list, as provided by EDR, and dated 11/30/2025 has revealed that there are 3 RCRA-VSQG sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
OMEGA AUTO BODY INC EPA ID:: NYD981490196	***16 JERUSALEM AVE***	***NNW 0 - 1/8 (0.093 mi.)***	***G48***	***94***

Lower Elevation	Address	Direction / Distance	Map ID	Page
BOUCHARD OIL TRANSPO	77 NEWBRIDGE RD	W 0 - 1/8 (0.049 mi.)	D27	62

EPA ID:: FLTMP9203712

CVS PHARMACY #1931	***202 OLD COUNTRY RD***	***SSW 1/8 - 1/4 (0.245 mi.)***	***172***	***348***

EPA ID:: NYR000187963

Federal institutional controls / engineering controls registries

US ENG CONTROLS: A listing of sites with engineering controls in place.

A review of the US ENG CONTROLS list, as provided by EDR, and dated 10/30/2025 has revealed that there is 1 US ENG CONTROLS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NEW CASSEL/HICKSVILL	***SOUTHERN END OF IRIS***	***SSE 1/4 - 1/2 (0.452 mi.)***	***0***	***25***

EPA ID:: NY0001095363
EPA ID:: NY0001095363

US INST CONTROLS: A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

A review of the US INST CONTROLS list, as provided by EDR, and dated 10/30/2025 has revealed that there is 1 US INST CONTROLS site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NEW CASSEL/HICKSVILL	***SOUTHERN END OF IRIS***	***SSE 1/4 - 1/2 (0.452 mi.)***	***0***	***25***

EPA ID:: NY0001095363

Lists of state- and tribal hazardous waste facilities

NY SHWS: The State Hazardous Waste Sites records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. The data come from the Department of Environmental Conservation's Inactive Hazardous waste Disposal Sites in New York State.

A review of the NY SHWS list, as provided by EDR, and dated 10/30/2025 has revealed that there are 3 NY SHWS sites within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALSY MANUFACTURING,	***270/280 DUFFY AVENUE***	***WSW 1/2 - 1 (0.773 mi.)***	***200***	***835***

Site Code: 55767
Class Code: Site is properly closed - requires continued management.

SPORT STAMP & THE CL	***290 DUFFY AVE***	***WSW 1/2 - 1 (0.888 mi.)***	***201***	***852***

Site Code: 55770

BOWE SYSTEC,INC.	***200 FRANK RD.***	***WSW 1/2 - 1 (0.989 mi.)***	***203***	***882***

EXECUTIVE SUMMARY

Site Code: 55784

Lists of state and tribal leaking storage tanks

NY LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the NY LTANKS list, as provided by EDR, and dated 10/30/2025 has revealed that there are 27 NY LTANKS sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
LIRR Spill Number/Closed Date: 9103127 / 1991-06-25 Site ID: 152301 Spill Date: 1991-06-19	EAST MARIE & BARKLEY	ENE 0 - 1/8 (0.113 mi.)	H67	126
PHILIPPS INT'L HOLD Spill Number/Closed Date: 9010243 / 1991-03-07 Site ID: 223287 Spill Date: 1990-12-20	25 WEST BARKLEY STRE	NW 0 - 1/8 (0.119 mi.)	68	127
HICKSVILLE FIRE DEPT Spill Number/Closed Date: 8710072 / 1988-03-22 Site ID: 141819 Spill Date: 1988-03-01	20 EAST MARINE STREE	ENE 1/8 - 1/4 (0.150 mi.)	L92	161
ST IGNATIUS OF LOYOL Spill Number/Closed Date: 8707677 / 1988-10-17 Site ID: 83290 Spill Date: 1987-12-07	***129 BROADWAY***	***E 1/8 - 1/4 (0.170 mi.)***	***O107***	***198***
WE TRANSPORT INC Spill Number/Closed Date: 8911439 / 1994-05-06 Spill Number/Closed Date: 9903082 / 2000-03-28 Site ID: 289832 Site ID: 289833 Spill Date: 1990-03-02 Spill Date: 1999-06-17	***42 E CARL ST***	***E 1/4 - 1/2 (0.303 mi.)***	***AC178***	***398***
CHUANG RESIDENCE Spill Number/Closed Date: 9404612 / 2004-02-10 Site ID: 84147 Spill Date: 1994-07-05	***48 LENOX AVENUE***	***N 1/4 - 1/2 (0.402 mi.)***	***188***	***444***
JERICHO JEWISH CENTE Spill Number/Closed Date: 9009442 / 1991-11-29 Site ID: 153656 Spill Date: 1990-11-29	NORTH BROADWAY	NNW 1/4 - 1/2 (0.410 mi.)	190	448
WOODMAX MOBIL SS Spill Number/Closed Date: 9908970 / 1999-12-03 Site ID: 115345 Spill Date: 1999-10-23	***94 WOODBURY RD/MAX A***	***NE 1/4 - 1/2 (0.422 mi.)***	***AG193***	***459***
VALVOLINE INSTANT OI	56 EAST OLD COUNTRY	ESE 1/4 - 1/2 (0.431 mi.)	195	462

Spill Number/Closed Date: 0208423 / 2003-02-13
Site ID: 173495
Spill Date: 2002-11-14

Lower Elevation	Address	Direction / Distance	Map ID	Page
HICKSVILLE 1	***100 DUFFY AVE.***	***W 1/8 - 1/4 (0.130 mi.)***	***J73***	***134***
Spill Number/Closed Date: 9404966 / 1994-11-08 Site ID: 247554 Spill Date: 1994-07-11				
NY TELEPHONE	WEST CHERRY STREET	SSW 1/8 - 1/4 (0.190 mi.)	M112	212
Spill Number/Closed Date: 8607833 / 1987-04-22 Site ID: 160347 Spill Date: 1987-03-23				
RESIDENCE	20 WYCOFFE STREET	NW 1/8 - 1/4 (0.218 mi.)	V138	275
Spill Number/Closed Date: 9500106 / 1995-04-04 Site ID: 100402 Spill Date: 1995-04-04				
CANTIAGUE PARK ADMIN	WEST JOHN STREET	WNW 1/8 - 1/4 (0.234 mi.)	V157	319
Spill Number/Closed Date: 9109619 / 1994-11-02 Site ID: 250285 Spill Date: 1991-12-09				
RELIANCE UTILITIES	WEST JOHN STREET	WNW 1/8 - 1/4 (0.234 mi.)	V158	320
Spill Number/Closed Date: 8604793 / 1987-09-09 Site ID: 250277 Spill Date: 1986-10-27				
CANTIAGUE PARK ADMIN	WEST JOHN STREET	WNW 1/8 - 1/4 (0.234 mi.)	V159	322
Spill Number/Closed Date: 9110529 / 1992-02-25 Spill Number/Closed Date: 9110582 / 1992-02-24 Site ID: 250286 Site ID: 250287 Spill Date: 1992-01-07 Spill Date: 1992-01-08				
HICKSVILLE OPERATION	***175 EAST OLD COUNTRY***	***S 1/8 - 1/4 (0.246 mi.)***	***AB173***	***379***
Spill Number/Closed Date: 8703663 / 1987-09-23 Spill Number/Closed Date: 9108910 / 1994-05-31 Spill Number/Closed Date: 9410511 / 2004-03-05 Site ID: 223887 Site ID: 124965 Site ID: 124980 Spill Date: 1987-08-04 Spill Date: 1991-11-20 Spill Date: 1994-11-07				
MOBIL S/S	OLD COUNTRY & NEWBRI	SSW 1/4 - 1/2 (0.285 mi.)	175	395
Spill Number/Closed Date: 8900786 / 1992-10-01 Site ID: 82085 Spill Date: 1989-04-24				
HICKSVILLE METHODIST	OLD COUNTRY ROAD	ESE 1/4 - 1/2 (0.315 mi.)	AD179	418
Spill Number/Closed Date: 9911452 / 2000-01-04 Site ID: 141351 Spill Date: 1999-12-31				
HICKSVILLE MIDDLE SC	***JERUSALEM AVE***	***SSE 1/4 - 1/2 (0.322 mi.)***	***181***	***420***

Spill Number/Closed Date: 8705026 / 1988-05-17
Site ID: 195996
Spill Date: 1987-09-16

FORMER PETRO TERMINA ***SOUTH OYSTER BAY ROA*** ***SSE 1/4 - 1/2 (0.334 mi.)*** ***AE183*** ***437***
Spill Number/Closed Date: 9206696 / 1996-03-01
Site ID: 234465
Spill Date: 1992-09-09

ZARA CONT CO ENGEL STREET SSE 1/4 - 1/2 (0.334 mi.) AE184 440
Spill Number/Closed Date: 8702083 / 1987-09-23
Site ID: 206675
Spill Date: 1987-06-12

WEST. CO. AIRPORT OLD CAR RENTAL SITE ESE 1/4 - 1/2 (0.341 mi.) AD185 441
Spill Number/Closed Date: 9310461 / 1999-07-12
Site ID: 264311
Spill Date: 1993-11-29

COUNTRY BRIDGE 244/260 WEST OLD COU SSW 1/4 - 1/2 (0.342 mi.) 186 442
Spill Number/Closed Date: 1310184 / 2014-05-16
Site ID: 491015
Spill Date: 2014-01-21

EDWARD CONDRA RESIDE 219 WEST MARIE STREE WSW 1/4 - 1/2 (0.349 mi.) 187 443
Spill Number/Closed Date: 9509442 / 1995-10-31
Site ID: 79338
Spill Date: 1995-10-30

JOE MCSHANE RESIDENC 33 FLOWER STREET SSW 1/4 - 1/2 (0.403 mi.) 189 446
Spill Number/Closed Date: 9813375 / 1999-09-22
Site ID: 140767
Spill Date: 1999-02-01

NCBP HICKSVILLE LLC ***201 W JOHN ST*** ***W 1/4 - 1/2 (0.411 mi.)*** ***AF191*** ***449***
Spill Number/Closed Date: 9506499 / 1996-03-28
Spill Number/Closed Date: 9506571 / 1995-09-07
Site ID: 204311
Site ID: 204312
Spill Date: 1995-08-25
Spill Date: 1995-08-28

AMPEREX 210 DUFFY AVENUE WSW 1/4 - 1/2 (0.472 mi.) AH197 464
Spill Number/Closed Date: 8704418 / 1987-09-23
Site ID: 247288
Spill Date: 1987-08-27

Lists of state and tribal registered storage tanks

NY UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the NY UST list, as provided by EDR, has revealed that there are 37 NY UST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CITGO - M.S.S.T. INC Database: NCFM UST, Date of Government Version: 02/15/2011	60 JERUSALEM AVE	SSE 0 - 1/8 (0.035 mi.)	C12	47

Status: Active
Location Id: 30682

K.L. AUTO SERVICE IN	60 JERUSALEM AVE.	SSE 0 - 1/8 (0.035 mi.)	C13	47
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #56204				
VANTAGE #50-NORTHEAS	60 JERUSALEM AVE.	SSE 0 - 1/8 (0.035 mi.)	C15	48
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #41093				
MSST INC.	60 JERUSALEM AVE.	SSE 0 - 1/8 (0.035 mi.)	C16	50
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #60372				
PRECISION AUTO WORKS	16 JERUSALEM AVE.	NNW 0 - 1/8 (0.093 mi.)	G49	110
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #58318				
NEW YORK TEAM FEDERA	65 BROADWAY	NE 0 - 1/8 (0.094 mi.)	E50	110
Database: NCFM UST, Date of Government Version: 02/15/2011 Status: Removed Location Id: 18999				
25 BARCLAY ASSOCIATE	25 W. BARCLAY ST.	NNW 0 - 1/8 (0.099 mi.)	G55	114
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #38081				
N.Y.TELEPHONE-HICKSV	25 W. BARCLAY ST.	NNW 0 - 1/8 (0.099 mi.)	G58	118
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #38019				
PRAEDIUM REALTY, INC	25 W. BARCLAY ST.	NNW 0 - 1/8 (0.099 mi.)	G59	119
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #57135				
GREAT AMERICAN TRANS	30 N. JERUSALEM AVE.	NNW 0 - 1/8 (0.122 mi.)	G71	131
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #57761				
MASSAPEQUA TRANSMISS	103 BROADWAY	E 1/8 - 1/4 (0.131 mi.)	H81	141
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #59037				
HICKSVILLE REALTY CO	19 E. MARIE ST.	ENE 1/8 - 1/4 (0.147 mi.)	H85	147
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #57924				
CHEM POLL CONTROL-OY	***20 E MARIE ST***	***ENE 1/8 - 1/4 (0.150 mi.)***	***L91***	***156***
Database: NCFM UST, Date of Government Version: 02/15/2011 Status: Active Status: Removed Location Id: 18043				
HICKSVILLE FIRE DIST	20 E. MARIE ST.	ENE 1/8 - 1/4 (0.150 mi.)	L94	171
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023				
HICKSVILLE FIRE DIST	20 E. MARIE ST.	ENE 1/8 - 1/4 (0.150 mi.)	L95	171
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #60290				
ST. IGNATIUS LOYOLA	129 BROADWAY	E 1/8 - 1/4 (0.170 mi.)	O106	197
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #35011				
DAHLS AUTO BODY INC.	56 E. BARCLAY ST.	NNE 1/8 - 1/4 (0.201 mi.)	N126	234
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023				

Facility ID: #41055

76 N. BROADWAY LLC	76 N. BROADWAY	NNW 1/8 - 1/4 (0.227 mi.)	U149	305
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #59347				
OFFICE BLDG.	76 N. BROADWAY	NNW 1/8 - 1/4 (0.227 mi.)	U151	306
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #58666				
ALDRICH MGMNT CO, LL	25 WOODBURY RD.	NE 1/8 - 1/4 (0.228 mi.)	Y153	307
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #59731				

Lower Elevation	Address	Direction / Distance	Map ID	Page
SOVEREIGN VOLKSWAGON	45 NELSON AVE.	SSW 0 - 1/8 (0.053 mi.)	F31	67
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #41004				
HICKSVILLE 1	100 DUFFY AVE.	W 1/8 - 1/4 (0.130 mi.)	J72	132
Database: NCFM UST, Date of Government Version: 02/15/2011 Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Status: Active Status: Removed Facility ID: #38024 Location Id: 37950				
CHEMICAL BANK	100-110 DUFFY AVE.	W 1/8 - 1/4 (0.130 mi.)	J75	138
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #56753 Facility ID: #38023				
SUNOCO 0013-1326	118 NEWBRIDGE RD.	SSW 1/8 - 1/4 (0.158 mi.)	M100	183
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #41064				
IGLE GAS CORP.	118 NEWBRIDGE RD.	SSW 1/8 - 1/4 (0.158 mi.)	M101	186
Database: NCFM UST, Date of Government Version: 02/15/2011 Database: UST, Date of Government Version: 12/05/2025 Status: Active Location Id: 41172				
PETRO GAS GROUP US I	118 NEWBRIDGE RD.	SSW 1/8 - 1/4 (0.158 mi.)	M102	189
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #60342				
VERIZON NEW YORK INC	69 W CHERRY ST	SSE 1/8 - 1/4 (0.180 mi.)	P110	205
Database: NCFM UST, Date of Government Version: 02/15/2011 Status: Active Status: Removed Location Id: 39704				
HENRY J. STOCK FUNER	132 NEWBRIDGE RD.	SSW 1/8 - 1/4 (0.195 mi.)	M119	215
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #38017				
HOLY TRINITY EPISCOP	130 JERUSALEM AVE.	SSE 1/8 - 1/4 (0.196 mi.)	Q122	217
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #55602				
NEW YORK COMMUNITY B	102 DUFFY AVE.	WSW 1/8 - 1/4 (0.202 mi.)	R129	243
Database: NASSAU CO. UST, Date of Government Version: 11/27/2023				

Facility ID: #60733				
JOSEPH GENTILE Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #38090	96-100 W. OLD COUNTR	SSE 1/8 - 1/4 (0.212 mi.)	P135	269
TEXACO SERVICE STATI Database: NCFM UST, Date of Government Version: 02/15/2011 Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Status: Removed Facility ID: #57259 Location Id: 12567	180 OLD COUNTRY RD.	SSW 1/8 - 1/4 (0.227 mi.)	X145	300
GILISON KNITWER CO. Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #55090 Facility ID: 055090	65-89 W. JOHN ST.	WNW 1/8 - 1/4 (0.227 mi.)	W148	304
AUTO-SPA Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #41149	56 OLD COUNTRY RD.	SE 1/8 - 1/4 (0.236 mi.)	AA160	324
AUTO SPA-HICKSVILLE Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #56864	56 OLD COUNTRY RD.	SE 1/8 - 1/4 (0.236 mi.)	AA164	328
VALVOLINE INST OIL C Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #57346	56 OLD COUNTRY RD.	SE 1/8 - 1/4 (0.236 mi.)	AA167	330
RIDGEWOOD SAVINGS BA Database: NASSAU CO. UST, Date of Government Version: 11/27/2023 Facility ID: #56208 Facility ID: 056208	169 OLD COUNTRY RD.	S 1/8 - 1/4 (0.239 mi.)	AB170	341

NY CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

A review of the NY CBS list, as provided by EDR, and dated 12/05/2025 has revealed that there are 2 NY CBS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CANTIAGUE PARK Facility Status: Active CBS Number: 1-000094	***WEST JOHN STREET***	***N 1/8 - 1/4 (0.152 mi.)***	***97***	***174***

Lower Elevation	Address	Direction / Distance	Map ID	Page
HICKSVILLE WATER DIS Facility Status: Active CBS Number: 1-000076	***111 W BARCLAY ST***	***W 1/8 - 1/4 (0.225 mi.)***	***W141***	***280***

NY MOSF: These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

A review of the NY MOSF list, as provided by EDR, and dated 12/05/2025 has revealed that there is 1 NY MOSF site within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
B. NO. 50	***25 WEST BARCLAY STRE***	***NNW 0 - 1/8 (0.099 mi.)***	***G57***	***116***
Tank Status: Unregulated/Closed Facility Id: 0-0335 Facility Id: 0-0338 Facility Id: 0-0340 Facility Id: 0-0342				

NY AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the NY AST list, as provided by EDR, has revealed that there are 25 NY AST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BONDCO TRANSMISSION Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #55616	27 HERZOG PL.	ENE 0 - 1/8 (0.019 mi.)	A8	43
APNI AUTO INC. Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #58622	60 JERUSALEM AVE.	SSE 0 - 1/8 (0.035 mi.)	C14	48
K.L. AUTO SERVICE IN Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #56204	60 JERUSALEM AVE.	SSE 0 - 1/8 (0.035 mi.)	C18	53
AUTO LAB SERVICE CEN Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #61469	***30 HERZOG PL.***	***NNE 0 - 1/8 (0.038 mi.)***	***B22***	***57***
PRECISION AUTO WORKS Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #58318	16 JERUSALEM AVE.	NNW 0 - 1/8 (0.093 mi.)	G47	93
GIBRALTER TRANSMISSI Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #57761	***30 NORTH JERUSALEM A***	***NNW 0 - 1/8 (0.122 mi.)***	***G69***	***129***
MASSAPEQUA TRANSMISS Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #59037	***103 BROADWAY***	***E 1/8 - 1/4 (0.131 mi.)***	***H76***	***139***
P. D. AUTOMOTIVE INC Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #58332	103 BROADWAY	E 1/8 - 1/4 (0.131 mi.)	H78	140
MARGIOTTA'S CAR CARE Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #58685	103 BROADWAY	E 1/8 - 1/4 (0.131 mi.)	H80	140
AAMCO TRANSMISSIONS Database: NASSAU CO. AST, Date of Government Version: 11/27/2023	24 E. BARCLAY ST.	NNE 1/8 - 1/4 (0.149 mi.)	I87	151

Facility Id: #57074

CHEM POLL CONTROL-OY	***20 E MARIE ST***	***ENE 1/8 - 1/4 (0.150 mi.)***	***L91***	***156***
Database: NCFM AST, Date of Government Version: 02/15/2011 Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Location Id: 18043 Facility Id: #60290				
ST. IGNATIUS LOYOLA	***129 BROADWAY***	***E 1/8 - 1/4 (0.170 mi.)***	***O108***	***202***
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #35011				
JVC AUTO REPAIRS	***50 E. BARCLAY ST.***	***NNE 1/8 - 1/4 (0.191 mi.)***	***N113***	***213***
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #60118				
PETE'S GARAGE, INC.	50 E. BARCLAY ST.	NNE 1/8 - 1/4 (0.191 mi.)	N117	215
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #58863				
FIRST CALL AUTO MALL	50 E. BARCLAY ST.	NNE 1/8 - 1/4 (0.191 mi.)	N118	215
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #58099				
HICKSVILLE AUTO SPRI	***23 HEITZ PL E MARIE***	***ENE 1/8 - 1/4 (0.237 mi.)***	***Y168***	***331***
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #58923				

Lower Elevation	Address	Direction / Distance	Map ID	Page
PLATINUM VOLKSWAGEN	45 NELSON AVE.	SSW 0 - 1/8 (0.053 mi.)	F33	69
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #59333				
SOVEREIGN VOLKSWAGON	45 NELSON AVE.	SSW 0 - 1/8 (0.053 mi.)	F35	73
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #41004				
HICKSVILLE 1	***100 DUFFY AVE.***	***W 1/8 - 1/4 (0.130 mi.)***	***J73***	***134***
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #60847				
CHEMICAL BANK	***100-110 DUFFY AVE.***	***W 1/8 - 1/4 (0.130 mi.)***	***J74***	***137***
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #56753 Facility Id: #38023				
HENRY J. STOCK FUNER	***132 NEWBRIDGE RD.***	***SSW 1/8 - 1/4 (0.195 mi.)***	***M120***	***216***
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #38017				
HICKSVILLE WATER DIS	111 W BARCLAY ST	W 1/8 - 1/4 (0.225 mi.)	W140	280
Database: NCFM AST, Date of Government Version: 02/15/2011 Location Id: 6323317				
TEXACO	***180 OLD COUNTRY ROAD***	***SSW 1/8 - 1/4 (0.227 mi.)***	***X143***	***293***
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #59539				
VALVOLINE INST. OIL	56 OLD COUNTRY RD.	SE 1/8 - 1/4 (0.236 mi.)	AA162	325
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023 Facility Id: #61604				
VALVOLINE INST OIL C	56 OLD COUNTRY RD.	SE 1/8 - 1/4 (0.236 mi.)	AA163	327
Database: NASSAU CO. AST, Date of Government Version: 11/27/2023				

EXECUTIVE SUMMARY

Facility Id: #57346

NY CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the NY CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 NY CBS AST site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CANTIAGUE PARK	***WEST JOHN STREET***	***N 1/8 - 1/4 (0.152 mi.)***	***97***	***174***
Facility Status: 1 Facility Status: 1 CBS Number: 1-000094				

NY TANKS: This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

A review of the NY TANKS list, as provided by EDR, has revealed that there are 37 NY TANKS sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
VANTAGE #50-NORTHEAS	***60 JERUSALEM AVE.***	***SSE 0 - 1/8 (0.035 mi.)***	***C19***	***53***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
SAMMY'S AUTO REPAIR	30 HERZOG PL.	NNE 0 - 1/8 (0.038 mi.)	B21	57
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
AUTO LAB SERVICE CEN	***30 HERZOG PL.***	***NNE 0 - 1/8 (0.038 mi.)***	***B22***	***57***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
B. NO. 50	***25 WEST BARCLAY STRE***	***NNW 0 - 1/8 (0.099 mi.)***	***G57***	***116***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
MASSAPEQUA TRANSMISS	***103 BROADWAY***	***E 1/8 - 1/4 (0.131 mi.)***	***H76***	***139***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
MARGIOTTA'S CAR CARE	103 BROADWAY	E 1/8 - 1/4 (0.131 mi.)	H77	139
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
BROADWAY MOTORS	103 BROADWAY	E 1/8 - 1/4 (0.131 mi.)	H79	140
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
CORNICHE CLEANERS	285-4 BROADWAY	NNW 1/8 - 1/4 (0.141 mi.)	G82	141
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
HICKSVILLE REALTY CO	19 E. MARIE ST.	ENE 1/8 - 1/4 (0.147 mi.)	H84	146
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
CHEM POLL CONTROL-OY	***20 E MARIE ST***	***ENE 1/8 - 1/4 (0.150 mi.)***	***L93***	***162***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
PAL AUTO SERVICES, I	32 E. BARCLAY ST.	NNE 1/8 - 1/4 (0.164 mi.)	N104	196
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
BARCLAY AUTO REPAIR	32 E. BARCLAY ST.	NNE 1/8 - 1/4 (0.164 mi.)	N105	197
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				

EXECUTIVE SUMMARY

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ST. IGNATIUS LOYOLA	***129 BROADWAY***	***E 1/8 - 1/4 (0.170 mi.)***	***O108***	***202***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
JVC AUTO REPAIRS	***50 E. BARCLAY ST.***	***NNE 1/8 - 1/4 (0.191 mi.)***	***N113***	***213***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
FIRST CALL AUTO MALL	50 E. BARCLAY ST.	NNE 1/8 - 1/4 (0.191 mi.)	N114	214
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
PETE'S GARAGE, INC.	50 E. BARCLAY ST.	NNE 1/8 - 1/4 (0.191 mi.)	N115	214
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
JVC AUTO COLLISION	50 E.BARCLAY ST.	NNE 1/8 - 1/4 (0.191 mi.)	N116	214
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
JVC AUTO COLLISION	***56 E BARCLAY ST***	***NNE 1/8 - 1/4 (0.201 mi.)***	***N125***	***233***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
EMERALD DRY CLEANERS	***48 W JOHN ST***	***NW 1/8 - 1/4 (0.209 mi.)***	***S132***	***250***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
L.I. KAWASAKI YAMAHA	67 N. BROADWAY (RTE	N 1/8 - 1/4 (0.215 mi.)	U136	270
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
OFFICE BLDG.	76 N. BROADWAY	NNW 1/8 - 1/4 (0.227 mi.)	U150	306
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
76 N. BROADWAY LLC	76 N. BROADWAY	NNW 1/8 - 1/4 (0.227 mi.)	U152	306
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
ALDRICH MGMNT CO, LL	25 WOODBURY RD.	NE 1/8 - 1/4 (0.228 mi.)	Y154	307
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				

Lower Elevation	Address	Direction / Distance	Map ID	Page
HICKSVILLE 1	***100 DUFFY AVE.***	***W 1/8 - 1/4 (0.130 mi.)***	***J73***	***134***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
CHEMICAL BANK	***100-110 DUFFY AVE.***	***W 1/8 - 1/4 (0.130 mi.)***	***J74***	***137***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
CITGO GAS STATION	***118 NEWBRIDGE RD***	***SSW 1/8 - 1/4 (0.158 mi.)***	***M103***	***190***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
HENRY J. STOCK FUNER	***132 NEWBRIDGE RD.***	***SSW 1/8 - 1/4 (0.195 mi.)***	***M120***	***216***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
HOLY TRINITY EPISCOP	130 JERUSALEM AVE.	SSE 1/8 - 1/4 (0.196 mi.)	Q121	217
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
CLIN-PATH/TOX LABS	15 FREDERICH PL.	SE 1/8 - 1/4 (0.198 mi.)	P123	218
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
NEW YORK COMMUNITY B	***102 DUFFY AVE.***	***WSW 1/8 - 1/4 (0.202 mi.)***	***R128***	***242***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
JOSEPH GENTILE	96-100 W. OLD COUNTR	SSE 1/8 - 1/4 (0.212 mi.)	P133	264
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
FELCO REALTY LLC	***180 OLD COUNTRY ROAD***	***SSW 1/8 - 1/4 (0.227 mi.)***	***X146***	***302***
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
AUTO SPA-HICKSVILLE	56 OLD COUNTRY RD.	SE 1/8 - 1/4 (0.236 mi.)	AA161	325
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				
AUTO-SPA	56 OLD COUNTRY RD.	SE 1/8 - 1/4 (0.236 mi.)	AA165	329
Database: TANKS NASSAU, Date of Government Version: 11/27/2023				

Lower Elevation	Address	Direction / Distance	Map ID	Page
VALVOLINE INST. OIL Database: TANKS NASSAU, Date of Government Version: 11/27/2023	56 OLD COUNTRY RD.	SE 1/8 - 1/4 (0.236 mi.)	AA166	329
VERNON C. WAGNER F.H Database: TANKS NASSAU, Date of Government Version: 11/27/2023	125 OLD COUNTRY RD.	SSE 1/8 - 1/4 (0.238 mi.)	Q169	341
HICKSVILLE OPERATION Database: TANKS, Date of Government Version: 12/05/2025 Facility Id: 1-000763 Facility Id: 1-000949 Site Status: Active Site Status: Unregistered	***175 EAST OLD COUNTRY***	***S 1/8 - 1/4 (0.246 mi.)***	***AB173***	***379***

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Hazardous waste / Contaminated Sites

NY DEL SHWS: A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

A review of the NY DEL SHWS list, as provided by EDR, and dated 10/30/2025 has revealed that there is 1 NY DEL SHWS site within approximately 1 mile of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
MATTIACE PETROCHEMIC Site Code Id: 130024		W 1/2 - 1 (0.968 mi.)	202	880

Records of Emergency Release Reports

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 10/30/2025 has revealed that there are 34 NY Spills sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
UNKNOWN Spill Number/Closed Date: 9802032 / 1998-06-04 Site ID: 301715 Spill Date: 1998-05-16	JERUSALEM AVENUE/HER	N 0 - 1/8 (0.006 mi.)	B7	42
UNKNOWN Spill Number/Closed Date: 1803039 / 2018-11-13 Site ID: 571657 Spill Date: 2018-06-19	27 HERZOG PLACE	ENE 0 - 1/8 (0.019 mi.)	A9	43
UNKNOWN Spill Number/Closed Date: 9302746 / 1993-06-01	7O JERUSALEM AVENUE	NE 0 - 1/8 (0.025 mi.)	B11	46

Site ID: 102708
Spill Date: 1993-05-31

VANTAGE #50-NORTHEAS ***60 JERUSALEM AVE.*** ***SSE 0 - 1/8 (0.035 mi.)*** ***C19*** ***53***
Spill Number/Closed Date: 9106655 / 1991-11-01
Spill Number/Closed Date: 1010446 / 2011-04-26
Site ID: 238135
Site ID: 444050
Spill Date: 1991-09-19
Spill Date: 2011-01-04

IFO HOLY SPIRIT CHRI 1577 HERZOG PLACE NE 0 - 1/8 (0.047 mi.) B23 58
Spill Number/Closed Date: 9303222 / 1993-06-11
Site ID: 264314
Spill Date: 1993-06-10

HOLY SPIRIT CHURCH 1517 HERZOG PLACE NE 0 - 1/8 (0.047 mi.) B24 59
Spill Number/Closed Date: 9601140 / 1996-04-23
Site ID: 81085
Spill Date: 1996-04-23

THRIFT SHOP 13 HERZOZ PLACE NE 0 - 1/8 (0.050 mi.) E29 65
Spill Number/Closed Date: 9112549 / 1992-07-10
Site ID: 247439
Spill Date: 1992-03-09

LIRR MAIN TRACK RTE 107 & RTE 109 NNE 0 - 1/8 (0.057 mi.) E37 75
Spill Number/Closed Date: 9613000 / 1997-09-22
Site ID: 286549
Spill Date: 1997-02-03

LI REPTILE MUSEUM 70 BROADWAY ENE 0 - 1/8 (0.059 mi.) E41 83
Spill Number/Closed Date: 9702380 / 2004-02-10
Site ID: 196497
Spill Date: 1997-05-25

LIRR RT 107 AND HERZOG PL NE 0 - 1/8 (0.073 mi.) E44 86
Spill Number/Closed Date: 2107253 / 2021-11-10
Site ID: 628165
Spill Date: 2021-11-04

OMEGA AUTO BODY INC ***16 JERUSALEM AVE*** ***NNW 0 - 1/8 (0.093 mi.)*** ***G48*** ***94***
Spill Number/Closed Date: 8806220 / 1989-12-02
Site ID: 281839
Spill Date: 1988-10-21

ABANDON TRUCK 71 BROADWAY NE 0 - 1/8 (0.096 mi.) E51 111
Spill Number/Closed Date: 9008501 / 1990-11-05
Site ID: 246638
Spill Date: 1990-11-02

BUSINESS 67-69 BROADWAY NE 0 - 1/8 (0.096 mi.) E52 112
Spill Number/Closed Date: 0609373 / 2007-03-08
Site ID: 373583
Spill Date: 2006-11-15

EASTLAND REALTY 25 WEST BARKLAY STRE NNW 0 - 1/8 (0.099 mi.) G56 115
Spill Number/Closed Date: 8601906 / 1986-06-19
Site ID: 269330
Spill Date: 1986-06-19

B. NO. 50 ***25 WEST BARCLAY STRE*** ***NNW 0 - 1/8 (0.099 mi.)*** ***G57*** ***116***
Spill Number/Closed Date: 9610344 / 1996-12-06

Site ID: 219960
Spill Date: 1996-10-23

LIRR Spill Number/Closed Date: 9209179 / 1992-11-09 Site ID: 105028 Spill Date: 1992-11-06	BROADWAY	E 0 - 1/8 (0.102 mi.)	H60	119
ROMANO, ORLANDO Spill Number/Closed Date: 9408924 / 1995-09-19 Site ID: 105029 Spill Date: 1994-10-04	BROADWAY	E 0 - 1/8 (0.102 mi.)	H61	120
UNKNOWN Spill Number/Closed Date: 0010620 / 2001-06-06 Site ID: 212526 Spill Date: 2000-12-18	41 BROADWAY	NNE 0 - 1/8 (0.103 mi.)	I62	122
UNKNOWN Spill Number/Closed Date: 0705245 / 2007-10-03 Site ID: 385536 Spill Date: 2007-08-07	15 FREDERICK STREET	NNE 0 - 1/8 (0.106 mi.)	I63	123
EL SALVIDOR Spill Number/Closed Date: 0550402 / 2005-06-07 Site ID: 347177 Spill Date: 2005-06-07	87 BROADWAY	ENE 0 - 1/8 (0.109 mi.)	H65	124
GEBHART PLAZA Spill Number/Closed Date: 9207284 / 1992-09-30 Site ID: 108574 Spill Date: 1992-09-23	EAST MARIE ST & BROA	ENE 0 - 1/8 (0.110 mi.)	H66	125
GIBRALTER TRANSMISSI Spill Number/Closed Date: 8706692 / 1988-12-31 Site ID: 109907 Spill Date: 1987-09-29	***30 NORTH JERUSALEM A***	***NNW 0 - 1/8 (0.122 mi.)***	***G69***	***129***

Lower Elevation	Address	Direction / Distance	Map ID	Page
NY TELEPHONE GARAGE Spill Number/Closed Date: 9200672 / 1992-04-20 Site ID: 233727 Spill Date: 1992-04-16	20 DUFFY AVENUE	WSW 0 - 1/8 (0.048 mi.)	D25	60
STORE Spill Number/Closed Date: 0700677 / 2008-02-07 Site ID: 380057 Spill Date: 2007-04-18	66 JERUSALEM AVENUE	SSE 0 - 1/8 (0.049 mi.)	C26	61
KIDD HOLDING Spill Number/Closed Date: 0325399 / 2003-12-15 Site ID: 136705 Spill Date: 2003-12-06	77 NEWBRIDGE ROAD	W 0 - 1/8 (0.049 mi.)	D28	64
SPILL NUMBER 9609380 Spill Number/Closed Date: 9609380 / 1996-10-28 Site ID: 102711 Spill Date: 1996-10-26	68 JERUSALEM AVENUE	SSE 0 - 1/8 (0.052 mi.)	C30	66
SAVRIN JAGUAR DEALER Spill Number/Closed Date: 8800202 / 1988-08-02	45 NELSON AVENUE	SSW 0 - 1/8 (0.053 mi.)	F32	68

Site ID: 204295 Spill Date: 1988-04-07				
HICKSVILLE HIGH SCHO Spill Number/Closed Date: 2203119 / 2022-07-25 Site ID: 639220 Spill Date: 2022-07-12	18 DIVISION AVE	S 0 - 1/8 (0.055 mi.)	F36	74
UNKNOWN Spill Number/Closed Date: 8603111 / 1986-08-13 Site ID: 292875 Spill Date: 1986-08-09	DUFFY AVENUE	WSW 0 - 1/8 (0.058 mi.)	D38	76
PROPERTY REDEVELOPME Spill Number/Closed Date: 2307181 / 2024-07-24 Site ID: 659221 Spill Date: 2023-11-29	99 NEWBRIDGE RD	WNW 0 - 1/8 (0.059 mi.)	D39	77
CIANO & SONS CARTING Spill Number/Closed Date: 9102502 / 1991-06-04 Site ID: 251458 Spill Date: 1991-06-03	WEST MARIE STREET	SW 0 - 1/8 (0.059 mi.)	F42	84
SAZAKLIS RESIDENCE Spill Number/Closed Date: 0610053 / 2006-12-05 Site ID: 374422 Spill Date: 2006-12-04	112 WEST MARIE STREE	SW 0 - 1/8 (0.070 mi.)	43	85
SOIL Spill Number/Closed Date: 1911645 / 2022-12-07 Site ID: 602347 Spill Date: 2020-03-06	44 DUFFY AVENUE	WSW 0 - 1/8 (0.074 mi.)	D45	87
UNKNOWN Spill Number/Closed Date: 2203186 / 2023-03-24 Site ID: 639288 Spill Date: 2022-07-13	99 WEST NICHOLAI STR	S 0 - 1/8 (0.097 mi.)	F53	113

NY SPILLS 80: Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

A review of the NY SPILLS 80 list, as provided by EDR, and dated 11/02/2010 has revealed that there is 1 NY SPILLS 80 site within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
Not reported	JERUSALEM AVE.	NNE 0 - 1/8 (0.002 mi.)	B6	41

Other Ascertainable Records

RCRA NonGen / NLR: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or

dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA NonGen / NLR list, as provided by EDR, and dated 11/30/2025 has revealed that there are 17 RCRA NonGen / NLR sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
INDIGO PRINTING LTD EPA ID:: NYR000002345	***128 BROADWAY***	***ESE 1/8 - 1/4 (0.142 mi.)***	***K83***	***141***
FRAMING EPA ID:: NYR000016139	***144 BROADWAY***	***ESE 1/8 - 1/4 (0.148 mi.)***	***K86***	***147***
NEW YORK PLUMBING LL EPA ID:: NYP000972448	***24 E BARCLAY ST***	***NNE 1/8 - 1/4 (0.149 mi.)***	***I89***	***153***
CHEM POLL CONTROL-OY EPA ID:: NYD986928554	***20 E MARIE ST***	***ENE 1/8 - 1/4 (0.150 mi.)***	***L91***	***156***
CHEM POLL CONTROL-OY EPA ID:: NYD981495005	***20 E MARIE ST***	***ENE 1/8 - 1/4 (0.150 mi.)***	***L93***	***162***
TRIPLE J V C AUTO CO EPA ID:: NYD986965721	***56 BARCLAY ST***	***NNE 1/8 - 1/4 (0.201 mi.)***	***N127***	***234***
B QUICK PRINTERS EPA ID:: NYD982720476	***46 W JOHN ST***	***NW 1/8 - 1/4 (0.207 mi.)***	***S130***	***244***
EMERALD DRY CLEANERS EPA ID:: NYD055288468	***48 W JOHN ST***	***NW 1/8 - 1/4 (0.209 mi.)***	***S132***	***250***
POLANSKY TAX SERVICE EPA ID:: NYD986892305	***54 W JOHN ST***	***NW 1/8 - 1/4 (0.217 mi.)***	***S137***	***270***
LITMOR PUBLISHING CO EPA ID:: NYD986976793	***81 E BARCLAY ST***	***NE 1/8 - 1/4 (0.226 mi.)***	***T142***	***281***
HICKSVILLE AUTO SPRI EPA ID:: NYD012729505	***23 HEITZ PL E MARIE***	***ENE 1/8 - 1/4 (0.237 mi.)***	***Y168***	***331***

Lower Elevation	Address	Direction / Distance	Map ID	Page
SOVEREGIN JAGUAR LTD EPA ID:: NYD987034709	***45 NELSON AVE***	***SSW 0 - 1/8 (0.053 mi.)***	***F34***	***70***
CITGO GAS STATION EPA ID:: NYD000701771	***118 NEWBRIDGE RD***	***SSW 1/8 - 1/4 (0.158 mi.)***	***M103***	***190***
BELL ATLANTIC - TRG EPA ID:: NYR000063974	***69 W CHERRY ST***	***SSE 1/8 - 1/4 (0.180 mi.)***	***P111***	***206***
GENTILE JOSEPH EPA ID:: NYD986883460	***96 W OLD COUNTRY RD***	***SSE 1/8 - 1/4 (0.212 mi.)***	***P134***	***265***
HICKSVILLE WATER DIS EPA ID:: NYR000240747	***111 W BARCLAY ST***	***W 1/8 - 1/4 (0.225 mi.)***	***W139***	***276***
TEXACO SERVICE STATI EPA ID:: NYD986901726	***180 OLD COUNTRY RD***	***SSW 1/8 - 1/4 (0.227 mi.)***	***X144***	***297***

EXECUTIVE SUMMARY

ROD: Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid the cleanup.

A review of the ROD list, as provided by EDR, and dated 10/30/2025 has revealed that there is 1 ROD site within approximately 1 mile of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NEW CASSEL/HICKSVILL EPA ID:: NY0001095363	***SOUTHERN END OF IRIS***	***SSE 1/4 - 1/2 (0.452 mi.)***	***0***	***25***

PFAS ECHO: Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

A review of the PFAS ECHO list, as provided by EDR, and dated 12/17/2025 has revealed that there is 1 PFAS ECHO site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
STATION ONE FIREHOUS	***20 E MARIE STREET***	***ENE 1/8 - 1/4 (0.150 mi.)***	***L96***	***172***

UST FINDER RELEASE: US EPA's UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA's Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

A review of the UST FINDER RELEASE list, as provided by EDR, and dated 06/08/2023 has revealed that there are 11 UST FINDER RELEASE sites within approximately 0.5 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HICKSVILLE FIRE DEPT	20 EAST MARINE STREE	ENE 1/8 - 1/4 (0.150 mi.)	L90	155
WE TRANSPORT	42 EAST CARLE STREET	E 1/4 - 1/2 (0.303 mi.)	AC176	397
WE TRANSPORT	42 EAST CARL STREET	E 1/4 - 1/2 (0.303 mi.)	AC177	398
EXXON	***106 N. BROADWAY***	***NNW 1/4 - 1/2 (0.315 mi.)***	***180***	***419***
WOODMAX MOBIL INC	94 WOODBURY ROAD	NE 1/4 - 1/2 (0.422 mi.)	AG194	461

Lower Elevation	Address	Direction / Distance	Map ID	Page
TEXACO	180 OLD COUNTRY ROAD	SSW 1/8 - 1/4 (0.227 mi.)	X147	303
UNKNOWN	197 OLD COUNTRY ROAD	SSW 1/4 - 1/2 (0.272 mi.)	X174	395
EXXON GAS STATION	210 SOUTH BROADWAY	SE 1/4 - 1/2 (0.323 mi.)	AD182	436
FEDERAL EXPRESS	201 WEST JOHN STREET	W 1/4 - 1/2 (0.411 mi.)	AF192	457
NYNEX	202 DUFFY AVENUE	WSW 1/4 - 1/2 (0.440 mi.)	AH196	463
ABANDONED GAS STATIO	285 WEST JOHN STREET	W 1/4 - 1/2 (0.491 mi.)	198	466

EXECUTIVE SUMMARY

UST FINDER: EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories . UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

A review of the UST FINDER list, as provided by EDR, and dated 06/08/2023 has revealed that there is 1 UST FINDER site within approximately 0.25 miles of the target property.

Lower Elevation	Address	Direction / Distance	Map ID	Page
IGLE GAS CORP.	118 NEWBRIDGE RD.	SSW 1/8 - 1/4 (0.158 mi.)	M99	182

E MANIFEST: EPA established a national system for tracking hazardous waste shipments electronically. This system, known as ?e-Manifest,? will modernize the nation?s cradle-to-grave hazardous waste tracking process while saving valuable time, resources, and dollars for industry and states.

A review of the E MANIFEST list, as provided by EDR, and dated 11/30/2025 has revealed that there are 7 E MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
R & A AUTO BODY	40 BARCLAY STREET	NNE 1/8 - 1/4 (0.173 mi.)	N109	202
J.V.C. AUTO COLLISIO	60E BARCLAY STREET	NE 1/8 - 1/4 (0.208 mi.)	T131	248

Lower Elevation	Address	Direction / Distance	Map ID	Page
ALPINE HICKSVILLE	***99 NEWBRIDGE RD***	***WNW 0 - 1/8 (0.059 mi.)***	***D40***	***79***
HICKSVILLE WATER DIS	***111 W BARCLAY ST***	***W 1/8 - 1/4 (0.225 mi.)***	***W139***	***276***
AMERICAN DENTAL OFFI	180 BROADWAY	ESE 1/8 - 1/4 (0.229 mi.)	Z155	308
AMERICAN DENTAL OFFI	180 BROADWAY / 35 BR	ESE 1/8 - 1/4 (0.229 mi.)	Z156	310
CVS PHARMACY #1931	***202 OLD COUNTRY RD***	***SSW 1/8 - 1/4 (0.245 mi.)***	***172***	***348***

NY DRYCLEANERS: A listing of all registered drycleaning facilities.

A review of the NY DRYCLEANERS list, as provided by EDR, and dated 11/25/2025 has revealed that there is 1 NY DRYCLEANERS site within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
ISLAND BRIDAL GOWN R Facility Id: 1-2824-01486	148 BROADWAY	ESE 1/8 - 1/4 (0.152 mi.)	K98	182

NY MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the NY MANIFEST list, as provided by EDR, and dated 12/31/2019 has revealed that there are 15 NY MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
OMEGA AUTO BODY INC EPA ID: NYD981490196	***16 JERUSALEM AVE***	***NNW 0 - 1/8 (0.093 mi.)***	***G48***	***94***
INDIGO PRINTING LTD	***128 BROADWAY***	***ESE 1/8 - 1/4 (0.142 mi.)***	***K83***	***141***

EPA ID: NYR000002345				
CHEM POLL CONTROL-OY EPA ID: NYD981495005	***20 E MARIE ST***	***ENE 1/8 - 1/4 (0.150 mi.)***	***L93***	***162***
J V C AUTO COLLISION EPA ID: NYD987017324	***56-60 E BARCLAY ST***	***NNE 1/8 - 1/4 (0.201 mi.)***	***N124***	***218***
TRIPLE J V C AUTO CO EPA ID: NYD986965721	***56 BARCLAY ST***	***NNE 1/8 - 1/4 (0.201 mi.)***	***N127***	***234***
EMERALD DRY CLEANERS EPA ID: NYD055288468	***48 W JOHN ST***	***NW 1/8 - 1/4 (0.209 mi.)***	***S132***	***250***
LITMOR PUBLISHING CO EPA ID: NYD986976793	***81 E BARCLAY ST***	***NE 1/8 - 1/4 (0.226 mi.)***	***T142***	***281***
HICKSVILLE AUTO SPRI EPA ID: NYD012729505	***23 HEITZ PL E MARIE***	***ENE 1/8 - 1/4 (0.237 mi.)***	***Y168***	***331***

Lower Elevation	Address	Direction / Distance	Map ID	Page
CITGO GAS STATION EPA ID: NYD000701771	***118 NEWBRIDGE RD***	***SSW 1/8 - 1/4 (0.158 mi.)***	***M103***	***190***
BELL ATLANTIC - TRG EPA ID: NYR000063974	***69 W CHERRY ST***	***SSE 1/8 - 1/4 (0.180 mi.)***	***P111***	***206***
GENTILE JOSEPH EPA ID: NYD986883460	***96 W OLD COUNTRY RD***	***SSE 1/8 - 1/4 (0.212 mi.)***	***P134***	***265***
HICKSVILLE WATER DIS EPA ID: NYR000240747	***111 W BARCLAY ST***	***W 1/8 - 1/4 (0.225 mi.)***	***W141***	***280***
110 DUFFY LLC EPA ID: NYR000149567	***110 DUFFY AVE***	***WSW 1/8 - 1/4 (0.243 mi.)***	***R171***	***342***
CVS PHARMACY #1931 EPA ID: NYR000187963	***202 OLD COUNTRY RD***	***SSW 1/8 - 1/4 (0.245 mi.)***	***172***	***348***
HICKSVILLE OPERATION EPA ID: NYD006866008	***175 EAST OLD COUNTRY***	***S 1/8 - 1/4 (0.246 mi.)***	***AB173***	***379***

NJ MANIFEST: Hazardous waste manifest information.

A review of the NJ MANIFEST list, as provided by EDR, and dated 12/31/2018 has revealed that there are 2 NJ MANIFEST sites within approximately 0.25 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
OMEGA AUTO BODY INC EPA Id: NYD981490196	16 JERUSALEM AVENUE	NNW 0 - 1/8 (0.093 mi.)	G46	89
NEW YORK PLUMBING LL EPA Id: NYP000972448	24 E BARCLAY ST	NNE 1/8 - 1/4 (0.149 mi.)	I88	152

EXECUTIVE SUMMARY

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR Hist Auto: EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Auto list, as provided by EDR, has revealed that there are 5 EDR Hist Auto sites within approximately 0.125 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
HICKSVILLE TRANSMISS	27 HERZOG PLACE	ENE 0 - 1/8 (0.019 mi.)	A10	45
WISSER ENTERPRISES I	60 JERUSALEM AVE	SSE 0 - 1/8 (0.035 mi.)	C17	52
ORANGE &WHITE RENTL	30 HERZOG PL	NNE 0 - 1/8 (0.038 mi.)	B20	56
ARMSTRONG JAMES SR	87 NO BROADWAY	ENE 0 - 1/8 (0.109 mi.)	H64	124
CORNWELL ARNOLD	30 NORTH JERUSALEM A	NNW 0 - 1/8 (0.122 mi.)	G70	130

EDR Hist Cleaner: EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

A review of the EDR Hist Cleaner list, as provided by EDR, has revealed that there is 1 EDR Hist Cleaner site within approximately 0.125 miles of the target property.


Lower Elevation	Address	Direction / Distance	Map ID	Page
LINCOLN CLEANERS 2	24 NEWBRIDGE RD	WNW 0 - 1/8 (0.098 mi.)	54	114

EXECUTIVE SUMMARY

Due to poor or inadequate address information, the following sites were not mapped. Count: 1 records.

Site Name	Database(s)
MATTIACE PETROCHEMICALS-MEK SPILL	NY SHWS

OVERVIEW MAP - 8248910.4S




This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	20 and 40 Jerusalem Avenue	CLIENT:	GEI Consultants
ADDRESS:	20 Jerusalem Avenue Hicksville NY 11801	CONTACT:	William Fitchett
		INQUIRY #:	8248910.4s
LAT/LONG:	40.766765 / 73.52562	DATE:	February 10, 2026 5:15 pm

Copyright © 2026 EDR, Inc. © 2015 TomTom Rel. 2015.

DETAIL MAP - 8248910.4S



Target Property

Sites at elevations higher than or equal to the target property

Sites at elevations lower than the target property

Manufactured Gas Plants

Sensitive Receptors

National Priority List Sites

Dept. Defense Sites

0 1/16 1/8 1/4 Miles

Indian Reservations BIA

Power transmission lines

Pipelines

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME:	20 and 40 Jerusalem Avenue	CLIENT:	GEI Consultants
ADDRESS:	20 Jerusalem Avenue Hicksville NY 11801	CONTACT:	William Fitchett
		INQUIRY #:	8248910.4s
LAT/LONG:	40.766765 / 73.52562	DATE:	February 10, 2026 5:22 pm

Copyright © 2026 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
Lists of Federal NPL (Superfund) sites								
NPL	1.000		0	0	1	0	NR	1
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	1.000		0	0	0	0	NR	0
Lists of Federal Delisted NPL sites								
Delisted NPL	1.000		0	0	0	0	NR	0
Lists of Federal sites subject to CERCLA removals and CERCLA orders								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500		0	0	1	NR	NR	1
Lists of Federal CERCLA sites with NFRAP								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA facilities undergoing Corrective Action								
CORRACTS	1.000		0	0	0	2	NR	2
Lists of Federal RCRA TSD facilities								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
Lists of Federal RCRA generators								
RCRA-LQG	0.250		1	1	NR	NR	NR	2
RCRA-SQG	0.250		0	1	NR	NR	NR	1
RCRA-VSQG	0.250		2	1	NR	NR	NR	3
Federal institutional controls / engineering controls registries								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	1	NR	NR	1
US INST CONTROLS	0.500		0	0	1	NR	NR	1
Federal ERNS list								
ERNS	TP		NR	NR	NR	NR	NR	0
Lists of state- and tribal hazardous waste facilities								
NY SHWS	1.000		0	0	0	3	NR	3
Lists of state and tribal landfills and solid waste disposal facilities								
NY SWF/LF	0.500		0	0	0	NR	NR	0
Lists of state and tribal leaking storage tanks								
INDIAN LUST	0.500		0	0	0	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY LTANKS	0.500		2	9	16	NR	NR	27
NY HIST LTANKS	0.500		0	0	0	NR	NR	0
Lists of state and tribal registered storage tanks								
FEMA UST	0.250		0	0	NR	NR	NR	0
NY UST	0.250	1	11	26	NR	NR	NR	38
NY CBS UST	0.250		0	0	NR	NR	NR	0
NY MOSF UST	0.500		0	0	0	NR	NR	0
NY CBS	0.250		0	2	NR	NR	NR	2
NY MOSF	0.500		1	0	0	NR	NR	1
NY AST	0.250		8	17	NR	NR	NR	25
NY CBS AST	0.250		0	1	NR	NR	NR	1
NY MOSF AST	0.500		0	0	0	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
NY TANKS	0.250	1	4	33	NR	NR	NR	38
State and tribal institutional control / engineering control registries								
NY RES DECL	0.125		0	NR	NR	NR	NR	0
NY ENG CONTROLS	0.500		0	0	0	NR	NR	0
NY INST CONTROL	0.500		0	0	0	NR	NR	0
Lists of state and tribal voluntary cleanup sites								
NY VCP	0.500		0	0	0	NR	NR	0
INDIAN VCP	0.500		0	0	0	NR	NR	0
Lists of state and tribal brownfield sites								
NY BROWNFIELDS	0.500		0	0	0	NR	NR	0
NY ERP	0.500		0	0	0	NR	NR	0
ADDITIONAL ENVIRONMENTAL RECORDS								
Local Brownfield lists								
US BROWNFIELDS	0.500		0	0	0	NR	NR	0
Local Lists of Landfill / Solid Waste Disposal Sites								
NY SWTIRE	0.500		0	0	0	NR	NR	0
NY SWRCY	0.500		0	0	0	NR	NR	0
INDIAN ODI	0.500		0	0	0	NR	NR	0
ODI	0.500		0	0	0	NR	NR	0
DEBRIS REGION 9	0.500		0	0	0	NR	NR	0
IHS OPEN DUMPS	0.500		0	0	0	NR	NR	0
Local Lists of Hazardous waste / Contaminated Sites								
US HIST CDL	TP		NR	NR	NR	NR	NR	0
NY DEL SHWS	1.000		0	0	0	1	NR	1
US CDL	TP		NR	NR	NR	NR	NR	0
Local Lists of Registered Storage Tanks								
NY HIST UST	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
NY HIST AST	TP		NR	NR	NR	NR	NR	0
Local Land Records								
NY LIENS	TP		NR	NR	NR	NR	NR	0
LIENS 2	TP		NR	NR	NR	NR	NR	0
Records of Emergency Release Reports								
HMIRS	TP		NR	NR	NR	NR	NR	0
NY Spills	0.125		34	NR	NR	NR	NR	34
NY Hist Spills	0.125		0	NR	NR	NR	NR	0
NY SPILLS 90	0.125		0	NR	NR	NR	NR	0
NY SPILLS 80	0.125		1	NR	NR	NR	NR	1
Other Ascertainable Records								
RCRA NonGen / NLR	0.250	1	1	16	NR	NR	NR	18
FUDS	1.000		0	0	0	0	NR	0
DOD	1.000		0	0	0	0	NR	0
SCRD DRYCLEANERS	0.500		0	0	0	NR	NR	0
US FIN ASSUR	TP		NR	NR	NR	NR	NR	0
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	1	0	NR	1
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP	1	NR	NR	NR	NR	NR	1
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP		NR	NR	NR	NR	NR	0
FTTS	TP		NR	NR	NR	NR	NR	0
MLTS	TP		NR	NR	NR	NR	NR	0
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP		NR	NR	NR	NR	NR	0
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP		NR	NR	NR	NR	NR	0
US MINES	0.250		0	0	NR	NR	NR	0
ABANDONED MINES	0.250		0	0	NR	NR	NR	0
MINES MRDS	0.250		0	0	NR	NR	NR	0
FINDS	TP	1	NR	NR	NR	NR	NR	1
ECHO	TP	1	NR	NR	NR	NR	NR	1
DOCKET HWC	TP		NR	NR	NR	NR	NR	0
UXO	1.000		0	0	0	0	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
PFAS NPL	0.250		0	0	NR	NR	NR	0
PFAS FEDERAL SITES	0.250		0	0	NR	NR	NR	0
PFAS TRIS	0.250		0	0	NR	NR	NR	0
PFAS TSCA	0.250		0	0	NR	NR	NR	0
PFAS RCRA MANIFEST	0.250		0	0	NR	NR	NR	0
PFAS ATSDR	0.250		0	0	NR	NR	NR	0
PFAS WQP	0.250		0	0	NR	NR	NR	0
PFAS PROJECT	0.250		0	0	NR	NR	NR	0
PFAS NPDES	0.250		0	0	NR	NR	NR	0
PFAS ECHO	0.250		0	1	NR	NR	NR	1
PFAS ECHO FIRE TRAIN	0.250		0	0	NR	NR	NR	0
PFAS PT 139 AIRPORT	0.250		0	0	NR	NR	NR	0
AQUEOUS FOAM NRC	0.250		0	0	NR	NR	NR	0
BIOSOLIDS	TP		NR	NR	NR	NR	NR	0
UST FINDER RELEASE	0.500		0	2	9	NR	NR	11
UST FINDER	0.250		0	1	NR	NR	NR	1
E MANIFEST	0.250		1	6	NR	NR	NR	7
NY PFAS	0.250		0	0	NR	NR	NR	0
NY AIRS	TP		NR	NR	NR	NR	NR	0
NY COAL ASH	0.500		0	0	0	NR	NR	0
NY DRYCLEANERS	0.250		0	1	NR	NR	NR	1
NY E DESIGNATION	0.125		0	NR	NR	NR	NR	0
NY Financial Assurance	TP		NR	NR	NR	NR	NR	0
NY HSWDS	0.500		0	0	0	NR	NR	0
NY LEAD	TP		NR	NR	NR	NR	NR	0
NY MANIFEST	0.250	1	1	14	NR	NR	NR	16
NJ MANIFEST	0.250		1	1	NR	NR	NR	2
NY SPDES	TP		NR	NR	NR	NR	NR	0
NY VAPOR REOPENED	0.500		0	0	0	NR	NR	0
NY UIC	TP		NR	NR	NR	NR	NR	0
NY COOLING TOWERS	TP		NR	NR	NR	NR	NR	0
NY NYC LAND USE	TP		NR	NR	NR	NR	NR	0
NY ILI	0.500		0	0	0	NR	NR	0
NY MGP	1.000		0	0	0	0	NR	0
NY NYC OER	1.000		0	0	0	0	NR	0
EDR HIGH RISK HISTORICAL RECORDS								
EDR Exclusive Records								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		5	NR	NR	NR	NR	5
EDR Hist Cleaner	0.125	2	1	NR	NR	NR	NR	3
EDR RECOVERED GOVERNMENT ARCHIVES								
Exclusive Recovered Govt. Archives								
NY RGA HWS	TP		NR	NR	NR	NR	NR	0
NY RGA LF	TP		NR	NR	NR	NR	NR	0
- Totals --		9	74	133	30	6	0	252

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 Target Property **CHRYSLER CORPORATION**
22 JERUSALEM AVENUE
HICKSVILLE, NY 11801

PRP **1026580271**
N/A

Site 1 of 8 in cluster A

Actual: 144 ft.

PRP:

Name:	CHRYSLER CORPORATION
Address:	22 JERUSALEM AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Superfund EPAID:	NJD980761365
Superfund Name:	EWAN PROPERTY
Superfund Address:	WALLINGFORD WAY
Superfund City,State,Zip:	SHAMONG TOWNSHIP, NJ 08088
NPL Status:	Currently on the Final NPL
NPL Status Short Name:	Not reported
Data Type:	SETTLEMENT DATE
Action Date:	10/13/1988
Settlement Code:	AC-1
Settlement:	ADM ORDR
Latitude:	39.802781
Longitude:	-74.719439

Name:	CHRYSLER CORPORATION
Address:	22 JERUSALEM AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Superfund EPAID:	NJD980761365
Superfund Name:	EWAN PROPERTY
Superfund Address:	WALLINGFORD WAY
Superfund City,State,Zip:	SHAMONG TOWNSHIP, NJ 08088
NPL Status:	Currently on the Final NPL
NPL Status Short Name:	Not reported
Data Type:	SETTLEMENT DATE
Action Date:	9/25/1989
Settlement Code:	UA-1
Settlement:	UNL ORDR
Latitude:	39.802781
Longitude:	-74.719439

Name:	CHRYSLER CORPORATION
Address:	22 JERUSALEM AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Superfund EPAID:	NJD980761365
Superfund Name:	EWAN PROPERTY
Superfund Address:	WALLINGFORD WAY
Superfund City,State,Zip:	SHAMONG TOWNSHIP, NJ 08088
NPL Status:	Currently on the Final NPL
NPL Status Short Name:	Not reported
Data Type:	SETTLEMENT DATE
Action Date:	5/19/1995
Settlement Code:	UA-7
Settlement:	UNL ORDR
Latitude:	39.802781
Longitude:	-74.719439

A2 **KWIK DISCOUNT DRY CLEANERS INC** **EDR Hist Cleaner** **1018440077**
Target Property **36 JERUSALEM AVE** **N/A**
HICKSVILLE, NY 11801

Site 2 of 8 in cluster A

Actual: 144 ft.

EDR Hist Cleaner

Year:	Name:	Type:
1985	KWIK DISCOUNT DRY CLEANERS INC	Drycleaning Plants, Except Rugs
1986	KWIK DISCOUNT DRY CLEANERS INC	Drycleaning Plants, Except Rugs
1987	KWIK DISCOUNT DRY CLEANERS INC	Drycleaning Plants, Except Rugs

---

A3 **KWIK DISCOUNT DRY CLEANERS** **EDR Hist Cleaner** **1018790959**
Target Property **40 JERUSALEM AVE** **N/A**
HICKSVILLE, NY 11801

Site 3 of 8 in cluster A

Actual: 144 ft.

EDR Hist Cleaner

Year:	Name:	Type:
1988	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1989	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1990	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1991	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1992	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1993	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1994	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1995	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1996	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1997	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1998	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs
1999	KWIK DISCOUNT DRY CLEANERS	Drycleaning Plants, Except Rugs

---

A4 **LAUNDROMAT** **NY TANKS** **1000266167**
Target Property **40 JERUSALEM AVE** **RCRA NonGen / NLR** **NYD114131923**
HICKSVILLE, NY 11802 **FINDS**
ECHO

Site 4 of 8 in cluster A **NY MANIFEST**

Actual: 144 ft.

TANKS NASSAU:

Name:	KWIK CLEANERS
Address:	40 JERUSALEM AVE.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	6/1/1995
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Laundromat
Handler Address:	Jerusalem Ave
Handler City,State,Zip:	HICKSVILLE, NY 11802
EPA ID:	NYD114131923

LAUNDROMAT (Continued) **1000266167**

Contact Name:		Not reported
Contact Address:		JERUSALEM AVE
Contact City,State,Zip:		HICKSVILLE, NY 11802
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		JERUSALEM AVE
Mailing City,State,Zip:		HICKSVILLE, NY 11802
Owner Name:	Ownername	
Owner Type:		Private
Operator Name:	Ownername	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No

LAUNDROMAT (Continued) **1000266167**

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	F002
Waste Description:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: OWNERNAME	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: OWNERNAME	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: OWNERNAME	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported

LAUNDROMAT (Continued) **1000266167**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19950410
Handler Name: LAUNDROMAT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010801
Handler Name: LAUNDROMAT
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: LAUNDROMAT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: LAUNDROMAT
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

LAUNDROMAT (Continued) **1000266167**

Receive Date:	19850828
Handler Name:	LAUNDROMAT
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004380571

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000266167
Registry ID:	110004380571

DFR URL:

Name:	LAUNDROMAT
Address:	40 Jerusalem Ave
City,State,Zip:	HICKSVILLE, NY 11802

NY MANIFEST:

EPA ID:	NYD114131923
Country:	USA
Name:	Kwik Cleaners
Address:	40 JERUSALEM AVE
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11802
Zip 4:	Not reported

LAUNDROMAT (Continued) **1000266167**

Location Address 1: 40 JERUSALEM AVENUE
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Kwik Cleaners
Mailing Contact: Daniel Singer
Mailing Address 1: 210 WEST JERICHO TURNPIKE
Mailing Address 2: Not reported
Mailing City,State,Zip: HUNTINGTON, NY 11746
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5169319269

Manifest Data:
Document ID: NYA8616879
Manifest Status: C - Completed copy
Trans1 State ID: CT7869
Year: 1987
Trans2 State ID: Not reported
Generator Ship Date: 871229
Trans1 Recv Date: 871229
Trans2 Recv Date: Not reported
TSD Site Recv Date: 871229
Part A Recv Date: 880104
Part B Recv Date: 880104
Generator EPA ID: NYD114131923
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000708198
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2: Not reported

LAUNDROMAT (Continued) **1000266167**

Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00210
Units:	Pounds
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC0662027
Manifest Status:	Not reported
Trans1 State ID:	GF1411
Year:	1990
Trans2 State ID:	Not reported
Generator Ship Date:	12/27/1990
Trans1 Recv Date:	12/27/1990
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/27/1990
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD114131923
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00140
Units:	Pounds
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs

LAUNDROMAT (Continued) **1000266167**

Handling Method: Burn
Specific Gravity: 01.00

Document ID: NYC1532283
Manifest Status: Not reported
Trans1 State ID: AT8756
Year: 1992
Trans2 State ID: Not reported
Generator Ship Date: 03/13/1992
Trans1 Recv Date: 03/13/1992
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/13/1992
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD114131923
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000708198
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00140
Units: Pounds
Number of Containers: 002
Container Type: Metal drums, barrels, kegs
Handling Method: Burn
Specific Gravity: 01.00

Document ID: NYC0367604
Manifest Status: Not reported
Trans1 State ID: 000000000
Year: 1990
Trans2 State ID: Not reported

LAUNDROMAT (Continued) **1000266167**

Generator Ship Date:	07/12/1990
Trans1 Recv Date:	07/12/1990
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/12/1990
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD114131923
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00070
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYC2308386
Manifest Status:	Not reported
Trans1 State ID:	CT7869
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	05/24/1993
Trans1 Recv Date:	05/24/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/24/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD114131923
Trans1 EPA ID:	ILD051060408

LAUNDROMAT (Continued) **1000266167**

Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00140
Units:	Pounds
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYA8871399
Manifest Status:	C - Completed copy
Trans1 State ID:	CT7869
Year:	1988
Trans2 State ID:	Not reported
Generator Ship Date:	880615
Trans1 Recv Date:	880615
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880615
Part A Recv Date:	880621
Part B Recv Date:	880621
Generator EPA ID:	NYD114131923
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported

LAUNDROMAT (Continued) **1000266167**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00070
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC1394638
Manifest Status:	Not reported
Trans1 State ID:	AT8756
Year:	1991
Trans2 State ID:	Not reported
Generator Ship Date:	12/20/1991
Trans1 Recv Date:	12/20/1991
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/20/1991
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD114131923
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene,

LAUNDROMAT (Continued) **1000266167**

Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00140
Units: Pounds
Number of Containers: 002
Container Type: Metal drums, barrels, kegs
Handling Method: Burn
Specific Gravity: 01.00

Document ID: NYA8829955
Manifest Status: C - Completed copy
Trans1 State ID: CT7869
Year: 1988
Trans2 State ID: Not reported
Generator Ship Date: 880517
Trans1 Recv Date: 880517
Trans2 Recv Date: Not reported
TSD Site Recv Date: 880517
Part A Recv Date: 880524
Part B Recv Date: 880520
Generator EPA ID: NYD114131923
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000708198
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

LAUNDROMAT (Continued) **1000266167**

Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00070
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYA9766776
Manifest Status:	C - Completed copy
Trans1 State ID:	CT7869
Year:	1989
Trans2 State ID:	Not reported
Generator Ship Date:	891103
Trans1 Recv Date:	891103
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	891103
Part A Recv Date:	891114
Part B Recv Date:	891110
Generator EPA ID:	NYD114131923
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00070
Units:	Pounds
Number of Containers:	001

LAUNDROMAT (Continued) **1000266167**

Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	100
Document ID:	NYC1985422
Manifest Status:	Not reported
Trans1 State ID:	CT7869
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	10/01/1992
Trans1 Recv Date:	10/01/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/01/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD114131923
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00070
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYA9514473
Manifest Status:	C - Completed copy
Trans1 State ID:	CT7869
Year:	1989

LAUNDROMAT (Continued) **1000266167**

Trans2 State ID:	Not reported
Generator Ship Date:	890615
Trans1 Recv Date:	890615
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890615
Part A Recv Date:	890619
Part B Recv Date:	890623
Generator EPA ID:	NYD114131923
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00160
Units:	Pounds
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
77 additional NY MANIFEST: record(s) in the EDR Site Report.

A5
Target Property
144 ft.

KWIK CLEANERS
40 JERUSALEM AVE.
HICKSVILLE, NY 11801

NY UST **U004427910**
N/A

Site 5 of 8 in cluster A

NASSAU CO. UST:

Facility ID:	#546
Owner Name:	DANIEL SINGER
Owner Address:	40 JERUSALEM AVENUE
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	BOB FOOTE
Permitee Address:	38 JERUSALEM AVENUE
Permitee City,St,Zip:	HICKSVILLE, NY 11801
Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1980
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

NPL
Region SSE
1/4-1/2
2384 ft.

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
SOUTHERN END OF IRIS PLACE
NEW CASSEL/HICKSVILLE, NY 11590

NPL **1000984411**
SEMS **NY0001095363**
RCRA-VSQG
US ENG CONTROLS
US INST CONTROLS
ROD
PRP
FINDS
ECHO
PFAS NPL

NPL:

EPA Region:	2
EPA ID:	NY0001095363
Site ID:	203974
Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
Address:	Southern End Of Iris Place
City,State,Zip:	NEW CASSEL/HICKSVILLE, NY 11590
Federal:	N
Final Date:	2011-09-16 00:00:00
Latitude:	40.752446
Longitude:	-73.559781
Site Score:	50
NAI:	Not reported
Native American Entity:	Not reported

Narr:

Site Name:	New Cassel/Hicksville Ground Water Contamination
Site EPA ID:	NY0001095363
Listing Date:	9/16/2011
Site Score:	50

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Federal Facility Indicator: No

Site List URL:

Site Progress URL:

Federal Register URL:

Site Location URL:

SEMS:
Site ID: 0203974
EPA ID: NY0001095363
Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
Address: SOUTHERN END OF IRIS PLACE
Address 2: Not reported
City,State,Zip: NEW CASSEL/HICKSVILLE, NY 11590
Cong District: 04
FIPS Code: 36059
Latitude: 40.752446
Longitude: -73.559781
FF: N
NPL: Currently on the Final NPL
Non NPL Status: Not reported

SEMS Detail:
Region: 02
Site ID: 0203974
EPA ID: NY0001095363
Site Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL: F
FF: N
OU: 00
Action Code: RS
Action Name: RV ASSESS
SEQ: 1
Start Date: 2013-03-05 05:00:00
Finish Date: 2013-03-05 05:00:00
Qual: Not reported
Current Action Lead: EPA Perf

Region: 02
Site ID: 0203974
EPA ID: NY0001095363
Site Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL: F
FF: N
OU: 00
Action Code: HR
Action Name: HAZRANK
SEQ: 1
Start Date: 2011-03-10 05:00:00
Finish Date: 2011-03-10 05:00:00
Qual: O
Current Action Lead: EPA Perf

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	00
Action Code:	NF
Action Name:	NPL FINL
SEQ:	1
Start Date:	2011-09-16 04:00:00
Finish Date:	2011-09-16 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	00
Action Code:	NP
Action Name:	PROPOSED
SEQ:	1
Start Date:	2011-03-10 05:00:00
Finish Date:	2011-03-10 05:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	00
Action Code:	PA
Action Name:	PA
SEQ:	1
Start Date:	1995-02-01 05:00:00
Finish Date:	1995-09-15 04:00:00
Qual:	H
Current Action Lead:	St Perf

Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	00
Action Code:	DS
Action Name:	DISCVRY
SEQ:	1
Start Date:	1985-07-01 05:00:00
Finish Date:	1985-07-01 05:00:00

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Qual:	Not reported
Current Action Lead:	St Perf
Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	00
Action Code:	SI
Action Name:	SI
SEQ:	1
Start Date:	1995-09-15 04:00:00
Finish Date:	1995-09-29 04:00:00
Qual:	H
Current Action Lead:	St Perf
Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	01
Action Code:	AR
Action Name:	ADMIN REC
SEQ:	1
Start Date:	2013-09-30 05:00:00
Finish Date:	Not reported
Qual:	E
Current Action Lead:	EPA Perf
Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	01
Action Code:	RD
Action Name:	RD
SEQ:	1
Start Date:	2015-07-10 04:00:00
Finish Date:	Not reported
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	01
Action Code:	CO
Action Name:	RI/FS

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

SEQ: 1
Start Date: 2011-06-30 05:00:00
Finish Date: 2013-09-30 05:00:00
Qual: Not reported
Current Action Lead: EPA Perf

Region: 02
Site ID: 0203974
EPA ID: NY0001095363
Site Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL: F
FF: N
OU: 01
Action Code: BE
Action Name: PRP RD
SEQ: 4
Start Date: 2021-01-26 06:00:00
Finish Date: Not reported
Qual: Not reported
Current Action Lead: EPA Ovrsght

Region: 02
Site ID: 0203974
EPA ID: NY0001095363
Site Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL: F
FF: N
OU: 01
Action Code: RO
Action Name: ROD
SEQ: 1
Start Date: 2013-09-30 05:00:00
Finish Date: 2013-09-30 05:00:00
Qual: Not reported
Current Action Lead: EPA Perf

Region: 02
Site ID: 0203974
EPA ID: NY0001095363
Site Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL: F
FF: N
OU: 02
Action Code: BD
Action Name: PRP RI/FS
SEQ: 4
Start Date: 2014-04-08 05:00:00
Finish Date: Not reported
Qual: Not reported
Current Action Lead: EPA Ovrsght

Region: 02
Site ID: 0203974
EPA ID: NY0001095363
Site Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL: F
FF: N

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

OU:	03
Action Code:	CO
Action Name:	RI/FS
SEQ:	2
Start Date:	2015-06-11 05:00:00
Finish Date:	2024-03-29 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf
Region:	02
Site ID:	0203974
EPA ID:	NY0001095363
Site Name:	NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
NPL:	F
FF:	N
OU:	03
Action Code:	RO
Action Name:	ROD
SEQ:	3
Start Date:	2024-03-29 04:00:00
Finish Date:	2024-03-29 04:00:00
Qual:	Not reported
Current Action Lead:	EPA Perf

RCRA Listings:

Date Form Received by Agency:		20151215
Handler Name:		Sylvania Corning Fusrap Superfund Site -- New Cassle & Hicksville
Handler Address:		Iris Pl-Southern End Of
Handler City,State,Zip:		NEW CASSEL, NY 11590
EPA ID:		NY0001095363
Contact Name:		DAVID C HAYS
Contact Address:		E 12TH ST-US ARMY CORP OF ENGINEERS
Contact City,State,Zip:		KANSAS CITY, MO 64106
Contact Telephone:		816-585-5110
Contact Fax:		Not reported
Contact Email:		DAVID.C.HAYS@USACE.ARMY.MIL
Contact Title:		HEALTH PHYSICIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Conditionally Exempt Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		E 12TH ST-US ARMY CORP OF ENGINEERS
Mailing City,State,Zip:		KANSAS CITY, MO 64106
Owner Name:	Gte Operations Support Inc	
Owner Type:		Private
Operator Name:	Us Army Corp Of Engineers	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20211203
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	Lead
Waste Code:	D039
Waste Description:	Tetrachloroethylene
Waste Code:	D040
Waste Description:	Trichloroethylene

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	GTE OPERATIONS SUPPORT INC
Legal Status:	Private
Date Became Current:	19520101
Date Ended Current:	Not reported
Owner/Operator Address:	140 CANTIAGUE ROCK RD
Owner/Operator City,State,Zip:	HICKSVILLE, NY, NY 11801

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Owner/Operator Telephone: 972-718-4806
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: US ARMY CORP OF ENGINEERS
Legal Status: Private
Date Became Current: 20070101
Date Ended Current: Not reported
Owner/Operator Address: 601 E 12TH ST
Owner/Operator City,State,Zip: KANSAS CITY, MO, MO 64106
Owner/Operator Telephone: 816-585-5110
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20151215
Handler Name: SYLVANIA CORNING FUSRAP SUPERFUND SITE -- NEW CASSLE & HICKSVILLE
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: Not reported
Recognized Trader Exporter: Not reported
Spent Lead Acid Battery Importer: Not reported
Spent Lead Acid Battery Exporter: Not reported
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 92411
NAICS Description: Administration Of Air And Water Resource And Solid Waste Management Programs

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

SIte:
Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
Address: SOUTHERN END OF IRIS PLACE
Address 2: Not reported
City,State,Zip: NEW CASSEL/HICKSVILLE, NY 11590
Event Code: Not reported
Action Taken Date: 03/29/2024
EPA ID: NY0001095363
Action Name: Record of Decision
Action ID: 3
Operable Unit: 03

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Contaminated Media: Groundwater
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2024
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

Media:
EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 1
Operable Unit: 01
Action Name: Record of Decision
Action Taken Date: 09/30/2013
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2013
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 1
Operable Unit: 01
Action Name: Record of Decision
Action Taken Date: 09/30/2013
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2013
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 1
Operable Unit: 01
Action Name: Record of Decision
Action Taken Date: 09/30/2013
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2013

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 1
Operable Unit: 01
Action Name: Record of Decision
Action Taken Date: 09/30/2013
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2013
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 1
Operable Unit: 01
Action Name: Record of Decision
Action Taken Date: 09/30/2013
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2013
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 1
Operable Unit: 01
Action Name: Record of Decision
Action Taken Date: 09/30/2013
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2013
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Contaminated Media:	Groundwater
Action ID:	1
Operable Unit:	01
Action Name:	Record of Decision
Action Taken Date:	09/30/2013
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2013
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	1
Operable Unit:	01
Action Name:	Record of Decision
Action Taken Date:	09/30/2013
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2013
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2024
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2024
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2024
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2024
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2024
NPL Status:	Currently on the Final NPL

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 3
Operable Unit: 03
Action Name: Record of Decision
Action Taken Date: 03/29/2024
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2024
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 3
Operable Unit: 03
Action Name: Record of Decision
Action Taken Date: 03/29/2024
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2024
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater
Action ID: 3
Operable Unit: 03
Action Name: Record of Decision
Action Taken Date: 03/29/2024
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2024
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

EPA ID: NY0001095363
Contaminated Media: Groundwater

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2024
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2024
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported
Contact Name:	Not reported
Contact Telephone:	Not reported
Event:	Not reported
Federal Facility:	N
Fiscal Year:	2024
NPL Status:	Currently on the Final NPL
Superfund Alternative Agreement:	N
Latitude:	40.752446
Longitude:	-73.559781

EPA ID:	NY0001095363
Contaminated Media:	Groundwater
Action ID:	3
Operable Unit:	03
Action Name:	Record of Decision
Action Taken Date:	03/29/2024
Event Code:	Not reported
Contact Name:	Not reported

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2024
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

US INST CONTROLS:
Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
Address: SOUTHERN END OF IRIS PLACE
Address 2: Not reported
City,State,Zip: NEW CASSEL/HICKSVILLE, NY 11590
EPA ID: NY0001095363
Action Name: Record of Decision
Action ID: 1
Operable Unit: 01
Actual Date: 09/30/2013
Contaminated Media: Groundwater
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2013
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
Address: SOUTHERN END OF IRIS PLACE
Address 2: Not reported
City,State,Zip: NEW CASSEL/HICKSVILLE, NY 11590
EPA ID: NY0001095363
Action Name: Record of Decision
Action ID: 3
Operable Unit: 03
Actual Date: 03/29/2024
Contaminated Media: Groundwater
Event Code: Not reported
Contact Name: Not reported
Contact Telephone: Not reported
Event: Not reported
Federal Facility: N
Fiscal Year: 2024
NPL Status: Currently on the Final NPL
Superfund Alternative Agreement: N
Latitude: 40.752446
Longitude: -73.559781

ROD:
Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
Address: Southern End Of Iris Place

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

City,State,Zip: NEW CASSEL/HICKSVILLE, NY 11590
EPA ID: NY0001095363
RG: 2
Site ID: 203974
Action: GOVT Decision Document (ROD)
Operable Unit Number: GW - SOUTH OF OLD COUNTRY ROAD
SEQ ID: 1
Action Completion: 2013-09-30 00:00:00
NPL Status: Final
Non NPL Status: Not reported

PRP:
PRP Name: 101 FROST STREET, LP
570 PROPERTIES, INC.
ARKWIN INDUSTRIES, INC.
GRAND MACHINERY EXCHANGE INC
IMC EASTERN CORP
ISLAND TRANSPORTATION
NEST EQUITIES, INC.
NEXT MILLENNIUM
PATEL TRUST
TISHCON INC.
UTILITY MANUFACTURING CO., INC.
VISHAY GSI CORP.
WILLIAM GROSS

FINDS:
Registry ID: 110067421089

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000984411
Registry ID: 110067421089

DFR URL:
Name: SYLVANIA CORNING FUSRAP SUPERFUND SITE -- NEW CASSLE & HICKSVILLE
Address: Iris Pl-Southern End Of
City,State,Zip: NEW CASSEL, NY 11590

PFAS NPL:
EPA Region: 02
Name: NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION
Address: SOUTHERN END OF IRIS PLACE
City,State,Zip: NEW CASSEL/HICKSVILLE, NY 11590
EPAID: NY0001095363

NEW CASSEL/HICKSVILLE GROUND WATER CONTAMINATION (Continued) **1000984411**

Superfund Link:

Data Systems:	SEMS
Location Type:	Not reported
NPL Site:	Yes
NPL Status:	Final
Media Detected:	Not reported
Latitude:	40.752446
Longitude:	-73.559781

B6 **NY SPILLS 80** **S112595426**
NNE **JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.002 mi.
10 ft. **Site 1 of 8 in cluster B**

Relative:
Higher

Actual:
144 ft.

Spills 80:

Status:	UNKNOWN
Contact Name:	Not reported
Contact Phone:	Not reported
Site ID:	8300130
Secondary ID:	Not reported
Cross Street:	Not reported
County:	NASSAU
Longitude:	-73525483
Latitude:	40767207
Elevation:	150
	CASE #
	CLOSED
Y:	Not reported
Spill Date:	04-19-83
Notifier:	Not reported
Spill Time:	0
Phone:	Not reported
Report Date:	19830419
Staff:	Not reported
Material:	UNKNOWN
Pet/Haz:	UNKNOWN
Lust:	N
Pcb Level:	Not reported
Vir/Waste:	Not reported
Soil Contam:	Not reported
Source:	UNKNOWN
Incident:	UNKNOWN par
Env Impact:	ON LAND
Quantity Reported:	0.00
Contractor:	DEC
Quantity Actual:	Not reported
Prepare Rpt:	Not reported
Units Reported:	Not reported
Days/Close:	Not reported
Units Actual:	Not reported

B7 **UNKNOWN** **NY Spills** **S104646958**
North **JERUSALEM AVENUE/HERZOG PLACE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.006 mi.
34 ft. **Site 2 of 8 in cluster B**

Relative:
Higher

Actual:
144 ft.

SPILLS:

Name:	UNKNOWN
Address:	JERUSALEM AVENUE/HERZOG PLACE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9802032 / 1998-06-04
Facility ID:	9802032
Facility Type:	ER
DER Facility ID:	243827
Site ID:	301715
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3024
Spill Date:	1998-05-16
Investigator:	HMCIRRIT
Referred To:	Not reported
Reported to Dept:	1998-05-16
CID:	370
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1998-05-16
Spill Record Last Update:	2010-01-14
Spiller Name:	PAT VAN ROSSEM
Spiller Company:	LILCO
Spiller Address:	445 BROADHOLLOW ROAD
Spiller Company:	001
Contact Name:	ABOVE CALLER
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was CIRRITO 5/21/98 15:25 TELECON TO PAT VANROSSEN, ALL CLEANED UP 5/28/98 TELECON TO P VANROSSEN, CROSS ST IS HERZOG PLACE SPILL CLEANED UP,NO DRAINS IMPACTED. NO FURTHER ACTION
Remarks:	line on truck broke - spill to pavement only spill contained and cleanup crew enroute

All Materials:

Site ID:	301715
Operable Unit ID:	1059935
Operable Unit:	01
Material ID:	323937
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00

UNKNOWN (Continued) **S104646958**

Units: G
Recovered: .00
Oxygenate: Not reported

A8 **BONDCO TRANSMISSION** **NY AST** **A100101591**
ENE **27 HERZOG PL.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.019 mi.
102 ft. **Site 6 of 8 in cluster A**

Relative: NASSAU CO. AST:
Higher
Facility ID: #55616

Actual:
144 ft.
Tank ID: 2
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, FUEL #2 (P)
Date Permit Ends: 02/01/1996

Tank ID: 4
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 250 (Gal.)
Description: WASTE OIL (P)
Date Permit Ends: 02/01/2025

Tank ID: 3
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: TRANSMISSION FLUID (C)
Date Permit Ends: 02/01/2025

Tank ID: 1
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, FUEL #2 (P)
Date Permit Ends: Not reported

A9 **UNKNOWN** **NY Spills** **S122479912**
ENE **27 HERZOG PLACE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.019 mi.
102 ft. **Site 7 of 8 in cluster A**

Relative: SPILLS:
Higher
Name: UNKNOWN

Actual:
144 ft.
Address: 27 HERZOG PLACE
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 1803039 / 2018-11-13
Facility ID: 1803039
Facility Type: ER
DER Facility ID: 524767
Site ID: 571657

UNKNOWN (Continued) **S122479912**

DEC Region:	1
Spill Cause:	Traffic Accident
Spill Class:	C3
SWIS:	3024
Spill Date:	2018-06-19
Investigator:	WJGABIN
Referred To:	Not reported
Reported to Dept:	2018-06-19
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Transformer
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2018-06-19
Spill Record Last Update:	2018-11-19
Spiller Name:	THOMAS MEEHAN
Spiller Company:	PSEG/LIPA
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	THOMAS MEHAM
Latitude:	40.7669939
Longitude:	-73.5250007
DEC Memo:	WG responded. POLE 325 TRANSFORMER PER PSEG INCIDENT DESCRIPTION: MVA - PSEG y-bank spilled approx. 25 gals when a MOP truck hit the pole, impacting roadway and drain (pole landed on two (2) cars). WRS/R BHATIA/H PAREKH RESPONDED
Remarks:	pavement only - clean up is pending crews ** UPDATE: one gallon to storm drain

All Materials:

Site ID:	571657
Operable Unit ID:	1319477
Operable Unit:	01
Material ID:	2327482
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	25.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

A10
ENE
< 1/8
0.019 mi.
102 ft.

HICKSVILLE TRANSMISSION CORP
27 HERZOG PLACE
HICKSVILLE, NY 11801

Site 8 of 8 in cluster A

EDR Hist Auto **1020319475**
N/A

Relative:
Higher

Actual:
144 ft.

EDR Hist Auto

Year:	Name:	Type:
1969	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1970	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1971	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1972	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1973	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1974	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1975	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1976	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1977	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1978	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1979	HICKSVILLE TRANSMISSION CORP	Automotive Repair Shops, NEC
1980	BONDCO TRANSMISSION CORP	Automotive Repair Shops, NEC
1982	BONDCO TRANSMISSION CORP	Automotive Repair Shops, NEC
1983	BONDCO TRANSMISSION CORP	Automotive Repair Shops, NEC
1985	BONDCO TRANSMISSION CORP	Automotive Repair Shops, NEC
1986	BONDCO TRANSMISSION CORP	Automotive Repair Shops, NEC
1987	BONDCO TRANSMISSION CORP	Automotive Repair Shops, NEC
1988	BONDCO TRANSMISSION CORP	Automotive Repair Shops, NEC
1989	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1990	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1991	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1992	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1993	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1994	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1995	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1996	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1997	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1998	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
1998	BONDCO TRANSMISSION	Automotive Transmission Repair Shops
1999	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2000	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2001	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2002	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2003	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2004	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2005	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2006	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2007	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2008	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2009	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2010	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2011	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2012	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2013	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops
2014	BONDCO TRANSMISSION CORP	Automotive Transmission Repair Shops

B11 **UNKNOWN** **NY Spills** **S121101586**
NE **7O JERUSALEM AVENUE** **N/A**
< 1/8 **MASSAPEQUA, NY**
0.025 mi.
134 ft. **Site 3 of 8 in cluster B**

Relative:
Higher

Actual:
145 ft.

SPILLS:

Name:	UNKNOWN
Address:	7O JERUSALEM AVENUE
City,State,Zip:	MASSAPEQUA, NY
Spill Number/Closed Date:	9302746 / 1993-06-01
Facility ID:	9302746
Facility Type:	ER
DER Facility ID:	90942
Site ID:	102708
DEC Region:	1
Spill Cause:	Traffic Accident
Spill Class:	C3
SWIS:	3024
Spill Date:	1993-05-31
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1993-05-31
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	Fire Department
Cleanup Ceased:	1993-06-01
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1993-06-02
Spill Record Last Update:	2017-06-13
Spiller Name:	Not reported
Spiller Company:	MARGARETT BRENT
Spiller Address:	7O JERUSALEM AVENUE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.6916647
Longitude:	-73.4777334
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE
Remarks:	CAR TOWING TRAILER GAS TANK RUPTURED FD & PD ON SCENE, PADS AND SPEEDI DRI APPLIED, NO RESPONSE NEEDED

All Materials:

Site ID:	102708
Operable Unit ID:	981062
Operable Unit:	01
Material ID:	399858
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

C12 **CITGO - M.S.S.T. INC.** **NY UST** **U003847126**
SSE **60 JERUSALEM AVE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.035 mi.
185 ft. **Site 1 of 10 in cluster C**

Relative: NCFM UST:
Higher
Batt/Dept: 93
Actual: Location Id: 30682
144 ft. Vendor: VANTAGE

Unit Type: HC
Status: Active
Tank Contents: 30120305
Installed Date: 04/26/1985
Last Test Date: 05/06/2008

Unit Type: HC
Status: Active
Tank Contents: 30120303
Installed Date: 04/26/1985
Last Test Date: 05/06/2008

C13 **K.L. AUTO SERVICE INC.** **NY UST** **U004428757**
SSE **60 JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.035 mi.
185 ft. **Site 2 of 10 in cluster C**

Relative: NASSAU CO. UST:
Higher
Facility ID: #56204
Actual: Owner Name: K.L. AUTO SERVICE INC.
144 ft. Owner Address: 60 JERUSALEM AVE.
Owner City,St,Zip: HICKSVILLE, NY 11801
Permitee Name: LAKEHILL ASSOCIATES, INC.
Permitee Address: 29 JERICHO TNPK.
Permitee City,St,Zip: JERICHO, NY 11753

Tank Status: 5-Permit by Other
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 04/01/1985
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 5-Permit by Other
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 04/01/1985
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported

K.L. AUTO SERVICE INC. (Continued) **U004428757**

Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	04/01/1985
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

C14 **APNI AUTO INC.** **NY AST** **A100538949**
SSE **60 JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.035 mi.
185 ft. **Site 3 of 10 in cluster C**

Relative: NASSAU CO. AST:
Higher
Actual:
144 ft.

Facility ID:	#58622
Tank ID:	1
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	12/01/2023

C15 **VANTAGE #50-NORTHEASTERN** **NY UST** **U004427307**
SSE **60 JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.035 mi.
185 ft. **Site 4 of 10 in cluster C**

Relative: NASSAU CO. UST:
Higher
Actual:
144 ft.

Facility ID:	#41093
Owner Name:	VANTAGE PETROLEUM CORP.
Owner Address:	P.O.BOX 350
Owner City,St,Zip:	MEDFORD, NY 11763
Permitee Name:	VANTAGE PETROLEUM CORP.
Permitee Address:	P.O. BOX 350
Permitee City,St,Zip:	MEDFORD, NY 11763
Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	04/01/1985
Leak Detected:	Not reported
Material Type:	Not reported

VANTAGE #50-NORTHEASTERN (Continued) **U004427307**

Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 5-Permit by Other
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 04/01/1985
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 5-Permit by Other
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 04/01/1985
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: R-Reference
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported

VANTAGE #50-NORTHEASTERN (Continued) **U004427307**

Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

C16 **MSST INC.** **NY UST** **U004431680**
SSE **60 JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY**
0.035 mi.
185 ft. **Site 5 of 10 in cluster C**

Relative: NASSAU CO. UST:
Higher

Facility ID:	Not reported
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Permitee Name:	Not reported
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported

Actual:
144 ft.

Tank Status:	Not reported
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	Not reported
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported

MSST INC. (Continued) **U004431680**

Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	Not reported
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	Not reported
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	Not reported
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	Not reported
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	1-In Service
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/2013
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	1-In Service
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/2013
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No

MSST INC. (Continued) **U004431680**

Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	1-In Service
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/2013
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

C17 **WISSER ENTERPRISES INC** **EDR Hist Auto** **1021971050**
SSE **60 JERUSALEM AVE** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.035 mi.
185 ft. **Site 6 of 10 in cluster C**

Relative: EDR Hist Auto
Higher

Actual:
144 ft.

Year:	Name:	Type:
1982	VANTAGE PETROLEUM CORP	Gasoline Service Stations
1983	VANTAGE PETROLEUM CORP	Gasoline Service Stations
1985	VANTAGE PETROLEUM CORP	Gasoline Service Stations
1986	VANTAGE PETROLEUM CORP	Gasoline Service Stations
1991	K L AUTO SERVICE	Gasoline Service Stations
1992	K L AUTO SERVICE	Gasoline Service Stations
1993	K L AUTO SERVICE INC	General Automotive Repair Shops
1994	K L AUTO SERVICE INC	General Automotive Repair Shops
1995	K L AUTO SERVICE INC	General Automotive Repair Shops
1996	WISSER ENTERPRISES	General Automotive Repair Shops
1996	K L AUTO SERVICE INC	General Automotive Repair Shops
1997	WISSER ENTERPRISES INC	General Automotive Repair Shops
1997	K L AUTO SERVICE INC	General Automotive Repair Shops
1998	K L AUTO SERVICE INC	General Automotive Repair Shops
1999	K L AUTO SERVICE INC	General Automotive Repair Shops
2000	WISSER ENTERPRISES INC	General Automotive Repair Shops
2000	K L AUTO SERVICE INC	General Automotive Repair Shops
2001	WISSER ENTERPRISES INC	General Automotive Repair Shops
2001	K L AUTO SERVICE INC	General Automotive Repair Shops
2002	WISSER ENTERPRISES INC	General Automotive Repair Shops
2002	K L AUTO SERVICE INC	General Automotive Repair Shops
2003	K L AUTO SERVICE INC	General Automotive Repair Shops
2003	WISSER ENTERPRISES INC	General Automotive Repair Shops
2004	WISSER ENTERPRISES INC	General Automotive Repair Shops
2004	K L AUTO SERVICE INC	General Automotive Repair Shops
2005	WISSER ENTERPRISES INC	General Automotive Repair Shops
2006	WISSER ENTERPRISES INC	General Automotive Repair Shops
2006	APNI AUTO INC	General Automotive Repair Shops
2007	WISSER ENTERPRISES INC	General Automotive Repair Shops
2007	APNI AUTO INC	General Automotive Repair Shops
2008	APNI AUTO INC	General Automotive Repair Shops
2008	WISSER ENTERPRISES INC	General Automotive Repair Shops

WISSER ENTERPRISES INC (Continued) **1021971050**

2009	APNI AUTO INC	General Automotive Repair Shops
2009	WISSER ENTERPRISES INC	General Automotive Repair Shops
2010	APNI AUTO INC	General Automotive Repair Shops
2010	WISSER ENTERPRISES INC	General Automotive Repair Shops
2011	WISSER ENTERPRISES INC	General Automotive Repair Shops
2011	APNI AUTO INC	General Automotive Repair Shops
2012	WISSER ENTERPRISES INC	General Automotive Repair Shops
2012	APNI AUTO INC	General Automotive Repair Shops
2013	APNI AUTO INC	General Automotive Repair Shops
2013	WISSER ENTERPRISES INC	General Automotive Repair Shops
2014	WISSER ENTERPRISES INC	General Automotive Repair Shops
2014	APNI AUTO INC	General Automotive Repair Shops

C18 **K.L. AUTO SERVICE INC.** **NY AST** **A100538465**
SSE **60 JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.035 mi.
185 ft. **Site 7 of 10 in cluster C**

Relative: NASSAU CO. AST:
Higher
Facility ID: #56204

Actual:
144 ft.

Tank ID: 1
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 240 (Gal.)
Description: WASTE OIL (P)
Date Permit Ends: Not reported

Tank ID: 5
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: WASTE OIL (P)
Date Permit Ends: 01/01/2004

C19 **VANTAGE #50-NORTHEASTERN** **NY TANKS** **S103565643**
SSE **60 JERUSALEM AVE.** **NY Spills** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.035 mi.
185 ft. **Site 8 of 10 in cluster C**

Relative: TANKS NASSAU:
Higher
Name: MSST INC.
Actual: Address: 60 JERUSALEM AVE.
144 ft. City,State,Zip: HICKSVILLE, NY
Facility Status: Not reported
Permit End Date: Not reported
Tank Number: 0177
Decode of Ttype: Under Ground
Capacity: 00006000
Product Description: OIL, DIESEL FUEL

Name: MSST INC.
Address: 60 JERUSALEM AVE.
City,State,Zip: HICKSVILLE, NY
Facility Status: Not reported

VANTAGE #50-NORTHEASTERN (Continued) **S103565643**

Permit End Date:	Not reported
Tank Number:	0178
Decode of Ttype:	Under Ground
Capacity:	00008000
Product Description:	GASOLINE, UNLEADED PREMIUM
Name:	MSST INC.
Address:	60 JERUSALEM AVE.
City,State,Zip:	HICKSVILLE, NY
Facility Status:	Not reported
Permit End Date:	Not reported
Tank Number:	0179
Decode of Ttype:	Under Ground
Capacity:	00015000
Product Description:	GASOLINE, UNLEADED REGULAR
Name:	VANTAGE #50-NORTHEASTERN
Address:	60 JERUSALEM AVE.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	11/1/1991
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

SPILLS:

Name:	VANTAGE PETROLEUM
Address:	60 JERUSALEM AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9106655 / 1991-11-01
Facility ID:	9106655
Facility Type:	ER
DER Facility ID:	398965
Site ID:	238135
DEC Region:	1
Spill Cause:	Other
Spill Class:	C3
SWIS:	3024
Spill Date:	1991-09-19
Investigator:	NJACAMPO
Referred To:	Not reported
Reported to Dept:	1991-09-19
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Other
Cleanup Ceased:	1991-11-01
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1991-09-20
Spill Record Last Update:	2019-06-06
Spiller Name:	Not reported
Spiller Company:	VANTAGE PETROLEUM

VANTAGE #50-NORTHEASTERN (Continued) **S103565643**

Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7664635
Longitude:	-73.5251970
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ACAMPORA
Remarks:	275 GAL TANK REMOVED HOLE FOUND, CONT SOIL FOUND, TYREE CONTRACTOR

All Materials:

Site ID:	238135
Operable Unit ID:	960877
Operable Unit:	01
Material ID:	422347
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Name:	RESIDENCE
Address:	60 JERUSALEM AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	1010446 / 2011-04-26
Facility ID:	1010446
Facility Type:	ER
DER Facility ID:	398965
Site ID:	444050
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3024
Spill Date:	2011-01-04
Investigator:	Unassigned
Referred To:	Not reported
Reported to Dept:	2011-01-06
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2011-01-06
Spill Record Last Update:	2011-08-04
Spiller Name:	FRANK NAGLIERI
Spiller Company:	NATIONAL GRID/LIPA
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	FRANK NAGLIERI
Latitude:	40.7655917

VANTAGE #50-NORTHEASTERN (Continued) **S103565643**

Longitude:	-73.5250787
DEC Memo:	Spill# 10-10446 - National Grid. 1-6-11 @ 1715 WG spoke to Frank Naglieri. 1-7-11 @ 1130 T/C with Frank from National Grid. Spill has been cleaned up by Waste Recycling as it was PCB positive. No further action required. PER NATIONAL GRID INCIDENT DESCRIPTION: MVA, POLE TOP TRANSFORMER LEAKED 2 GALLONS OF TRANSFORMER OIL AFTER IMPACT FROM ACCIDENT. OIL SPRAYED ONTO CONCRETE, GAS, PUMPS AND LIGHTS. WRS CONTRACTOR
Remarks:	Leaked from transformer onto soil. Crew enroute now to assess.

All Materials:

Site ID:	444050
Operable Unit ID:	1194497
Operable Unit:	01
Material ID:	2190324
Material Code:	0020A
Material Name:	transformer oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	4.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

B20 **ORANGE &WHITE RENTL SYS INC** **EDR Hist Auto** **1020376601**
NNE **30 HERZOG PL** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.038 mi.
198 ft. **Site 4 of 8 in cluster B**

Relative: EDR Hist Auto
Higher

Actual:
145 ft.

Year:	Name:	Type:
1969	ORANGE &WHITE RENTL SYS INC	General Automotive Repair Shops
1970	ORANGE & WHITE RENTL SYS INC	General Automotive Repair Shops
1971	ORANGE & WHITE RENTL SYS INC	General Automotive Repair Shops
1987	HABBYS COOLING SYSTEM SPEC	Automotive Repair Shops, NEC
1988	HABBYS COOLING SYSTEM SPEC	Automotive Repair Shops, NEC
1989	ALL FLEET MAINTENANCE	General Automotive Repair Shops
1990	ALL FLEET MAINTENANCE	General Automotive Repair Shops
1991	ALL FLEET MAINTENANCE	General Automotive Repair Shops
1991	HABBYS COOLING SYSTEM SPC	Powertrain Components Repair Services
1992	HABBYS COOLING SYSTEM SPC	Powertrain Components Repair Services
1992	ALL FLEET MAINTENANCE	General Automotive Repair Shops
1993	ALL FLEET MAINTENANCE	General Automotive Repair Shops
2000	AUTO LAB SERVICE CENTER INC	General Automotive Repair Shops
2001	AUTO LAB SERVICE CENTER INC	General Automotive Repair Shops
2002	AUTO LAB SERVICE CENTER INC	General Automotive Repair Shops
2003	AUTO LAB SERVICE CENTER INC	General Automotive Repair Shops
2004	FIRST CALL AUTO MALL INC	Automotive Repair Shops, NEC
2005	FIRST CALL AUTO MALL INC	Automotive Repair Shops, NEC
2005	SAMMYS AUTO REPAIR	General Automotive Repair Shops
2006	SAMMYS AUTO REPAIR	General Automotive Repair Shops
2006	FIRST CALL AUTO MALL INC	Automotive Repair Shops, NEC
2007	SAMMYS AUTO REPAIR INC	Automotive Repair Shops, NEC

ORANGE &WHITE RENTL SYS INC (Continued) **1020376601**

2008	SAMMYS AUTO REPAIR INC	Automotive Repair Shops, NEC
2009	SAMMYS AUTO REPAIR INC	Automotive Repair Shops, NEC
2010	FIRST CALL AUTO MALL INC	General Automotive Repair Shops
2010	SAMMYS AUTO REPAIR INC	Automotive Repair Shops, NEC
2011	SAMMYS AUTO REPAIR INC	Automotive Repair Shops, NEC
2011	FIRST CALL AUTO MALL INC	General Automotive Repair Shops
2012	FIRST CALL AUTO MALL INC	General Automotive Repair Shops
2012	SAMMYS AUTO REPAIR INC	Automotive Repair Shops, NEC
2013	FIRST CALL AUTO MALL INC	General Automotive Repair Shops
2013	SAMMYS AUTO REPAIR INC	Automotive Repair Shops, NEC
2014	FIRST CALL AUTO MALL INC	General Automotive Repair Shops
2014	SAMMYS AUTO REPAIR INC	Automotive Repair Shops, NEC

B21 **SAMMY'S AUTO REPAIR** **NY TANKS** **S130558694**
NNE **30 HERZOG PL.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.038 mi.
198 ft. **Site 5 of 8 in cluster B**

Relative: **Higher**
Actual: **145 ft.**

TANKS NASSAU:

Name:	SAMMY'S AUTO REPAIR
Address:	30 HERZOG PL.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	6/1/2024
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

B22 **AUTO LAB SERVICE CENTER** **NY AST** **S130556000**
NNE **30 HERZOG PL.** **NY TANKS** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.038 mi.
198 ft. **Site 6 of 8 in cluster B**

Relative: **Higher**
Actual: **145 ft.**

NASSAU CO. AST:

Facility ID:	#61469
Tank ID:	1
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	OIL, FUEL #2 (P)
Date Permit Ends:	Not reported

TANKS NASSAU:

Name:	AUTO LAB SERVICE CENTER
Address:	30 HERZOG PL.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	4/1/2006
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

B23 **IFO HOLY SPIRIT CHRISTIAN** **NY Spills** **S102138908**
NE **1577 HERZOG PLACE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.047 mi.
246 ft. **Site 7 of 8 in cluster B**

Relative:
Higher

Actual:
145 ft.

SPILLS:

Name:	IFO HOLY SPIRIT CHRISTIAN
Address:	1577 HERZOG PLACE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9303222 / 1993-06-11
Facility ID:	9303222
Facility Type:	ER
DER Facility ID:	215428
Site ID:	264314
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3024
Spill Date:	1993-06-10
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1993-06-10
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	1993-06-11
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1993-06-11
Spill Record Last Update:	2017-06-13
Spiller Name:	Not reported
Spiller Company:	RELIANCE
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
Latitude:	40.7655989
Longitude:	-73.5264190
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE 06/11/93: NO RESPONSE NEEDED.
Remarks:	POSS FAULTY VENT ALARM CONTAINED ON SIDEWALK AND CLEANUP IS DONE

All Materials:

Site ID:	264314
Operable Unit ID:	985166
Operable Unit:	01
Material ID:	396809
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

B24
NE
< 1/8
0.047 mi.
246 ft.

HOLY SPIRIT CHURCH
1517 HERZOG PLACE
HICKSVILLE, NY

Site 8 of 8 in cluster B

NY Spills **S102237547**
N/A

Relative:
Higher

Actual:
145 ft.

SPILLS:

Name:	HOLY SPIRIT CHURCH
Address:	1517 HERZOG PLACE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9601140 / 1996-04-23
Facility ID:	9601140
Facility Type:	ER
DER Facility ID:	75070
Site ID:	81085
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3024
Spill Date:	1996-04-23
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1996-04-23
CID:	349
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-04-23
Spill Record Last Update:	2015-06-10
Spiller Name:	Not reported
Spiller Company:	HOLY SPIRIT CHURCH
Spiller Address:	1517 HERZOG PLACE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7655989
Longitude:	-73.5264190
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE 4/23/96 13:55 LEFT MESSAGE FOR ABRAMS TO CALL BACK 14:48 PER ABRAMS,~ 1 PINT SPILLED FROM CLOGGED VENT TO SIDEWALK, NO DRAINS OR SOIL AFFECTED. SPEEDI DRI APPLIED AND PICKED UP. NO RESPONSE NEEDED
Remarks:	leak from vent pipe

All Materials:

Site ID:	81085
Operable Unit ID:	1028788
Operable Unit:	01
Material ID:	350959
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G

HOLY SPIRIT CHURCH (Continued) **S102237547**

Recovered: 1.00
Oxygenate: Not reported

D25 **NY TELEPHONE GARAGE** **NY Spills** **S102136130**
WSW **20 DUFFY AVENUE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.048 mi.
255 ft. **Site 1 of 7 in cluster D**

Relative: **Lower**

Actual: **143 ft.**

SPILLS:

Name:	NY TELEPHONE GARAGE
Address:	20 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9200672 / 1992-04-20
Facility ID:	9200672
Facility Type:	ER
DER Facility ID:	192577
Site ID:	233727
DEC Region:	1
Spill Cause:	Human Error
Spill Class:	C3
SWIS:	3000
Spill Date:	1992-04-16
Investigator:	KMYAGER
Referred To:	Not reported
Reported to Dept:	1992-04-17
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	1992-04-20
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1992-04-20
Spill Record Last Update:	1992-11-09
Spiller Name:	Not reported
Spiller Company:	NY TELEPHONE GARAGE
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7664038
Longitude:	-73.5268689
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEROSA 04/20/92: SPILL CLEANED UP NO FURTHER ACTION.
Remarks:	CONTAINED ON PAVEMENT, TYREE WAS AT SCENE, SPILL SORBENT PLACED, STORM DRAIN CHECKED, CLEANUP COMPLETE

All Materials:

Site ID:	233727
Operable Unit ID:	964528
Operable Unit:	01
Material ID:	559087
Material Code:	0009

NY TELEPHONE GARAGE (Continued) **S102136130**

Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	20.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

C26 **STORE** **NY Spills** **S108636280**
SSE **66 JERUSALEM AVENUE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.049 mi.
257 ft. **Site 9 of 10 in cluster C**

Relative:
Lower

Actual:
143 ft.

SPILLS:

Name:	STORE
Address:	66 JERUSALEM AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0700677 / 2008-02-07
Facility ID:	0700677
Facility Type:	ER
DER Facility ID:	329541
Site ID:	380057
DEC Region:	1
Spill Cause:	Other
Spill Class:	C3
SWIS:	3024
Spill Date:	2007-04-18
Investigator:	kmyager
Referred To:	Not reported
Reported to Dept:	2007-04-18
CID:	444
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-04-18
Spill Record Last Update:	2009-06-15
Spiller Name:	MILAN LOZINA
Spiller Company:	STORE
Spiller Address:	66 JERUSALEM AVENUE
Spiller Company:	001
Contact Name:	MILAN LOZINA
Latitude:	40.7653017
Longitude:	-73.5250987
DEC Memo:	SPOKE TO NCFM, THEY ARE ON SITE, SPILL IS TO BASEMENT, THE LANDLORD IS NOT VERY FORTHCOMING AND HOLDS PETRO RESPONSIBLE SINCE THEY INSTALLED THE TANK, NCFM WOULD LIKE DEC FOLLOWUP
Remarks:	ABOVE ADDRESS CANCELED ACCOUNT WITH PETRO AND HAD A COD COMPANY DELIVERY AND NOW HIS FILL PIPE IS LEAKING AND HE IS BLAMING PETRO AND HE ALSO REFUSES TO CALL DEC AND WAS VERY DEFENSIVE: PETRO CALLED IT

STORE (Continued) **S108636280**

IN BUT THEY HAVE NOTHING TO DO WITH IT:

All Materials:

Site ID:	380057
Operable Unit ID:	1137549
Operable Unit:	01
Material ID:	2127498
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	.00
Oxygenate:	Not reported

D27 **BOUCHARD OIL TRANSPORTATION** **RCRA-VSQG** **1014470744**
West **77 NEWBRIDGE RD** **FLTMP9203712**
< 1/8 **HICKSVILLE, FL 11801**
0.049 mi.
260 ft. **Site 2 of 7 in cluster D**

Relative: **Lower**
Actual: **143 ft.**

RCRA Listings:

Date Form Received by Agency:		19920723
Handler Name:		Bouchard Oil Transportation
Handler Address:		Newbridge Rd
Handler City,State,Zip:		HICKSVILLE, FL 11801-2805
EPA ID:		FLTMP9203712
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		04
Land Type:		Other
Federal Waste Generator Description:		Conditionally Exempt Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Fl
State District:		SW
Mailing Address:		Not reported
Mailing City,State,Zip:		Not reported
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		Yes
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No

BOUCHARD OIL TRANSPORTATION (Continued) **1014470744**

Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20110623
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	19920723
Handler Name:	BOUCHARD OIL TRANSPORTATION
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Fl
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

BOUCHARD OIL TRANSPORTATION (Continued) **1014470744**

Evaluation Action Summary:
Evaluations: No Evaluations Found

D28 **KIDD HOLDING** **NY Spills** **S106126892**
West **77 NEWBRIDGE ROAD** **N/A**
< 1/8 **HICKSVILLE, NY**
0.049 mi.
260 ft. **Site 3 of 7 in cluster D**

Relative:
Lower

Actual:
143 ft.

SPILLS:

Name:	KIDD HOLDING
Address:	77 NEWBRIDGE ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0325399 / 2003-12-15
Facility ID:	0325399
Facility Type:	ER
DER Facility ID:	116976
Site ID:	136705
DEC Region:	1
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	3000
Spill Date:	2003-12-06
Investigator:	KJGOMEZ
Referred To:	Not reported
Reported to Dept:	2003-12-06
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2003-12-11
Spill Record Last Update:	2003-12-22
Spiller Name:	KIM BOUCHARD
Spiller Company:	KIDD HOLDING
Spiller Address:	77 NEWBRIDGE HOLDING
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7667145
Longitude:	-73.5272174
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was GOMEZ
Remarks:	CONTAMINATION DISCOVERED DURING SITE ASSESSMENT

All Materials:

Site ID:	136705
Operable Unit ID:	880427
Operable Unit:	01
Material ID:	496344
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported

KIDD HOLDING (Continued) **S106126892**

Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

E29 **THRIFT SHOP** **NY Spills** **S102568894**
NE **13 HERZOZ PLACE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.050 mi.
263 ft. **Site 1 of 7 in cluster E**

Relative:
Higher

Actual:
145 ft.

SPILLS:

Name:	THRIFT SHOP
Address:	13 HERZOZ PLACE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9112549 / 1992-07-10
Facility ID:	9112549
Facility Type:	ER
DER Facility ID:	203175
Site ID:	247439
DEC Region:	1
Spill Cause:	Housekeeping
Spill Class:	B3
SWIS:	3024
Spill Date:	1992-03-09
Investigator:	LUCE
Referred To:	Not reported
Reported to Dept:	1992-03-09
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	1992-07-10
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1992-03-10
Spill Record Last Update:	2019-04-12
Spiller Name:	Not reported
Spiller Company:	THRIFT SHOP
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7676818
Longitude:	-73.5246605
DEC Memo:	THE PRETTY NEW 2 THRIFT SHOP
Remarks:	OIL SERVICE FOR RESIDENT AT 13 HERZOZ PL APPEARS TO HAVE SPILT OIL WHILE REPLACING TANK AT SITE, SPILL CONTAINED ON CONCRETE CELLAR FLOOR Not reported

All Materials:

Site ID:	247439
Operable Unit ID:	966155
Operable Unit:	01

THRIFT SHOP (Continued) **S102568894**

Material ID:	567498
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

C30 **SPILL NUMBER 9609380** **NY Spills** **S104645445**
SSE **68 JERUSALEM AVENUE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.052 mi.
277 ft. **Site 10 of 10 in cluster C**

Relative: SPILLS:
Lower

Actual:
143 ft.

Name:	SPILL NUMBER 9609380
Address:	68 JERUSALEM AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9609380 / 1996-10-28
Facility ID:	9609380
Facility Type:	ER
DER Facility ID:	90944
Site ID:	102711
DEC Region:	1
Spill Cause:	Traffic Accident
Spill Class:	C4
SWIS:	3000
Spill Date:	1996-10-26
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1996-10-26
CID:	267
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-10-27
Spill Record Last Update:	2003-08-18
Spiller Name:	ASIM AHMAD
Spiller Company:	ASIM AHMAD
Spiller Address:	PO BOX 85
Spiller Company:	001
Contact Name:	INV MCGRATH
Latitude:	40.7663638
Longitude:	-73.5251518
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE NO RESPONSE NEEDED. NCFM DOES NOT REQUIRE DEC RESPONSE
Remarks:	N70ZNA was rear ended and lost 5 to 8 gallons of gasoline spill was cleaned up by fire marshall office spill was confined to sidewalk and

SPILL NUMBER 9609380 (Continued) **S104645445**

roadway

All Materials:

Site ID:	102711
Operable Unit ID:	1040865
Operable Unit:	01
Material ID:	345107
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	8.00
Units:	G
Recovered:	8.00
Oxygenate:	Not reported

F31 **SOVEREIGN VOLKSWAGON** **NY UST** **U004427241**
SSW **45 NELSON AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.053 mi.
279 ft. **Site 1 of 8 in cluster F**

Relative: **Lower**

Actual: **142 ft.**

NASSAU CO. UST:

Facility ID:	#41004
Owner Name:	A. FELDMAN
Owner Address:	340 OLD COUNTRY RD
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	Not reported
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	Not reported
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

F32 **SAVRIN JAGUAR DEALERSHIP** **NY Spills** **S102137501**
SSW **45 NELSON AVENUE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.053 mi.
279 ft. **Site 2 of 8 in cluster F**

Relative:
Lower

Actual:
142 ft.

SPILLS:

Name:	SAVRIN JAGUAR DEALERSHIP
Address:	45 NELSON AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8800202 / 1988-08-02
Facility ID:	8800202
Facility Type:	ER
DER Facility ID:	169871
Site ID:	204295
DEC Region:	1
Spill Cause:	Unknown
Spill Class:	Not reported
SWIS:	3024
Spill Date:	1988-04-07
Investigator:	WALEK
Referred To:	Not reported
Reported to Dept:	1988-04-07
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Citizen
Cleanup Ceased:	1988-08-02
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1988-04-08
Spill Record Last Update:	2006-06-28
Spiller Name:	Not reported
Spiller Company:	SAVRIN JAGUAR DEALERSHIP
Spiller Address:	45 NELSON AVENUE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7640844
Longitude:	-73.5265291
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was WALEK FD 08/02/88: AREA ALL CLEAN. NO FURTHER ACTION NEEDED. DISPOSAL LETTER ATTACHED.REMOVED & DISPOSED OF 1266 GAL LIQUID,1 1/2 CU YDS SOIL. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	MR.ANONY HAS A RESTAURANT NEXT DOOR COMPLAINS THAT THEIR S.D. ARE FULL OF OIL/VERY BAD ODOR/WHEN RAINS OVERFLOWS.ALSO COMPLAINS OF OPEN DRUMS FULL OF ANTIFREEZE

All Materials:

Site ID:	204295
Operable Unit ID:	917056
Operable Unit:	01
Material ID:	462921
Material Code:	0066A
Material Name:	unknown petroleum

SAVRIN JAGUAR DEALERSHIP (Continued) **S102137501**

Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported
Site ID:	204295
Operable Unit ID:	917056
Operable Unit:	01
Material ID:	462922
Material Code:	0043A
Material Name:	antifreeze
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

F33 **PLATINUM VOLKSWAGEN LLC** **NY AST** **A100539171**
SSW **45 NELSON AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.053 mi.
279 ft. **Site 3 of 8 in cluster F**

Relative: NASSAU CO. AST:
Lower

Facility ID:	#59333

Actual:
142 ft.

Tank ID:	3
Tank Location:	3-Outdoor Aboveground
Capacity (Gal):	240 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	03/01/2024
Tank ID:	4
Tank Location:	3-Outdoor Aboveground
Capacity (Gal):	240 (Gal.)
Description:	OIL, MOTOR (P)
Date Permit Ends:	03/01/2024
Tank ID:	5
Tank Location:	3-Outdoor Aboveground
Capacity (Gal):	240 (Gal.)
Description:	OIL, MOTOR (P)
Date Permit Ends:	03/01/2024

F34 **SOVEREGIN JAGUAR LTD** **RCRA NonGen / NLR** **1000872257**
SSW **45 NELSON AVE** **FINDS** **NYD987034709**
< 1/8 **HICKSVILLE, NY 11801** **ECHO**
0.053 mi.
279 ft. **Site 4 of 8 in cluster F**

Relative: **Lower**
Actual: **142 ft.**

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Soveregin Jaguar Ltd
Handler Address:		Nelson Ave
Handler City,State,Zip:		HICKSVILLE, NY 11801-3863
EPA ID:		NYD987034709
Contact Name:		Not reported
Contact Address:		SWEET HOLLOW RD
Contact City,State,Zip:		MELVILLE, NY 11747
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		SWEET HOLLOW RD
Mailing City,State,Zip:		MELVILLE, NY 11747
Owner Name:	Soveregin Jaguar Ltd	
Owner Type:		Private
Operator Name:	Soveregin Jaguar Ltd	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

SOVEREGIN JAGUAR LTD (Continued) **1000872257**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D008
Waste Description:	Lead

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: SOVEREGIN JAGUAR LTD	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	45 NELSON AVE
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-673-0037
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: SOVEREGIN JAGUAR LTD	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	45 NELSON AVE
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-673-0037
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: SOVEREGIN JAGUAR LTD	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	45 NELSON AVE
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801

SOVEREGIN JAGUAR LTD (Continued) **1000872257**

Owner/Operator Telephone: 516-673-0037
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19990708
Handler Name: SOVEREGIN JAGUAR LTD
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: SOVEREGIN JAGUAR LTD
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: SOVEREGIN JAGUAR LTD
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19930526
Handler Name: SOVEREGIN JAGUAR LTD
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

SOVEREGIN JAGUAR LTD (Continued) **1000872257**

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004505134

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000872257
Registry ID: 110004505134

DFR URL:
Name: SOVEREGIN JAGUAR LTD
Address: 45 Nelson Ave
City,State,Zip: HICKSVILLE, NY 11801

F35 **SOVEREIGN VOLKSWAGON** **NY AST** **A100538101**
SSW **45 NELSON AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.053 mi.
279 ft. **Site 5 of 8 in cluster F**

Relative:
Lower

Actual:
142 ft.

NASSAU CO. AST:
Facility ID: #41004

Tank ID: 5
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 245 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: 03/01/2009

Tank ID: 4
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 245 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: 03/01/2009

SOVEREIGN VOLKSWAGON (Continued) **A100538101**

Tank ID:	3
Tank Location:	3-Outdoor Aboveground
Capacity (Gal):	245 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	03/01/2009

F36 **HICKSVILLE HIGH SCHOOL** **NY Spills** **S128912855**
South **18 DIVISION AVE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.055 mi.
293 ft. **Site 6 of 8 in cluster F**

Relative: SPILLS:
Lower

Actual:
143 ft.

Name:	HICKSVILLE HIGH SCHOOL
Address:	18 DIVISION AVE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	2203119 / 2022-07-25
Facility ID:	2203119
Facility Type:	ER
DER Facility ID:	585815
Site ID:	639220
DEC Region:	1
Spill Cause:	Traffic Accident
Spill Class:	C3
SWIS:	3024
Spill Date:	2022-07-12
Investigator:	NMHART
Referred To:	Not reported
Reported to Dept:	2022-07-12
CID:	Not reported
Water Affected:	2 INCH SEWER
Spill Source:	Commercial Vehicle
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2022-07-12
Spill Record Last Update:	2022-07-29
Spiller Name:	Not reported
Spiller Company:	MAGGIOS ENVIROMENTAL
Spiller Address:	HICKSVILLE HIGH SCHOOL 18 DIVISION AVE
Spiller Company:	999
Contact Name:	FIRE MARSHALL O'BRIEN
Latitude:	40.7648654
Longitude:	-73.5257663
DEC Memo:	7/12/22-07:15 NH responded to the spill 08:30 NH on site. Driver hit a deadman post in the parking lot, rupturing the saddle tank, spilling diesel fuel to the pavement and a nearby catch basin. Estimated 20 gal went into the catch basin. Maggio Env service cleaned up the pavement, and power washed the parking lot. Eastern cleaned out the drain. Issued a clean up letter to RP. Maggio Services DTW-70 07:15 NH responded to spill, estimated 150 gallons spilled to pavement and catch

HICKSVILLE HIGH SCHOOL (Continued) **S128912855**

basin. Catch basin leads to 2 other basins on site, but didn't reach the other basins. Maggio Env has their own clean crew, which addressed the pavement. Hired Eastern Env. to pump out the basin. Power washed the pavement, as the vac truck sucked up the water. Off site 12:45. Spill has been contained and cleaned up, no further action required. Manifest on file

Remarks: Clean up pending. Need vac truck.

All Materials:

Site ID:	639220
Operable Unit ID:	1386271
Operable Unit:	01
Material ID:	2401028
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	50.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

E37 **LIRR MAIN TRACK** **NY Spills** **S102559968**
NNE **RTE 107 & RTE 109** **N/A**
< 1/8 **HICKSVILLE, NY**
0.057 mi.
303 ft. **Site 2 of 7 in cluster E**

Relative:
Higher

Actual:
146 ft.

SPILLS:

Name:	LIRR MAIN TRACK
Address:	RTE 107 & RTE 109
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9613000 / 1997-09-22
Facility ID:	9613000
Facility Type:	ER
DER Facility ID:	232240
Site ID:	286549
DEC Region:	1
Spill Cause:	Unknown
Spill Class:	C3
SWIS:	3000
Spill Date:	1997-02-03
Investigator:	RDDECAND
Referred To:	Not reported
Reported to Dept:	1997-02-03
CID:	199
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-02-03

LIRR MAIN TRACK (Continued) **S102559968**

Spill Record Last Update:	1997-09-23
Spiller Name:	ANDREW WISLON
Spiller Company:	LIRR MAIN TRACK
Spiller Address:	RTE 107 & RTE 109
Spiller Company:	001
Contact Name:	ANDREW WISLON
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DECANDIA CLEANUP BY LIRR. DISPOSAL REC'VD
Remarks:	LEAKY DRUM AT LOCATION UNK WHY IT IS LEAKING AT THIS TIME - RAIL ROAD REP ENROUTE TO TROUBLE SHOOT - LOCATION IS IN HICKSVILLE AT THE MAINE TRACK FOR THE LONG ISLAND RAILROAD - CLOSEST CROSS STREET IS AT RTS 107 AND 109

All Materials:

Site ID:	286549
Operable Unit ID:	1040693
Operable Unit:	01
Material ID:	341651
Material Code:	0012A
Material Name:	kerosene
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	40.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

D38 **UNKNOWN** **NY Spills** **S102567898**
WSW **DUFFY AVENUE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.058 mi.
305 ft. **Site 4 of 7 in cluster D**

Relative: **Lower**
Actual: **142 ft.**

SPILLS:

Name:	UNKNOWN
Address:	DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8603111 / 1986-08-13
Facility ID:	8603111
Facility Type:	ER
DER Facility ID:	274523
Site ID:	292875
DEC Region:	1
Spill Cause:	Traffic Accident
Spill Class:	Not reported
SWIS:	3024
Spill Date:	1986-08-09
Investigator:	WJPARISH
Referred To:	Not reported
Reported to Dept:	1986-08-09
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	Fire Department

UNKNOWN (Continued) **S102567898**

Cleanup Ceased:	1986-08-13
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1986-08-19
Spill Record Last Update:	2007-03-05
Spiller Name:	Not reported
Spiller Company:	UNK
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
Latitude:	40.7662499
Longitude:	-73.5272950
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was PARISH FD / / : NCFM AND FD CLEANED. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	Not reported

All Materials:

Site ID:	292875
Operable Unit ID:	900010
Operable Unit:	01
Material ID:	475945
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

D39 **PROPERTY REDEVELOPMENT** **NY Spills** **S131510665**
WNW **99 NEWBRIDGE RD** **N/A**
< 1/8 **HICKSVILLE, NY**
0.059 mi.
310 ft. **Site 5 of 7 in cluster D**

Relative: **Lower**
Actual: **143 ft.**

SPILLS:

Name:	PROPERTY REDEVELOPMENT
Address:	99 NEWBRIDGE RD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	2307181 / 2024-07-24
Facility ID:	2307181
Facility Type:	ER
DER Facility ID:	604639
Site ID:	659221
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3020
Spill Date:	2023-11-29
Investigator:	CRSCHMIT

PROPERTY REDEVELOPMENT (Continued) **S131510665**

Referred To:	Not reported
Reported to Dept:	2023-11-29
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2023-11-29
Spill Record Last Update:	2024-07-25
Spiller Name:	JOHN MCCABE
Spiller Company:	AR HICKSVILLE, LLC
Spiller Address:	99 NEWBRDIGE RD
Spiller Company:	999
Contact Name:	MIKE
Latitude:	40.7651278
Longitude:	-73.5270211
DEC Memo:	11/29/33 @ 1000 hrs: WG t/c w/ Mike of Windmill Oil Tank. Per Mike, contaminated soil encountered at the site during a routine removal of a 5K #2 fuel oil UST. Tank inspected by Susan of NCDOH, who required Windmill Oil to file a spill report. No holes were found in tank but DOH inspector determined soils encountered at 9 below grade of the excavation exhibited petroleum impacts. Contaminated soil removal was not possible due to structural concerned of the property. As per request from contractor, approval to temporarily backfill granted - awaiting development of work plan to perform additional investigation/remedial action. Photos were submitted to R1Spills inbox. USGS DTW~68' 4/26/2024 A portion of contaminated soil removal scheduled for 4/30/2024. Contaminated soil removal to be performed in phases during construction process. CS Backfill inspection 6/14/2024 with Roux. ***7/23/2024 Contaminated soil excavated to clean endpoints in the phases concurrent with redevelopment construction at the property. A total of 559 tons soil generated during petroleum contaminated soil excavation disposed of at Posillico. Waste manifests and closure documentation received. No further action required. CS
Remarks:	Unknown quantity. Cleanup is pending. Nassau Co. Dept. of Health is on site.

All Materials:

Site ID:	659221
Operable Unit ID:	1406068
Operable Unit:	01
Material ID:	2423395
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum

PROPERTY REDEVELOPMENT (Continued) **S131510665**

Quantity:	Not reported
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

D40 **ALPINE HICKSVILLE** **RCRA-LQG 1031076121**
WNW **99 NEWBRIDGE RD** **E MANIFEST NYR000265843**
< 1/8 **HICKSVILLE, NY 11801**
0.059 mi.
310 ft. **Site 6 of 7 in cluster D**

Relative: **Lower**

Actual: **143 ft.**

RCRA Listings:

Date Form Received by Agency:		20240118
Handler Name:		Alpine Hicksville
Handler Address:		Newbridge Rd
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYR000265843
Contact Name:		JESSICA LAM
Contact Address:		SHAFTER ST
Contact City,State,Zip:		ISLANDIA, NY 11749
Contact Telephone:		516-270-4095
Contact Fax:		Not reported
Contact Email:		JLAM@ROUXINC.COM
Contact Title:		PROJECT GEOLOGIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Large Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		SHAFTER ST
Mailing City,State,Zip:		ISLANDIA, NY 11749
Owner Name:	Alpine Residential Llc	
Owner Type:		Private
Operator Name:	Alpine Residential Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		Yes
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		Yes
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline

ALPINE HICKSVILLE (Continued) **1031076121**

2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20240119
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D008
Waste Description:	Lead

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	ALPINE RESIDENTIAL LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	192 LEXINGTON AVE STE 901
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name:	ALPINE RESIDENTIAL LLC
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	192 LEXINGTON AVE STE 901
Owner/Operator City,State,Zip:	NEW YORK, NY 10016
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20240118
Handler Name:	ALPINE HICKSVILLE

ALPINE HICKSVILLE (Continued) **1031076121**

Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Code:	238910
NAICS Description:	Site Preparation Contractors

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

E MANIFEST:

Manifest Tracking Number:	020560248JJK
Last Updated Date:	20240607
Shipped Date:	20240205
Received Date:	20240205
Manifest Status:	Corrected
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000265843
Generator Name:	Alpine Hicksville
Generator Location Street Number:	99
Generator Location Street 1:	99 NEWBRIDGE RD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	209
Generator Mail Street 1:	SHAFTER ST
Generator Mail Street 2:	Not reported
Generator Mail City:	ISLANDIA
Generator Mail Zip:	11749
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Clean Earth Of North Jersey
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE

ALPINE HICKSVILLE (Continued) **1031076121**

Designated Facility Location Street 2: Not reported
Designated Facility Location City: KEARNY
Designated Facility Location Zip: 07032
Designated Facility Location State: NJ
Designated Facility Contact Company Name: Not reported
Manifest Residue Indicator: N
Rejection Indicator: N

Transporter:
Manifest Tracking Number: 020560248JJK
Transporter Line Number: 1
Transporter EPA ID: PAD146714878
Transporter Name: Horwith Trucks Inc

Waste Line:
Manifest Tracking Number: 020560248JJK
Waste Line Number: 1
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: NA3077
U.S. DOT Description: Na3077, Hazardous Waste, Solid N.O.S. (D008, Lead), 9, Pg Iii
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: CM
Container Type Description: Metal boxes, cartons, cases (including roll offs)
Waste Quantity: 32960
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 16.48
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 16.48
Waste Quantity, in Kilograms: 14947.8544
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 14947.8544
Management Method Code: H110
Management Method Description: STABILIZATION
Waste Residue Indicator: N
Quantity Discrepancy Indicator: Y
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported
Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: Y
Federal Waste Codes: D008
Quantity Haz Kg: 14947.8544
Quantity Haz Tons: 16.48
Quantity Non Haz Kg: 0
Quantity Non Haz Tons: 0
State Waste Codes: Not reported

E41 **LI REPTILE MUSEUM** **NY Spills** **S103570677**
ENE **70 BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.059 mi.
311 ft. **Site 3 of 7 in cluster E**

Relative:
Higher

Actual:
145 ft.

SPILLS:

Name:	LI REPTILE MUSEUM
Address:	70 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9702380 / 2004-02-10
Facility ID:	9702380
Facility Type:	ER
DER Facility ID:	163558
Site ID:	196497
DEC Region:	1
Spill Cause:	Other
Spill Class:	B4
SWIS:	3024
Spill Date:	1997-05-25
Investigator:	BPAUSTIN
Referred To:	Not reported
Reported to Dept:	1997-05-25
CID:	199
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1997-05-25
Spill Record Last Update:	2011-08-26
Spiller Name:	STEVEN KATES
Spiller Company:	LI REPTILE MUSEUM
Spiller Address:	70 BROADWAY
Spiller Company:	001
Contact Name:	STEVEN KATES
Latitude:	40.7675664
Longitude:	-73.5240944
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN 1/30/04 MEMO CRITERION #1 CLOSURE NO DISPOSAL RCPTS, APPROPRIATE REFERRALS MADE
Remarks:	ABANDONED OIL TANK AT LOCATION - WATER FILLED UP THE TANK AND PUSHED OUT THE FUEL THAT WAS LEFT IN THE TANK - CALLER REQ A CALL BACK FROM DEC REP AT 516-521-2046

All Materials:

Site ID:	196497
Operable Unit ID:	1045100
Operable Unit:	01
Material ID:	335313
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G

LI REPTILE MUSEUM (Continued) **S103570677**

Recovered: .00
Oxygenate: Not reported

F42 **CIANO & SONS CARTING** **NY Spills** **S102135365**
SW **WEST MARIE STREET** **N/A**
< 1/8 **HICKSVILLE, NY**
0.059 mi.
312 ft. **Site 7 of 8 in cluster F**

Relative: **Lower**

Actual: **142 ft.**

SPILLS:

Name:	CIANO & SONS CARTING
Address:	WEST MARIE STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9102502 / 1991-06-04
Facility ID:	9102502
Facility Type:	ER
DER Facility ID:	206099
Site ID:	251458
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	Not reported
SWIS:	3000
Spill Date:	1991-06-03
Investigator:	HOFMANN
Referred To:	Not reported
Reported to Dept:	1991-06-03
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Police Department
Cleanup Ceased:	1991-06-04
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1991-06-05
Spill Record Last Update:	2003-12-31
Spiller Name:	Not reported
Spiller Company:	CIANO & SONS CARTING
Spiller Address:	29 REDINGTON ST
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7650699
Longitude:	-73.5272050
DEC Memo:	Not reported
Remarks:	HYDRAULIC FLUID ON ROAD, FD APPLIED SPEEDI DRY, COUNTY SANDED AND WILL SWEEP, NO DRAINS AFFECTED. NO RESPONSE REQUESTED

All Materials:

Site ID:	251458
Operable Unit ID:	956376
Operable Unit:	01
Material ID:	425014
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported

CIANO & SONS CARTING (Continued) **S102135365**

Material FA:	Petroleum
Quantity:	15.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported
Site ID:	251458
Operable Unit ID:	956376
Operable Unit:	01
Material ID:	425013
Material Code:	0010
Material Name:	hydraulic oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

---

43 **SAZAKLIS RESIDENCE** **NY Spills** **S108299012**
SW **112 WEST MARIE STREET** **N/A**
< 1/8 **HICKSVILLE, NY**
0.070 mi.
371 ft.

Relative: **Lower**

Actual: **142 ft.**

SPILLS:

Name:	SAZAKLIS RESIDENCE
Address:	112 WEST MARIE STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0610053 / 2006-12-05
Facility ID:	0610053
Facility Type:	ER
DER Facility ID:	324106
Site ID:	374422
DEC Region:	1
Spill Cause:	Other
Spill Class:	C4
SWIS:	3024
Spill Date:	2006-12-04
Investigator:	Unassigned
Referred To:	Not reported
Reported to Dept:	2006-12-04
CID:	408
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-12-04
Spill Record Last Update:	2009-01-08
Spiller Name:	JOE SCARPATI
Spiller Company:	PERILLO OIL
Spiller Address:	9 MURRAY STREET

SAZAKLIS RESIDENCE (Continued) **S108299012**

Spiller Company:	001
Contact Name:	SAZAKLIS
Latitude:	40.7650268
Longitude:	-73.5276052
DEC Memo:	12/5 08:35 AS PER VALDI, IS ACTUALLY A BUSINESS, EMPLOYEES DID NOT HAVE ANY INFO, AS PER PERILLO, SPILLAGE IN BASEMENT, ON CONCRETE ONLY, SPEEDI DRI APPLIED
Remarks:	CLEAN UP IN PROCESS;

All Materials:

Site ID:	374422
Operable Unit ID:	1132102
Operable Unit:	01
Material ID:	2121819
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

E44 **LIRR** **NY Spills** **S128043283**
NE **RT 107 AND HERZOG PL** **N/A**
< 1/8 **HICKSVILLE, NY**
0.073 mi.
387 ft. **Site 4 of 7 in cluster E**

Relative:
Higher

Actual:
145 ft.

SPILLS:

Name:	LIRR
Address:	RT 107 AND HERZOG PL
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	2107253 / 2021-11-10
Facility ID:	2107253
Facility Type:	ER
DER Facility ID:	575300
Site ID:	628165
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3024
Spill Date:	2021-11-04
Investigator:	BXDONOVA
Referred To:	Not reported
Reported to Dept:	2021-11-05
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Railroad Car
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2021-11-05

LIRR (Continued) **S128043283**

Spill Record Last Update:	2021-11-17
Spiller Name:	Not reported
Spiller Company:	LIRR
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	KATHLEEN GREEN
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	11/5/21 0725 Hrs: RJP made call to Kathleen Green of LIRR. Stated overnight that a piece of service equipment operating on tracks experienced diesel line leak, spilled estimated less than 5 gal to estimated 100' section of raised track. Track is concrete, spill is believed to be contained on the track, she will be inspecting this morning. AB was retained for cleanup, she will schedule fouling time for tomorrow morning to complete cleanup. No rain expected overnight, USGS DTW 74'. Stated she will contact BD to provide photos and update. RJP. *affected material removed for proper disposal.
Remarks:	cleanup pending

All Materials:

Site ID:	628165
Operable Unit ID:	1375292
Operable Unit:	01
Material ID:	2388750
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

D45 **SOIL** **NY Spills** **S126221182**
WSW **44 DUFFY AVENUE** **N/A**
< 1/8 **HICKSVILLE, NY**
0.074 mi.
390 ft. **Site 7 of 7 in cluster D**

Relative: **Lower**
Actual: **142 ft.**

SPILLS:

Name:	SOIL
Address:	44 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	1911645 / 2022-12-07
Facility ID:	1911645
Facility Type:	ER
DER Facility ID:	550892
Site ID:	602347
DEC Region:	1
Spill Cause:	Other
Spill Class:	C3
SWIS:	3024
Spill Date:	2020-03-06
Investigator:	JNNG

SOIL (Continued) **S126221182**

Referred To:	Not reported
Reported to Dept:	2020-03-20
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2020-03-20
Spill Record Last Update:	2022-12-20
Spiller Name:	CHRIS FLYNN
Spiller Company:	LINCOLN
Spiller Address:	44 DUFFY AVE
Spiller Company:	999
Contact Name:	CHRIS FLYNN
Latitude:	40.7664518
Longitude:	-73.5266447
DEC Memo:	3/20/20 1504hrs: t/c Chris Flynn (H2M). While installing drywells during March 6th, found pocket contaminated soil 21' deep. Took samples, and samples came back today with elevated SVOC's. Dark stained soil and brick. Soil removed and put in bags, approximately 2 yards of soil removed on March 6th. (JN) 10/23/20 1100hrs: t/c Chris (H2M). Asked about status of spill. Chris said wasn't closed out? On 3/23/20 JN sent Field Issue Checklist saying geoprobe needed to delineate site. Nothing has been done. Chris to talk to client. 12/7/2022 - No documentation of soil boring submitted. DTW: 69ft, Administratively closed.
Remarks:	historical spill clean up is pending

All Materials:

Site ID:	602347
Operable Unit ID:	1349490
Operable Unit:	01
Material ID:	2360111
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	Not reported

G46 **OMEGA AUTO BODY INC** **NJ MANIFEST** **S108794021**
NNW **16 JERUSALEM AVENUE** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.093 mi.
489 ft. **Site 1 of 13 in cluster G**

Relative:
Higher

Actual:
146 ft.

NJ MANIFEST:

EPA ID:	NYD981490196
Name:	OMEGA AUTO BODY INC
Address:	16 JERUSALEM AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
County:	Not reported
Mailing Address:	Not reported
Mailing City,State,Zip:	Not reported
Telephone:	5169358989
Emergency Telephone:	Not reported
Contact:	Not reported
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPAID:	Not reported
Generator Flag:	X
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYD981490196
Manifest Number:	000210773VES
Date Shipped:	06/23/2009
TSDF EPA ID:	NJD002454544
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/23/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/23/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported

OMEGA AUTO BODY INC (Continued) **S108794021**

Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F003
Hand Code:	H061
Quantity:	800
Unit:	P

EPA ID:	NYD981490196
Manifest Number:	000884262JJK
Date Shipped:	04/15/2008
TSDF EPA ID:	NJD002454544
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/15/2008
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/15/2008
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

OMEGA AUTO BODY INC (Continued) **S108794021**

Waste:

Manifest Year:	Not reported
Waste Code:	F003
Hand Code:	H061
Quantity:	150
Unit:	G

EPA ID:	NYD981490196
Manifest Number:	000680032VES
Date Shipped:	3/29/2013
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F003 D001 F005 D035
Hand Code:	Not reported
Quantity:	800.00
Unit:	Pounds

OMEGA AUTO BODY INC (Continued) **S108794021**

EPA ID:	NYD981490196
Manifest Number:	000020712VES
Date Shipped:	01/04/2007
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/04/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/04/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F003
Hand Code:	H14
Quantity:	1200
Unit:	P

EPA ID:	NYD981490196
Manifest Number:	000433453VES
Date Shipped:	7/6/2011
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported

OMEGA AUTO BODY INC (Continued) **S108794021**

Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	F003
Hand Code:	H141
Quantity:	800.00
Unit:	Pounds

G47 **PRECISION AUTO WORKS** **NY AST** **A100226792**
NNW **16 JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.093 mi.
489 ft. **Site 2 of 13 in cluster G**

Relative:
Higher

Actual:
146 ft.

NASSAU CO. AST:

Facility ID:	#58318
Tank ID:	1
Tank Location:	3-Outdoor Aboveground
Capacity (Gal):	240 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	12/01/2027
Tank ID:	2

PRECISION AUTO WORKS (Continued) **A100226792**

Tank Location: 1-Indoor Aboveground
Capacity (Gal): 250 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: 12/01/2027

Tank ID: 4
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 250 (Gal.)
Description: OIL, FUEL #2 (P)
Date Permit Ends: Not reported

G48 **OMEGA AUTO BODY INC** **RCRA-VSQG** **1000232399**
NNW **16 JERUSALEM AVE** **NY Spills** **NYD981490196**
< 1/8 **HICKSVILLE, NY 11801** **US AIRS**
0.093 mi. **FINDS**
489 ft. **Site 3 of 13 in cluster G** **ECHO**
NY MANIFEST

Relative:
Higher

Actual:
146 ft.

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Omega Auto Body Inc
Handler Address:		Jerusalem Ave
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYD981490196
Contact Name:		JAMES ANASTASIADES
Contact Address:		JERUSALEM AVE
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		516-935-8989
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Conditionally Exempt Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		JERUSALEM AVE
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	James Anastasiadis	
Owner Type:		Private
Operator Name:	James Anastasiadis	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No

OMEGA AUTO BODY INC (Continued) **1000232399**

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code: F003
Waste Description: The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: F005
Waste Description: The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator: Operator
Owner/Operator Name: JAMES ANASTASIADIS

OMEGA AUTO BODY INC (Continued) **1000232399**

Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: JAMES ANASTASIADIS	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: JAMES ANASTASIADIS	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20060101
Handler Name: OMEGA AUTO BODY INC	
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20070101
Handler Name: OMEGA AUTO BODY INC	
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No

OMEGA AUTO BODY INC (Continued) **1000232399**

Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19860619
Handler Name: OMEGA AUTO BODY INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

SPILLS:
Name: OMEGA AUTOBODY
Address: 16 JERUSALEM AVENUE
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 8806220 / 1989-12-02
Facility ID: 8806220
Facility Type: ER
DER Facility ID: 228816
Site ID: 281839
DEC Region: 1
Spill Cause: Deliberate
Spill Class: Not reported
SWIS: 3024
Spill Date: 1988-10-21
Investigator: CXONEILL
Referred To: Not reported
Reported to Dept: 1988-10-24
CID: Not reported
Water Affected: Not reported
Spill Source: Gasoline Station or other PBS Facility
Spill Notifier: Fire Department
Cleanup Ceased: 1989-12-02
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False

OMEGA AUTO BODY INC (Continued) **1000232399**

Remediation Phase:	0
Date Entered In Computer:	1988-10-26
Spill Record Last Update:	2006-06-05
Spiller Name:	Not reported
Spiller Company:	OMEGA AUTOBODY
Spiller Address:	16 JERUSALEM AVENUE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7670429
Longitude:	-73.5254211
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'NEILL FD 10/31/88: NCFM CHECKED SITE,CONFIRMED REPORT,DEC TO PURSUE CLEANUP.SPILLED OIL IN AREA OF DRYWELL.DRYWELL & AREA AROUND CLEANUP. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	NCFM REC'D A CALL FROM F.D THAT OMEGA AUTOBODY IS DUMPING WASTE OIL ON GROUND. INSPECTOR MCGEE WILL CHECK SITE & WILL CALL DEC IF THERE IS A PROBLEM

All Materials:

Site ID:	281839
Operable Unit ID:	923052
Operable Unit:	01
Material ID:	454574
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

US AIRS MINOR:

Envid:	1000232399
Region Code:	02
Programmatic ID:	AIR 020000003605990079
Facility Registry ID:	110006445196
D and B Number:	Not reported
Primary SIC Code:	3711
NAICS Code:	999999
Default Air Classification Code:	MIN
Facility Type of Ownership Code:	POF
Air CMS Category Code:	Not reported
HPV Status:	Not reported

FINDS:

Registry ID: 110006445196

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

The Air Facility System (AFS) contains compliance and permit data for stationary sources of air pollution regulated by the EPA, state, and

OMEGA AUTO BODY INC (Continued) **1000232399**

local air pollution agencies.
ICIS-Air (AIR) AIR is the modernization of the Air Facility System (AFS) into the Integrated Compliance Information System (ICIS). AIR contains enforcement, compliance, and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
The New York Department of Environmental Conservation Facility Information System (FIS) database houses all information about facilities that are regulated or of environmental interest to the state of New York.
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000232399
Registry ID:	110006445196
DFR URL:	
Name:	OMEGA AUTO BODY INC.
Address:	16 Jerusalem Ave
City,State,Zip:	HICKSVILLE, NY 11801

NY MANIFEST:

EPA ID:	NYD981490196
Country:	USA
Name:	Omega Auto Body Incorpoarted
Address:	16 JERUSALEM AVE
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	16 JERUSALEM
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Omega Auto Body Incorpoarted
Mailing Contact:	Omega Auto Body Incorpoarted
Mailing Address 1:	16 JERUSALEM
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	5169358989

Manifest Data:

Document ID:	CTB0047389

OMEGA AUTO BODY INC (Continued) **1000232399**

Manifest Status:	C - Completed copy
Trans1 State ID:	TJ73483VA
Year:	1986
Trans2 State ID:	Not reported
Generator Ship Date:	861029
Trans1 Recv Date:	861029
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	861031
Part A Recv Date:	861110
Part B Recv Date:	861112
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	VAD980831580
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD072138969
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00105
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	100
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	03/29/2013
Trans1 Recv Date:	03/29/2013
Trans2 Recv Date:	Not reported

OMEGA AUTO BODY INC (Continued) **1000232399**

TSD Site Recv Date:	04/04/2013
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD980536593
TSDF ID 2:	Not reported
Manifest Tracking Number:	000680032VES
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code b:	Ignitable Waste
Waste Code c:	Not reported
Waste Code e:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code f:	Methyl Ethyl Ketone
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	800
Units:	Pounds
Number of Containers:	2
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	1
Document ID:	CTF1051152
Manifest Status:	Not reported
Trans1 State ID:	P298709IL

OMEGA AUTO BODY INC (Continued) **1000232399**

Year:	2004
Trans2 State ID:	Not reported
Generator Ship Date:	06/02/2004
Trans1 Recv Date:	06/02/2004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/07/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	NJD080631369
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD021816889
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NJD080631369
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	07/06/2011
Trans1 Recv Date:	07/06/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/08/2011
Part A Recv Date:	Not reported

OMEGA AUTO BODY INC (Continued) **1000232399**

Part B Recv Date:	Not reported
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD980536593
TSDF ID 2:	Not reported
Manifest Tracking Number:	000433453VES
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code b:	Ignitable Waste
Waste Code c:	Not reported
Waste Code e:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code f:	Methyl Ethyl Ketone
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	800
Units:	Pounds
Number of Containers:	2
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	1
Document ID:	MAK0493020
Manifest Status:	Not reported
Trans1 State ID:	P207061IL
Year:	1998
Trans2 State ID:	Not reported

OMEGA AUTO BODY INC (Continued) **1000232399**

Generator Ship Date:	08/04/1998
Trans1 Recv Date:	08/04/1998
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/10/1998
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	NJD080631369
Trans2 EPA ID:	Not reported
TSDF ID 1:	MAD053452637
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYA8543664
Manifest Status:	C - Completed copy
Trans1 State ID:	000000000
Year:	1989
Trans2 State ID:	000000000
Generator Ship Date:	890425
Trans1 Recv Date:	890425
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890428
Part A Recv Date:	890428
Part B Recv Date:	890504
Generator EPA ID:	NYD981490196

OMEGA AUTO BODY INC (Continued) **1000232399**

Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD049836679
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Burn
Specific Gravity:	086

Document ID:	CTF1173278
Manifest Status:	Not reported
Trans1 State ID:	P207004IL
Year:	2005
Trans2 State ID:	Not reported
Generator Ship Date:	11/07/2005
Trans1 Recv Date:	11/07/2005
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/15/2005
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	NJD080631369
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD021816889
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported

OMEGA AUTO BODY INC (Continued) **1000232399**

Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	MAM1396930
Manifest Status:	Not reported
Trans1 State ID:	P298709IL
Year:	2002
Trans2 State ID:	Not reported
Generator Ship Date:	01/25/2002
Trans1 Recv Date:	01/25/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/29/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	NJD080631369
Trans2 EPA ID:	Not reported
TSDF ID 1:	MAD053452637
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl

OMEGA AUTO BODY INC (Continued) **1000232399**

Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00110
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Cargo tanks (tank trucks)
Handling Method: Burn
Specific Gravity: 01.00

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NJD080631369
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 04/15/2008
Trans1 Recv Date: 04/15/2008
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/15/2008
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD981490196
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002454544
TSDF ID 2: Not reported
Manifest Tracking Number: 000884262JJK
Import Indicator: N
Export Indicator: N
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H061
Waste Code a: The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still

OMEGA AUTO BODY INC (Continued) **1000232399**

	Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code b:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code c:	Ignitable Waste
Waste Code e:	Methyl Ethyl Ketone
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	150
Units:	Gallons (liquids only)
Number of Containers:	3
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	1
Document ID:	CTF0415965
Manifest Status:	Not reported
Trans1 State ID:	P52018IL
Year:	1995
Trans2 State ID:	Not reported
Generator Ship Date:	06/28/1995
Trans1 Recv Date:	06/28/1995
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/29/1995
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD072138969
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported

OMEGA AUTO BODY INC (Continued) **1000232399**

Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NJA1106196
Manifest Status:	Not reported
Trans1 State ID:	NJDEPS103
Year:	1991
Trans2 State ID:	Not reported
Generator Ship Date:	06/20/1991
Trans1 Recv Date:	06/20/1991
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/21/1991
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD981490196
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00

OMEGA AUTO BODY INC (Continued) **1000232399**

Click this hyperlink while viewing on your computer to access
15 additional NY MANIFEST: record(s) in the EDR Site Report.

G49 **PRECISION AUTO WORKS** **NY UST** **U004430030**
NNW **16 JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.093 mi.
489 ft. **Site 4 of 13 in cluster G**

Relative:
Higher

Actual:
146 ft.

NASSAU CO. UST:

Facility ID:	#58318
Owner Name:	EDMOND TOPAKIAN
Owner Address:	99 FORT SALONGA RD.
Owner City,St,Zip:	CENTERPORT, NY 11721
Permitee Name:	JAMES ANASTASIADIS
Permitee Address:	503 MAIN ST.
Permitee City,St,Zip:	FARMINGDALE, NY 11563
Tank Status:	4-Abandoned in Place
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

E50 **NEW YORK TEAM FEDERAL CREDIT UNION** **NY UST** **U004107792**
NE **65 BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.094 mi.
498 ft. **Site 5 of 7 in cluster E**

Relative:
Higher

Actual:
146 ft.

NCFM UST:

Batt/Dept:	93
Location Id:	18999
Vendor:	UNBRANDED
Unit Type:	HB
Status:	Removed
Tank Contents:	10000000
Installed Date:	02/21/1961
Last Test Date:	09/06/1995

E51 **ABANDON TRUCK** **NY Spills** **S102138565**
NE **71 BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.096 mi.
505 ft. **Site 6 of 7 in cluster E**

Relative:
Higher

Actual:
146 ft.

SPILLS:

Name:	ABANDON TRUCK
Address:	71 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9008501 / 1990-11-05
Facility ID:	9008501
Facility Type:	ER
DER Facility ID:	202536
Site ID:	246638
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	Not reported
SWIS:	3000
Spill Date:	1990-11-02
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1990-10-02
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial Vehicle
Spill Notifier:	Fire Department
Cleanup Ceased:	1990-11-05
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1990-11-06
Spill Record Last Update:	2004-09-30
Spiller Name:	Not reported
Spiller Company:	ABANDON TRUCK
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7673691
Longitude:	-73.5234589
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE
Remarks:	LEAK IN TANK, SPEEDY DRY USED. SPEEDI DRY CAN BE TREATED AS PER ROAD SWEEP. NO RESPONSE NECESSARY

All Materials:

Site ID:	246638
Operable Unit ID:	949159
Operable Unit:	01
Material ID:	432324
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

E52 **BUSINESS** **NY Spills** **S108298860**
NE **67-69 BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.096 mi.
506 ft. **Site 7 of 7 in cluster E**

Relative:
Higher

Actual:
146 ft.

SPILLS:

Name:	BUSINESS
Address:	67-69 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0609373 / 2007-03-08
Facility ID:	0609373
Facility Type:	ER
DER Facility ID:	323323
Site ID:	373583
DEC Region:	1
Spill Cause:	Other
Spill Class:	C4
SWIS:	3024
Spill Date:	2006-11-15
Investigator:	Unassigned
Referred To:	Not reported
Reported to Dept:	2006-11-15
CID:	444
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2006-11-15
Spill Record Last Update:	2019-02-08
Spiller Name:	PAUL RUSS
Spiller Company:	PERILLO BROS FUEL
Spiller Address:	9 MURRAY STREET
Spiller Company:	001
Contact Name:	ZOUROUS (PHILIP)
Latitude:	40.7680183
Longitude:	-73.5242626
DEC Memo:	11/15 10:50 CALLED RUSS, COMMERCIAL BUSINESS, 275 GAL BASEMENT TANK, OVERFILLED, SOME SPILLAGE OUT GAUGE, NO DRAINS IMPACTED, SOME SPILLAGE OUT VENT ONTO PAVEMENT, CLEANING UP
Remarks:	ALL CONTAINED AND IN PROCESS OF CLEANING UP:

All Materials:

Site ID:	373583
Operable Unit ID:	1131283
Operable Unit:	01
Material ID:	2120975
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	G
Recovered:	.00

BUSINESS (Continued) **S108298860**

Oxygenate: Not reported

F53 **UNKNOWN** **NY Spills** **S128912914**
South **99 WEST NICHOLAI STREET** **N/A**
< 1/8 **HICKSVILLE, NY**
0.097 mi.
511 ft. **Site 8 of 8 in cluster F**

Relative:
Lower

Actual:
142 ft.

SPILLS:

Name:	UNKNOWN
Address:	99 WEST NICHOLAI STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	2203186 / 2023-03-24
Facility ID:	2203186
Facility Type:	ER
DER Facility ID:	585878
Site ID:	639288
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3024
Spill Date:	2022-07-13
Investigator:	HMCIRRIT
Referred To:	Not reported
Reported to Dept:	2022-07-13
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Transformer
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2022-07-13
Spill Record Last Update:	2023-04-06
Spiller Name:	BILLY STUBER
Spiller Company:	PSEG
Spiller Address:	99 WEST NICHOLAI
Spiller Company:	999
Contact Name:	BILLY STUBER
Latitude:	40.7642819
Longitude:	-73.5259616
DEC Memo:	07/13/22-17:00 NH spoke with B. Stuber pole mounted transformer failed, spilled transformer oil to pavement and soil. Miller Env. cleaned up the spill. DTW-68' PER PSEG SPILL DESCRIPTION 3/24/23: Pole top transformer spilled 1 gallon, impacting soil
Remarks:	cleanup is pending

All Materials:

Site ID:	639288
Operable Unit ID:	1386339
Operable Unit:	01
Material ID:	2401104
Material Code:	0020A

UNKNOWN (Continued) **S128912914**

Material Name:	transformer oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

---

54 **LINCOLN CLEANERS 2** **EDR Hist Cleaner** **1020028235**
WNW **24 NEWBRIDGE RD** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.098 mi.
520 ft.

Relative: EDR Hist Cleaner
Lower

Actual: **142 ft.**

Year:	Name:	Type:
1991	LINCOLN CLEANERS 2	Drycleaning Plants, Except Rugs, NEC
1992	LINCOLN CLEANERS 2	Drycleaning Plants, Except Rugs, NEC
1993	LINCOLN CLEANERS 2	Drycleaning Plants, Except Rugs, NEC
1994	LINCOLN CLEANERS 2	Drycleaning Plants, Except Rugs, NEC
1995	LINCOLN CLEANERS 2	Drycleaning Plants, Except Rugs, NEC
1996	LINCOLN CLEANERS 2	Drycleaning Plants, Except Rugs, NEC
1997	LINCOLN CLEANERS 2	Drycleaning Plants, Except Rugs, NEC

G55 **25 BARCLAY ASSOCIATES** **NY UST** **U004426945**
NNW **25 W. BARCLAY ST.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.099 mi.
522 ft. **Site 5 of 13 in cluster G**

Relative: NASSAU CO. UST:
Higher

Actual: **145 ft.**

Facility ID:	#38081
Owner Name:	25 BARCLAY ASSOCIATES
Owner Address:	25 W. BARCLAY ST.
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	25 BARCLAY ASSOCIATES
Permitee Address:	25 W. BARCLAY ST.
Permitee City,St,Zip:	HICKSVILLE, NY 11801
Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	06/01/1970
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

G56 **EASTLAND REALTY** **NY Spills** **S102136803**
NNW **25 WEST BARKLAY STREET** **N/A**
< 1/8 **HICKSVILLE, NY**
0.099 mi.
522 ft. **Site 6 of 13 in cluster G**

Relative:
Higher

Actual:
145 ft.

SPILLS:

Name:	EASTLAND REALTY
Address:	25 WEST BARKLAY STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8601906 / 1986-06-19
Facility ID:	8601906
Facility Type:	ER
DER Facility ID:	219349
Site ID:	269330
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	Not reported
SWIS:	3024
Spill Date:	1986-06-19
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1986-06-19
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Police Department
Cleanup Ceased:	1986-06-19
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1986-07-14
Spill Record Last Update:	2007-03-06
Spiller Name:	Not reported
Spiller Company:	EASTLAND REALTY
Spiller Address:	25 WEST BARKLAY STREET
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7682213
Longitude:	-73.5274093
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE FD / / : SMOKE FILLED BLDG, PEOPLE EVACUATED & TAKEN TO HOSPITAL. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	GAS BURNER BLEW BACK AND NATURAL GAS CAUGHT FIRE

All Materials:

Site ID:	269330
Operable Unit ID:	899341
Operable Unit:	01
Material ID:	478372
Material Code:	0054A
Material Name:	natural gas
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	G

EASTLAND REALTY (Continued) **S102136803**

Recovered:	.00
Oxygenate:	Not reported
Site ID:	269330
Operable Unit ID:	899341
Operable Unit:	01
Material ID:	478371
Material Code:	0066A
Material Name:	unknown petroleum
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

G57 **B. NO. 50** **NY MOSF** **S103570095**
NNW **25 WEST BARCLAY STREET** **NY TANKS** **N/A**
< 1/8 **HICKSVILLE, NY 11801** **NY Spills**
0.099 mi.
522 ft. **Site 7 of 13 in cluster G**

Relative: **Higher**
Actual: **145 ft.**

MOSF:

Name:	B. NO. 50
Address:	25 WEST BARCLAY STREET
City,State,Zip:	HICKSVILLE, NY 11801
Facility ID:	0-0335
Program Type:	MOSF
Tank Status:	Unregulated/Closed
Expiration Date:	Not reported
Dec Region:	1
UTMX:	Not reported
UTMY:	Not reported
Name:	B. NO. 60
Address:	25 WEST BARCLAY STREET
City,State,Zip:	HICKSVILLE, NY 11801
Facility ID:	0-0338
Program Type:	MOSF
Tank Status:	Unregulated/Closed
Expiration Date:	Not reported
Dec Region:	1
UTMX:	Not reported
UTMY:	Not reported
Name:	B. NO. 70 CORP.
Address:	25 WEST BARCLAY STREET
City,State,Zip:	HICKSVILLE, NY 11801
Facility ID:	0-0340
Program Type:	MOSF
Tank Status:	Unregulated/Closed
Expiration Date:	Not reported
Dec Region:	1
UTMX:	Not reported
UTMY:	Not reported
Name:	B. NO. 80 CORPORATION

B. NO. 50 (Continued) **S103570095**

Address: 25 WEST BARCLAY STREET
City,State,Zip: HICKSVILLE, NY 11801
Facility ID: 0-0342
Program Type: MOSF
Tank Status: Unregulated/Closed
Expiration Date: Not reported
Dec Region: 1
UTMX: Not reported
UTMY: Not reported

TANKS NASSAU:

Name: PRAEDIUM REALTY, INC.
Address: 25 W. BARCLAY ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 9/1/1997
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Name: 25 BARCLAY ASSOCIATES
Address: 25 W. BARCLAY ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 9/1/1999
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Name: N.Y.TELEPHONE-HICKSVILLE
Address: 25 W. BARCLAY ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 6/1/1989
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

SPILLS:

Name: VACANT COMMERICAL BLDG
Address: 25 WEST BARCLAY STREET
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 9610344 / 1996-12-06
Facility ID: 9610344
Facility Type: ER
DER Facility ID: 181921
Site ID: 219960
DEC Region: 1
Spill Cause: Other
Spill Class: B3
SWIS: 3000
Spill Date: 1996-10-23
Investigator: KJGOMEZ

B. NO. 50 (Continued) **S103570095**

Referred To:	Not reported
Reported to Dept:	1996-11-18
CID:	196
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-11-18
Spill Record Last Update:	1996-12-09
Spiller Name:	Not reported
Spiller Company:	CS FIRST BOSTON
Spiller Address:	55 E 52ND ST 27TH FLOOR
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7682213
Longitude:	-73.5274093
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was GOMEZ
Remarks:	DURING TANK EXCAVATION REMOVED 55 YD OF CONTAMINATED SOIL.END POINT SAMPLES MET STARS.

All Materials:

Site ID:	219960
Operable Unit ID:	1038257
Operable Unit:	01
Material ID:	342553
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

G58 **N.Y.TELEPHONE-HICKSVILLE** **NY UST** **U004426905**
NNW **25 W. BARCLAY ST.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.099 mi.
522 ft. **Site 8 of 13 in cluster G**

Relative:
Higher

Actual:
145 ft.

NASSAU CO. UST:

Facility ID:	#38019
Owner Name:	REALMONT PROPERTIES
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Permitee Name:	REALMONT PROPERTIES
Permitee Address:	97 POWERHOUSE RD
Permitee City,St,Zip:	ROSLYN HTS., NY 11577
Tank Status:	6-Must be Replaced
Tank Internal Pro:	Not reported

N.Y.TELEPHONE-HICKSVILLE (Continued) **U004426905**

Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

G59 **PRAEDIUM REALTY, INC.** **NY UST** **U004429413**
NNW **25 W. BARCLAY ST.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.099 mi.
522 ft. **Site 9 of 13 in cluster G**

Relative: **Higher**
Actual: **145 ft.**

NASSAU CO. UST:

Facility ID:	#57135
Owner Name:	SAME
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Permitee Name:	NETWORK REAL ESTATE SERV
Permitee Address:	6800 JERICHO TNPK.
Permitee City,St,Zip:	SYOSSET, NY 11791
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	06/01/1970
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

H60 **LIRR** **NY Spills** **S102136481**
East **BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.102 mi.
537 ft. **Site 1 of 14 in cluster H**

Relative: **Higher**
Actual: **146 ft.**

SPILLS:

Name:	LIRR
Address:	BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9209179 / 1992-11-09
Facility ID:	9209179
Facility Type:	ER
DER Facility ID:	278702
Site ID:	105028
DEC Region:	1
Spill Cause:	Equipment Failure

LIRR (Continued) **S102136481**

Spill Class:	C4
SWIS:	3000
Spill Date:	1992-11-06
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1992-11-06
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Railroad Car
Spill Notifier:	Responsible Party
Cleanup Ceased:	1992-11-09
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1992-11-09
Spill Record Last Update:	1992-11-10
Spiller Name:	Not reported
Spiller Company:	LIRR
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
Latitude:	40.7680429
Longitude:	-73.5245550
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE 11/09/92: NO RESPONSE NEEDED.
Remarks:	ENGINEER HIT BRACK AND FELT SOMETHING HIT ENGINE, LEAK IN FUEL FITTING. LIRR CLEANED UP SPILL

All Materials:

Site ID:	105028
Operable Unit ID:	975885
Operable Unit:	01
Material ID:	406244
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

H61 **ROMANO, ORLANDO** **NY Spills** **S102139948**
East **BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.102 mi.
537 ft. **Site 2 of 14 in cluster H**

Relative: **Higher**

Actual: **146 ft.**

SPILLS:

Name:	ROMANO, ORLANDO
Address:	BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9408924 / 1995-09-19
Facility ID:	9408924

ROMANO, ORLANDO (Continued) **S102139948**

Facility Type:	ER
DER Facility ID:	278702
Site ID:	105029
DEC Region:	1
Spill Cause:	Deliberate
Spill Class:	B2
SWIS:	3000
Spill Date:	1994-10-04
Investigator:	BFMATTHE
Referred To:	Not reported
Reported to Dept:	1994-10-04
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Passenger Vehicle
Spill Notifier:	Police Department
Cleanup Ceased:	1995-09-19
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1994-10-06
Spill Record Last Update:	1995-09-20
Spiller Name:	Not reported
Spiller Company:	ORLANDO ROMANO
Spiller Address:	99 MORGAN ST.
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7680429
Longitude:	-73.5245550
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was MATTHEWS
Remarks:	MAN CHANGED OIL IN PARKING LOT DRAIN AFFECTED MAN ARRESTED BY NCPD PADS PUT IN DRAIN BY BM TO RECOVER OIL.

All Materials:

Site ID:	105029
Operable Unit ID:	1003008
Operable Unit:	01
Material ID:	378348
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

I62 **UNKNOWN** **NY Spills** **S104877483**
NNE **41 BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.103 mi.
545 ft. **Site 1 of 5 in cluster I**

Relative:
Higher

Actual:
147 ft.

SPILLS:

Name:	UNKNOWN
Address:	41 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0010620 / 2001-06-06
Facility ID:	0010620
Facility Type:	ER
DER Facility ID:	176069
Site ID:	212526
DEC Region:	1
Spill Cause:	Other
Spill Class:	C4
SWIS:	3024
Spill Date:	2000-12-18
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	2000-12-21
CID:	207
Water Affected:	Not reported
Spill Source:	Tank Truck
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-12-21
Spill Record Last Update:	2009-05-26
Spiller Name:	CALLER
Spiller Company:	SLOMINS OIL
Spiller Address:	125 LAUMAN LANE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7680823
Longitude:	-73.5242844
DEC Memo:	Not reported
Remarks:	all cleaned up

All Materials:

Site ID:	212526
Operable Unit ID:	832653
Operable Unit:	01
Material ID:	544513
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	5.00
Units:	G
Recovered:	5.00
Oxygenate:	Not reported

I63 **UNKNOWN** **NY Spills** **S108763456**
NNE **15 FREDERICK STREET** **N/A**
< 1/8 **HICKSVILLE, NY**
0.106 mi.
558 ft. **Site 2 of 5 in cluster I**

Relative:
Higher

Actual:
147 ft.

SPILLS:

Name:	UNKNOWN
Address:	15 FREDERICK STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0705245 / 2007-10-03
Facility ID:	0705245
Facility Type:	ER
DER Facility ID:	334921
Site ID:	385536
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3024
Spill Date:	2007-08-07
Investigator:	Unassigned
Referred To:	Not reported
Reported to Dept:	2007-08-07
CID:	410
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2007-08-07
Spill Record Last Update:	2007-12-10
Spiller Name:	BILLY STUBER
Spiller Company:	LIPA
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	BILLY STUBER
Latitude:	40.7686096
Longitude:	-73.5245641
DEC Memo:	ALL CLEANED, STAIN ON SIDEWALK, SPEEDI DRI (TD) CLEANUP BY KEYSPAN COMPLETED ON 8/7/07 DOCUMENTS IN KEYSPAN FILES FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES **ALL INFORMATION INCLUDED IN DATABASE**
Remarks:	ONLY SIDEWALK NO SEWERS OR DRAINS: CLEANUP TO BE COMPLETED TODAY:

All Materials:

Site ID:	385536
Operable Unit ID:	1142803
Operable Unit:	01
Material ID:	2133049
Material Code:	0541A
Material Name:	dielectric fluid
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G

UNKNOWN (Continued) **S108763456**

Recovered: .00
Oxygenate: Not reported

H64 **ARMSTRONG JAMES SR** **EDR Hist Auto** **1020776979**
ENE **87 NO BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.109 mi.
577 ft. **Site 3 of 14 in cluster H**

Relative: EDR Hist Auto
Higher

Actual: **146 ft.**

Year:	Name:	Type:
1969	ARMSTRONG JAMES	Gasoline Service Stations
1970	ARMSTRONG JAMES	Gasoline Service Stations
1971	ARMSTRONG JAMES	Gasoline Service Stations
1972	ARMSTRONG JAMES	Gasoline Service Stations
1973	ARMSTRONG JAMES	Gasoline Service Stations
1974	ARMSTRONG JAMES	Gasoline Service Stations
1975	ARMSTRONG JAMES	Gasoline Service Stations
1976	ARMSTRONG JAMES SR	Gasoline Service Stations
1977	ARMSTRONG JAMES SR	Gasoline Service Stations
1978	ARMSTRONG JAMES SR	Gasoline Service Stations
1979	ARMSTRONG JAMES SR	Gasoline Service Stations
1980	ARMSTRONG JAMES SR	Gasoline Service Stations
1982	ARMSTRONG JAMES SR	Gasoline Service Stations
1983	ARMSTRONG JAMES SR	Gasoline Service Stations
1985	ARMSTRONG JAMES SR	Gasoline Service Stations
1986	ARMSTRONG JAMES SR	Gasoline Service Stations
1987	ARMSTRONG JAMES SR	Gasoline Service Stations

H65 **EL SALVIDOR** **NY Spills** **S106968514**
ENE **87 BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.109 mi.
577 ft. **Site 4 of 14 in cluster H**

Relative: SPILLS:
Higher

Actual: **146 ft.**

Name:	EL SALVIDOR
Address:	87 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0550402 / 2005-06-07
Facility ID:	0550402
Facility Type:	ER
DER Facility ID:	293484
Site ID:	347177
DEC Region:	1
Spill Cause:	Deliberate
Spill Class:	D4
SWIS:	3024
Spill Date:	2005-06-07
Investigator:	Unassigned
Referred To:	LAW ENFORCEMENT
Reported to Dept:	2005-06-07
CID:	Not reported
Water Affected:	Not reported

EL SALVIDOR (Continued) **S106968514**

Spill Source:	Commercial/Industrial
Spill Notifier:	Local Agency
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2005-06-07
Spill Record Last Update:	2009-02-26
Spiller Name:	Not reported
Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller Company:	Not reported
Contact Name:	Not reported
Latitude:	40.7673917
Longitude:	-73.5231687
DEC Memo:	6/7/05 REFERRED TO LAW ENFORCEMENT
Remarks:	Deirdre from the office of Town of Oyster Council person Walker, received a complaint from Phil from the Hicksville Sweet shop, 75 Broadway Hicksville. The Notifier states thet the owner of El Salvidor dumps cooking oil behind his store at 87 Broadway.

H66 **GEBHART PLAZA** **NY Spills** **S105235111**
ENE **EAST MARIE ST & BROADWAY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.110 mi.
583 ft. **Site 5 of 14 in cluster H**

Relative: **Higher**
Actual: **146 ft.**

SPILLS:

Name:	GEBHART PLAZA
Address:	EAST MARIE ST & BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9207284 / 1992-09-30
Facility ID:	9207284
Facility Type:	ER
DER Facility ID:	95398
Site ID:	108574
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3000
Spill Date:	1992-09-23
Investigator:	RDDECAND
Referred To:	Not reported
Reported to Dept:	1992-09-24
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	1992-09-30
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1992-09-25
Spill Record Last Update:	2001-10-15

GEBHART PLAZA (Continued) **S105235111**

Spiller Name:	Not reported
Spiller Company:	LILCO
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7683199
Longitude:	-73.5173300
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DECANDIA 09/30/92: ON SITE, VAULT UNDER ROAD, MEG REMOVED SOIL TO CONCRETE BOTTOM.
Remarks:	TRANSFORMER BLEW, GEBHART PLAZA, MEG HIRED FOR CLEANUP

All Materials:

Site ID:	108574
Operable Unit ID:	974247
Operable Unit:	01
Material ID:	407930
Material Code:	0016A
Material Name:	non PCB oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	10.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

H67 **LIRR** **NY LTANKS** **S100177298**
ENE **EAST MARIE & BARKLEY** **N/A**
< 1/8 **HICKSVILLE, NY**
0.113 mi.
596 ft. **Site 6 of 14 in cluster H**

Relative: **Higher**

Actual: **146 ft.**

LTANKS:

Name:	LIRR
Address:	EAST MARIE & BARKLEY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9103127 / 1991-06-25
Facility ID:	9103127
Site ID:	152301
Spill Date:	1991-06-19
Spill Cause:	Tank Failure
Spill Source:	Commercial Vehicle
Spill Class:	Not reported
Cleanup Ceased:	1991-06-25
SWIS:	3000
Investigator:	LUCE
Referred To:	Not reported
Reported to Dept:	1991-06-19
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-06-20

LIRR (Continued) **S100177298**

Spill Record Last Update:	1991-06-27
Spiller Name:	Not reported
Spiller Company:	LIRR
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	129285
Latitude:	Not reported
Longitude:	Not reported
DEC Memo:	Not reported
Remarks:	HOUSE RING CRANE HAD LEAK IN HYDRAULIC TANK IN PARKING LOT. SAND APPLIED, SWEPT AND REAPPLIED

All Materials:

Site ID:	152301
Operable Unit ID:	953932
Operable Unit:	01
Material ID:	425587
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	2.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

68
NW
< 1/8
0.119 mi.
629 ft.

PHILIPPS INT'L HOLD CORP **NY LTANKS** **S104513976**
25 WEST BARKLEY STREET **N/A**
HICKSVILLE, NY

Relative:
Higher

Actual:
144 ft.

LTANKS:

Name:	PHILIPPS INT'L HOLD CORP
Address:	25 WEST BARKLEY STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9010243 / 1991-03-07
Facility ID:	9010243
Site ID:	223287
Spill Date:	1990-12-20
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	1991-03-07
SWIS:	3000
Investigator:	KMYAGER
Referred To:	Not reported
Reported to Dept:	1990-12-20
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False

PHILIPPS INT'L HOLD CORP (Continued) **S104513976**

Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1990-12-21
Spill Record Last Update:	1991-03-08
Spiller Name:	Not reported
Spiller Company:	PHILIPPS INT'L HOLD CORP
Spiller Address:	417 5TH AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	184625
Latitude:	40.7682213
Longitude:	-73.5274093
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEROSA 03/07/91: RETESTED BY F&N, PASSED. NO FURTHER ACTION. NO REPAIR DONE, AIR POCKET.
Remarks:	5K SYSTEM PETROTITE FAILED AT -.198. TANK TECH TESTER

All TTF:

Facility ID:	9010243
Spill Number:	9010243
Spill Tank Test:	1538071
Site ID:	223287
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	223287
Operable Unit ID:	947393
Operable Unit:	01
Material ID:	430404
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

G69 **GIBRALTER TRANSMISSION** **NY AST** **S102137337**
NNW **30 NORTH JERUSALEM AVENUE** **NY Spills** **N/A**
< 1/8 **HICKSVILLE, NY**
0.122 mi.
642 ft. **Site 10 of 13 in cluster G**

Relative:
Higher

Actual:
146 ft.

NASSAU CO. AST:
Facility ID: #57761

Tank ID: 3
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: TRANSMISSION FLUID (C)
Date Permit Ends: 06/01/2000

Tank ID: 4
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: WASTE OIL (P)
Date Permit Ends: 06/01/2000

SPILLS:
Name: GIBRALTER TRANSMISSION
Address: 30 NORTH JERUSALEM AVENUE
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 8706692 / 1988-12-31
Facility ID: 8706692
Facility Type: ER
DER Facility ID: 96368
Site ID: 109907
DEC Region: 1
Spill Cause: Deliberate
Spill Class: Not reported
SWIS: 3024
Spill Date: 1987-09-29
Investigator: WXOBRIEN
Referred To: Not reported
Reported to Dept: 1987-11-06
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Health Department
Cleanup Ceased: 1988-12-31
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1987-11-09
Spill Record Last Update: 2006-09-20
Spiller Name: Not reported
Spiller Company: GIBRALTER TRANSMISSION
Spiller Address: 30 NORTH JERUSALEM AVENUE
Spiller Company: 001
Contact Name: Not reported
Latitude: 40.7678848
Longitude: -73.5257461
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

GIBRALTER TRANSMISSION (Continued) **S102137337**

O'BRIEN FD 07/01/88: NCDH GAVE
SPILLER UNTIL 11/9/87. AREA CLEANED UP 15 YDS REMOVED. SPILLER NO
COOPERATIVE REFERRED TO ECO. FILE
HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR
RETENTION/DISPOSAL PROCEDURES
Not reported

Remarks: SPILLAGE AROUND TRANNY FLUID TANK BEHIND BLDG & LOT. SPILLER UNCOOPERATIVE MAY REFUSE CLEANUP. NCHD IS HANDLING THIS SPILL.

All Materials:

Site ID:	109907
Operable Unit ID:	912570
Operable Unit:	01
Material ID:	559623
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

G70 **CORNWELL ARNOLD** **EDR Hist Auto** **1020258265**
NNW **30 NORTH JERUSALEM AVENUE** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.122 mi.
642 ft. **Site 11 of 13 in cluster G**

Relative: EDR Hist Auto
Higher

Actual: **146 ft.**

Year:	Name:	Type:
1969	CORNWELL ARNOLD	Gasoline Service Stations
1970	CORNWELL ARNOLD	Gasoline Service Stations
1971	CORNWELL ARNOLD	Gasoline Service Stations
1972	CORNWELL ARNOLD	Gasoline Service Stations
1973	CORNWELL ARNOLD	Gasoline Service Stations
1974	CORNWELL ARNOLD	Gasoline Service Stations
1975	CORNWELL ARNOLD	Gasoline Service Stations
1976	CORNWELL ARNOLD	Gasoline Service Stations
1977	CORNWELL ARNOLD	Gasoline Service Stations
1978	CORNWELL ARNOLD	Gasoline Service Stations
1979	CORNWELL ARNOLD	Gasoline Service Stations
1980	CORNWELL ARNOLD	Gasoline Service Stations
1980	CONSUMER TRANSMISSION SERVICE*	Automotive Repair Shops, NEC
1982	CORNWELL ARNOLD	Gasoline Service Stations
1983	JERUSALEM TRANSMISSION CORP	Automotive Repair Shops, NEC
1983	CORNWELL ARNOLD	Gasoline Service Stations
1985	JERUSALEM TRANSMISSION CORP	Automotive Repair Shops, NEC
1985	CORNWELL ARNOLD	Gasoline Service Stations
1986	CORNWELL ARNOLD	Gasoline Service Stations
1986	JERUSALEM TRANSMISSION CORP	Automotive Repair Shops, NEC
1987	JERUSALEM TRANSMISSION CORP	Automotive Repair Shops, NEC
1987	CORNWELL ARNOLD	Gasoline Service Stations
1988	CORNWELL ARNOLD	Gasoline Service Stations
1988	JERUSALEM TRANSMISSION CORP	Automotive Repair Shops, NEC
1989	CORNWELL ARNOLD	Gasoline Service Stations

CORNWELL ARNOLD (Continued) **1020258265**

1989	JERUSALEM TRANSMISSION CORP	Automotive Transmission Repair Shops
1990	CORNWELL ARNOLD	Gasoline Service Stations
1991	CORNWELL ARNOLD	Gasoline Service Stations
1992	CORNWELL ARNOLD	Gasoline Service Stations
1993	CORNWELL ARNOLD	Gasoline Service Stations
1993	JERUSALEM TRANSMISSION CORP	Automotive Transmission Repair Shops
1994	JERUSALEM TRANSMISSION CORP	Automotive Transmission Repair Shops
1995	JERUSALEM TRANSMISSION CORP	Automotive Transmission Repair Shops
1996	GREAT AMERICAN TRANSMISSION	Automotive Transmission Repair Shops
1996	JERUSALEM TRANSMISSION CORP	Automotive Transmission Repair Shops
1997	JERUSALEM TRANSMISSION CORP	Automotive Transmission Repair Shops
1998	GREAT AMERICAN TRANSMISSION	Automotive Transmission Repair Shops
1998	JERUSALEM TRANSMISSION CORP	Automotive Transmission Repair Shops

---

G71 **GREAT AMERICAN TRANS SHOP** **NY UST** **U004429756**
NNW **30 N. JERUSALEM AVE.** **N/A**
< 1/8 **HICKSVILLE, NY 11801**
0.122 mi.
642 ft. **Site 12 of 13 in cluster G**

Relative: **Higher**

Actual: **146 ft.**

NASSAU CO. UST:

Facility ID:	#57761
Owner Name:	LIGHTHOUSE RL ESTATE VENT
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Permitee Name:	SAME
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	3-Abandoned/Removed

GREAT AMERICAN TRANS SHOP (Continued) **U004429756**

Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

J72 **HICKSVILLE 1** **NY UST** **U003845392**
West **100 DUFFY AVE.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.130 mi.
687 ft. **Site 1 of 4 in cluster J**

Relative: NCFM UST:
Lower
Batt/Dept: 93
Actual: Location Id: 37950
141 ft. Vendor: UNBRANDED

Unit Type: HH
Status: Removed
Tank Contents: 10000000
Installed Date: 03/17/1980
Last Test Date: 11/05/1995

HICKSVILLE 1 (Continued) **U003845392**

Unit Type: HC
Status: Active
Tank Contents: 30199301
Installed Date: 07/11/1988
Last Test Date: 11/06/2006

Unit Type: HH
Status: Removed
Tank Contents: 30120300
Installed Date: 03/17/1980
Last Test Date: 01/05/1990

NASSAU CO. UST:
Facility ID: #38024
Owner Name: MNFCTRS.HANOVER TRUST CO.
Owner Address: 270 PARK AVENUE
Owner City,St,Zip: NEW YORK, NY 10017
Permitee Name: Not reported
Permitee Address: Not reported
Permitee City,St,Zip: Not reported

Tank Status: 5-Permit by Other
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 07/01/1980
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 5-Permit by Other
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 07/01/1980
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 1-In Service
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 07/01/1980
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported

HICKSVILLE 1 (Continued) **U003845392**

Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

J73 **HICKSVILLE 1** **NY LTANKS** **S101174372**
West **100 DUFFY AVE.** **NY AST** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801** **NY TANKS**
0.130 mi. **NY Spills**
687 ft. **Site 2 of 4 in cluster J**

Relative: **Lower**

Actual: **141 ft.**

LTANKS:

Name:	CHEM BANK MAJOR FACILITY
Address:	100 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9404966 / 1994-11-08
Facility ID:	9404966
Site ID:	247554
Spill Date:	1994-07-11
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	E4
Cleanup Ceased:	1994-11-08
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1994-07-11
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1994-07-12
Spill Record Last Update:	2012-07-19
Spiller Name:	MR HOELZER
Spiller Company:	MCCOY/PM REALTY
Spiller Address:	100 DUFFY AVENUE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	421011
Latitude:	40.7657403
Longitude:	-73.5299403
DEC Memo:	TANK ALONE BLED, TESTED AND PASSED 7/21/94 SYSTEM BLED, TESTED AND PASED 7/29/94, NO CONTAMINATION FOUND PER VOLINO, NO FURTHER ACTION NEEDED AT THIS TIME
Remarks:	1K FAILED GROSS LEAK, A VOLINO & SONS TESTER, WILL EXCAVATE, & RETEST TANK, NOTIFIED NCDH

All TTF:

Facility ID:	9404966
Spill Number:	9404966

HICKSVILLE 1 (Continued) **S101174372**

Spill Tank Test: 1542943
Site ID: 247554
Tank Number: Not reported
Tank Size: 0
Material: 0001
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 247554
Operable Unit ID: 1002032
Operable Unit: 01
Material ID: 381569
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

NASSAU CO. AST:
Facility ID: #60847

Tank ID: 9762
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 5,000 (Gal.)
Description: OIL, DIESEL FUEL (P)
Date Permit Ends: 01/01/2028

TANKS NASSAU:
Name: HICKSVILLE 1
Address: 100 DUFFY AVE.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 12/1/1991
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Name: NEW YORK COMMUNITY BANK
Address: 100 DUFFY AVE.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 1/1/2028

HICKSVILLE 1 (Continued) **S101174372**

Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

SPILLS:

Name:	CHEMICAL BANK
Address:	100 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9509258 / 1998-02-12
Facility ID:	9509258
Facility Type:	ER
DER Facility ID:	421011
Site ID:	247555
DEC Region:	1
Spill Cause:	Other
Spill Class:	C3
SWIS:	3024
Spill Date:	1995-10-26
Investigator:	ACLAMANN
Referred To:	Not reported
Reported to Dept:	1995-10-26
CID:	216
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Fire Department
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1995-10-26
Spill Record Last Update:	2012-07-19
Spiller Name:	RICK HOELZER
Spiller Company:	CHEMICAL BANK
Spiller Address:	100 DUFFY AVENUE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7657403
Longitude:	-73.5299403
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was LAMANNO AS PER NCFM GUERIN, 1 CY WAS REMOVED AND STOCKPILED, CONTRACTOR DUG OUT OF THE CONTAMINATION. EXCAVATION WAS BACKFILLE. ACCORDING TO GUERIN, 5 CY STOCKPILED.
Remarks:	REMOVAL OF A 2000 GAL TANK FOUND CONTAMINATED SOIL

All Materials:

Site ID:	247555
Operable Unit ID:	1023458
Operable Unit:	01
Material ID:	360220
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum

HICKSVILLE 1 (Continued) **S101174372**

Quantity: 10.00
Units: G
Recovered: .00
Oxygenate: Not reported

J74 **CHEMICAL BANK** **NY AST** **S130556325**
West **100-110 DUFFY AVE.** **NY TANKS** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.130 mi.
687 ft. **Site 3 of 4 in cluster J**

Relative: **Lower**

Actual: **141 ft.**

NASSAU CO. AST:
Facility ID: #56753

Tank ID: 2
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, DIESEL FUEL (P)
Date Permit Ends: Not reported

Tank ID: 1
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, DIESEL FUEL (P)
Date Permit Ends: Not reported

TANKS NASSAU:
Name: CHEMICAL BANK
Address: 100-110 DUFFY AVE.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 12/1/1991
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Name: CHEMICAL BANK
Address: 100-110 DUFFY AVE.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 9/1/1995
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

J75 **CHEMICAL BANK** **NY UST** **U004429134**
West **100-110 DUFFY AVE.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.130 mi.
687 ft. **Site 4 of 4 in cluster J**

Relative: NASSAU CO. UST:
Lower

Actual: Facility ID: #56753
141 ft. Owner Name: CHEMICAL BANK
Owner Address: 100 DUFFY AVE.
Owner City,St,Zip: HICKSVILLE, NY 11801
Permitee Name: CHEMICAL BANK
Permitee Address: 110 DUFFY AVE.
Permitee City,St,Zip: HICKSVILLE, NY 11801

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: R-Reference
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 07/01/1983
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported

CHEMICAL BANK (Continued) **U004429134**

Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

H76 **MASSAPEQUA TRANSMISSION** **NY AST** **S130557537**
East **103 BROADWAY** **NY TANKS** **N/A**
1/8-1/4 **MASSAPEQUA, NY 11758**
0.131 mi.
693 ft. **Site 7 of 14 in cluster H**

Relative: **Higher**
Actual: **146 ft.**

NASSAU CO. AST:

Facility ID:	#59037
Tank ID:	1
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	Not reported

TANKS NASSAU:

Name:	MASSAPEQUA TRANSMISSION
Address:	103 BROADWAY
City,State,Zip:	MASSAPEQUA, NY 11758
Facility Status:	Not reported
Permit End Date:	-
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

H77 **MARGIOTTA'S CAR CARE CTR** **NY TANKS** **S130557517**
East **103 BROADWAY** **N/A**
1/8-1/4 **MASSAPEQUA, NY 11758**
0.131 mi.
693 ft. **Site 8 of 14 in cluster H**

Relative: **Higher**
Actual: **146 ft.**

TANKS NASSAU:

Name:	MARGIOTTA'S CAR CARE CTR
Address:	103 BROADWAY
City,State,Zip:	MASSAPEQUA, NY 11758
Facility Status:	Not reported
Permit End Date:	5/1/2005
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

H78 **P. D. AUTOMOTIVE INC.** **NY AST** **A100214397**
East **103 BROADWAY** **N/A**
1/8-1/4 **MASSAPEQUA, NY 11758**
0.131 mi.
693 ft. **Site 9 of 14 in cluster H**

Relative: NASSAU CO. AST:
Higher Facility ID: #58332

Actual:
146 ft. Tank ID: 1
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: WASTE OIL (P)
Date Permit Ends: 01/01/2004

H79 **BROADWAY MOTORS** **NY TANKS** **S130556200**
East **103 BROADWAY** **N/A**
1/8-1/4 **MASSAPEQUA, NY 11758**
0.131 mi.
693 ft. **Site 10 of 14 in cluster H**

Relative: TANKS NASSAU:
Higher Name: BROADWAY MOTORS
Address: 103 BROADWAY
Actual: City,State,Zip: MASSAPEQUA, NY 11758
146 ft. Facility Status: Not reported
Permit End Date: 6/1/2004
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

H80 **MARGIOTTA'S CAR CARE CTR** **NY AST** **A100538968**
East **103 BROADWAY** **N/A**
1/8-1/4 **MASSAPEQUA, NY 11758**
0.131 mi.
693 ft. **Site 11 of 14 in cluster H**

Relative: NASSAU CO. AST:
Higher Facility ID: #58685

Actual:
146 ft. Tank ID: 1
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: WASTE OIL (P)
Date Permit Ends: 05/01/2005

H81 **MASSAPEQUA TRANSMISSION** **NY UST** **U004430326**
East **103 BROADWAY** **N/A**
1/8-1/4 **MASSAPEQUA, NY 11758**
0.131 mi.
693 ft. **Site 12 of 14 in cluster H**

Relative: **Higher**
Actual: **146 ft.**

NASSAU CO. UST:

Facility ID:	#59037
Owner Name:	MIQUEL CANCEL
Owner Address:	258 N. SUFFOLK AVE
Owner City,St,Zip:	MASSAPEQUA, NY 11758
Permitee Name:	RUSSO & GENTILE RLTY CORP
Permitee Address:	86 BEACH RD
Permitee City,St,Zip:	MASSAPEQUA, NY 11758
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

G82 **CORNICHE CLEANERS** **NY TANKS** **S130556433**
NNW **285-4 BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.141 mi.
746 ft. **Site 13 of 13 in cluster G**

Relative: **Higher**
Actual: **146 ft.**

TANKS NASSAU:

Name:	CORNICHE CLEANERS
Address:	285-4 BROADWAY
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	5/1/1994
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

K83 **INDIGO PRINTING LTD** **RCRA NonGen / NLR** **1000990275**
ESE **128 BROADWAY** **FINDS** **NYR000002345**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.142 mi. **NY MANIFEST**
749 ft. **Site 1 of 3 in cluster K**

Relative: **Higher**
Actual: **144 ft.**

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Indigo Printing Ltd
Handler Address:	Broadway
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYR000002345
Contact Name:	Not reported

INDIGO PRINTING LTD (Continued) **1000990275**

Contact Address:		BROADWAY
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		BROADWAY
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	Indigo Printing Ltd	
Owner Type:		Private
Operator Name:	Indigo Printing Ltd	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No

INDIGO PRINTING LTD (Continued) **1000990275**

Exporter of Spent Lead Acid Batteries: No
Recycler Activity Without Storage: No
Manifest Broker: No
Sub-Part P Indicator: No

Hazardous Waste Summary:
Waste Code: D000
Waste Description: Not Defined

Waste Code: D011
Waste Description: Silver

Waste Code: NONE
Waste Description: Not Defined

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: INDIGO PRINTING LTD
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 128 BROADWAY
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-433-7560
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: INDIGO PRINTING LTD
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 128 BROADWAY
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-433-7560
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: INDIGO PRINTING LTD
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 128 BROADWAY
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-433-7560
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19950621
Handler Name: INDIGO PRINTING LTD

INDIGO PRINTING LTD (Continued) **1000990275**

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name: INDIGO PRINTING LTD	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: INDIGO PRINTING LTD	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19950328
Handler Name: INDIGO PRINTING LTD	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

INDIGO PRINTING LTD (Continued) **1000990275**

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004512224

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000990275
Registry ID: 110004512224

DFR URL:
Name: INDIGO PRINTING LTD
Address: 128 Broadway
City,State,Zip: HICKSVILLE, NY 11801

NY MANIFEST:
EPA ID: NYR000002345
Country: USA
Name: Indigo Printing Ltd
Address: 128 BROADWAY
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801
Zip 4: Not reported
Location Address 1: 128 BROADWAY
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY 11801
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Indigo Printing Ltd
Mailing Contact: Brian Beiner
Mailing Address 1: 128 BROADWAY
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5169333535

Manifest Data:
Document ID: NYB7903809

INDIGO PRINTING LTD (Continued) **1000990275**

Manifest Status:	Not reported
Trans1 State ID:	XC2643
Year:	1995
Trans2 State ID:	Not reported
Generator Ship Date:	06/05/1995
Trans1 Recv Date:	06/05/1995
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/05/1995
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000002345
Trans1 EPA ID:	NYD981182769
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD981182769
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Silver
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00045
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

H84 **HICKSVILLE REALTY CORP.** **NY TANKS** **S130557098**
ENE **19 E. MARIE ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.147 mi.
777 ft. **Site 13 of 14 in cluster H**

Relative: **Higher**
Actual: **146 ft.**

TANKS NASSAU:

Name:	HICKSVILLE REALTY CORP.
Address:	19 E. MARIE ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	4/1/2001
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

H85 **HICKSVILLE REALTY CORP.** **NY UST** **U004429840**
ENE **19 E. MARIE ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.147 mi.
777 ft. **Site 14 of 14 in cluster H**

Relative: **Higher**
Actual: **146 ft.**

NASSAU CO. UST:

Facility ID:	#57924
Owner Name:	HICKSVILLE REALTY CORP.
Owner Address:	P.O.B. 513
Owner City,St,Zip:	MERRICK, NY 11566
Permitee Name:	SAME
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

K86 **FRAMING** **RCRA NonGen / NLR** **1001079906**
ESE **144 BROADWAY** **FINDS** **NYR000016139**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.148 mi.
782 ft. **Site 2 of 3 in cluster K**

Relative: **Higher**
Actual: **144 ft.**

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Framing
Handler Address:	Broadway
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYR000016139
Contact Name:	Not reported
Contact Address:	BROADWAY
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	BROADWAY
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	Precise Graphics Inc
Owner Type:	Private

FRAMING (Continued) **1001079906**

Operator Name:	Precise Graphics Inc
Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D011
Waste Description:	Silver
Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Owner

FRAMING (Continued) **1001079906**

Owner/Operator Name: PRECISE GRAPHICS INC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 144 BROADWAY
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-822-8877
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: PRECISE GRAPHICS INC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 144 BROADWAY
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-822-8877
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: PRECISE GRAPHICS INC
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 144 BROADWAY
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-822-8877
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19961213
Handler Name: FRAMING
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010801
Handler Name: FRAMING
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No

FRAMING (Continued) **1001079906**

Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: FRAMING
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: FRAMING
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19951109
Handler Name: FRAMING
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FRAMING (Continued) **1001079906**

FINDS:
Registry ID: 110004520153

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001079906
Registry ID: 110004520153

DFR URL:
Name: FRAMING
Address: 144 Broadway
City,State,Zip: HICKSVILLE, NY 11801

I87 **AAMCO TRANSMISSIONS** **NY AST** **A100101837**
NNE **24 E. BARCLAY ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.149 mi.
788 ft. **Site 3 of 5 in cluster I**

Relative:
Higher

Actual:
148 ft.

NASSAU CO. AST:
Facility ID: #57074

Tank ID: 2
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: TRANSMISSION FLUID (C)
Date Permit Ends: 05/01/2016

Tank ID: 1
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: TRANSMISSION FLUID (C)
Date Permit Ends: 05/01/2016

Tank ID: 4
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: TRANSMISSION FLUID (C)
Date Permit Ends: 05/01/2014

Tank ID: 3
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)

AAMCO TRANSMISSIONS (Continued) **A100101837**

Description: TRANSMISSION FLUID (C)
Date Permit Ends: 05/01/2014

I88 **NEW YORK PLUMBING LLC** **NJ MANIFEST** **S120665635**
NNE **24 E BARCLAY ST** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.149 mi.
788 ft. **Site 4 of 5 in cluster I**

Relative: **Higher**

Actual: **148 ft.**

NJ MANIFEST:

EPA ID:	NYP000972448
Name:	NEW YORK PLUMBING LLC
Address:	24 E BARCLAY ST
City,State,Zip:	HICKSVILLE, NY 11801
County:	Not reported
Mailing Address:	E BARCLAY ST
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Telephone:	Not reported
Emergency Telephone:	Not reported
Contact:	SCOTT LYONS
Comments:	Not reported
SIC Code:	Not reported
County:	NY059
Municipal:	Not reported
Previous EPAID:	Not reported
Generator Flag:	Not reported
Transporter Flag:	Not reported
TSDF Flag:	Not reported
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYP000972448
Manifest Number:	014160012JJK
Date Shipped:	12/10/2015
TSDF EPA ID:	NJD002200046
Transporter EPA ID:	NJ0000027193
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	Not reported
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	Not reported
TSDF EPA Facility Name:	Not reported

NEW YORK PLUMBING LLC (Continued) **S120665635**

QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	Not reported
Reason Load Was Rejected:	Not reported

I89 **NEW YORK PLUMBING LLC** **RCRA NonGen / NLR** **1018277387**
NNE **24 E BARCLAY ST** **FINDS** **NYP000972448**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.149 mi.
788 ft. **Site 5 of 5 in cluster I**

Relative: **Higher**

Actual: **148 ft.**

RCRA Listings:

Date Form Received by Agency:	20160411
Handler Name:	New York Plumbing Llc
Handler Address:	E Barclay St
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYP000972448
Contact Name:	SCOTT LYONS
Contact Address:	Not reported
Contact City,State,Zip:	Not reported
Contact Telephone:	917-440-7812
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	OWNER
EPA Region:	02
Land Type:	Private
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported
State District Owner:	Ny
State District:	NYSDEC R1
Mailing Address:	E BARCLAY ST
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Owner Name:	Not reported
Owner Type:	Not reported
Operator Name:	Not reported
Operator Type:	Not reported
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No

NEW YORK PLUMBING LLC (Continued) **1018277387**

Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20160411
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Historic Generators:

Receive Date:	20151211
Handler Name: NEW YORK PLUMBING LLC	
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20160411
Handler Name: NEW YORK PLUMBING LLC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No

NEW YORK PLUMBING LLC (Continued) **1018277387**

Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110067209755

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1018277387
Registry ID: 110067209755

DFR URL:
Name: NEW YORK PLUMBING LLC
Address: 24 E Barclay St
City,State,Zip: HICKSVILLE, NY 11801

L90 **HICKSVILLE FIRE DEPT** **UST FINDER RELEASE** **1029058173**
ENE **20 EAST MARINE STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY 0**
0.150 mi.
792 ft. **Site 1 of 7 in cluster L**

Relative:
Higher

Actual:
146 ft.

UST FINDER RELEASE:
Object ID: 266107
Facility ID: NY121068
Lust ID: NY8710072
Name: HICKSVILLE FIRE DEPT
Address: 20 EAST MARINE STREET
City,State,Zip: HICKSVILLE, NY 0
Address Match Type: Not reported
Reported Date: 1988/03/01 16:00:00+00
Status: No Further Action
Substance: Not reported

HICKSVILLE FIRE DEPT (Continued) **1029058173**

Population within 1500ft:	1789
Domestic Wells within 1500ft:	0
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.52239
Y Coord:	40.78022
Latitude:	40.78022
Longitude:	-73.52239

L91 **CHEM POLL CONTROL-OYSTER BAY** **NY UST** **1000457594**
ENE **20 E MARIE ST** **NY AST** **NYD986928554**
1/8-1/4 **HICKSVILLE, NY 11801** **RCRA NonGen / NLR**
0.150 mi. **FINDS**
792 ft. **Site 2 of 7 in cluster L** **ECHO**

Relative: **Higher**

Actual: **146 ft.**

NCFM UST:

Batt/Dept:	93
Location Id:	18043
Vendor:	UNBRANDED
Unit Type:	HC
Status:	Removed
Tank Contents:	30199301
Installed Date:	07/01/1977
Last Test Date:	09/08/2005
Unit Type:	HF
Status:	Active
Tank Contents:	30120300
Installed Date:	Not reported
Last Test Date:	03/11/2010
Unit Type:	HF
Status:	Active
Tank Contents:	30199301
Installed Date:	Not reported
Last Test Date:	03/11/2010

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000457594**

Unit Type: HC
Status: Removed
Tank Contents: 30120305
Installed Date: 07/01/1977
Last Test Date: 09/08/2005

NASSAU CO. AST:
Facility ID: #60290

Tank ID: 90
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 1,000 (Gal.)
Description: OIL, DIESEL FUEL (P)
Date Permit Ends: 04/01/2025

NCFM AST:
Location Id: 18043
Batt/Dept: 93
Unit Type: DB
Vendor: Not reported
Status: Submitted
Contents: 30199302
Installed Date: Not reported
Last Test Date: Not reported

RCRA Listings:
Date Form Received by Agency: 20070101
Handler Name: Hicksville Fire Dist
Handler Address: E Marie St
Handler City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD986928554
Contact Name: Not reported
Contact Address: E MARIE ST
Contact City,State,Zip: HICKSVILLE, NY 11801
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: Ny
State District: NYSDEC R1
Mailing Address: E MARIE ST
Mailing City,State,Zip: HICKSVILLE, NY 11801
Owner Name: Hicksville Fire Dist
Owner Type: District
Operator Name: Hicksville Fire Dist
Operator Type: District
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000457594**

Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: HICKSVILLE FIRE DIST	
Legal Status:	District
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000457594**

Owner/Operator Indicator: Operator
Owner/Operator Name: HICKSVILLE FIRE DIST
Legal Status: District
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HICKSVILLE FIRE DIST
Legal Status: District
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19950419
Handler Name: HICKSVILLE FIRE DIST
Federal Waste Generator Description: Not reported
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: HICKSVILLE FIRE DIST
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: HICKSVILLE FIRE DIST
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000457594**

Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19901022
Handler Name: HICKSVILLE FIRE DIST	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004407400

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.
Registry ID: 110009479545

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000457594**

ECHO:
Envid: 1000457594
Registry ID: 110004407400

DFR URL:
Name: CHEM POLL CONTROL-OYSTER BAY
Address: 20 E Marie St
City,State,Zip: HICKSVILLE, NY 11801

Envid: 1000457594
Registry ID: 110009479545

DFR URL:
Name: HICKSVILLE FIRE DIST
Address: 20 E Marie St
City,State,Zip: HICKSVILLE, NY 11801

L92 **HICKSVILLE FIRE DEPT** **NY LTANKS** **S104513845**
ENE **20 EAST MARINE STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.150 mi.
792 ft. **Site 3 of 7 in cluster L**

Relative:
Higher

Actual:
146 ft.

LTANKS:
Name: HICKSVILLE FIRE DEPT
Address: 20 EAST MARINE STREET
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 8710072 / 1988-03-22
Facility ID: 8710072
Site ID: 141819
Spill Date: 1988-03-01
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial
Spill Class: Not reported
Cleanup Ceased: 1988-03-22
SWIS: 3024
Investigator: KDGOERTZ
Referred To: Not reported
Reported to Dept: 1988-03-01
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1988-03-02
Spill Record Last Update: 2006-07-06
Spiller Name: Not reported
Spiller Company: HICKSVILLE FIRE DEPT
Spiller Address: Not reported
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 1

HICKSVILLE FIRE DEPT (Continued) **S104513845**

DER Facility ID: 121068
Latitude: 40.7802240
Longitude: -73.5223890
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was GOERTZ FD 03/22/88: AFTER TYREE INSTALLED A NEW 2 CHECK VALVE, TYREE RETESTED SYSTEM & PASSED. DEC NOT PRESENT DURING RETEST. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks: 4K GROSS LEAK. TYREE TESTER

All TTF:
Facility ID: 8710072
Spill Number: 8710072
Spill Tank Test: 1533344
Site ID: 141819
Tank Number: Not reported
Tank Size: 0
Material: 0009
EPA UST: Not reported
UST: Not reported
Cause: Not reported
Source: Not reported
Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 141819
Operable Unit ID: 915660
Operable Unit: 01
Material ID: 461857
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

L93 **CHEM POLL CONTROL-OYSTER BAY** **NY TANKS** **1000294349**
ENE **20 E MARIE ST** **RCRA NonGen / NLR** **NYD981495005**
1/8-1/4 **HICKSVILLE, NY 11801** **NY MANIFEST**
0.150 mi.
792 ft. **Site 4 of 7 in cluster L**

Relative: **Higher**
Actual: **146 ft.**

TANKS NASSAU:
Name: HICKSVILLE FIRE DISTRICT 1
Address: 20 E. MARIE ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 4/1/2025
Tank Number: Not reported
Decode of Ttype: Not reported

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000294349**

Capacity: Not reported
Product Description: Not reported

Name: HICKSVILLE FIRE DISTRICT1
Address: 20 E. MARIE ST.
City,State,Zip: HICKSVILLE, NY
Facility Status: Not reported
Permit End Date: Not reported
Tank Number: 1469
Decode of Ttype: Under Ground
Capacity: 00004000
Product Description: OIL, DIESEL FUEL

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Chem Poll Control-Oyster Bay
Handler Address:		E Marie St
Handler City,State,Zip:		HICKSVILLE, NY 11801-4304
EPA ID:		NYD981495005
Contact Name:		Not reported
Contact Address:		MILLER PL ATTN ENV CONTROL
Contact City,State,Zip:		SYOSSET, NY 11791
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		MILLER PL ATTN ENV CONTROL
Mailing City,State,Zip:		SYOSSET, NY 11791
Owner Name:	Hicksville Fire Dist	
Owner Type:		Private
Operator Name:	Hicksville Fire Dist	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000294349**

Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	D002
Waste Description:	Corrosive Waste
Waste Code:	P001
Waste Description:	2h-1-Benzopyran-2-One, 4-Hydroxy-3-(3-Oxo-1-Phenylbutyl)-, & Salts, When Present At Concentrations Greater Than 0.3% (Or) Warfarin, & Salts, When Present At Concentrations Greater Than 0.3%
Waste Code:	P123
Waste Description:	Toxaphene
Waste Code:	U001
Waste Description:	Acetaldehyde (I) (Or) Ethanal (I)

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: HICKSVILLE FIRE DIST	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000294349**

Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: HICKSVILLE FIRE DIST
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HICKSVILLE FIRE DIST
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19990708
Handler Name: CHEM POLL CONTROL-OYSTER BAY
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: CHEM POLL CONTROL-OYSTER BAY
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: CHEM POLL CONTROL-OYSTER BAY

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000294349**

Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19860812
Handler Name:	CHEM POLL CONTROL-OYSTER BAY
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

Evaluation Action Summary:

Evaluations:	No Evaluations Found

NY MANIFEST:

EPA ID:	NYD981495005
Country:	USA
Name:	Oyster Baytown Of/Chemical Pollution
Address:	20 E MARIE ST
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801-4304
Zip 4:	Not reported
Location Address 1:	CONTROL--120 SOUTH FOURTH ST
Location Address 2:	Not reported
Location City,State,Zip:	BAY SHORE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Oyster Baytown Of/Chemical Pollution
Mailing Contact:	Oyster Baytown Of/Chemical Pollution
Mailing Address 1:	CONTROL--120 SOUTH FOURTH ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	BAY SHORE, NY 11801

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000294349**

Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5165860333

Manifest Data:
Document ID: NYA3024810
Manifest Status: C - Completed copy
Trans1 State ID: NY8385-RW
Year: 1986
Trans2 State ID: Not reported
Generator Ship Date: 861004
Trans1 Recv Date: 861004
Trans2 Recv Date: Not reported
TSD Site Recv Date: 861006
Part A Recv Date: 861009
Part B Recv Date: 861009
Generator EPA ID: NYD981495005
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Ignitable Waste
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00145
Units: Pounds
Number of Containers: 003
Container Type: Metal drums, barrels, kegs
Handling Method: Landfill
Specific Gravity: 100
Waste Code 7: Corrosive Waste
Waste Code 8: Not reported
Waste Code: Not reported
Waste Code 10: Not reported
Waste Code 11: Not reported
Quantity: 00026
Units: Gallons (liquids only)
Number of Containers: 003
Container Type: Metal drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 115
Waste Code 12: Arsenic

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000294349**

Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00002
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	095
Waste Code 17:	Corrosive Waste
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00019
Units:	Pounds
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	100

Document ID:	NYA3024832
Manifest Status:	C - Completed copy
Trans1 State ID:	NY8385-RW
Year:	1986
Trans2 State ID:	Not reported
Generator Ship Date:	861004
Trans1 Recv Date:	861004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	861006
Part A Recv Date:	861009
Part B Recv Date:	861009
Generator EPA ID:	NYD981495005
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	4,7-Methano-1h-Indene, 1,2,4,5,6,7,8,8-Octachloro-2,3,3a,4,7,7a-Hexahydro- (Or) Chlordane, Alpha & Gamma Isomers
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000294349**

Waste Code 6:	Not reported
Quantity:	00010
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	095
Waste Code 7:	Ignitable Waste
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00180
Units:	Gallons (liquids only)
Number of Containers:	009
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	085
Waste Code 12:	4,7-Methano-1h-Indene, 1,2,4,5,6,7,8,8-Octachloro-2,3,3a,4,7,7a-Hexahydro- (Or) Chlordane, Alpha & Gamma Isomers
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00151
Units:	Pounds
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	100
Waste Code 17:	Cyclohexane, 1,2,3,4,5,6-Hexachloro-, (1alpha, 2alpha, 3beta, 4alpha, 5alpha, 6beta)- (Or) Lindane
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00023
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	095
Document ID:	NYA3024843
Manifest Status:	C - Completed copy
Trans1 State ID:	NY8385-RW
Year:	1986
Trans2 State ID:	Not reported
Generator Ship Date:	861004
Trans1 Recv Date:	861004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	861006
Part A Recv Date:	861009
Part B Recv Date:	861009
Generator EPA ID:	NYD981495005
Trans1 EPA ID:	NYD082785429

CHEM POLL CONTROL-OYSTER BAY (Continued) **1000294349**

Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	110
Waste Code 7:	Ignitable Waste
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 12:	Lead
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00075
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	100

L94 **HICKSVILLE FIRE DISTRICT1** **NY UST** **U004431664**
ENE **20 E. MARIE ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.150 mi.
792 ft. **Site 5 of 7 in cluster L**

Relative: NASSAU CO. UST:
Higher

Actual: Facility ID: Not reported
146 ft. Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Permitee Name: Not reported
Permitee Address: Not reported
Permitee City,St,Zip: Not reported

Tank Status: Not reported
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: Not reported
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

L95 **HICKSVILLE FIRE DISTRICT 1** **NY UST** **U004430950**
ENE **20 E. MARIE ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.150 mi.
792 ft. **Site 6 of 7 in cluster L**

Relative: NASSAU CO. UST:
Higher

Actual: Facility ID: #60290
146 ft. Owner Name: HICKSVILLE FIRE DISTRICT
Owner Address: 20 E. MARIE ST.
Owner City,St,Zip: HICKSVILLE, NY 11801
Permitee Name: HICKSVILLE FIRE DISTRICT
Permitee Address: 20 E. MARIE ST.
Permitee City,St,Zip: HICKSVILLE, NY 11801

Tank Status: 1-In Service
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 03/01/2010
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 1-In Service
Tank Internal Pro: Not reported
Tank External Pro: Not reported

HICKSVILLE FIRE DISTRICT 1 (Continued) **U004430950**

Install Date:	03/01/2010
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

L96 **STATION ONE FIREHOUSE** **FINDS** **1007782822**
ENE **20 E MARIE STREET** **ECHO** **N/A**
1/8-1/4 **OYSTER BAY, NY 11771** **PFAS ECHO**
0.150 mi.
792 ft. **Site 7 of 7 in cluster L**

Relative:
Higher

Actual:
146 ft.

FINDS:
Registry ID: 110019452885

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
ICIS-Air (AIR) AIR is the modernization of the Air Facility System (AFS) into the Integrated Compliance Information System (ICIS). AIR contains enforcement, compliance, and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
The Air Facility System (AFS) contains compliance and permit data for stationary sources of air pollution regulated by the EPA, state, and local air pollution agencies.
The New York Department of Environmental Conservation Facility Information System (FIS) database houses all information about facilities that are regulated or of environmental interest to the state of New York.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1007782822
Registry ID:	110019452885

DFR URL:

Name:	STATION ONE FIREHOUSE
Address:	20 E Marie Street
City,State,Zip:	OYSTER BAY, NY 11771

PFAS ECHO:

Facility ID:	110019452885
Name:	Station One Firehouse
Address:	20 E MARIE STREET
City,State,Zip:	OYSTER BAY, NY 11771
Latitude:	40.76743
Longitude:	-73.5228
Count:	1
County:	NASSAU
Status:	Active
Region:	02

STATION ONE FIREHOUSE (Continued) **1007782822**

Industry:	Fire Protection
ECHO Facility Report:	
Facility Percent Minority:	35.286
Facility Derived Tribes:	-
Facility Population:	5439.29
EPA Programs:	CAA
Federal Facility:	No
Federal Agency:	-
Facility FIPS Code:	36059
Facility Indian Country Flag:	N
Facility Collection Method:	ADDRESS MATCHING-HOUSE NUMBER
Facility Derived HUC:	02030202
Facility Derived WBD:	020302020207
Facility Derived CD113:	03
Facility Derived CB2010:	360595193003006
Facility Major Flag:	-
Facility Active Flag:	Y
Facility Inspection Count:	0
Facility Date Last Inspection:	-
Facility Days Last Inspection:	-
Facility Informal Count:	0
Facility Date Last Informal Action:	-
Facility Formal Action Count:	0
Facility Date Last Formal Action:	-
Facility Total Penalties:	0
Facility Penalty Count:	-
Facility Date Last Penalty:	-
Facility Last Penalty AMT:	0
Facility QTRS With NC:	0
Facility Programs With SNC:	0
Facility Compliance Status:	No Violation Identified
Facility SNC Flag:	N
AIR Flag:	Y
NPDES Flag:	N
SDWIS Flag:	N
RCRA Flag:	N
TRI Flag:	N
GHG Flag:	N
AIR IDS:	NY0000001282402192
CAA Permit Types:	Minor Emissions
CAA NAICS:	922160
CAA SICS:	9224
NPDES IDS:	-
CWA Permit Types:	-
CWA NAICS:	-
CWA SICS:	-
RCRA IDS:	-
RCRA Permit Types:	-
RCRA NAICS:	-
SDWA IDS:	-
SDWA System Types:	-
SDWA Compliance Status:	-
SDWA SNC Flag:	N
TRI IDS:	-
TRI Releases Transfers:	-
TRI On Site Releases:	-

STATION ONE FIREHOUSE (Continued) **1007782822**

TRI Off Site Transfers: -
TRI Reporter: -
Facility IMP Water Flag: -

---

97 **CANTIAGUE PARK** **NY CBS** **S100521025**
North **WEST JOHN STREET** **NY CBS AST** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801** **NY Spills**
0.152 mi.
800 ft.

Relative:
Higher

Actual:
146 ft.

CBS:
Name: CANTIAGUE PARK
Address: WEST JOHN STREET
City,State,Zip: HICKSVILLE, NY 11801
CBS Number: 1-000094
Program Type: CBS
Facility Status: Active
Expiration Date: 06/06/2019
Dec Region: 1
UTMX: 624597.46811
UTMY: 4513491.92614

CBS AST:
CBS Number: 1-000094
ICS Number: 1-700078
PBS Number: Not reported
MOSF Number: Not reported
SPDES Number: Not reported
Facility Status: IN SERVICE
Facility Type: F
Telephone: (516) 571-7059
Facility Town: OYSTER BAY
Region: STATE
Expiration Date: 06/06/2003
Total Capacity of All Active Tanks(gal): 6000
Operator: PETER KLODZINSKI
Emergency Contact: JOHN DEL GAUDIO
Emergency Phone: (516) 572-0285
Owner Name: NASSAU COUNTY DEPT. RECREATION & PARKS
Owner Address: EISENHOWER PARK
Owner City,St,Zip: EAST MEADOW, NY 11554
Owner Telephone: (516) 572-0288
Owner Type: Local Government
Owner Sub Type: Not reported
Mail Name: NASSAU COUNTY DEPT. RECREATION & PARKS
Mail Contact Addr: EISENHOWER PARK
Mail Contact Addr2: Not reported
Mail Contact Contact: JOHN DEL GAUDIO
Mail Contact City,St,Zip: EAST MEADOW, NY 11554
Mail Phone: (516) 572-0285

Tank Id: 001
CAS Number: 7681529
Federal ID: Not reported
Tank Status: In Service
Install Date: 05/84
Tank Closed: 00/00

CANTIAGUE PARK (Continued) **S100521025**

Capacity (Gal):	2000
Chemical:	Sodium hypochlorite
Tank Location:	Indoors, Aboveground
Tank Type:	Fiberglass reinforced plastic [FRP]
Total Tanks:	4
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	No Missing Data
Date Entered:	07/16/1993
Certified Date:	06/14/2001
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	Other
External Protection:	Other
Pipe Location:	Aboveground
Pipe Type:	Double Walled Fiberglass
Pipe Internal:	Other
Pipe External:	None
Pipe Flag:	None
Leak Detection:	None
Overfill Protection:	None
Haz Percent:	15
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	2824
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93
Is It There:	False
Delinquent:	False
Date Expired:	06/06/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/12/2001

Tank Id:	001
CAS Number:	7681529
Federal ID:	Not reported
Tank Status:	In Service
Install Date:	05/84
Tank Closed:	06/93
Capacity (Gal):	2000
Chemical:	Sodium hypochlorite
Tank Location:	Indoors, Aboveground
Tank Type:	Fiberglass reinforced plastic [FRP]
Total Tanks:	4
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	No Missing Data
Date Entered:	06/06/1989
Certified Date:	06/14/2001
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	Other
External Protection:	Other
Pipe Location:	Aboveground

CANTIAGUE PARK (Continued) **S100521025**

Pipe Type:	Double Walled Fiberglass
Pipe Internal:	Other
Pipe External:	None
Pipe Flag:	None
Leak Detection:	None
Overfill Protection:	None
Haz Percent:	15
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	2824
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93
Is It There:	False
Delinquent:	False
Date Expired:	06/06/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/12/2001

Tank Id:	002
CAS Number:	7681529
Federal ID:	Not reported
Tank Status:	In Service
Install Date:	05/84
Tank Closed:	06/93
Capacity (Gal):	1500
Chemical:	Sodium hypochlorite
Tank Location:	Indoors, Aboveground
Tank Type:	Fiberglass reinforced plastic [FRP]
Total Tanks:	4
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	No Missing Data
Date Entered:	06/06/1989
Certified Date:	06/14/2001
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	Other
External Protection:	Other
Pipe Location:	Aboveground
Pipe Type:	Double Walled Fiberglass
Pipe Internal:	Other
Pipe External:	None
Pipe Flag:	None
Leak Detection:	None
Overfill Protection:	None
Haz Percent:	15
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	2824
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93
Is It There:	False

CANTIAGUE PARK (Continued) **S100521025**

Delinquent:	False
Date Expired:	06/06/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/12/2001

Tank Id:	002
CAS Number:	7681529
Federal ID:	Not reported
Tank Status:	In Service
Install Date:	05/84
Tank Closed:	00/00
Capacity (Gal):	2000
Chemical:	Sodium hypochlorite
Tank Location:	Indoors, Aboveground
Tank Type:	Fiberglass reinforced plastic [FRP]
Total Tanks:	4
Tank Secret:	False
Tank Secondary Containment:	None
Tank Error Status:	No Missing Data
Date Entered:	07/16/1993
Certified Date:	06/14/2001
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	Other
External Protection:	Other
Pipe Location:	Aboveground
Pipe Type:	Double Walled Fiberglass
Pipe Internal:	Other
Pipe External:	None
Pipe Flag:	None
Leak Detection:	None
Overfill Protection:	None
Haz Percent:	15
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	2824
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93
Is It There:	False
Delinquent:	False
Date Expired:	06/06/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/12/2001

Tank Id:	0019
CAS Number:	7681529
Federal ID:	Not reported
Tank Status:	In Service
Install Date:	04/98

CANTIAGUE PARK (Continued) **S100521025**

Tank Closed:	Not reported
Capacity (Gal):	1500
Chemical:	Sodium hypochlorite
Tank Location:	Indoors, Aboveground
Tank Type:	Fiberglass reinforced plastic [FRP]
Total Tanks:	4
Tank Secret:	False
Tank Secondary Containment:	Double-Walled Tank
Tank Error Status:	No Missing Data
Date Entered:	10/12/1999
Certified Date:	06/14/2001
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	Epoxy Liner
External Protection:	Fiberglass
Pipe Location:	Aboveground/Underground Combination
Pipe Type:	Double Walled Fiberglass
Pipe Internal:	None
Pipe External:	Other
Pipe Flag:	Other
Leak Detection:	Interstitial Monitoring
Overfill Protection:	High Level Alarm
Haz Percent:	15
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	2824
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93
Is It There:	False
Delinquent:	False
Date Expired:	06/06/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/12/2001

Tank Id:	0018
CAS Number:	7681529
Federal ID:	Not reported
Tank Status:	In Service
Install Date:	04/98
Tank Closed:	Not reported
Capacity (Gal):	1500
Chemical:	Sodium hypochlorite
Tank Location:	Indoors, Aboveground
Tank Type:	Fiberglass reinforced plastic [FRP]
Total Tanks:	4
Tank Secret:	False
Tank Secondary Containment:	Double-Walled Tank
Tank Error Status:	No Missing Data
Date Entered:	10/12/1999
Certified Date:	06/14/2001
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	Epoxy Liner
External Protection:	Fiberglass

CANTIAGUE PARK (Continued) **S100521025**

Pipe Location:	Aboveground/Underground Combination
Pipe Type:	Double Walled Fiberglass
Pipe Internal:	None
Pipe External:	Other
Pipe Flag:	Other
Leak Detection:	Interstitial Monitoring
Overfill Protection:	High Level Alarm
Haz Percent:	15
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	2824
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93
Is It There:	False
Delinquent:	False
Date Expired:	06/06/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/12/2001

Tank Id:	0016
CAS Number:	7681529
Federal ID:	Not reported
Tank Status:	In Service
Install Date:	04/98
Tank Closed:	Not reported
Capacity (Gal):	1500
Chemical:	Sodium hypochlorite
Tank Location:	Indoors, Aboveground
Tank Type:	Fiberglass reinforced plastic [FRP]
Total Tanks:	4
Tank Secret:	False
Tank Secondary Containment:	Double-Walled Tank
Tank Error Status:	No Missing Data
Date Entered:	10/12/1999
Certified Date:	06/14/2001
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	Epoxy Liner
External Protection:	Fiberglass
Pipe Location:	Aboveground/Underground Combination
Pipe Type:	Double Walled Fiberglass
Pipe Internal:	None
Pipe External:	Other
Pipe Flag:	Other
Leak Detection:	Interstitial Monitoring
Overfill Protection:	High Level Alarm
Haz Percent:	15
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	2824
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93

CANTIAGUE PARK (Continued) **S100521025**

Is It There:	False
Delinquent:	False
Date Expired:	06/06/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/12/2001

Tank Id:	0017
CAS Number:	7681529
Federal ID:	Not reported
Tank Status:	In Service
Install Date:	04/98
Tank Closed:	Not reported
Capacity (Gal):	1500
Chemical:	Sodium hypochlorite
Tank Location:	Indoors, Aboveground
Tank Type:	Fiberglass reinforced plastic [FRP]
Total Tanks:	4
Tank Secret:	False
Tank Secondary Containment:	Double-Walled Tank
Tank Error Status:	No Missing Data
Date Entered:	10/12/1999
Certified Date:	06/14/2001
Substance:	Single Hazardous Substance on DEC List
Internal Protection:	Epoxy Liner
External Protection:	Fiberglass
Pipe Location:	Aboveground/Underground Combination
Pipe Type:	Double Walled Fiberglass
Pipe Internal:	None
Pipe External:	Other
Pipe Flag:	Other
Leak Detection:	Interstitial Monitoring
Overfill Protection:	High Level Alarm
Haz Percent:	15
Last Test:	Not reported
Due Date:	Not reported
SWIS Code:	2824
Lat/Long:	Not reported
Is Updated:	False
Renew Date:	03/01/93
Is It There:	False
Delinquent:	False
Date Expired:	06/06/95
Owner Mark:	1
Certificate Needs to be Printed:	False
Fiscal Amt for Registration Fee Correct:	True
Renewal Has Been Printed for Facility:	True
Pre-Printed Renewal App Last Printed:	03/12/2001

SPILLS:

Name:	NASSAU COUNTY PARK
Address:	WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9608179 / 1996-10-03

CANTIAGUE PARK (Continued) **S100521025**

Facility ID:	9608179
Facility Type:	ER
DER Facility ID:	205150
Site ID:	250293
DEC Region:	1
Spill Cause:	Human Error
Spill Class:	C4
SWIS:	3000
Spill Date:	1996-10-01
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1996-10-01
CID:	297
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-10-01
Spill Record Last Update:	2003-08-06
Spiller Name:	GARLAND MCARDLE
Spiller Company:	COASTAL OIL COMPANY
Spiller Address:	31-70 COLLEGE POINT BLVD
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7685249
Longitude:	-73.5298450
DEC Memo:	Not reported
Remarks:	DRIVER DID NOT REALIZE THE TANK SIZE AND OVERFILLED THE TANK - OIL IS CONTAINED ON ASPHALT AND A CLEAN UP CREW IS ENROUTE TO THE SCENE

All Materials:

Site ID:	250293
Operable Unit ID:	1036450
Operable Unit:	01
Material ID:	343921
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	15.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

K98 **ISLAND BRIDAL GOWN RENTALS** **NY DRYCLEANERS** **S110246854**
ESE **148 BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.152 mi.
805 ft. **Site 3 of 3 in cluster K**

Relative: **Higher**
Actual: **144 ft.**

DRYCLEANERS:

Name:	ISLAND BRIDAL GOWN RENTALS
Address:	148 BROADWAY
City,State,Zip:	HICKSVILLE, NY 11801
Facility ID:	1-2824-01486
Phone Number:	Not reported
Region:	Not reported
Registration Effective Date:	Not reported
Inspection Date:	06/04/2025
Install Date:	Not reported
Expiration Date:	Not reported
Removal Date:	Not reported
Drop Shop:	Not reported
Shutdown:	Y
Alternate Solvent:	Not reported
Current Business:	Not reported

M99 **IGLE GAS CORP.** **UST FINDER** **1028577190**
SSW **118 NEWBRIDGE RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.158 mi.
836 ft. **Site 1 of 8 in cluster M**

Relative: **Lower**
Actual: **140 ft.**

UST FINDER:

Object ID:	301001
Facility ID:	NY338220
Name:	IGLE GAS CORP.
Address:	118 NEWBRIDGE RD.
City,State,Zip:	HICKSVILLE, NY 11801
Address Match Type:	Not reported
Open USTs:	3
Closed USTs:	0
TOS USTs:	0
Population 1500ft:	1189
Private Wells 1500ft:	0
Within 100yr Floodplain:	No
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Facility Status:	Open UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.5274919999999
Y Coord:	40.763966

IGLE GAS CORP. (Continued) **1028577190**

Latitude: 40.763966
Longitude: -73.527492

UST FINDER:
Object ID: 1238004
Facility ID: NY338220
Tank ID: NY97427
Tank Status: Open
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 8000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1238005
Facility ID: NY338220
Tank ID: NY97428
Tank Status: Open
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 8000
Substances: Not reported
Tank Wall Type: Not reported

Object ID: 1238006
Facility ID: NY338220
Tank ID: NY100466
Tank Status: Open
Installation Date: Not reported
Removal Date: Not reported
Tank Capacity: 8000
Substances: Not reported
Tank Wall Type: Not reported

M100 **SUNOCO 0013-1326** **NY UST** **U004427287**
SSW **118 NEWBRIDGE RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.158 mi.
836 ft. **Site 2 of 8 in cluster M**

Relative: NASSAU CO. UST:
Lower
Facility ID: #41064
Actual: Owner Name: SUN REFINING&MARKETING CO
140 ft. Owner Address: 1801 MARKET ST., 20TH FL.
Owner City,St,Zip: PHILADEPHIA, PA 19103
Permitee Name: SUN REFINING&MARKETING CO
Permitee Address: 1801 MARKET STREET
Permitee City,St,Zip: PHILADELPHIA, PA 19103

Tank Status: 5-Permit by Other
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 01/01/1970
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported

SUNOCO 0013-1326 (Continued) **U004427287**

Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	Not reported
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1970
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1970
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1970
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported

SUNOCO 0013-1326 (Continued) **U004427287**

Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 01/01/1970
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: C-Canceled
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: Not reported
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: C-Canceled
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: Not reported
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 5-Permit by Other
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: Not reported
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No

SUNOCO 0013-1326 (Continued) **U004427287**

Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	Not reported
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Click this hyperlink while viewing on your computer to access additional NY_UST_NASSAU: detail in the EDR Site Report.

M101 **IGLE GAS CORP.** **NY UST** **U004052671**
SSW **118 NEWBRIDGE RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.158 mi.
836 ft. **Site 3 of 8 in cluster M**

Relative:
Lower

Actual:
140 ft.

NCFM UST:

Batt/Dept:	93
Location Id:	41172
Vendor:	SUNOCO
Unit Type:	HF
Status:	Active
Tank Contents:	30120305
Installed Date:	11/01/1987
Last Test Date:	08/22/2007
Unit Type:	HF
Status:	Active
Tank Contents:	30120303
Installed Date:	11/01/1987
Last Test Date:	08/02/2007

UST:

Name:	IGLE GAS CORP.
Address:	118 NEWBRIDGE RD.
City,State,Zip:	HICKSVILLE, NY 11801
Id/Status:	1-000050 / Unregistered
Program Type:	PBS
Region:	STATE
DEC Region:	1
Expiration Date:	N/A
UTM X:	624282.95160
UTM Y:	4513598.49120
Site Type:	Retail Gasoline Sales

IGLE GAS CORP. (Continued) **U004052671**

Affiliation Records:

Site Id:	338220
Affiliation Type:	Facility Owner
Company Name:	BARLEEN, LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	PO BOX 424
Address2:	Not reported
City:	PLAINVIEW
State:	NY
Zip Code:	11803
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	HMCIRRIT
Date Last Modified:	2005-03-03

Site Id:	338220
Affiliation Type:	Mail Contact
Company Name:	BARLEEN, LLC
Contact Type:	Not reported
Contact Name:	Not reported
Address1:	PO BOX 424
Address2:	Not reported
City:	PLAINVIEW
State:	NY
Zip Code:	11803
Country Code:	001
Phone:	Not reported
EMail:	Not reported
Fax Number:	Not reported
Modified By:	HMCIRRIT
Date Last Modified:	2005-03-03

Site Id:	338220
Affiliation Type:	Facility Operator
Company Name:	GGLE GAS CORP.
Contact Type:	Not reported
Contact Name:	S&K CONVENIENCE
Address1:	Not reported
Address2:	Not reported
City:	Not reported
State:	NY
Zip Code:	Not reported
Country Code:	001
Phone:	(516) 932-4310
EMail:	Not reported
Fax Number:	Not reported
Modified By:	HMCIRRIT
Date Last Modified:	2005-03-03

Tank Info:

Tank Number:	1
Tank ID:	182315

IGLE GAS CORP. (Continued) **U004052671**

Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	8000
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	00
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Tank Number:	2
Tank ID:	182316
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	8000
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	00
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported
Modified By:	MJGRIFFI
Last Modified:	05/09/2022

Tank Number:	3
Tank ID:	182317
Tank Status:	In Service
Material Name:	In Service
Capacity Gallons:	8000
Install Date:	Not reported
Date Tank Closed:	Not reported
Registered:	True
Tank Location:	Underground
Tank Type:	Equivalent technology
Material Code:	0009
Common Name of Substance:	Gasoline
Tightness Test Method:	00
Date Test:	Not reported
Next Test Date:	Not reported
Pipe Model:	Not reported

IGLE GAS CORP. (Continued) **U004052671**

Modified By: MJGRIFFI
Last Modified: 05/09/2022

M102 **PETRO GAS GROUP US INC.** **NY UST** **U004431694**
SSW **118 NEWBRIDGE RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.158 mi.
836 ft. **Site 4 of 8 in cluster M**

Relative: NASSAU CO. UST:
Lower

Actual: Facility ID: Not reported
140 ft. Owner Name: Not reported
Owner Address: Not reported
Owner City,St,Zip: Not reported
Permitee Name: Not reported
Permitee Address: Not reported
Permitee City,St,Zip: Not reported

Tank Status: Not reported
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: Not reported
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: 1-In Service
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/2021
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Tank Status: Not reported
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: Not reported
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

PETRO GAS GROUP US INC. (Continued) **U004431694**

Tank Status:	1-In Service
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/2021
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	1-In Service
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/2021
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	Not reported
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	Not reported
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

M103 **CITGO GAS STATION** **NY TANKS** **1000446610**
SSW **118 NEWBRIDGE RD** **RCRA NonGen / NLR** **NYD000701771**
1/8-1/4 **HICKSVILLE, NY 11801** **FINDS**
0.158 mi. **ECHO**
836 ft. **Site 5 of 8 in cluster M** **NY MANIFEST**

Relative: **Lower**
Actual: **140 ft.**

TANKS NASSAU:

Name:	PETRO GAS GROUP US INC.
Address:	118 NEWBRIDGE RD.
City,State,Zip:	HICKSVILLE, NY
Facility Status:	Not reported
Permit End Date:	Not reported
Tank Number:	2797
Decode of Ttype:	Under Ground
Capacity:	00008000
Product Description:	GASOLINE, UNLEADED PREMIUM

CITGO GAS STATION (Continued) **1000446610**

Name: PETRO GAS GROUP US INC.
Address: 118 NEWBRIDGE RD.
City,State,Zip: HICKSVILLE, NY
Facility Status: Not reported
Permit End Date: Not reported
Tank Number: 2798
Decode of Ttype: Under Ground
Capacity: 00008000
Product Description: GASOLINE, UNLEADED REGULAR

Name: PETRO GAS GROUP US INC.
Address: 118 NEWBRIDGE RD.
City,State,Zip: HICKSVILLE, NY
Facility Status: Not reported
Permit End Date: Not reported
Tank Number: 2799
Decode of Ttype: Under Ground
Capacity: 00008000
Product Description: GASOLINE, UNLEADED PREMIUM

Name: SUNOCO 0013-1326
Address: 118 NEWBRIDGE RD.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 12/1/1992
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

RCRA Listings:
Date Form Received by Agency: 20070101
Handler Name: Citgo Gas Station
Handler Address: Newbridge Rd
Handler City,State,Zip: HICKSVILLE, NY 11801-3931
EPA ID: NYD000701771
Contact Name: Not reported
Contact Address: MEADOW LN
Contact City,State,Zip: INWOOD, NY 11696
Contact Telephone: Not reported
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Not reported
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: Ny
State District: NYSDEC R1
Mailing Address: MEADOW LN
Mailing City,State,Zip: INWOOD, NY 11696
Owner Name: Manzo L Pres
Owner Type: Private
Operator Name: Manzo L Pres

CITGO GAS STATION (Continued) **1000446610**

Operator Type:	Private
Short-Term Generator Activity:	No
Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: MANZO L PRES	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported

CITGO GAS STATION (Continued) **1000446610**

Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MANZO L PRES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MANZO L PRES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19990708
Handler Name: CITGO GAS STATION
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010801
Handler Name: CITGO GAS STATION
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported

CITGO GAS STATION (Continued) **1000446610**

Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: CITGO GAS STATION
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: CITGO GAS STATION
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19800818
Handler Name: CITGO GAS STATION
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004329138

CITGO GAS STATION (Continued) **1000446610**

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000446610
Registry ID:	110004329138

DFR URL:

Name:	CITGO GAS STATION
Address:	118 Newbridge Rd
City,State,Zip:	HICKSVILLE, NY 11801

NY MANIFEST:

EPA ID:	NYD000701771
Country:	USA
Name:	Sunoco
Address:	118 NEWBRIDGE RD
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801-3931
Zip 4:	Not reported
Location Address 1:	118 NEWBRIDGE RD
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	3931
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Sunoco
Mailing Contact:	Sunoco
Mailing Address 1:	118 NEWBRIDGE RD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	3931
Mailing Country:	USA
Mailing Phone:	0000000000

Manifest Data:

Document ID:	NYA5171229
Manifest Status:	K - Completed after the designated time
Trans1 State ID:	Not reported
Year:	1987
Trans2 State ID:	Not reported
Generator Ship Date:	871202
Trans1 Recv Date:	871202
Trans2 Recv Date:	Not reported

CITGO GAS STATION (Continued) **1000446610**

TSD Site Recv Date:	871202
Part A Recv Date:	880127
Part B Recv Date:	871215
Generator EPA ID:	NYD000701771
Trans1 EPA ID:	NYD006801245
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00200
Units:	Gallons (liquids only)
Number of Containers:	004
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	100

N104 **PAL AUTO SERVICES, INC.** **NY TANKS** **S130557910**
NNE **32 E. BARCLAY ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.164 mi.
867 ft. **Site 1 of 13 in cluster N**

Relative:
Higher

Actual:
149 ft.

TANKS NASSAU:

Name:	PAL AUTO SERVICES, INC.
Address:	32 E. BARCLAY ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	7/1/2024
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

N105
NNE
1/8-1/4
0.164 mi.
867 ft.

BARCLAY AUTO REPAIR INC.
32 E. BARCLAY ST.
HICKSVILLE, NY 11801

Site 2 of 13 in cluster N

NY TANKS **S130556062**
N/A

Relative:
Higher

Actual:
149 ft.

TANKS NASSAU:

Name:	BARCLAY AUTO REPAIR INC.
Address:	32 E. BARCLAY ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	2/1/2016
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

O106
East
1/8-1/4
0.170 mi.
898 ft.

ST. IGNATIUS LOYOLA R.C.
129 BROADWAY
HICKSVILLE, NY 11801

Site 1 of 3 in cluster O

NY UST **U004426722**
N/A

Relative:
Higher

Actual:
145 ft.

NASSAU CO. UST:

Facility ID:	#35011
Owner Name:	ST. IGNATIUS LOYOLA R.C.
Owner Address:	129 BROADWAY
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	Not reported
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

ST. IGNATIUS LOYOLA R.C. (Continued) **U004426722**

Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	05/01/1972
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

O107 **ST IGNATIUS OF LOYOLA** **NY LTANKS** **S104276304**
East **129 BROADWAY** **NY Spills** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.170 mi.
898 ft. **Site 2 of 3 in cluster O**

Relative: **Higher**

Actual: **145 ft.**

LTANKS:

Name:	SAINT IGNATIUS CHURCH
Address:	129 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8707677 / 1988-10-17
Facility ID:	8707677
Site ID:	83290
Spill Date:	1987-12-07
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Not reported
Cleanup Ceased:	1988-10-17
SWIS:	3024
Investigator:	KDGOERTZ
Referred To:	Not reported
Reported to Dept:	1987-12-07
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-12-08

ST IGNATIUS OF LOYOLA (Continued) **S104276304**

Spill Record Last Update:	2006-08-21
Spiller Name:	Not reported
Spiller Company:	ST IGNATIUS CHURCH
Spiller Address:	129 BROADWAY
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	294795
Latitude:	40.7661973
Longitude:	-73.5219920
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was GOERTZ FD / / : A.VOLINO & SONS TESTER. 10/17/88: VOLINO RETESTED SYSTEM ON 4/14 AFTER REPLACING VENT LINE & PASSED. DEC NOT PRESENT DURING RETEST. TWO 3K TANKS WERE REMOVED ON 10/11.NO CONTAMINATION WAS FOUND. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	3-5K GROSS LEAK -.161 GPH

All TTF:

Facility ID:	8707677
Spill Number:	8707677
Spill Tank Test:	1532560
Site ID:	83290
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	83290
Operable Unit ID:	913356
Operable Unit:	01
Material ID:	466615
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Name:	ST IGNATIUS OF LOYOLA
Address:	129 BROADWAY

ST IGNATIUS OF LOYOLA (Continued) **S104276304**

City,State,Zip:	HICKSVILLE, NY 11801
Spill Number/Closed Date:	0912473 / 2010-03-01
Facility ID:	0912473
Facility Type:	ER
DER Facility ID:	374298
Site ID:	425361
DEC Region:	1
Spill Cause:	Human Error
Spill Class:	C4
SWIS:	3024
Spill Date:	2010-02-26
Investigator:	Unassigned
Referred To:	Not reported
Reported to Dept:	2010-03-01
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2010-03-01
Spill Record Last Update:	2010-10-29
Spiller Name:	Not reported
Spiller Company:	PERILLO
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	WALTER
Latitude:	40.7665317
Longitude:	-73.5211387
DEC Memo:	03/01/2010-10:20 NH called N.Strano Perrillo Bros tank overfilled on basement cement floor, was cleaned up with spedi dry and wiped down the tank.
Remarks:	spill to inside/concrete floor/clean up complete

All Materials:

Site ID:	425361
Operable Unit ID:	1181084
Operable Unit:	01
Material ID:	2175147
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Name:	ST IGNATIOUS CHURCH
Address:	129 BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9003588 / 1990-07-02
Facility ID:	9003588

ST IGNATIUS OF LOYOLA (Continued) **S104276304**

Facility Type:	ER
DER Facility ID:	294795
Site ID:	83291
DEC Region:	1
Spill Cause:	Other
Spill Class:	C2
SWIS:	3024
Spill Date:	1990-06-28
Investigator:	NCHD
Referred To:	NCDH
Reported to Dept:	1990-06-29
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Institutional, Educational, Gov., Other
Spill Notifier:	Health Department
Cleanup Ceased:	1990-07-02
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1990-07-02
Spill Record Last Update:	2014-06-23
Spiller Name:	Not reported
Spiller Company:	ST IGNATIOUS CHURCH
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7661973
Longitude:	-73.5219920
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NCDH
Remarks:	OVERFILL & PIPE PROBLEMS. 5K TANK. 15 CU YDS SOIL REMOVED. NO FURTHER EXCAVATION NECESSARY. CANON CONSTRUCTION CONTRACTOR

All Materials:

Site ID:	83291
Operable Unit ID:	941474
Operable Unit:	01
Material ID:	438279
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

O108 **ST. IGNATIUS LOYOLA R.C.** **NY AST** **S130558828**
East **129 BROADWAY** **NY TANKS** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.170 mi.
898 ft. **Site 3 of 3 in cluster O**

Relative:
Higher

Actual:
145 ft.

NASSAU CO. AST:
Facility ID: #35011

Tank ID: 5
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, FUEL #2 (P)
Date Permit Ends: 11/01/1990

Tank ID: 7
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, FUEL #2 (P)
Date Permit Ends: 11/01/1990

Tank ID: 6
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, FUEL #2 (P)
Date Permit Ends: 11/01/1990

TANKS NASSAU:
Name: ST. IGNATIUS LOYOLA R.C.
Address: 129 BROADWAY
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 11/1/1990
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

N109 **R & A AUTO BODY** **E MANIFEST** **1032257789**
NNE **40 BARCLAY STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY 11804**
0.173 mi.
913 ft. **Site 3 of 13 in cluster N**

Relative:
Higher

Actual:
149 ft.

E MANIFEST:
Manifest Tracking Number: 014099456FLE
Last Updated Date: 20220217
Shipped Date: 20220203
Received Date: 20220211
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Service
Generator EPA ID: CESQG
Generator Name: R & A Auto Body
Generator Location Street Number: Not reported
Generator Location Street 1: 40 BARCLAY STREET
Generator Location Street 2: Not reported

R & A AUTO BODY (Continued) **1032257789**

Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11804
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	40 BARCLAY STREET
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11804
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	012924421FLE
Last Updated Date:	20190404
Shipped Date:	20190312
Received Date:	20190318
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	R & A Auto Body
Generator Location Street Number:	Not reported
Generator Location Street 1:	40 BARCLAY STREET
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11804
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	40 BARCLAY STREET
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11804
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905

R & A AUTO BODY (Continued) **1032257789**

Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	013747310FLE
Last Updated Date:	20200306
Shipped Date:	20200122
Received Date:	20200128
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	R & A Auto Body
Generator Location Street Number:	Not reported
Generator Location Street 1:	40 BARCLAY STREET
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11804
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	40 BARCLAY STREET
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11804
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Transporter:

Manifest Tracking Number:	013747310FLE
Transporter Line Number:	1
Transporter EPA ID:	PAD982661381
Transporter Name:	Republic Environmental Systems Transportation Group Llc

R & A AUTO BODY (Continued) **1032257789**

Waste Line:

Manifest Tracking Number:	013747310FLE
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN1263
U.S. DOT Description:	Un1263 Waste Paint (Toluene, Acetone) Ii 3 D001=100#
Non-Hazardous Waste Description:	Not reported
Number of Containers:	2
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	10
Quantity Unit of Measure Code:	G
Quantity Unit of Measure Description:	Gallons
Waste Quantity, in Tons:	0.041701417
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.041701417
Waste Quantity, in Kilograms:	37.824436
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	37.824436
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Federal Waste Codes:	D001, F003, F005
Quantity Haz Kg:	37.824436
Quantity Haz Tons:	0.041701417
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0
State Waste Codes:	Not reported

P110 **VERIZON NEW YORK INC (33209)** **NY UST** **U003913920**
SSE **69 W CHERRY ST** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.180 mi.
949 ft. **Site 1 of 6 in cluster P**

Relative: **Lower**
Actual: **142 ft.**

NCFM UST:

Batt/Dept:	93
Location Id:	39704
Vendor:	Not reported
Unit Type:	HF
Status:	Active
Tank Contents:	30199301
Installed Date:	Not reported

VERIZON NEW YORK INC (33209) (Continued) **U003913920**

Last Test Date: 11/10/2008

Unit Type: HC
Status: Removed
Tank Contents: 30199301
Installed Date: 03/23/1983
Last Test Date: 03/10/1997

P111 **BELL ATLANTIC - TRG** **NY Spills** **1001233244**
SSE **69 W CHERRY ST** **RCRA NonGen / NLR** **NYR000063974**
1/8-1/4 **HICKSVILLE, NY 11801** **FINDS**
0.180 mi. **ECHO**
949 ft. **Site 2 of 6 in cluster P** **NY MANIFEST**

Relative:
Lower

Actual:
142 ft.

SPILLS:

Name:	BELL ATLANTIC
Address:	69 WEST CHERRY STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9711519 / 1999-03-29
Facility ID:	9711519
Facility Type:	ER
DER Facility ID:	92789
Site ID:	105135
DEC Region:	1
Spill Cause:	Other
Spill Class:	C3
SWIS:	3024
Spill Date:	1998-01-12
Investigator:	KMYAGER
Referred To:	Not reported
Reported to Dept:	1998-01-12
CID:	204
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	DEC
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1998-01-14
Spill Record Last Update:	2023-02-21
Spiller Name:	JEROME KING
Spiller Company:	BELL ATLANTIC
Spiller Address:	221 EAST 37TH STREET 4 FL
Spiller Company:	001
Contact Name:	JEROME KING
Latitude:	40.7638955
Longitude:	-73.5237372
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was SOTTILE
Remarks:	REMOVAL OF 8K DIESEL TANK - CONTAMINATED SOIL ENCOUNTERED

All Materials:

Site ID:	105135
Operable Unit ID:	1054274

BELL ATLANTIC - TRG (Continued) **1001233244**

Operable Unit:	01
Material ID:	326171
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Bell Atlantic - Trg
Handler Address:		W Cherry St
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYR000063974
Contact Name:		LEO BUSINELLI
Contact Address:		E 37TH ST
Contact City,State,Zip:		NEW YORK, NY 10016
Contact Telephone:		212-338-7675
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		E 37TH ST
Mailing City,State,Zip:		NEW YORK, NY 10016
Owner Name:	Bell Atlantic - Trg	
Owner Type:		Private
Operator Name:	Bell Atlantic - Trg	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported

BELL ATLANTIC - TRG (Continued) **1001233244**

2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D002
Waste Description:	Corrosive Waste

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: BELL ATLANTIC - TRG	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	69 W CHERRY ST
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	212-338-7675
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: BELL ATLANTIC - TRG	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	69 W CHERRY ST
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	212-338-7675
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: BELL ATLANTIC - TRG	

BELL ATLANTIC - TRG (Continued) **1001233244**

Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	69 W CHERRY ST
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	212-338-7675
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20060101
Handler Name: BELL ATLANTIC - TRG	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: BELL ATLANTIC - TRG	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19981202
Handler Name: BELL ATLANTIC - TRG	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Facility Has Received Notices of Violations:

Violations:	No Violations Found

BELL ATLANTIC - TRG (Continued) **1001233244**

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004549070

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1001233244
Registry ID: 110004549070

DFR URL:
Name: BELL ATLANTIC - TRG
Address: 69 W Cherry St
City,State,Zip: HICKSVILLE, NY 11801

NY MANIFEST:
EPA ID: NYR000063974
Country: USA
Name: Bell Atlantic
Address: 69 W CHERRY ST
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801
Zip 4: Not reported
Location Address 1: 69 W CHERRY ST
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Bell Atlantic
Mailing Contact: Kenny Anaya
Mailing Address 1: 741 ZECKENDORF BLVD
Mailing Address 2: Not reported
Mailing City,State,Zip: GARDEN CITY, NY 11530
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5166837135

Manifest Data:
Document ID: NYG0688284

BELL ATLANTIC - TRG (Continued) **1001233244**

Manifest Status:	Not reported
Trans1 State ID:	AZ002
Year:	1999
Trans2 State ID:	Not reported
Generator Ship Date:	02/02/1999
Trans1 Recv Date:	02/02/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/21/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000063974
Trans1 EPA ID:	AZD983473539
Trans2 EPA ID:	Not reported
TSDF ID 1:	AZ0000337360
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Mercury
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00154
Units:	Kilograms
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	B004
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00039
Units:	Kilograms
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

M112
SSW
1/8-1/4
0.190 mi.
1005 ft.

NY TELEPHONE
WEST CHERRY STREET
HICKSVILLE, NY

Site 6 of 8 in cluster M

NY LTANKS **S100148706**
N/A

Relative:
Lower

Actual:
139 ft.

LTANKS:

Name:	NY TELEPHONE
Address:	WEST CHERRY STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8607833 / 1987-04-22
Facility ID:	8607833
Site ID:	160347
Spill Date:	1987-03-23
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	1987-04-22
SWIS:	3024
Investigator:	JEAN-LOUIS
Referred To:	Not reported
Reported to Dept:	1987-03-23
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-03-25
Spill Record Last Update:	2023-02-21
Spiller Name:	Not reported
Spiller Company:	NY TELE
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	135417
Latitude:	40.7630399
Longitude:	-73.5275800
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was JEAN-LOUIS FD / / : F&N TO EXPOSE AND RETEST.EXTRA REMOTE FILL DISCONNECTED PASSED RETEST. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	8K FIBERGLASS FAILED AT -.354 GPH

All TTF:

Facility ID:	8607833
Spill Number:	8607833
Spill Tank Test:	1530649
Site ID:	160347
Tank Number:	Not reported
Tank Size:	0
Material:	0003
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported

NY TELEPHONE (Continued) **S100148706**

Source: Not reported
Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 160347
Operable Unit ID: 904411
Operable Unit: 01
Material ID: 473321
Material Code: 0003A
Material Name: #6 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

N113 **JVC AUTO REPAIRS** **NY AST** **S130557291**
NNE **50 E. BARCLAY ST.** **NY TANKS** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.191 mi.
1007 ft. **Site 4 of 13 in cluster N**

Relative: **Higher**

Actual: **149 ft.**

NASSAU CO. AST:
Facility ID: #60118

Tank ID: 1
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: WASTE OIL (P)
Date Permit Ends: 03/01/2026

TANKS NASSAU:
Name: JVC AUTO REPAIRS
Address: 50 E. BARCLAY ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 3/1/2026
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

N114
NNE
1/8-1/4
0.191 mi.
1007 ft.

FIRST CALL AUTO MALL
50 E. BARCLAY ST.
HICKSVILLE, NY 11801

Site 5 of 13 in cluster N

NY TANKS **S130556752**
N/A

Relative:
Higher

Actual:
149 ft.

TANKS NASSAU:

Name:	FIRST CALL AUTO MALL
Address:	50 E. BARCLAY ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	8/1/2004
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

N115
NNE
1/8-1/4
0.191 mi.
1007 ft.

PETE'S GARAGE, INC.
50 E. BARCLAY ST.
HICKSVILLE, NY 11801

Site 6 of 13 in cluster N

NY TANKS **S130557948**
N/A

Relative:
Higher

Actual:
149 ft.

TANKS NASSAU:

Name:	PETE'S GARAGE, INC.
Address:	50 E. BARCLAY ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	11/1/2015
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

N116
NNE
1/8-1/4
0.191 mi.
1007 ft.

JVC AUTO COLLISION
50 E.BARCLAY ST.
HICKSVILLE, NY

Site 7 of 13 in cluster N

NY TANKS **S118564096**
N/A

Relative:
Higher

Actual:
149 ft.

TANKS NASSAU:

Name:	JVC AUTO COLLISION
Address:	50 E.BARCLAY ST.
City,State,Zip:	HICKSVILLE, NY
Facility Status:	Not reported
Permit End Date:	03012021
Tank Number:	0001
Decode of Ttype:	Indoor Above Ground
Capacity:	00000275
Product Description:	WASTE OIL

N117
NNE
1/8-1/4
0.191 mi.
1007 ft.

PETE'S GARAGE, INC.
50 E. BARCLAY ST.
HICKSVILLE, NY 11801

Site 8 of 13 in cluster N

NY AST **A100539008**
N/A

Relative:
Higher

Actual:
149 ft.

NASSAU CO. AST:

Facility ID:	#58863
Tank ID:	1
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	11/01/2015

N118
NNE
1/8-1/4
0.191 mi.
1007 ft.

FIRST CALL AUTO MALL
50 E. BARCLAY ST.
HICKSVILLE, NY 11801

Site 9 of 13 in cluster N

NY AST **A100538844**
N/A

Relative:
Higher

Actual:
149 ft.

NASSAU CO. AST:

Facility ID:	#58099
Tank ID:	1
Tank Location:	3-Outdoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	Not reported

M119
SSW
1/8-1/4
0.195 mi.
1029 ft.

HENRY J. STOCK FUNERAL HM
132 NEWBRIDGE RD.
HICKSVILLE, NY 11801

Site 7 of 8 in cluster M

NY UST **U004426904**
N/A

Relative:
Lower

Actual:
139 ft.

NASSAU CO. UST:

Facility ID:	#38017
Owner Name:	HENRY J. STOCK FUNERAL HM
Owner Address:	132 NEWBRIDGE ROAD
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	W. & I. STOFFEL
Permitee Address:	132 NEWBRIDGE ROAD
Permitee City,St,Zip:	HICKSVILLE, NY 11801
Tank Status:	4-Abandoned in Place
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	04/01/1945
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

M120 **HENRY J. STOCK FUNERAL HM** **NY AST** **S106125699**
SSW **132 NEWBRIDGE RD.** **NY TANKS** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801** **NY Spills**
0.195 mi.
1029 ft. **Site 8 of 8 in cluster M**

Relative:
Lower

Actual:
139 ft.

NASSAU CO. AST:
Facility ID: #38017

Tank ID: 2
Tank Location: 3-Outdoor Aboveground
Capacity (Gal): 250 (Gal.)
Description: OIL, FUEL #2 (P)
Date Permit Ends: 09/01/1993

TANKS NASSAU:
Name: HENRY J. STOCK FUNERAL HM
Address: 132 NEWBRIDGE RD.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 9/1/1993
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

SPILLS:
Name: HENRY J STOCK FUNERAL HOM
Address: 132 NEWBRIDGE ROAD
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 0312277 / 2004-08-05
Facility ID: 0312277
Facility Type: ER
DER Facility ID: 246212
Site ID: 304815
DEC Region: 1
Spill Cause: Equipment Failure
Spill Class: C3
SWIS: 3024
Spill Date: 2004-02-04
Investigator: DHRAYMON
Referred To: Not reported
Reported to Dept: 2004-02-04
CID: 405
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 2004-02-04
Spill Record Last Update: 2005-01-11
Spiller Name: STEVEN MCGINN
Spiller Company: HENRY J STOCK FUNERAL HOM
Spiller Address: 132 NEWBRIDGE ROAD

HENRY J. STOCK FUNERAL HM (Continued) **S106125699**

Spiller Company:	001
Contact Name:	STEVEN MCGINN
Latitude:	40.7633149
Longitude:	-73.5276479
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was RAYMOND 2/4/04 TELECON WITH STEVEN MCGINN, HIS PLAN IS TO REMOVE THE TANK AND EXCAVATE CONT SOIL ON FRIDAY, NO DRAINS OR PRIVATE WELLS AFFECTED
Remarks:	The spill has been happening over time. The cause was a leaking above ground tank. Clean up will be starting in the next day or two.

All Materials:

Site ID:	304815
Operable Unit ID:	877504
Operable Unit:	01
Material ID:	497501
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Q121 **HOLY TRINITY EPISCOPAL CH** **NY TANKS** **S130557122**
SSE **130 JERUSALEM AVE.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.196 mi.
1034 ft. **Site 1 of 3 in cluster Q**

Relative: **Lower**
Actual: **141 ft.**

TANKS NASSAU:

Name:	HOLY TRINITY EPISCOPAL CH
Address:	130 JERUSALEM AVE.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	2/1/1992
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

Q122 **HOLY TRINITY EPISCOPAL CH** **NY UST** **U004428324**
SSE **130 JERUSALEM AVE.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.196 mi.
1034 ft. **Site 2 of 3 in cluster Q**

Relative: **Lower**
Actual: **141 ft.**

NASSAU CO. UST:

Facility ID:	#55602
Owner Name:	SAME
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Permitee Name:	SAME
Permitee Address:	Not reported

HOLY TRINITY EPISCOPAL CH (Continued) **U004428324**

Permitee City,St,Zip:	Not reported
Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

P123 **CLIN-PATH/TOX LABS** **NY TANKS** **S130556367**
SE **15 FREDERICH PL.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.198 mi.
1044 ft. **Site 3 of 6 in cluster P**

Relative: **Lower**
Actual: **142 ft.**

TANKS NASSAU:

Name:	CLIN-PATH/TOX LABS
Address:	15 FREDERICH PL.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	4/1/1993
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

N124 **J V C AUTO COLLISION INC** **RCRA-SQG** **1004758686**
NNE **56-60 E BARCLAY ST** **NY MANIFEST** **NYD987017324**
1/8-1/4 **HICKSVILLE, NY 11801**
0.201 mi.
1062 ft. **Site 10 of 13 in cluster N**

Relative: **Higher**
Actual: **150 ft.**

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	J V C Auto Collision Inc
Handler Address:	E Barclay St

J V C AUTO COLLISION INC (Continued) **1004758686**

Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYD987017324
Contact Name:		JOHN COTONA
Contact Address:		E BARCLAY ST
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		516-939-0020
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		E BARCLAY ST
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	John Cotona	
Owner Type:		Private
Operator Name:	John Cotona	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414

J V C AUTO COLLISION INC (Continued) **1004758686**

Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	D035
Waste Description:	Methyl Ethyl Ketone
Waste Code:	F003
Waste Description:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code:	F005
Waste Description:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: JOHN COTONA	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	56-60 E BARCLAY ST
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-939-0020
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: JOHN COTONA	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	56-60 E BARCLAY ST

J V C AUTO COLLISION INC (Continued) **1004758686**

Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-939-0020
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: JOHN COTONA
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 56-60 E BARCLAY ST
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-939-0020
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20060101
Handler Name: J V C AUTO COLLISION INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: J V C AUTO COLLISION INC
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19921005
Handler Name: J V C AUTO COLLISION INC
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported

J V C AUTO COLLISION INC (Continued) **1004758686**

Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:

EPA ID:	NYD987017324
Country:	USA
Name:	J V C Auto Collision
Address:	56-60 E BARCLAY ST
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	56-60 EAST BARCLAY ST
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	J V C Auto Collision
Mailing Contact:	John Cotona
Mailing Address 1:	56-60 EAST BARCLAY ST
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	5169390020

Manifest Data:

Document ID:	NJA1987013
Manifest Status:	Not reported
Trans1 State ID:	10339
Year:	1994
Trans2 State ID:	Not reported
Generator Ship Date:	08/17/1994
Trans1 Recv Date:	08/17/1994
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/18/1994
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	NJD986608941
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported

J V C AUTO COLLISION INC (Continued) **1004758686**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00090
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NJA2829914
Manifest Status:	Not reported
Trans1 State ID:	10339
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	10/15/1997
Trans1 Recv Date:	10/15/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/16/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	NJD986608941
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported

J V C AUTO COLLISION INC (Continued) **1004758686**

Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00080
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Cargo tanks (tank trucks)
Handling Method: Recycle
Specific Gravity: 01.00

Document ID: NJA2632495
Manifest Status: Not reported
Trans1 State ID: 10339
Year: 1996
Trans2 State ID: Not reported
Generator Ship Date: 08/21/1996
Trans1 Recv Date: 08/21/1996
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/22/1996
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987017324
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002454544
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl

J V C AUTO COLLISION INC (Continued) **1004758686**

Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00095
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Cargo tanks (tank trucks)
Handling Method: Recycle
Specific Gravity: 01.00

Document ID: NJA2588456
Manifest Status: Not reported
Trans1 State ID: 10339
Year: 1996
Trans2 State ID: Not reported
Generator Ship Date: 11/18/1996
Trans1 Recv Date: 11/18/1996
Trans2 Recv Date: Not reported
TSD Site Recv Date: 11/20/1996
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD987017324
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002454544
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent

J V C AUTO COLLISION INC (Continued) **1004758686**

	Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00025
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NJA1608096
Manifest Status:	Not reported
Trans1 State ID:	NJDEPS103
Year:	1994
Trans2 State ID:	Not reported
Generator Ship Date:	03/23/1994
Trans1 Recv Date:	03/23/1994
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/24/1994
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	NJD986608941
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00035

J V C AUTO COLLISION INC (Continued) **1004758686**

Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD082785429
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	02/26/2009
Trans1 Recv Date:	02/26/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/26/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	002474885FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Ignitable Waste
Waste Code b:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code c:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported

J V C AUTO COLLISION INC (Continued) **1004758686**

Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	55
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	1
Document ID:	NYH0063549
Manifest Status:	Not reported
Trans1 State ID:	PX3640
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	01/10/2000
Trans1 Recv Date:	01/10/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/10/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00120
Units:	Gallons (liquids only)
Number of Containers:	001

J V C AUTO COLLISION INC (Continued) **1004758686**

Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYH0290448
Manifest Status:	Not reported
Trans1 State ID:	23138PA
Year:	2002
Trans2 State ID:	Not reported
Generator Ship Date:	06/28/2002
Trans1 Recv Date:	06/28/2002
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/28/2002
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00095
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD082785429

J V C AUTO COLLISION INC (Continued) **1004758686**

Year:	2018
Trans2 State ID:	PAD982661381
Generator Ship Date:	04/11/2012
Trans1 Recv Date:	04/11/2012
Trans2 Recv Date:	04/12/2012
TSD Site Recv Date:	04/12/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	005154367FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Ignitable Waste
Waste Code b:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code c:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	55
Units:	Gallons (liquids only)
Number of Containers:	1
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn

J V C AUTO COLLISION INC (Continued) **1004758686**

Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD082785429
Year:	2018
Trans2 State ID:	PAD982661381
Generator Ship Date:	11/20/2012
Trans1 Recv Date:	11/20/2012
Trans2 Recv Date:	11/21/2012
TSD Site Recv Date:	11/26/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	005699570FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Ignitable Waste
Waste Code b:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code c:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported

J V C AUTO COLLISION INC (Continued) **1004758686**

Quantity:	110
Units:	Gallons (liquids only)
Number of Containers:	2
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD082785429
Year:	2018
Trans2 State ID:	PAD982661381
Generator Ship Date:	01/12/2012
Trans1 Recv Date:	01/12/2012
Trans2 Recv Date:	01/17/2012
TSD Site Recv Date:	01/18/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD987017324
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	005155974FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Ignitable Waste
Waste Code b:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code c:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported

J V C AUTO COLLISION INC (Continued) **1004758686**

Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	110
Units:	Gallons (liquids only)
Number of Containers:	2
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	1

Click this hyperlink while viewing on your computer to access
38 additional NY MANIFEST: record(s) in the EDR Site Report.

N125 **JVC AUTO COLLISION** **NY TANKS** **S121488109**
NNE **56 E BARCLAY ST** **NY AIRS** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.201 mi.
1062 ft. **Site 11 of 13 in cluster N**

Relative:
Higher

Actual:
150 ft.

TANKS NASSAU:

Name:	AUTO LAB SERVICE CENTER
Address:	56 E. BARCLAY ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	4/1/2001
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

Name:	DAHLS AUTO BODY INC.
Address:	56 E. BARCLAY ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	8/1/1990
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

AIRS:

Name:	JVC AUTO COLLISION
Address:	56 E BARCLAY ST
City,State,Zip:	HICKSVILLE, NY 11801
DECID:	1282401067
Process ID:	Not reported
Latitude:	Not reported
Longitude:	Not reported
FIPS Code:	Not reported
Auth Type Code:	AFR
Permit Status:	Issued
Auth Status Code:	2
Emissions:	Not reported

JVC AUTO COLLISION (Continued) **S121488109**

Issue date:	01/25/2008
Expired Date:	Not reported
Emission Unit date:	Not reported
Contamination:	Not reported
EPA Control Code:	Not reported
Control Eff:	Not reported
Unit:	Not reported

N126 **DAHLS AUTO BODY INC.** **NY UST** **U004427279**
NNE **56 E. BARCLAY ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.201 mi.
1062 ft. **Site 12 of 13 in cluster N**

Relative: **Higher**
Actual: **150 ft.**

NASSAU CO. UST:

Facility ID:	#41055
Owner Name:	IVING LE BOWITZ
Owner Address:	56 EAST BARCLAY STREET
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	Not reported
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported
Tank Status:	4-Abandoned in Place
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

N127 **TRIPLE J V C AUTO COLLISION INC** **RCRA NonGen / NLR** **1000554115**
NNE **56 BARCLAY ST** **FINDS** **NYD986965721**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.201 mi. **NY MANIFEST**
1062 ft. **Site 13 of 13 in cluster N**

Relative: **Higher**
Actual: **150 ft.**

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Triple J V C Auto Collision Inc
Handler Address:	Barclay St
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD986965721
Contact Name:	Not reported
Contact Address:	BARCLAY ST
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02

TRIPLE J V C AUTO COLLISION INC (Continued) **1000554115**

Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		BARCLAY ST
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	Dahals Auto Body Inc	
Owner Type:		Private
Operator Name:	Dahals Auto Body Inc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

TRIPLE J V C AUTO COLLISION INC (Continued) **1000554115**

Hazardous Waste Summary:

Waste Code:	F003
Waste Description:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code:	F005
Waste Description:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: DAHALS AUTO BODY INC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	56 BARCLAY ST
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-931-1816
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: DAHALS AUTO BODY INC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	56 BARCLAY ST
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-931-1816
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: DAHALS AUTO BODY INC	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	56 BARCLAY ST
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-931-1816
Owner/Operator Telephone Ext:	Not reported

TRIPLE J V C AUTO COLLISION INC (Continued) **1000554115**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19990708
Handler Name: TRIPLE J V C AUTO COLLISION INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: TRIPLE J V C AUTO COLLISION INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: TRIPLE J V C AUTO COLLISION INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19910709
Handler Name: TRIPLE J V C AUTO COLLISION INC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

TRIPLE J V C AUTO COLLISION INC (Continued) **1000554115**

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004473962

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The New York Department of Environmental Conservation Facility Information System (FIS) database houses all information about facilities that are regulated or of environmental interest to the state of New York.
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000554115
Registry ID: 110004473962

DFR URL:
Name: TRIPLE J V C AUTO COLLISION INC
Address: 56 Barclay St
City,State,Zip: HICKSVILLE, NY 11801

NY MANIFEST:
EPA ID: NYD986965721
Country: USA
Name: Triple J V C Auto Collision Incorporated
Address: 56 BARCLAY ST
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801
Zip 4: Not reported
Location Address 1: 56 EAST BARCLAY STREET
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY 11801
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:

TRIPLE J V C AUTO COLLISION INC (Continued) **1000554115**

Mailing Name: Triple J V C Auto Collision Incorporated
Mailing Contact: Johncindy
Mailing Address 1: 56 EAST BARCLAY STREET
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5169390020

Manifest Data:
Document ID: NJA1317202
Manifest Status: Not reported
Trans1 State ID: NJDEPS103
Year: 1992
Trans2 State ID: Not reported
Generator Ship Date: 01/06/1992
Trans1 Recv Date: 01/06/1992
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/07/1992
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986965721
Trans1 EPA ID: NJD986608941
Trans2 EPA ID: Not reported
TSDF ID 1: NJD002454544
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00020
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Cargo tanks (tank trucks)

TRIPLE J V C AUTO COLLISION INC (Continued) **1000554115**

Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NJA1394003
Manifest Status:	Not reported
Trans1 State ID:	NJDEPS103
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	04/07/1992
Trans1 Recv Date:	04/07/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/07/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986965721
Trans1 EPA ID:	NJD986608941
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NJA1513340
Manifest Status:	Not reported
Trans1 State ID:	NJDEPS103
Year:	1992

TRIPLE J V C AUTO COLLISION INC (Continued) **1000554115**

Trans2 State ID:	Not reported
Generator Ship Date:	09/08/1992
Trans1 Recv Date:	09/08/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/10/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986965721
Trans1 EPA ID:	NJD986608941
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00070
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NJA1490986
Manifest Status:	Not reported
Trans1 State ID:	NJDEPS103
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	07/20/1992
Trans1 Recv Date:	07/20/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/21/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

TRIPLE J V C AUTO COLLISION INC (Continued) **1000554115**

Generator EPA ID:	NYD986965721
Trans1 EPA ID:	NJD986608941
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD002454544
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00060
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00

R128 **NEW YORK COMMUNITY BANK** **NY TANKS S121990913**
WSW **102 DUFFY AVE.** **NY COOLING TOWERS N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.202 mi.
1069 ft. **Site 1 of 3 in cluster R**

Relative: TANKS NASSAU:
Lower

Name:	NEW YORK COMMUNITY BANK
Address:	102 DUFFY AVE.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	12/1/2024
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

Actual:
139 ft.

NEW YORK COMMUNITY BANK (Continued) **S121990913**

COOLING TOWERS:

Name:	Not reported
Address:	102 DUFFY AVE
City,State,Zip:	HICKSVILLE, NY 11801
Equipment Unique ID:	12168
Equipment Borough:	Not reported
Intended Use:	Air Conditioning
Manufacturer:	Marley
Model:	SPX
Cooling Capacity:	82
Cooling Capacity Unit:	Tonnage
Commissioned Date:	11/03/2014
Inspection Date:	11/18/2021
Date of Bacteriological Collection:	11/18/2021
Date of Legionella Collection:	11/18/2021
Last Legionella Result > 1,000 CFU/mL:	lt20
Last Sampled Days:	Not reported
Reg Compliant:	Not reported
Last Update Days:	Not reported
CT Status:	Not reported
Equipment Tower Operation Duration:	Not reported
Latitude:	40.765804
Longitude:	-73.529541

R129 **NEW YORK COMMUNITY BANK** **NY UST** **U004431156**
WSW **102 DUFFY AVE.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.202 mi.
1069 ft. **Site 2 of 3 in cluster R**

Relative: **Lower**

Actual: **139 ft.**

NASSAU CO. UST:

Facility ID:	#60733
Owner Name:	NEW YORK COMMUNITY BANK
Owner Address:	102 DUFFY AVE.
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	NEW YORK COMMUNITY BANK
Permitee Address:	102 DUFFY AVE.
Permitee City,St,Zip:	HICKSVILLE, NY 11801
Tank Status:	1-In Service
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	08/01/2015
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

S130 **B QUICK PRINTERS** **RCRA NonGen / NLR** **1000344538**
NW **46 W JOHN ST** **FINDS** **NYD982720476**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.207 mi.
1095 ft. **Site 1 of 3 in cluster S**

Relative: **Higher**

Actual: **145 ft.**

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		B Quick Printers
Handler Address:		W John St
Handler City,State,Zip:		HICKSVILLE, NY 11801-1006
EPA ID:		NYD982720476
Contact Name:		Not reported
Contact Address:		W JOHN ST
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		W JOHN ST
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	Thomas Korattikara	
Owner Type:		Private
Operator Name:	Thomas Korattikara	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

B QUICK PRINTERS (Continued) **1000344538**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: THOMAS KORATTIKARA	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: THOMAS KORATTIKARA	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: THOMAS KORATTIKARA	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

B QUICK PRINTERS (Continued) **1000344538**

Owner/Operator Email: Not reported

Historic Generators:

Receive Date: 19990708
Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010801
Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19881216

B QUICK PRINTERS (Continued) **1000344538**

Handler Name: B QUICK PRINTERS
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004426595

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000344538
Registry ID: 110004426595

DFR URL:
Name: B QUICK PRINTERS
Address: 46 W John St
City,State,Zip: HICKSVILLE, NY 11801

T131 **J.V.C. AUTO COLLISION** **E MANIFEST** **1032105840**
NE **60E BARCLAY STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.208 mi.
1098 ft. **Site 1 of 2 in cluster T**

Relative:
Higher

Actual:
150 ft.

E MANIFEST:

Manifest Tracking Number:	012909193FLE
Last Updated Date:	20190729
Shipped Date:	20190220
Received Date:	20190226
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD987017324
Generator Name:	J.V.C. Auto Collision
Generator Location Street Number:	Not reported
Generator Location Street 1:	60E BARCLAY STREET
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	60E BARCLAY STREET
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	013750338FLE
Last Updated Date:	20210326
Shipped Date:	20210312
Received Date:	20210318
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD987017324
Generator Name:	J.V.C. Auto Collision
Generator Location Street Number:	Not reported
Generator Location Street 1:	60E BARCLAY STREET
Generator Location Street 2:	Not reported

J.V.C. AUTO COLLISION (Continued) **1032105840**

Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	60E BARCLAY STREET
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Transporter:

Manifest Tracking Number:	013750338FLE
Transporter Line Number:	1
Transporter EPA ID:	PAD982661381
Transporter Name:	Republic Env Sys (Trans Group) Llc

Waste Line:

Manifest Tracking Number:	013750338FLE
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN1263
U.S. DOT Description:	Un1263 Waste Paint Ii 3 D001=100#
Non-Hazardous Waste Description:	Not reported
Number of Containers:	3
Container Type Code:	DM
Container Type Description:	Metal drums, barrels, kegs
Waste Quantity:	165
Quantity Unit of Measure Code:	G
Quantity Unit of Measure Description:	Gallons
Waste Quantity, in Tons:	0.6880734
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.6880734
Waste Quantity, in Kilograms:	624.1032
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	624.1032
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N

J.V.C. AUTO COLLISION (Continued) **1032105840**

Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Federal Waste Codes:	D001, F003, F005
Quantity Haz Kg:	624.1032
Quantity Haz Tons:	0.6880734
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0
State Waste Codes:	Not reported

S132 **EMERALD DRY CLEANERS** **NY TANKS** **1004756355**
NW **48 W JOHN ST** **RCRA NonGen / NLR** **NYD055288468**
1/8-1/4 **HICKSVILLE, NY 11801** **FINDS**
0.209 mi. **ECHO**
1103 ft. **Site 2 of 3 in cluster S** **NY MANIFEST**

Relative:
Higher

Actual:
144 ft.

TANKS NASSAU:

Name:	EMERALD FRENCH CLEANERS
Address:	48 W. JOHN ST.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	8/1/2003
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Emerald Dry Cleaners
Handler Address:	W John St
Handler City,State,Zip:	HICKSVILLE, NY 11801
EPA ID:	NYD055288468
Contact Name:	Not reported
Contact Address:	W JOHN ST
Contact City,State,Zip:	HICKSVILLE, NY 11801
Contact Telephone:	Not reported
Contact Fax:	Not reported
Contact Email:	Not reported
Contact Title:	Not reported
EPA Region:	02
Land Type:	Not reported
Federal Waste Generator Description:	Not a generator, verified
Non-Notifier:	Not reported
Biennial Report Cycle:	Not reported
Accessibility:	Not reported
Active Site Indicator:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		W JOHN ST
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	Ownername	
Owner Type:		Private
Operator Name:	Ownername	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No
Sub-Part P Indicator:		No

Hazardous Waste Summary:

Waste Code:	F002
Waste Description:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before

EMERALD DRY CLEANERS (Continued) **1004756355**

Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: NONE
Waste Description: Not Defined

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: OWNERNAME
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: OWNERNAME
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: OWNERNAME
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19950406
Handler Name: EMERALD DRY CLEANERS
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No

EMERALD DRY CLEANERS (Continued) **1004756355**

Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20060101
Handler Name: EMERALD DRY CLEANERS	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20070101
Handler Name: EMERALD DRY CLEANERS	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	19851105
Handler Name: EMERALD DRY CLEANERS	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110006443937

EMERALD DRY CLEANERS (Continued) **1004756355**

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1004756355
Registry ID:	110006443937

DFR URL:

Name:	EMERALD DRY CLEANERS
Address:	48 W John St
City,State,Zip:	HICKSVILLE, NY 11801

NY MANIFEST:

EPA ID:	NYD055288468
Country:	USA
Name:	Emerald Cleaners
Address:	48 W JOHN ST
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	48 WEST JOHN STREET
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Emerald Cleaners
Mailing Contact:	Emerald Cleaners
Mailing Address 1:	48 WEST JOHN STREET
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	5169388297

Manifest Data:

Document ID:	NYC0367569
Manifest Status:	Not reported
Trans1 State ID:	000000000
Year:	1990
Trans2 State ID:	Not reported
Generator Ship Date:	07/16/1990
Trans1 Recv Date:	07/16/1990
Trans2 Recv Date:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

TSD Site Recv Date:	07/16/1990
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00060
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYA6827038
Manifest Status:	K - Completed after the designated time
Trans1 State ID:	CT7869
Year:	1987
Trans2 State ID:	Not reported
Generator Ship Date:	871006
Trans1 Recv Date:	871006
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	871006
Part A Recv Date:	871117
Part B Recv Date:	871014
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00080
Units:	Pounds
Number of Containers:	001
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYA5685246
Manifest Status:	C - Completed copy
Trans1 State ID:	AT8755
Year:	1987
Trans2 State ID:	Not reported
Generator Ship Date:	870313
Trans1 Recv Date:	870313
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	870313
Part A Recv Date:	870317
Part B Recv Date:	870318
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC0899425
Manifest Status:	Not reported
Trans1 State ID:	GF1411
Year:	1991
Trans2 State ID:	Not reported
Generator Ship Date:	04/17/1991
Trans1 Recv Date:	04/17/1991
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/17/1991
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2,

EMERALD DRY CLEANERS (Continued) **1004756355**

	Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYA6659594
Manifest Status:	C - Completed copy
Trans1 State ID:	22335GU
Year:	1987
Trans2 State ID:	Not reported
Generator Ship Date:	870428
Trans1 Recv Date:	870428
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	870428
Part A Recv Date:	870506
Part B Recv Date:	870505
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD000805911
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00195
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYA9570194
Manifest Status:	C - Completed copy
Trans1 State ID:	000000000
Year:	1989
Trans2 State ID:	000000000
Generator Ship Date:	890711
Trans1 Recv Date:	890711
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	890711
Part A Recv Date:	890719
Part B Recv Date:	890714
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00080
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100

EMERALD DRY CLEANERS (Continued) **1004756355**

Document ID:	NYC5908588
Manifest Status:	Not reported
Trans1 State ID:	NYJE4744
Year:	1999
Trans2 State ID:	Not reported
Generator Ship Date:	10/21/1999
Trans1 Recv Date:	10/21/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/21/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00060
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYA8617792
Manifest Status:	C - Completed copy
Trans1 State ID:	CT7869
Year:	1987
Trans2 State ID:	Not reported
Generator Ship Date:	871229
Trans1 Recv Date:	871229
Trans2 Recv Date:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

TSD Site Recv Date:	871229
Part A Recv Date:	880104
Part B Recv Date:	880104
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00080
Units:	Pounds
Number of Containers:	001
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC0610266
Manifest Status:	Not reported
Trans1 State ID:	GF1411
Year:	1990
Trans2 State ID:	Not reported
Generator Ship Date:	12/04/1990
Trans1 Recv Date:	12/04/1990
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/04/1990
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00060
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYA8821045
Manifest Status:	C - Completed copy
Trans1 State ID:	CT7869
Year:	1988
Trans2 State ID:	Not reported
Generator Ship Date:	880422
Trans1 Recv Date:	880422
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880422
Part A Recv Date:	880429
Part B Recv Date:	880427
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported

EMERALD DRY CLEANERS (Continued) **1004756355**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00080
Units:	Pounds
Number of Containers:	001
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYC5793478
Manifest Status:	Not reported
Trans1 State ID:	Not reported
Year:	2001
Trans2 State ID:	NYAT8756
Generator Ship Date:	07/02/2001
Trans1 Recv Date:	07/02/2001
Trans2 Recv Date:	07/02/2001
TSD Site Recv Date:	07/02/2001
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD055288468
Trans1 EPA ID:	SCR000074591
Trans2 EPA ID:	SCR000075150
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2,

EMERALD DRY CLEANERS (Continued) **1004756355**

	Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00120
Units:	Pounds
Number of Containers:	002
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00150
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
28 additional NY MANIFEST: record(s) in the EDR Site Report.

P133 **JOSEPH GENTILE** **NY TANKS** **S130557280**
SSE **96-100 W. OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.212 mi.
1119 ft. **Site 4 of 6 in cluster P**

Relative: **Lower**
Actual: **142 ft.**

TANKS NASSAU:

Name:	JOSEPH GENTILE
Address:	96-100 W. OLD COUNTRY RD.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	-
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

P134 **GENTILE JOSEPH** **RCRA NonGen / NLR** **1000411710**
SSE **96 W OLD COUNTRY RD** **FINDS** **NYD986883460**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.212 mi. **NY MANIFEST**
1119 ft. **Site 5 of 6 in cluster P**

Relative: **Lower**
Actual: **142 ft.**

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Gentile Joseph
Handler Address:		W Old Country Rd
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYD986883460
Contact Name:		JOSEPH GENTILE
Contact Address:		WARNER LN
Contact City,State,Zip:		SYOSSETT, NY 11791
Contact Telephone:		516-931-6800
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		WARNER LN
Mailing City,State,Zip:		SYOSSETT, NY 11791
Owner Name:	Joseph Gentile	
Owner Type:		Private
Operator Name:	Joseph Gentile	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

GENTILE JOSEPH (Continued) **1000411710**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: JOSEPH GENTILE	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: JOSEPH GENTILE	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: JOSEPH GENTILE	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	20060101

GENTILE JOSEPH (Continued) **1000411710**

Handler Name: GENTILE JOSEPH
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: GENTILE JOSEPH
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19891117
Handler Name: GENTILE JOSEPH
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004439135

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the

GENTILE JOSEPH (Continued) **1000411710**

Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000411710
Registry ID:	110004439135

DFR URL:

Name:	GENTILE JOSEPH
Address:	96 W Old Country Rd
City,State,Zip:	HICKSVILLE, NY 11801

NY MANIFEST:

EPA ID:	NYD986883460
Country:	USA
Name:	Joe Gentile
Address:	96 W OLD COUNTRY RD
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	100 OLD COUNTRY ROAD
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Joe Gentile
Mailing Contact:	Joe Gentile
Mailing Address 1:	100 OLD COUNTRY ROAD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	5164948100

Manifest Data:

Document ID:	NYB2048004
Manifest Status:	K - Completed after the designated time
Trans1 State ID:	IA8036
Year:	1989
Trans2 State ID:	Not reported
Generator Ship Date:	891129
Trans1 Recv Date:	891129
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	891130
Part A Recv Date:	900103
Part B Recv Date:	891207
Generator EPA ID:	NYD986883460
Trans1 EPA ID:	NYD082785429

GENTILE JOSEPH (Continued) **1000411710**

Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	100

P135 **JOSEPH GENTILE** **NY UST** **U004426953**
SSE **96-100 W. OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.212 mi.
1119 ft. **Site 6 of 6 in cluster P**

Relative: **Lower**
Actual: **142 ft.**

NASSAU CO. UST:

Facility ID:	#38090
Owner Name:	JOSEPH GENTILE
Owner Address:	90 WARNER AVENUE
Owner City,St,Zip:	SYOSSET, NY 11791
Permitee Name:	JOSEPH GENTILE
Permitee Address:	90 WARNER AVENUE
Permitee City,St,Zip:	SYOSSET, NY 11791
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1946
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

JOSEPH GENTILE (Continued) **U004426953**

Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1970
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1960
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

U136 **L.I. KAWASAKI YAMAHA** **NY TANKS** **S130557343**
North **67 N. BROADWAY (RTE 107)** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.215 mi.
1134 ft. **Site 1 of 5 in cluster U**

Relative: TANKS NASSAU:
Higher

Name:	L.I. KAWASAKI YAMAHA
Address:	67 N. BROADWAY (RTE 107)
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	4/1/2024
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

Actual:
148 ft.

S137 **POLANSKY TAX SERVICE** **RCRA NonGen / NLR** **1000151626**
NW **54 W JOHN ST** **FINDS** **NYD986892305**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.217 mi.
1146 ft. **Site 3 of 3 in cluster S**

Relative: RCRA Listings:
Higher

Date Form Received by Agency:	20070101
Handler Name:	Polansky Tax Service
Handler Address:	W John St
Handler City,State,Zip:	HICKSVILLE, NY 11801-1006
EPA ID:	NYD986892305

Actual:
144 ft.

POLANSKY TAX SERVICE (Continued) **1000151626**

Contact Name:		Not reported
Contact Address:		W JOHN ST
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		W JOHN ST
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	Thomas Kazanji	
Owner Type:		Private
Operator Name:	Thomas Kazanji	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported
Handler Date of Last Change:		20150414
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No

POLANSKY TAX SERVICE (Continued) **1000151626**

Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	F003
Waste Description:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code:	F005
Waste Description:	The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: THOMAS KAZANJI	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: THOMAS KAZANJI	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

POLANSKY TAX SERVICE (Continued) **1000151626**

Owner/Operator Indicator:	Operator
Owner/Operator Name: THOMAS KAZANJI	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19990708
Handler Name: POLANSKY TAX SERVICE	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20010801
Handler Name: POLANSKY TAX SERVICE	
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name: POLANSKY TAX SERVICE	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: POLANSKY TAX SERVICE	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny

POLANSKY TAX SERVICE (Continued) **1000151626**

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19900302
Handler Name: POLANSKY TAX SERVICE	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004443512

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000151626
Registry ID:	110004443512

DFR URL:

Name:	POLANSKY TAX SERVICE
Address:	54 W John St
City,State,Zip:	HICKSVILLE, NY 11801

V138 **RESIDENCE** **NY LTANKS** **S101508910**
NW **20 WYCOFFE STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.218 mi.
1150 ft. **Site 1 of 4 in cluster V**

Relative: **Lower**

Actual: **143 ft.**

LTANKS:

Name:	RESIDENCE
Address:	20 WYCOFFE STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9500106 / 1995-04-04
Facility ID:	9500106
Site ID:	100402
Spill Date:	1995-04-04
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	C4
Cleanup Ceased:	1995-04-04
SWIS:	3000
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1995-04-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-04-05
Spill Record Last Update:	2001-02-09
Spiller Name:	Not reported
Spiller Company:	RELIANCE
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	89148
Latitude:	40.7689925
Longitude:	-73.5292525
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE
Remarks:	OVERFILL

All Materials:

Site ID:	100402
Operable Unit ID:	1010864
Operable Unit:	01
Material ID:	368723
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

W139 **HICKSVILLE WATER DISTRICT PLANT NO 10** **RCRA NonGen / NLR** **1025504799**
West **111 W BARCLAY ST** **E MANIFEST** **NYR000240747**
1/8-1/4 **HICKSVILLE, NY 11801**
0.225 mi.
1187 ft. **Site 1 of 4 in cluster W**

Relative: **Lower**
Actual: **140 ft.**

RCRA Listings:

Date Form Received by Agency:		20191031
Handler Name:		Hicksville Water District Plant No 10
Handler Address:		W Barclay St
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYR000240747
Contact Name:		Not reported
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Municipal
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		Not reported
Mailing City,State,Zip:		Not reported
Owner Name:	Not reported	
Owner Type:		Not reported
Operator Name:	Not reported	
Operator Type:		Not reported
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

HICKSVILLE WATER DISTRICT PLANT NO 10 (Continued) **1025504799**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20191031
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D002
Waste Description:	Corrosive Waste

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name:	HICKSVILLE WATER DISTRICT
Legal Status:	Municipal
Date Became Current:	19210830
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 9065
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11802
Owner/Operator Telephone:	516-931-0184
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	AIANNONE@HICKSVILLEWATER.ORG

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HICKSVILLE WATER DISTRICT
Legal Status:	Municipal
Date Became Current:	19210830
Date Ended Current:	Not reported
Owner/Operator Address:	PO BOX 9065
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11802
Owner/Operator Telephone:	516-931-0184
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	AIANNONE@HICKSVILLEWATER.ORG

Historic Generators:

Receive Date:	20191031
Handler Name:	HICKSVILLE WATER DISTRICT PLANT NO 10
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

HICKSVILLE WATER DISTRICT PLANT NO 10 (Continued) **1025504799**

Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20190328
Handler Name: HICKSVILLE WATER DISTRICT PLANT NO 10
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 221310
NAICS Description: Water Supply And Irrigation Systems

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

E MANIFEST:
Manifest Tracking Number: 012926331FLE
Last Updated Date: 20200522
Shipped Date: 20190208
Received Date: 20190216
Manifest Status: Corrected
Submission Type: DataImage5Copy
Origin Type: Mail
Generator EPA ID: NYR000240747
Generator Name: Hicksville Wd
Generator Location Street Number: Not reported
Generator Location Street 1: 111 W. BARCLAY STREET
Generator Location Street 2: Attn: Thony Lannoe
Generator Location City: HICKSVILLE
Generator Location State: NY
Generator Location Zip: 11801
Generator Mail Street Number: Not reported
Generator Mail Street 1: 111 W. Barclay Street
Generator Mail Street 2: Attn: Thony Lannoe
Generator Mail City: Hicksville
Generator Mail Zip: 11801
Generator Mail State: NY
Generator Contact Company Name: Not reported
Designated Facility EPA ID: PAD085690592
Designated Facility Name: Republic Environmental Systems (Pa) Llc
Designated Facility Mail Street Number: Not reported

HICKSVILLE WATER DISTRICT PLANT NO 10 (Continued) **1025504799**

Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	2869 SANDSTONE DR
Designated Facility Mail City:	HATFIELD
Designated Facility Mail Zip:	19440
Designated Facility Mail State:	PA
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	2869 SANDSTONE DR
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	HATFIELD
Designated Facility Location Zip:	19440
Designated Facility Location State:	PA
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Transporter:

Manifest Tracking Number:	012926331FLE
Transporter Line Number:	1
Transporter EPA ID:	PAD982661381
Transporter Name:	Republic Env Sys Llc

Waste Line:

Manifest Tracking Number:	012926331FLE
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN3266
U.S. DOT Description:	Un3266 Waste Corrosive Liquid, Basic, Inorganic, N.O.S. (Sodium Hydroxide) 8 Pgi
Non-Hazardous Waste Description:	Not reported
Number of Containers:	3
Container Type Code:	DM
Container Type Description:	Metal drums, barrels, kegs
Waste Quantity:	600
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.3
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.3
Waste Quantity, in Kilograms:	272.109
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	272.109
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported

HICKSVILLE WATER DISTRICT PLANT NO 10 (Continued) **1025504799**

EPA Waste Indicator:	Y
Federal Waste Codes:	D002
Quantity Haz Kg:	272.109
Quantity Haz Tons:	0.3
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0
State Waste Codes:	Not reported

W140 **HICKSVILLE WATER DISTRICT - PLANT 10** **NY AST** **A100352054**
West **111 W BARCLAY ST** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.225 mi.
1187 ft. **Site 2 of 4 in cluster W**

Relative:
Lower

Actual:
140 ft.

NCFM AST:

Location Id:	6323317
Batt/Dept:	93
Unit Type:	DB
Vendor:	Not reported
Status:	Active
Contents:	30199301
Installed Date:	10/13/2004
Last Test Date:	10/13/2004

W141 **HICKSVILLE WATER DISTRICT PLANT NO 10** **NY CBS** **S113813710**
West **111 W BARCLAY ST** **NY MANIFEST** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.225 mi.
1187 ft. **Site 3 of 4 in cluster W**

Relative:
Lower

Actual:
140 ft.

CBS:

Name:	PLANT NO. 10
Address:	111 WEST BARCLAY STREET
City,State,Zip:	HICKSVILLE, NY 11801
CBS Number:	1-000076
Program Type:	CBS
Facility Status:	Active
Expiration Date:	05/25/2027
Dec Region:	1
UTMX:	624049.56873
UTMY:	4513974.54184

NY MANIFEST:

EPA ID:	NYR000240747
Country:	USA
Name:	Hicksville Water District Plant No 10
Address:	111 W BARCLAY ST
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	111 W BARCLAY ST
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported

HICKSVILLE WATER DISTRICT PLANT NO 10 (Continued) **S113813710**

Code: BP

Mailing:
Mailing Name: Hicksville Water District Plant No 10
Mailing Contact: Hicksville Water District
Mailing Address 1: 111 W BARCLAY ST
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5169310184

T142 **LITMOR PUBLISHING CORP** **RCRA NonGen / NLR** **1000555170**
NE **81 E BARCLAY ST** **FINDS** **NYD986976793**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.226 mi. **NY MANIFEST**
1192 ft. **Site 2 of 2 in cluster T**

Relative: **Higher**
Actual: **149 ft.**

RCRA Listings:
Date Form Received by Agency: 20070101
Handler Name: Litmor Publishing Corp
Handler Address: E Barclay St
Handler City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD986976793
Contact Name: ED NORRIS
Contact Address: E BARCLAY ST
Contact City,State,Zip: HICKSVILLE, NY 11801
Contact Telephone: 516-931-0012
Contact Fax: Not reported
Contact Email: Not reported
Contact Title: Not reported
EPA Region: 02
Land Type: Private
Federal Waste Generator Description: Not a generator, verified
Non-Notifier: Not reported
Biennial Report Cycle: Not reported
Accessibility: Not reported
Active Site Indicator: Not reported
State District Owner: Ny
State District: NYSDEC R1
Mailing Address: E BARCLAY ST
Mailing City,State,Zip: HICKSVILLE, NY 11801
Owner Name: Litmore Publications Corp
Owner Type: Private
Operator Name: Litmore Publications Corp
Operator Type: Private
Short-Term Generator Activity: No
Importer Activity: No
Mixed Waste Generator: No
Transporter Activity: No
Transfer Facility Activity: No
Recycler Activity with Storage: No
Small Quantity On-Site Burner Exemption: No
Smelting Melting and Refining Furnace Exemption: No
Underground Injection Control: No
Off-Site Waste Receipt: No
Universal Waste Indicator: No

LITMOR PUBLISHING CORP (Continued) **1000555170**

Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D011
Waste Description:	Silver

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	LITMORE PUBLICATIONS CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	81 E BARCLAY ST
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-931-0012
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name:	LITMORE PUBLICATIONS CORP
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported

LITMOR PUBLISHING CORP (Continued) **1000555170**

Owner/Operator Address: 81 E BARCLAY ST
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-931-0012
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: LITMORE PUBLICATIONS CORP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 81 E BARCLAY ST
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-931-0012
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19911107
Handler Name: LITMOR PUBLISHING CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: LITMOR PUBLISHING CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: LITMOR PUBLISHING CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported

LITMOR PUBLISHING CORP (Continued) **1000555170**

Electronic Manifest Broker: Not reported

Receive Date: 19960522
Handler Name: LITMOR PUBLISHING CORP
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Has the Facility Received Notices of Violations:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

LITMOR PUBLISHING CORP (Continued) **1000555170**

Evaluation Action Summary:

Evaluation Date:	19910807
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYTLR
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:

Registry ID: 110004478752

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:

The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000555170
Registry ID:	110004478752

DFR URL:

Name:	LITMOR PUBLISHING CORP
Address:	81 E Barclay St
City,State,Zip:	HICKSVILLE, NY 11801

NY MANIFEST:

EPA ID:	NYD986976793
Country:	USA
Name:	Litmor Publishing Corp
Address:	81 E BARCLAY ST
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	81 E BARCLAY ST
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

LITMOR PUBLISHING CORP (Continued) **1000555170**

Mailing Name: Litmor Publishing Corp
Mailing Contact: Ed Norris
Mailing Address 1: 81 E BARCLAY ST
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5169310012

Manifest Data:
Document ID: NYG0480744
Manifest Status: Not reported
Trans1 State ID: PW6590
Year: 1997
Trans2 State ID: Not reported
Generator Ship Date: 08/13/1997
Trans1 Recv Date: 08/13/1997
Trans2 Recv Date: Not reported
TSD Site Recv Date: 08/13/1997
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986976793
Trans1 EPA ID: NYR000025767
Trans2 EPA ID: Not reported
TSDF ID 1: NYD981182769
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Silver
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00030
Units: Gallons (liquids only)
Number of Containers: 002
Container Type: Fiberboard or plastic drums, barrels, kegs
Handling Method: Recycle
Specific Gravity: 01.00

Document ID: NYB8323785
Manifest Status: Not reported
Trans1 State ID: XC2643
Year: 1996
Trans2 State ID: Not reported
Generator Ship Date: 10/04/1996

LITMOR PUBLISHING CORP (Continued) **1000555170**

Trans1 Recv Date:	10/04/1996
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/04/1996
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986976793
Trans1 EPA ID:	NYD981182769
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD981182769
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Silver
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00030
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYB8062047
Manifest Status:	Not reported
Trans1 State ID:	XC2643
Year:	1996
Trans2 State ID:	Not reported
Generator Ship Date:	07/24/1996
Trans1 Recv Date:	07/24/1996
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/24/1996
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986976793
Trans1 EPA ID:	NYD981182769
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD981182769
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported

LITMOR PUBLISHING CORP (Continued) **1000555170**

Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Silver
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00045
Units: Gallons (liquids only)
Number of Containers: 003
Container Type: Fiberboard or plastic drums, barrels, kegs
Handling Method: Recycle
Specific Gravity: 01.00

Document ID: NYB8071308
Manifest Status: Not reported
Trans1 State ID: XC2643
Year: 1996
Trans2 State ID: Not reported
Generator Ship Date: 05/23/1996
Trans1 Recv Date: 05/23/1996
Trans2 Recv Date: Not reported
TSD Site Recv Date: 05/23/1996
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986976793
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSDF ID 1: NYD981182769
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Silver
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00030
Units: Gallons (liquids only)
Number of Containers: 002
Container Type: Fiberboard or plastic drums, barrels, kegs

LITMOR PUBLISHING CORP (Continued) **1000555170**

Handling Method: Recycle
Specific Gravity: 01.00

Document ID: NYB8057394
Manifest Status: Not reported
Trans1 State ID: XC2643
Year: 1996
Trans2 State ID: Not reported
Generator Ship Date: 09/05/1996
Trans1 Recv Date: 09/05/1996
Trans2 Recv Date: Not reported
TSD Site Recv Date: 09/05/1996
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986976793
Trans1 EPA ID: NYD981182769
Trans2 EPA ID: Not reported
TSDF ID 1: NYD981182769
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Silver
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00030
Units: Gallons (liquids only)
Number of Containers: 002
Container Type: Fiberboard or plastic drums, barrels, kegs
Handling Method: Recycle
Specific Gravity: 01.00

Document ID: NYG0122202
Manifest Status: Not reported
Trans1 State ID: PW6590
Year: 1997
Trans2 State ID: Not reported
Generator Ship Date: 03/04/1997
Trans1 Recv Date: 03/04/1997
Trans2 Recv Date: Not reported
TSD Site Recv Date: 03/04/1997
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986976793
Trans1 EPA ID: NYR000025767

LITMOR PUBLISHING CORP (Continued) **1000555170**

Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD981182769
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Silver
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00045
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYB8520588
Manifest Status:	Not reported
Trans1 State ID:	PW6590
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	01/09/1997
Trans1 Recv Date:	01/09/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/09/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986976793
Trans1 EPA ID:	NYR000025767
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD981182769
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Silver

LITMOR PUBLISHING CORP (Continued) **1000555170**

Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00030
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYB8552682
Manifest Status:	Not reported
Trans1 State ID:	Not reported
Year:	1996
Trans2 State ID:	Not reported
Generator Ship Date:	11/20/1996
Trans1 Recv Date:	11/20/1996
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/20/1996
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986976793
Trans1 EPA ID:	NYX720000000
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD981182769
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Silver
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00030
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYG0008154
Manifest Status:	Not reported
Trans1 State ID:	PW6580
Year:	1997

LITMOR PUBLISHING CORP (Continued) **1000555170**

Trans2 State ID:	Not reported
Generator Ship Date:	04/29/1997
Trans1 Recv Date:	04/29/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/29/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986976793
Trans1 EPA ID:	NYR000025767
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD981182769
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Silver
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00030
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYG0811935
Manifest Status:	Not reported
Trans1 State ID:	PW6590
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	10/08/1997
Trans1 Recv Date:	10/08/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/08/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986976793
Trans1 EPA ID:	NYR000025767
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD981182769
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported

LITMOR PUBLISHING CORP (Continued) **1000555170**

Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Silver
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00015
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

X143 **TEXACO** **NY AST** **S102140652**
SSW **180 OLD COUNTRY ROAD** **NY Spills** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.227 mi.
1196 ft. **Site 1 of 6 in cluster X**

Relative: **Lower**

Actual: **139 ft.**

NASSAU CO. AST:

Facility ID:	#59539
Tank ID:	1
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	220 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	10/01/2020

SPILLS:

Name:	TEXACO
Address:	180 OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9107979 / 2003-11-23
Facility ID:	9107979
Facility Type:	ER
DER Facility ID:	415451
Site ID:	98354
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	B3
SWIS:	3024
Spill Date:	1991-10-25
Investigator:	RDDECAND
Referred To:	Not reported
Reported to Dept:	1991-10-25
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility

TEXACO (Continued) **S102140652**

Spill Notifier:	Tank Tester
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	1991-10-30
Spill Record Last Update:	2020-10-16
Spiller Name:	MIKE BRUNO
Spiller Company:	TEXACO
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7616751
Longitude:	-73.5283239
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DECANDIA WELL
Remarks:	NCFM NOTIFIED, ISOLATE, EXCAVATE AND RETEST. UNICO TESTER. STATION IS SHUTDOWN. LINE TEST METHOD

All Materials:

Site ID:	98354
Operable Unit ID:	958438
Operable Unit:	01
Material ID:	574053
Material Code:	2645A
Material Name:	BTEX
Case No.:	Not reported
Material FA:	Oxygenates
Quantity:	Not reported
Units:	Not reported
Recovered:	Not reported
Oxygenate:	True

Site ID:	98354
Operable Unit ID:	958438
Operable Unit:	01
Material ID:	420154
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	True

Site ID:	98354
Operable Unit ID:	958438
Operable Unit:	01
Material ID:	572760
Material Code:	1213A
Material Name:	MTBE (methyl-tert-butyl ether)
Case No.:	01634044
Material FA:	Hazardous Material
Quantity:	Not reported
Units:	Not reported

TEXACO (Continued) **S102140652**

Recovered: Not reported
Oxygenate: True

Name: TEXACO S/S
Address: 180 OLD COUNTRY ROAD
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 9504489 / 2003-08-04
Facility ID: 9504489
Facility Type: ER
DER Facility ID: 415451
Site ID: 98355
DEC Region: 1
Spill Cause: Human Error
Spill Class: C3
SWIS: 3024
Spill Date: 1995-07-14
Investigator: RDDECAND
Referred To: Not reported
Reported to Dept: 1995-07-14
CID: Not reported
Water Affected: Not reported
Spill Source: Gasoline Station or other PBS Facility
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1995-07-17
Spill Record Last Update: 2013-05-11
Spiller Name: JENNIFER BOTHWELL
Spiller Company: STAR ENTERPRISES
Spiller Address: 211 RIVERSIDE DRIVE
Spiller Company: 001
Contact Name: Not reported
Latitude: 40.7641499
Longitude: -73.5196900
DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was DECANDIA SEE ALSO 91-07979
7/14/95 ACAMPORA HAD TELECON WITH JED MYERS OF UNICO, DRAINAGE IMPACTED, UNICO DID CLEANUP
Remarks: DRIVE OFF A GAS PUMP.

All Materials:
Site ID: 98355
Operable Unit ID: 1019237
Operable Unit: 01
Material ID: 366001
Material Code: 0008
Material Name: diesel
Case No.: Not reported
Material FA: Petroleum
Quantity: 10.00
Units: G
Recovered: .00
Oxygenate: Not reported

TEXACO (Continued) **S102140652**

Name:	HICKSVILLE OPERATION CTR
Address:	180 OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9515477 / 1996-08-14
Facility ID:	9515477
Facility Type:	ER
DER Facility ID:	415451
Site ID:	98356
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C3
SWIS:	3024
Spill Date:	1996-03-01
Investigator:	SCHULZ
Referred To:	Not reported
Reported to Dept:	1996-03-01
CID:	252
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-03-01
Spill Record Last Update:	2013-05-11
Spiller Name:	PATRICK VANROSSEM
Spiller Company:	LILCO
Spiller Address:	180 OLD COUNTRY ROAD
Spiller Company:	001
Contact Name:	PATRICK VANROSSEM
Latitude:	40.7641499
Longitude:	-73.5196900
DEC Memo:	TELECON WITH VANROSSAN, LILCO HAZMAT TEAM DID CLEANUP, SPILL ON ASPHALT, OIL AND WIPE SAMPLES TAKEN, WASTE TAKEN TO HICKSVILLE
Remarks:	the oil was tested for pcb's and was positive-has been cleaned up by lilco-transformer was an out of service transformer that was being moved out of yard-not affecting any private property

All Materials:

Site ID:	98356
Operable Unit ID:	1030119
Operable Unit:	01
Material ID:	355602
Material Code:	0020A
Material Name:	transformer oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	1.00
Oxygenate:	Not reported

X144 **TEXACO SERVICE STATION** **RCRA NonGen / NLR** **1000144528**
SSW **180 OLD COUNTRY RD** **FINDS** **NYD986901726**
1/8-1/4 **HICKSVILLE, NY 11801** **ECHO**
0.227 mi.
1196 ft. **Site 2 of 6 in cluster X**

Relative: **Lower**
Actual: **139 ft.**

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Texaco Service Station
Handler Address:		Old Country Rd
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYD986901726
Contact Name:		Not reported
Contact Address:		FELLOWSHIP RD CS-18
Contact City,State,Zip:		MOORESTOWN, NY 08057
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		FELLOWSHIP RD CS-18
Mailing City,State,Zip:		MOORESTOWN, NY 08057
Owner Name:	Star Enterprise	
Owner Type:		Private
Operator Name:	Star Enterprise	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

TEXACO SERVICE STATION (Continued) **1000144528**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: STAR ENTERPRISE	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: STAR ENTERPRISE	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: STAR ENTERPRISE	
Legal Status:	Private
Date Became Current:	Not reported

TEXACO SERVICE STATION (Continued) **1000144528**

Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Historic Generators:

Receive Date:	19950418
Handler Name: TEXACO SERVICE STATION	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name: TEXACO SERVICE STATION	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: TEXACO SERVICE STATION	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19900529
Handler Name: TEXACO SERVICE STATION	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

TEXACO SERVICE STATION (Continued) **1000144528**

Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004447386

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000144528
Registry ID: 110004447386

DFR URL:
Name: TEXACO SERVICE STATION
Address: 180 Old Country Rd
City,State,Zip: HICKSVILLE, NY 11801

X145 **TEXACO SERVICE STATION** **NY UST** **U003913890**
SSW **180 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.227 mi.
1196 ft. **Site 3 of 6 in cluster X**

Relative:
Lower

Actual:
139 ft.

NCFM UST:
Batt/Dept: 93
Location Id: 12567
Vendor: TEXACO

Unit Type: HC
Status: Removed
Tank Contents: 10000000
Installed Date: 11/08/1982
Last Test Date: 03/13/2002

TEXACO SERVICE STATION (Continued) **U003913890**

NASSAU CO. UST:

Facility ID:	#57259
Owner Name:	STAR ENTERPRISE
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Permitee Name:	SAME
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported
Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1982
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1982
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1982
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	01/01/1982
Leak Detected:	Not reported
Material Type:	Not reported

TEXACO SERVICE STATION (Continued) **U003913890**

Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

X146 **FELCO REALTY LLC** **NY TANKS S123258601**
SSW **180 OLD COUNTRY ROAD** **NY SPDES N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.227 mi.
1196 ft. **Site 4 of 6 in cluster X**

Relative: **Lower**
Actual: **139 ft.**

TANKS NASSAU:

Name:	TEXACO SERVICE STATION
Address:	180 OLD COUNTRY RD.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	6/1/1999
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

SPDES:

Name:	Felco Realty Llc
Address:	180 OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY 11801-
Permit Number:	NYR10M507
State-Region:	1
Expiration Date:	Not reported
Current Major Minor Status:	Not reported
Primary Facility SIC Code:	Not reported
State Water Body Name:	NONE
Limit Set Status Flag:	Not reported
Total Actual Average Flow(MGD):	Not reported
Total App Design Flow(MGD):	Not reported
UDF1:	Not reported
Lat/Long:	624294 / 4513401
DMR Cognizant Official:	Not reported
UDF2:	Not reported
UDF3:	Not reported

FELCO REALTY LLC (Continued) **S123258601**

FIPS County Code:	Not reported
Non-Gov Permit Affiliation Type Desc:	Not reported
Non-Gov Permit Org Formal Name:	Not reported
Non-Gov Permit Street Address:	Not reported
Non-Gov Permit Supplemental Location:	Not reported
Non-Gov Permit City:	Not reported
Non-Gov Permit State Code:	Not reported
Non-Gov Permit Zip Code:	Not reported
Non-Gov Facility Affiliation Type Desc:	Not reported
Non-Gov Facility Org Formal Name:	Not reported
Non-Gov Facility Street Address:	Not reported
Non-Gov Facility Supplemental Location:	Not reported
Non-Gov Facility City:	Not reported
Non-Gov Facility State Code:	Not reported
Non-Gov Facility Zip Code:	Not reported
State Water Body:	Not reported
Region Permit Processed:	Not reported
Dow Discharge Class Code:	Not reported
SPDES Class Description:	Not reported
Affiliation Type Description:	Not reported
Name:	Not reported
Contacts Title:	Not reported
Contacts Email:	Not reported
NOI Submission Date:	Not reported
Facility Type:	Construction Permit - 2003_present

X147 **TEXACO** **UST FINDER RELEASE** **1029075888**
SSW **180 OLD COUNTRY ROAD** **N/A**
1/8-1/4 **HICKSVILLE, NY 0**
0.227 mi.
1196 ft. **Site 5 of 6 in cluster X**

Relative: **Lower**
Actual: **139 ft.**

UST FINDER RELEASE:

Object ID:	266080
Facility ID:	NY415451
Lust ID:	NY9107979
Name:	TEXACO
Address:	180 OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1991/10/25 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1442
Domestic Wells within 1500ft:	0
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported

TEXACO (Continued) **1029075888**

EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.52832
Y Coord:	40.7616800000001
Latitude:	40.7616799999999
Longitude:	-73.5283199999999

W148 **GILISON KNITWER CO. INC.** **NY UST** **U004312417**
WNW **65-89 W. JOHN ST.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11802**
0.227 mi.
1199 ft. **Site 4 of 4 in cluster W**

Relative: NASSAU CO. UST:
Lower

Actual: **141 ft.**

Facility ID:	055090
Owner Name:	GILISON KNITWEAR CO. INC.
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Permitee Name:	GILISON REALTY
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported
Tank Status:	In Service
Tank Internal Pro:	9
Tank External Pro:	9
Install Date:	121977
Leak Detected:	5
Material Type:	Fresh/Product
Tank Material:	STEEL
Piping Type:	Steel/Iron
Containment:	NONE
Product Gauge:	Yes
Dispense Method:	Submersible
Fill Type:	Pumped
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1977
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported

GILISON KNITWER CO. INC. (Continued) **U004312417**

Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

U149 **76 N. BROADWAY LLC** **NY UST** **U004430479**
NNW **76 N. BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.227 mi.
1200 ft. **Site 2 of 5 in cluster U**

Relative: NASSAU CO. UST:
Higher

Facility ID:	#59347
Owner Name:	SAME
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Permitee Name:	SAME
Permitee Address:	Not reported
Permitee City,St,Zip:	Not reported

Actual:
147 ft.

Tank Status:	4-Abandoned in Place
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	12/01/1966
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

U150 **OFFICE BLDG.** **NY TANKS** **S130557863**
NNW **76 N. BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11552**
0.227 mi.
1200 ft. **Site 3 of 5 in cluster U**

Relative: TANKS NASSAU:
Higher
Actual: Name: OFFICE BLDG.
147 ft. Address: 76 N. BROADWAY
City,State,Zip: HICKSVILLE, NY 11552
Facility Status: Not reported
Permit End Date: 4/1/2007
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

U151 **OFFICE BLDG.** **NY UST** **U004430138**
NNW **76 N. BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11552**
0.227 mi.
1200 ft. **Site 4 of 5 in cluster U**

Relative: NASSAU CO. UST:
Higher
Actual: Facility ID: #58666
147 ft. Owner Name: QCT MANAGEMENT
Owner Address: 1530 52ND ST.
Owner City,St,Zip: BROOKLYN, NY 11219
Permitee Name: SAME
Permitee Address: Not reported
Permitee City,St,Zip: Not reported

Tank Status: 6-Must be Replaced
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1966
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

U152 **76 N. BROADWAY LLC** **NY TANKS** **S130555781**
NNW **76 N. BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.227 mi.
1200 ft. **Site 5 of 5 in cluster U**

Relative: TANKS NASSAU:
Higher
Actual: Name: 76 N. BROADWAY LLC
147 ft. Address: 76 N. BROADWAY
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 4/1/2013
Tank Number: Not reported

76 N. BROADWAY LLC (Continued) **S130555781**

Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Y153 **ALDRICH MGMNT CO, LLC** **NY UST** **U004430656**
NE **25 WOODBURY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.228 mi.
1205 ft. **Site 1 of 3 in cluster Y**

Relative:
Higher

Actual:
149 ft.

NASSAU CO. UST:
Facility ID: #59731
Owner Name: SAME
Owner Address: SAME
Owner City,St,Zip: Not reported
Permitee Name: SAME
Permitee Address: Not reported
Permitee City,St,Zip: Not reported

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 01/01/1955
Leak Detected: Not reported
Material Type: Not reported
Tank Material: Not reported
Piping Type: Not reported
Containment: Not reported
Product Gauge: No
Dispense Method: Not reported
Fill Type: Not reported

Y154 **ALDRICH MGMNT CO, LLC** **NY TANKS** **S130555874**
NE **25 WOODBURY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.228 mi.
1205 ft. **Site 2 of 3 in cluster Y**

Relative:
Higher

Actual:
149 ft.

TANKS NASSAU:
Name: ALDRICH MGMNT CO, LLC
Address: 25 WOODBURY RD.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 6/1/2013
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Z155 **AMERICAN DENTAL OFFICES # 12** **E MANIFEST** **1031862178**
ESE **180 BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.229 mi.
1210 ft. **Site 1 of 2 in cluster Z**

Relative:
Lower

Actual:
143 ft.

E MANIFEST:

Manifest Tracking Number:	021670862JJK
Last Updated Date:	20210517
Shipped Date:	20210302
Received Date:	20210402
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	VSQG
Generator Name:	American Dental Offices # 12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD002200046
Designated Facility Name:	Cycle Chem, Inc.
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	217 SOUTH FIRST STREET
Designated Facility Mail City:	ELIZABETH
Designated Facility Mail Zip:	07206
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	217 SOUTH FIRST STREET
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	ELIZABETH
Designated Facility Location Zip:	07206
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	021914781JJK
Last Updated Date:	20210716
Shipped Date:	20210617
Received Date:	20210625
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	VSQG
Generator Name:	American Dental Offices # 12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY
Generator Location Street 2:	Not reported

AMERICAN DENTAL OFFICES # 12 (Continued) **1031862178**

Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD002200046
Designated Facility Name:	Cycle Chem, Inc.
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	217 SOUTH FIRST STREET
Designated Facility Mail City:	ELIZABETH
Designated Facility Mail Zip:	07206
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	217 SOUTH FIRST STREET
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	ELIZABETH
Designated Facility Location Zip:	07206
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Transporter:

Manifest Tracking Number:	021914781JJK
Transporter Line Number:	1
Transporter EPA ID:	NYR000076513
Transporter Name:	Approved Storage And Waste Hauling

Waste Line:

Manifest Tracking Number:	021914781JJK
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Rq, Na3082, Hazardous Waste, Liquid, N.O.S. (Silver), 9 , Iii
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	5
Quantity Unit of Measure Code:	G
Quantity Unit of Measure Description:	Gallons
Waste Quantity, in Tons:	0.020850709
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.020850709
Waste Quantity, in Kilograms:	18.912218
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	18.912218
Management Method Code:	H110
Management Method Description:	STABILIZATION
Waste Residue Indicator:	N

AMERICAN DENTAL OFFICES # 12 (Continued) **1031862178**

Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Federal Waste Codes:	D011
Quantity Haz Kg:	18.912218
Quantity Haz Tons:	0.020850709
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0
State Waste Codes:	NY-T

Z156 **AMERICAN DENTAL OFFICES #12** **E MANIFEST** **1031862180**
ESE **180 BROADWAY / 35 BROADWAY** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.229 mi.
1210 ft. **Site 2 of 2 in cluster Z**

Relative: **Lower**

Actual: **143 ft.**

E MANIFEST:

Manifest Tracking Number:	015927122JJK
Last Updated Date:	20191228
Shipped Date:	20190814
Received Date:	20190828
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018668393JJK
Last Updated Date:	20200114
Shipped Date:	20191009
Received Date:	20191025
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018668475JJK
Last Updated Date:	20200623
Shipped Date:	20191113
Received Date:	20191122
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018668815JJK
Last Updated Date:	20190514
Shipped Date:	20190313
Received Date:	20190329
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018669654JJK
Last Updated Date:	20180928
Shipped Date:	20180808
Received Date:	20180828
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	110 EDISON AVENUE
Generator Mail Street 2:	Not reported
Generator Mail City:	MOUNT VERNON
Generator Mail Zip:	10550
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	PAD085690592
Designated Facility Name:	Republic Env Sys Inc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	2869 Sandstone Drive
Designated Facility Mail City:	Hatfield
Designated Facility Mail Zip:	19440
Designated Facility Mail State:	PA
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	2869 Sandstone Drive
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Hatfield
Designated Facility Location Zip:	19440
Designated Facility Location State:	PA
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018669758JJK
Last Updated Date:	20181003

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

Shipped Date:	20180912
Received Date:	20180926
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	110 EDISON AVENUE
Generator Mail Street 2:	Not reported
Generator Mail City:	MOUNT VERNON
Generator Mail Zip:	10550
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018669965JJK
Last Updated Date:	20181130
Shipped Date:	20181114
Received Date:	20181127
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	110 EDISON AVENUE
Generator Mail Street 2:	Not reported
Generator Mail City:	MOUNT VERNON

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

Generator Mail Zip:	10550
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018670229JJK
Last Updated Date:	20200401
Shipped Date:	20200311
Received Date:	20200320
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	018670252JJK
Last Updated Date:	20200227
Shipped Date:	20200212
Received Date:	20200221
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	018668044JJK
Last Updated Date:	20190731
Shipped Date:	20190508
Received Date:	20190521
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	018668255JJK
Last Updated Date:	20191114
Shipped Date:	20190710
Received Date:	20190724
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	CESQG
Generator Name:	American Dental Offices #12
Generator Location Street Number:	Not reported
Generator Location Street 1:	180 BROADWAY / 35 BROADWAY
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	180 BROADWAY / 35 BROADWAY
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Transporter:

Manifest Tracking Number:	018670447JJK
Transporter Line Number:	1
Transporter EPA ID:	NYR000076513
Transporter Name:	Approved Storage & Waste Haul.

Waste Line:

Manifest Tracking Number:	018670447JJK
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	NA3082
U.S. DOT Description:	Na3082 Hazardous Waste, Liquid, N.O.S. (Silver) Iii 9 D011=1#
Non-Hazardous Waste Description:	Not reported
Number of Containers:	2
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	10
Quantity Unit of Measure Code:	G
Quantity Unit of Measure Description:	Gallons
Waste Quantity, in Tons:	0.041701417
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.041701417
Waste Quantity, in Kilograms:	37.824436
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	37.824436
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Federal Waste Codes:	D011
Quantity Haz Kg:	37.824436
Quantity Haz Tons:	0.041701417
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0

AMERICAN DENTAL OFFICES #12 (Continued) **1031862180**

State Waste Codes: Not reported

Click this hyperlink while viewing on your computer to access
2 additional US EManifest: record(s) in the EDR Site Report.

V157 **CANTIAGUE PARK ADMIN** **NY LTANKS** **S100177465**
WNW **WEST JOHN STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.234 mi.
1237 ft. **Site 2 of 4 in cluster V**

Relative:
Lower

Actual:
142 ft.

LTANKS:

Name:	CANTIAGUE PARK ADMIN
Address:	WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9109619 / 1994-11-02
Facility ID:	9109619
Site ID:	250285
Spill Date:	1991-12-09
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	B3
Cleanup Ceased:	1994-11-02
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1991-12-10
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-12-10
Spill Record Last Update:	2019-04-30
Spiller Name:	Not reported
Spiller Company:	NCDPW
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	289226
Latitude:	40.7685249
Longitude:	-73.5298450
DEC Memo:	FAILED SYSTEM RETEST 1/8/92 AND 1/10/92 AFTER NEW PIPING WAS INSTALLED. TANK REMOVED 2/4/92 NYSDEC CAMPBELL ATTENDED, 5 YDS OF CONTAMINATED SOIL REMOVED AT WHICH POINT NO FURTHER CONTAMINATION WAS DETECTED IN THE EXCAVATION. SOIL RECEIPT REC'VD. NO FURTHE ACTION NEEDED AT THIS TIME
Remarks:	1500 FAILED AT -.088, WILL ISOLATE, EXCAVATE,AND RETEST

All TTF:

Facility ID:	9109619
Spill Number:	9109619

CANTIAGUE PARK ADMIN (Continued) **S100177465**

Spill Tank Test:	1539398
Site ID:	250285
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	250285
Operable Unit ID:	963408
Operable Unit:	01
Material ID:	418218
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

V158 **RELIANCE UTILITIES** **NY LTANKS** **S100170880**
WNW **WEST JOHN STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.234 mi.
1237 ft. **Site 3 of 4 in cluster V**

Relative: **Lower**

Actual: **142 ft.**

LTANKS:

Name:	RELIANCE UTILITIES
Address:	WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8604793 / 1987-09-09
Facility ID:	8604793
Site ID:	250277
Spill Date:	1986-10-27
Spill Cause:	Tank Test Failure
Spill Source:	Non Major Facility > 1,100 gal
Spill Class:	Not reported
Cleanup Ceased:	1987-09-09
SWIS:	3024
Investigator:	CXONEILL
Referred To:	Not reported
Reported to Dept:	1986-10-27
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported

RELIANCE UTILITIES (Continued) **S100170880**

Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1986-11-04
Spill Record Last Update:	2007-02-13
Spiller Name:	Not reported
Spiller Company:	RELIANCE UTILITIES
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	289226
Latitude:	40.7685249
Longitude:	-73.5298450
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'NEILL FD / / : TYREE TO RETEST. / / : TYREE REPLACED VENT LINE & SYSTEMS PASSED RETEST.DEC NOT PRESENT DURING RETEST. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	1 4K UNTESTABLE.TANK PUMPED OUT.TYREE EXPOSING AND RETESTING.

All TTF:

Facility ID:	8604793
Spill Number:	8604793
Spill Tank Test:	1530326
Site ID:	250277
Tank Number:	Not reported
Tank Size:	0
Material:	0008
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	250277
Operable Unit ID:	902005
Operable Unit:	01
Material ID:	474021
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

V159 **CANTIAGUE PARK ADMIN BLDG** **NY LTANKS** **S100177519**
WNW **WEST JOHN STREET** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.234 mi.
1237 ft. **Site 4 of 4 in cluster V**

Relative:
Lower

Actual:
142 ft.

LTANKS:

Name:	CANTIAGUE PARK MAINTENANCE BLDG
Address:	WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9110529 / 1992-02-25
Facility ID:	9110529
Site ID:	250286
Spill Date:	1992-01-07
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	1992-02-25
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1992-01-08
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1992-01-08
Spill Record Last Update:	2019-05-06
Spiller Name:	PETER WITKOWSKI
Spiller Company:	NCDPW
Spiller Address:	425 SALISBURY PARK DRIVE
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	289226
Latitude:	40.7685249
Longitude:	-73.5298450
DEC Memo:	2/4/92 TANK REMOVED WITH BRIAN CAMPBELL-DEC ON SITE, NO EVIDENCE OF CONT SOIL. NO FURTHER ACTION NEEDED AT THIS TIME
Remarks:	2500 FAILED AT -.05, PETROTITE TANK ONLY, NCDPW TO RETEST TANK, TESTER THINKS TEST WAS PERFORMED IMPROPERLY

All TTF:

Facility ID:	9110529
Spill Number:	9110529
Spill Tank Test:	1539494
Site ID:	250286
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported

CANTIAGUE PARK ADMIN BLDG (Continued) **S100177519**

Test Method: 00
Test Method 2: Unknown
Leak Rate: .00
Gross Fail: Not reported
Modified By: Spills
Last Modified Date: Not reported

All Materials:
Site ID: 250286
Operable Unit ID: 960554
Operable Unit: 01
Material ID: 419056
Material Code: 0001A
Material Name: #2 fuel oil
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

Name: CANTIAGUE PARK ADMIN BLDG
Address: WEST JOHN STREET
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 9110582 / 1992-02-24
Facility ID: 9110582
Site ID: 250287
Spill Date: 1992-01-08
Spill Cause: Tank Test Failure
Spill Source: Institutional, Educational, Gov., Other
Spill Class: B3
Cleanup Ceased: 1992-02-24
SWIS: 3024
Investigator: T/T/F
Referred To: Not reported
Reported to Dept: 1992-01-09
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported
Recommended Penalty: False
Meets Standard: True
UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 1992-01-10
Spill Record Last Update: 2019-05-06
Spiller Name: PETER WITKOWSKI
Spiller Company: NCDPW
Spiller Address: 425 SALISBURY PARK DRIVE
Spiller County: 001
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
DEC Region: 1
DER Facility ID: 289226
Latitude: 40.7685249

CANTIAGUE PARK ADMIN BLDG (Continued) **S100177519**

Longitude:	-73.5298450
DEC Memo:	SYSTEMS RETEST FOR 91-09619, TANK REMOVED 2/4/92 5-10 YDS, NO FURTHER ACTION NEEDED AT THIS TIME.SEE 9109619
Remarks:	PASSED TANK ALONE ON DEC 17TH THEY HOOKED UP NEW PIPING AND FAILED SYSTEM TEST, PROBLEM IN PIPING, 1500 FAILED AT -.09 PETROTITE

All TTF:

Facility ID:	9110582
Spill Number:	9110582
Spill Tank Test:	1539503
Site ID:	250287
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	250287
Operable Unit ID:	960605
Operable Unit:	01
Material ID:	419104
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AA160 **AUTO-SPA** **NY UST** **U004427345**
SE **56 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.236 mi.
1247 ft. **Site 1 of 8 in cluster AA**

Relative: **Lower**
Actual: **142 ft.**

NASSAU CO. UST:

Facility ID:	#41149
Owner Name:	HICKSVILLE QUICK LUBE CO.
Owner Address:	56 OLD COUNTRY ROAD
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	STELLIOS NEAMONITIS
Permitee Address:	370 PLAINVIEW ROAD
Permitee City,St,Zip:	HICKSVILLE, NY 11801
Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported

AUTO-SPA (Continued) **U004427345**

Install Date:	04/01/1987
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	04/01/1987
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

AA161 **AUTO SPA-HICKSVILLE** **NY TANKS** **S130556003**
SE **56 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.236 mi.
1247 ft. **Site 2 of 8 in cluster AA**

Relative: TANKS NASSAU:
Lower

Name:	AUTO SPA-HICKSVILLE
Address:	56 OLD COUNTRY RD.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	3/1/2001
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

Actual:
142 ft.

AA162 **VALVOLINE INST. OIL CHANGE** **NY AST** **A100539807**
SE **56 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.236 mi.
1247 ft. **Site 3 of 8 in cluster AA**

Relative: NASSAU CO. AST:
Lower

Facility ID:	#61604

Actual:
142 ft.

Tank ID:	20
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	OIL, MOTOR (P)
Date Permit Ends:	Not reported

VALVOLINE INST. OIL CHANGE (Continued) **A100539807**

Tank ID: 16
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: Not reported

Tank ID: 17
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: Not reported

Tank ID: 31
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 160 (Gal.)
Description: ETHYLENE GLYCOL (C)
Date Permit Ends: Not reported

Tank ID: 19
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: Not reported

Tank ID: 21
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: Not reported

Tank ID: 22
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: Not reported

Tank ID: 23
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: Not reported

Tank ID: 24
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: Not reported

Tank ID: 25

VALVOLINE INST. OIL CHANGE (Continued) **A100539807**

Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: TRANSMISSION FLUID (C)
Date Permit Ends: Not reported

Click this hyperlink while viewing on your computer to access
6 additional NY_AST_NASSAU: record(s) in the EDR Site Report.

AA163
SE
1/8-1/4
0.236 mi.
1247 ft.

VALVOLINE INST OIL CHANGE
56 OLD COUNTRY RD.
HICKSVILLE, NY 11801

Site 4 of 8 in cluster AA

NY AST **A100538651**
N/A

Relative:
Lower

Actual:
142 ft.

NASSAU CO. AST:
Facility ID: #57346

Tank ID: 10
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 160 (Gal.)
Description: WINDSHIELD WASHER FLUID (C)
Date Permit Ends: 11/01/2018

Tank ID: 12
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: WASTE OIL (P)
Date Permit Ends: 11/01/2022

Tank ID: 13
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 275 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: 11/01/2022

Tank ID: 14
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 125 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: 11/01/2022

Tank ID: 15
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 125 (Gal.)
Description: OIL, MOTOR (P)
Date Permit Ends: 11/01/2022

Tank ID: 8
Tank Location: 1-Indoor Aboveground
Capacity (Gal): 160 (Gal.)
Description: ETHYLENE GLYCOL (C)
Date Permit Ends: 11/01/2018

VALVOLINE INST OIL CHANGE (Continued) **A100538651**

Tank ID:	7
Tank Location:	3-Outdoor Aboveground
Capacity (Gal):	165 (Gal.)
Description:	ETHYLENE GLYCOL (C)
Date Permit Ends:	11/01/2021

Tank ID:	3
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	11/01/2022

Tank ID:	5
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	OIL, MOTOR (P)
Date Permit Ends:	11/01/2022

Tank ID:	6
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	160 (Gal.)
Description:	ETHYLENE GLYCOL (C)
Date Permit Ends:	11/01/2018

Click this hyperlink while viewing on your computer to access
1 additional NY_AST_NASSAU: record(s) in the EDR Site Report.

AA164 **AUTO SPA-HICKSVILLE** **NY UST** **U004429213**
SE **56 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.236 mi.
1247 ft. **Site 5 of 8 in cluster AA**

Relative:
Lower

Actual:
142 ft.

NASSAU CO. UST:

Facility ID:	#56864
Owner Name:	HICKSVILL OIL CHANGE CORP
Owner Address:	56 OLD COUNTRY RD.
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	STELLOS NEAMONITIS
Permitee Address:	370 PLAINVIEW RD.
Permitee City,St,Zip:	HICKSVILLE, NY 11801
Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	04/01/1987
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

AUTO SPA-HICKSVILLE (Continued) **U004429213**

Tank Status:	R-Reference
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	04/01/1987
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

AA165 **AUTO-SPA** **NY TANKS** **S130556010**
SE **56 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.236 mi.
1247 ft. **Site 6 of 8 in cluster AA**

Relative: **Lower**
Actual: **142 ft.**

TANKS NASSAU:

Name:	AUTO-SPA
Address:	56 OLD COUNTRY RD.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	1/1/1995
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

AA166 **VALVOLINE INST. OIL CHANGE** **NY TANKS** **S130559163**
SE **56 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.236 mi.
1247 ft. **Site 7 of 8 in cluster AA**

Relative: **Lower**
Actual: **142 ft.**

TANKS NASSAU:

Name:	VALVOLINE INST. OIL CHANGE
Address:	56 OLD COUNTRY RD.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	-
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

AA167
SE
1/8-1/4
0.236 mi.
1247 ft.

VALVOLINE INST OIL CHANGE
56 OLD COUNTRY RD.
HICKSVILLE, NY 11801

Site 8 of 8 in cluster AA

NY UST **U004429544**
N/A

Relative:
Lower

Actual:
142 ft.

NASSAU CO. UST:

Facility ID:	#57346
Owner Name:	STELIOS NEAMONITIS
Owner Address:	183 BROADWAY
Owner City,St,Zip:	HICKSVILLE, NY 11801
Permitee Name:	ROARING BROOK LLC.
Permitee Address:	25 MAIN ST.
Permitee City,St,Zip:	HARTFORD, CT 06106
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	07/01/1985
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	5-Permit by Other
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	10/01/1997
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported
Tank External Pro:	Not reported
Install Date:	07/01/1985
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported
Tank Status:	3-Abandoned/Removed
Tank Internal Pro:	Not reported

VALVOLINE INST OIL CHANGE (Continued) **U004429544**

Tank External Pro:	Not reported
Install Date:	12/01/1955
Leak Detected:	Not reported
Material Type:	Not reported
Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

Y168 **HICKSVILLE AUTO SPRING CO INC** **NY AST** **1000272864**
ENE **23 HEITZ PL E MARIE ST** **RCRA NonGen / NLR** **NYD012729505**
1/8-1/4 **HICKSVILLE, NY 11801** **FINDS**
0.237 mi. **ECHO**
1254 ft. **Site 3 of 3 in cluster Y** **NY MANIFEST**

Relative:
Higher

Actual:
148 ft.

NASSAU CO. AST:

Facility ID:	#58923
Tank ID:	5
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	Not reported
Tank ID:	4
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	180 (Gal.)
Description:	OIL, MOTOR (P)
Date Permit Ends:	05/01/2023
Tank ID:	1
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	250 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	05/01/2023
Tank ID:	3
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	OIL, MOTOR (P)
Date Permit Ends:	05/01/2023
Tank ID:	2
Tank Location:	1-Indoor Aboveground
Capacity (Gal):	275 (Gal.)
Description:	WASTE OIL (P)
Date Permit Ends:	05/01/2023

RCRA Listings:

Date Form Received by Agency:	20070101
Handler Name:	Hicksville Auto Spring Co Inc

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Handler Address:		Heitz Pl E Marie St
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYD012729505
Contact Name:		Not reported
Contact Address:		HEITZ PL E MARIE ST
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		HEITZ PL E MARIE ST
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	C & A Realty	
Owner Type:		Private
Operator Name:	C & A Realty	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		N/A
Groundwater Controls Indicator:		N/A
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Not reported

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	D008
Waste Description:	Lead
Waste Code:	D018
Waste Description:	Benzene

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: C & A REALTY	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	23 HEITZ PL
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-931-1200
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Operator
Owner/Operator Name: C & A REALTY	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	23 HEITZ PL
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-931-1200
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: C & A REALTY	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	23 HEITZ PL
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-931-1200
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Historic Generators:

Receive Date:	19990708
Handler Name:	HICKSVILLE AUTO SPRING CO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name:	HICKSVILLE AUTO SPRING CO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name:	HICKSVILLE AUTO SPRING CO INC
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19911113
Handler Name:	HICKSVILLE AUTO SPRING CO INC
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004344923

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000272864
Registry ID: 110004344923

DFR URL:
Name: HICKSVILLE AUTO SPRING CO INC
Address: 23 Heitz Pl E Marie St
City,State,Zip: HICKSVILLE, NY 11801

NY MANIFEST:
EPA ID: NYD012729505
Country: USA
Name: Hicksville Auto Spring
Address: 23 HEITZ PL E MARIE ST
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801
Zip 4: Not reported
Location Address 1: 23 HEITZ AVENUE
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY 11801
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Hicksville Auto Spring
Mailing Contact: Denis
Mailing Address 1: 23 HEITZ AVENUE
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5169311200

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Manifest Data:

Document ID:	PAC6561391
Manifest Status:	Not reported
Trans1 State ID:	PAAH0172
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	05/15/1992
Trans1 Recv Date:	05/15/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/18/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD012729505
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD987266715
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00050
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	PAC8480662
Manifest Status:	Not reported
Trans1 State ID:	PAAH0172
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	10/07/1992
Trans1 Recv Date:	10/07/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/12/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD012729505
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD987266715

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00050
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC2025167
Manifest Status:	Not reported
Trans1 State ID:	P121078
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	07/29/1993
Trans1 Recv Date:	07/29/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/23/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD012729505
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	VAD105838874
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00050
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NYC2027406
Manifest Status:	Not reported
Trans1 State ID:	JE5715
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	06/09/1993
Trans1 Recv Date:	06/09/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/20/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD012729505
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	VAD105838874
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00050
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	PAC8180826
Manifest Status:	Not reported
Trans1 State ID:	PAAH0172
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	03/09/1993

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Trans1 Recv Date:	03/09/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/10/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD012729505
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD987266715
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Lead
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00050
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	PAC8208001
Manifest Status:	Not reported
Trans1 State ID:	PAAH0172
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	01/05/1993
Trans1 Recv Date:	01/05/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/07/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD012729505
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	PAD987266715
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Lead
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00050
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Cargo tanks (tank trucks)
Handling Method: Treat
Specific Gravity: 01.00

Document ID: PAC5057301
Manifest Status: Not reported
Trans1 State ID: PAAH0172
Year: 1992
Trans2 State ID: Not reported
Generator Ship Date: 01/08/1992
Trans1 Recv Date: 01/08/1992
Trans2 Recv Date: Not reported
TSD Site Recv Date: 01/09/1992
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD012729505
Trans1 EPA ID: ILD051060408
Trans2 EPA ID: Not reported
TSDF ID 1: PAD987266715
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Lead
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00060
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Cargo tanks (tank trucks)

HICKSVILLE AUTO SPRING CO INC (Continued) **1000272864**

Handling Method: Treat
Specific Gravity: 01.00

Q169 **VERNON C. WAGNER F.H.** **NY TANKS** **S130559176**
SSE **125 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801**
0.238 mi.
1257 ft. **Site 3 of 3 in cluster Q**

Relative: TANKS NASSAU:
Lower
Name: VERNON C. WAGNER F.H.
Actual: Address: 125 OLD COUNTRY RD.
140 ft. City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: -
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

AB170 **RIDGEWOOD SAVINGS BANK** **NY UST** **U004312429**
South **169 OLD COUNTRY RD.** **N/A**
1/8-1/4 **HICKSVILLE, NY**
0.239 mi.
1261 ft. **Site 1 of 2 in cluster AB**

Relative: NASSAU CO. UST:
Lower
Facility ID: 056208
Actual: Owner Name: RIDGEWOOD SAVINGS BANK
140 ft. Owner Address: 71-02 FOREST AVE.
Owner City,St,Zip: RIDGEWOOD, NY 11385
Permitee Name: SAME
Permitee Address: Not reported
Permitee City,St,Zip: Not reported

Tank Status: In Service
Tank Internal Pro: 9
Tank External Pro: 9
Install Date: 121977
Leak Detected: 5
Material Type: Fresh/Product
Tank Material: UNKNOWN
Piping Type: Unknown
Containment: NONE
Product Gauge: Yes
Dispense Method: Suction
Fill Type: Gravity

Tank Status: 3-Abandoned/Removed
Tank Internal Pro: Not reported
Tank External Pro: Not reported
Install Date: 12/01/1977
Leak Detected: Not reported
Material Type: Not reported

RIDGEWOOD SAVINGS BANK (Continued) **U004312429**

Tank Material:	Not reported
Piping Type:	Not reported
Containment:	Not reported
Product Gauge:	No
Dispense Method:	Not reported
Fill Type:	Not reported

R171 **110 DUFFY LLC** **RCRA-LQG** **1010566371**
WSW **110 DUFFY AVE** **NY MANIFEST** **NYR000149567**
1/8-1/4 **HICKSVILLE, NY 11801**
0.243 mi.
1285 ft. **Site 3 of 3 in cluster R**

Relative: **Lower**
Actual: **139 ft.**

RCRA Listings:

Date Form Received by Agency:		20080228
Handler Name:		110 Duffy Llc
Handler Address:		Duffy Ave
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYR000149567
Contact Name:		BRAD BLUMERFELD
Contact Address:		Not reported
Contact City,State,Zip:		Not reported
Contact Telephone:		631-921-0800
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Large Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		2007
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		ROBBIN LANE
Mailing City,State,Zip:		SYOSSETT, NY 11791
Owner Name:	110 Duffy Llc	
Owner Type:		Private
Operator Name:	110 Duffy Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported

110 DUFFY LLC (Continued) **1010566371**

2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210903
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2007

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D039
Waste Description: Tetrachloroethylene

Waste Code: D040
Waste Description: Trichloroethylene

Waste Code: F001
Waste Description: The Following Spent Halogenated Solvents Used In Degreasing: Tetrachloroethylene, Trichlorethylene, Methylene Chloride, 1,1,1-Trichloroethane, Carbon Tetrachloride And Chlorinated Fluorocarbons; All Spent Solvent Mixtures/Blends Used In Degreasing Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	100 DUFFY LLC C/O APPOLO REAL ESTATE ADV
Legal Status:	Private
Date Became Current:	20050101
Date Ended Current:	Not reported
Owner/Operator Address:	60 COLUMBUS CIRCLE
Owner/Operator City,State,Zip:	NEW YORK, NY 10023
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported

110 DUFFY LLC (Continued) **1010566371**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: 110 DUFFY LLC
Legal Status: Private
Date Became Current: 20051206
Date Ended Current: Not reported
Owner/Operator Address: 300 ROBBINS LANE
Owner/Operator City,State,Zip: SYORETT, NY 11791
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: 100 DUFFY LLC
Legal Status: Private
Date Became Current: 20050101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: 110 DUFFY LLC
Legal Status: Private
Date Became Current: 20051206
Date Ended Current: Not reported
Owner/Operator Address: 300 ROBBINS LANE
Owner/Operator City,State,Zip: SYORETT, NY 11791
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20070910
Handler Name: 110 DUFFY LLC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070911
Handler Name: 110 DUFFY LLC
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny

110 DUFFY LLC (Continued) **1010566371**

Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20080228
Handler Name: 110 DUFFY LLC	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	Not reported
Recognized Trader Exporter:	Not reported
Spent Lead Acid Battery Importer:	Not reported
Spent Lead Acid Battery Exporter:	Not reported
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

List of NAICS Codes and Descriptions:

NAICS Code:	53112
NAICS Description:	Lessors Of Nonresidential Buildings (Except Miniwarehouses)

NAICS Code:	56291
NAICS Description:	Remediation Services

Has the Facility Received Notices of Violations:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported

110 DUFFY LLC (Continued) **1010566371**

SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	20080515
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

NY MANIFEST:

EPA ID:	NYR000149567
Country:	USA
Name:	110 Duffy Llc
Address:	110 DUFFY AVE
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	110 DUFFY AVE
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	110 Duffy Llc
Mailing Contact:	Matt Durcin
Mailing Address 1:	110 DUFFY AVE
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	5169210800

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported

110 DUFFY LLC (Continued) **1010566371**

Trans1 State ID:	NJD054126164
Year:	2018
Trans2 State ID:	Not reported
Generator Ship Date:	10/04/2007
Trans1 Recv Date:	10/04/2007
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/16/2007
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000149567
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	CDD980756415
TSDF ID 2:	Not reported
Manifest Tracking Number:	003109674JJK
Import Indicator:	N
Export Indicator:	Y
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H132
Waste Code a:	Tetrachloroethylene
Waste Code b:	Trichlorethylene
Waste Code c:	The Following Spent Halogenated Solvents Used In Degreasing: Tetrachloroethylene, Trichlorethylene, Methylene Chloride, 1,1,1-Trichloroethane, Carbon Tetrachloride And Chlorinated Fluorocarbons; All Spent Solvent Mixtures/Blends Used In Degreasing Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	17155
Units:	Pounds
Number of Containers:	1
Container Type:	Metal boxes, cartons, cases (including roll-offs)
Handling Method:	Treat
Specific Gravity:	1

172
SSW
1/8-1/4
0.245 mi.
1296 ft.

CVS PHARMACY #1931
202 OLD COUNTRY RD
HICKSVILLE, NY 11801

RCRA-VSQG
E MANIFEST
NY MANIFEST

1014927006
NYR000187963

Relative:
Lower

Actual:
139 ft.

RCRA Listings:

Date Form Received by Agency:		20191007
Handler Name:		Cvs Pharmacy #1931
Handler Address:		Old Country Rd
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYR000187963
Contact Name:		NICOLE WILKINSON
Contact Address:		CVS DR
Contact City,State,Zip:		WOONSOCKET, RI 02895
Contact Telephone:		401-770-7132
Contact Fax:		401-652-1901
Contact Email:		NICOLE.WILKINSON@CVSHEALTH.COM
Contact Title:		SR. MANAGER, CORPORATE ENVIRONMENTAL
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Conditionally Exempt Small Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Handler Activities
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		CVS DR
Mailing City,State,Zip:		WOONSOCKET, RI 02895
Owner Name:	L+ K Holding Corp	
Owner Type:		Private
Operator Name:	Cvs Albany L.L.C.	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Not on the Baseline
202 GPRA Corrective Action Baseline:		No
Subject to Corrective Action Universe:		No
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		No NCAPS ranking
Environmental Control Indicator:		No
Institutional Control Indicator:		No

CVS PHARMACY #1931 (Continued) **1014927006**

Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20200207
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Biennial: List of Years
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2011

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D001
Waste Description: Ignitable Waste

Waste Code: D002
Waste Description: Corrosive Waste

Waste Code: D004
Waste Description: Arsenic

Waste Code: D005
Waste Description: Barium

Waste Code: D006
Waste Description: Cadmium

Waste Code: D007
Waste Description: Chromium

Waste Code: D008
Waste Description: Lead

Waste Code: D009
Waste Description: Mercury

Waste Code: D010
Waste Description: Selenium

Waste Code: D011
Waste Description: Silver

Waste Code: D016

CVS PHARMACY #1931 (Continued) **1014927006**

Waste Description:	2,4-D (2,4-Dichlorophenoxyacetic Acid)
Waste Code:	D018
Waste Description:	Benzene
Waste Code:	D024
Waste Description:	M-Cresol
Waste Code:	D027
Waste Description:	1,4-Dichlorobenzene
Waste Code:	D035
Waste Description:	Methyl Ethyl Ketone
Waste Code:	D039
Waste Description:	Tetrachloroethylene
Waste Code:	P001
Waste Description:	2h-1-Benzopyran-2-One, 4-Hydroxy-3-(3-Oxo-1-Phenylbutyl)-, & Salts, When Present At Concentrations Greater Than 0.3% (Or) Warfarin, & Salts, When Present At Concentrations Greater Than 0.3%
Waste Code:	P012
Waste Description:	Arsenic Oxide As2o3 (Or) Arsenic Trioxide
Waste Code:	P042
Waste Description:	1,2-Benzenediol, 4-[1-Hydroxy-2-(Methylamino)Ethyl]-, (R)- (Or) Epinephrine
Waste Code:	P075
Waste Description:	Nicotine, & Salts (Or) Pyridine, 3-(1-Methyl-2-Pyrrolidinyl)-,(S)-, & Salts
Waste Code:	P081
Waste Description:	1,2,3-Propanetriol, Trinitrate (R) (Or) Nitroglycerine (R)
Waste Code:	P188
Waste Description:	Benzoic Acid, 2-Hydroxy-, Compd. With (3as-Cis)-1,2,3,3a,8,8a-Hexahydro-1,3a,8-Trimethylpyrrolo[2,3-B]Indol-5-Yl Methylcarbamate Ester (1:1) (Or) Physostigmine Salicylate
Waste Code:	U002
Waste Description:	2-Propanone (I) (Or) Acetone (I)
Waste Code:	U010
Waste Description:	Azirino [2',3':3,4]Pyrrolo[1,2-A]Indole-4,7-Dione, 6-Amino-8-[[(Aminocarbonyl)Oxy]Methyl]-1,1a,2,8,8a,8b-Hexahydro-8a-Methoxy-5-Methyl-, [1as-(1aalpha, 8beta, 8aalpha, 8balpha)]- (Or) Mitomycin C
Waste Code:	U031
Waste Description:	1-Butanol (I) (Or) N-Butyl Alcohol (I)
Waste Code:	U034
Waste Description:	Acetaldehyde, Trichloro- (Or) Chloral
Waste Code:	U035

CVS PHARMACY #1931 (Continued) **1014927006**

Waste Description: Benzenebutanoic Acid, 4-[Bis(2-Chloroethyl)Amino]- (Or) Chlorambucil

Waste Code: U044
Waste Description: Chloroform (Or) Methane, Trichloro-

Waste Code: U058
Waste Description: 2h-1,3,2-Oxazaphosphorin-2-Amine, N,N-Bis(2-Chloroethyl)Tetrahydro-, 2-Oxide (Or) Cyclophosphamide

Waste Code: U059
Waste Description: 5,12-Naphthacenedione, 8-Acetyl-10-[(3-Amino-2,3,6-Trideoxy)-Alpha-L-Lyxo-Hexopyranosyl)Oxy]-7,8,9,10-Tetrahydro-6,8,11-Trihydroxy-1-Methoxy-, (8s-Cis)- (Or) Daunomycin

Waste Code: U070
Waste Description: Benzene, 1,2-Dichloro- (Or) O-Dichlorobenzene

Waste Code: U072
Waste Description: Benzene, 1,4-Dichloro- (Or) P-Dichlorobenzene

Waste Code: U089
Waste Description: Diethylstilbesterol (Or) Phenol, 4,4'-(1,2-Diethyl-1,2-Ethenediyl)Bis, (E)-

Waste Code: U122
Waste Description: Formaldehyde

Waste Code: U129
Waste Description: Cyclohexane, 1,2,3,4,5,6-Hexachloro-, (1alpha, 2alpha, 3beta, 4alpha, 5alpha, 6beta)- (Or) Lindane

Waste Code: U132
Waste Description: Hexachlorophene (Or) Phenol, 2,2'-Methylenebis[3,4,6-Trichloro-

Waste Code: U150
Waste Description: L-Phenylalanine, 4-[Bis(2-Chloroethyl)Amino]- (Or) Melphalan

Waste Code: U151
Waste Description: Mercury

Waste Code: U154
Waste Description: Methanol (I) (Or) Methyl Alcohol (I)

Waste Code: U165
Waste Description: Naphthalene

Waste Code: U188
Waste Description: Phenol

Waste Code: U200
Waste Description: Reserpine (Or) Yohimban-16-Carboxylic Acid, 11,17-Dimethoxy-18-[(3,4,5-Trimethoxybenzoyl)Oxy]-, Methyl Ester, (3beta, 16beta, 17alpha, 18beta, 20alpha)-

Waste Code: U201
Waste Description: 1,3-Benzenediol (Or) Resorcinol

CVS PHARMACY #1931 (Continued) **1014927006**

Waste Code: U204
Waste Description: Selenious Acid (Or) Selenium Dioxide

Waste Code: U205
Waste Description: Selenium Sulfide (Or) Selenium Sulfide Ses2 (R,T)

Waste Code: U206
Waste Description: D-Glucose, 2-Deoxy-2-[[(Methylnitrosoamino)-Carbonyl]Amino]- (Or) Glucopyranose, 2-Deoxy-2-(3-Methyl-3-Nitrosoureido)-,D- (Or) Streptozotocin

Waste Code: U210
Waste Description: Ethene, Tetrachloro- (Or) Tetrachloroethylene

Waste Code: U279
Waste Description: U279

Waste Code: U411
Waste Description: U411

Handler - Owner Operator:
Owner/Operator Indicator: Owner
Owner/Operator Name: L + K HOLDING CORP
Legal Status: Private
Date Became Current: 19850501
Date Ended Current: Not reported
Owner/Operator Address: 30 ROLLING DR
Owner/Operator City,State,Zip: BOOKVILLE, NY 11545
Owner/Operator Telephone: 516-626-3434
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: L + K HOLDING CORPORATION
Legal Status: Private
Date Became Current: 19850501
Date Ended Current: Not reported
Owner/Operator Address: 30 ROLLING DR
Owner/Operator City,State,Zip: GLEN HEAD, NY 11545
Owner/Operator Telephone: 516-626-3434
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY L.L.C.
Legal Status: Private
Date Became Current: 19930510
Date Ended Current: Not reported
Owner/Operator Address: 1 CVS DR
Owner/Operator City,State,Zip: WOONSOCKET, RI 02895
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Owner/Operator Indicator: Owner
Owner/Operator Name: L + K HOLDING CORPORATION
Legal Status: Private
Date Became Current: 19850501
Date Ended Current: Not reported
Owner/Operator Address: 30 ROLLING DR
Owner/Operator City,State,Zip: GLEN HEAD, NY 11545
Owner/Operator Telephone: 516-626-3434
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY, L.L.C.
Legal Status: Private
Date Became Current: 19930510
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 20061230
Date Ended Current: Not reported
Owner/Operator Address: 1 CVS DR
Owner/Operator City,State,Zip: WOONSOCKET, RI 02895
Owner/Operator Telephone: 401-765-1500
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 19930510
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: L + K HOLDING CORPORATION
Legal Status: Private
Date Became Current: 19850501
Date Ended Current: Not reported
Owner/Operator Address: 30 ROLLING DR
Owner/Operator City,State,Zip: GLEN HEAD, NY 11545
Owner/Operator Telephone: 516-626-3434
Owner/Operator Telephone Ext: Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY LLC
Legal Status: Private
Date Became Current: 19930510
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: L+ K HOLDING CORP
Legal Status: Private
Date Became Current: 19850501
Date Ended Current: Not reported
Owner/Operator Address: 30 ROLLING DR
Owner/Operator City,State,Zip: BROOKVILLE, NY 11545
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: CVS ALBANY L.L.C.
Legal Status: Private
Date Became Current: 19930510
Date Ended Current: Not reported
Owner/Operator Address: 1 CVS DR
Owner/Operator City,State,Zip: WOONSOCKET, RI 02895
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: L+ K HOLDING CORP
Legal Status: Private
Date Became Current: 19850501
Date Ended Current: Not reported
Owner/Operator Address: 30 ROLLING DR
Owner/Operator City,State,Zip: BROOKVILLE, NY 11545
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 20120307
Handler Name: CVS PHARMACY #1931
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No

CVS PHARMACY #1931 (Continued) **1014927006**

Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20160517
Handler Name: CVS PHARMACY #1931	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20111129
Handler Name: CVS PHARMACY #1931	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20140512
Handler Name: CVS PHARMACY #1931	
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20150728
Handler Name: CVS PHARMACY #1931	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No

CVS PHARMACY #1931 (Continued) **1014927006**

Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20191007
Handler Name: CVS PHARMACY #1931
Federal Waste Generator Description: Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

List of NAICS Codes and Descriptions:
NAICS Code: 44611
NAICS Description: Pharmacies And Drug Stores

NAICS Code: 446110
NAICS Description: Pharmacies And Drug Stores

NAICS Code: 812922
NAICS Description: One-Hour Photofinishing

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

E MANIFEST:
Manifest Tracking Number: 200159779CLE
Last Updated Date: 20220719
Shipped Date: 20220520
Received Date: 20220531
Manifest Status: Signed
Submission Type: DataImage5Copy
Origin Type: Service
Generator EPA ID: NYR000187963
Generator Name: Cvs
Generator Location Street Number: Not reported
Generator Location Street 1: 202 OLD COUNTRY ROAD
Generator Location Street 2: Not reported
Generator Location City: HICKSVILLE
Generator Location State: NY
Generator Location Zip: 11801
Generator Mail Street Number: Not reported
Generator Mail Street 1: 202 Old Country Road
Generator Mail Street 2: Not reported
Generator Mail City: Hicksville

CVS PHARMACY #1931 (Continued) **1014927006**

Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	014953169FLE
Last Updated Date:	20210317
Shipped Date:	20210310
Received Date:	20210316
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	202 Old Country Road
Generator Mail Street 2:	Not reported
Generator Mail City:	Hicksville
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI

CVS PHARMACY #1931 (Continued) **1014927006**

Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	200224669CLE
Last Updated Date:	20220824
Shipped Date:	20220812
Received Date:	20220819
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	202 Old Country Road
Generator Mail Street 2:	Not reported
Generator Mail City:	Hicksville
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	012450717FLE
Last Updated Date:	20190131
Shipped Date:	20190110
Received Date:	20190118
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE

CVS PHARMACY #1931 (Continued) **1014927006**

Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	202 Old Country Road
Generator Mail Street 2:	Not reported
Generator Mail City:	Hicksville
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	INR000110197
Designated Facility Name:	Stericycle Incorporated
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	2670 Executive Drive Suite A
Designated Facility Mail City:	Indianapolis
Designated Facility Mail Zip:	46241
Designated Facility Mail State:	IN
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	2670 Executive Drive Suite A
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Indianapolis
Designated Facility Location Zip:	46241
Designated Facility Location State:	IN
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	012450718FLE
Last Updated Date:	20190129
Shipped Date:	20190110
Received Date:	20190118
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	202 Old Country Road
Generator Mail Street 2:	Not reported
Generator Mail City:	Hicksville
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI

CVS PHARMACY #1931 (Continued) **1014927006**

Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	013351427FLE
Last Updated Date:	20190801
Shipped Date:	20190613
Received Date:	20190621
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	202 Old Country Road
Generator Mail Street 2:	Not reported
Generator Mail City:	Hicksville
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	INR000110197
Designated Facility Name:	Stericycle Incorporated
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	2670 Executive Drive Suite A
Designated Facility Mail City:	Indianapolis
Designated Facility Mail Zip:	46241
Designated Facility Mail State:	IN
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	2670 Executive Drive Suite A
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Indianapolis
Designated Facility Location Zip:	46241
Designated Facility Location State:	IN
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	013351428FLE
Last Updated Date:	20190731
Shipped Date:	20190613
Received Date:	20190618
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service

CVS PHARMACY #1931 (Continued) **1014927006**

Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	202 Old Country Road
Generator Mail Street 2:	Not reported
Generator Mail City:	Hicksville
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	015995185FLE
Last Updated Date:	20210827
Shipped Date:	20210813
Received Date:	20210824
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	202 Old Country Road
Generator Mail Street 2:	Not reported
Generator Mail City:	Hicksville
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc

CVS PHARMACY #1931 (Continued) **1014927006**

Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	201159601CLE
Last Updated Date:	20250627
Shipped Date:	20250603
Received Date:	20250620
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	202
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	1
Generator Mail Street 1:	202 OLD COUNTRY ROAD
Generator Mail Street 2:	Not reported
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental Llc- (Esol)
Designated Facility Mail Street Number:	275
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	ALLENS AVE
Designated Facility Mail City:	PROVIDENCE
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	275
Designated Facility Location Street 1:	ALLENS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	PROVIDENCE
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	015583039FLE

CVS PHARMACY #1931 (Continued) **1014927006**

Last Updated Date:	20210614
Shipped Date:	20210524
Received Date:	20210604
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	202 Old Country Road
Generator Mail Street 2:	Not reported
Generator Mail City:	Hicksville
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	RID040098352
Designated Facility Name:	Northland Environmental, Llc
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	275 Allens Avenue
Designated Facility Mail City:	Providence
Designated Facility Mail Zip:	02905
Designated Facility Mail State:	RI
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	275 Allens Avenue
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Providence
Designated Facility Location Zip:	02905
Designated Facility Location State:	RI
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	010857442FLE
Last Updated Date:	20181108
Shipped Date:	20181018
Received Date:	20181102
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYR000187963
Generator Name:	Cvs
Generator Location Street Number:	Not reported
Generator Location Street 1:	202 OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	Not reported
Generator Mail Street 1:	1 CVS DR
Generator Mail Street 2:	Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Generator Mail City:	WOONSOCKET
Generator Mail Zip:	02895-6146
Generator Mail State:	RI
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	INR000110197
Designated Facility Name:	Stericycle Incorporated
Designated Facility Mail Street Number:	Not reported
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	2670 Executive Drive Suite A
Designated Facility Mail City:	Indianapolis
Designated Facility Mail Zip:	46241
Designated Facility Mail State:	IN
Designated Facility Location Street Number:	Not reported
Designated Facility Location Street 1:	2670 Executive Drive Suite A
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	Indianapolis
Designated Facility Location Zip:	46241
Designated Facility Location State:	IN
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Transporter:

Manifest Tracking Number:	010857443FLE
Transporter Line Number:	1
Transporter EPA ID:	PAD982661381
Transporter Name:	Republic Environmental Systems Transportation Group Llc

Manifest Tracking Number:	010857443FLE
Transporter Line Number:	2
Transporter EPA ID:	NJD071629976
Transporter Name:	S&J Transportation

Manifest Tracking Number:	010857443FLE
Transporter Line Number:	3
Transporter EPA ID:	PAD982661381
Transporter Name:	Republic Environmental Systems Transportation Group Llc

Waste Line:

Manifest Tracking Number:	010857443FLE
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN1791
U.S. DOT Description:	Un1791, Waste Hypochlorite Solutions 8, Pg Ii, Erg#154
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	CF
Container Type Description:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	15
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.0075
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.0075
Waste Quantity, in Kilograms:	6.802725
Acute Waste Quantity, in Kilograms:	0

CVS PHARMACY #1931 (Continued) **1014927006**

Non-Acute Waste Quantity, in Kilorgrams:	6.802725
Management Method Code:	H120
Management Method Description:	COMB. OF CHEMICAL, BIOLOGICAL, AND/OR PHYSICAL TRT
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Federal Waste Codes:	D002
Quantity Haz Kg:	6.802725
Quantity Haz Tons:	0.0075
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0
State Waste Codes:	Not reported

Manifest Tracking Number:	010857443FLE
Waste Line Number:	2
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN1950
U.S. DOT Description:	Un1950, Waste Aerosols 2.1, Erg#126
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	BA
Container Type Description:	Burlap, cloth, paper, or plastic bags
Waste Quantity:	21
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.0105
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.0105
Waste Quantity, in Kilograms:	9.523815
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	9.523815
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

EPA Waste Indicator: Y
Federal Waste Codes: D001
Quantity Haz Kg: 9.523815
Quantity Haz Tons: 0.0105
Quantity Non Haz Kg: 0
Quantity Non Haz Tons: 0
State Waste Codes: Not reported

Manifest Tracking Number: 010857443FLE
Waste Line Number: 3
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: UN1993
U.S. DOT Description: Un1993, Waste Flammable Liquids, N.O.S. (Alcohols, Acetone), 3, Pg Ii, Erg#128
Non-Hazardous Waste Description: Not reported
Number of Containers: 1
Container Type Code: CF
Container Type Description: Fiber or plastic boxes, cartons, cases
Waste Quantity: 14
Quantity Unit of Measure Code: P
Quantity Unit of Measure Description: Pounds
Waste Quantity, in Tons: 0.007
Acute Waste Quantity, in Tons: 0
Non-Acute Waste Quantity, in Tons: 0.007
Waste Quantity, in Kilograms: 6.3492103
Acute Waste Quantity, in Kilograms: 0
Non-Acute Waste Quantity, in Kilorgrams: 6.3492103
Management Method Code: H141
Management Method Description: STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator: N
Quantity Discrepancy Indicator: N
Waste Type Discrepancy Indicator: N
Waste Density: Not reported
Waste Density Unit of Measure Code: Not reported
Waste Density Unit of Measure Description: Not reported
Form Code: Not reported
Form Code Description: Not reported
Source Code: Not reported
Source Code Description: Not reported
Waste Minimization Code: Not reported
Waste Minimization Code Description: Not reported
Consent Number: Not reported
EPA Waste Indicator: Y
Federal Waste Codes: D001, D018, D035, U002, U031, U154
Quantity Haz Kg: 6.3492103
Quantity Haz Tons: 0.007
Quantity Non Haz Kg: 0
Quantity Non Haz Tons: 0
State Waste Codes: Not reported

Manifest Tracking Number: 010857443FLE
Waste Line Number: 4
U.S. DOT Hazardous Indicator: Y
U.S. DOT ID Number: UN3249
U.S. DOT Description: Un3249, Waste Residue Last Contained, Medicine, Solid, Toxic, N.O.S. (Warfarin), 6.1, Pg Ii, Erg#151
Non-Hazardous Waste Description: Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Number of Containers:	1
Container Type Code:	BA
Container Type Description:	Burlap, cloth, paper, or plastic bags
Waste Quantity:	1
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.0005
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.0005
Waste Quantity, in Kilograms:	0.45351502
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	0.45351502
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0
Quantity Non Haz Kg:	0.45351502
Quantity Non Haz Tons:	0.0005
State Waste Codes:	Not reported
Manifest Tracking Number:	010857443FLE
Waste Line Number:	5
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN2811
U.S. DOT Description:	Un2811, Waste Toxic Solids, Organic, N.O.S. (Chromium, Selenium), 6.1, Pg Ii, Erg#154
Non-Hazardous Waste Description:	Not reported
Number of Containers:	1
Container Type Code:	CF
Container Type Description:	Fiber or plastic boxes, cartons, cases
Waste Quantity:	6
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.003
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.003
Waste Quantity, in Kilograms:	2.72109
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	2.72109
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N

CVS PHARMACY #1931 (Continued) **1014927006**

Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	Y
Federal Waste Codes:	D005, D007, D010, D011, U010, U035
Quantity Haz Kg:	2.72109
Quantity Haz Tons:	0.003
Quantity Non Haz Kg:	0
Quantity Non Haz Tons:	0
State Waste Codes:	Not reported

Manifest Tracking Number:	010857443FLE
Waste Line Number:	6
U.S. DOT Hazardous Indicator:	N
U.S. DOT ID Number:	Not reported
U.S. DOT Description:	Not reported
Non-Hazardous Waste Description:	Non-Hazardous, Non-Regulated Liquids & Solids
Number of Containers:	1
Container Type Code:	DF
Container Type Description:	Fiberboard or plastic drums, barrels, kegs
Waste Quantity:	98
Quantity Unit of Measure Code:	P
Quantity Unit of Measure Description:	Pounds
Waste Quantity, in Tons:	0.049
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.049
Waste Quantity, in Kilograms:	44.44447
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	44.44447
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0

CVS PHARMACY #1931 (Continued) **1014927006**

Quantity Non Haz Kg:	44.44447
Quantity Non Haz Tons:	0.049
State Waste Codes:	RI-R015

Click this hyperlink while viewing on your computer to access
23 additional US EManifest: record(s) in the EDR Site Report.

NY MANIFEST:

EPA ID:	NYR000187963
Country:	USA
Name:	Cvs #1931
Address:	202 OLD COUNTRY RD
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	202 OLD COUNTRY ROAD
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Cvs #1931
Mailing Contact:	Cvs #1931
Mailing Address 1:	202 OLD COUNTRY ROAD
Mailing Address 2:	Not reported
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	Not reported
Mailing Country:	USA
Mailing Phone:	Not reported

Manifest Data:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD082785429
Year:	2018
Trans2 State ID:	PAD982661381
Generator Ship Date:	09/12/2012
Trans1 Recv Date:	09/12/2012
Trans2 Recv Date:	09/13/2012
TSD Site Recv Date:	09/14/2012
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	005704035FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N

CVS PHARMACY #1931 (Continued) **1014927006**

Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Silver
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	60
Units:	Gallons (liquids only)
Number of Containers:	2
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	PAD982661381
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	11/06/2015
Trans1 Recv Date:	11/06/2015
Trans2 Recv Date:	11/10/2015
TSD Site Recv Date:	11/19/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	INR000110197
TSDF ID 2:	Not reported
Manifest Tracking Number:	007424958FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	2h-1-Benzopyran-2-One, 4-Hydroxy-3-(3-Oxo-1-Phenylbutyl)-, & Salts, When Present At Concentrations Greater Than 0.3% (Or) Warfarin, & Salts, When Present At Concentrations Greater Than 0.3%
Waste Code c:	Nicotine, & Salts (Or) Pyridine, 3-(1-Methyl-2-Pyrrolidinyl)-,(S)-, &

CVS PHARMACY #1931 (Continued) **1014927006**

	Salts
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	3
Units:	Pounds
Number of Containers:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Burn
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	PAD982661381
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	11/06/2015
Trans1 Recv Date:	11/06/2015
Trans2 Recv Date:	11/10/2015
TSD Site Recv Date:	11/19/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	INR000110197
TSDF ID 2:	Not reported
Manifest Tracking Number:	007424958FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	Chromium
Waste Code c:	Selenium
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Quantity:	3
Units:	Pounds
Number of Containers:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Burn
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	PAD982661381
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	11/06/2015
Trans1 Recv Date:	11/06/2015
Trans2 Recv Date:	11/10/2015
TSD Site Recv Date:	11/19/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	INR000110197
TSDF ID 2:	Not reported
Manifest Tracking Number:	007424958FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	2h-1-Benzopyran-2-One, 4-Hydroxy-3-(3-Oxo-1-Phenylbutyl)-, & Salts, When Present At Concentrations Greater Than 0.3% (Or) Warfarin, & Salts, When Present At Concentrations Greater Than 0.3%
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	0.04
Units:	Pounds
Number of Containers:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Burn
Specific Gravity:	1
Document ID:	Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Manifest Status:	Not reported
Trans1 State ID:	PAD982661381
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	11/06/2015
Trans1 Recv Date:	11/06/2015
Trans2 Recv Date:	11/10/2015
TSD Site Recv Date:	11/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	007424959FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	Ignitable Waste
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	4
Units:	Pounds
Number of Containers:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Burn
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	PAD982661381
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	11/06/2015
Trans1 Recv Date:	11/06/2015
Trans2 Recv Date:	11/10/2015
TSD Site Recv Date:	11/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	007424959FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	Ignitable Waste
Waste Code c:	2-Propanone (I) (Or) Acetone (I)
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	12
Units:	Pounds
Number of Containers:	1
Container Type:	Burlap, cloth, paper or plastic bags
Handling Method:	Burn
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	PAD982661381
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	11/06/2015
Trans1 Recv Date:	11/06/2015
Trans2 Recv Date:	11/10/2015
TSD Site Recv Date:	11/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	007424959FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N

CVS PHARMACY #1931 (Continued) **1014927006**

Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	Ignitable Waste
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	5
Units:	Pounds
Number of Containers:	1
Container Type:	Burlap, cloth, paper or plastic bags
Handling Method:	Burn
Specific Gravity:	1

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	PAD982661381
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	11/06/2015
Trans1 Recv Date:	11/06/2015
Trans2 Recv Date:	11/10/2015
TSD Site Recv Date:	11/12/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	RID040098352
TSDF ID 2:	Not reported
Manifest Tracking Number:	007424959FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	Corrosive Waste
Waste Code c:	Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	12
Units:	Pounds
Number of Containers:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Treat
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	CTD983872698
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	12/17/2014
Trans1 Recv Date:	12/17/2014
Trans2 Recv Date:	12/22/2014
TSD Site Recv Date:	01/08/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	INR000110197
TSDF ID 2:	Not reported
Manifest Tracking Number:	007384866FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	Chromium
Waste Code c:	Selenium
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	6

CVS PHARMACY #1931 (Continued) **1014927006**

Units:	Pounds
Number of Containers:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Burn
Specific Gravity:	1
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	CTD983872698
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	12/17/2014
Trans1 Recv Date:	12/17/2014
Trans2 Recv Date:	12/22/2014
TSD Site Recv Date:	01/08/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	INR000110197
TSDF ID 2:	Not reported
Manifest Tracking Number:	007384866FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	2h-1-Benzopyran-2-One, 4-Hydroxy-3-(3-Oxo-1-Phenylbutyl)-, & Salts, When Present At Concentrations Greater Than 0.3% (Or) Warfarin, & Salts, When Present At Concentrations Greater Than 0.3%
Waste Code c:	Nicotine, & Salts (Or) Pyridine, 3-(1-Methyl-2-Pyrrolidinyl)-,(S)-, & Salts
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	1
Units:	Pounds
Number of Containers:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Burn
Specific Gravity:	1
Document ID:	Not reported

CVS PHARMACY #1931 (Continued) **1014927006**

Manifest Status:	Not reported
Trans1 State ID:	CTD983872698
Year:	2018
Trans2 State ID:	NJR000063677
Generator Ship Date:	12/17/2014
Trans1 Recv Date:	12/17/2014
Trans2 Recv Date:	12/22/2014
TSD Site Recv Date:	01/08/2015
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYR000187963
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	INR000110197
TSDF ID 2:	Not reported
Manifest Tracking Number:	007384866FLE
Import Indicator:	N
Export Indicator:	N
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Not reported
Waste Code b:	2h-1-Benzopyran-2-One, 4-Hydroxy-3-(3-Oxo-1-Phenylbutyl)-, & Salts, When Present At Concentrations Greater Than 0.3% (Or) Warfarin, & Salts, When Present At Concentrations Greater Than 0.3%
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	0.04
Units:	Pounds
Number of Containers:	1
Container Type:	Fiber or plastic boxes, cartons, cases
Handling Method:	Burn
Specific Gravity:	1

Click this hyperlink while viewing on your computer to access
122 additional NY MANIFEST: record(s) in the EDR Site Report.

AB173 **HICKSVILLE OPERATIONS CENTER** **NY LTANKS** **S104652423**
South **175 EAST OLD COUNTRY RD** **NY TANKS** **N/A**
1/8-1/4 **HICKSVILLE, NY 11801** **NY Spills**
0.246 mi. **NY MANIFEST**
1300 ft. **Site 2 of 2 in cluster AB**

Relative:
Lower

Actual:
139 ft.

LTANKS:

Name:	LILCO
Address:	175 OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8703663 / 1987-09-23
Facility ID:	8703663
Site ID:	223887
Spill Date:	1987-08-04
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	C2
Cleanup Ceased:	1987-09-23
SWIS:	3024
Investigator:	CXONEILL
Referred To:	Not reported
Reported to Dept:	1987-08-04
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-08-06
Spill Record Last Update:	2014-03-03
Spiller Name:	Not reported
Spiller Company:	LILCO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	296331
Latitude:	40.7641499
Longitude:	-73.5196900
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'NEILL FD / / : TYREE TESTER.SYSTEM PASSED RETEST 8/21/87. DEC NO PRESENT DURING RETEST. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	10K FAILED AT -.576

All TTF:

Facility ID:	8703663
Spill Number:	8703663
Spill Tank Test:	1531273
Site ID:	223887
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	223887
Operable Unit ID:	907552
Operable Unit:	01
Material ID:	469890
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Name:	LILCO
Address:	175 EAST OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9108910 / 1994-05-31
Facility ID:	9108910
Site ID:	124965
Spill Date:	1991-11-20
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	1994-05-31
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1991-11-20
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1991-11-26
Spill Record Last Update:	2014-03-03
Spiller Name:	Not reported
Spiller Company:	LILCO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	267437

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Latitude:	40.7657099
Longitude:	-73.5126900
DEC Memo:	CLEAN SOIL REACHED AT 17' LILCO DISPOSED OF SOIL
Remarks:	2K FAILED GROSS LEAK, F&N TESTER, WILL EXCAVATE, ISOLATE AND RETEST

All TTF:

Facility ID:	9108910
Spill Number:	9108910
Spill Tank Test:	1539327
Site ID:	124965
Tank Number:	Not reported
Tank Size:	0
Material:	0022
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	124965
Operable Unit ID:	959081
Operable Unit:	01
Material ID:	417578
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Name:	LILCO
Address:	175 EAST OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9410511 / 2004-03-05
Facility ID:	9410511
Site ID:	124980
Spill Date:	1994-11-07
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1994-11-07
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1994-11-08
Spill Record Last Update:	2014-03-03
Spiller Name:	Not reported
Spiller Company:	LILCO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	267437
Latitude:	40.7657099
Longitude:	-73.5126900
DEC Memo:	Not reported
Remarks:	10K FAILED AT -.145, F&N TESTER

All TTF:

Facility ID:	9410511
Spill Number:	9410511
Spill Tank Test:	1543322
Site ID:	124980
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	124980
Operable Unit ID:	1004428
Operable Unit:	01
Material ID:	376375
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

TANKS:

Name:	SERVCO HICKSVILLE OPERATIONS CENTER

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Address:	175 EAST OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Facility Id:	1-000763
Region:	STATE
DEC Region:	1
Site Status:	Active
Program Type:	PBS
Expiration Date:	12/01/2026
UTM X:	625579.54741
UTM Y:	4513805.83373

SPILLS:

Name:	TRANSFORMER - PAD IN PSEG YARD
Address:	175 OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	2007214 / 2021-01-29
Facility ID:	2007214
Facility Type:	ER
DER Facility ID:	559589
Site ID:	613097
DEC Region:	1
Spill Cause:	Equipment Failure
Spill Class:	C4
SWIS:	3024
Spill Date:	2020-11-10
Investigator:	HMCIRRIT
Referred To:	Not reported
Reported to Dept:	2020-11-10
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Transformer
Spill Notifier:	Responsible Party
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2020-11-10
Spill Record Last Update:	2021-03-01
Spiller Name:	SCOTT DONNELLY
Spiller Company:	PSEG
Spiller Address:	175 OLD COUNTRY RD
Spiller Company:	999
Contact Name:	SCOTT DONNELLY
Latitude:	40.7622346
Longitude:	-73.5262266
DEC Memo:	PER PSEG INCIDENT DESCRIPTION: PSEG pad mount transformer spilled approx. 1 gal impacting pavement.
Remarks:	Old transformer leaked onto blacktop. Cleanup is underway.

All Materials:

Site ID:	613097
Operable Unit ID:	1360218
Operable Unit:	01
Material ID:	2372183

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Material Code:	0020A
Material Name:	transformer oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

Name:	UNKNOWN
Address:	175 OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	2005622 / 2020-10-29
Facility ID:	2005622
Facility Type:	ER
DER Facility ID:	559589
Site ID:	611419
DEC Region:	1
Spill Cause:	Other
Spill Class:	C4
SWIS:	3024
Spill Date:	2020-09-21
Investigator:	HMCIRRIT
Referred To:	Not reported
Reported to Dept:	2020-09-21
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Transformer
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	False
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2020-09-21
Spill Record Last Update:	2020-11-25
Spiller Name:	Not reported
Spiller Company:	PSEG
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	SCOTT
Latitude:	40.7622346
Longitude:	-73.5262266
DEC Memo:	9/21/20, 1350 hrs. JF t/c w/ Scott Donnelly: transformer was being moved and the lid popped off, spilling visually estimated 2 gals. transformer oil onto pavement. Spill was contained w/ speedy dry, and MEG is on-site completing the cleanup. PER PSEG INCIDENT DESCRIPTION: Transformer oil stain observed in aspalt of PSEG Hicksville Yard MEG RESPONDED
Remarks:	SPILL OCCURRED WHILE MOVING TRANSFORMER

All Materials:

Site ID:	611419
Operable Unit ID:	1358567
Operable Unit:	01

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Material ID:	2369988
Material Code:	0020A
Material Name:	transformer oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	3.00
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

NY MANIFEST:

EPA ID:	NYD006866008
Country:	USA
Name:	Hicksville Operations Center
Address:	175 EAST OLD COUNTRY RD
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801-0000
Zip 4:	Not reported
Location Address 1:	175 EAST OLD COUNTRY RD
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	Hicksville Operations Center
Mailing Contact:	Ryan Alworth
Mailing Address 1:	175 E OLD COUNTRY RD
Mailing Address 2:	PSEGLI ENVIRONMENTAL DEPT
Mailing City,State,Zip:	HICKSVILLE, NY 11801
Mailing Zip 4:	4257
Mailing Country:	USA
Mailing Phone:	5165452556

Manifest Data:

Document ID:	NYC3070405
Manifest Status:	Not reported
Trans1 State ID:	GE7533
Year:	1994
Trans2 State ID:	Not reported
Generator Ship Date:	06/06/1994
Trans1 Recv Date:	06/06/1994
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/06/1994
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYC3070416
Manifest Status:	Not reported
Trans1 State ID:	GE7533
Year:	1994
Trans2 State ID:	Not reported
Generator Ship Date:	06/06/1994
Trans1 Recv Date:	06/06/1994
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/06/1994
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00007

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Ignitable Waste
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00015
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYA8889041
Manifest Status:	C - Completed copy
Trans1 State ID:	MV8447
Year:	1988
Trans2 State ID:	Not reported
Generator Ship Date:	880509
Trans1 Recv Date:	880509
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	880509
Part A Recv Date:	880531
Part B Recv Date:	880512
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00072
Units:	Pounds
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Document ID:	ILA3833455
Manifest Status:	Not reported
Trans1 State ID:	0075
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	07/08/1993
Trans1 Recv Date:	07/08/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/15/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID 1:	ILD098642424
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Reactive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00210
Units:	Gallons (liquids only)
Number of Containers:	015
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYC1840061
Manifest Status:	Not reported
Trans1 State ID:	AJ8306
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	09/11/1992
Trans1 Recv Date:	09/11/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/11/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00258
Units:	Pounds
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	ILA3228885
Manifest Status:	Not reported
Trans1 State ID:	0075
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	07/08/1993
Trans1 Recv Date:	07/08/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/15/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD099202681
Trans2 EPA ID:	Not reported
TSDF ID 1:	ILD098642424
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2,

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	Lead
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	01100
Units:	Gallons (liquids only)
Number of Containers:	020
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 12:	Lead
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00275
Units:	Gallons (liquids only)
Number of Containers:	005
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 17:	Lead
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYC3135677
Manifest Status:	Not reported
Trans1 State ID:	GF1411
Year:	1994
Trans2 State ID:	Not reported
Generator Ship Date:	08/08/1994
Trans1 Recv Date:	08/08/1994

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/08/1994
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00048
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYC1832714
Manifest Status:	Not reported
Trans1 State ID:	GE7533
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	08/20/1992
Trans1 Recv Date:	08/20/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/20/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00027
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYC1832725
Manifest Status:	Not reported
Trans1 State ID:	GE7533
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	08/20/1992
Trans1 Recv Date:	08/20/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/20/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00131
Units:	Pounds
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

Specific Gravity:	01.00
Document ID:	NYC1832894
Manifest Status:	Not reported
Trans1 State ID:	MF2047
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	08/20/1992
Trans1 Recv Date:	08/20/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/20/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	ILD051060408
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00303
Units:	Pounds
Number of Containers:	004
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NJA5024102
Manifest Status:	Not reported
Trans1 State ID:	50160
Year:	2004
Trans2 State ID:	Not reported
Generator Ship Date:	12/10/2004
Trans1 Recv Date:	12/10/2004
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/10/2004
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD006866008
Trans1 EPA ID:	NJD080631369
Trans2 EPA ID:	Not reported

HICKSVILLE OPERATIONS CENTER (Continued) **S104652423**

TSDF ID 1:	NJD980536593
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	B003
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00910
Units:	Kilograms
Number of Containers:	005
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	B007
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00150
Units:	Kilograms
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	01.00
Waste Code 12:	Silver
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00400
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
2259 additional NY MANIFEST: record(s) in the EDR Site Report.

X174 **UNKNOWN** **UST FINDER RELEASE** **1029072637**
SSW **197 OLD COUNTRY ROAD** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.272 mi.
1437 ft. **Site 6 of 6 in cluster X**

Relative: **Lower**
Actual: **138 ft.**

UST FINDER RELEASE:

Object ID:	266125
Facility ID:	NY298701
Lust ID:	NY506184
Name:	UNKNOWN
Address:	197 OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	2005/08/19 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	975
Domestic Wells within 1500ft:	3
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.51969
Y Coord:	40.76415
Latitude:	40.76415
Longitude:	-73.5196899999999

---

175 **MOBIL S/S** **NY LTANKS** **S100172986**
SSW **OLD COUNTRY & NEWBRIDGE** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.285 mi.
1506 ft.

Relative: **Lower**
Actual: **137 ft.**

LTANKS:

Name:	MOBIL S/S
Address:	OLD COUNTRY & NEWBRIDGE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8900786 / 1992-10-01
Facility ID:	8900786
Site ID:	82085
Spill Date:	1989-04-24
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility

MOBIL S/S (Continued) **S100172986**

Spill Class:	B3
Cleanup Ceased:	1992-10-01
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1989-04-24
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1989-04-24
Spill Record Last Update:	2011-03-16
Spiller Name:	Not reported
Spiller Company:	mobil s/s
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	401236
Latitude:	40.7617389
Longitude:	-73.5281960
DEC Memo:	PETROTITE SYSTEMS FAILURE, WILL DIG UP AND RETEST 2/13/92 LEFT MESSAGE FOR BOB JACKMORE TANK PASSED SYSTEMS RETEST AFTER BLEEDER WAS INSTALLED, NO FURTHER ACTION NEEDED AT THIS TIME
Remarks:	12K TANK FAILED GROSS LEAK. ISLAND PUMP & TANK TESTER.PETROTITE SYSTEMS FAILURE. WILL DIG UP AND RETEST

All TTF:

Facility ID:	8900786
Spill Number:	8900786
Spill Tank Test:	1535385
Site ID:	82085
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	82085
Operable Unit ID:	926983
Operable Unit:	01
Material ID:	452111

MOBIL S/S (Continued) **S100172986**

Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AC176 **WE TRANSPORT** **UST FINDER RELEASE** **1029062339**
East **42 EAST CARLE STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.303 mi.
1602 ft. **Site 1 of 3 in cluster AC**

Relative:
Higher

Actual:
145 ft.

UST FINDER RELEASE:

Object ID:	266127
Facility ID:	NY171879
Lust ID:	NY9825271
Name:	WE TRANSPORT
Address:	42 EAST CARLE STREET
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1999/03/04 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1331
Domestic Wells within 1500ft:	2
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.51912
Y Coord:	40.7660000000001
Latitude:	40.7659999999999
Longitude:	-73.51912

AC177 **WE TRANSPORT** **UST FINDER RELEASE** **1029075684**
East **42 EAST CARL STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.303 mi.
1602 ft. **Site 2 of 3 in cluster AC**

Relative:
Higher

Actual:
145 ft.

UST FINDER RELEASE:

Object ID:	266123
Facility ID:	NY403269
Lust ID:	NY8911439
Name:	WE TRANSPORT
Address:	42 EAST CARL STREET
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1990/03/02 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1204
Domestic Wells within 1500ft:	2
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.5197199999999
Y Coord:	40.76543
Latitude:	40.76543
Longitude:	-73.51972

AC178 **WE TRANSPORT INC** **NY LTANKS** **1000419314**
East **42 E CARL ST** **NY UST** **NYD003778057**
1/4-1/2 **HICKSVILLE, NY 11801** **NY TANKS**
0.303 mi. **NY Spills**
1602 ft. **Site 3 of 3 in cluster AC** **RCRA NonGen / NLR**
FINDS

Relative:
Higher

ECHO
NY MANIFEST

Actual:
145 ft.

LTANKS:

Name:	WE TRANSPORT
Address:	42 EAST CARL STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8911439 / 1994-05-06
Facility ID:	8911439
Site ID:	289832

WE TRANSPORT INC (Continued) **1000419314**

Spill Date:	1990-03-02
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	1994-05-06
SWIS:	3024
Investigator:	MIRZA
Referred To:	Not reported
Reported to Dept:	1990-03-05
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1990-03-06
Spill Record Last Update:	2011-05-04
Spiller Name:	JOHN RILLEY
Spiller Company:	WE TRANSPORT
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	403269
Latitude:	40.7654295
Longitude:	-73.5197224
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was MIRZA WELL
Remarks:	NCFM ON SITE. TANKS PUMPED OUT. STEEL TANKS PRIOR TO 1978

All TTF:

Facility ID:	8911439
Spill Number:	8911439
Spill Tank Test:	1536818
Site ID:	289832
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	289832
Operable Unit ID:	938380
Operable Unit:	01

WE TRANSPORT INC (Continued) **1000419314**

Material ID:	440961
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Name:	WE TRANSPORT INC
Address:	42 EAST CARL STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9903082 / 2000-03-28
Facility ID:	9903082
Site ID:	289833
Spill Date:	1999-06-17
Spill Cause:	Tank Overfill
Spill Source:	Commercial/Industrial
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	COSTELLO
Referred To:	Not reported
Reported to Dept:	1999-06-17
CID:	252
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1999-06-17
Spill Record Last Update:	2000-03-29
Spiller Name:	UNK
Spiller Company:	METRO FUEL OIL CORP
Spiller Address:	500 KINGSLAND AVENUE
Spiller County:	001
Spiller Contact:	STEVE SCHOTT
Spiller Phone:	(516) 822-8617
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	234680
Latitude:	40.7659983
Longitude:	-73.5191174
DEC Memo:	Not reported
Remarks:	SPILL CREW ON SITE FOR CLEANUP-SPILL HAS BEEN CONTAINED AND HAS NOT AFFECTED ANY WATERWAYS OR SEWERS.

All Materials:

Site ID:	289833
Operable Unit ID:	1082008
Operable Unit:	01
Material ID:	303007
Material Code:	0008
Material Name:	diesel

WE TRANSPORT INC (Continued) **1000419314**

Case No.: Not reported
Material FA: Petroleum
Quantity: 40.00
Units: G
Recovered: .00
Oxygenate: Not reported

NCFM UST:
Batt/Dept: 93
Location Id: 26062
Vendor: UNBRANDED

Unit Type: HH
Status: Removed
Tank Contents: 30199301
Installed Date: 08/09/1982
Last Test Date: 09/05/1995

Unit Type: HF
Status: Active
Tank Contents: 30120303
Installed Date: 06/11/1990
Last Test Date: 08/19/2010

Unit Type: HB
Status: Removed
Tank Contents: 10000000
Installed Date: 06/01/1971
Last Test Date: 08/27/1990

TANKS NASSAU:
Name: EDUCATIONAL BUS TRANSPORT
Address: 42 E. CARL ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 4/1/2026
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Name: EDUCATIONAL BUS TRANSPORT
Address: 42 E. CARL ST.
City,State,Zip: HICKSVILLE, NY 11801
Facility Status: Not reported
Permit End Date: 6/1/2021
Tank Number: Not reported
Decode of Ttype: Not reported
Capacity: Not reported
Product Description: Not reported

Name: WE TRANSPORT INC.
Address: 42 E. CARL ST.

WE TRANSPORT INC (Continued) **1000419314**

City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	7/1/2007
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

SPILLS:

Name:	WE TRANSPORT
Address:	42 EAST CARLE STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9825271 / 1999-05-20
Facility ID:	9825271
Facility Type:	ER
DER Facility ID:	171879
Site ID:	207094
DEC Region:	1
Spill Cause:	Other
Spill Class:	B3
SWIS:	3024
Spill Date:	1999-03-04
Investigator:	HMCIRRIT
Referred To:	Not reported
Reported to Dept:	1999-03-04
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Tank Tester
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	True
Remediation Phase:	0
Date Entered In Computer:	1999-03-04
Spill Record Last Update:	2012-02-18
Spiller Name:	FRANK CARPENTER
Spiller Company:	WE TRANSPORT
Spiller Address:	42 EAST CARLE STREET
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7659983
Longitude:	-73.5191174
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was CIRRITO 98-177 TANK REMOVED, CONTAMINATED SOIL EXCAVATED SOIL BORING PERFORMED, SAMPLES TAKEN/DISPOSAL REC'VD. NO FURTHER ACTION
Remarks:	CONTAMINATION FOUND DURING ROUTINE REMOVAL OF 1 4K SINGLE-WALL FIBERGLASS COATED STEEL TANK. TANK SEEMS OK; APPEARS TO BE LINE OR HOUSEKEEPING PROBLEM. MAY NOT BE ABLE TO DIG OUT- ANOTHER TANK NEXT TO IT.

All Materials:

Site ID:	207094
Operable Unit ID:	1076891
Operable Unit:	01

WE TRANSPORT INC (Continued) **1000419314**

Material ID:	308981
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		We Transport Inc
Handler Address:		E Carl St
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYD003778057
Contact Name:		Not reported
Contact Address:		E CARL ST
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		E CARL ST
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	J Berish	
Owner Type:		Private
Operator Name:	J Berish	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Not reported
2018 GPRA Permit Baseline:		Not on the Baseline

WE TRANSPORT INC (Continued) **1000419314**

2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: J BERISH	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported
Owner/Operator Indicator:	Owner
Owner/Operator Name: J BERISH	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: J BERISH
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19950330
Handler Name: WE TRANSPORT INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: WE TRANSPORT INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: WE TRANSPORT INC
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19870108
Handler Name: WE TRANSPORT INC

WE TRANSPORT INC (Continued) **1000419314**

Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

List of NAICS Codes and Descriptions:

NAICS Codes:	No NAICS Codes Found

Has the Facility Received Notices of Violations:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	20001018
Evaluation Responsible Agency:	State

WE TRANSPORT INC (Continued) **1000419314**

Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDRI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

FINDS:
Registry ID: 110004342088

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:

Envid:	1000419314
Registry ID:	110004342088

DFR URL:

Name:	WE TRANSPORT INC
Address:	42 E Carl St
City,State,Zip:	HICKSVILLE, NY 11801

NY MANIFEST:

EPA ID:	NYD003778057
Country:	USA
Name:	We Transport
Address:	42 E CARL ST
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Zip 4:	Not reported
Location Address 1:	42 E CHERRY
Location Address 2:	Not reported
Location City,State,Zip:	HICKSVILLE, NY 11801
Location Zip 4:	Not reported
Facility Status:	Not reported
Total Tanks:	Not reported
Code:	BP

Mailing:

Mailing Name:	We Transport
Mailing Contact:	Winston Forte
Mailing Address 1:	42 E CHERRY
Mailing Address 2:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA
Mailing Phone: 5168221155

Manifest Data:
Document ID: NYC5038053
Manifest Status: Not reported
Trans1 State ID: NYGF1411
Year: 1998
Trans2 State ID: Not reported
Generator Ship Date: 04/06/1998
Trans1 Recv Date: 04/06/1998
Trans2 Recv Date: Not reported
TSD Site Recv Date: 04/06/1998
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD003778057
Trans1 EPA ID: ILD984908202
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000708198
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Tetrachloroethylene
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00015
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Metal drums, barrels, kegs
Handling Method: Recycle
Specific Gravity: 01.00
Waste Code 7: Tetrachloroethylene
Waste Code 8: Not reported
Waste Code: Not reported
Waste Code 10: Not reported
Waste Code 11: Not reported
Quantity: 00005
Units: Gallons (liquids only)
Number of Containers: 001
Container Type: Fiberboard or plastic drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 01.00

WE TRANSPORT INC (Continued) **1000419314**

Document ID:	NYC5621343
Manifest Status:	Not reported
Trans1 State ID:	NYAT8011
Year:	1999
Trans2 State ID:	Not reported
Generator Ship Date:	05/07/1999
Trans1 Recv Date:	05/07/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/07/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00016
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC5597616
Manifest Status:	Not reported
Trans1 State ID:	NYGF1411
Year:	1999
Trans2 State ID:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Generator Ship Date:	04/16/1999
Trans1 Recv Date:	04/16/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/16/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00017
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYC6283326
Manifest Status:	Not reported
Trans1 State ID:	NY75313AV
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	10/19/2000
Trans1 Recv Date:	10/19/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/19/2000
Part A Recv Date:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00017
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Document ID:	NYC4403092
Manifest Status:	Not reported
Trans1 State ID:	NYCAT8011
Year:	1996
Trans2 State ID:	Not reported
Generator Ship Date:	12/13/1996
Trans1 Recv Date:	12/13/1996
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	12/13/1996
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198

WE TRANSPORT INC (Continued) **1000419314**

TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00016
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Document ID:	NYC6266665
Manifest Status:	Not reported
Trans1 State ID:	NY75313AV
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	09/19/2000
Trans1 Recv Date:	09/19/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/19/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00015
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC4665420
Manifest Status:	Not reported
Trans1 State ID:	NYCAT8011
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	03/10/1997
Trans1 Recv Date:	03/10/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/10/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00016
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC4436368
Manifest Status:	Not reported
Trans1 State ID:	NYCAT8011
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	01/13/1997
Trans1 Recv Date:	01/13/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	01/13/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00017
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

Document ID:	NYC4875535
Manifest Status:	Not reported
Trans1 State ID:	NYCAT8011
Year:	1997
Trans2 State ID:	Not reported
Generator Ship Date:	05/08/1997
Trans1 Recv Date:	05/08/1997
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	05/08/1997
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00016

WE TRANSPORT INC (Continued) **1000419314**

Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC6104968
Manifest Status:	Not reported
Trans1 State ID:	NYLP3938
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	02/15/2000
Trans1 Recv Date:	02/15/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/15/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	ILD984908202
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00010
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00

WE TRANSPORT INC (Continued) **1000419314**

Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYC6177554
Manifest Status:	Not reported
Trans1 State ID:	75313AV
Year:	2000
Trans2 State ID:	Not reported
Generator Ship Date:	07/25/2000
Trans1 Recv Date:	07/25/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/25/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD003778057
Trans1 EPA ID:	SCR000075150
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD000708198
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Tetrachloroethylene
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00017
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	01.00
Waste Code 7:	Tetrachloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported

WE TRANSPORT INC (Continued) **1000419314**

Quantity:	00005
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
59 additional NY MANIFEST: record(s) in the EDR Site Report.

AD179 **HICKSVILLE METHODIST CHUR** **NY LTANKS** **S104516238**
ESE **OLD COUNTRY ROAD** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.315 mi.
1665 ft. **Site 1 of 3 in cluster AD**

Relative:
Lower

Actual:
142 ft.

LTANKS:

Name:	HICKSVILLE METHODIST CHUR
Address:	OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9911452 / 2000-01-04
Facility ID:	9911452
Site ID:	141351
Spill Date:	1999-12-31
Spill Cause:	Tank Overfill
Spill Source:	Tank Truck
Spill Class:	C4
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	1999-12-31
CID:	211
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1999-12-31
Spill Record Last Update:	2000-01-05
Spiller Name:	DAN FRACCALVIERI
Spiller Company:	PERILLO BROTHERS FUEL COR
Spiller Address:	9 MURRAY STREET
Spiller County:	001
Spiller Contact:	DAN FRACCALVIERI
Spiller Phone:	(516) 249-4141
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	278280
Latitude:	40.7641499
Longitude:	-73.5196900
DEC Memo:	Not reported
Remarks:	SITE IS AT UNITED METHODIST CHURCH. DRIVER OVERFILLED TANK - SPILL BEING CLEANED UP.

HICKSVILLE METHODIST CHUR (Continued) **S104516238**

All Materials:

Site ID:	141351
Operable Unit ID:	1090143
Operable Unit:	01
Material ID:	296911
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

---

180 **EXXON** **UST FINDER** **1028579879**
NNW **106 N. BROADWAY** **UST FINDER RELEASE** **N/A**
1/4-1/2 **HICKSVILLE, NY 11801**
0.315 mi.
1665 ft.

Relative:
Higher

Actual:
149 ft.

UST FINDER:

Object ID:	301447
Facility ID:	NY361563
Name:	EXXON
Address:	106 N. BROADWAY
City,State,Zip:	HICKSVILLE, NY 11801
Address Match Type:	Not reported
Open USTs:	1
Closed USTs:	0
TOS USTs:	0
Population 1500ft:	1076
Private Wells 1500ft:	0
Within 100yr Floodplain:	No
Land Use:	Developed, High Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Facility Status:	Open UST(s)
Date of Last Inspection:	Not reported
EPA Region:	2
Tribe:	Not reported
Coordinate Source:	State
X Coord:	-73.527551
Y Coord:	40.772344
Latitude:	40.772344
Longitude:	-73.527551

UST FINDER:

Object ID:	1247714
Facility ID:	NY361563

EXXON (Continued) **1028579879**

Tank ID:	NY102579
Tank Status:	Open
Installation Date:	Not reported
Removal Date:	Not reported
Tank Capacity:	Not reported
Substances:	Not reported
Tank Wall Type:	Not reported

UST FINDER RELEASE:

Object ID:	261397
Facility ID:	NY361563
Lust ID:	NY9608671
Name:	FORMER GAS STATION
Address:	88 RIVERSIDE DRIVE
City,State,Zip:	CHESTERTOWN, NY 0
Address Match Type:	Not reported
Reported Date:	1996/09/01 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	249
Domestic Wells within 1500ft:	93
Land Use:	Developed, Low Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY5630075_32807
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020200010604
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.8020999999999
Y Coord:	43.6531600000001
Latitude:	43.65316
Longitude:	-73.8020999999999

---

181 **HICKSVILLE MIDDLE SCHOOL** **NY LTANKS** **1000446609**
SSE **JERUSALEM AVE** **RCRA NonGen / NLR** **NYD986912889**
1/4-1/2 **HICKSVILLE, NY 11801** **NY MANIFEST**
0.322 mi.
1701 ft.

Relative:
Lower

Actual:
139 ft.

LTANKS:

Name:	HICKSVILLE JR HS
Address:	JERUSALEM AVENUE & 2ND STREET
City,State,Zip:	HICKSVILLE, NY

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Spill Number/Closed Date:	8705026 / 1988-05-17
Facility ID:	8705026
Site ID:	195996
Spill Date:	1987-09-16
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Not reported
Cleanup Ceased:	1988-05-17
SWIS:	3024
Investigator:	KDGOERTZ
Referred To:	Not reported
Reported to Dept:	1987-09-16
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-09-16
Spill Record Last Update:	2006-10-18
Spiller Name:	Not reported
Spiller Company:	HICKSVILLE JR HS
Spiller Address:	JERUSALEM AVE & 2ND ST
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	163288
Latitude:	40.7615030
Longitude:	-73.5232440
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was GOERTZ FD / / : BAIN HEATING TESTER. 05/17/88: BAIN RETESTED SYSTEM AFTER REPLACING VENT LINE WHISTLE & PASSED.DEC NOT PRESENT DURING RETEST. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	10K FAILED SYSTEM TEST-GROSS FAILURE

All TTF:

Facility ID:	8705026
Spill Number:	8705026
Spill Tank Test:	1531635
Site ID:	195996
Tank Number:	Not reported
Tank Size:	0
Material:	0002
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

All Materials:

Site ID:	195996
Operable Unit ID:	911334
Operable Unit:	01
Material ID:	467632
Material Code:	0002A
Material Name:	#4 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Hicksville Middle School
Handler Address:		Jerusalem Ave
Handler City,State,Zip:		HICKSVILLE, NY 11801
EPA ID:		NYD986912889
Contact Name:		Not reported
Contact Address:		DIVISION AVE & 6TH ST ADMIN
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		DIVISION AVE & 6TH ST ADMIN
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	Hicksville Public Schools	
Owner Type:		District
Operator Name:	Hicksville Public Schools	
Operator Type:		District
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		No
Universal Waste Indicator:		No
Universal Waste Destination Facility:		No
Federal Universal Waste:		No

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D000
Waste Description:	Not Defined
Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	D002
Waste Description:	Corrosive Waste
Waste Code:	D003
Waste Description:	Reactive Waste
Waste Code:	NONE
Waste Description:	Not Defined

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name:	HICKSVILLE PUBLIC SCHOOLS
Legal Status:	District
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: HICKSVILLE PUBLIC SCHOOLS
Legal Status: District
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: HICKSVILLE PUBLIC SCHOOLS
Legal Status: District
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19950321
Handler Name: HICKSVILLE MIDDLE SCHOOL
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: HICKSVILLE MIDDLE SCHOOL
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: HICKSVILLE MIDDLE SCHOOL
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900913
Handler Name: HICKSVILLE MIDDLE SCHOOL
Federal Waste Generator Description: Small Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Codes: No NAICS Codes Found

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

NY MANIFEST:
EPA ID: NYD986912889
Country: USA
Name: Hicksville Middle School
Address: JERUSALEM AVE
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801
Zip 4: Not reported
Location Address 1: 2ND STREET & FREVERT PLACE
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY 11801
Location Zip 4: Not reported
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Hicksville Middle School
Mailing Contact: Dominick Ciaramella
Mailing Address 1: 2ND STREET & FREVERT PLACE
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: Not reported
Mailing Country: USA

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Mailing Phone: 5169370900

Manifest Data:
Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 07/11/2011
Trans1 Recv Date: 07/11/2011
Trans2 Recv Date: Not reported
TSD Site Recv Date: 07/21/2011
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD986912889
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID 1: CDX480000000
TSDF ID 2: Not reported
Manifest Tracking Number: 008693475JJK
Import Indicator: N
Export Indicator: Y
Discr Quantity Indicator: N
Discr Type Indicator: N
Discr Residue Indicator: N
Discr Partial Reject Indicator: N
Discr Full Reject Indicator: N
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: H141
Waste Code a: Corrosive Waste
Waste Code b: Not reported
Waste Code c: Not reported
Waste Code e: Not reported
Waste Code f: Not reported
Waste Code g: Not reported
Waste Code 1: Not reported
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 40
Units: Pounds
Number of Containers: 1
Container Type: Fiberboard or plastic drums, barrels, kegs
Handling Method: Landfill
Specific Gravity: 1

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: NYD049178296
Year: 2018
Trans2 State ID: Not reported
Generator Ship Date: 07/11/2011
Trans1 Recv Date: 07/11/2011

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/21/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	CDX480000000
TSDF ID 2:	Not reported
Manifest Tracking Number:	008693475JJK
Import Indicator:	N
Export Indicator:	Y
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Corrosive Waste
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	80
Units:	Pounds
Number of Containers:	2
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Landfill
Specific Gravity:	1

Document ID:	NYB5717673
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	07/29/1992
Trans1 Recv Date:	07/29/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/29/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00046
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	Reactive Waste
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00200
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 12:	Corrosive Waste
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00003
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 17:	Corrosive Waste
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00001
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Document ID:	NYB5717718
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	07/29/1992
Trans1 Recv Date:	07/29/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/29/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYB5378562
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	07/22/1993
Trans1 Recv Date:	07/22/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	07/22/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00015
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	Mercury
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00010
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	NYG1708128
Manifest Status:	Not reported
Trans1 State ID:	71169ASNY
Year:	1999
Trans2 State ID:	Not reported
Generator Ship Date:	11/08/1999
Trans1 Recv Date:	11/08/1999
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	11/09/1999
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD077444263
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD077444263
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00008
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 7:	Lead
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00010
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 12:	Corrosive Waste
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00006
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 17:	Ignitable Waste
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00006
Units:	Pounds
Number of Containers:	001
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	NYD049178296
Year:	2018

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Trans2 State ID:	Not reported
Generator Ship Date:	07/21/2011
Trans1 Recv Date:	07/21/2011
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	08/05/2011
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID 1:	CDX480000000
TSDF ID 2:	Not reported
Manifest Tracking Number:	008825526JJK
Import Indicator:	N
Export Indicator:	Y
Discr Quantity Indicator:	N
Discr Type Indicator:	N
Discr Residue Indicator:	N
Discr Partial Reject Indicator:	N
Discr Full Reject Indicator:	N
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	H141
Waste Code a:	Mercury
Waste Code b:	Not reported
Waste Code c:	Not reported
Waste Code e:	Not reported
Waste Code f:	Not reported
Waste Code g:	Not reported
Waste Code 1:	Not reported
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	20
Units:	Pounds
Number of Containers:	1
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	1

Document ID:	NYB5212665
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	09/07/1993
Trans1 Recv Date:	09/07/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/07/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYB5212674
Manifest Status:	Not reported
Trans1 State ID:	PD9938
Year:	1993
Trans2 State ID:	Not reported
Generator Ship Date:	09/07/1993
Trans1 Recv Date:	09/07/1993
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	09/07/1993
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Chromium
Waste Code 2:	Not reported

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00010
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 7:	Ignitable Waste
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00005
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 12:	Ignitable Waste
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00008
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 17:	Corrosive Waste
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00008
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00

Document ID:	NYB4360797
Manifest Status:	Not reported
Trans1 State ID:	HM3506
Year:	1992
Trans2 State ID:	Not reported
Generator Ship Date:	10/16/1992
Trans1 Recv Date:	10/16/1992
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	10/16/1992
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	2,4-Dinitrophenol (Or) Phenol, 2,4-Dinitro-
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00001
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Document ID:	NYB2379321
Manifest Status:	Not reported
Trans1 State ID:	HM5506
Year:	1991
Trans2 State ID:	Not reported
Generator Ship Date:	05/31/1991
Trans1 Recv Date:	05/31/1991
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/03/1991
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	NYD986912889
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Ignitable Waste

HICKSVILLE MIDDLE SCHOOL (Continued) **1000446609**

Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00010
Units:	Pounds
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	01.00
Waste Code 7:	Lead
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00123
Units:	Pounds
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00
Waste Code 12:	Ignitable Waste
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00003
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Burn
Specific Gravity:	01.00

Click this hyperlink while viewing on your computer to access
8 additional NY MANIFEST: record(s) in the EDR Site Report.

AD182 **EXXON GAS STATION** **UST FINDER RELEASE** **1029080012**
SE **210 SOUTH BROADWAY** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.323 mi.
1706 ft. **Site 2 of 3 in cluster AD**

Relative: **Lower**
Actual: **142 ft.**

UST FINDER RELEASE:

Object ID:	266126
Facility ID:	NY98983
Lust ID:	NY8605541
Name:	EXXON GAS STATION
Address:	210 SOUTH BROADWAY
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1986/12/02 16:00:00+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	968
Domestic Wells within 1500ft:	3
Land Use:	Developed, High Intensity

EXXON GAS STATION (Continued) **1029080012**

Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.5195399999999
Y Coord:	40.7638900000001
Latitude:	40.76389
Longitude:	-73.51954

AE183 **FORMER PETRO TERMINAL** **NY LTANKS** **S100493994**
SSE **SOUTH OYSTER BAY ROAD** **NY Spills** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.334 mi.
1762 ft. **Site 1 of 2 in cluster AE**

Relative: **Lower**
Actual: **140 ft.**

LTANKS:

Name:	TARTAN OIL
Address:	SOUTH OYSTER BAY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9206696 / 1996-03-01
Facility ID:	9206696
Site ID:	234465
Spill Date:	1992-09-09
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1992-09-09
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1992-09-14
Spill Record Last Update:	1996-03-04
Spiller Name:	Not reported
Spiller Company:	TARTAN OIL

FORMER PETRO TERMINAL (Continued) **S100493994**

Spiller Address:	532 BROADHOLLOW ROAD
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	193146
Latitude:	40.7617999
Longitude:	-73.5220900
DEC Memo:	Not reported
Remarks:	10K FAILED UNTESTABLE, ISLAND PUMP & TANK TESTER, A/G STORAGE TANK, VISIBLE LEAK ON SIDE OF TANK, STOPPED TEST, REPAIR & RETEST,

All TTF:

Facility ID:	9206696
Spill Number:	9206696
Spill Tank Test:	1540540
Site ID:	234465
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	234465
Operable Unit ID:	973834
Operable Unit:	01
Material ID:	407393
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Name:	FORMER PETRO TERMINAL
Address:	SOUTH OYSTER BAY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0425090 / 2004-07-19
Facility ID:	0425090
Facility Type:	ER
DER Facility ID:	193146
Site ID:	234456
DEC Region:	1

FORMER PETRO TERMINAL (Continued) **S100493994**

Spill Cause:	Human Error
Spill Class:	C2
SWIS:	3000
Spill Date:	2004-05-28
Investigator:	NJACAMPO
Referred To:	Not reported
Reported to Dept:	2004-06-01
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Major Facility (MOSF) > 400,000 gal
Spill Notifier:	DEC
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2004-06-01
Spill Record Last Update:	2004-07-20
Spiller Name:	Not reported
Spiller Company:	PETRO
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	PETE CLARK
Latitude:	40.7617999
Longitude:	-73.5220900
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was ACAMPORA 04-026 SOIL REMOVED, GEOPROBE COMPLETED TO COLLECT ENDPOINT SAMPLE RESULTS CAME BACK N.D 6/3/04 ACAMPORA HAD TELECON WITH PAUL BASSO AT MILRO, EXCAVATION WORK INITIATED YESTERDAY (6/2/04) APPROX 60 YARDS STOCKPILED, WORK WILL CONTINUE TOMORROW. DISPOSAL MANIFESTS ATTACHED TO SPILL 04-25076
Remarks:	DURING DEMOLITION WORK, OIL WAS SPILLED EITHER FROM PIPING OR TANK CAUSING SPILL INTO FORMER CONTAINMENT AREA. 10 x 10 AREA IMPACTED. MILRO TO PROCEED WITH CLEANUP.

All Materials:

Site ID:	234456
Operable Unit ID:	889985
Operable Unit:	01
Material ID:	485213
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AE184 **ZARA CONT CO** **NY LTANKS** **S100148885**
SSE **ENGEL STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.334 mi.
1762 ft. **Site 2 of 2 in cluster AE**

Relative: **Lower**

Actual: **140 ft.**

LTANKS:

Name:	ZARA CONT CO
Address:	ENGEL STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8702083 / 1987-09-23
Facility ID:	8702083
Site ID:	206675
Spill Date:	1987-06-12
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	1987-09-23
SWIS:	3024
Investigator:	CXONEILL
Referred To:	Not reported
Reported to Dept:	1987-06-12
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1987-06-15
Spill Record Last Update:	2013-09-06
Spiller Name:	Not reported
Spiller Company:	ZARA CONT CO
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	296768
Latitude:	40.7617999
Longitude:	-73.5220900
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was O'NEILL FD / / : 6/16/87 TANKS PASSED RETEST AFTER MANIFOLD DISCONNECTED.VOLINO TESTER. DEC NOT PRESENT DURING RETEST. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	2-10K TANK SYSTEM TEST FAILED AT 1 GPH.

All TTF:

Facility ID:	8702083
Spill Number:	8702083
Spill Tank Test:	1530954
Site ID:	206675
Tank Number:	Not reported
Tank Size:	0
Material:	0008
EPA UST:	Not reported
UST:	Not reported

ZARA CONT CO (Continued) **S100148885**

Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	206675
Operable Unit ID:	906388
Operable Unit:	01
Material ID:	471962
Material Code:	0008
Material Name:	diesel
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AD185 **WEST. CO. AIRPORT** **NY LTANKS** **S102674116**
ESE **OLD CAR RENTAL SITE** **N/A**
1/4-1/2 **RYE BROOK, NY**
0.341 mi.
1799 ft. **Site 3 of 3 in cluster AD**

Relative: **Lower**

Actual: **143 ft.**

LTANKS:

Name:	WEST. CO. AIRPORT
Address:	OLD CAR RENTAL SITE
City,State,Zip:	RYE BROOK, NY
Spill Number/Closed Date:	9310461 / 1999-07-12
Facility ID:	9310461
Site ID:	264311
Spill Date:	1993-11-29
Spill Cause:	Tank Overfill
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	6000
Investigator:	WXWADSWO
Referred To:	Not reported
Reported to Dept:	1993-11-29
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1993-12-27
Spill Record Last Update:	2000-05-05
Spiller Name:	Not reported

WEST. CO. AIRPORT (Continued) **S102674116**

Spiller Company:	Not reported
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	3
DER Facility ID:	215425
Latitude:	40.7643660
Longitude:	-73.5190330
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was WADSWORTH 5-5-00 CLOSED IN JULY BY RDB
Remarks:	SOIL FOUND IN TANK PULL

All Materials:

Site ID:	264311
Operable Unit ID:	989276
Operable Unit:	01
Material ID:	393072
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	L
Recovered:	.00
Oxygenate:	Not reported

186
SSW
1/4-1/2
0.342 mi.
1804 ft.

COUNTRY BRIDGE **NY LTANKS** **S116156819**
244/260 WEST OLD COUNTRY RD **N/A**
HICKSVILLE, NY

Relative:
Lower

Actual:
136 ft.

LTANKS:

Name:	COUNTRY BRIDGE
Address:	244/260 WEST OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	1310184 / 2014-05-16
Facility ID:	1310184
Site ID:	491015
Spill Date:	2014-01-21
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3024
Investigator:	hmcirrit
Referred To:	Not reported
Reported to Dept:	2014-01-21
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	False
UST Involvement:	False

COUNTRY BRIDGE (Continued) **S116156819**

Remediation Phase:	0
Date Entered In Computer:	2014-01-21
Spill Record Last Update:	2018-12-19
Spiller Name:	Not reported
Spiller Company:	MUSSO PROPERTIES
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	BOB URBAN
Spiller Phone:	(631) 321-4670
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	446027
Latitude:	40.7612003
Longitude:	-73.5302942
DEC Memo:	01/21/14 1210 Hrs (A): Called Urban- this is a shopping center, and THE TESTS WERE DONE FOR A POTENTIAL BUYER. He provided the name and phone number for the current owner. 01/21/14 1210 Hrs (B): BOTH tanks failed with dry leaks . There was supposed to have been a third tank tested, but he is not certain whether it is actually present. DR 3 TANKS ON PROPERTY REMOVED, NO CONTAMINATED SOIL IDENTIFIED
Remarks:	two 550 gal ust

All Materials:

Site ID:	491015
Operable Unit ID:	1240567
Operable Unit:	01
Material ID:	2240765
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	Not reported
Units:	G
Recovered:	Not reported
Oxygenate:	Not reported

187
WSW
1/4-1/2
0.349 mi.
1845 ft.

EDWARD CONDRA RESIDENCE
219 WEST MARIE STREET
HICKSVILLE, NY

NY LTANKS **S102670721**
N/A

Relative:
Lower

Actual:
136 ft.

LTANKS:

Name:	EDWARD CONDRA RESIDENCE
Address:	219 WEST MARIE STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9509442 / 1995-10-31
Facility ID:	9509442
Site ID:	79338
Spill Date:	1995-10-30
Spill Cause:	Tank Overfill
Spill Source:	Private Dwelling
Spill Class:	C3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	UNASSIGNED
Referred To:	Not reported

EDWARD CONDRA RESIDENCE (Continued) **S102670721**

Reported to Dept:	1995-10-30
CID:	209
Water Affected:	Not reported
Spill Notifier:	Affected Persons
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1995-10-30
Spill Record Last Update:	1995-11-01
Spiller Name:	Not reported
Spiller Company:	UNK
Spiller Address:	Not reported
Spiller County:	999
Spiller Contact:	EDWARD CONDRA
Spiller Phone:	(516) 931-1093
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	73752
Latitude:	40.7643643
Longitude:	-73.5301128
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE NO FURTHER ACTIONS
Remarks:	HISTORICAL STAIN

All Materials:

Site ID:	79338
Operable Unit ID:	1020018
Operable Unit:	01
Material ID:	360403
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

188
North
1/4-1/2
0.402 mi.
2122 ft.

CHUANG RESIDENCE
48 LENOX AVENUE
HICKSVILLE, NY

NY LTANKS **S101174498**
NY Spills **N/A**

Relative:
Higher

Actual:
153 ft.

LTANKS:

Name:	CHUANG RESIDENCE
Address:	48 LENOX AVE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9404612 / 2004-02-10
Facility ID:	9404612
Site ID:	84147
Spill Date:	1994-07-05
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	C3

CHUANG RESIDENCE (Continued) **S101174498**

Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	BPAUSTIN
Referred To:	Not reported
Reported to Dept:	1994-07-05
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1994-07-06
Spill Record Last Update:	2004-02-12
Spiller Name:	Not reported
Spiller Company:	CHUANG RESIDENCE
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	77399
Latitude:	40.7728871
Longitude:	-73.5252563
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN 1/30/04 MEMO CRITERION #3 CLOSURE SPILL LESS THAN 25 GALS, RESIDUAL CONTAMINATION DOES NOT POSE THREAT TO GW
Remarks:	SPILL ON DIRT IN CRAWL SPACE, TANK BEING PUMPED OUT BY SERVICE

All Materials:

Site ID:	84147
Operable Unit ID:	998727
Operable Unit:	01
Material ID:	381226
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Name:	CHUANG RESIDENCE
Address:	48 LENOX AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9600135 / 1999-05-20
Facility ID:	9600135
Facility Type:	ER
DER Facility ID:	183832
Site ID:	222333
DEC Region:	1
Spill Cause:	Unknown

CHUANG RESIDENCE (Continued) **S101174498**

Spill Class:	C3
SWIS:	3024
Spill Date:	1996-04-03
Investigator:	BPAUSTIN
Referred To:	Not reported
Reported to Dept:	1996-04-03
CID:	349
Water Affected:	Not reported
Spill Source:	Private Dwelling
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1996-04-03
Spill Record Last Update:	2015-06-08
Spiller Name:	CHUANG RESIDENCE
Spiller Company:	CHUANG RESIDENCE
Spiller Address:	48 LENOX AVENUE
Spiller Company:	001
Contact Name:	CHUANG RESIDENCE
Latitude:	40.7728871
Longitude:	-73.5252563
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN CASE BEING HANDLED UNDER SPILL #94-04612
Remarks:	serviceman was there for no heat call - old tank in crawl space -found historical stain

All Materials:

Site ID:	222333
Operable Unit ID:	1027810
Operable Unit:	01
Material ID:	353533
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

---

189 SSW 1/4-1/2 0.403 mi. 2130 ft. **JOE MCSHANE RESIDENCE** **NY LTANKS** **S103824066**
33 FLOWER STREET **N/A**
HICKSVILLE, NY

Relative: Lower
Actual: 135 ft.

LTANKS:

Name:	JOE MCSHANE RESIDENCE
Address:	33 FLOWER STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9813375 / 1999-09-22
Facility ID:	9813375

JOE MCSHANE RESIDENCE (Continued) **S103824066**

Site ID:	140767
Spill Date:	1999-02-01
Spill Cause:	Tank Failure
Spill Source:	Private Dwelling
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	COSTELLO
Referred To:	Not reported
Reported to Dept:	1999-02-01
CID:	281
Water Affected:	Not reported
Spill Notifier:	Other
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1999-02-01
Spill Record Last Update:	1999-09-23
Spiller Name:	JOE MCSHANE
Spiller Company:	JOE MCSHANE RESIDENCE
Spiller Address:	33 FLOWER STREET
Spiller County:	001
Spiller Contact:	JOE MCSHANE
Spiller Phone:	(516) 433-7622
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	120216
Latitude:	40.7605110
Longitude:	-73.5295816
DEC Memo:	Not reported
Remarks:	CALLER RESPONDED TO ABOVE LOCATION FOR ODOR OF OIL IN RESIDENCE. TANK TO BE DRAINED AND REPLACED/RELOCATED. NO CALL BACK REQUESTED.

All Materials:

Site ID:	140767
Operable Unit ID:	1070747
Operable Unit:	01
Material ID:	310096
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

190
NNW
1/4-1/2
0.410 mi.
2165 ft.

JERICHO JEWISH CENTER
NORTH BROADWAY
HICKSVILLE, NY

NY LTANKS **S100151481**
N/A

Relative:
Higher

Actual:
150 ft.

LTANKS:

Name:	JERICHO JEWISH CENTER
Address:	NORTH BROADWAY
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9009442 / 1991-11-29
Facility ID:	9009442
Site ID:	153656
Spill Date:	1990-11-29
Spill Cause:	Tank Test Failure
Spill Source:	Institutional, Educational, Gov., Other
Spill Class:	Not reported
Cleanup Ceased:	1991-11-29
SWIS:	3000
Investigator:	KMYAGER
Referred To:	Not reported
Reported to Dept:	1990-11-29
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1990-11-30
Spill Record Last Update:	2000-11-14
Spiller Name:	Not reported
Spiller Company:	JERICHO JEWISH CENTER
Spiller Address:	Not reported
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	284881
Latitude:	40.7728699
Longitude:	-73.5277400
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEROSA 11/29/91: TANK REMOVED 11/26/91, NCDH ALAN BRUSSELS ATTENDED, NO CONTAMINATION FOUND. NO FURTHER ACTION.
Remarks:	SYSTEM TEST. 3K FAILED AT -.1196 HORNER EZ CHECK

All TTF:

Facility ID:	9009442
Spill Number:	9009442
Spill Tank Test:	1537962
Site ID:	153656
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported

JERICHO JEWISH CENTER (Continued) **S100151481**

Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	153656
Operable Unit ID:	946554
Operable Unit:	01
Material ID:	429659
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AF191
West
1/4-1/2
0.411 mi.
2170 ft.

Relative:
Lower

Actual:
139 ft.

NCBP HICKSVILLE LLC
201 W JOHN ST
HICKSVILLE, NY 11801

Site 1 of 2 in cluster AF

NY LTANKS **1000413037**
NY UST **NYD005574371**
NY Spills
RCRA NonGen / NLR
FINDS
ECHO

LTANKS:

Name:	FEDERAL EXPRESS
Address:	201 WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9506499 / 1996-03-28
Facility ID:	9506499
Site ID:	204311
Spill Date:	1995-08-25
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B4
Cleanup Ceased:	Not reported
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1995-08-25
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1995-08-29
Spill Record Last Update:	2013-12-16
Spiller Name:	DEBBIE MATTAS
Spiller Company:	FEDERAL EXPRESS ENV MGT

NCBP HICKSVILLE LLC (Continued) **1000413037**

Spiller Address:	3975 AIRWAYS MODULE E 1ST
Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	444961
Latitude:	40.7674414
Longitude:	-73.5340734
DEC Memo:	PER CBM CONSTRUCTION FAILURE WAS DUE TO AIR POCKET NO LEAKAGE OCCURRED. SYSTEM PASSED 8/29/95 TANK REMOVED 3/27/96 NCFM GUERIN ATTENDED, NO CONTAMINATION FOUND, NO FURTHER ACTION NEEDED AT THIS TIME. BRINE SOLUTION PUMPED OUT PER GUERIN TO BE DISPOSED OF
Remarks:	10K FAILED -0.152

All TTF:

Facility ID:	9506499
Spill Number:	9506499
Spill Tank Test:	1544111
Site ID:	204311
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	204311
Operable Unit ID:	1017265
Operable Unit:	01
Material ID:	364464
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Name:	FEDERAL EXPRESS
Address:	201 WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9506571 / 1995-09-07
Facility ID:	9506571
Site ID:	204312
Spill Date:	1995-08-28
Spill Cause:	Tank Test Failure

NCBP HICKSVILLE LLC (Continued) **1000413037**

Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	1995-09-07
SWIS:	3024
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1995-08-28
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Responsible Party
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1995-08-30
Spill Record Last Update:	2013-12-26
Spiller Name:	ENVIRONMENTAL MANAGEMENT GROUP
Spiller Company:	federal express
Spiller Address:	3975 AIRWAYS
Spiller County:	999
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	444961
Latitude:	40.7674414
Longitude:	-73.5340734
DEC Memo:	CONTRACTOR WILL CHECK ALL FITTINGS, VALVES AND TOP OF TANK. WILL THEN RETEST TOMORROW IF THEY CAN GET FM OUT PER GUERIN 9/7/95 RETEST OF SPILL # 95-06499
Remarks:	WILL HAVE MAINTENANCE CONTRACTOR COME IN TO CHECK ALL VALVES & FITTINGS & BUNG BECAUSE THEY DO NOT BELIEVE TANK ITSELF IS LEAKING, WILL DO RETEST, 10K FAILED PETROTITE

All TTF:

Facility ID:	9506571
Spill Number:	9506571
Spill Tank Test:	1544114
Site ID:	204312
Tank Number:	Not reported
Tank Size:	0
Material:	0009
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	204312
Operable Unit ID:	1017322

NCBP HICKSVILLE LLC (Continued) **1000413037**

Operable Unit: 01
Material ID: 364534
Material Code: 0009
Material Name: gasoline
Case No.: Not reported
Material FA: Petroleum
Quantity: .00
Units: G
Recovered: .00
Oxygenate: Not reported

NCFM UST:
Batt/Dept: 93
Location Id: 23571
Vendor: UNBRANDED

Unit Type: HC
Status: Removed
Tank Contents: 10000000
Installed Date: 12/01/1987
Last Test Date: 05/17/1996

SPILLS:
Name: FEDERAL EXPRESS
Address: 201 WEST JOHN STREET
City,State,Zip: HICKSVILLE, NY
Spill Number/Closed Date: 9405394 / 1994-09-06
Facility ID: 9405394
Facility Type: ER
DER Facility ID: 444961
Site ID: 204310
DEC Region: 1
Spill Cause: Human Error
Spill Class: C3
SWIS: 3024
Spill Date: 1994-07-20
Investigator: BPAUSTIN
Referred To: Not reported
Reported to Dept: 1994-07-20
CID: Not reported
Water Affected: Not reported
Spill Source: Commercial/Industrial
Spill Notifier: Local Agency
Cleanup Ceased: 1994-09-06
Cleanup Meets Std: True
Last Inspection: Not reported
Recommended Penalty: False
UST Trust: False
Remediation Phase: 0
Date Entered In Computer: 1994-07-21
Spill Record Last Update: 2013-12-16
Spiller Name: Not reported
Spiller Company: FEDERAL EXPRESS
Spiller Address: Not reported
Spiller Company: 999

NCBP HICKSVILLE LLC (Continued) **1000413037**

Contact Name:	Not reported
Latitude:	40.7674414
Longitude:	-73.5340734
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was AUSTIN 7/20/94 TYREE PUMPED OUT DRIANS, AUSTIN CHECKED DRAINS, CLEANUP COMPLETE.
Remarks:	SOMEONE DROVE AWAY WITH NOZZLE IN TRUCK, GAS IN 2 DRYWELLS, WILL HAVE IT CLEANED

All Materials:

Site ID:	204310
Operable Unit ID:	1002598
Operable Unit:	01
Material ID:	381984
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	30.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:		20210413
Handler Name:		Ncbp Hicksville Llc
Handler Address:		W John St
Handler City,State,Zip:		HICKSVILLE, NY 11801-1007
EPA ID:		NYD005574371
Contact Name:		KEVIN MALDONADO
Contact Address:		OLD TARRYTOWN RD
Contact City,State,Zip:		WHITE PLAINS, NY 10603
Contact Telephone:		914-414-6972
Contact Fax:		Not reported
Contact Email:		KMALDONADO@NCBP.COM
Contact Title:		INVENTORY SPECIALIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		OLD TARRYTOWN RD
Mailing City,State,Zip:		WHITE PLAINS, NY 10603
Owner Name:	Ncbp Hickville Llc	
Owner Type:		Private
Operator Name:	Sk Distibution Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		No
Transfer Facility Activity:		No

NCBP HICKSVILLE LLC (Continued) **1000413037**

Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	No
Subject to Corrective Action Universe:	No
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	No NCAPS ranking
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	N/A
Groundwater Controls Indicator:	N/A
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20210414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D001
Waste Description:	Ignitable Waste
Waste Code:	U210
Waste Description:	Ethene, Tetrachloro- (Or) Tetrachloroethylene

Handler - Owner Operator:

Owner/Operator Indicator:	Owner
Owner/Operator Name: FEDERAL EXPRESS CORP	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	NOT REQUIRED
Owner/Operator City,State,Zip:	NOT REQUIRED, WY 99999
Owner/Operator Telephone:	212-555-1212
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

NCBP HICKSVILLE LLC (Continued) **1000413037**

Owner/Operator Indicator: Operator
Owner/Operator Name: FEDERAL EXPRESS CORP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: SK DISTIBUTION LLC
Legal Status: Private
Date Became Current: 20140801
Date Ended Current: Not reported
Owner/Operator Address: 535 OLD TARRYTOWN RD
Owner/Operator City,State,Zip: WHITE PLAINS, NY 10603
Owner/Operator Telephone: 914-414-6972
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KMALDONADO@NCBP.COM

Owner/Operator Indicator: Owner
Owner/Operator Name: FEDERAL EXPRESS CORP
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: NOT REQUIRED
Owner/Operator City,State,Zip: NOT REQUIRED, WY 99999
Owner/Operator Telephone: 212-555-1212
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NCBP HICKVILLE LLC
Legal Status: Private
Date Became Current: 20140801
Date Ended Current: Not reported
Owner/Operator Address: 535 OLD TARRYTOWN RD
Owner/Operator City,State,Zip: WHITE PLAINS, NY 10603
Owner/Operator Telephone: 914-414-6972
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: KMALDONADO@NCBP.COM

Historic Generators:
Receive Date: 19990708
Handler Name: FEDERAL EXPRESS CORP
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No

NCBP HICKSVILLE LLC (Continued) **1000413037**

Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20060101
Handler Name: FEDERAL EXPRESS CORP	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20070101
Handler Name: FEDERAL EXPRESS CORP	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	19831013
Handler Name: FEDERAL EXPRESS CORP	
Federal Waste Generator Description:	Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported

Receive Date:	20210413
Handler Name: NCBP HICKSVILLE LLC	
Federal Waste Generator Description:	Not a generator, verified
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No

NCBP HICKSVILLE LLC (Continued) **1000413037**

List of NAICS Codes and Descriptions:
NAICS Code: 423330
NAICS Description: Roofing, Siding, And Insulation Material Merchant Wholesalers

Facility Has Received Notices of Violations:
Violations: No Violations Found

Evaluation Action Summary:
Evaluations: No Evaluations Found

FINDS:
Registry ID: 110004342408

Click Here for FRS Facility Detail Report:

Environmental Interest/Information System:
The Resource Conservation and Recovery Act Information System (RCRAInfo) is EPA's comprehensive information system in support of the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. It tracks many types of information about generators, transporters, treaters, storers, and disposers of hazardous waste.

Click this hyperlink while viewing on your computer to access additional FINDS: detail in the EDR Site Report.

ECHO:
Envid: 1000413037
Registry ID: 110004342408

DFR URL:
Name: NCBP HICKSVILLE LLC
Address: 201 W John St
City,State,Zip: HICKSVILLE, NY 11801

AF192 **FEDERAL EXPRESS** **UST FINDER RELEASE** **1029076174**
West **201 WEST JOHN STREET** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.411 mi.
2170 ft. **Site 2 of 2 in cluster AF**

Relative:
Lower

Actual:
139 ft.

UST FINDER RELEASE:
Object ID: 266032
Facility ID: NY444961
Lust ID: NY9506499
Name: FEDERAL EXPRESS
Address: 201 WEST JOHN STREET
City,State,Zip: HICKSVILLE, NY 0
Address Match Type: Not reported
Reported Date: 1995/08/25 15:59:59+00
Status: No Further Action
Substance: Not reported
Population within 1500ft: 1105
Domestic Wells within 1500ft: 0
Land Use: Developed, Medium Intensity
Within SPA: No

FEDERAL EXPRESS (Continued) **1029076174**

SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.53407
Y Coord:	40.7674400000001
Latitude:	40.76744
Longitude:	-73.53407

Object ID:	266033
Facility ID:	NY444961
Lust ID:	NY9506571
Name:	FEDERAL EXPRESS
Address:	201 WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1995/08/28 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1105
Domestic Wells within 1500ft:	0
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.53407
Y Coord:	40.7674400000001

FEDERAL EXPRESS (Continued) **1029076174**

Latitude: 40.76744
Longitude: -73.53407

AG193 **WOODMAX MOBIL SS** **NY LTANKS** **S103565586**
NE **94 WOODBURY RD/MAX AVENUE** **NY Spills** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.422 mi.
2229 ft. **Site 1 of 2 in cluster AG**

Relative:
Higher

Actual:
155 ft.

LTANKS:

Name:	WOODMAX MOBIL INC
Address:	94 WOODBURY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9908970 / 1999-12-03
Facility ID:	9908970
Site ID:	115345
Spill Date:	1999-10-23
Spill Cause:	Tank Test Failure
Spill Source:	Gasoline Station or other PBS Facility
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3000
Investigator:	T/T/F
Referred To:	Not reported
Reported to Dept:	1999-10-23
CID:	322
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	True
Remediation Phase:	0
Date Entered In Computer:	1999-10-23
Spill Record Last Update:	1999-12-06
Spiller Name:	SCOTT FALLON
Spiller Company:	WOODMAX MOBIL INC
Spiller Address:	94 WOODBURY ROAD
Spiller County:	001
Spiller Contact:	SCOTT FALLON
Spiller Phone:	(516) 931-9118
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	100510
Latitude:	40.7725462
Longitude:	-73.5169339
DEC Memo:	Not reported
Remarks:	gross tank failure -

All TTF:

Facility ID:	9908970
Spill Number:	9908970
Spill Tank Test:	1547772
Site ID:	115345
Tank Number:	middle n
Tank Size:	6000
Material:	0009
EPA UST:	Not reported

WOODMAX MOBIL SS (Continued) **S103565586**

UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	03
Test Method 2:	Horner EZ Check I or II
Leak Rate:	.00
Gross Fail:	F
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	115345
Operable Unit ID:	1087643
Operable Unit:	01
Material ID:	555928
Material Code:	0009
Material Name:	gasoline
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

SPILLS:

Name:	WOODMAX MOBIL SS
Address:	94 WOODBURY RD/MAX AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9104913 / 1991-08-08
Facility ID:	9104913
Facility Type:	ER
DER Facility ID:	255062
Site ID:	316367
DEC Region:	1
Spill Cause:	Other
Spill Class:	C2
SWIS:	3024
Spill Date:	1991-08-07
Investigator:	KMYAGER
Referred To:	Not reported
Reported to Dept:	1991-08-07
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Gasoline Station or other PBS Facility
Spill Notifier:	Responsible Party
Cleanup Ceased:	1991-08-08
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1991-08-07
Spill Record Last Update:	2012-02-15
Spiller Name:	Not reported
Spiller Company:	WOODMAX MOBIL SS

WOODMAX MOBIL SS (Continued) **S103565586**

Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7725462
Longitude:	-73.5169339
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEROSA 08/08/91: CONTAMINATION REMOVED 8/7, NO FURTHER ACTION.
Remarks:	CONTAMINATION DISCOVERED DURING TANK REMOVAL. NOTIFIED NCHD/ NOT LOGGED IN LOG BOOK

All Materials:

Site ID:	316367
Operable Unit ID:	955646
Operable Unit:	01
Material ID:	423965
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AG194 **WOODMAX MOBIL INC** **UST FINDER RELEASE** **1029056539**
NE **94 WOODBURY ROAD** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.422 mi.
2229 ft. **Site 2 of 2 in cluster AG**

Relative: **Higher**
Actual: **155 ft.**

UST FINDER RELEASE:

Object ID:	266136
Facility ID:	NY100510
Lust ID:	NY9908970
Name:	WOODMAX MOBIL INC
Address:	94 WOODBURY ROAD
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1999/10/23 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1897
Domestic Wells within 1500ft:	0
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17317
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020207
Within 100yr Floodplain:	No
Tribe:	Not reported

WOODMAX MOBIL INC (Continued) **1029056539**

EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.5169299999999
Y Coord:	40.7725500000001
Latitude:	40.77255
Longitude:	-73.51693

---

195 ESE 1/4-1/2 0.431 mi. 2275 ft. **VALVOLINE INSTANT OIL** **NY LTANKS** **S105997301**
56 EAST OLD COUNTRY ROAD **N/A**
HICKSVILLE, NY

Relative: Higher

Actual: 144 ft.

LTANKS:

Name:	VALVOLINE INSTANT OIL
Address:	56 EAST OLD COUNTRY ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	0208423 / 2003-02-13
Facility ID:	0208423
Site ID:	173495
Spill Date:	2002-11-14
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	B3
Cleanup Ceased:	Not reported
SWIS:	3024
Investigator:	BXDONOVA
Referred To:	Not reported
Reported to Dept:	2002-11-14
CID:	270
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	2002-11-14
Spill Record Last Update:	2015-02-12
Spiller Name:	TODD COOPER
Spiller Company:	VALVOLINE INSTANT OIL
Spiller Address:	56 EAST OLD COUNTRY ROAD
Spiller County:	001
Spiller Contact:	TODD COOPER
Spiller Phone:	(800) 606-5823
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	145958
Latitude:	40.7647536
Longitude:	-73.5175929
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was BRIAN D 12/4/02 FILE REASSIGNED TANKS BEING REMOVED 3 TANKS EXCAVATED, TWO 1000 GALLONS, ONE 550 GALLON, NO PETROLEUM ODORS IN

VALVOLINE INSTANT OIL (Continued) **S105997301**

	THE EXCAVATION
Remarks:	uncover repair retest

All TTF:

Facility ID:	0208423
Spill Number:	0208423
Spill Tank Test:	1527709
Site ID:	173495
Tank Number:	1
Tank Size:	1000
Material:	0022
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	01
Test Method 2:	Petro-Tite/Petro Comp
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	173495
Operable Unit ID:	859849
Operable Unit:	01
Material ID:	552552
Material Code:	0022
Material Name:	waste oil/used oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

AH196 **NYNEX** **UST FINDER RELEASE** **1029075796**
WSW **202 DUFFY AVENUE** **N/A**
1/4-1/2 **HICKSVILLE, NY 0**
0.440 mi.
2323 ft. **Site 1 of 2 in cluster AH**

Relative:
Lower

Actual:
137 ft.

UST FINDER RELEASE:

Object ID:	266040
Facility ID:	NY409403
Lust ID:	NY9707470
Name:	NYNEX
Address:	202 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1997/09/24 15:59:59+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1272
Domestic Wells within 1500ft:	0
Land Use:	Developed, High Intensity
Within SPA:	No

NYNEX (Continued) **1029075796**

SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.53356
Y Coord:	40.7648100000001
Latitude:	40.7648099999999
Longitude:	-73.5335599999999

AH197 **AMPEREX** **NY LTANKS** **S118953623**
WSW **210 DUFFY AVENUE** **N/A**
1/4-1/2 **HICKSVILLE, NY**
0.472 mi.
2492 ft. **Site 2 of 2 in cluster AH**

Relative: LTANKS:
Lower

Name:	AMPEREX
Address:	210 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	8704418 / 1987-09-23
Facility ID:	8704418
Site ID:	247288
Spill Date:	1987-08-27
Spill Cause:	Tank Test Failure
Spill Source:	Commercial/Industrial
Spill Class:	Not reported
Cleanup Ceased:	1987-09-23
SWIS:	3024
Investigator:	KDGOERTZ
Referred To:	Not reported
Reported to Dept:	1987-08-27
CID:	Not reported
Water Affected:	Not reported
Spill Notifier:	Tank Tester
Last Inspection:	Not reported
Recommended Penalty:	False
Meets Standard:	True
UST Involvement:	False
Remediation Phase:	0
Date Entered In Computer:	1987-08-31
Spill Record Last Update:	2006-10-23
Spiller Name:	Not reported
Spiller Company:	AMPEREX
Spiller Address:	Not reported

Actual:
136 ft.

AMPEREX (Continued) **S118953623**

Spiller County:	001
Spiller Contact:	Not reported
Spiller Phone:	Not reported
Spiller Extention:	Not reported
DEC Region:	1
DER Facility ID:	203053
Latitude:	40.7647531
Longitude:	-73.5337652
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was GOERTZ FD / / : A.VOLINO & SONS WILL RETEST TANK ALONE ON 8/28/87. / / : A.VOLINO & SONS WILL RETEST TANK ALONE ON 8/28/87.PASSED RETEST ON 9/6/87. DEC NOT PRESENT. ***NOTE: SEE ALSO 8606152 (230 DUFFY)- GASOLINE VAPORS ENTERING AMPEREX BUILDING. SEE IT FOR FULL HISTORY. ***NOTE: SEE ALSO 9005890 (230 DUFFY)- CONTAMINATION FOUND DURING ROUTINE REMOVAL OF 1 15K #6 OIL TANK. APPROX 70-80CY SOIL REMOVED. BORINGS AND SAMPLING IN 1997 FOUND ONLY TRACE CONTAMINATION. CLOSED 23APR97. SEE IT FOR FULL HISTORY. FILE HAS BEEN DESTROYED ACCORDING TO STATE ARCHIVE AND RECORD ADMINISTRATOR RETENTION/DISPOSAL PROCEDURES
Remarks:	15K FAILED AT -.175 GPH. ***SEE ALSO 8606152 AND 9005890***

All TTF:

Facility ID:	8704418
Spill Number:	8704418
Spill Tank Test:	1531498
Site ID:	247288
Tank Number:	Not reported
Tank Size:	0
Material:	0001
EPA UST:	Not reported
UST:	Not reported
Cause:	Not reported
Source:	Not reported
Test Method:	00
Test Method 2:	Unknown
Leak Rate:	.00
Gross Fail:	Not reported
Modified By:	Spills
Last Modified Date:	Not reported

All Materials:

Site ID:	247288
Operable Unit ID:	908208
Operable Unit:	01
Material ID:	467059
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

198
West
1/4-1/2
0.491 mi.
2593 ft.

ABANDONED GAS STATION
285 WEST JOHN STREET
HICKSVILLE, NY 0

UST FINDER RELEASE

1029069884
N/A

Relative:
Lower

Actual:
138 ft.

UST FINDER RELEASE:

Object ID:	266017
Facility ID:	NY265057
Lust ID:	NY8804960
Name:	ABANDONED GAS STATION
Address:	285 WEST JOHN STREET
City,State,Zip:	HICKSVILLE, NY 0
Address Match Type:	Not reported
Reported Date:	1988/09/07 16:00:00+00
Status:	No Further Action
Substance:	Not reported
Population within 1500ft:	1304
Domestic Wells within 1500ft:	0
Land Use:	Developed, Medium Intensity
Within SPA:	No
SPA PWS Facility ID:	Not reported
SPA Water Type:	Not reported
SPA Facility Type:	Not reported
SPA HUC12:	Not reported
Within WHPA:	Yes
WHPA PWS Facility ID:	NY2900000_17311
WHPA Water Type:	GW - Ground water
WHPA Facility Type:	WL - Well
WHPA HUC12:	020302020203
Within 100yr Floodplain:	No
Tribe:	Not reported
EPA Region:	2
NFA Letter 1:	Not reported
NFA Letter 2:	Not reported
NFA Letter 3:	Not reported
NFA Letter 4:	Not reported
Closed With Residual Contaminate:	Not reported
Coordinate Source:	State
X Coord:	-73.53631
Y Coord:	40.7670600000001
Latitude:	40.76706
Longitude:	-73.53631

199
ESE
1/2-1
0.686 mi.
3620 ft.

HICKSVILLE OPERATIONS CENTER-PSEG
175 E OLD COUNTRY RD
HICKSVILLE, NY 11801

CORRACTS
RCRA-TSDF
RCRA-LQG
US FIN ASSUR
2020 COR ACTION
PADS
E MANIFEST
NJ MANIFEST

1000178398
NYD006866008

Relative:
Lower

Actual:
143 ft.

CORRACTS:

Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	175 E OLD COUNTRY RD
Address 2:	Not reported
EPA ID:	NYD006866008
Area Name:	SITEWIDE
Corrective Action:	RFA COMPLETED

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Actual Date: 19890615
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: CA PRIORITIZATION-LOW CA PRIORITY
Actual Date: 19910624
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: STABILIZATION MEASURES EVALUATION-FACILITY NOT AMENABLE TO STABILIZATION
Actual Date: 19920624
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: REMEDY DECISION
Actual Date: 20160330
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: REMEDY CONSTRUCTION-NO REMEDY CONSTRUCTED
Actual Date: 20160330
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 20100923
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 20160328
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE
Actual Date: 20210930
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

Name: HICKSVILLE OPERATIONS CENTER-PSEG
Address: 175 E OLD COUNTRY RD
Address 2: Not reported
EPA ID: NYD006866008
Area Name: SITEWIDE
Corrective Action: CA PERFORMANCE STANDARDS ATTAINED - NO CONTROLS NECESSARY
Actual Date: 20210930
Air Release Indicator: Not reported
Groundwater Release Indicator: Not reported
Soil Release Indicator: Not reported
Surface Water Release Indicator: Not reported

RCRA TSDF:
Treatment Storage and Disposal Type: Storage
Full Enforcement Universe: Storage
Corrective Action Workload Universe: Yes
Permit Renewals Workload Universe: Storage
Permit Workload Universe: Storage
Permit Progress Universe: Storage
Post-Closure Workload Universe: Not reported
Closure Workload Universe: Not reported
Operating TSDF Universe: Storage

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Commercial TSD Indicator: No
Active Site Fed-Reg Treatment Storage and Disposal Facility: Storage
Active Site Converter Treatment storage and Disposal Facility: Not reported
Active Site State-Reg Treatment Storage and Disposal Facility: Not reported
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe: Yes
TSDFs Only Subject to CA under Discretionary Auth Universe: No

Biennial: List of Years
Year: 2023

Click Here for Biennial Reporting System Data:
Year: 2021

Click Here for Biennial Reporting System Data:
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2017

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2013

Click Here for Biennial Reporting System Data:
Year: 2011

Click Here for Biennial Reporting System Data:
Year: 2009

Click Here for Biennial Reporting System Data:
Year: 2007

Click Here for Biennial Reporting System Data:
Year: 2005

Click Here for Biennial Reporting System Data:
Year: 2003

Click Here for Biennial Reporting System Data:
Year: 2001

Click Here for Biennial Reporting System Data:

RCRA Listings:
Date Form Received by Agency: 20250108
Handler Name: Hicksville Operations Center-Pseg
Handler Address: E Old Country Rd
Handler City,State,Zip: HICKSVILLE, NY 11801
EPA ID: NYD006866008
Contact Name: RYAN C ALWORTH
Contact Address: E OLD COUNTRY RD
Contact City,State,Zip: HICKSVILLE, NY 11801
Contact Telephone: 516-418-9280
Contact Fax: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Contact Email:		RYAN.ALWORTH@PSEG.COM
Contact Title:		RESOURCE RECOVERY SPECIALIST
EPA Region:		02
Land Type:		Private
Federal Waste Generator Description:		Large Quantity Generator
Non-Notifier:		Not reported
Biennial Report Cycle:		2024
Accessibility:		Not reported
Active Site Indicator:		Handler Activities, Permitting Activities, Corrective Action Activities
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		E OLD COUNTRY RD
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	National Grid Corporate Services Llc	
Owner Type:		Private
Operator Name:	Long Island Electric Utility Servco Llc	
Operator Type:		Private
Short-Term Generator Activity:		No
Importer Activity:		No
Mixed Waste Generator:		No
Transporter Activity:		Yes
Transfer Facility Activity:		Yes
Recycler Activity with Storage:		No
Small Quantity On-Site Burner Exemption:		No
Smelting Melting and Refining Furnace Exemption:		No
Underground Injection Control:		No
Off-Site Waste Receipt:		Yes
Universal Waste Indicator:		Yes
Universal Waste Destination Facility:		Yes
Federal Universal Waste:		No
Active Site State-Reg Handler:		---
Federal Facility Indicator:		Not reported
Hazardous Secondary Material Indicator:		N
Sub-Part K Indicator:		Subpart K - Withdrawal
2018 GPRA Permit Baseline:		Not on the Baseline
2018 GPRA Renewals Baseline:		Accomplished
202 GPRA Corrective Action Baseline:		Yes
Subject to Corrective Action Universe:		Yes
Non-TSDFs Where RCRA CA has Been Imposed Universe:		No
Corrective Action Priority Ranking:		Low
Environmental Control Indicator:		No
Institutional Control Indicator:		No
Human Exposure Controls Indicator:		Yes
Groundwater Controls Indicator:		Yes
Significant Non-Complier Universe:		No
Unaddressed Significant Non-Complier Universe:		No
Addressed Significant Non-Complier Universe:		No
Significant Non-Complier With a Compliance Schedule Universe:		No
Financial Assurance Required:		Corrective Action, Sudden Third-Party Liability
Handler Date of Last Change:		20250109
Recognized Trader-Importer:		No
Recognized Trader-Exporter:		No
Importer of Spent Lead Acid Batteries:		No
Exporter of Spent Lead Acid Batteries:		No
Recycler Activity Without Storage:		No
Manifest Broker:		No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Sub-Part P Indicator: No

Biennial: List of Years
Year: 2023

Click Here for Biennial Reporting System Data:
Year: 2021

Click Here for Biennial Reporting System Data:
Year: 2019

Click Here for Biennial Reporting System Data:
Year: 2017

Click Here for Biennial Reporting System Data:
Year: 2015

Click Here for Biennial Reporting System Data:
Year: 2013

Click Here for Biennial Reporting System Data:
Year: 2011

Click Here for Biennial Reporting System Data:
Year: 2009

Click Here for Biennial Reporting System Data:
Year: 2007

Click Here for Biennial Reporting System Data:
Year: 2005

Click Here for Biennial Reporting System Data:
Year: 2003

Click Here for Biennial Reporting System Data:
Year: 2001

Click Here for Biennial Reporting System Data:

Hazardous Waste Summary:
Waste Code: D000
Waste Description: Not Defined

Waste Code: D001
Waste Description: Ignitable Waste

Waste Code: D002
Waste Description: Corrosive Waste

Waste Code: D003
Waste Description: Reactive Waste

Waste Code: D004
Waste Description: Arsenic

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code:	D005
Waste Description:	Barium
Waste Code:	D006
Waste Description:	Cadmium
Waste Code:	D007
Waste Description:	Chromium
Waste Code:	D008
Waste Description:	Lead
Waste Code:	D009
Waste Description:	Mercury
Waste Code:	D010
Waste Description:	Selenium
Waste Code:	D011
Waste Description:	Silver
Waste Code:	D012
Waste Description:	Endrin (1,2,3,4,10,10-Hexachloro-1,7-Epoxy-1,4,4a,5,6,7,8,8a-Octahydro-1,4-Endo, Endo-5,8-Dimeth-Ano-Naphthalene)
Waste Code:	D013
Waste Description:	Lindane (1,2,3,4,5,6-Hexa-Chlorocyclohexane, Gamma Isomer)
Waste Code:	D014
Waste Description:	Methoxychlor (1,1,1-Trichloro-2,2-Bis [P-Methoxyphenyl] Ethane)
Waste Code:	D015
Waste Description:	Toxaphene (C10 H10 Cl8, Technical Chlorinated Camphene, 67-69 Percent Chlorine)
Waste Code:	D016
Waste Description:	2,4-D (2,4-Dichlorophenoxyacetic Acid)
Waste Code:	D017
Waste Description:	2,4,5-Tp Silvex (2,4,5-Trichlorophenoxypropionic Acid)
Waste Code:	D018
Waste Description:	Benzene
Waste Code:	D019
Waste Description:	Carbon Tetrachloride
Waste Code:	D020
Waste Description:	Chlordane
Waste Code:	D021
Waste Description:	Chlorobenzene
Waste Code:	D022
Waste Description:	Chloroform

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code: D023
Waste Description: O-Cresol

Waste Code: D024
Waste Description: M-Cresol

Waste Code: D025
Waste Description: P-Cresol

Waste Code: D026
Waste Description: Cresol

Waste Code: D027
Waste Description: 1,4-Dichlorobenzene

Waste Code: D028
Waste Description: 1,2-Dichloroethane

Waste Code: D029
Waste Description: 1,1-Dichloroethylene

Waste Code: D030
Waste Description: 2,4-Dinitrotoluene

Waste Code: D031
Waste Description: Heptachlor (And Its Epoxide)

Waste Code: D032
Waste Description: Hexachlorobenzene

Waste Code: D033
Waste Description: Hexachlorobutadiene

Waste Code: D034
Waste Description: Hexachloroethane

Waste Code: D035
Waste Description: Methyl Ethyl Ketone

Waste Code: D036
Waste Description: Nitrobenzene

Waste Code: D037
Waste Description: Pentachlorophenol

Waste Code: D038
Waste Description: Pyridine

Waste Code: D039
Waste Description: Tetrachloroethylene

Waste Code: D040
Waste Description: Trichloroethylene

Waste Code: D041
Waste Description: 2,4,5-Trichlorophenol

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code: D042
Waste Description: 2,4,6-Trichlorophenol

Waste Code: D043
Waste Description: Vinyl Chloride

Waste Code: F001
Waste Description: The Following Spent Halogenated Solvents Used In Degreasing: Tetrachloroethylene, Trichlorethylene, Methylene Chloride, 1,1,1-Trichloroethane, Carbon Tetrachloride And Chlorinated Fluorocarbons; All Spent Solvent Mixtures/Blends Used In Degreasing Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: F002
Waste Description: The Following Spent Halogenated Solvents: Tetrachloroethylene, Methylene Chloride, Trichloroethylene, 1,1,1-Trichloroethane, Chlorobenzene, 1,1,2-Trichloro-1,2,2-Trifluoroethane, Ortho-Dichlorobenzene, Trichlorofluoromethane, And 1,1,2, Trichloroethane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F001, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: F003
Waste Description: The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: F004
Waste Description: The Following Spent Nonhalogenated Solvents: Cresols, Cresylic Acid, And Nitrobenzene; And The Still Bottoms From The Recovery Of These Solvents; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

Waste Code: F005
Waste Description: The Following Spent Nonhalogenated Solvents: Toluene, Methyl Ethyl Ketone, Carbon Disulfide, Isobutanol, Pyridine, Benzene, 2-Ethoxyethanol, And 2-Nitropropane; All Spent Solvent Mixtures/Blends Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Nonhalogenated Solvents Or Those Solvents Listed In F001, F002, Or F004; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code: U188
Waste Description: Phenol

Handler - Owner Operator:
Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO, LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 EAST OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEYSPAN CORP DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Address: E OLD COUNTRY RD.
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEYSPAN CORPORATE SERVISES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: NATIONAL GRID
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEYSPAN CORP DBA KEYSPAN ENERGY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: E OLD COUNTRY RD.
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID USA SERVICE COMPANY INC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MARKETSPAN CORPORATE SERVICES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 175 EAST OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-755-6650
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: KEYSPAN CORP DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: MARKETSPAN CORPORATE SERVICES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 175 EAST OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-755-6650
Owner/Operator Telephone Ext: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: HICKSVILLE OPERATIONS CENTER - TSDF
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: MARKETSPAN CORPORATE SERVICES
Legal Status: Private
Date Became Current: Not reported
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-755-6650
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: KEY SPAN
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEYSPAN CORP DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E. OLD COUNTRY RD.
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID USA SERVICE COMPANY INC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Date Became Current:	19980528
Date Ended Current:	Not reported
Owner/Operator Address:	175 E OLD COUNTRY RD
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-949-7120
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: NO NAME FOUND	
Legal Status:	Private
Date Became Current:	19980528
Date Ended Current:	Not reported
Owner/Operator Address:	Not reported
Owner/Operator City,State,Zip:	Not reported
Owner/Operator Telephone:	Not reported
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC	
Legal Status:	Private
Date Became Current:	19980528
Date Ended Current:	Not reported
Owner/Operator Address:	175 E OLD COUNTRY RD
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-949-7120
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO, LLC	
Legal Status:	Private
Date Became Current:	20140101
Date Ended Current:	Not reported
Owner/Operator Address:	175 EAST OLD COUNTRY ROAD
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-949-7176
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: MARKETSPAN CORPORATE SERVICES	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	175 E OLD COUNTRY RD
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-755-6650
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID CORPORATE SERVICES LLC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7120
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: NATIONAL GRID USA SERVICE COMPANY INC
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-545-2401
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Owner
Owner/Operator Name: KEY SPAN
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: HICKSVILLE OPERATIONS CENTER
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY RD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: 175 E OLD COUNTRY ROAD
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-949-7176
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: LONG ISLAND ELECTRIC UTILITY SERVCO LLC
Legal Status: Private
Date Became Current: 20140101
Date Ended Current: Not reported
Owner/Operator Address: Not reported
Owner/Operator City,State,Zip: Not reported
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Owner/Operator Indicator: Operator
Owner/Operator Name: KEYSPAN ENERGY DBA KEYSPAN ENERGY
Legal Status: Private
Date Became Current: 19980528
Date Ended Current: Not reported
Owner/Operator Address: 175 E. OLD COUNTRY RD.
Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: Not reported
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19980625
Handler Name: KEYSPAN
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20131223
Handler Name: SERVCO HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140227
Handler Name: SERVCO HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20100303
Handler Name: HICKSVILLE OPERATIONS CENTER - TSDF
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20120217
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20140303
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20160128
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20180109
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20200108
Handler Name: NATIONAL GRID-HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20210122
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20220105
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20230105
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20240104
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 20250108
Handler Name: HICKSVILLE OPERATIONS CENTER-PSEG
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	Yes
Non Storage Recycler Activity:	No
Electronic Manifest Broker:	No
Receive Date:	19791231
Handler Name: KEYSPAN	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20010801
Handler Name: KEYSPAN	
Federal Waste Generator Description:	Very Small Quantity Generator (formerly Conditionally-Exempt Small Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20060214
Handler Name: KEYSPAN HICKSVILLE OPERATIONS CENTER -	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Not reported
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported
Electronic Manifest Broker:	Not reported
Receive Date:	20070101
Handler Name: KEYSPAN HICKSVILLE OPERATIONS CENTER -	
Federal Waste Generator Description:	Large Quantity Generator
State District Owner:	Ny
Large Quantity Handler of Universal Waste:	No
Recognized Trader Importer:	No
Recognized Trader Exporter:	No
Spent Lead Acid Battery Importer:	No
Spent Lead Acid Battery Exporter:	No
Current Record:	No
Non Storage Recycler Activity:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Electronic Manifest Broker: Not reported

Receive Date: 20190729
Handler Name: SERVCO (PSEG-LI) HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: Yes
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: No
Electronic Manifest Broker: No

Receive Date: 19800818
Handler Name: KEYSPAN
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20131119
Handler Name: SERVCO HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19900301
Handler Name: LONG ISLAND LIGHTING COMPANY
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19920227
Handler Name: LILCO HICKSVILLE OPER.
Federal Waste Generator Description: Large Quantity Generator

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19940328
Handler Name: HICKSVILLE OPERATION CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19960308
Handler Name: LILCO-HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19980227
Handler Name: LILCO-HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20010101
Handler Name: HICKSVILLE OPERATIONS CTR
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20020228
Handler Name: HICKSVILLE OPERATIONS CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20040224
Handler Name: HICKSVILLE OPERATION CENTER
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060215
Handler Name: KEYSPAN HICKSVILLE OPERATIONS CENTER -
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20080306
Handler Name: HICKSVILLE OPERATIONS CENTER-TSDF
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Not reported
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

List of NAICS Codes and Descriptions:

NAICS Code:	221
NAICS Description:	Utilities
NAICS Code:	2211
NAICS Description:	Electric Power Generation, Transmission And Distribution
NAICS Code:	22111
NAICS Description:	Electric Power Generation
NAICS Code:	221121
NAICS Description:	Electric Bulk Power Transmission And Control
NAICS Code:	221122
NAICS Description:	Electric Power Distribution
NAICS Code:	2212
NAICS Description:	Natural Gas Distribution
NAICS Code:	22121
NAICS Description:	Natural Gas Distribution
NAICS Code:	811111
NAICS Description:	General Automotive Repair
NAICS Code:	8112
NAICS Description:	Electronic And Precision Equipment Repair And Maintenance

Has the Facility Received Notices of Violations:

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20230307
Actual Return to Compliance Date: 20230310
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20230323
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20230323
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20230307
Actual Return to Compliance Date: 20230310
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20230323
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20230323
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20180327
Actual Return to Compliance Date: 20180501
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20180417
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20180511
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20151026
Actual Return to Compliance Date: 20151026
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20151026
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20151125
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: VERBAL INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Listing - General
Date Violation was Determined: 20151026
Actual Return to Compliance Date: 20151028
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20151026
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20151125
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: VERBAL INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	001
Date of Enforcement Action:	20130927
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	20140129
Disposition Status:	AS
Disposition Status Description:	ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYAPL
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Universal Waste - Small Quantity Handlers
Date Violation was Determined:	20130912
Actual Return to Compliance Date:	20130912
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	20130927
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	20140129
Disposition Status:	AS
Disposition Status Description:	ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYAPL
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Used Oil - Generators
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130920
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20130912
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20130912
Actual Return to Compliance Date: 20140129
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20130927
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20140129
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20121029
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Universal Waste - Small Quantity Handlers
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20111213
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20111212
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	001
Date of Enforcement Action:	20120131
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	20121220
Disposition Status:	AS
Disposition Status Description:	ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYAPL
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Universal Waste - Small Quantity Handlers
Date Violation was Determined:	20111212
Actual Return to Compliance Date:	20111213
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	20120131
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	20121220
Disposition Status:	AS
Disposition Status Description:	ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYAPL
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20120229
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Universal Waste - Small Quantity Handlers
Date Violation was Determined: 20111212
Actual Return to Compliance Date: 20111213
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20120131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20121220
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100324
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Listing - General
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100324
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD IS-Tank System Standards
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100414
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD IS-Tank System Standards
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100601
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20120229
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD IS-Container Use and Management
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100324
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: State Statute or Regulation
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100414
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100826
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20100324
Actual Return to Compliance Date: 20100708
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20100611
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSRA
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Pre-transport
Date Violation was Determined: 20080331
Actual Return to Compliance Date: 20080331
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 001
Date of Enforcement Action: 20080430
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20080715
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Financial Requirements
Date Violation was Determined: 20080331
Actual Return to Compliance Date: 20080331
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20080430
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20080715
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Manifest
Date Violation was Determined: 20080331
Actual Return to Compliance Date: 20080331
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20080430
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: 20080715
Disposition Status: AS
Disposition Status Description: ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYAPL
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Permit Condition or Requirement
Date Violation was Determined: 20070327
Actual Return to Compliance Date: 20080623
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	001
Date of Enforcement Action:	20070604
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	20080715
Disposition Status:	AS
Disposition Status Description:	ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYKMY
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Manifest
Date Violation was Determined:	20070327
Actual Return to Compliance Date:	20070416
Return to Compliance Qualifier:	Documented
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	001
Date of Enforcement Action:	20070604
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	20080715
Disposition Status:	AS
Disposition Status Description:	ACTION SATISFIED (CASE CLOSED)
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYKMY
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20020906
Actual Return to Compliance Date: 20030117
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20021011
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSSE
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 20020906
Actual Return to Compliance Date: 20030117
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 001
Date of Enforcement Action: 20021011
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYSSE
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 20011019
Actual Return to Compliance Date: 20030228
Return to Compliance Qualifier: Documented
Violation Responsible Agency: State
Scheduled Compliance Date: 20020107

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	001
Date of Enforcement Action:	20011105
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYSSE
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - General
Date Violation was Determined: 19960207
Actual Return to Compliance Date: 19960207
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19960207
Enforcement Identifier: 000
Date of Enforcement Action: 19960207
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NYDW
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL CIVIL JUDICIAL ACTION FOR COMPLIANCE AND/OR MONETARY PENALTY
Enforcement Responsible Person: NYBEC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1000
Paid Amount: Not reported
Final Count: 1
Final Amount: 1000

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19950623

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	000
Date of Enforcement Action:	19950523
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person:	NYAGI
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	1500
Paid Amount:	1500
Final Count:	1
Final Amount:	1500

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	TSD - Closure/Post-Closure
Date Violation was Determined:	19950131
Actual Return to Compliance Date:	19950607
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	000
Date of Enforcement Action:	19950131
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person:	NYAGI
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 6750
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Closure/Post-Closure
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19950623
Enforcement Identifier: 000
Date of Enforcement Action: 19950523
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1500
Paid Amount: 1500
Final Count: 1
Final Amount: 1500

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 000
Date of Enforcement Action: 19950131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 6750
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 000
Date of Enforcement Action: 19950131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 6750
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Closure/Post-Closure
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19950623
Enforcement Identifier: 000
Date of Enforcement Action: 19950523
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1500
Paid Amount: 1500
Final Count: 1
Final Amount: 1500

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19950623

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 000
Date of Enforcement Action: 19950523
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 1500
Paid Amount: 1500
Final Count: 1
Final Amount: 1500

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Closure/Post-Closure
Date Violation was Determined: 19950131
Actual Return to Compliance Date: 19950607
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: Not reported
Enforcement Identifier: 000
Date of Enforcement Action: 19950131
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: NY
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 6750
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Permits - Application
Date Violation was Determined: 19931217
Actual Return to Compliance Date: 19940815
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: 19940129
Enforcement Identifier: 000
Date of Enforcement Action: 19940815
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Rcra-94-0202
Enforcement Attorney: R2
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: R2JFH
Enforcement Responsible Sub-Organization: RCB
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 24500
Paid Amount: Not reported
Final Count: 1
Final Amount: 24500

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: Permits - Application
Date Violation was Determined: 19931217
Actual Return to Compliance Date: 19940815
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported
Enforcement Identifier: 000
Date of Enforcement Action: 19931229
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Rcra-94-0202
Enforcement Attorney: RH
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R2JFH
Enforcement Responsible Sub-Organization: RCB
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 29000
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - Preparedness and Prevention
Date Violation was Determined: 19931217
Actual Return to Compliance Date: 19940815
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: 000
Date of Enforcement Action: 19931229
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Rcra-94-0202
Enforcement Attorney: RH
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: INITIAL 3008(A) COMPLIANCE
Enforcement Responsible Person: R2JFH
Enforcement Responsible Sub-Organization: RCB
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: 29000
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: EPA
Violation Short Description: TSD - Preparedness and Prevention
Date Violation was Determined: 19931217
Actual Return to Compliance Date: 19940815
Return to Compliance Qualifier: Observed
Violation Responsible Agency: EPA
Scheduled Compliance Date: 19940129
Enforcement Identifier: 000
Date of Enforcement Action: 19940815
Enforcement Responsible Agency: EPA
Enforcement Docket Number: Rcra-94-0202
Enforcement Attorney: R2
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: R2JFH
Enforcement Responsible Sub-Organization: RCB
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	24500
Paid Amount:	Not reported
Final Count:	1
Final Amount:	24500
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	TSD - General
Date Violation was Determined:	19930928
Actual Return to Compliance Date:	19931115
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19931028

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	000
Date of Enforcement Action:	19930928
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYAGI
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	TSD - General
Date Violation was Determined:	19930110
Actual Return to Compliance Date:	19930518
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19930311
Enforcement Identifier:	000
Date of Enforcement Action:	19930110
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	NY
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYAGI
Enforcement Responsible Sub-Organization:	R1
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19920224
Actual Return to Compliance Date: 19930518
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19920531
Enforcement Identifier: 000
Date of Enforcement Action: 19920602
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: FINAL 3008(A) COMPLIANCE ORDER
Enforcement Responsible Person: NYAGI
Enforcement Responsible Sub-Organization: R1
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: 2500
Paid Amount: 2500
Final Count: 1
Final Amount: 2500

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - Manifest
Date Violation was Determined:	19881020
Actual Return to Compliance Date:	19881022
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19881022
Enforcement Identifier:	006
Date of Enforcement Action:	19881020
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYDEC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Financial Requirements
Date Violation was Determined: 19871211
Actual Return to Compliance Date: 19880824
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19880111
Enforcement Identifier: 005
Date of Enforcement Action: 19871211
Enforcement Responsible Agency: State
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: No
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number:Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: WRITTEN INFORMAL
Enforcement Responsible Person: NYDEC
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - Financial Requirements
Date Violation was Determined: 19871021
Actual Return to Compliance Date: 19880824
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19871121

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	004
Date of Enforcement Action:	19871021
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYDEC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: TSD - General
Date Violation was Determined: 19870420
Actual Return to Compliance Date: 19871021
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19870920

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	003
Date of Enforcement Action:	19870820
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYDEC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	Not reported
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: Yes
Agency Which Determined Violation: State
Violation Short Description: Generators - Manifest
Date Violation was Determined: 19860516
Actual Return to Compliance Date: 19860518
Return to Compliance Qualifier: Observed
Violation Responsible Agency: State
Scheduled Compliance Date: 19860518

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Enforcement Identifier:	002
Date of Enforcement Action:	19860516
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYDEC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	TSD - General
Date Violation was Determined:	19860331
Actual Return to Compliance Date:	19860929
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19860817
Enforcement Identifier:	001
Date of Enforcement Action:	19860717
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	NYDEC
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported

Evaluation Action Summary:

Evaluation Date:	20250218
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYTKS
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20230307
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20230310
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20230307
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20230310
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20210317
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20180327
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20180501
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20151026
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20151026
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20151026
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20151028
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130917
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2AHJ
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130920
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20130912
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20130912
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20140129
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20121029
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20111213
Scheduled Compliance Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20111212
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20111213
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20120229
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20111212
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20111213
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100324
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100324
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100414
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100601
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20120229
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100324
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20100324
Evaluation Responsible Agency:	State

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100414
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100826
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20100324
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSRA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20100708
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20080331
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20080331

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20080331
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20080331
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20080331
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAPL
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20080331
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20070327
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYKMY
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20080623
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20070327
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYKMY
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20070416
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Date:	20060920
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2AHJ
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20060714
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	R2JG2
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20050314
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYKMY
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20030731
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYTCA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	20021015
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20020906
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20030117
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20020906
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20030117
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20011019
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	20030228
Scheduled Compliance Date:	20020107
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	20000616
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYJFA
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19990914
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19980929
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYSSE
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19970912
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYTJN
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19970730
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2AHJ
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19970110
Evaluation Responsible Agency:	State

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYTJN
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19960321
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYKMY
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19960207
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	FOCUSED COMPLIANCE INSPECTION
Evaluation Responsible Person Identifier:	NYBEC
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19960207
Scheduled Compliance Date:	19960207
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19950607
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	19950623
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19950607
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19950607
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	19950623
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19950607
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE SCHEDULE EVALUATION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19941014
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19941014
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	19950623
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Date:	19941014
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	19950623
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19941014
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19950607
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19940815
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	NO LONGER A SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19940101
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	19940815
Scheduled Compliance Date:	19940129
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	19940815
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	19940815
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2
Evaluation Responsible Sub-Organization:	RCB
Actual Return to Compliance Date:	19940815
Scheduled Compliance Date:	19940129
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19931217
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	SIGNIFICANT NON-COMPLIER
Evaluation Responsible Person Identifier:	Not reported
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19930729
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19931115
Scheduled Compliance Date:	19931028
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19920918
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19930518
Scheduled Compliance Date:	19930311
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19910927
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYAGI
Evaluation Responsible Sub-Organization:	R1
Actual Return to Compliance Date:	19930518
Scheduled Compliance Date:	19920531
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19900914
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19900914
Evaluation Responsible Agency:	State

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	AG
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19890929
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19881118
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19881020
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19881022
Scheduled Compliance Date:	19881022
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19871211
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19880824

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Scheduled Compliance Date:	19880111
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19871021
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19880824
Scheduled Compliance Date:	19871121
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19871016
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19870420
Evaluation Responsible Agency:	EPA
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2JC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported
Evaluation Date:	19870420
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19871021
Scheduled Compliance Date:	19870920
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Evaluation Date:	19870227
Evaluation Responsible Agency:	State
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19870227
Evaluation Responsible Agency:	EPA-Initiated Oversight/Observation/Training Actions
Found Violation:	No
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	R2ME
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	Not reported
Scheduled Compliance Date:	Not reported
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19860516
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	NON-FINANCIAL RECORD REVIEW
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19860518
Scheduled Compliance Date:	19860518
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

Evaluation Date:	19860331
Evaluation Responsible Agency:	State
Found Violation:	Yes
Evaluation Type Description:	COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier:	NYDEC
Evaluation Responsible Sub-Organization:	Not reported
Actual Return to Compliance Date:	19860929
Scheduled Compliance Date:	19860817
Date of Request:	Not reported
Date Response Received:	Not reported
Request Agency:	Not reported
Former Citation:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Financial Assurance:

EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	L
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Type Owner:	HQ
Mech Description:	L - LETTER OF CREDIT
Provider:	JPMORGAN CHASE BANK, N.A.
Provider Contact Name:	FRANK MURPHY (KEYSPAN)
EPA Region:	02
Provider Contact Phone:	718-403-2855
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	4
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Mechanism Detail:
Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2
Face Value Amount: 1062324
Effective Date: 20080724
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3
Face Value Amount: 1067585
Effective Date: 20090519
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 4
Face Value Amount: 1072536
Effective Date: 20100618
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	5
Face Value Amount:	1097438
Effective Date:	20110613
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610
Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77
Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000
Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y
EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	X
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Type Owner:	HQ
Mech Description:	X - STANDBY TRUST FUND
Provider:	JPMORGAN CHASE BANK, N.A.
Provider Contact Name:	Not reported
EPA Region:	02
Provider Contact Phone:	Not reported
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Mechanism Detail:
Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2
Face Value Amount: 1062324
Effective Date: 20080724
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3
Face Value Amount: 1067585
Effective Date: 20090519
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 4
Face Value Amount: 1072536
Effective Date: 20100618
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Face Value Amount:	1097438
Effective Date:	20110613
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610
Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77
Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000
Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y

EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	I
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Type Owner:	HQ
Mech Description:	I - INSURANCE
Provider:	AEGIS ENERGY SYNDICATE 1225
Provider Contact Name:	Not reported
EPA Region:	02
Provider Contact Phone:	Not reported
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Mechanism Detail:
Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2
Face Value Amount: 1062324
Effective Date: 20080724
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3
Face Value Amount: 1067585
Effective Date: 20090519
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 4

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Face Value Amount: 1072536
Effective Date: 20100618
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 5
Face Value Amount: 1097438
Effective Date: 20110613
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 6
Face Value Amount: 1101120
Effective Date: 20120809
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 7
Face Value Amount: 1107610
Effective Date: 20130718
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: Y

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1
Face Value Amount: 0
Effective Date: 20090902
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: Y

Handler ID: NYD006866008
Mech Activity Location: NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount: 1206243.6
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 4
Mech Detail Seq: 10
Face Value Amount: 1382004.6
Effective Date: 20230423
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: 1382004.6
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 4
Mech Detail Seq: 11
Face Value Amount: 1431756.77
Effective Date: 20240401
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: 1431756.77
Current Mechanism Detail: Y

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 5
Mech Detail Seq: 1
Face Value Amount: 0
Effective Date: 20140724
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 5
Mech Detail Seq: 2
Face Value Amount: 0
Effective Date: 20150619
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 5
Mech Detail Seq: 3
Face Value Amount: 0

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000
Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y
EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	B
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Type Owner:	HQ
Mech Description:	B - SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Provider:	TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
Provider Contact Name:	FRANCESCA PAPA (SIGNED BOND)
EPA Region:	02
Provider Contact Phone:	Not reported
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	4
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Mechanism Detail:
Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2
Face Value Amount: 1062324
Effective Date: 20080724
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3
Face Value Amount: 1067585
Effective Date: 20090519
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Face Value Amount:	1072536
Effective Date:	20100618
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Face Value Amount:	1097438
Effective Date:	20110613
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610
Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77
Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000
Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y
EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	X
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Type Owner:	HQ
Mech Description:	X - STANDBY TRUST FUND
Provider:	DEUTSCHE BANK TRUST COMPANY AMERICAS
Provider Contact Name:	KISHA HOLDER
EPA Region:	02
Provider Contact Phone:	212-250-7863
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason Description: L - Liability coverage required

Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: S
Cost Agency: S
Cost Coverage Seq: 25
Responsible Person Owner: NY
Responsible Person: NYSGG
Cost Estimate Amount: 10000000
Cost Estimate Date: 20210514
Cost Estimate Reason: L
Update Due Date: Not reported
Current Cost Estimate: N
Cost Estimate Reason Description: L - Liability coverage required

Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Responsible Person Owner: Not reported
Responsible Person: Not reported
Cost Estimate Amount: 354290
Cost Estimate Date: 20090424
Cost Estimate Reason: I
Update Due Date: Not reported
Current Cost Estimate: N
Cost Estimate Reason Description: I - Initial cost estimate

Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 9
Responsible Person Owner: NY
Responsible Person: NYACO
Cost Estimate Amount: 545349
Cost Estimate Date: 20140423
Cost Estimate Reason: R
Update Due Date: Not reported
Current Cost Estimate: N
Cost Estimate Reason Description: R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:
Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3

Handler ID: NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Mechanism Detail:
Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2
Face Value Amount: 1062324
Effective Date: 20080724
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3
Face Value Amount: 1067585

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20090519
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Face Value Amount:	1072536
Effective Date:	20100618
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Face Value Amount:	1097438
Effective Date:	20110613
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610
Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77
Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000
Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	10000000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y
EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	I
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Type Owner:	HQ
Mech Description:	I - INSURANCE
Provider:	AEGIS
Provider Contact Name:	SANDRA A. JOHNSON (SIGNED CERT)
EPA Region:	02
Provider Contact Phone:	Not reported
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	5
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 4
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Mechanism Detail:
Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2
Face Value Amount: 1062324
Effective Date: 20080724
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Face Value Amount:	1067585
Effective Date:	20090519
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Face Value Amount:	1072536
Effective Date:	20100618
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Face Value Amount:	1097438
Effective Date:	20110613
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610
Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	558290
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77
Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000
Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y
EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	B
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Type Owner:	HQ
Mech Description:	B - SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Provider:	TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
Provider Contact Name:	Not reported
EPA Region:	02
Provider Contact Phone:	Not reported
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	10
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Mechanism Detail:

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	2
Face Value Amount:	1062324
Effective Date:	20080724
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Face Value Amount:	1067585
Effective Date:	20090519
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Face Value Amount:	1072536
Effective Date:	20100618
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Face Value Amount:	1097438
Effective Date:	20110613
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77
Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date: 20140101
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 6
Mech Detail Seq: 2
Face Value Amount: 2000000
Effective Date: 20150101
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 6
Mech Detail Seq: 3
Face Value Amount: 2000000
Effective Date: 20150515
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 6
Mech Detail Seq: 4
Face Value Amount: 2000000
Effective Date: 20160515
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 6
Mech Detail Seq: 5
Face Value Amount: 2000000
Effective Date: 20170515
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y

EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	B
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Type Owner:	HQ
Mech Description:	B - SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Provider:	TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA
Provider Contact Name:	Not reported
EPA Region:	02
Provider Contact Phone:	Not reported
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Cost Estimate: N
Cost Estimate Reason Description: R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:
Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: S
Cost Agency: S
Cost Coverage Seq: 29
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 9
Mech Detail Seq: 4

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: S
Cost Agency: S
Cost Coverage Seq: 28
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 9
Mech Detail Seq: 3

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: S
Cost Agency: S
Cost Coverage Seq: 25
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 9
Mech Detail Seq: 2

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: S
Cost Agency: S
Cost Coverage Seq: 23
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 9

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	4
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 4
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 4
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 3
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2

Handler ID: NYD006866008
Cost Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 1
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Mechanism Detail:
Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	1
Mech Detail Seq:	2
Face Value Amount:	1062324
Effective Date:	20080724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Face Value Amount:	1067585
Effective Date:	20090519
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Face Value Amount:	1072536
Effective Date:	20100618
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Face Value Amount:	1097438
Effective Date:	20110613
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610
Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	553311
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77
Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000
Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y

EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	I
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Type Owner:	HQ
Mech Description:	I - INSURANCE
Provider:	MARSH USA INC
Provider Contact Name:	MANASHI MUKHERJEE
EPA Region:	02
Provider Contact Phone:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Provider Contact Email: Not reported

Cost Estimate:

Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 7
Responsible Person Owner: NY
Responsible Person: NYACO
Cost Estimate Amount: 1101120
Cost Estimate Date: 20120809
Cost Estimate Reason: A
Update Due Date: Not reported
Current Cost Estimate: N
Cost Estimate Reason Description: A - Inflation adjusted

Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 8
Responsible Person Owner: NY
Responsible Person: NYACO
Cost Estimate Amount: 1107610
Cost Estimate Date: 20130718
Cost Estimate Reason: A
Update Due Date: Not reported
Current Cost Estimate: N
Cost Estimate Reason Description: A - Inflation adjusted

Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: C
Cost Agency: S
Cost Coverage Seq: 12
Responsible Person Owner: NY
Responsible Person: NYACO
Cost Estimate Amount: 553311
Cost Estimate Date: 20150619
Cost Estimate Reason: A
Update Due Date: Not reported
Current Cost Estimate: N
Cost Estimate Reason Description: A - Inflation adjusted

Handler ID: NYD006866008
Cost Activity Location: NY
Cost FA Type: S
Cost Agency: S
Cost Coverage Seq: 13
Responsible Person Owner: NY
Responsible Person: NYACO
Cost Estimate Amount: 2000000
Cost Estimate Date: 20150515
Cost Estimate Reason: L
Update Due Date: Not reported
Current Cost Estimate: N
Cost Estimate Reason Description: L - Liability coverage required

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	1
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mechanism Detail:

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	2
Face Value Amount:	1062324
Effective Date:	20080724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Face Value Amount:	1067585
Effective Date:	20090519
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Face Value Amount:	1072536
Effective Date:	20100618
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Face Value Amount:	1097438
Effective Date:	20110613
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610
Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77
Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	0
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y
EPAID:	NYD006866008
Name:	HICKSVILLE OPERATIONS CENTER-PSEG
Address:	E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
Mechanism type:	B
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Type Owner:	HQ
Mech Description:	B - SURETY BOND GUARANTEEING PAYMENTS TO A TRUST FUND
Provider:	TRAVELERS CASUALTY AND SURETY COMPANY OF AMERICA

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Provider Contact Name:	Not reported
EPA Region:	02
Provider Contact Phone:	Not reported
Provider Contact Email:	Not reported

Cost Estimate:

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1101120
Cost Estimate Date:	20120809
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1107610
Cost Estimate Date:	20130718
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	553311
Cost Estimate Date:	20150619
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150515
Cost Estimate Reason:	L

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	558290
Cost Estimate Date:	20160523
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20160515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	563314
Cost Estimate Date:	20170423
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20170515
Cost Estimate Reason:	L
Update Due Date:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1064600.86
Cost Estimate Date:	20171102
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1102906
Cost Estimate Date:	20190717
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1120552.5
Cost Estimate Date:	20200324
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000
Cost Estimate Date:	20190514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Estimate Reason Description:	L - Liability coverage required
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1139059.13
Cost Estimate Date:	20210524
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1206243.6
Cost Estimate Date:	20220301
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1382004.6
Cost Estimate Date:	20230401
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted
Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20220515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	2000000
Cost Estimate Date:	20230515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	1431756.77
Cost Estimate Date:	20240416
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	Y
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1062324
Cost Estimate Date:	20080724
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1067585
Cost Estimate Date:	20090519
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1072536
Cost Estimate Date:	20100618
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	1097438
Cost Estimate Date:	20110613
Cost Estimate Reason:	A
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	A - Inflation adjusted

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	Not reported
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20140101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	2000000
Cost Estimate Date:	20150101
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	2000000
Cost Estimate Date:	20180515
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Responsible Person Owner:	NY
Responsible Person:	NYSGG
Cost Estimate Amount:	10000000
Cost Estimate Date:	20210514
Cost Estimate Reason:	L
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	L - Liability coverage required

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Responsible Person Owner:	Not reported
Responsible Person:	Not reported
Cost Estimate Amount:	354290
Cost Estimate Date:	20090424
Cost Estimate Reason:	I
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	I - Initial cost estimate

Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	9
Responsible Person Owner:	NY
Responsible Person:	NYACO
Cost Estimate Amount:	545349
Cost Estimate Date:	20140423
Cost Estimate Reason:	R
Update Due Date:	Not reported
Current Cost Estimate:	N
Cost Estimate Reason Description:	R - Revised cost estimate (modifications and renewals)

Cost Mechanism Detail:

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	29
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	28
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	25
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2

Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	23
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	20
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	18
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	16
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	14
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	13
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	10
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	S
Cost Agency:	S
Cost Coverage Seq:	2
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	30
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	27
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	26
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	24
Mech Activity Location:	NY

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	22
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	21
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	19
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	17
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	15
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	12
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	9
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	8
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7

Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	7
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	6
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	6
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	5
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Cost Agency:	S
Cost Coverage Seq:	5
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	4
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	4
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	3
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	3
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	2
Handler ID:	NYD006866008
Cost Handler ID:	NYD006866008
Cost Activity Location:	NY
Cost FA Type:	C
Cost Agency:	S
Cost Coverage Seq:	1

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Activity Location: NY
Mech Agency: S
Mech Seq: 2
Mech Detail Seq: 1

Mechanism Detail:
Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 2
Face Value Amount: 1062324
Effective Date: 20080724
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 3
Face Value Amount: 1067585
Effective Date: 20090519
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 4
Face Value Amount: 1072536
Effective Date: 20100618
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S
Mech Seq: 1
Mech Detail Seq: 5
Face Value Amount: 1097438
Effective Date: 20110613
Expiration Date: Not reported
Alternative: Not reported
Facility Face Value Amount: Not reported
Current Mechanism Detail: N

Handler ID: NYD006866008
Mech Activity Location: NY
Mech Agency: S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	1
Mech Detail Seq:	6
Face Value Amount:	1101120
Effective Date:	20120809
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	1
Mech Detail Seq:	7
Face Value Amount:	1107610
Effective Date:	20130718
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	2
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20090902
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	3
Mech Detail Seq:	1
Face Value Amount:	35000000
Effective Date:	20080401
Expiration Date:	20100401
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	1
Face Value Amount:	545349
Effective Date:	20140423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	545349
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	2
Face Value Amount:	553311
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	553311
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	3
Face Value Amount:	558290
Effective Date:	20160523
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	558290
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	4
Face Value Amount:	563314
Effective Date:	20170423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	563314
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	5
Face Value Amount:	1064600.86
Effective Date:	20171102
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1064600.86
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	6
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	1102906
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	7
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	8
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	9
Face Value Amount:	1206243.6
Effective Date:	20220401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1206243.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	10
Face Value Amount:	1382004.6
Effective Date:	20230423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1382004.6
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	4
Mech Detail Seq:	11
Face Value Amount:	1431756.77

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Effective Date:	20240401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1431756.77
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	1
Face Value Amount:	0
Effective Date:	20140724
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	2
Face Value Amount:	0
Effective Date:	20150619
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	3
Face Value Amount:	0
Effective Date:	20190201
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	5
Mech Detail Seq:	4
Face Value Amount:	0
Effective Date:	20200301
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mech Seq:	5
Mech Detail Seq:	5
Face Value Amount:	0
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	0
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	1
Face Value Amount:	2000000
Effective Date:	20140101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	2
Face Value Amount:	2000000
Effective Date:	20150101
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	3
Face Value Amount:	2000000
Effective Date:	20150515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20160515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	5
Face Value Amount:	2000000
Effective Date:	20170515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	N

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	6
Mech Detail Seq:	6
Face Value Amount:	2000000
Effective Date:	20180515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	Not reported
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	7
Mech Detail Seq:	1
Face Value Amount:	1102906
Effective Date:	20190423
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1102906
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	8
Mech Detail Seq:	1
Face Value Amount:	1120552.5
Effective Date:	20200318
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1120552.5
Current Mechanism Detail:	Y

Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	1
Face Value Amount:	10000
Effective Date:	20190515
Expiration Date:	Not reported
Alternative:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	2
Face Value Amount:	10000
Effective Date:	20210515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	3
Face Value Amount:	10000000
Effective Date:	20220515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	10000000
Current Mechanism Detail:	N
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	9
Mech Detail Seq:	4
Face Value Amount:	2000000
Effective Date:	20230515
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	2000000
Current Mechanism Detail:	Y
Handler ID:	NYD006866008
Mech Activity Location:	NY
Mech Agency:	S
Mech Seq:	10
Mech Detail Seq:	1
Face Value Amount:	1139059.13
Effective Date:	20210401
Expiration Date:	Not reported
Alternative:	Not reported
Facility Face Value Amount:	1139059.13
Current Mechanism Detail:	Y

2020 COR ACTION:

EPA ID:	NYD006866008
Region:	2
Action:	Remedy Construction

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

PADS:

Name:	HICKSVILLE OPERATION CENTER
Address:	175 OLD COUNTRY RD
Address 2:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
EDR ID:	1000178398
EPAID:	NYD006866008
Region:	02
Generator:	Y
Storer:	N
Disposer:	N
Transporter:	Y
Smelter:	N
Research Facility:	N
Mailing Address:	175 OLD COUNTRY RD
Mailing Address 2:	Not reported
Mailing City:	HICKSVILLE
Mailing State:	NY
Mailing Zip:	11801
Mailing Country:	US
Owner Name:	MARKETSPAN CORPORATE SVCS LLC
Certification Date:	06/15/1998
Contact Name:	ROBERT D TEETZ
Contact Title:	Not reported
Contact Telephone:	516-391-6133
Contact Text:	Not reported
Contact Email:	Not reported
GIS Data Origin:	Auto-Geocoded
Latitude:	40.766732
Longitude:	-73.510550

E MANIFEST:

Manifest Tracking Number:	002202364VES
Last Updated Date:	20230605
Shipped Date:	20230517
Received Date:	20230517
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center-Pseg
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Clean Earth Of North Jersey
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	002427940VES
Last Updated Date:	20250331
Shipped Date:	20250227
Received Date:	20250227
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center-Pseg
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Clean Earth Of North Jersey
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	001884653VES

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Last Updated Date:	20220930
Shipped Date:	20220913
Received Date:	20220913
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center-Pseg
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Clean Earth Of North Jersey
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	001884879VES
Last Updated Date:	20230316
Shipped Date:	20220104
Received Date:	20220104
Manifest Status:	Corrected
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center-Pseg
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032
Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Clean Earth Of North Jersey
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	002304212VES
Last Updated Date:	20240122
Shipped Date:	20240105
Received Date:	20240105
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Service
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center-Pseg
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	NJD991291105
Designated Facility Name:	Not reported
Designated Facility Mail Street Number:	105
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	JACOBUS AVE
Designated Facility Mail City:	KEARNY
Designated Facility Mail Zip:	07032
Designated Facility Mail State:	NJ
Designated Facility Location Street Number:	105
Designated Facility Location Street 1:	JACOBUS AVE
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	KEARNY
Designated Facility Location Zip:	07032

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Designated Facility Location State:	NJ
Designated Facility Contact Company Name:	Clean Earth Of North Jersey
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	014995442FLE
Last Updated Date:	20210519
Shipped Date:	20210429
Received Date:	20210505
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Web
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	ALD983167891
Designated Facility Name:	Tci Of Alabama, Llc
Designated Facility Mail Street Number:	101
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	PARKWAY EAST
Designated Facility Mail City:	PELL CITY
Designated Facility Mail Zip:	35125
Designated Facility Mail State:	AL
Designated Facility Location Street Number:	101
Designated Facility Location Street 1:	PARKWAY EAST
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	PELL CITY
Designated Facility Location Zip:	35125
Designated Facility Location State:	AL
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	014995487FLE
Last Updated Date:	20210729
Shipped Date:	20210617
Received Date:	20210621
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Web
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY ROAD
Generator Location Street 2:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	ALD983167891
Designated Facility Name:	Tci Of Alabama, Llc
Designated Facility Mail Street Number:	101
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	PARKWAY EAST
Designated Facility Mail City:	PELL CITY
Designated Facility Mail Zip:	35125
Designated Facility Mail State:	AL
Designated Facility Location Street Number:	101
Designated Facility Location Street 1:	PARKWAY EAST
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	PELL CITY
Designated Facility Location Zip:	35125
Designated Facility Location State:	AL
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	014995550FLE
Last Updated Date:	20211021
Shipped Date:	20210907
Received Date:	20210916
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Web
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	ALD983167891
Designated Facility Name:	Tci Of Alabama, Llc
Designated Facility Mail Street Number:	101
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	PARKWAY EAST
Designated Facility Mail City:	PELL CITY
Designated Facility Mail Zip:	35125

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Designated Facility Mail State:	AL
Designated Facility Location Street Number:	101
Designated Facility Location Street 1:	PARKWAY EAST
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	PELL CITY
Designated Facility Location Zip:	35125
Designated Facility Location State:	AL
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	014995551FLE
Last Updated Date:	20211006
Shipped Date:	20210907
Received Date:	20210913
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Web
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY ROAD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	ALD983167891
Designated Facility Name:	Tci Of Alabama, Llc
Designated Facility Mail Street Number:	101
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	PARKWAY EAST
Designated Facility Mail City:	PELL CITY
Designated Facility Mail Zip:	35125
Designated Facility Mail State:	AL
Designated Facility Location Street Number:	101
Designated Facility Location Street 1:	PARKWAY EAST
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	PELL CITY
Designated Facility Location Zip:	35125
Designated Facility Location State:	AL
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

Manifest Tracking Number:	014995625FLE
Last Updated Date:	20240226
Shipped Date:	20211028
Received Date:	20211108
Manifest Status:	Corrected
Submission Type:	DataImage5Copy

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Origin Type:	Web
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center-Pseg
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	ALD983167891
Designated Facility Name:	Tci Of Alabama, Llc
Designated Facility Mail Street Number:	101
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	PARKWAY EAST
Designated Facility Mail City:	PELL CITY
Designated Facility Mail Zip:	35125
Designated Facility Mail State:	AL
Designated Facility Location Street Number:	101
Designated Facility Location Street 1:	PARKWAY EAST
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	PELL CITY
Designated Facility Location Zip:	35125
Designated Facility Location State:	AL
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N
Manifest Tracking Number:	014995714FLE
Last Updated Date:	20220308
Shipped Date:	20220218
Received Date:	20220228
Manifest Status:	Signed
Submission Type:	DataImage5Copy
Origin Type:	Web
Generator EPA ID:	NYD006866008
Generator Name:	Hicksville Operations Center-Pseg
Generator Location Street Number:	175
Generator Location Street 1:	175 E OLD COUNTRY RD
Generator Location Street 2:	Not reported
Generator Location City:	HICKSVILLE
Generator Location State:	NY
Generator Location Zip:	11801
Generator Mail Street Number:	175
Generator Mail Street 1:	E OLD COUNTRY RD
Generator Mail Street 2:	PSEGLI ENVIRONMENTAL DEPT
Generator Mail City:	HICKSVILLE
Generator Mail Zip:	11801
Generator Mail State:	NY
Generator Contact Company Name:	Not reported
Designated Facility EPA ID:	ALD983167891

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Designated Facility Name:	Tci Of Alabama, Llc
Designated Facility Mail Street Number:	101
Designated Facility Mail Street 1:	Not reported
Designated Facility Mail Street 2:	PARKWAY EAST
Designated Facility Mail City:	PELL CITY
Designated Facility Mail Zip:	35125
Designated Facility Mail State:	AL
Designated Facility Location Street Number:	101
Designated Facility Location Street 1:	PARKWAY EAST
Designated Facility Location Street 2:	Not reported
Designated Facility Location City:	PELL CITY
Designated Facility Location Zip:	35125
Designated Facility Location State:	AL
Designated Facility Contact Company Name:	Not reported
Manifest Residue Indicator:	N
Rejection Indicator:	N

PCB Information:

Manifest Tracking Number:	014995715FLE
Waste Line Number:	1
Article or Container ID:	Not reported
Bulk Identity:	LIQUID
Date of Removal:	20220218
Load Type:	BulkWaste
Load Type Description:	Bulk Waste
Waste Type:	Not reported
Weight:	20

Manifest Tracking Number:	014995715FLE
Waste Line Number:	1
Article or Container ID:	Not reported
Bulk Identity:	LIQUID
Date of Removal:	20220218
Load Type:	BulkWaste
Load Type Description:	Bulk Waste
Waste Type:	Not reported
Weight:	20

Manifest Tracking Number:	014995715FLE
Waste Line Number:	2
Article or Container ID:	Not reported
Bulk Identity:	LIQUID
Date of Removal:	20220218
Load Type:	BulkWaste
Load Type Description:	Bulk Waste
Waste Type:	Not reported
Weight:	400

Manifest Tracking Number:	014995715FLE
Waste Line Number:	2
Article or Container ID:	Not reported
Bulk Identity:	LIQUID
Date of Removal:	20220218
Load Type:	BulkWaste
Load Type Description:	Bulk Waste
Waste Type:	Not reported
Weight:	800

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Transporter:

Manifest Tracking Number:	014995715FLE
Transporter Line Number:	1
Transporter EPA ID:	NJD986588630
Transporter Name:	Allstate Orc
Manifest Tracking Number:	014995715FLE
Transporter Line Number:	2
Transporter EPA ID:	NJD071629976
Transporter Name:	S J Transportation Co Inc
Manifest Tracking Number:	014995715FLE
Transporter Line Number:	3
Transporter EPA ID:	NYR000211540
Transporter Name:	Tci Of Ny Llc
Manifest Tracking Number:	014995715FLE
Transporter Line Number:	4
Transporter EPA ID:	NJD071629976
Transporter Name:	S J Transportation Co Inc

Waste Line:

Manifest Tracking Number:	014995715FLE
Waste Line Number:	1
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN2315
U.S. DOT Description:	Rq, Un2315, Polychlorinated Biphenyls, Liquid, 9, Pg Iii
Non-Hazardous Waste Description:	Not reported
Number of Containers:	2
Container Type Code:	CM
Container Type Description:	Metal boxes, cartons, cases (including roll offs)
Waste Quantity:	1200
Quantity Unit of Measure Code:	K
Quantity Unit of Measure Description:	Kilograms
Waste Quantity, in Tons:	1.3229992
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	1.3229992
Waste Quantity, in Kilograms:	1200
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	1200
Management Method Code:	H010
Management Method Description:	METALS RECOVERY
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0
Quantity Non Haz Kg:	1200
Quantity Non Haz Tons:	1.3229992
State Waste Codes:	NY-B006, NY-R
Manifest Tracking Number:	014995715FLE
Waste Line Number:	2
U.S. DOT Hazardous Indicator:	Y
U.S. DOT ID Number:	UN2315
U.S. DOT Description:	Rq, Un2315, Polychlorinated Biphenyls, Liquid, 9, Pg Iii
Non-Hazardous Waste Description:	Not reported
Number of Containers:	2
Container Type Code:	CM
Container Type Description:	Metal boxes, cartons, cases (including roll offs)
Waste Quantity:	40
Quantity Unit of Measure Code:	K
Quantity Unit of Measure Description:	Kilograms
Waste Quantity, in Tons:	0.04409997
Acute Waste Quantity, in Tons:	0
Non-Acute Waste Quantity, in Tons:	0.04409997
Waste Quantity, in Kilograms:	40
Acute Waste Quantity, in Kilograms:	0
Non-Acute Waste Quantity, in Kilorgrams:	40
Management Method Code:	H141
Management Method Description:	STORAGE, BULKING AND/OR TRANSFER OFF SITE
Waste Residue Indicator:	N
Quantity Discrepancy Indicator:	N
Waste Type Discrepancy Indicator:	N
Waste Density:	Not reported
Waste Density Unit of Measure Code:	Not reported
Waste Density Unit of Measure Description:	Not reported
Form Code:	Not reported
Form Code Description:	Not reported
Source Code:	Not reported
Source Code Description:	Not reported
Waste Minimization Code:	Not reported
Waste Minimization Code Description:	Not reported
Consent Number:	Not reported
EPA Waste Indicator:	N
Federal Waste Codes:	Not reported
Quantity Haz Kg:	0
Quantity Haz Tons:	0
Quantity Non Haz Kg:	40
Quantity Non Haz Tons:	0.04409997
State Waste Codes:	NY-B004, NY-R

Click this hyperlink while viewing on your computer to access
33 additional US EManifest: record(s) in the EDR Site Report.

NJ MANIFEST:

EPA ID:	NYD006866008
Name:	LONG ISLAND LIGHTING CO
Address:	175 E OLD COUNTRY RD
City,State,Zip:	HICKSVILLE, NY 11801
County:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Mailing Address:	175 E OLD COUNTRY RD
Mailing City,State,Zip:	HICKSVILLE 11801
Telephone:	5163916590
Emergency Telephone:	Not reported
Contact:	Not reported
Comments:	Not reported
SIC Code:	Not reported
County:	00
Municipal:	00
Previous EPAID:	Not reported
Generator Flag:	X
Transporter Flag:	Not reported
TSDF Flag:	D
Name Change:	Not reported
Date Change:	Not reported

Manifest Data:

EPA ID:	NYD006866008
Manifest Number:	000431362SKS
Date Shipped:	06/18/2007
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/18/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/19/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H14
Quantity:	60
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	001307128SKS
Date Shipped:	07/02/2008
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	07/02/2008
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	07/07/2008
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H141
Quantity:	100
Unit:	G

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

EPA ID:	NYD006866008
Manifest Number:	000181275VES
Date Shipped:	04/01/2009
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/01/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/09/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	546
Unit:	K
Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	1200
Unit:	P
Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	400

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Unit:	P
Manifest Year:	Not reported
Waste Code:	D008
Hand Code:	H141
Quantity:	60
Unit:	P
Manifest Year:	Not reported
Waste Code:	U159
Hand Code:	H141
Quantity:	28
Unit:	P
EPA ID:	NYD006866008
Manifest Number:	000346873VES
Date Shipped:	04/16/2010
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	04/16/2010
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	04/20/2010
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Code:	D001
Hand Code:	H141
Quantity:	4000
Unit:	P

EPA ID:	NYD006866008
Manifest Number:	000291248VES
Date Shipped:	09/10/2009
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	09/10/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	09/10/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H141
Quantity:	60
Unit:	P

EPA ID:	NYD006866008
Manifest Number:	000406667SKS
Date Shipped:	03/23/2007

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	03/23/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	03/27/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H14
Quantity:	100
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	000017571VES
Date Shipped:	06/05/2007
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	06/05/2007
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	06/05/2007
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H14
Quantity:	750
Unit:	P

Manifest Year:	Not reported
Waste Code:	D009
Hand Code:	H14
Quantity:	100
Unit:	P

EPA ID:	NYD006866008
Manifest Number:	001643161SKS
Date Shipped:	01/12/2009
TSDF EPA ID:	NJD982270506
Transporter EPA ID:	TXR000050930
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/12/2009

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/15/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D039
Hand Code:	H141
Quantity:	45
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	000290141VES
Date Shipped:	08/10/2009
TSDF EPA ID:	NJD002454544
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	08/10/2009
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Date TSDF Received Waste:	08/10/2009
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D001
Hand Code:	H061
Quantity:	1200
Unit:	G

EPA ID:	NYD006866008
Manifest Number:	NJA4114912
Date Shipped:	01/10/2006
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	Not reported
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	01/10/2006
Date Trans2 Transported Waste:	Not reported
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	01/10/2006
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	02270621
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported
EPA ID:	NYD006866008
Manifest Number:	000160185VES
Date Shipped:	02/05/2008
TSDF EPA ID:	NJD980536593
Transporter EPA ID:	NJD080631369
Transporter 2 EPA ID:	NJD080631369
Transporter 3 EPA ID:	Not reported
Transporter 4 EPA ID:	Not reported
Transporter 5 EPA ID:	Not reported
Transporter 6 EPA ID:	Not reported
Transporter 7 EPA ID:	Not reported
Transporter 8 EPA ID:	Not reported
Transporter 9 EPA ID:	Not reported
Transporter 10 EPA ID:	Not reported
Date Trans1 Transported Waste:	02/05/2008
Date Trans2 Transported Waste:	02/14/2008
Date Trans3 Transported Waste:	Not reported
Date Trans4 Transported Waste:	Not reported
Date Trans5 Transported Waste:	Not reported
Date Trans6 Transported Waste:	Not reported
Date Trans7 Transported Waste:	Not reported
Date Trans8 Transported Waste:	Not reported
Date Trans9 Transported Waste:	Not reported
Date Trans10 Transported Waste:	Not reported
Date TSDF Received Waste:	02/14/2008
TSDF EPA Facility Name:	Not reported
QTY Units:	Not reported
Transporter SEQ ID:	Not reported
Transporter-1 Date:	Not reported
Waste SEQ ID:	Not reported
Waste Type Code 2:	Not reported
Waste Type Code 3:	Not reported
Waste Type Code 4:	Not reported
Waste Type Code 5:	Not reported
Waste Type Code 6:	Not reported
Date Accepted:	Not reported
Manifest Discrepancy Type:	Not reported
Data Entry Number:	Not reported
Was Load Rejected:	N
Reason Load Was Rejected:	Not reported

Waste:

Manifest Year:	Not reported
Waste Code:	D009
Hand Code:	H141
Quantity:	50
Unit:	P
Manifest Year:	Not reported
Waste Code:	D001

HICKSVILLE OPERATIONS CENTER-PSEG (Continued) **1000178398**

Hand Code:	H141
Quantity:	200
Unit:	P
Manifest Year:	Not reported
Waste Code:	D011
Hand Code:	H141
Quantity:	400
Unit:	P

Click this hyperlink while viewing on your computer to access
189 additional NJ MANIFEST: record(s) in the EDR Site Report.

---

200 WSW 1/2-1 0.773 mi. 4081 ft. **ALSY MANUFACTURING, INC.**
270/280 DUFFY AVENUE
HICKSVILLE, NY 11801

NY SHWS **S104541551**
NY ENG CONTROLS **N/A**
NY INST CONTROL
NY VAPOR REOPENED

Relative: Lower

Actual: 125 ft.

SHWS:

Name:	ALSY MANUFACTURING, INC.
Address:	270/280 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Program:	HW
Site Code:	55767
Classification:	Site is properly closed - requires continued management.
Region:	1
Acres:	4.000
HW Code:	130027
Record Add:	11/18/1999
Record Upd:	10/02/2025
Updated By:	JLDYBER
Site Description:	Location: The Alsy site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. Alsy Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. Alsy s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction.
Env Problem:	Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper,

ALSY MANUFACTURING, INC. (Continued) **S104541551**

	nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings.
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	7/1/77
Disp Term:	8/1/84
Lat/Long:	40:45:47:0 / 73:32:28:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2011-10-28 09:23:00
Updated By:	HMDUDEK
Own Op:	1
Sub Type:	NNN
Owner Name:	David Hercman
Owner Company:	Long Island Industrial Property Management
Owner Address:	6851 Jericho Tpke.
Owner Addr2:	Suite 155
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
Own Op:	4
Sub Type:	E
Owner Name:	AL GINDEL, PRES.
Owner Company:	BALATEM CORPORATION
Owner Address:	270 DUFFY AVENUE
Owner Addr2:	Not reported
Owner City,St,Zip:	HICKSVILLE, NY 11801
Owner Country:	United States of America
HW Code:	130027
Waste Type:	METHYLENE CHLORIDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

ENG CONTROLS:
Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
HW Code: 130027
Control Code: 13
Control Type: ENG
Date Record Added: 06/18/2013
Date Rec Updated: 02/19/2025
Updated By: JLDYBER
Site Description: Location: The Alsy site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. Alsy Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. Alsy s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating

ALSY MANUFACTURING, INC. (Continued) **S104541551**

	waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction.
Env Problem:	Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings.
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	7/1/77
Disp Term:	8/1/84
Lat/Long:	40:45:47:0 / 73:32:28:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2011-10-28 09:23:00
Updated By:	HMDUDEK
Own Op:	1
Sub Type:	NNN
Owner Name:	David Hercman
Owner Company:	Long Island Industrial Property Management
Owner Address:	6851 Jericho Tpke.
Owner Addr2:	Suite 155
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
Own Op:	4
Sub Type:	E
Owner Name:	AL GINDEL, PRES.
Owner Company:	BALATEM CORPORATION
Owner Address:	270 DUFFY AVENUE
Owner Addr2:	Not reported
Owner City,St,Zip:	HICKSVILLE, NY 11801

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Owner Country:	United States of America
HW Code:	130027
Waste Type:	METHYLENE CHLORIDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	(DOO7) (DOO8)
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	NYD981184237
Cross Ref Type Code:	05
Cross Ref Type:	EPA Site ID
Record Added Date:	1999-11-18 12:00:00
Record Updated:	2001-05-10 16:31:00
Updated By:	REGTRANS

INST CONTROL:

Name:	ALSY MANUFACTURING, INC.
Address:	270/280 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Site Code:	55767
Control Name:	Ground Water Use Restriction
HW Code:	130027
Control Code:	08
Control Type:	INST
Dt record added:	06/18/2013
Dt rec updated:	02/19/2025
Updated By:	JLDYBER
Site Code:	55767
Site Description:	Location: The Alsy site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west

ALSY MANUFACTURING, INC. (Continued) **S104541551**

by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. Alsy Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. Alsy s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction.

Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings.

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
Control Name: Site Management Plan
HW Code: 130027
Control Code: 32
Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 02/19/2025
Updated By: JLDYBER
Site Code: 55767

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Site Description: Location: The Alsy site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. Alsy Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. Alsy s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction.

Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.

Health Problem: Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings.

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Control Name: Monitoring Plan
HW Code: 130027
Control Code: 31
Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 02/19/2025
Updated By: JLDYBER
Site Code: 55767
Site Description: Location: The Alsy site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. Alsy Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. Alsy s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem: Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings.
Dump: False
Structure: True

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
Control Name: Environmental Notice
HW Code: 130027
Control Code: N
Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 02/19/2025
Updated By: JLDYBER
Site Code: 55767
Site Description: Location: The Alsy site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. Alsy Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. Alsy s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem: Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab

ALSY MANUFACTURING, INC. (Continued) **S104541551**

depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings.

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
Control Name: Landuse Restriction
HW Code: 130027
Control Code: 25
Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 02/19/2025
Updated By: JLDYBER
Site Code: 55767
Site Description: Location: The Alsy site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. Alsy Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. Alsy s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater. Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem: Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface

ALSY MANUFACTURING, INC. (Continued) **S104541551**

materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings.

Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 7/1/77
Disp Term: 8/1/84
Lat/Long: 40:45:47:0 / 73:32:28:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2011-10-28 09:23:00
Updated By: HMDUDEK
Own Op: 1
Sub Type: NNN
Owner Name: David Hercman
Owner Company: Long Island Industrial Property Management
Owner Address: 6851 Jericho Tpke.
Owner Addr2: Suite 155
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
Own Op: 4
Sub Type: E
Owner Name: AL GINDEL, PRES.
Owner Company: BALATEM CORPORATION
Owner Address: 270 DUFFY AVENUE
Owner Addr2: Not reported
Owner City,St,Zip: HICKSVILLE, NY 11801
Owner Country: United States of America
HW Code: 130027
Waste Type: METHYLENE CHLORIDE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: 1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55767
Control Name: Soil Management Plan
HW Code: 130027
Control Code: 14
Control Type: INST
Dt record added: 06/18/2013
Dt rec updated: 02/19/2025
Updated By: JLDYBER
Site Code: 55767
Site Description: Location: The Alsy site is a 4-acre site located in an urban/suburban portion of Nassau County. The site is located approximately 4000 feet east of the Wantaugh State Parkway at 270/280 Duffy Avenue in Hicksville. Site Features: The main Site features include several large one-story buildings surrounded by asphalt parking areas. The Site is bounded on the north by the Long Island Railroad and a construction and demolition (C&D) debris reclaimer; on the south by Duffy Avenue and a residential neighborhood; and on the east and west by active and vacant industrial or commercial operations. Current Zoning and Land Use: The Site buildings are presently used for commercial business. Surrounding land uses include residential, commercial and industrial uses. Past Use of the Site: Prior to 1975, Metalab, a laboratory furniture manufacturer, conducted operations at the Site. Alsy Manufacturing manufactured electric lamps and lampshades at this facility from 1975 through 1991. Alsy s manufacturing processes included bronze plating, electroplating, and antiquing. Waste material that was generated included metals plating waste, wastewater treatment sludge, paint thinner, acidic paint stripper, alkaline paint stripper, and 1,1,1-trichloroethane. Site Geology and Hydrogeology: The site is underlain by glacially derived sand and gravel deposits. Groundwater is found approximately 50 feet below the ground surface and flow is in a southerly direction.
Env Problem: Remediation at the site is complete. Prior to remediation, the primary contaminants of concern were arsenic, chromium, copper, nickel and zinc in the soil and nickel in the groundwater.

ALSY MANUFACTURING, INC. (Continued) **S104541551**

	Chlorinated solvents were also found in soil vapor on-site, triggering mitigation of overlying structures. Remedial actions have successfully achieved soil cleanup objectives for commercial use. Residual contamination in the soil and groundwater is being managed under a Site Management Plan.
Health Problem:	Access to the site is unrestricted and a majority of the site is covered by buildings and pavement. However, contact with contaminated soil or groundwater is unlikely unless they dig below the surface materials. People are not drinking the contaminated groundwater because the area is served by a public water supply that is not affected by this contamination. Volatile organic compounds in the groundwater and/or soil may move into the soil vapor (air spaces within the soil), which in turn may move into overlying buildings and affect the indoor air quality. This process, which is similar to the movement of radon gas from the subsurface into the indoor air of buildings, is referred to as soil vapor intrusion. Subslab depressurization systems (systems that ventilate/remove the air beneath the building) have been installed in both of the on-site buildings to prevent the indoor air quality from being affected by the contamination in soil vapor beneath the building. Sampling indicates soil vapor intrusion is not a concern for off-site buildings.
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	7/1/77
Disp Term:	8/1/84
Lat/Long:	40:45:47:0 / 73:32:28:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2011-10-28 09:23:00
Updated By:	HMDUDEK
Own Op:	1
Sub Type:	NNN
Owner Name:	David Hercman
Owner Company:	Long Island Industrial Property Management
Owner Address:	6851 Jericho Tpke.
Owner Addr2:	Suite 155
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
Own Op:	4
Sub Type:	E
Owner Name:	AL GINDEL, PRES.
Owner Company:	BALATEM CORPORATION
Owner Address:	270 DUFFY AVENUE
Owner Addr2:	Not reported
Owner City,St,Zip:	HICKSVILLE, NY 11801
Owner Country:	United States of America
HW Code:	130027
Waste Type:	METHYLENE CHLORIDE
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130027
Waste Type:	1,1,1-TRICHLOROETHANE, TOLUENE, XYLENE,
Waste Quantity:	UNKNOWN

ALSY MANUFACTURING, INC. (Continued) **S104541551**

Waste Code: Not reported
HW Code: 130027
Waste Type: ETHYL BENZENE, 1,2-DICHLOROPROPANE
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: ALUMINUM, ARSENIC, COPPER, CADMIUM, CHROMIUM,
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: LEAD, 1,1- DICHLOROETHENE, ETHANE AND ZINC
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: CYANIDE, NICKEL (FOO1) (FOO2) (DOO4) (DOO6)
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130027
Waste Type: (DOO7) (DOO8)
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD981184237
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS

VAPOR REOPENED:
Name: ALSY MANUFACTURING, INC.
Address: 270/280 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY
Site Code: 130027
Facility Status: Complete (Mitigate)

201
WSW
1/2-1
0.888 mi.
4687 ft.

Relative:
Lower

Actual:
121 ft.

SPORT STAMP & THE CLOSET
290 DUFFY AVE
HICKSVILLE, NY 11801

CORRACTS **1000323314**
RCRA-TSDF **NYD005923560**
NY SHWS
NY INST CONTROL
NY Spills
RCRA NonGen / NLR
2020 COR ACTION
NY MANIFEST

CORRACTS:
Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: RFA COMPLETED
Actual Date: 19950420
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: DETERMINATION OF NEED FOR AN INVESTIGATION-INVESTIGATION IS NECESSARY
Actual Date: 19950524
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: CA PRIORITIZATION-LOW CA PRIORITY
Actual Date: 19960826
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: REFERRED TO A NON-RCRA AUTHORITY-OTHER
Actual Date: 19950619
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: INVESTIGATION WORKPLAN APPROVED
Actual Date: 19930730
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: REMEDY CONSTRUCTION-REMEDY CONSTRUCTED
Actual Date: 20110923
Air Release Indicator: Not reported
Groundwater Release Indicator: Y

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: HUMAN EXPOSURES CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 20110923
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: RELEASE TO GW CONTROLLED DETERMINATION-YES, APPLICABLE AS OF THIS DATE
Actual Date: 20140226
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: READY FOR ANTICIPATED USE DETERMINATION - READY FOR ANTICIPATED USE
Actual Date: 20140220
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Name: SPORT STAMP & THE CLOSET
Address: 290 DUFFY AVE
Address 2: Not reported
EPA ID: NYD005923560
Area Name: SITEWIDE
Corrective Action: CA PROCESS IS TERMINATED-REMEDIAL ACTIVITIES COMPLETE
Actual Date: 20140219
Air Release Indicator: Not reported
Groundwater Release Indicator: Y
Soil Release Indicator: Y
Surface Water Release Indicator: Not reported

Click this hyperlink while viewing on your computer to access additional CORRACTS: detail in the EDR Site Report.

RCRA TSDF:
Treatment Storage and Disposal Type: Storage, Treatment

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Full Enforcement Universe:	Not reported
Corrective Action Workload Universe:	No
Permit Renewals Workload Universe:	Not reported
Permit Workload Universe:	Not reported
Permit Progress Universe:	Storage, Treatment
Post-Closure Workload Universe:	Not reported
Closure Workload Universe:	Not reported
Operating TSDF Universe:	Not reported
Commercial TSD Indicator:	No
Active Site Fed-Reg Treatment Storage and Disposal Facility:	Not reported
Active Site Converter Treatment storage and Disposal Facility:	Not reported
Active Site State-Reg Treatment Storage and Disposal Facility:	Not reported
TSDFs Potentially Subject to CA Under 3004 (u)/(v) Universe:	No
TSDFs Only Subject to CA under Discretionary Auth Universe:	Yes

SHWS:

Name:	MAGNUSONICS DEVICES
Address:	290 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY 11801
Program:	HW
Site Code:	55770
Classification:	C
Region:	1
Acres:	3.000
HW Code:	130031
Record Add:	11/18/1999
Record Upd:	02/19/2014
Updated By:	SRHEIGEL
Site Description:	Location: Magnusonics is a 3 acre site located at 290 Duffy Avenue, in the Hicksville section of the Town of Oyster Bay. Site Features: The entire site is paved or covered by the building structure. The northernmost and southernmost portions of the site are used as parking areas. Current Zoning and land use: Site is zoned light industrial and is presently occupied by Custom Closets and the Daily News. The site is located within a mixed use area that consists of commercial/industrial properties to the north, east and west and residential properties to the south. The Long Island Railroad tracks border the site to the north. Historical Uses: Magnusonics Devices manufactured computer tape recording heads, an operation which generated both hazardous and non-hazardous wastes. Processes included photographic etching of thin sheet metal as well as copper and chrome electroplating. The facility used a physical chemical treatment system that processed rinse waters from its plating and chemical milling operations, and discharged the treated wastewater, which contained metals and solvents, into on-site leaching pools. Plating wastes containing chromium and lead were discharged into a leaching pool. A ferric hydroxide sludge which contained lead and iron was generated as part of the facility's processes and discovered beneath the parking lot at the northern portion of the site. Site Geology and Hydrogeology: Groundwater was encountered at a depth of approximately 60 feet below land surface. Groundwater flow direction was determined to be to the south.
Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete. The primary site contaminants of concern were metals in soils and groundwater. The selected remedy was performed and met the remediation goals identified in the Record of Decision.

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Health Problem:	Remedial actions taken have eliminated the potential for contact with site-related contaminants.
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	1978
Disp Term:	1986
Lat/Long:	40:45:44:0 / 73:32:33:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2013-10-11 14:04:00
Updated By:	BFJANKAU
Own Op:	3
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	MAGNUSONICS DEVICES
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	ZZ
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Hicksville Public Library
Owner Address:	169 Jerusalem Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Hicksville, NY 11801
Owner Country:	United States of America
Own Op:	1
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Long Island Industrial
Owner Address:	575 Underhill Blvd
Owner Addr2:	Suite 200
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
HW Code:	130031
Waste Type:	CHROMIUM D007
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130031
Waste Type:	LEAD D008
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	NYD005923560
Cross Ref Type Code:	05
Cross Ref Type:	EPA Site ID
Record Added Date:	1999-11-18 12:00:00
Record Updated:	2001-05-10 16:31:00
Updated By:	REGTRANS
Crossref ID:	WP-045-83
Cross Ref Type Code:	23
Cross Ref Type:	Agreement/Consent Order Number
Record Added Date:	2009-02-26 13:45:00
Record Updated:	2009-02-26 13:45:00

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Updated By: DMMOLOUG
Crossref ID: NYD005923560
Cross Ref Type Code: 06
Cross Ref Type: RCRA EPA ID No.
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2011-03-31 07:41:00
Updated By: DADESNOY
Crossref ID: Sport Stamp
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-03-31 07:42:00
Record Updated: 2011-03-31 07:42:00
Updated By: DADESNOY
Crossref ID: SPORT STAMP & THE CLOSET
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-06-16 00:00:00
Record Updated: 2011-06-16 00:00:00
Updated By: jdjarrat

INST CONTROL:
Name: MAGNUSONICS DEVICES
Address: 290 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55770
Control Name: Decision Document
HW Code: 130031
Control Code: D
Control Type: INST
Dt record added: 07/29/2009
Dt rec updated: 10/17/2013
Updated By: BFJANKAU
Site Code: 55770
Site Description: Location: Magnusonics is a 3 acre site located at 290 Duffy Avenue, in the Hicksville section of the Town of Oyster Bay. Site Features: The entire site is paved or covered by the building structure. The northernmost and southernmost portions of the site are used as parking areas. Current Zoning and land use: Site is zoned light industrial and is presently occupied by Custom Closets and the Daily News. The site is located within a mixed use area that consists of commercial/industrial properties to the north, east and west and residential properties to the south. The Long Island Railroad tracks border the site to the north. Historical Uses: Magnusonics Devices manufactured computer tape recording heads, an operation which generated both hazardous and non-hazardous wastes. Processes included photographic etching of thin sheet metal as well as copper and chrome electroplating. The facility used a physical chemical treatment system that processed rinse waters from its plating and chemical milling operations, and discharged the treated wastewater, which contained metals and solvents, into on-site leaching pools. Plating wastes containing chromium and lead were discharged into a leaching pool. A ferric hydroxide sludge which contained lead and iron was generated as part of the facility's processes and discovered beneath the parking lot at the northern portion of the site. Site Geology and Hydrogeology: Groundwater was encountered at a depth of approximately 60 feet below land surface. Groundwater flow direction was determined to be to the south.

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Env Problem:	Nature and Extent of Contamination: Remediation at the site is complete. The primary site contaminants of concern were metals in soils and groundwater. The selected remedy was performed and met the remediation goals identified in the Record of Decision.
Health Problem:	Remedial actions taken have eliminated the potential for contact with site-related contaminants.
Dump:	False
Structure:	True
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	1978
Disp Term:	1986
Lat/Long:	40:45:44:0 / 73:32:33:0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	2013-10-11 14:04:00
Updated By:	BFJANKAU
Own Op:	3
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	MAGNUSONICS DEVICES
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	ZZ
Owner Country:	United States of America
Own Op:	Document Repository
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Hicksville Public Library
Owner Address:	169 Jerusalem Avenue
Owner Addr2:	Not reported
Owner City,St,Zip:	Hicksville, NY 11801
Owner Country:	United States of America
Own Op:	1
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	Long Island Industrial
Owner Address:	575 Underhill Blvd
Owner Addr2:	Suite 200
Owner City,St,Zip:	Syosset, NY 11791
Owner Country:	United States of America
HW Code:	130031
Waste Type:	CHROMIUM D007
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
HW Code:	130031
Waste Type:	LEAD D008
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	NYD005923560
Cross Ref Type Code:	05
Cross Ref Type:	EPA Site ID
Record Added Date:	1999-11-18 12:00:00
Record Updated:	2001-05-10 16:31:00
Updated By:	REGTRANS
Crossref ID:	WP-045-83

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2009-02-26 13:45:00
Record Updated: 2009-02-26 13:45:00
Updated By: DMMOLOUG
Crossref ID: NYD005923560
Cross Ref Type Code: 06
Cross Ref Type: RCRA EPA ID No.
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2011-03-31 07:41:00
Updated By: DADESNOY
Crossref ID: Sport Stamp
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-03-31 07:42:00
Record Updated: 2011-03-31 07:42:00
Updated By: DADESNOY
Crossref ID: SPORT STAMP & THE CLOSET
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-06-16 00:00:00
Record Updated: 2011-06-16 00:00:00
Updated By: jdjarrat

Name: MAGNUSONICS DEVICES
Address: 290 DUFFY AVENUE
City,State,Zip: HICKSVILLE, NY 11801
Site Code: 55770
Control Name: Monitoring Plan
HW Code: 130031
Control Code: 31
Control Type: INST
Dt record added: 07/29/2009
Dt rec updated: 10/17/2013
Updated By: BFJANKAU
Site Code: 55770
Site Description: Location: Magnusonics is a 3 acre site located at 290 Duffy Avenue, in the Hicksville section of the Town of Oyster Bay. Site Features: The entire site is paved or covered by the building structure. The northernmost and southernmost portions of the site are used as parking areas. Current Zoning and land use: Site is zoned light industrial and is presently occupied by Custom Closets and the Daily News. The site is located within a mixed use area that consists of commercial/industrial properties to the north, east and west and residential properties to the south. The Long Island Railroad tracks border the site to the north. Historical Uses: Magnusonics Devices manufactured computer tape recording heads, an operation which generated both hazardous and non-hazardous wastes. Processes included photographic etching of thin sheet metal as well as copper and chrome electroplating. The facility used a physical chemical treatment system that processed rinse waters from its plating and chemical milling operations, and discharged the treated wastewater, which contained metals and solvents, into on-site leaching pools. Plating wastes containing chromium and lead were discharged into a leaching pool. A ferric hydroxide sludge which contained lead and iron was generated as part of the facility's processes and discovered beneath the parking lot at the northern portion of the site. Site Geology and

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Hydrogeology: Groundwater was encountered at a depth of approximately 60 feet below land surface. Groundwater flow direction was determined to be to the south.
Env Problem: Nature and Extent of Contamination: Remediation at the site is complete. The primary site contaminants of concern were metals in soils and groundwater. The selected remedy was performed and met the remediation goals identified in the Record of Decision.
Health Problem: Remedial actions taken have eliminated the potential for contact with site-related contaminants.
Dump: False
Structure: True
Lagoon: False
Landfill: False
Pond: False
Disp Start: 1978
Disp Term: 1986
Lat/Long: 40:45:44:0 / 73:32:33:0
Dell: False
Record Add: 1999-11-18 12:00:00
Record Upd: 2013-10-11 14:04:00
Updated By: BFJANKAU
Own Op: 3
Sub Type: NNN
Owner Name: Not reported
Owner Company: MAGNUSONICS DEVICES
Owner Address: Not reported
Owner Addr2: Not reported
Owner City,St,Zip: ZZ
Owner Country: United States of America
Own Op: Document Repository
Sub Type: NNN
Owner Name: Not reported
Owner Company: Hicksville Public Library
Owner Address: 169 Jerusalem Avenue
Owner Addr2: Not reported
Owner City,St,Zip: Hicksville, NY 11801
Owner Country: United States of America
Own Op: 1
Sub Type: NNN
Owner Name: Not reported
Owner Company: Long Island Industrial
Owner Address: 575 Underhill Blvd
Owner Addr2: Suite 200
Owner City,St,Zip: Syosset, NY 11791
Owner Country: United States of America
HW Code: 130031
Waste Type: CHROMIUM D007
Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 130031
Waste Type: LEAD D008
Waste Quantity: UNKNOWN
Waste Code: Not reported
Crossref ID: NYD005923560
Cross Ref Type Code: 05
Cross Ref Type: EPA Site ID
Record Added Date: 1999-11-18 12:00:00

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Record Updated: 2001-05-10 16:31:00
Updated By: REGTRANS
Crossref ID: WP-045-83
Cross Ref Type Code: 23
Cross Ref Type: Agreement/Consent Order Number
Record Added Date: 2009-02-26 13:45:00
Record Updated: 2009-02-26 13:45:00
Updated By: DMMOLOUG
Crossref ID: NYD005923560
Cross Ref Type Code: 06
Cross Ref Type: RCRA EPA ID No.
Record Added Date: 1999-11-18 12:00:00
Record Updated: 2011-03-31 07:41:00
Updated By: DADESNOY
Crossref ID: Sport Stamp
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-03-31 07:42:00
Record Updated: 2011-03-31 07:42:00
Updated By: DADESNOY
Crossref ID: SPORT STAMP & THE CLOSET
Cross Ref Type Code: 27
Cross Ref Type: Alternate Site Name
Record Added Date: 2011-06-16 00:00:00
Record Updated: 2011-06-16 00:00:00
Updated By: jdjarrat

SPILLS:

Name:	VOLPONE STAMP CO INC
Address:	290 DUFFY AVENUE
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9914330 / 2000-03-20
Facility ID:	9914330
Facility Type:	ER
DER Facility ID:	162269
Site ID:	194746
DEC Region:	1
Spill Cause:	Deliberate
Spill Class:	D5
SWIS:	3024
Spill Date:	2000-01-01
Investigator:	UNASSIGNED
Referred To:	Not reported
Reported to Dept:	2000-03-20
CID:	198
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Citizen
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	2000-03-20
Spill Record Last Update:	2018-03-19
Spiller Name:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Spiller Company:	VOLPONE STAMP CO INC
Spiller Address:	290 DUFFY AVENUE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7632022
Longitude:	-73.5386212
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was NONE
Remarks:	CALLER STATES ONGOING PROBLEM WITH BUSINESS DUMPING CHEMICALS THAT ARE USED FOR CLEANING, FOR THEIR BUSINESS, DOWN THEIR SINK DRAINS. CALLER REFUSED ANY FURTHER INFO. STATES IT HAS BEEN INVESTIGATED BEFORE.

All Materials:

Site ID:	194746
Operable Unit ID:	1088848
Operable Unit:	01
Material ID:	292613
Material Code:	0063A
Material Name:	unknown hazardous material
Case No.:	Not reported
Material FA:	Hazardous Material
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

RCRA Listings:

Date Form Received by Agency:		20070101
Handler Name:		Sport Stamp & The Closet
Handler Address:		Duffy Ave
Handler City,State,Zip:		HICKSVILLE, NY 11801-3605
EPA ID:		NYD005923560
Contact Name:		Not reported
Contact Address:		DUFFY AVE
Contact City,State,Zip:		HICKSVILLE, NY 11801
Contact Telephone:		Not reported
Contact Fax:		Not reported
Contact Email:		Not reported
Contact Title:		Not reported
EPA Region:		02
Land Type:		Not reported
Federal Waste Generator Description:		Not a generator, verified
Non-Notifier:		Not reported
Biennial Report Cycle:		Not reported
Accessibility:		Not reported
Active Site Indicator:		Not reported
State District Owner:		Ny
State District:		NYSDEC R1
Mailing Address:		DUFFY AVE
Mailing City,State,Zip:		HICKSVILLE, NY 11801
Owner Name:	M Levitt	
Owner Type:		Private
Operator Name:	M Levitt	
Operator Type:		Private
Short-Term Generator Activity:		No

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Importer Activity:	No
Mixed Waste Generator:	No
Transporter Activity:	No
Transfer Facility Activity:	No
Recycler Activity with Storage:	No
Small Quantity On-Site Burner Exemption:	No
Smelting Melting and Refining Furnace Exemption:	No
Underground Injection Control:	No
Off-Site Waste Receipt:	No
Universal Waste Indicator:	No
Universal Waste Destination Facility:	No
Federal Universal Waste:	No
Active Site State-Reg Handler:	---
Federal Facility Indicator:	Not reported
Hazardous Secondary Material Indicator:	N
Sub-Part K Indicator:	Not reported
2018 GPRA Permit Baseline:	Not on the Baseline
2018 GPRA Renewals Baseline:	Not on the Baseline
202 GPRA Corrective Action Baseline:	Yes
Subject to Corrective Action Universe:	Yes
Non-TSDFs Where RCRA CA has Been Imposed Universe:	No
Corrective Action Priority Ranking:	Low
Environmental Control Indicator:	No
Institutional Control Indicator:	No
Human Exposure Controls Indicator:	Yes
Groundwater Controls Indicator:	Yes
Significant Non-Complier Universe:	No
Unaddressed Significant Non-Complier Universe:	No
Addressed Significant Non-Complier Universe:	No
Significant Non-Complier With a Compliance Schedule Universe:	No
Financial Assurance Required:	Not reported
Handler Date of Last Change:	20150414
Recognized Trader-Importer:	No
Recognized Trader-Exporter:	No
Importer of Spent Lead Acid Batteries:	No
Exporter of Spent Lead Acid Batteries:	No
Recycler Activity Without Storage:	No
Manifest Broker:	No
Sub-Part P Indicator:	No

Hazardous Waste Summary:

Waste Code:	D002
Waste Description:	Corrosive Waste
Waste Code:	F001
Waste Description:	The Following Spent Halogenated Solvents Used In Degreasing: Tetrachloroethylene, Trichlorethylene, Methylene Chloride, 1,1,1-Trichloroethane, Carbon Tetrachloride And Chlorinated Fluorocarbons; All Spent Solvent Mixtures/Blends Used In Degreasing Containing, Before Use, A Total Of Ten Percent Or More (By Volume) Of One Or More Of The Above Halogenated Solvents Or Those Solvents Listed In F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code:	F006
Waste Description:	Wastewater Treatment Sludges From Electroplating Operations, Except

SPORT STAMP & THE CLOSET (Continued) **1000323314**

From The Following Processes: (1) Sulfuric Acid Anodizing Of Aluminum; (2) Tin Plating On Carbon Steel; (3) Zinc Plating (Segregated Basis) On Carbon Steel; (4) Aluminum Or Zinc-Aluminum Plating On Carbon Steel; (5) Cleaning/Stripping Associated With Tin, Zinc, And Aluminum Plating On Carbon Steel; And (6) Chemical Etching And Milling Of Aluminum.

Waste Code: F007
Waste Description: Spent Cyanide Plating Bath Solutions From Electroplating Operations.

Waste Code: F009
Waste Description: Spent Stripping And Cleaning Bath Solutions From Electroplating Operations In Which Cyanides Are Used In The Process.

Handler - Owner Operator:

Owner/Operator Indicator:	Operator
Owner/Operator Name: M LEVITT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	290 DUFFY AVE
Owner/Operator City,State,Zip:	OPERCITY, NY 99999
Owner/Operator Telephone:	516-938-4700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: M LEVITT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	290 DUFFY AVE
Owner/Operator City,State,Zip:	HICKSVILLE, NY 11801
Owner/Operator Telephone:	516-938-4700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Operator
Owner/Operator Name: M LEVITT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	290 DUFFY AVE
Owner/Operator City,State,Zip:	OPERCITY, NY 99999
Owner/Operator Telephone:	516-938-4700
Owner/Operator Telephone Ext:	Not reported
Owner/Operator Fax:	Not reported
Owner/Operator Email:	Not reported

Owner/Operator Indicator:	Owner
Owner/Operator Name: M LEVITT	
Legal Status:	Private
Date Became Current:	Not reported
Date Ended Current:	Not reported
Owner/Operator Address:	290 DUFFY AVE

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Owner/Operator City,State,Zip: HICKSVILLE, NY 11801
Owner/Operator Telephone: 516-938-4700
Owner/Operator Telephone Ext: Not reported
Owner/Operator Fax: Not reported
Owner/Operator Email: Not reported

Historic Generators:
Receive Date: 19801119
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 19990708
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20060101
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

Receive Date: 20070101
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Not a generator, verified
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: Yes
Non Storage Recycler Activity: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Electronic Manifest Broker: Not reported

Receive Date: 19800804
Handler Name: SPORT STAMP & THE CLOSET
Federal Waste Generator Description: Large Quantity Generator
State District Owner: Ny
Large Quantity Handler of Universal Waste: No
Recognized Trader Importer: No
Recognized Trader Exporter: No
Spent Lead Acid Battery Importer: No
Spent Lead Acid Battery Exporter: No
Current Record: No
Non Storage Recycler Activity: Not reported
Electronic Manifest Broker: Not reported

List of NAICS Codes and Descriptions:
NAICS Code: 334419
NAICS Description: Other Electronic Component Manufacturing

Has the Facility Received Notices of Violations:
Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Final Amount:	Not reported
Found Violation:	Yes
Agency Which Determined Violation:	State
Violation Short Description:	Generators - General
Date Violation was Determined:	19860425
Actual Return to Compliance Date:	19870226
Return to Compliance Qualifier:	Observed
Violation Responsible Agency:	State
Scheduled Compliance Date:	19860920
Enforcement Identifier:	001
Date of Enforcement Action:	19860820
Enforcement Responsible Agency:	State
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	No
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported
Disposition Status:	Not reported
Disposition Status Description:	Not reported
Consent/Final Order Sequence Number:	Not reported
Consent/Final Order Respondent Name:	Not reported
Consent/Final Order Lead Agency:	Not reported
Enforcement Type:	WRITTEN INFORMAL
Enforcement Responsible Person:	Not reported
Enforcement Responsible Sub-Organization:	Not reported
SEP Sequence Number:	Not reported
SEP Expenditure Amount:	Not reported
SEP Scheduled Completion Date:	Not reported
SEP Actual Date:	Not reported
SEP Defaulted Date:	Not reported
SEP Type:	Not reported
SEP Type Description:	Not reported
Proposed Amount:	Not reported
Final Monetary Amount:	Not reported
Paid Amount:	Not reported
Final Count:	Not reported
Final Amount:	Not reported
Found Violation:	No
Agency Which Determined Violation:	Not reported
Violation Short Description:	Not reported
Date Violation was Determined:	Not reported
Actual Return to Compliance Date:	Not reported
Return to Compliance Qualifier:	Not reported
Violation Responsible Agency:	Not reported
Scheduled Compliance Date:	Not reported
Enforcement Identifier:	Not reported
Date of Enforcement Action:	Not reported
Enforcement Responsible Agency:	Not reported
Enforcement Docket Number:	Not reported
Enforcement Attorney:	Not reported
Corrective Action Component:	Not reported
Appeal Initiated Date:	Not reported
Appeal Resolution Date:	Not reported
Disposition Status Date:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported
Final Amount: Not reported

Found Violation: No
Agency Which Determined Violation: Not reported
Violation Short Description: Not reported
Date Violation was Determined: Not reported
Actual Return to Compliance Date: Not reported
Return to Compliance Qualifier: Not reported
Violation Responsible Agency: Not reported
Scheduled Compliance Date: Not reported
Enforcement Identifier: Not reported
Date of Enforcement Action: Not reported
Enforcement Responsible Agency: Not reported
Enforcement Docket Number: Not reported
Enforcement Attorney: Not reported
Corrective Action Component: Not reported
Appeal Initiated Date: Not reported
Appeal Resolution Date: Not reported
Disposition Status Date: Not reported
Disposition Status: Not reported
Disposition Status Description: Not reported
Consent/Final Order Sequence Number: Not reported
Consent/Final Order Respondent Name: Not reported
Consent/Final Order Lead Agency: Not reported
Enforcement Type: Not reported
Enforcement Responsible Person: Not reported
Enforcement Responsible Sub-Organization: Not reported
SEP Sequence Number: Not reported
SEP Expenditure Amount: Not reported
SEP Scheduled Completion Date: Not reported
SEP Actual Date: Not reported
SEP Defaulted Date: Not reported
SEP Type: Not reported
SEP Type Description: Not reported
Proposed Amount: Not reported
Final Monetary Amount: Not reported
Paid Amount: Not reported
Final Count: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Final Amount: Not reported

Evaluation Action Summary:

Evaluation Date: 19871109
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYDEC
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19860425
Evaluation Responsible Agency: State
Found Violation: Yes
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: NYDEC
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: 19870226
Scheduled Compliance Date: 19860920
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19840321
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

Evaluation Date: 19840302
Evaluation Responsible Agency: State
Found Violation: No
Evaluation Type Description: COMPLIANCE EVALUATION INSPECTION
Evaluation Responsible Person Identifier: Not reported
Evaluation Responsible Sub-Organization: Not reported
Actual Return to Compliance Date: Not reported
Scheduled Compliance Date: Not reported
Date of Request: Not reported
Date Response Received: Not reported
Request Agency: Not reported
Former Citation: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

2020 COR ACTION:
EPA ID: NYD005923560
Region: 2
Action: Remedy Construction

NY MANIFEST:
EPA ID: NYD005923560
Country: USA
Name: Magnusonic Devices Inc
Address: 290 DUFFY AVE
Address 2: Not reported
City,State,Zip: HICKSVILLE, NY 11801-3605
Zip 4: Not reported
Location Address 1: 290 DUFFY AVE
Location Address 2: Not reported
Location City,State,Zip: HICKSVILLE, NY 11801
Location Zip 4: 3605
Facility Status: Not reported
Total Tanks: Not reported
Code: BP

Mailing:
Mailing Name: Magnusonic Devices Inc
Mailing Contact: Dennis Hoff
Mailing Address 1: 290 DUFFY AVE
Mailing Address 2: Not reported
Mailing City,State,Zip: HICKSVILLE, NY 11801
Mailing Zip 4: 3605
Mailing Country: USA
Mailing Phone: 5169384700

Manifest Data:
Document ID: NYO2904102
Manifest Status: K - Completed after the designated time
Trans1 State ID: NY2A074
Year: 1982
Trans2 State ID: Not reported
Generator Ship Date: 821124
Trans1 Recv Date: 821124
Trans2 Recv Date: Not reported
TSD Site Recv Date: 821124
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: NYD005923560
Trans1 EPA ID: NYD000824334
Trans2 EPA ID: Not reported
TSDF ID 1: NYD000824334
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	The Following Spent Nonhalogenated Solvents: Xylene, Acetone, Ethyl Acetate, Ethyl Benzene, Ethyl Ether, Methyl Isobutyl Ketone, N-Butyl Alcohol, Cyclohexanone, And Methanol; All Spent Solvent Mixtures/Blends Containing, Before Use, Only The Above Spent Nonhalogenated Solvents; And All Spent Solvent Mixtures/Blends Containing, Before Use, One Or More Of The Above Nonhalogenated Solvents, And A Total Of Ten Percent Or More (By Volume) Of One Or More Of Those Solvents Listed In F001, F002, F004, And F005; And Still Bottoms From The Recovery Of These Spent Solvents And Spent Solvent Mixtures.
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Waste Code 7:	Ethene, Trichloro- (Or) Trichloroethylene
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00240
Units:	Gallons (liquids only)
Number of Containers:	004
Container Type:	Metal drums, barrels, kegs
Handling Method:	Recycle
Specific Gravity:	100
Document ID:	NYO3014766
Manifest Status:	K - Completed after the designated time
Trans1 State ID:	JA165
Year:	1982
Trans2 State ID:	JA165
Generator Ship Date:	821214
Trans1 Recv Date:	821214
Trans2 Recv Date:	821214
TSD Site Recv Date:	821215
Part A Recv Date:	030104
Part B Recv Date:	030104
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NJD065825341
Trans2 EPA ID:	Not reported
TSDF ID 1:	NJD089216790
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 7:	Lead
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00055
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 12:	Lead
Waste Code 13:	Not reported
Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 17:	Lead
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Waste Code 22:	Corrosive Waste
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	003

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Container Type:	Metal drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Document ID:	NYO2520324
Manifest Status:	C - Completed copy
Trans1 State ID:	1A-042
Year:	1983
Trans2 State ID:	Not reported
Generator Ship Date:	831128
Trans1 Recv Date:	831128
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	831128
Part A Recv Date:	031205
Part B Recv Date:	031205
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00220
Units:	Gallons (liquids only)
Number of Containers:	004
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Waste Code 7:	Mercury
Waste Code 8:	Not reported
Waste Code:	Not reported
Waste Code 10:	Not reported
Waste Code 11:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Waste Code 12:	Silver
Waste Code 13:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Waste Code 14:	Not reported
Waste Code 15:	Not reported
Waste Code 16:	Not reported
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Waste Code 17:	Corrosive Waste
Waste Code 18:	Not reported
Waste Code 19:	Not reported
Waste Code 20:	Not reported
Waste Code 21:	Not reported
Quantity:	00165
Units:	Gallons (liquids only)
Number of Containers:	003
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100
Waste Code 22:	Chromium
Quantity:	00110
Units:	Gallons (liquids only)
Number of Containers:	002
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100

Document ID:	CTB0047052
Manifest Status:	C - Completed copy
Trans1 State ID:	CT87420
Year:	1986
Trans2 State ID:	Not reported
Generator Ship Date:	861104
Trans1 Recv Date:	861104
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	861104
Part A Recv Date:	861112
Part B Recv Date:	861112
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	CTD093616613
Trans2 EPA ID:	Not reported
TSDF ID 1:	CTD093616613
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01685
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Landfill
Specific Gravity:	100
Document ID:	NYA1325259
Manifest Status:	C - Completed copy
Trans1 State ID:	8385RW
Year:	1984
Trans2 State ID:	Not reported
Generator Ship Date:	841127
Trans1 Recv Date:	841127
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	841128
Part A Recv Date:	841203
Part B Recv Date:	841207
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00300
Units:	Gallons (liquids only)
Number of Containers:	006
Container Type:	Fiberboard or plastic drums, barrels, kegs
Handling Method:	Treat
Specific Gravity:	100
Document ID:	NYO4067415
Manifest Status:	C - Completed copy
Trans1 State ID:	1A-042
Year:	1984

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Trans2 State ID:	Not reported
Generator Ship Date:	840809
Trans1 Recv Date:	840809
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	840809
Part A Recv Date:	840817
Part B Recv Date:	840820
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00155
Units:	Gallons (liquids only)
Number of Containers:	005
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100

Document ID:	NYO4146075
Manifest Status:	C - Completed copy
Trans1 State ID:	1A-042
Year:	1984
Trans2 State ID:	Not reported
Generator Ship Date:	840906
Trans1 Recv Date:	840906
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	840906
Part A Recv Date:	840911
Part B Recv Date:	840917
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00225
Units:	Gallons (liquids only)
Number of Containers:	005
Container Type:	Metal drums, barrels, kegs
Handling Method:	Not reported
Specific Gravity:	100

Document ID:	NYO4066146
Manifest Status:	C - Completed copy
Trans1 State ID:	1A-042
Year:	1984
Trans2 State ID:	Not reported
Generator Ship Date:	840625
Trans1 Recv Date:	840625
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	840625
Part A Recv Date:	840703
Part B Recv Date:	840703
Generator EPA ID:	NYD005923560
Trans1 EPA ID:	NYD082785429
Trans2 EPA ID:	Not reported
TSDF ID 1:	NYD082785429
TSDF ID 2:	Not reported
Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	00550
Units:	Gallons (liquids only)

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Number of Containers: 010
Container Type: Metal drums, barrels, kegs
Handling Method: Not reported
Specific Gravity: 100

Document ID: NYO4064841
Manifest Status: C - Completed copy
Trans1 State ID: 1A-042
Year: 1984
Trans2 State ID: Not reported
Generator Ship Date: 840523
Trans1 Recv Date: 840523
Trans2 Recv Date: Not reported
TSD Site Recv Date: 840523
Part A Recv Date: 840531
Part B Recv Date: 840530
Generator EPA ID: NYD005923560
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Corrosive Waste
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00495
Units: Gallons (liquids only)
Number of Containers: 009
Container Type: Metal drums, barrels, kegs
Handling Method: Not reported
Specific Gravity: 100

Document ID: NYA2582325
Manifest Status: C - Completed copy
Trans1 State ID: NY8385-RW
Year: 1986
Trans2 State ID: Not reported
Generator Ship Date: 860110
Trans1 Recv Date: 860110
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860113
Part A Recv Date: 860113
Part B Recv Date: 860116

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Generator EPA ID: NYD005923560
Trans1 EPA ID: NYD082785429
Trans2 EPA ID: Not reported
TSDF ID 1: NYD082785429
TSDF ID 2: Not reported
Manifest Tracking Number: Not reported
Import Indicator: Not reported
Export Indicator: Not reported
Discr Quantity Indicator: Not reported
Discr Type Indicator: Not reported
Discr Residue Indicator: Not reported
Discr Partial Reject Indicator: Not reported
Discr Full Reject Indicator: Not reported
Manifest Ref Number: Not reported
Alt Facility RCRA ID: Not reported
Alt Facility Sign Date: Not reported
MGMT Method Type Code: Not reported
Waste Code 1: Lead
Waste Code 2: Not reported
Waste Code 3: Not reported
Waste Code 4: Not reported
Waste Code 5: Not reported
Waste Code 6: Not reported
Quantity: 00440
Units: Gallons (liquids only)
Number of Containers: 008
Container Type: Metal drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 107
Waste Code 7: Corrosive Waste
Waste Code 8: Not reported
Waste Code: Not reported
Waste Code 10: Not reported
Waste Code 11: Not reported
Quantity: 00440
Units: Gallons (liquids only)
Number of Containers: 008
Container Type: Fiberboard or plastic drums, barrels, kegs
Handling Method: Treat
Specific Gravity: 112

Document ID: CTB0046991
Manifest Status: C - Completed copy
Trans1 State ID: CT81023
Year: 1986
Trans2 State ID: Not reported
Generator Ship Date: 860915
Trans1 Recv Date: 860915
Trans2 Recv Date: Not reported
TSD Site Recv Date: 860915
Part A Recv Date: 860917
Part B Recv Date: 860924
Generator EPA ID: NYD005923560
Trans1 EPA ID: CTD093616613
Trans2 EPA ID: Not reported
TSDF ID 1: CTD093616613
TSDF ID 2: Not reported

SPORT STAMP & THE CLOSET (Continued) **1000323314**

Manifest Tracking Number:	Not reported
Import Indicator:	Not reported
Export Indicator:	Not reported
Discr Quantity Indicator:	Not reported
Discr Type Indicator:	Not reported
Discr Residue Indicator:	Not reported
Discr Partial Reject Indicator:	Not reported
Discr Full Reject Indicator:	Not reported
Manifest Ref Number:	Not reported
Alt Facility RCRA ID:	Not reported
Alt Facility Sign Date:	Not reported
MGMT Method Type Code:	Not reported
Waste Code 1:	Corrosive Waste
Waste Code 2:	Not reported
Waste Code 3:	Not reported
Waste Code 4:	Not reported
Waste Code 5:	Not reported
Waste Code 6:	Not reported
Quantity:	01500
Units:	Gallons (liquids only)
Number of Containers:	001
Container Type:	Cargo tanks (tank trucks)
Handling Method:	Landfill
Specific Gravity:	100

Click this hyperlink while viewing on your computer to access
117 additional NY MANIFEST: record(s) in the EDR Site Report.

---

202 West 1/2-1 0.968 mi. 5109 ft. **MATTIACE PETROCHEMICALS-MEK SPILL** **NY DEL SHWS** **S105972989 N/A**

HICKSVILLE, NY 11801

Relative: Lower

Actual: 126 ft.

DEL SHWS:

Name:	MATTIACE PETROCHEMICALS-MEK SPILL
Address:	Not reported
City,State,Zip:	HICKSVILLE, NY 11801
Year:	1996
Site Code Id:	130024
Site Classification:	Not reported
Region:	Not reported
Epa Id Number:	Not reported
Site Type - Dump:	No
Site Type - Structure:	Yes
Site Type - Lagoon:	No
Site Type - Landfill:	No
Site Type - Treat Pond:	No
Site Size (Acres):	Not reported
Site Size Comment:	Not reported
Period Assoc/HW Start:	2/l7/83
Period Assoc/HW End:	Not reported
Lat/Long:	Not reported
Lat/Long Decimal:	Not reported
Lat/Long (dms):	40 45 582.0 / 73 32 413.0
Hazardous Waste Code:	Not reported
Hazard Waste Disposed:	Methyl ethyl ketone {(MEK) also known as

MATTIACE PETROCHEMICALS-MEK SPILL (Continued) **S105972989**

Quantity:	Approx. 3000 gallons
	2-Butanone (FOO5)}
	Not reported
Air Data Available:	No
SW Std Contravention:	No
GW Std Contravention:	Yes
Soil Type:	X
Sediment Data Available:	No
GW Std Contravention:	Yes
DW Std Contravention:	No
SW Std Contravention:	No
Air Stand Contraventions:	No
Legal Action Type:	Not reported
State Legal Action:	No
Federal Legal Action:	Yes
Enforce Status Code:	NE
Remedial Act Proposed:	No
Rem Act Under Design:	No
Rem Act In Progress:	No
Rem Act Completed:	Yes
Remedial Action Type:	Not reported
Soil Type:	Sand
Depth To Groundwater:	50 feet
Owner Name:	Not reported
Owner Address:	Not reported
Owner City,St,Zip:	Not reported
Owner Phone:	Not reported
Owner Contact Name:	Not reported
Owner During Disposal:	Not reported
Owner During Use:	Not reported
Operator Name:	Not reported
Operator Address:	Not reported
Operator City,St,Zip:	Not reported
Operator Phone:	Not reported
Operator Contact Name:	Not reported
Oper During Disposal:	Not reported
Site Type:	Not reported
HW Disposal Period:	Not reported
Analytical Data Available:	Not reported
Applicable Std Exceeded:	Not reported
Geotech Info:	Not reported
Depth To Groundwater:	Not reported
Status:	Not reported
Nature Of Action:	Not reported
Env Prob Assessment:	Groundwater problems, soil contamination caused by the MEK spill.
Site Description:	Not reported
Confirmed HW:	Not reported
Environment Assesment:	Not reported
Health Assesment:	Not reported
Disposal Start Date:	Not reported
Disposal Term Date:	Not reported
Air Violation:	Not reported
Groundwater Violation:	Not reported
Drink Water Violation:	Not reported
Surface Water Violation:	Not reported
Legal New York State:	Not reported
Legal Federal:	Not reported

MATTIACE PETROCHEMICALS-MEK SPILL (Continued) **S105972989**

Legal State:	Not reported
Remedial Action Active:	Not reported
Remedial Action Done:	Not reported
NPL Status:	Not reported
Count Operator:	Not reported
Count Owner:	Not reported
NYTM X:	Not reported
NYTM Y:	Not reported
Co Name:	Not reported
Co Addr:	Not reported
Operator Addr:	Not reported
Operator Addr 2:	Not reported
Operator Addr 3:	Not reported
Operator Addr 4:	Not reported
HWDP From:	Not reported
From To:	Not reported
Assessment of Health:	Not reported
Description:	Not reported
Record Added Date:	Not reported
Record Updated Date:	Not reported
Env Assessment:	Not reported
HW Disposed/Quantity:	Not reported
Assess/Env Prog:	Not reported
Assess/Health Prob:	Not reported
Site Description:	Not reported

---

203 **BOWE SYSTEC,INC.** **NY SHWS** **S103565986**
WSW **200 FRANK RD.** **NY TANKS** **N/A**
1/2-1 **HICKSVILLE, NY 11801** **NY Spills**
0.989 mi.
5222 ft.

Relative: **Lower**

Actual: **125 ft.**

SHWS:

Name:	BOWE SYSTEMS AND MACHINERY
Address:	200 FRANK ROAD
City,State,Zip:	HICKSVILLE, NY 11801
Program:	HW
Site Code:	55784
Classification:	C
Region:	1
Acres:	2.100
HW Code:	130048
Record Add:	11/18/1999
Record Upd:	09/15/2008
Updated By:	JBSWARTO

Site Description: The site consists of a one story masonry building located on a two acre parcel in a commercial/industrial setting in Nassau County. The site is located at the southern end of Frank Road. Historical operations at the facility consisted of importing commercial dry cleaning machinery for assembly, testing and distribution. In 1989, a spill of dry cleaning fluid (PCE) into an on-site leaching pool system contaminated subsurface soil and groundwater. The surrounding area consists of residential properties to the east and south and commercial properties to the north and west. An environmental assessment was conducted in December 1989 in response to an accidental discharge of PCE at the site. In March 1991, the NYSDEC oversaw the excavation and removal of approximately 450 tons of contaminated soil (maximum depth 29 ft bgs). In August 1992, a site

BOWE SYSTEC,INC. (Continued) **S103565986**

	screening investigation (SSI) was performed. Based on the findings interim remedial measures were performed in September 1992. The facility was connected to the municipal sewer system. The Remedial Investigation (RI) was conducted in September, 1992 (Phase I) and in September 1993 (Phase II). After the completion of an on-site and off-site remedial investigation a record of decision (ROD) was issued in March 1999. As prescribed in the ROD, groundwater sampling was conducted on a quarterly basis for three years starting in June 2000. On February 26, 2004, the site was delisted when the groundwater quality goals (NYS Drinking Water Standards) were obtained. A soil vapor intrusion evaluation was initiated in September 2006 with subsequent activities in March 2007. The vapor investigation was completed in December 2007. The investigation did not identify any unacceptable indoor air contamination, but did find levels of chlorinated solvents in sub-slab soil vapor, which triggered a recommendation for action to protect indoor air quality.
Env Problem:	The primary contaminants detected at the site are tetrachloroethylene (PCE), 1,1,1 trichloroethylene (TCA), and trichloroethylene (TCE). Groundwater samples obtained at the site did not detect site contaminants in September 2006. Air samples collected in September 2006 and March 2007 detected elevated concentrations of site contaminants in the soil vapor and sub-slab soil vapor at the site. In door air levels at the on-site structure were below or slightly above background levels. Off-site structure sampling detected minimal impacts from site contaminants.
Health Problem:	The site is covered by buildings and pavement so public exposures to contaminated soils are not expected unless excavation occurs on the site. Exposures to contaminated groundwater via drinking water are not expected because public water serves the area and groundwater levels are below applicable standards, criteria, and guidance values. The potential for soil vapor intrusion was investigated, and no further actions were necessary for the off-site structures; however, the potential for future exposures via soil vapor intrusion into the on-site structure exists.
Dump:	False
Structure:	False
Lagoon:	False
Landfill:	False
Pond:	False
Disp Start:	1989
Disp Term:	1991
Lat/Long:	40:45:36.0 / 73:32:34.0
Dell:	False
Record Add:	1999-11-18 12:00:00
Record Upd:	1999-11-18 12:00:00
Updated By:	ajsylves
Own Op:	3
Sub Type:	NNN
Owner Name:	Not reported
Owner Company:	BOWE SYSTEC INC.
Owner Address:	Not reported
Owner Addr2:	Not reported
Owner City,St,Zip:	ZZ
Owner Country:	United States of America
Own Op:	4
Sub Type:	E
Owner Name:	Not reported

BOWE SYSTEC,INC. (Continued) **S103565986**

Owner Company:	Bowe Systems and Machinery
Owner Address:	200 Frank Road
Owner Addr2:	Not reported
Owner City,St,Zip:	Hicksville, NY 11801
Owner Country:	United States of America
Own Op:	1
Sub Type:	E
Owner Name:	MR. FREDERICK P. VON BARGEN
Owner Company:	200 FRANK ROAD REALTY CORP.
Owner Address:	200 FRANK ROAD
Owner Addr2:	Not reported
Owner City,St,Zip:	HICKSVILLE, NY 11801
Owner Country:	United States of America
HW Code:	130048
Waste Type:	TETRACHLOROETHYLENE {(PCE OR "PERC.") (F002)}
Waste Quantity:	UNKNOWN
Waste Code:	Not reported
Crossref ID:	Not reported
Cross Ref Type Code:	Not reported
Cross Ref Type:	Not reported
Record Added Date:	Not reported
Record Updated:	Not reported
Updated By:	Not reported

TANKS NASSAU:

Name:	BOWE SYSTEC,INC.
Address:	200 FRANK RD.
City,State,Zip:	HICKSVILLE, NY 11801
Facility Status:	Not reported
Permit End Date:	3/1/1993
Tank Number:	Not reported
Decode of Ttype:	Not reported
Capacity:	Not reported
Product Description:	Not reported

SPILLS:

Name:	BOWE SYSTEMS
Address:	200 FRANK ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9012192 / 1991-02-26
Facility ID:	9012192
Facility Type:	ER
DER Facility ID:	415493
Site ID:	328155
DEC Region:	1
Spill Cause:	Human Error
Spill Class:	C1
SWIS:	3024
Spill Date:	1990-10-01
Investigator:	HAZ WASTE
Referred To:	HAZ WASTE
Reported to Dept:	1991-02-22
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other

BOWE SYSTEC,INC. (Continued) **S103565986**

Cleanup Ceased:	1991-02-26
Cleanup Meets Std:	True
Last Inspection:	Not reported
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1991-02-26
Spill Record Last Update:	2012-02-18
Spiller Name:	STANLEY ROSENTHAL (ENG)
Spiller Company:	BOWE SYSTEM
Spiller Address:	Not reported
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7606970
Longitude:	-73.5435334
DEC Memo:	2/26/91 REFERRED TO TONY CANDELLA, NYSDEC, HAZ WASTE REMEDIATION UNIT
Remarks:	TESTING EQUIPMENT HAD PROBLEM. PROBLEM FIRST KNOWN IN 1/90 IN PHASE I ENVIR REPORT. LEAKING INTO FLOOR DRAIN & CESSPOOLS.SOIL TO BE REMOVED. 4 MONITORING WELLS INSTALLED.

All Materials:

Site ID:	328155
Operable Unit ID:	952005
Operable Unit:	01
Material ID:	428695
Material Code:	0899A
Material Name:	dry cleaning fluids
Case No.:	Not reported
Material FA:	Other
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Name:	BOWE SYSTEMS
Address:	200 FRANK ROAD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9311123 / 1997-02-28
Facility ID:	9311123
Facility Type:	ER
DER Facility ID:	264111
Site ID:	328156
DEC Region:	1
Spill Cause:	Other
Spill Class:	D4
SWIS:	3024
Spill Date:	1993-12-14
Investigator:	ACLAMANN
Referred To:	Not reported
Reported to Dept:	1993-12-14
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	Not reported
Cleanup Meets Std:	True
Last Inspection:	Not reported

BOWE SYSTEC,INC. (Continued) **S103565986**

Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1993-12-15
Spill Record Last Update:	2016-06-20
Spiller Name:	Not reported
Spiller Company:	UNK
Spiller Address:	Not reported
Spiller Company:	999
Contact Name:	Not reported
Latitude:	40.7606970
Longitude:	-73.5435334
DEC Memo:	Prior to Sept, 2004 data translation this spill Lead_DEC Field was LAMANNO
Remarks:	AUTO DELIV TANK WAS FULL, SPEEDI DRI WAS USED, ALL CLEANED UP

All Materials:

Site ID:	328156
Operable Unit ID:	993008
Operable Unit:	01
Material ID:	390174
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	1.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Name:	BOWESYSTEC
Address:	200 FRANK RD
City,State,Zip:	HICKSVILLE, NY
Spill Number/Closed Date:	9206298 / 1992-09-02
Facility ID:	9206298
Facility Type:	ER
DER Facility ID:	79357
Site ID:	86506
DEC Region:	1
Spill Cause:	Other
Spill Class:	E6
SWIS:	3000
Spill Date:	1992-08-31
Investigator:	LUCE
Referred To:	Not reported
Reported to Dept:	1992-08-31
CID:	Not reported
Water Affected:	Not reported
Spill Source:	Commercial/Industrial
Spill Notifier:	Other
Cleanup Ceased:	1992-09-02
Cleanup Meets Std:	True
Last Inspection:	1992-09-02
Recommended Penalty:	False
UST Trust:	False
Remediation Phase:	0
Date Entered In Computer:	1992-09-01

BOWE SYSTEC,INC. (Continued) **S103565986**

Spill Record Last Update:	1992-09-02
Spiller Name:	Not reported
Spiller Company:	BOWESYSTEC
Spiller Address:	99 SEAVIEW AVE
Spiller Company:	001
Contact Name:	Not reported
Latitude:	40.7606970
Longitude:	-73.5435334
DEC Memo:	Not reported
Remarks:	TANK REMOVAL - HOLES IN 1500 GALLON TANK. ALLAN BRUSSELS NCDH ON SITE FOUND NO CONTAMINATION, BUT ANDY LUCE IN ROUTE SO WILL WAIT FOR HIS INSPECTION.

All Materials:

Site ID:	86506
Operable Unit ID:	973536
Operable Unit:	01
Material ID:	410468
Material Code:	0001A
Material Name:	#2 fuel oil
Case No.:	Not reported
Material FA:	Petroleum
Quantity:	.00
Units:	G
Recovered:	.00
Oxygenate:	Not reported

Count: 1 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
HICKSVILLE	S108667324	MATTIACE PETROCHEMICALS-MEK SPILL	WEST JOHN STREET	11801	NY SHWS

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Lists of Federal NPL (Superfund) sites

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/26/2025
Date Data Arrived at EDR: 01/05/2026
Date Made Active in Reports: 01/22/2026
Number of Days to Update: 17

Source: EPA
Telephone: N/A
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/26/2025
Date Data Arrived at EDR: 01/05/2026
Date Made Active in Reports: 01/22/2026
Number of Days to Update: 17

Source: EPA
Telephone: N/A
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

Lists of Federal Delisted NPL sites

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/26/2025
Date Data Arrived at EDR: 01/05/2026
Date Made Active in Reports: 01/22/2026
Number of Days to Update: 17

Source: EPA
Telephone: N/A
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Quarterly

Lists of Federal sites subject to CERCLA removals and CERCLA orders

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 09/22/2025
Date Data Arrived at EDR: 09/23/2025
Date Made Active in Reports: 11/18/2025
Number of Days to Update: 56

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 12/10/2025
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 12/26/2025
Date Data Arrived at EDR: 01/05/2026
Date Made Active in Reports: 01/22/2026
Number of Days to Update: 17

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 04/20/2026
Data Release Frequency: Quarterly

Lists of Federal CERCLA sites with NFRAP

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 12/26/2025
Date Data Arrived at EDR: 01/05/2026
Date Made Active in Reports: 01/22/2026
Number of Days to Update: 17

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 04/20/2026
Data Release Frequency: Quarterly

Lists of Federal RCRA facilities undergoing Corrective Action

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 11/30/2025
Date Data Arrived at EDR: 12/03/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 7

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

Lists of Federal RCRA TSD facilities

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 11/30/2025
Date Data Arrived at EDR: 12/03/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

Lists of Federal RCRA generators

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 11/30/2025
Date Data Arrived at EDR: 12/03/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 11/30/2025
Date Data Arrived at EDR: 12/03/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

RCRA-VSQG: RCRA - Very Small Quantity Generators (Formerly Conditionally Exempt Small Quantity Generators)

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Very small quantity generators (VSQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 11/30/2025
Date Data Arrived at EDR: 12/03/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

Federal institutional controls / engineering controls registries

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 03/11/2025
Date Data Arrived at EDR: 04/02/2025
Date Made Active in Reports: 06/24/2025
Number of Days to Update: 83

Source: Department of the Navy
Telephone: 843-820-7326
Last EDR Contact: 01/28/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 11/11/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 1

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/11/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

US INST CONTROLS: Institutional Controls Sites List

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 11/11/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 1

Source: Environmental Protection Agency
Telephone: 703-603-0695
Last EDR Contact: 11/11/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 09/23/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 70

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 12/08/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

Lists of state- and tribal hazardous waste facilities

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/16/2026
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Annually

Lists of state and tribal landfills and solid waste disposal facilities

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 09/05/2025
Date Data Arrived at EDR: 10/08/2025
Date Made Active in Reports: 12/15/2025
Number of Days to Update: 68

Source: Department of Environmental Conservation
Telephone: 518-402-8678
Last EDR Contact: 01/05/2026
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Quarterly

Lists of state and tribal leaking storage tanks

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land

Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 05/27/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 11/21/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 05/22/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 05/22/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

LTANKS: Spills Information Database
Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/20/2026
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Lists of state and tribal registered storage tanks

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 06/06/2025
Date Data Arrived at EDR: 08/26/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 78

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 12/23/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 12/05/2025
Date Data Arrived at EDR: 12/05/2025
Date Made Active in Reports: 12/15/2025
Number of Days to Update: 10

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 12/05/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 10/24/2005
Next Scheduled EDR Contact: 01/23/2006
Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 12/05/2025
Date Data Arrived at EDR: 12/05/2025
Date Made Active in Reports: 12/15/2025
Number of Days to Update: 10

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 12/05/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 12/05/2025
Date Data Arrived at EDR: 12/05/2025
Date Made Active in Reports: 12/15/2025
Number of Days to Update: 10

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 12/05/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 12/05/2025
Date Data Arrived at EDR: 12/05/2025
Date Made Active in Reports: 12/15/2025
Number of Days to Update: 10

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 12/05/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 02/20/2002
Date Made Active in Reports: 03/22/2002
Number of Days to Update: 30

Source: NYSDEC
Telephone: 518-402-9549
Last EDR Contact: 07/25/2005
Next Scheduled EDR Contact: 10/24/2005
Data Release Frequency: No Update Planned

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 05/27/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 05/22/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 05/22/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 04/21/2025
Date Data Arrived at EDR: 07/10/2025
Date Made Active in Reports: 10/02/2025
Number of Days to Update: 84

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

TANKS: Storage Tank Faciliy Listing
This database contains records of facilities that are or have been regulated under Bulk Storage Program. Tank information for these facilities may not be releasable by the state agency.

Date of Government Version: 12/05/2025
Date Data Arrived at EDR: 12/05/2025
Date Made Active in Reports: 12/15/2025
Number of Days to Update: 10
Source: Department of Environmental Conservation
Telephone: 518-402-9543
Last EDR Contact: 12/05/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

State and tribal institutional control / engineering control registries

RES DECL: Restrictive Declarations Listing
A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 08/16/2025
Date Data Arrived at EDR: 09/08/2025
Date Made Active in Reports: 11/20/2025
Number of Days to Update: 73
Source: NYC Department of City Planning
Telephone: 212-720-3401
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/23/2026
Data Release Frequency: Varies

ENV RES DECL: Environmental Restrictive Declarations
The Environmental Restrictive Declarations (ERD) listed were recorded in connection with a zoning action against the noted Tax Blocks and Tax Lots, or portion thereof, and are available in the property records on file at the Office of the City Register for Bronx, Kings, New York and Queens counties or at the Richmond County Clerk's office. They contain environmental requirements with respect to hazardous materials, air quality and/or noise in accordance with Section 11-15 of this Resolution.

Date of Government Version: 08/16/2025
Date Data Arrived at EDR: 09/12/2025
Date Made Active in Reports: 12/08/2025
Number of Days to Update: 87
Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 12/02/2025
Next Scheduled EDR Contact: 03/23/2026
Data Release Frequency: Varies

ENG CONTROLS: Registry of Engineering Controls
Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/16/2026
Number of Days to Update: 78
Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls
Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/16/2026
Number of Days to Update: 78
Source: Department of Environmental Conservation
Telephone: 518-402-9553
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Quarterly

Lists of state and tribal voluntary cleanup sites

VCP NYC: Voluntary Cleanup Program Listing NYC
New York City voluntary cleanup program sites.

Date of Government Version: 09/02/2025
Date Data Arrived at EDR: 09/03/2025
Date Made Active in Reports: 11/19/2025
Number of Days to Update: 77

Source: New York City Office of Environmental Protection
Telephone: 212-788-8841
Last EDR Contact: 11/21/2025
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 07/08/2021
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Varies

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/16/2026
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9711
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Semi-Annually

Lists of state and tribal brownfield sites

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/16/2026
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9764
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Semi-Annually

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a $200 million Environmental Restoration or Brownfields Fund as part of the $1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/20/2026
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Quarterly

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 09/19/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 11/24/2025
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/23/2026
Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

SWRCY: Registered Recycling Facility List

A listing of recycling facilities.

Date of Government Version: 09/05/2025
Date Data Arrived at EDR: 10/08/2025
Date Made Active in Reports: 12/15/2025
Number of Days to Update: 68

Source: Department of Environmental Conservation
Telephone: 518-402-8678
Last EDR Contact: 01/05/2026
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Quarterly

SWTIRE: Registered Waste Tire Storage & Facility List

A listing of facilities registered to accept waste tires.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/04/2025
Date Made Active in Reports: 09/02/2025
Number of Days to Update: 90

Source: Department of Environmental Conservation
Telephone: 518-402-8694
Last EDR Contact: 01/06/2026
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: No Update Planned

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998
Date Data Arrived at EDR: 12/03/2007
Date Made Active in Reports: 01/24/2008
Number of Days to Update: 52

Source: Environmental Protection Agency
Telephone: 703-308-8245
Last EDR Contact: 01/22/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Varies

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 01/07/2026
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: No Update Planned

IHS OPEN DUMPS: Open Dumps on Indian Land

A listing of all open dumps located on Indian Land in the United States.

Date of Government Version: 02/07/2024
Date Data Arrived at EDR: 11/13/2024
Date Made Active in Reports: 11/19/2024
Number of Days to Update: 6

Source: Department of Health & Human Serivces, Indian Health Service
Telephone: 301-443-1452
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 04/04/2025
Date Data Arrived at EDR: 06/02/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 71

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 11/20/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: No Update Planned

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/16/2026
Number of Days to Update: 78

Source: Department of Environmental Conservation
Telephone: 518-402-9622
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 04/04/2025
Date Data Arrived at EDR: 06/02/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 71

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 11/20/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Quarterly

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database
These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 06/02/2006
Date Made Active in Reports: 07/20/2006
Number of Days to Update: 48
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 10/23/2006
Next Scheduled EDR Contact: 01/22/2007
Data Release Frequency: No Update Planned

Local Land Records

LIENS: Spill Liens Information
Lien information from the Oil Spill Fund.

Date of Government Version: 10/23/2025
Date Data Arrived at EDR: 10/24/2025
Date Made Active in Reports: 01/13/2026
Number of Days to Update: 81
Source: Office of the State Comptroller
Telephone: 518-474-9034
Last EDR Contact: 01/21/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Quarterly

LIENS 2: CERCLA Lien Information
A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 12/26/2025
Date Data Arrived at EDR: 01/05/2026
Date Made Active in Reports: 01/22/2026
Number of Days to Update: 17
Source: Environmental Protection Agency
Telephone: 202-564-6023
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Semi-Annually

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System
Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/01/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 70
Source: U.S. Department of Transportation
Telephone: 202-366-4555
Last EDR Contact: 12/08/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

SPILLS: Spills Information Database
Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/20/2026
Number of Days to Update: 82
Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Varies

HIST SPILLS: SPILLS Database
This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002
Date Data Arrived at EDR: 07/08/2005
Date Made Active in Reports: 07/14/2005
Number of Days to Update: 6

Source: Department of Environmental Conservation
Telephone: 518-402-9549
Last EDR Contact: 07/07/2005
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 12/14/2012
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 02/12/2013
Number of Days to Update: 40

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

SPILLS 80: SPILLS80 data from FirstSearch

Spills 80 includes those spill and release records available from FirstSearch databases prior to 1990. Typically, they may include chemical, oil and/or hazardous substance spills recorded before 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 80.

Date of Government Version: 11/02/2010
Date Data Arrived at EDR: 01/03/2013
Date Made Active in Reports: 03/07/2013
Number of Days to Update: 63

Source: FirstSearch
Telephone: N/A
Last EDR Contact: 01/03/2013
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 11/30/2025
Date Data Arrived at EDR: 12/03/2025
Date Made Active in Reports: 12/10/2025
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: (212) 637-3660
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 10/22/2025
Date Data Arrived at EDR: 11/06/2025
Date Made Active in Reports: 01/12/2026
Number of Days to Update: 67

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 11/06/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 06/07/2021
Date Data Arrived at EDR: 07/13/2021
Date Made Active in Reports: 03/09/2022
Number of Days to Update: 239

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 01/08/2026
Next Scheduled EDR Contact: 04/20/2026
Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 04/02/2018
Date Data Arrived at EDR: 04/11/2018
Date Made Active in Reports: 11/06/2019
Number of Days to Update: 574

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 12/23/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 07/30/2021
Date Data Arrived at EDR: 02/03/2023
Date Made Active in Reports: 02/10/2023
Number of Days to Update: 7

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 01/29/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 12/07/2025
Date Data Arrived at EDR: 12/08/2025
Date Made Active in Reports: 02/05/2026
Number of Days to Update: 59

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 12/08/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA Watch List

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 01/28/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: No Update Planned

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 09/30/2017
Date Data Arrived at EDR: 05/08/2018
Date Made Active in Reports: 07/20/2018
Number of Days to Update: 73

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 01/28/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 06/14/2022
Date Made Active in Reports: 03/24/2023
Number of Days to Update: 283

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 12/11/2025
Next Scheduled EDR Contact: 03/23/2026
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2024
Date Data Arrived at EDR: 11/10/2025
Date Made Active in Reports: 01/29/2026
Number of Days to Update: 80

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 11/10/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 10/13/2025
Date Data Arrived at EDR: 10/14/2025
Date Made Active in Reports: 01/07/2026
Number of Days to Update: 85

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 01/13/2026
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 11/03/2025
Date Made Active in Reports: 11/18/2025
Number of Days to Update: 15

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 03/09/2026
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 01/01/2026
Date Data Arrived at EDR: 01/14/2026
Date Made Active in Reports: 01/22/2026
Number of Days to Update: 8

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 01/08/2026
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 06/26/2025
Date Data Arrived at EDR: 07/01/2025
Date Made Active in Reports: 07/29/2025
Number of Days to Update: 28

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 08/12/2025
Date Data Arrived at EDR: 09/30/2025
Date Made Active in Reports: 11/24/2025
Number of Days to Update: 55

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 12/23/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 11/18/2016
Date Data Arrived at EDR: 11/23/2016
Date Made Active in Reports: 02/10/2017
Number of Days to Update: 79

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 09/23/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Quarterly

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25
Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 08/18/2017
Next Scheduled EDR Contact: 12/04/2017
Data Release Frequency: No Update Planned

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 08/11/2025
Date Data Arrived at EDR: 08/12/2025
Date Made Active in Reports: 11/04/2025
Number of Days to Update: 84
Source: Nuclear Regulatory Commission
Telephone: 301-415-0717
Last EDR Contact: 01/08/2026
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2024
Date Data Arrived at EDR: 11/19/2025
Date Made Active in Reports: 01/29/2026
Number of Days to Update: 71
Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 11/19/2025
Next Scheduled EDR Contact: 03/09/2026
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 01/12/2017
Date Data Arrived at EDR: 03/05/2019
Date Made Active in Reports: 11/11/2019
Number of Days to Update: 251
Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 11/18/2025
Next Scheduled EDR Contact: 03/09/2026
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 09/13/2019
Date Data Arrived at EDR: 11/06/2019
Date Made Active in Reports: 02/10/2020
Number of Days to Update: 96
Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 01/29/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/01/2019
Date Data Arrived at EDR: 07/01/2019
Date Made Active in Reports: 09/23/2019
Number of Days to Update: 84

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 12/09/2025
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 10/07/2025
Date Data Arrived at EDR: 10/20/2025
Date Made Active in Reports: 01/12/2026
Number of Days to Update: 84

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 01/20/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Quarterly

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 06/30/2025
Date Data Arrived at EDR: 07/29/2025
Date Made Active in Reports: 10/28/2025
Number of Days to Update: 91

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 01/15/2026
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2023
Date Data Arrived at EDR: 02/19/2025
Date Made Active in Reports: 03/07/2025
Number of Days to Update: 16

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 12/08/2025
Next Scheduled EDR Contact: 03/30/2026
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/14/2015
Date Made Active in Reports: 01/10/2017
Number of Days to Update: 546

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 12/17/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 03/03/2023
Date Data Arrived at EDR: 03/03/2023
Date Made Active in Reports: 06/09/2023
Number of Days to Update: 98

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 01/21/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 05/15/2025
Date Data Arrived at EDR: 05/15/2025
Date Made Active in Reports: 07/29/2025
Number of Days to Update: 75

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 11/10/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 12/26/2025
Date Data Arrived at EDR: 01/05/2026
Date Made Active in Reports: 01/22/2026
Number of Days to Update: 17

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 02/02/2026
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data
A listing of minor source facilities.

Date of Government Version: 10/12/2016
Date Data Arrived at EDR: 10/26/2016
Date Made Active in Reports: 02/03/2017
Number of Days to Update: 100

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 09/26/2017
Next Scheduled EDR Contact: 01/08/2018
Data Release Frequency: Annually

US MINES: Mines Master Index File
Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/08/2025
Date Data Arrived at EDR: 08/18/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 86

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 12/04/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Semi-Annually

MINES VIOLATIONS: MSHA Violation Assessment Data
Mines violation and assessment information. Department of Labor, Mine Safety & Health Administration.

Date of Government Version: 01/01/2026
Date Data Arrived at EDR: 01/06/2026
Date Made Active in Reports: 01/07/2026
Number of Days to Update: 1

Source: DOL, Mine Safety & Health Admi
Telephone: 202-693-9424
Last EDR Contact: 01/06/2026
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Quarterly

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing
This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 04/08/2025
Date Data Arrived at EDR: 05/20/2025
Date Made Active in Reports: 08/12/2025
Number of Days to Update: 84

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/12/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing
Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 11/20/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

MINES MRDS: Mineral Resources Data System
Mineral Resources Data System

Date of Government Version: 06/04/2024
Date Data Arrived at EDR: 11/22/2024
Date Made Active in Reports: 02/18/2025
Number of Days to Update: 88

Source: USGS
Telephone: 703-648-6533
Last EDR Contact: 11/20/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

ABANDONED MINES: Abandoned Mines

An inventory of land and water impacted by past mining (primarily coal mining) is maintained by OSMRE to provide information needed to implement the Surface Mining Control and Reclamation Act of 1977 (SMCRA). The inventory contains information on the location, type, and extent of AML impacts, as well as, information on the cost associated with the reclamation of those problems. The inventory is based upon field surveys by State, Tribal, and OSMRE program officials. It is dynamic to the extent that it is modified as new problems are identified and existing problems are reclaimed.

Date of Government Version: 09/10/2025
Date Data Arrived at EDR: 09/10/2025
Date Made Active in Reports: 11/12/2025
Number of Days to Update: 63

Source: Department of Interior
Telephone: 202-208-2609
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 11/07/2025
Date Data Arrived at EDR: 11/19/2025
Date Made Active in Reports: 02/05/2026
Number of Days to Update: 78

Source: EPA
Telephone: (212) 637-3000
Last EDR Contact: 11/19/2025
Next Scheduled EDR Contact: 03/09/2026
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 07/31/2025
Date Data Arrived at EDR: 08/14/2025
Date Made Active in Reports: 11/04/2025
Number of Days to Update: 82

Source: Department of Defense
Telephone: 703-704-1564
Last EDR Contact: 01/05/2026
Next Scheduled EDR Contact: 04/20/2026
Data Release Frequency: Varies

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 09/20/2025
Date Data Arrived at EDR: 09/26/2025
Date Made Active in Reports: 11/24/2025
Number of Days to Update: 59

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 12/17/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Quarterly

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 05/06/2021
Date Data Arrived at EDR: 05/21/2021
Date Made Active in Reports: 08/11/2021
Number of Days to Update: 82

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 11/11/2025
Next Scheduled EDR Contact: 03/02/2026
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 11/06/2025
Date Data Arrived at EDR: 11/06/2025
Date Made Active in Reports: 01/12/2026
Number of Days to Update: 67

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 11/06/2025
Next Scheduled EDR Contact: 02/23/2026
Data Release Frequency: Quarterly

PFAS NPL: Superfund Sites with PFAS Detections Information

EPA's Office of Land and Emergency Management and EPA Regional Offices maintain data describing what is known about site investigations, contamination, and remedial actions under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) where PFAS is present in the environment.

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 703-603-8895
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS FEDERAL SITES: Federal Sites PFAS Information

Several federal entities, such as the federal Superfund program, Department of Defense, National Aeronautics and Space Administration, Department of Transportation, and Department of Energy provided information for sites with known or suspected detections at federal facilities.

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS TSCA: PFAS Manufacture and Imports Information

EPA issued the Chemical Data Reporting (CDR) Rule under the Toxic Substances Control Act (TSCA) and requires chemical manufacturers and facilities that manufacture or import chemical substances to report data to EPA. EPA publishes non-confidential business information (non-CBI) and includes descriptive information about each site, corporate parent, production volume, other manufacturing information, and processing and use information.

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS TRIS: List of PFAS Added to the TRI

Section 7321 of the National Defense Authorization Act for Fiscal Year 2020 (NDAA) immediately added certain per- and polyfluoroalkyl substances (PFAS) to the list of chemicals covered by the Toxics Release Inventory (TRI) under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) and provided a framework for additional PFAS to be added to TRI on an annual basis.

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-566-0250
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS RCRA MANIFEST: PFAS Transfers Identified In the RCRA Database Listing

To work around the lack of PFAS waste codes in the RCRA database, EPA developed the PFAS Transfers dataset by mining e-Manifest records containing at least one of these common PFAS keywords: PFAS, PFOA, PFOS, PERFL, AFFF, GENX, GEN-X (plus the VT waste codes). These keywords were searched for in the following text fields: Manifest handling instructions (MANIFEST_HANDLING_INSTR), Non-hazardous waste description (NON_HAZ_WASTE_DESCRIPTION), DOT printed information (DOT_PRINTED_INFORMATION), Waste line handling instructions (WASTE_LINE_HANDLING_INSTR), Waste residue comments (WASTE_RESIDUE_COMMENTS).

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS ATSDR: PFAS Contamination Site Location Listing

PFAS contamination site locations from the Department of Health & Human Services, Center for Disease Control & Prevention. ATSDR is involved at a number of PFAS-related sites, either directly or through assisting state and federal partners. As of now, most sites are related to drinking water contamination connected with PFAS production facilities or fire training areas where aqueous film-forming firefighting foam (AFFF) was regularly used.

Date of Government Version: 11/12/2024
Date Data Arrived at EDR: 07/21/2025
Date Made Active in Reports: 10/13/2025
Number of Days to Update: 84

Source: Department of Health & Human Services
Telephone: 202-741-5770
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Varies

PFAS WQP: Ambient Environmental Sampling for PFAS

The Water Quality Portal (WQP) is a part of a modernized repository storing ambient sampling data for all environmental media and tissue samples. A wide range of federal, state, tribal and local governments, academic and non-governmental organizations and individuals submit project details and sampling results to this public repository. The information is commonly used for research and assessments of environmental quality.

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 01/07/2026
Number of Days to Update: 20

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS PROJECT: NORTHEASTERN UNIVERSITY PFAS PROJECT

The PFAS Contamination Site Tracker records qualitative and quantitative data from each site in a chart, specifically examining discovery, contamination levels, government response, litigation, health impacts, media coverage, and community characteristics. All data presented in the chart were extracted from government websites, such as state health departments or the Environmental Protection Agency, and news articles.

Date of Government Version: 05/15/2024
Date Data Arrived at EDR: 03/06/2025
Date Made Active in Reports: 06/03/2025
Number of Days to Update: 89

Source: Social Science Environmental Health Research Institute
Telephone: N/A
Last EDR Contact: 11/25/2025
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: Varies

PFAS NPDES: Clean Water Act Discharge Monitoring Information

Any discharger of pollutants to waters of the United States from a point source must have a National Pollutant Discharge Elimination System (NPDES) permit. The process for obtaining limits involves the regulated entity (permittee) disclosing releases in a NPDES permit application and the permitting authority (typically the state but sometimes EPA) deciding whether to require monitoring or monitoring with limits. Caveats and Limitations: Less than half of states have required PFAS monitoring for at least one of their permittees and fewer states have established PFAS effluent limits for permittees. New rulemakings have been initiated that may increase the number of facilities monitoring for PFAS in the future.

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/19/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 4

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/19/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS ECHO: Facilities in Industries that May Be Handling PFAS Listing

Regulators and the public have expressed interest in knowing which regulated entities may be using PFAS. EPA has developed a dataset from various sources that show which industries may be handling PFAS. Approximately 120,000 facilities subject to federal environmental programs have operated or currently operate in industry sectors with processes that may involve handling and/or release of PFAS.

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS ECHO FIRE TRAIN: Facilities in Industries that May Be Handling PFAS Listing

A list of fire training sites was added to the Industry Sectors dataset using a keyword search on the permitted facilitys name to identify sites where fire-fighting foam may have been used in training exercises. Additionally, you may view an example spreadsheet of the subset of fire training facility data, as well as the keywords used in selecting or deselecting a facility for the subset. as well as the keywords used in selecting or deselecting a facility for the subset. These keywords were tested to maximize accuracy in selecting facilities that may use fire-fighting foam in training exercises, however, due to the lack of a required reporting field in the data systems for designating fire training sites, this methodology may not identify all fire training sites or may potentially misidentify them.

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PFAS PT 139 AIRPORT: All Certified Part 139 Airports PFAS Information Listing

Since July 1, 2006, all certified part 139 airports are required to have fire-fighting foam onsite that meet military specifications (MIL-F-24385) (14 CFR 139.317). To date, these military specification fire-fighting foams are fluorinated and have been historically used for training and extinguishing. The 2018 FAA Reauthorization Act has a provision stating that no later than October 2021, FAA shall not require the use of fluorinated AFFF. This provision does not prohibit the use of fluorinated AFFF at Part 139 civilian airports; it only prohibits FAA from mandating its use. The Federal Aviation Administration?s document AC 150/5210-6D - Aircraft Fire Extinguishing Agents provides guidance on Aircraft Fire Extinguishing Agents, which includes Aqueous Film Forming Foam (AFFF).

Date of Government Version: 12/17/2025
Date Data Arrived at EDR: 12/18/2025
Date Made Active in Reports: 12/23/2025
Number of Days to Update: 5

Source: Environmental Protection Agency
Telephone: 202-272-0167
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

AQUEOUS FOAM NRC: Aqueous Foam Related Incidents Listing

The National Response Center (NRC) serves as an emergency call center that fields initial reports for pollution and railroad incidents and forwards that information to appropriate federal/state agencies for response. The spreadsheets posted to the NRC website contain initial incident data that has not been validated or investigated by a federal/state response agency. Response center calls from 1990 to the most recent complete calendar year where there was indication of Aqueous Film Forming Foam (AFFF) usage are included in this dataset. NRC calls may reference AFFF usage in the ?Material Involved? or ?Incident Description? fields.

Date of Government Version: 09/25/2025
Date Data Arrived at EDR: 09/26/2025
Date Made Active in Reports: 11/24/2025
Number of Days to Update: 59

Source: Environmental Protection Agency
Telephone: 202-267-2675
Last EDR Contact: 12/18/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Varies

PCS: Permit Compliance System

PCS is a computerized management information system that contains data on National Pollutant Discharge Elimination System (NPDES) permit holding facilities. PCS tracks the permit, compliance, and enforcement status of NPDES facilities.

Date of Government Version: 12/16/2016
Date Data Arrived at EDR: 01/06/2017
Date Made Active in Reports: 03/10/2017
Number of Days to Update: 63

Source: EPA, Office of Water
Telephone: 202-564-2496
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: No Update Planned

PCS ENF: Enforcement data
No description is available for this data

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 02/05/2015
Date Made Active in Reports: 03/06/2015
Number of Days to Update: 29

Source: EPA
Telephone: 202-564-2497
Last EDR Contact: 09/24/2025
Next Scheduled EDR Contact: 01/12/2026
Data Release Frequency: Varies

BIOSOLIDS: ICIS-NPDES Biosolids Facility Data
The data reflects compliance information about facilities in the biosolids program.

Date of Government Version: 09/27/2025
Date Data Arrived at EDR: 10/11/2025
Date Made Active in Reports: 01/07/2026
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 202-564-4700
Last EDR Contact: 01/15/2026
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Varies

UST FINDER: UST Finder Database
EPA developed UST Finder, a web map application containing a comprehensive, state-sourced national map of underground storage tank (UST) and leaking UST (LUST) data. It provides the attributes and locations of active and closed USTs, UST facilities, and LUST sites from states and from Tribal lands and US territories . UST Finder contains information about proximity of UST facilities and LUST sites to: surface and groundwater public drinking water protection areas; estimated number of private domestic wells and number of people living nearby; and flooding and wildfires.

Date of Government Version: 06/08/2023
Date Data Arrived at EDR: 10/04/2023
Date Made Active in Reports: 01/18/2024
Number of Days to Update: 106

Source: Environmental Protection Agency
Telephone: 202-564-0394
Last EDR Contact: 02/05/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Varies

UST FINDER RELEASE: UST Finder Releases Database
US EPA’s UST Finder data is a national composite of leaking underground storage tanks. This data contains information about, and locations of, leaking underground storage tanks. Data was collected from state sources and standardized into a national profile by EPA’s Office of Underground Storage Tanks, Office of Research and Development, and the Association of State and Territorial Solid Waste Management Officials.

Date of Government Version: 06/08/2023
Date Data Arrived at EDR: 10/31/2023
Date Made Active in Reports: 01/18/2024
Number of Days to Update: 79

Source: Environmental Protecton Agency
Telephone: 202-564-0394
Last EDR Contact: 02/05/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Semi-Annually

E MANIFEST: Hazardous Waste Electronic Manifest System
EPA established a national system for tracking hazardous waste shipments electronically. This system, known as ?e-Manifest,? will modernize the nation?s cradle-to-grave hazardous waste tracking process while saving valuable time, resources, and dollars for industry and states.

Date of Government Version: 11/30/2025
Date Data Arrived at EDR: 12/05/2025
Date Made Active in Reports: 12/19/2025
Number of Days to Update: 14

Source: Environmental Protection Agency
Telephone: 833-501-6826
Last EDR Contact: 12/05/2025
Next Scheduled EDR Contact: 04/30/2026
Data Release Frequency: Varies

PFAS 2: New York State Inactive Landfill Initiative
A list of landfills that were investigated and the analytical results for PFOA and PFOS for those landfills. These data represent the landfills from the ILI database that were investigated.

Date of Government Version: 12/12/2022
Date Data Arrived at EDR: 08/10/2023
Date Made Active in Reports: 10/25/2023
Number of Days to Update: 76

Source: Department of Environmental Conservation
Telephone: 518-402-9662
Last EDR Contact: 01/07/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Varies

PFAS 3: PFAS Environmental Site Remediation List

A list of records included in the Environmental Remediation database whose material is listed as Perfluorooctanoic Acid or Perfluorooctane Sulfonic Acid.

Date of Government Version: 10/30/2025
Date Data Arrived at EDR: 10/30/2025
Date Made Active in Reports: 01/20/2026
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-9759
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Varies

PFAS: PFAS Contamination Site Location Listing

DEC surveyed select businesses, fire departments, fire training centers, bulk storage facilities, airports, and Department of Defense (DoD) facilities. The responses to the survey have helped to determine if these entities used or stored materials containing PFOA/PFOS including AFFF and dispersants used in Teflon coating operations. The results of this survey will be updated periodically as additional responses are received..

Date of Government Version: 01/16/2019
Date Data Arrived at EDR: 05/08/2019
Date Made Active in Reports: 06/24/2019
Number of Days to Update: 47

Source: Department of Environmental Conservation
Telephone: 518-402-9020
Last EDR Contact: 01/28/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Varies

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 07/09/2025
Date Data Arrived at EDR: 07/31/2025
Date Made Active in Reports: 10/21/2025
Number of Days to Update: 82

Source: Department of Environmental Conservation
Telephone: 518-402-8452
Last EDR Contact: 01/08/2026
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: Annually

COAL ASH: Coal Ash Disposal Site Listing

A listing of coal ash disposal site locations.

Date of Government Version: 09/19/2025
Date Data Arrived at EDR: 09/19/2025
Date Made Active in Reports: 12/11/2025
Number of Days to Update: 83

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 12/09/2025
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Quarterly

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 11/25/2025
Date Data Arrived at EDR: 12/03/2025
Date Made Active in Reports: 12/05/2025
Number of Days to Update: 2

Source: Department of Environmental Conservation
Telephone: 518-402-8403
Last EDR Contact: 11/24/2025
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 11/26/2025
Date Data Arrived at EDR: 12/03/2025
Date Made Active in Reports: 01/28/2026
Number of Days to Update: 56

Source: New York City Department of City Planning
Telephone: 718-595-6658
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/23/2026
Data Release Frequency: Semi-Annually

FIN ASSURANCE 1: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 12/10/2025
Date Data Arrived at EDR: 12/11/2025
Date Made Active in Reports: 12/24/2025
Number of Days to Update: 13

Source: Department of Environmental Conservation
Telephone: 518-402-8660
Last EDR Contact: 12/09/2025
Next Scheduled EDR Contact: 04/06/2026
Data Release Frequency: Quarterly

FIN ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 06/02/2025
Date Data Arrived at EDR: 06/03/2025
Date Made Active in Reports: 08/25/2025
Number of Days to Update: 83

Source: Department of Environmental Conservation
Telephone: 518-402-8712
Last EDR Contact: 11/24/2025
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: Varies

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003
Date Data Arrived at EDR: 10/20/2006
Date Made Active in Reports: 11/30/2006
Number of Days to Update: 41

Source: Department of Environmental Conservation
Telephone: 518-402-9564
Last EDR Contact: 05/26/2009
Next Scheduled EDR Contact: 08/24/2009
Data Release Frequency: No Update Planned

NYC LEAD: Lead-based Paint Testing Results

The results of the inspections for all classrooms serving students under six in applicable buildings. Identifies all classrooms, whether there was observation of peeling paint, and if there was, standard response protocol was followed.

Date of Government Version: 09/29/2025
Date Data Arrived at EDR: 10/28/2025
Date Made Active in Reports: 01/16/2026
Number of Days to Update: 80

Source: New York City Department of Education
Telephone: 212-374-5141
Last EDR Contact: 01/28/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Varies

NYC LEAD 2: Recent Lead Paint Violations

Pursuant to New York City?s Housing Maintenance Code, the Department of Housing Preservation and Development (HPD) issues violations against conditions in rental dwelling units that have been verified to violate the New York City Housing Maintenance Code (HMC) or the New York State Multiple Dwelling Law (MDL). Violations are issued when an inspection verifies that a violation of the HMC or MDL exists. It is closed when the violation is corrected, as observed/verified by HPD or as certified by the landlord.

Date of Government Version: 10/27/2025
Date Data Arrived at EDR: 10/28/2025
Date Made Active in Reports: 01/16/2026
Number of Days to Update: 80

Source: New York City Department of Housing Preservation & Development
Telephone: 212-863-8200
Last EDR Contact: 01/28/2026
Next Scheduled EDR Contact: 06/11/2026
Data Release Frequency: Varies

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 12/31/2019
Date Data Arrived at EDR: 11/30/2023
Date Made Active in Reports: 12/01/2023
Number of Days to Update: 1

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 01/22/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Quarterly

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 09/24/2025
Date Data Arrived at EDR: 10/21/2025
Date Made Active in Reports: 01/09/2026
Number of Days to Update: 80

Source: Department of Environmental Conservation
Telephone: 518-402-8233
Last EDR Contact: 01/08/2026
Next Scheduled EDR Contact: 04/27/2026
Data Release Frequency: No Update Planned

VAPOR REOPENED: Vapor Intrusion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 01/01/2022
Date Data Arrived at EDR: 02/08/2022
Date Made Active in Reports: 05/06/2022
Number of Days to Update: 87

Source: Department of Environmenal Conservation
Telephone: 518-402-9814
Last EDR Contact: 02/05/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: Varies

UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 08/20/2025
Date Data Arrived at EDR: 08/21/2025
Date Made Active in Reports: 11/10/2025
Number of Days to Update: 81

Source: Department of Environmental Conservation
Telephone: 518-402-8056
Last EDR Contact: 11/20/2025
Next Scheduled EDR Contact: 03/09/2026
Data Release Frequency: Quarterly

COOLING TOWERS: Registered Cooling Towers

This data includes the location of cooling towers registered with New York State. The data is self-reported by owners/property managers of cooling towers in service in New York State. In August 2015, the New York State Department of Health released emergency regulations requiring the owners of cooling towers to register them with New York State.

Date of Government Version: 09/30/2025
Date Data Arrived at EDR: 10/07/2025
Date Made Active in Reports: 12/31/2025
Number of Days to Update: 85

Source: Department of Health
Telephone: 518-402-7650
Last EDR Contact: 01/06/2026
Next Scheduled EDR Contact: 04/20/2026
Data Release Frequency: Varies

NYC OER: OER Cleanup Sites Listing
Properties remediated under OER's oversight, both in the E-Designation program and the NYC Voluntary Cleanup Program. Includes sites completed and in progress.

Date of Government Version: 09/02/2025
Date Data Arrived at EDR: 09/03/2025
Date Made Active in Reports: 11/19/2025
Number of Days to Update: 77
Source: Office of Environmental Remediation
Telephone: 212-788-8841
Last EDR Contact: 11/21/2025
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: Varies

ILI: New York State Inactive Landfill Initiative
A solid waste site priority list of mitigation and remedial activities to address sites causing, or substantially contributing to, impairments of drinking water quality. Inactive solid waste disposal sites, primarily landfills, and their potential impact on New York?s drinking water resources from site-related contaminants, with a focus on emerging contaminants.

Date of Government Version: 07/01/2025
Date Data Arrived at EDR: 07/29/2025
Date Made Active in Reports: 08/13/2025
Number of Days to Update: 15
Source: Department of Environmental Conservation
Telephone: 518-402-8671
Last EDR Contact: 01/21/2026
Next Scheduled EDR Contact: 05/11/2026
Data Release Frequency: Varies

MGP: Manufactured Gas Plants Listing
From the late 1800's to the mid 1900's, hundreds of manufactured gas plants across New York State supplied homes and industry with fuel for heating, cooking, and lighting. Today, the New York State DEC is overseeing the investigation and cleanup of contamination left behind from these plants.

Date of Government Version: 08/27/2025
Date Data Arrived at EDR: 08/27/2025
Date Made Active in Reports: 09/17/2025
Number of Days to Update: 21
Source: Department of Environmental Conservation
Telephone: 518-402-9662
Last EDR Contact: 11/24/2025
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: Varies

NYC LAND USE: New York City Land Use Information
Land use colors

Date of Government Version: 08/14/2025
Date Data Arrived at EDR: 09/08/2025
Date Made Active in Reports: 11/19/2025
Number of Days to Update: 72
Source: New York City Department of City Planning
Telephone: 212-720-3300
Last EDR Contact: 12/03/2025
Next Scheduled EDR Contact: 03/23/2026
Data Release Frequency: Varies

EDR HIGH RISK HISTORICAL RECORDS

EDR Exclusive Records

EDR MGP: EDR Proprietary Manufactured Gas Plants
The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A
Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historical Auto Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historical Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

Exclusive Recovered Govt. Archives

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 12/30/2013
Number of Days to Update: 182

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LF: Recovered Government Archive Solid Waste Facilities List

The EDR Recovered Government Archive Landfill database provides a list of landfills derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Environmental Conservation in New York.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/10/2014
Number of Days to Update: 193

Source: Department of Environmental Conservation
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

COUNTY RECORDS

CORTLAND COUNTY:

AST - CORTLAND: Cortland County Storage Tank Listing
A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019
Date Data Arrived at EDR: 08/20/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 57

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Quarterly

UST - CORTLAND: Cortland County Storage Tank Listing
A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 08/20/2019
Date Data Arrived at EDR: 08/20/2019
Date Made Active in Reports: 10/16/2019
Number of Days to Update: 57

Source: Cortland County Health Department
Telephone: 607-753-5035
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Quarterly

NASSAU COUNTY:

AST - NASSAU: Registered Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: No Update Planned

AST NCFM: Storage Tank Database
A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Varies

TANKS NASSAU: Registered Tank Database in Nassau County
A listing of facilities in Nassau County with storage tanks.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Department of Health
Telephone: 516-227-9691
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: No Update Planned

UST - NASSAU: Registered Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 11/27/2023
Date Data Arrived at EDR: 11/28/2023
Date Made Active in Reports: 02/06/2024
Number of Days to Update: 70

Source: Nassau County Health Department
Telephone: 516-571-3314
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: No Update Planned

UST NCFM: Storage Tank Database
A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011
Date Data Arrived at EDR: 02/23/2011
Date Made Active in Reports: 03/29/2011
Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal
Telephone: 516-572-1000
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Varies

ROCKLAND COUNTY:

AST - ROCKLAND: Petroleum Bulk Storage Database
A listing of aboveground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 189

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 11/18/2025
Next Scheduled EDR Contact: 03/09/2026
Data Release Frequency: No Update Planned

UST - ROCKLAND: Petroleum Bulk Storage Database
A listing of underground storage tank sites located in Rockland County. Rockland County?s Petroleum Bulk Storage (PBS) program is no longer in service. All related operations/duties are now wholly overseen by the New York State Dept. of Environmental Conservation (NYSDEC).

Date of Government Version: 02/02/2017
Date Data Arrived at EDR: 03/17/2017
Date Made Active in Reports: 09/22/2017
Number of Days to Update: 189

Source: Rockland County Health Department
Telephone: 914-364-2605
Last EDR Contact: 11/18/2025
Next Scheduled EDR Contact: 03/09/2026
Data Release Frequency: No Update Planned

SUFFOLK COUNTY:

AST - SUFFOLK: Storage Tank Database
A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 02/07/2019
Number of Days to Update: 63

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: No Update Planned

TANKS SUFFOLK: Storage Tank Database
This county is not included in the state?s database. These are facilities that have no tank information in the storage tank database.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 02/05/2019
Date Made Active in Reports: 03/08/2019
Number of Days to Update: 31

Source: Department of Health Services
Telephone: 631-854-2516
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Varies

UST - SUFFOLK: Storage Tank Database
A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 06/28/2018
Date Data Arrived at EDR: 12/06/2018
Date Made Active in Reports: 02/07/2019
Number of Days to Update: 63

Source: Suffolk County Department of Health Services
Telephone: 631-854-2521
Last EDR Contact: 01/14/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: No Update Planned

WESTCHESTER COUNTY:

AST - WESTCHESTER: Listing of Storage Tanks
A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 07/31/2025
Date Data Arrived at EDR: 08/13/2025
Date Made Active in Reports: 11/03/2025
Number of Days to Update: 82

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 01/22/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Semi-Annually

UST - WESTCHESTER: Listing of Storage Tanks
A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 07/31/2025
Date Data Arrived at EDR: 08/13/2025
Date Made Active in Reports: 11/03/2025
Number of Days to Update: 82

Source: Westchester County Department of Health
Telephone: 914-813-5161
Last EDR Contact: 01/22/2026
Next Scheduled EDR Contact: 05/04/2026
Data Release Frequency: Semi-Annually

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data
Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 11/02/2025
Date Data Arrived at EDR: 11/03/2025
Date Made Active in Reports: 01/23/2026
Number of Days to Update: 81

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 02/03/2026
Next Scheduled EDR Contact: 05/18/2026
Data Release Frequency: No Update Planned

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2018
Date Data Arrived at EDR: 04/10/2019
Date Made Active in Reports: 05/16/2019
Number of Days to Update: 36

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 12/15/2025
Next Scheduled EDR Contact: 04/13/2026
Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 06/30/2018
Date Data Arrived at EDR: 07/19/2019
Date Made Active in Reports: 09/10/2019
Number of Days to Update: 53

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 12/29/2025
Next Scheduled EDR Contact: 04/20/2026
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2020
Date Data Arrived at EDR: 11/30/2021
Date Made Active in Reports: 02/18/2022
Number of Days to Update: 80

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 02/05/2026
Next Scheduled EDR Contact: 05/25/2026
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data
Hazardous waste manifest information.

Date of Government Version: 10/28/2019
Date Data Arrived at EDR: 10/29/2019
Date Made Active in Reports: 01/09/2020
Number of Days to Update: 72

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 12/29/2025
Next Scheduled EDR Contact: 04/20/2026
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 05/31/2018
Date Data Arrived at EDR: 06/19/2019
Date Made Active in Reports: 09/03/2019
Number of Days to Update: 76

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 11/21/2025
Next Scheduled EDR Contact: 03/16/2026
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: Endeavor Business Media
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Electric Power Transmission Line Data
Source: Endeavor Business Media
This map includes information copyrighted by Endeavor Business Media. This information is provided on a best effort basis and Endeavor Business Media does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of Endeavor Business Media.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.
Daycare Centers: Day Care Providers
Source: Department of Health
Telephone: 212-676-2444

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

20 AND 40 JERUSALEM AVENUE
20 JERUSALEM AVENUE
HICKSVILLE, NY 11801

TARGET PROPERTY COORDINATES

Latitude (North):	40.766765 - 40° 46' 0.35''
Longitude (West):	73.52562 - 73° 31' 32.23''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	624439.1
UTM Y (Meters):	4513700.5
Elevation:	144 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	50026528 HICKSVILLE, NY
Version Date:	2023
South Map:	50026526 FREEPORT, NY
Version Date:	2023

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General SW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Flood Plain Panel at Target Property	FEMA Source Type
36059C0145F	FEMA Q3 Flood data

Additional Panels in search area:	FEMA Source Type
36059C0143F	FEMA Q3 Flood data

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
HICKSVILLE	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius:	1.25 miles
Location Relative to TP:	1/2 - 1 Mile WSW
Site Name:	Alsy Manufacturing
Site EPA ID Number:	NYD981184237
Groundwater Flow Direction:	South
Inferred Depth to Water:	approximately 60 feet.
Hydraulic Connection:	The surficial aquifer and underlying aquifer are hydraulically connected.
Sole Source Aquifer:	No information about a sole source aquifer is available
Data Quality:	Information is inferred in the CERCLIS investigation report(s)

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site--specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Cenozoic
System:	Quaternary
Series:	Pleistocene
Code:	Qp *(decoded above as Era, System & Series)*

GEOLOGIC AGE IDENTIFICATION

Category: Stratifed Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Layer Information							
	Boundary			Classification			
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam
loamy sand
sandy loam
fine sandy loam

Surficial Soil Types: silt loam
loamy sand
sandy loam
fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock
very gravelly - loamy sand
stratified
sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A1	USGS40000832087	0 - 1/8 Mile West
B4	USGS40000832116	0 - 1/8 Mile North
8	USGS40000832143	1/8 - 1/4 Mile NE
9	USGS40000832095	1/8 - 1/4 Mile West
G18	USGS40000831901	1/4 - 1/2 Mile SSW
G19	USGS40000831903	1/4 - 1/2 Mile SSW
G20	USGS40000831902	1/4 - 1/2 Mile SSW
G21	USGS40000831866	1/2 - 1 Mile SSW
23	USGS40000832019	1/2 - 1 Mile WSW
H24	USGS40000832284	1/2 - 1 Mile NNE
25	USGS40000831878	1/2 - 1 Mile SW
H26	USGS40000832294	1/2 - 1 Mile NNE
H27	USGS40000832293	1/2 - 1 Mile NNE
I28	USGS40000831928	1/2 - 1 Mile SE
29	USGS40000832324	1/2 - 1 Mile NNE
H32	USGS40000832285	1/2 - 1 Mile NNE
36	USGS40000831726	1/2 - 1 Mile South
L43	USGS40000832408	1/2 - 1 Mile NNE
M47	USGS40000832046	1/2 - 1 Mile East
K48	USGS40000832010	1/2 - 1 Mile ESE
K49	USGS40000832034	1/2 - 1 Mile ESE
L50	USGS40000832407	1/2 - 1 Mile NNE
L51	USGS40000832409	1/2 - 1 Mile NNE
52	USGS40000832003	1/2 - 1 Mile ESE
53	USGS40000831987	1/2 - 1 Mile WSW
55	USGS40000832272	1/2 - 1 Mile NW
M56	USGS40000832072	1/2 - 1 Mile East
N57	USGS40000832410	1/2 - 1 Mile NNE
N58	USGS40000832411	1/2 - 1 Mile NNE
O59	USGS40000831892	1/2 - 1 Mile ESE
60	USGS40000831890	1/2 - 1 Mile ESE
O62	USGS40000831891	1/2 - 1 Mile ESE
Q63	USGS40000832093	1/2 - 1 Mile East
Q64	USGS40000832094	1/2 - 1 Mile East
Q65	USGS40000832086	1/2 - 1 Mile East
67	USGS40000831879	1/2 - 1 Mile WSW
R68	USGS40000831615	1/2 - 1 Mile SSE
R69	USGS40000831616	1/2 - 1 Mile SSE
70	USGS40000831714	1/2 - 1 Mile SE
R71	USGS40000831612	1/2 - 1 Mile SSE
R72	USGS40000831613	1/2 - 1 Mile SSE
R73	USGS40000831614	1/2 - 1 Mile SSE
74	USGS40000832150	1/2 - 1 Mile East
T77	USGS40000832273	1/2 - 1 Mile WNW
T78	USGS40000832274	1/2 - 1 Mile WNW
S79	USGS40000831775	1/2 - 1 Mile SE

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
7	NY0002829	1/8 - 1/4 Mile NW

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
A2	NYREG1200058279	0 - 1/8 Mile East
B3	NYREG1200058331	0 - 1/8 Mile NNE
C5	NYREG1200058796	1/8 - 1/4 Mile East
C6	NYREG1200058715	1/8 - 1/4 Mile East
10	NYREG1200056292	1/4 - 1/2 Mile SSW
D11	NYREG1200058309	1/4 - 1/2 Mile SSW
E12	NYREG1200054831	1/4 - 1/2 Mile SSE
E13	NYREG1200056710	1/4 - 1/2 Mile SSE
E14	NYREG1200056744	1/4 - 1/2 Mile SSE
D15	NYREG1200058308	1/4 - 1/2 Mile SSW
F16	NYREG1200052551	1/4 - 1/2 Mile NW
F17	NYREG1200052552	1/4 - 1/2 Mile NW
22	NYREG1200053091	1/2 - 1 Mile West
30	NYREG1200058449	1/2 - 1 Mile ESE
I31	NYREG1200052298	1/2 - 1 Mile SE
J33	NYREG1200058336	1/2 - 1 Mile SSW
I34	NYREG1200052114	1/2 - 1 Mile SE
J35	NYREG1200058335	1/2 - 1 Mile SSW
K37	NYREG1200058453	1/2 - 1 Mile ESE
K38	NYREG1200058454	1/2 - 1 Mile ESE
K39	NYREG1200058450	1/2 - 1 Mile ESE
K40	NYREG1200058451	1/2 - 1 Mile ESE
K41	NYREG1200058452	1/2 - 1 Mile ESE
J42	NYREG1200058334	1/2 - 1 Mile SSW
44	NYREG1200058084	1/2 - 1 Mile ENE
K45	NYREG1200055269	1/2 - 1 Mile East
M46	NYREG1200055590	1/2 - 1 Mile East
54	NYREG1200056975	1/2 - 1 Mile SE
P61	NYREG1200058265	1/2 - 1 Mile WSW
P66	NYREG1200058396	1/2 - 1 Mile WSW
S75	NYREG1200055925	1/2 - 1 Mile SE
S76	NYREG1200056033	1/2 - 1 Mile SE

PHYSICAL SETTING SOURCE MAP - 8248910.4s



- County Boundary
- Major Roads
- Contour Lines
- Earthquake epicenter, Richter 5 or greater
- Water Wells
- Public Water Supply Wells
- Cluster of Multiple Icons

0 1/4 1/2 1 Miles

- Groundwater Flow Direction
- GI Indeterminate Groundwater Flow at Location
- GV Groundwater Flow Varies at Location
- HD Closest Hydrogeological Data
- Oil, gas or related wells

SITE NAME:	20 and 40 Jerusalem Avenue	CLIENT:	GEI Consultants
ADDRESS:	20 Jerusalem Avenue Hicksville NY 11801	CONTACT:	William Fitchett
		INQUIRY #:	8248910.4s
LAT/LONG:	40.766765 / 73.52562	DATE:	February 10, 2026 5:25 pm

Copyright © 2026 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

A1
West
0 - 1/8 Mile
Higher | **FED USGS** | **USGS40000832087**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9018. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	405
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

A2
East
0 - 1/8 Mile
Higher | **NY WELLS** | **NYREG1200058279**

WELLS REG 1:

Well Number:	N004085	Well Type:	Geothermal - Ac Only
Owner:	Mr. Johanna Taliaferro	Diameter (in):	6
Well Depth (ft):	66	Casing Length (ft):	Not Reported
Screen Length (ft):	5	Pump Capacity (gpm):	69

B3
NNE
0 - 1/8 Mile
Higher | **NY WELLS** | **NYREG1200058331**

WELLS REG 1:

Well Number:	N004025D	Well Type:	Geothermal Diffusion
Owner:	Hicksville Bank	Diameter (in):	4
Well Depth (ft):	25	Casing Length (ft):	4
Screen Length (ft):	11	Pump Capacity (gpm):	Not Reported

B4
North
0 - 1/8 Mile
Higher | **FED USGS** | **USGS40000832116**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 844. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	258
Well Depth Units:	ft	Well Hole Depth:	258
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	134	Level reading date:	1957-12-27
Feet below surface:	Not Reported	Feet to sea level:	82.41
Note:	Not Reported		
Level reading date:	1957-07-29	Feet below surface:	Not Reported
Feet to sea level:	84.15	Note:	Not Reported
Level reading date:	1956-09-26	Feet below surface:	Not Reported
Feet to sea level:	85.04	Note:	Not Reported
Level reading date:	1956-08-30	Feet below surface:	Not Reported
Feet to sea level:	85.41	Note:	Not Reported
Level reading date:	1956-06-29	Feet below surface:	Not Reported
Feet to sea level:	85.93	Note:	Not Reported
Level reading date:	1956-06-01	Feet below surface:	Not Reported
Feet to sea level:	86.11	Note:	Not Reported
Level reading date:	1956-04-27	Feet below surface:	Not Reported
Feet to sea level:	85.66	Note:	Not Reported
Level reading date:	1956-03-01	Feet below surface:	Not Reported
Feet to sea level:	85.24	Note:	Not Reported
Level reading date:	1956-01-26	Feet below surface:	Not Reported
Feet to sea level:	85.36	Note:	Not Reported
Level reading date:	1955-12-27	Feet below surface:	Not Reported
Feet to sea level:	85.39	Note:	Not Reported
Level reading date:	1955-11-09	Feet below surface:	Not Reported
Feet to sea level:	84.51	Note:	Not Reported
Level reading date:	1955-09-29	Feet below surface:	Not Reported
Feet to sea level:	83.81	Note:	Not Reported
Level reading date:	1955-08-25	Feet below surface:	Not Reported
Feet to sea level:	83.31	Note:	Not Reported
Level reading date:	1955-07-28	Feet below surface:	Not Reported
Feet to sea level:	82.63	Note:	Not Reported
Level reading date:	1955-07-05	Feet below surface:	Not Reported
Feet to sea level:	83.07	Note:	Not Reported
Level reading date:	1955-05-27	Feet below surface:	Not Reported
Feet to sea level:	83.68	Note:	Not Reported
Level reading date:	1955-05-02	Feet below surface:	Not Reported
Feet to sea level:	83.67	Note:	Not Reported
Level reading date:	1955-03-30	Feet below surface:	Not Reported
Feet to sea level:	83.82	Note:	Not Reported
Level reading date:	1955-02-24	Feet below surface:	Not Reported
Feet to sea level:	83.76	Note:	Not Reported
Level reading date:	1955-01-24	Feet below surface:	Not Reported
Feet to sea level:	83.52	Note:	Not Reported
Level reading date:	1954-12-27	Feet below surface:	Not Reported

Feet to sea level:	83.38	Note:	Not Reported
Level reading date:	1954-11-29	Feet below surface:	Not Reported
Feet to sea level:	83.31	Note:	Not Reported
Level reading date:	1954-10-26	Feet below surface:	Not Reported
Feet to sea level:	83.28	Note:	Not Reported
Level reading date:	1954-09-27	Feet below surface:	Not Reported
Feet to sea level:	83.36	Note:	Not Reported
Level reading date:	1954-08-23	Feet below surface:	Not Reported
Feet to sea level:	83.06	Note:	Not Reported
Level reading date:	1954-07-28	Feet below surface:	Not Reported
Feet to sea level:	83.37	Note:	Not Reported
Level reading date:	1954-06-28	Feet below surface:	Not Reported
Feet to sea level:	83.82	Note:	Not Reported
Level reading date:	1954-05-24	Feet below surface:	Not Reported
Feet to sea level:	84.12	Note:	Not Reported
Level reading date:	1954-04-28	Feet below surface:	Not Reported
Feet to sea level:	84.13	Note:	Not Reported
Level reading date:	1954-03-24	Feet below surface:	Not Reported
Feet to sea level:	84.28	Note:	Not Reported
Level reading date:	1954-02-24	Feet below surface:	Not Reported
Feet to sea level:	84.51	Note:	Not Reported
Level reading date:	1954-01-27	Feet below surface:	Not Reported
Feet to sea level:	84.78	Note:	Not Reported
Level reading date:	1953-12-21	Feet below surface:	Not Reported
Feet to sea level:	84.88	Note:	Not Reported
Level reading date:	1953-11-24	Feet below surface:	Not Reported
Feet to sea level:	84.92	Note:	Not Reported
Level reading date:	1953-10-29	Feet below surface:	Not Reported
Feet to sea level:	85.13	Note:	Not Reported
Level reading date:	1953-10-01	Feet below surface:	Not Reported
Feet to sea level:	85.40	Note:	Not Reported
Level reading date:	1953-08-26	Feet below surface:	Not Reported
Feet to sea level:	85.81	Note:	Not Reported
Level reading date:	1953-08-05	Feet below surface:	Not Reported
Feet to sea level:	85.81	Note:	Not Reported
Level reading date:	1953-06-29	Feet below surface:	Not Reported
Feet to sea level:	85.94	Note:	Not Reported
Level reading date:	1953-05-29	Feet below surface:	Not Reported
Feet to sea level:	85.59	Note:	Not Reported
Level reading date:	1953-04-28	Feet below surface:	Not Reported
Feet to sea level:	84.56	Note:	Not Reported

Level reading date:	1953-04-01	Feet below surface:	Not Reported
Feet to sea level:	83.41	Note:	Not Reported
Level reading date:	1953-02-25	Feet below surface:	Not Reported
Feet to sea level:	82.76	Note:	Not Reported
Level reading date:	1953-02-02	Feet below surface:	Not Reported
Feet to sea level:	82.88	Note:	Not Reported
Level reading date:	1952-12-22	Feet below surface:	Not Reported
Feet to sea level:	83.21	Note:	Not Reported
Level reading date:	1952-12-05	Feet below surface:	Not Reported
Feet to sea level:	83.32	Note:	Not Reported
Level reading date:	1952-11-03	Feet below surface:	Not Reported
Feet to sea level:	83.68	Note:	Not Reported
Level reading date:	1952-06-25	Feet below surface:	Not Reported
Feet to sea level:	83.43	Note:	Not Reported
Level reading date:	1952-05-28	Feet below surface:	Not Reported
Feet to sea level:	82.26	Note:	Not Reported
Level reading date:	1952-04-29	Feet below surface:	Not Reported
Feet to sea level:	81.77	Note:	Not Reported
Level reading date:	1952-03-31	Feet below surface:	Not Reported
Feet to sea level:	81.34	Note:	Not Reported
Level reading date:	1952-02-25	Feet below surface:	Not Reported
Feet to sea level:	80.69	Note:	Not Reported
Level reading date:	1952-02-06	Feet below surface:	Not Reported
Feet to sea level:	80.44	Note:	Not Reported
Level reading date:	1951-12-20	Feet below surface:	Not Reported
Feet to sea level:	80.12	Note:	Not Reported
Level reading date:	1951-11-27	Feet below surface:	Not Reported
Feet to sea level:	80.16	Note:	Not Reported
Level reading date:	1951-10-29	Feet below surface:	Not Reported
Feet to sea level:	80.29	Note:	Not Reported
Level reading date:	1951-09-25	Feet below surface:	Not Reported
Feet to sea level:	81.01	Note:	Not Reported
Level reading date:	1951-08-28	Feet below surface:	Not Reported
Feet to sea level:	80.98	Note:	Not Reported
Level reading date:	1951-07-26	Feet below surface:	Not Reported
Feet to sea level:	81.22	Note:	Not Reported
Level reading date:	1951-06-28	Feet below surface:	Not Reported
Feet to sea level:	81.41	Note:	Not Reported
Level reading date:	1951-05-31	Feet below surface:	Not Reported
Feet to sea level:	81.27	Note:	Not Reported
Level reading date:	1951-04-25	Feet below surface:	Not Reported
Feet to sea level:	80.59	Note:	Not Reported

Level reading date:	1951-04-04	Feet below surface:	Not Reported
Feet to sea level:	80.42	Note:	Not Reported
Level reading date:	1951-02-28	Feet below surface:	Not Reported
Feet to sea level:	79.99	Note:	Not Reported
Level reading date:	1951-01-31	Feet below surface:	Not Reported
Feet to sea level:	80.08	Note:	Not Reported
Level reading date:	1950-12-19	Feet below surface:	Not Reported
Feet to sea level:	80.36	Note:	Not Reported
Level reading date:	1950-11-29	Feet below surface:	Not Reported
Feet to sea level:	80.51	Note:	Not Reported
Level reading date:	1950-11-02	Feet below surface:	Not Reported
Feet to sea level:	80.73	Note:	Not Reported
Level reading date:	1950-09-27	Feet below surface:	Not Reported
Feet to sea level:	80.97	Note:	Not Reported
Level reading date:	1950-09-02	Feet below surface:	Not Reported
Feet to sea level:	81.12	Note:	Not Reported
Level reading date:	1950-08-01	Feet below surface:	Not Reported
Feet to sea level:	81.18	Note:	Not Reported
Level reading date:	1950-06-28	Feet below surface:	Not Reported
Feet to sea level:	81.44	Note:	Not Reported
Level reading date:	1950-05-31	Feet below surface:	Not Reported
Feet to sea level:	81.64	Note:	Not Reported
Level reading date:	1950-05-03	Feet below surface:	Not Reported
Feet to sea level:	81.84	Note:	Not Reported
Level reading date:	1950-04-04	Feet below surface:	Not Reported
Feet to sea level:	82.07	Note:	Not Reported
Level reading date:	1950-03-02	Feet below surface:	Not Reported
Feet to sea level:	82.31	Note:	Not Reported
Level reading date:	1950-01-25	Feet below surface:	Not Reported
Feet to sea level:	82.73	Note:	Not Reported
Level reading date:	1949-12-28	Feet below surface:	Not Reported
Feet to sea level:	83.10	Note:	Not Reported
Level reading date:	1949-11-30	Feet below surface:	Not Reported
Feet to sea level:	83.50	Note:	Not Reported
Level reading date:	1949-10-28	Feet below surface:	Not Reported
Feet to sea level:	83.90	Note:	Not Reported
Level reading date:	1949-09-27	Feet below surface:	Not Reported
Feet to sea level:	84.27	Note:	Not Reported
Level reading date:	1949-08-30	Feet below surface:	Not Reported
Feet to sea level:	84.46	Note:	Not Reported
Level reading date:	1949-06-28	Feet below surface:	Not Reported
Feet to sea level:	84.78	Note:	Not Reported

Level reading date:	1949-05-31	Feet below surface:	Not Reported
Feet to sea level:	84.86	Note:	Not Reported
Level reading date:	1949-04-26	Feet below surface:	Not Reported
Feet to sea level:	84.39	Note:	Not Reported
Level reading date:	1949-03-31	Feet below surface:	Not Reported
Feet to sea level:	83.98	Note:	Not Reported
Level reading date:	1949-03-01	Feet below surface:	Not Reported
Feet to sea level:	83.43	Note:	Not Reported
Level reading date:	1949-01-26	Feet below surface:	Not Reported
Feet to sea level:	82.66	Note:	Not Reported
Level reading date:	1948-12-28	Feet below surface:	Not Reported
Feet to sea level:	82.33	Note:	Not Reported
Level reading date:	1948-12-07	Feet below surface:	Not Reported
Feet to sea level:	82.50	Note:	Not Reported
Level reading date:	1948-11-03	Feet below surface:	Not Reported
Feet to sea level:	82.60	Note:	Not Reported
Level reading date:	1948-09-29	Feet below surface:	Not Reported
Feet to sea level:	82.78	Note:	Not Reported
Level reading date:	1948-08-30	Feet below surface:	Not Reported
Feet to sea level:	82.85	Note:	Not Reported
Level reading date:	1948-07-30	Feet below surface:	Not Reported
Feet to sea level:	82.72	Note:	Not Reported
Level reading date:	1948-06-29	Feet below surface:	Not Reported
Feet to sea level:	82.46	Note:	Not Reported
Level reading date:	1948-05-30	Feet below surface:	Not Reported
Feet to sea level:	82.13	Note:	Not Reported
Level reading date:	1948-05-07	Feet below surface:	Not Reported
Feet to sea level:	81.67	Note:	Not Reported
Level reading date:	1948-03-20	Feet below surface:	Not Reported
Feet to sea level:	80.27	Note:	Not Reported
Level reading date:	1948-02-27	Feet below surface:	Not Reported
Feet to sea level:	79.76	Note:	Not Reported
Level reading date:	1948-01-31	Feet below surface:	Not Reported
Feet to sea level:	79.80	Note:	Not Reported
Level reading date:	1948-01-02	Feet below surface:	Not Reported
Feet to sea level:	79.97	Note:	Not Reported
Level reading date:	1947-12-06	Feet below surface:	Not Reported
Feet to sea level:	80.03	Note:	Not Reported
Level reading date:	1947-11-01	Feet below surface:	Not Reported
Feet to sea level:	80.06	Note:	Not Reported
Level reading date:	1947-09-27	Feet below surface:	Not Reported
Feet to sea level:	80.42	Note:	Not Reported

Level reading date:	1947-09-09	Feet below surface:	Not Reported
Feet to sea level:	80.52	Note:	Not Reported
Level reading date:	1947-08-07	Feet below surface:	Not Reported
Feet to sea level:	80.73	Note:	Not Reported
Level reading date:	1947-07-07	Feet below surface:	Not Reported
Feet to sea level:	80.86	Note:	Not Reported
Level reading date:	1947-06-02	Feet below surface:	Not Reported
Feet to sea level:	81.01	Note:	Not Reported
Level reading date:	1947-04-30	Feet below surface:	Not Reported
Feet to sea level:	80.98	Note:	Not Reported
Level reading date:	1947-04-07	Feet below surface:	Not Reported
Feet to sea level:	81.04	Note:	Not Reported
Level reading date:	1947-02-28	Feet below surface:	Not Reported
Feet to sea level:	81.41	Note:	Not Reported
Level reading date:	1947-01-31	Feet below surface:	Not Reported
Feet to sea level:	81.73	Note:	Not Reported
Level reading date:	1946-12-31	Feet below surface:	Not Reported
Feet to sea level:	82.01	Note:	Not Reported
Level reading date:	1946-11-27	Feet below surface:	Not Reported
Feet to sea level:	82.33	Note:	Not Reported
Level reading date:	1946-10-29	Feet below surface:	Not Reported
Feet to sea level:	82.53	Note:	Not Reported
Level reading date:	1946-09-24	Feet below surface:	Not Reported
Feet to sea level:	82.67	Note:	Not Reported
Level reading date:	1946-08-29	Feet below surface:	Not Reported
Feet to sea level:	82.61	Note:	Not Reported
Level reading date:	1946-07-29	Feet below surface:	Not Reported
Feet to sea level:	82.46	Note:	Not Reported
Level reading date:	1946-07-03	Feet below surface:	Not Reported
Feet to sea level:	82.41	Note:	Not Reported
Level reading date:	1946-06-04	Feet below surface:	Not Reported
Feet to sea level:	82.29	Note:	Not Reported
Level reading date:	1946-04-25	Feet below surface:	Not Reported
Feet to sea level:	82.31	Note:	Not Reported
Level reading date:	1946-04-03	Feet below surface:	Not Reported
Feet to sea level:	82.27	Note:	Not Reported
Level reading date:	1946-02-26	Feet below surface:	Not Reported
Feet to sea level:	81.89	Note:	Not Reported
Level reading date:	1946-02-05	Feet below surface:	Not Reported
Feet to sea level:	81.50	Note:	Not Reported
Level reading date:	1945-12-26	Feet below surface:	Not Reported
Feet to sea level:	81.16	Note:	Not Reported

Level reading date:	1945-11-27	Feet below surface:	Not Reported
Feet to sea level:	81.16	Note:	Not Reported
Level reading date:	1945-11-02	Feet below surface:	Not Reported
Feet to sea level:	81.33	Note:	Not Reported
Level reading date:	1945-10-02	Feet below surface:	Not Reported
Feet to sea level:	81.50	Note:	Not Reported
Level reading date:	1945-09-12	Feet below surface:	Not Reported
Feet to sea level:	81.50	Note:	Not Reported
Level reading date:	1945-08-04	Feet below surface:	Not Reported
Feet to sea level:	81.64	Note:	Not Reported
Level reading date:	1945-06-30	Feet below surface:	Not Reported
Feet to sea level:	81.70	Note:	Not Reported
Level reading date:	1945-06-01	Feet below surface:	Not Reported
Feet to sea level:	81.82	Note:	Not Reported
Level reading date:	1945-05-04	Feet below surface:	Not Reported
Feet to sea level:	81.93	Note:	Not Reported
Level reading date:	1945-03-26	Feet below surface:	Not Reported
Feet to sea level:	81.69	Note:	Not Reported

C5
East
1/8 - 1/4 Mile
Higher

NY WELLS **NYREG1200058796**

WELLS REG 1:

Well Number:	N003482	Well Type:	Geothermal - Ac Only
Owner:	L.I. Community Playhouses, Inc.	Diameter (in):	8
Well Depth (ft):	89	Casing Length (ft):	79
Screen Length (ft):	10	Pump Capacity (gpm):	250

C6
East
1/8 - 1/4 Mile
Higher

NY WELLS **NYREG1200058715**

WELLS REG 1:

Well Number:	N003580D	Well Type:	Geothermal Diffusion
Owner:	L.I. Community Playhouses, Inc.	Diameter (in):	8
Well Depth (ft):	106	Casing Length (ft):	91
Screen Length (ft):	15	Pump Capacity (gpm):	Not Reported

7
NW
1/8 - 1/4 Mile
Higher

FRDS PWS **NY0002829**

PWS ID:	NY0002829	PWS type:	System Owner/Responsible Party
PWS name:	CUSICK GILBERT E	PWS address:	Not Reported
PWS city:	HICKSVILLE	PWS state:	NY

PWS zip:	11801	PWS ID:	NY0002829
Activity status:	Active	Date system activated:	Not Reported
Date system deactivated:	Not Reported	Retail population:	00047810
System name:	HICKSVILLE WATER DISTRICT	System address:	Not Reported
System address:	4 DEAN STREET	System city:	HICKSVILLE
System state:	NY	System zip:	11802
County FIPS:	029	City served:	OYSTER BAY (T)
Latitude:	404605	Longitude:	0733143
Latitude:	404537	Longitude:	0733046
Latitude:	404537	Longitude:	0733046
Latitude:	404537	Longitude:	0733046
Latitude:	404521	Longitude:	0733102
Latitude:	404521	Longitude:	0733102
Latitude:	404521	Longitude:	0733102
Latitude:	404706	Longitude:	0733052
Latitude:	404706	Longitude:	0733052
Latitude:	404626	Longitude:	0733231
Latitude:	404626	Longitude:	0733231
Latitude:	404455	Longitude:	0733249
Latitude:	404455	Longitude:	0733249
Latitude:	404455	Longitude:	0733203
Latitude:	404446	Longitude:	0733057
Latitude:	404441	Longitude:	0733209
Latitude:	404639	Longitude:	0733111
Latitude:	404639	Longitude:	0733111
Latitude:	404639	Longitude:	0733111

8
NE
1/8 - 1/4 Mile
Higher

FED USGS **USGS40000832143**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 5899. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	91
Well Depth Units:	ft	Well Hole Depth:	Not Reported

Well Hole Depth Units: Not Reported

9
West
1/8 - 1/4 Mile
Lower

FED USGS **USGS40000832095**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9463. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	638
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	1	Level reading date:	1986-04-22
Feet below surface:	Not Reported	Feet to sea level:	75.36
Note:	Not Reported		

10
SSW
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200056292**

WELLS REG 1:

Well Number:	N006673	Well Type:	Cooling (Commercial/Industrial)
Owner:	H. J. Stock Funeral Home	Diameter (in):	4
Well Depth (ft):	85	Casing Length (ft):	Not Reported
Screen Length (ft):	5	Pump Capacity (gpm):	20

D11
SSW
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200058309**

WELLS REG 1:

Well Number:	N004050	Well Type:	Cooling (Commercial/Industrial)
Owner:	H.C. Bohack Co. Inc.	Diameter (in):	8
Well Depth (ft):	77	Casing Length (ft):	69
Screen Length (ft):	11	Pump Capacity (gpm):	69

E12
SSE
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200054831**

WELLS REG 1:

Well Number:	N008573D	Well Type:	Geothermal Diffusion
Owner:	Hicksville Public Library	Diameter (in):	6
Well Depth (ft):	90	Casing Length (ft):	Not Reported

Screen Length (ft):	20	Pump Capacity (gpm):	Not Reported

E13
SSE
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200056710**

WELLS REG 1:

Well Number:	N006124D	Well Type:	Geothermal Diffusion
Owner:	Hicksville Public Library	Diameter (in):	4
Well Depth (ft):	88	Casing Length (ft):	Not Reported
Screen Length (ft):	15	Pump Capacity (gpm):	Not Reported

E14
SSE
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200056744**

WELLS REG 1:

Well Number:	N006069	Well Type:	Geothermal - Ac Only
Owner:	Hicksville Public Library	Diameter (in):	6
Well Depth (ft):	89	Casing Length (ft):	Not Reported
Screen Length (ft):	10	Pump Capacity (gpm):	105

D15
SSW
1/4 - 1/2 Mile
Lower

NY WELLS **NYREG1200058308**

WELLS REG 1:

Well Number:	N004051D	Well Type:	Geothermal Diffusion
Owner:	H C Bohack Co. Inc.	Diameter (in):	8
Well Depth (ft):	61	Casing Length (ft):	48
Screen Length (ft):	16	Pump Capacity (gpm):	Not Reported

F16
NW
1/4 - 1/2 Mile
Higher

NY WELLS **NYREG1200052551**

WELLS REG 1:

Well Number:	N013940	Well Type:	Geothermal - Ac Only
Owner:	Broadway Mall	Diameter (in):	16
Well Depth (ft):	270	Casing Length (ft):	Not Reported
Screen Length (ft):	40	Pump Capacity (gpm):	1090

F17
NW
1/4 - 1/2 Mile
Higher

NY WELLS **NYREG1200052552**

WELLS REG 1:

Well Number:	N013940	Well Type:	Geothermal - Ac Only
Owner:	Broadway Mall	Diameter (in):	16
Well Depth (ft):	270	Casing Length (ft):	Not Reported
Screen Length (ft):	40	Pump Capacity (gpm):	1090

G18
SSW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000831901**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7234. 1	Type:	Well
Description:	NEW: N 7234. 2 196612	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	70	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Ground water levels,Number of Measurements:	3	Level reading date:	1963-09-20
Feet below surface:	Not Reported	Feet to sea level:	78.30
Note:	Not Reported		
Level reading date:	1962-03-15	Feet below surface:	Not Reported
Feet to sea level:	82.25	Note:	Not Reported
Level reading date:	1962-01-24	Feet below surface:	Not Reported
Feet to sea level:	81.12	Note:	Not Reported

G19
SSW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000831903**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8441. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	84
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	61	Level reading date:	1982-09-08
Feet below surface:	Not Reported	Feet to sea level:	79.17
Note:	Not Reported		
Level reading date:	1982-06-29	Feet below surface:	Not Reported
Feet to sea level:	79.38	Note:	Not Reported
Level reading date:	1982-03-18	Feet below surface:	Not Reported
Feet to sea level:	79.10	Note:	Not Reported
Level reading date:	1982-01-08	Feet below surface:	Not Reported
Feet to sea level:	78.52	Note:	Not Reported

Level reading date:	1981-09-15	Feet below surface:	Not Reported
Feet to sea level:	79.47	Note:	Not Reported
Level reading date:	1981-06-03	Feet below surface:	Not Reported
Feet to sea level:	81.20	Note:	Not Reported
Level reading date:	1981-03-13	Feet below surface:	Not Reported
Feet to sea level:	81.85	Note:	Not Reported
Level reading date:	1980-12-19	Feet below surface:	Not Reported
Feet to sea level:	82.97	Note:	Not Reported
Level reading date:	1980-09-04	Feet below surface:	Not Reported
Feet to sea level:	84.71	Note:	Not Reported
Level reading date:	1980-05-29	Feet below surface:	Not Reported
Feet to sea level:	85.63	Note:	Not Reported
Level reading date:	1980-03-19	Feet below surface:	Not Reported
Feet to sea level:	83.90	Note:	Not Reported
Level reading date:	1979-12-10	Feet below surface:	Not Reported
Feet to sea level:	85.29	Note:	Not Reported
Level reading date:	1979-09-14	Feet below surface:	Not Reported
Feet to sea level:	86.01	Note:	Not Reported
Level reading date:	1979-06-08	Feet below surface:	Not Reported
Feet to sea level:	86.65	Note:	Not Reported
Level reading date:	1979-04-20	Feet below surface:	Not Reported
Feet to sea level:	86.22	Note:	Not Reported
Level reading date:	1979-03-22	Feet below surface:	Not Reported
Feet to sea level:	83.53	Note:	Not Reported
Level reading date:	1979-03-12	Feet below surface:	Not Reported
Feet to sea level:	85.22	Note:	Not Reported
Level reading date:	1978-12-29	Feet below surface:	Not Reported
Feet to sea level:	82.47	Note:	Not Reported
Level reading date:	1978-12-17	Feet below surface:	Not Reported
Feet to sea level:	82.64	Note:	Not Reported
Level reading date:	1978-11-21	Feet below surface:	Not Reported
Feet to sea level:	82.80	Note:	Not Reported
Level reading date:	1978-10-25	Feet below surface:	Not Reported
Feet to sea level:	83.13	Note:	Not Reported
Level reading date:	1978-09-26	Feet below surface:	Not Reported
Feet to sea level:	83.50	Note:	Not Reported
Level reading date:	1978-09-15	Feet below surface:	Not Reported
Feet to sea level:	83.75	Note:	Not Reported
Level reading date:	1978-08-23	Feet below surface:	Not Reported
Feet to sea level:	84.04	Note:	Not Reported
Level reading date:	1978-07-28	Feet below surface:	Not Reported
Feet to sea level:	84.25	Note:	Not Reported

Level reading date:	1978-06-27	Feet below surface:	Not Reported
Feet to sea level:	84.70	Note:	Not Reported
Level reading date:	1978-06-07	Feet below surface:	Not Reported
Feet to sea level:	85.09	Note:	Not Reported
Level reading date:	1978-05-30	Feet below surface:	Not Reported
Feet to sea level:	85.03	Note:	Not Reported
Level reading date:	1978-03-28	Feet below surface:	Not Reported
Feet to sea level:	84.98	Note:	Not Reported
Level reading date:	1977-12-21	Feet below surface:	Not Reported
Feet to sea level:	81.97	Note:	Not Reported
Level reading date:	1977-09-07	Feet below surface:	Not Reported
Feet to sea level:	79.69	Note:	Not Reported
Level reading date:	1977-06-13	Feet below surface:	Not Reported
Feet to sea level:	80.60	Note:	Not Reported
Level reading date:	1977-03-30	Feet below surface:	Not Reported
Feet to sea level:	80.80	Note:	Not Reported
Level reading date:	1976-12-08	Feet below surface:	Not Reported
Feet to sea level:	81.84	Note:	Not Reported
Level reading date:	1976-09-08	Feet below surface:	Not Reported
Feet to sea level:	82.73	Note:	Not Reported
Level reading date:	1976-06-10	Feet below surface:	Not Reported
Feet to sea level:	83.53	Note:	Not Reported
Level reading date:	1976-03-11	Feet below surface:	Not Reported
Feet to sea level:	83.94	Note:	Not Reported
Level reading date:	1975-12-16	Feet below surface:	Not Reported
Feet to sea level:	82.40	Note:	Not Reported
Level reading date:	1975-09-08	Feet below surface:	Not Reported
Feet to sea level:	81.93	Note:	Not Reported
Level reading date:	1975-06-11	Feet below surface:	Not Reported
Feet to sea level:	81.14	Note:	Not Reported
Level reading date:	1975-03-21	Feet below surface:	Not Reported
Feet to sea level:	80.14	Note:	Not Reported
Level reading date:	1974-12-18	Feet below surface:	Not Reported
Feet to sea level:	79.47	Note:	Not Reported
Level reading date:	1974-09-18	Feet below surface:	Not Reported
Feet to sea level:	79.79	Note:	Not Reported
Level reading date:	1974-06-17	Feet below surface:	Not Reported
Feet to sea level:	81.20	Note:	Not Reported
Level reading date:	1974-03-28	Feet below surface:	Not Reported
Feet to sea level:	81.07	Note:	Not Reported
Level reading date:	1973-12-04	Feet below surface:	Not Reported
Feet to sea level:	80.63	Note:	Not Reported

Level reading date:	1973-09-21	Feet below surface:	Not Reported
Feet to sea level:	81.55	Note:	Not Reported
Level reading date:	1973-06-13	Feet below surface:	Not Reported
Feet to sea level:	81.74	Note:	Not Reported
Level reading date:	1973-03-22	Feet below surface:	Not Reported
Feet to sea level:	80.27	Note:	Not Reported
Level reading date:	1972-12-22	Feet below surface:	Not Reported
Feet to sea level:	78.92	Note:	Not Reported
Level reading date:	1972-06-09	Feet below surface:	Not Reported
Feet to sea level:	76.97	Note:	Not Reported
Level reading date:	1972-03-24	Feet below surface:	Not Reported
Feet to sea level:	75.74	Note:	Not Reported
Level reading date:	1971-12-18	Feet below surface:	Not Reported
Feet to sea level:	75.59	Note:	Not Reported
Level reading date:	1971-09-24	Feet below surface:	Not Reported
Feet to sea level:	75.13	Note:	Not Reported
Level reading date:	1971-06-04	Feet below surface:	Not Reported
Feet to sea level:	76.25	Note:	Not Reported
Level reading date:	1971-03-18	Feet below surface:	Not Reported
Feet to sea level:	75.77	Note:	Not Reported
Level reading date:	1970-09-11	Feet below surface:	Not Reported
Feet to sea level:	76.35	Note:	Not Reported
Level reading date:	1970-03-05	Feet below surface:	Not Reported
Feet to sea level:	76.15	Note:	Not Reported
Level reading date:	1969-09-22	Feet below surface:	Not Reported
Feet to sea level:	74.47	Note:	Not Reported
Level reading date:	1969-04-15	Feet below surface:	Not Reported
Feet to sea level:	73.37	Note:	Not Reported
Level reading date:	1968-09-24	Feet below surface:	Not Reported
Feet to sea level:	71.97	Note:	Not Reported

G20
SSW
1/4 - 1/2 Mile
Lower

FED USGS **USGS40000831902**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7234. 2	Type:	Well
Description:	OLD: N 7234. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	80
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database	EDR ID Number
FED USGS	**USGS40000831866**

G21
SSW
1/2 - 1 Mile
Lower

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9919. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	19810925	Well Depth:	84
Well Depth Units:	ft	Well Hole Depth:	84
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	51	Level reading date:	1991-08-27
Feet below surface:	Not Reported	Feet to sea level:	76.76
Note:	Not Reported		

Level reading date:	1990-04-20	Feet below surface:	Not Reported
Feet to sea level:	75.20	Note:	Not Reported
Level reading date:	1989-08-30	Feet below surface:	Not Reported
Feet to sea level:	74.06	Note:	Not Reported
Level reading date:	1989-07-24	Feet below surface:	Not Reported
Feet to sea level:	73.50	Note:	Not Reported
Level reading date:	1989-06-27	Feet below surface:	Not Reported
Feet to sea level:	72.47	Note:	Not Reported
Level reading date:	1989-05-19	Feet below surface:	Not Reported
Feet to sea level:	70.01	Note:	Not Reported
Level reading date:	1989-04-26	Feet below surface:	Not Reported
Feet to sea level:	69.41	Note:	Not Reported
Level reading date:	1989-03-22	Feet below surface:	Not Reported
Feet to sea level:	69.22	Note:	Not Reported
Level reading date:	1989-02-28	Feet below surface:	Not Reported
Feet to sea level:	69.38	Note:	Not Reported
Level reading date:	1989-01-25	Feet below surface:	Not Reported
Feet to sea level:	69.77	Note:	Not Reported
Level reading date:	1988-12-29	Feet below surface:	Not Reported
Feet to sea level:	69.69	Note:	Not Reported
Level reading date:	1988-11-30	Feet below surface:	Not Reported
Feet to sea level:	69.55	Note:	Not Reported
Level reading date:	1988-10-14	Feet below surface:	Not Reported
Feet to sea level:	68.96	Note:	Not Reported
Level reading date:	1988-09-14	Feet below surface:	Not Reported
Feet to sea level:	69.43	Note:	Not Reported

Level reading date:	1988-08-09	Feet below surface:	Not Reported
Feet to sea level:	69.74	Note:	Not Reported
Level reading date:	1988-07-07	Feet below surface:	Not Reported
Feet to sea level:	70.06	Note:	Not Reported
Level reading date:	1988-06-02	Feet below surface:	Not Reported
Feet to sea level:	70.55	Note:	Not Reported
Level reading date:	1988-05-05	Feet below surface:	Not Reported
Feet to sea level:	70.54	Note:	Not Reported
Level reading date:	1988-04-11	Feet below surface:	Not Reported
Feet to sea level:	70.70	Note:	Not Reported
Level reading date:	1988-03-11	Feet below surface:	Not Reported
Feet to sea level:	70.57	Note:	Not Reported
Level reading date:	1988-02-11	Feet below surface:	Not Reported
Feet to sea level:	70.59	Note:	Not Reported
Level reading date:	1988-01-22	Feet below surface:	Not Reported
Feet to sea level:	70.72	Note:	Not Reported
Level reading date:	1987-12-16	Feet below surface:	Not Reported
Feet to sea level:	70.98	Note:	Not Reported
Level reading date:	1987-11-17	Feet below surface:	Not Reported
Feet to sea level:	71.28	Note:	Not Reported
Level reading date:	1987-10-16	Feet below surface:	Not Reported
Feet to sea level:	71.50	Note:	Not Reported
Level reading date:	1987-09-17	Feet below surface:	Not Reported
Feet to sea level:	71.75	Note:	Not Reported
Level reading date:	1987-09-16	Feet below surface:	Not Reported
Feet to sea level:	71.77	Note:	Not Reported
Level reading date:	1987-08-19	Feet below surface:	Not Reported
Feet to sea level:	72.19	Note:	Not Reported
Level reading date:	1987-07-28	Feet below surface:	Not Reported
Feet to sea level:	72.63	Note:	Not Reported
Level reading date:	1987-07-22	Feet below surface:	Not Reported
Feet to sea level:	72.83	Note:	Not Reported
Level reading date:	1987-06-23	Feet below surface:	Not Reported
Feet to sea level:	73.10	Note:	Not Reported
Level reading date:	1987-05-20	Feet below surface:	Not Reported
Feet to sea level:	73.30	Note:	Not Reported
Level reading date:	1987-04-16	Feet below surface:	Not Reported
Feet to sea level:	73.20	Note:	Not Reported
Level reading date:	1987-03-19	Feet below surface:	Not Reported
Feet to sea level:	72.91	Note:	Not Reported
Level reading date:	1987-02-19	Feet below surface:	Not Reported
Feet to sea level:	72.75	Note:	Not Reported

Level reading date:	1987-01-12	Feet below surface:	Not Reported
Feet to sea level:	72.31	Note:	Not Reported
Level reading date:	1986-12-16	Feet below surface:	Not Reported
Feet to sea level:	72.06	Note:	Not Reported
Level reading date:	1986-11-25	Feet below surface:	Not Reported
Feet to sea level:	71.87	Note:	Not Reported
Level reading date:	1986-11-03	Feet below surface:	Not Reported
Feet to sea level:	71.91	Note:	Not Reported
Level reading date:	1986-09-23	Feet below surface:	Not Reported
Feet to sea level:	72.39	Note:	Not Reported
Level reading date:	1986-08-29	Feet below surface:	Not Reported
Feet to sea level:	72.81	Note:	Not Reported
Level reading date:	1986-07-25	Feet below surface:	Not Reported
Feet to sea level:	73.14	Note:	Not Reported
Level reading date:	1986-06-12	Feet below surface:	Not Reported
Feet to sea level:	75.25	Note:	Not Reported
Level reading date:	1986-05-16	Feet below surface:	Not Reported
Feet to sea level:	74.90	Note:	Not Reported
Level reading date:	1986-04-18	Feet below surface:	Not Reported
Feet to sea level:	75.25	Note:	Not Reported
Level reading date:	1986-03-24	Feet below surface:	Not Reported
Feet to sea level:	75.42	Note:	Not Reported
Level reading date:	1986-02-24	Feet below surface:	Not Reported
Feet to sea level:	75.53	Note:	Not Reported
Level reading date:	1986-01-13	Feet below surface:	Not Reported
Feet to sea level:	75.85	Note:	Not Reported
Level reading date:	1985-12-10	Feet below surface:	Not Reported
Feet to sea level:	76.01	Note:	Not Reported
Level reading date:	1983-04-08	Feet below surface:	Not Reported
Feet to sea level:	76.93	Note:	Not Reported
Level reading date:	1982-12-09	Feet below surface:	Not Reported
Feet to sea level:	76.50	Note:	Not Reported

22
West
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200053091**

WELLS REG 1:

Well Number:	N013413	Well Type:	Multipurpose/Other
Owner:	Giant, Dormer/ Vescova c/o Vescova 3 LLC		
Diameter (in):	6	Well Depth (ft):	276
Casing Length (ft):	256	Screen Length (ft):	20
Pump Capacity (gpm):	31		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

23
WSW
1/2 - 1 Mile
Lower

FED USGS **USGS40000832019**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10316. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	72
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	2	Level reading date:	1991-08-27
Feet below surface:	Not Reported	Feet to sea level:	79.27
Note:	Not Reported		
Level reading date:	1990-05-02	Feet below surface:	Not Reported
Feet to sea level:	77.20	Note:	Not Reported

H24
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832284**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 149. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	153
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	13	Level reading date:	1973-11-24
Feet below surface:	Not Reported	Feet to sea level:	79.71
Note:	Not Reported		
Level reading date:	1970-05-05	Feet below surface:	Not Reported
Feet to sea level:	80.12	Note:	Not Reported
Level reading date:	1969-11-18	Feet below surface:	Not Reported
Feet to sea level:	77.43	Note:	Not Reported
Level reading date:	1969-09-18	Feet below surface:	Not Reported
Feet to sea level:	77.01	Note:	Not Reported
Level reading date:	1969-08-06	Feet below surface:	Not Reported
Feet to sea level:	76.52	Note:	Not Reported
Level reading date:	1969-06-18	Feet below surface:	Not Reported
Feet to sea level:	76.14	Note:	Not Reported

Level reading date:	1969-05-13	Feet below surface:	Not Reported
Feet to sea level:	76.21	Note:	Not Reported
Level reading date:	1969-04-03	Feet below surface:	Not Reported
Feet to sea level:	75.96	Note:	Not Reported
Level reading date:	1969-02-24	Feet below surface:	Not Reported
Feet to sea level:	75.69	Note:	Not Reported
Level reading date:	1969-01-09	Feet below surface:	Not Reported
Feet to sea level:	75.51	Note:	Not Reported
Level reading date:	1968-12-09	Feet below surface:	Not Reported
Feet to sea level:	75.51	Note:	Not Reported
Level reading date:	1968-11-15	Feet below surface:	Not Reported
Feet to sea level:	75.36	Note:	Not Reported
Level reading date:	1968-10-11	Feet below surface:	Not Reported
Feet to sea level:	75.00	Note:	Not Reported

25
SW
1/2 - 1 Mile
Lower

FED USGS **USGS40000831878**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8602. 1	Type:	Well
Description:	Not Reported	HUC:	02030201
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	84
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

H26
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832294**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9488. 2	Type:	Well
Description:	OLD: N 9488. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	575
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

H27
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832293**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9488. 1	Type:	Well
Description:	NEW: N 9488. 2 197907	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	638	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

I28
SE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831928**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 5663. 1	Type:	Well
Description:	1 4045400733100 112GLCLU5 NJ 829 3104 01400		
HUC:	02030202	Drainage Area:	Not Reported
Drainage Area Units:	Not Reported	Contrib Drainage Area:	Not Reported
Contrib Drainage Area Unts:	Not Reported		
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	Not Reported
Well Depth Units:	Not Reported	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

29
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832324**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9927. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	19811015	Well Depth:	94
Well Depth Units:	ft	Well Hole Depth:	94
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	3	Level reading date:	1987-09-22
Feet below surface:	Not Reported	Feet to sea level:	76.62
Note:	Not Reported		

Level reading date:	1987-07-28	Feet below surface:	Not Reported
Feet to sea level:	77.67	Note:	Not Reported

Level reading date:	1987-05-28	Feet below surface:	Not Reported
Feet to sea level:	78.35	Note:	Not Reported

30
ESE **NY WELLS** **NYREG1200058449**
1/2 - 1 Mile
Lower

WELLS REG 1:

Well Number:	N003900	Well Type:	Cooling (Commercial/Industrial)
Owner:	L.I. Lighting Co., Well #3	Diameter (in):	8
Well Depth (ft):	156	Casing Length (ft):	138
Screen Length (ft):	11	Pump Capacity (gpm):	100

I31
SE **NY WELLS** **NYREG1200052298**
1/2 - 1 Mile
Lower

WELLS REG 1:

Well Number:	N014185D	Well Type:	Geothermal Diffusion
Owner:	Advantage Care	Diameter (in):	6
Well Depth (ft):	100	Casing Length (ft):	Not Reported
Screen Length (ft):	30	Pump Capacity (gpm):	Not Reported

H32
NNE **FED USGS** **USGS40000832285**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 150. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	148
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

J33
SSW **NY WELLS** **NYREG1200058336**
1/2 - 1 Mile
Lower

WELLS REG 1:

Well Number:	N004020	Well Type:	Cooling (Commercial/Industrial)
Owner:	Birchwood Homes At Westbury	Diameter (in):	Not Reported
Well Depth (ft):	32	Casing Length (ft):	Not Reported
Screen Length (ft):	3	Pump Capacity (gpm):	240

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

I34
SE
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200052114**

WELLS REG 1:

Well Number:	N014374D	Well Type:	Geothermal Diffusion
Owner:	Advantage Care	Diameter (in):	6
Well Depth (ft):	100	Casing Length (ft):	80
Screen Length (ft):	20	Pump Capacity (gpm):	Not Reported

J35
SSW
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200058335**

WELLS REG 1:

Well Number:	N004021	Well Type:	Cooling (Commercial/Industrial)
Owner:	Birchwood Homes At Westbury	Diameter (in):	Not Reported
Well Depth (ft):	35	Casing Length (ft):	Not Reported
Screen Length (ft):	3	Pump Capacity (gpm):	240

36
South
1/2 - 1 Mile
Lower

FED USGS **USGS40000831726**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7674. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	152	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

K37
ESE
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058453**

WELLS REG 1:

Well Number:	N003898	Well Type:	Cooling (Commercial/Industrial)
Owner:	Lilco	Diameter (in):	12
Well Depth (ft):	136	Casing Length (ft):	109
Screen Length (ft):	22	Pump Capacity (gpm):	175

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

K38
ESE
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058454**

WELLS REG 1:

Well Number:	N003898	Well Type:	Cooling (Commercial/Industrial)
Owner:	Lilco	Diameter (in):	12
Well Depth (ft):	136	Casing Length (ft):	109
Screen Length (ft):	22	Pump Capacity (gpm):	175

K39
ESE
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058450**

WELLS REG 1:

Well Number:	N003899	Well Type:	Cooling (Commercial/Industrial)
Owner:	L.I. Lighting Co.	Diameter (in):	8
Well Depth (ft):	134	Casing Length (ft):	114
Screen Length (ft):	11	Pump Capacity (gpm):	100

K40
ESE
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058451**

WELLS REG 1:

Well Number:	N003899	Well Type:	Cooling (Commercial/Industrial)
Owner:	L.I. Lighting Co.	Diameter (in):	8
Well Depth (ft):	134	Casing Length (ft):	114
Screen Length (ft):	11	Pump Capacity (gpm):	100

K41
ESE
1/2 - 1 Mile
Higher

NY WELLS **NYREG1200058452**

WELLS REG 1:

Well Number:	N003899	Well Type:	Cooling (Commercial/Industrial)
Owner:	L.I. Lighting Co.	Diameter (in):	8
Well Depth (ft):	134	Casing Length (ft):	114
Screen Length (ft):	11	Pump Capacity (gpm):	100

J42
SSW
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200058334**

WELLS REG 1:

Well Number:	N004022	Well Type:	Cooling (Commercial/Industrial)

Owner:	Birchwood Homes At Westbury	Diameter (in):	Not Reported
Well Depth (ft):	33	Casing Length (ft):	Not Reported
Screen Length (ft):	3	Pump Capacity (gpm):	240

L43
NNE **FED USGS** **USGS40000832408**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8249. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	495
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

44
ENE **NY WELLS** **NYREG1200058084**
1/2 - 1 Mile
Higher

WELLS REG 1:

Well Number:	N004301	Well Type:	Irrigation
Owner:	Robert W. Bogart	Diameter (in):	6
Well Depth (ft):	87	Casing Length (ft):	Not Reported
Screen Length (ft):	6	Pump Capacity (gpm):	12

K45
East **NY WELLS** **NYREG1200055269**
1/2 - 1 Mile
Higher

WELLS REG 1:

Well Number:	N008001D	Well Type:	Multipurpose/Other
Owner:	National Grid	Diameter (in):	20
Well Depth (ft):	148	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	Not Reported

---

M46
East **NY WELLS** **NYREG1200055590**
1/2 - 1 Mile
Higher

WELLS REG 1:

Well Number:	N007531	Well Type:	Geothermal - Ac Only
Owner:	Keyspan Corporate Services Llc.	Diameter (in):	12
Well Depth (ft):	187	Casing Length (ft):	Not Reported
Screen Length (ft):	Not Reported	Pump Capacity (gpm):	450

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

M47
East
1/2 - 1 Mile
Higher | **FED USGS** | **USGS40000832046**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 5149. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	193
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

K48
ESE
1/2 - 1 Mile
Higher | **FED USGS** | **USGS40000832010**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 3899. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	134
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

K49
ESE
1/2 - 1 Mile
Higher | **FED USGS** | **USGS40000832034**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 3898. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	138
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

L50
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832407**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 2072. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	159
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

L51
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832409**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7562. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	550
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

52
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000832003**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 3900. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	156
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

53
WSW
1/2 - 1 Mile
Lower

FED USGS **USGS40000831987**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10315. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	66
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

54
SE
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200056975**

WELLS REG 1:

Well Number:	N005663	Well Type:	Geothermal - Ac Only
Owner:	Health Insurance Plan Of Greater New York		
Diameter (in):	8	Well Depth (ft):	101
Casing Length (ft):	89	Screen Length (ft):	10
Pump Capacity (gpm):	160		

55
NW
1/2 - 1 Mile
Lower

FED USGS **USGS40000832272**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9928. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	19820120	Well Depth:	86
Well Depth Units:	ft	Well Hole Depth:	86
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	6	Level reading date:	1991-08-27
Feet below surface:	Not Reported	Feet to sea level:	83.56
Note:	Not Reported		
Level reading date:	1990-05-03	Feet below surface:	Not Reported
Feet to sea level:	80.69	Note:	Not Reported
Level reading date:	1987-09-22	Feet below surface:	Not Reported
Feet to sea level:	78.15	Note:	Not Reported
Level reading date:	1987-07-28	Feet below surface:	Not Reported

Feet to sea level:	78.57	Note:	Not Reported
Level reading date:	1987-05-27	Feet below surface:	Not Reported
Feet to sea level:	79.61	Note:	Not Reported
Level reading date:	1986-07-21	Feet below surface:	Not Reported
Feet to sea level:	79.85	Note:	Not Reported

M56
East
1/2 - 1 Mile
Higher

FED USGS **USGS40000832072**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 7531. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	187
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

N57
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832410**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10311. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	225
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

N58
NNE
1/2 - 1 Mile
Higher

FED USGS **USGS40000832411**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10310. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	105
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

O59
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831892**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10208. 1	Type:	Well
Description:	3 4045370733046 211MGTY 7 NJ 849 3104 01400		
HUC:	02030202	Drainage Area:	Not Reported
Drainage Area Units:	Not Reported	Contrib Drainage Area:	Not Reported
Contrib Drainage Area Unts:	Not Reported		
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	Not Reported
Well Depth Units:	Not Reported	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

60
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831890**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8778. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	590
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	2	Level reading date:	1986-04-18
Feet below surface:	Not Reported	Feet to sea level:	73.50
Note:	Not Reported		

Level reading date:	1986-03-05	Feet below surface:	Not Reported
Feet to sea level:	74.82	Note:	Not Reported

P61
WSW
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200058265**

WELLS REG 1:

Well Number:	N004094D	Well Type:	Geothermal Diffusion
Owner:	Metalab Equipment Corp.	Diameter (in):	6
Well Depth (ft):	79	Casing Length (ft):	Not Reported
Screen Length (ft):	16	Pump Capacity (gpm):	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

O62
ESE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831891**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 8779. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	585
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	2	Level reading date:	1986-04-18
Feet below surface:	Not Reported	Feet to sea level:	73.04
Note:	Not Reported		

Level reading date:	1986-03-05	Feet below surface:	Not Reported
Feet to sea level:	74.39	Note:	Not Reported

Q63
East
1/2 - 1 Mile
Higher

FED USGS **USGS40000832093**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 1214. 1	Type:	Well
Description:	NEW: N 1214. 2 195002	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	80
Well Depth Units:	ft	Well Hole Depth:	80
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	35	Level reading date:	1982-09-08
Feet below surface:	Not Reported	Feet to sea level:	79.95
Note:	Not Reported		

Level reading date:	1982-06-29	Feet below surface:	Not Reported
Feet to sea level:	81.11	Note:	Not Reported
Level reading date:	1982-03-18	Feet below surface:	Not Reported
Feet to sea level:	80.89	Note:	Not Reported
Level reading date:	1982-01-08	Feet below surface:	Not Reported
Feet to sea level:	82.52	Note:	Not Reported
Level reading date:	1981-09-14	Feet below surface:	Not Reported
Feet to sea level:	81.83	Note:	Not Reported
Level reading date:	1981-06-03	Feet below surface:	Not Reported
Feet to sea level:	84.46	Note:	Not Reported

Level reading date:	1981-03-13	Feet below surface:	Not Reported
Feet to sea level:	84.36	Note:	Not Reported
Level reading date:	1980-12-18	Feet below surface:	Not Reported
Feet to sea level:	85.28	Note:	Not Reported
Level reading date:	1980-09-04	Feet below surface:	Not Reported
Feet to sea level:	86.19	Note:	Not Reported
Level reading date:	1980-05-29	Feet below surface:	Not Reported
Feet to sea level:	88.01	Note:	Not Reported
Level reading date:	1980-03-19	Feet below surface:	Not Reported
Feet to sea level:	86.66	Note:	Not Reported
Level reading date:	1979-12-10	Feet below surface:	Not Reported
Feet to sea level:	87.58	Note:	Not Reported
Level reading date:	1979-09-14	Feet below surface:	Not Reported
Feet to sea level:	88.22	Note:	Not Reported
Level reading date:	1979-06-07	Feet below surface:	Not Reported
Feet to sea level:	90.00	Note:	Not Reported
Level reading date:	1948-07-19	Feet below surface:	Not Reported
Feet to sea level:	81.80	Note:	Not Reported
Level reading date:	1948-04-06	Feet below surface:	Not Reported
Feet to sea level:	79.43	Note:	Not Reported
Level reading date:	1947-10-24	Feet below surface:	Not Reported
Feet to sea level:	79.48	Note:	Not Reported
Level reading date:	1947-04-14	Feet below surface:	Not Reported
Feet to sea level:	80.40	Note:	Not Reported
Level reading date:	1946-09-25	Feet below surface:	Not Reported
Feet to sea level:	81.82	Note:	Not Reported
Level reading date:	1946-02-12	Feet below surface:	Not Reported
Feet to sea level:	82.10	Note:	Not Reported
Level reading date:	1945-07-11	Feet below surface:	Not Reported
Feet to sea level:	80.98	Note:	Not Reported
Level reading date:	1945-03-09	Feet below surface:	Not Reported
Feet to sea level:	80.68	Note:	Not Reported
Level reading date:	1944-05-09	Feet below surface:	Not Reported
Feet to sea level:	80.07	Note:	Not Reported
Level reading date:	1944-01-28	Feet below surface:	Not Reported
Feet to sea level:	78.68	Note:	Not Reported
Level reading date:	1943-05-27	Feet below surface:	Not Reported
Feet to sea level:	80.33	Note:	Not Reported
Level reading date:	1943-04-15	Feet below surface:	Not Reported
Feet to sea level:	80.07	Note:	Not Reported
Level reading date:	1943-04-06	Feet below surface:	Not Reported
Feet to sea level:	79.90	Note:	Not Reported

Level reading date:	1942-09-16	Feet below surface:	Not Reported
Feet to sea level:	78.87	Note:	Not Reported
Level reading date:	1941-11-19	Feet below surface:	Not Reported
Feet to sea level:	79.26	Note:	Not Reported
Level reading date:	1940-12-04	Feet below surface:	Not Reported
Feet to sea level:	81.40	Note:	Not Reported
Level reading date:	1940-10-09	Feet below surface:	Not Reported
Feet to sea level:	81.84	Note:	Not Reported
Level reading date:	1940-05-11	Feet below surface:	Not Reported
Feet to sea level:	82.39	Note:	Not Reported
Level reading date:	1940-04-26	Feet below surface:	Not Reported
Feet to sea level:	82.48	Note:	Not Reported
Level reading date:	1940-03-21	Feet below surface:	Not Reported
Feet to sea level:	82.61	Note:	Not Reported
Level reading date:	1938-10-13	Feet below surface:	Not Reported
Feet to sea level:	79.90	Note:	Not Reported

Q64
East **FED USGS** **USGS40000832094**
1/2 - 1 Mile
Higher

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 1214. 2	Type:	Well
Description:	OLD: N 1214. 1 196509 NEW: N 1214. 3 196509		
HUC:	02030202	Drainage Area:	Not Reported
Drainage Area Units:	Not Reported	Contrib Drainage Area:	Not Reported
Contrib Drainage Area Unts:	Not Reported		
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	77
Well Depth Units:	ft	Well Hole Depth:	77
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	40	Level reading date:	1965-06-09
Feet below surface:	Not Reported	Feet to sea level:	76.59
Note:	Not Reported		
Level reading date:	1965-03-16	Feet below surface:	Not Reported
Feet to sea level:	76.77	Note:	Not Reported
Level reading date:	1964-12-15	Feet below surface:	Not Reported
Feet to sea level:	78.43	Note:	Not Reported
Level reading date:	1964-06-25	Feet below surface:	Not Reported
Feet to sea level:	79.86	Note:	Not Reported
Level reading date:	1964-04-02	Feet below surface:	Not Reported
Feet to sea level:	80.23	Note:	Not Reported
Level reading date:	1963-12-23	Feet below surface:	Not Reported
Feet to sea level:	81.31	Note:	Not Reported

Level reading date:	1963-09-19	Feet below surface:	Not Reported
Feet to sea level:	81.67	Note:	Not Reported
Level reading date:	1963-06-28	Feet below surface:	Not Reported
Feet to sea level:	82.57	Note:	Not Reported
Level reading date:	1963-03-13	Feet below surface:	Not Reported
Feet to sea level:	83.95	Note:	Not Reported
Level reading date:	1962-12-03	Feet below surface:	Not Reported
Feet to sea level:	83.84	Note:	Not Reported
Level reading date:	1962-07-30	Feet below surface:	Not Reported
Feet to sea level:	84.13	Note:	Not Reported
Level reading date:	1962-03-19	Feet below surface:	Not Reported
Feet to sea level:	84.96	Note:	Not Reported
Level reading date:	1961-12-27	Feet below surface:	Not Reported
Feet to sea level:	84.19	Note:	Not Reported
Level reading date:	1961-10-17	Feet below surface:	Not Reported
Feet to sea level:	84.47	Note:	Not Reported
Level reading date:	1961-07-17	Feet below surface:	Not Reported
Feet to sea level:	84.64	Note:	Not Reported
Level reading date:	1960-12-02	Feet below surface:	Not Reported
Feet to sea level:	83.25	Note:	Not Reported
Level reading date:	1960-05-26	Feet below surface:	Not Reported
Feet to sea level:	82.45	Note:	Not Reported
Level reading date:	1959-10-19	Feet below surface:	Not Reported
Feet to sea level:	81.71	Note:	Not Reported
Level reading date:	1959-05-12	Feet below surface:	Not Reported
Feet to sea level:	83.02	Note:	Not Reported
Level reading date:	1958-12-02	Feet below surface:	Not Reported
Feet to sea level:	84.81	Note:	Not Reported
Level reading date:	1958-04-25	Feet below surface:	Not Reported
Feet to sea level:	83.41	Note:	Not Reported
Level reading date:	1957-07-26	Feet below surface:	Not Reported
Feet to sea level:	82.33	Note:	Not Reported
Level reading date:	1957-04-30	Feet below surface:	Not Reported
Feet to sea level:	83.27	Note:	Not Reported
Level reading date:	1956-11-29	Feet below surface:	Not Reported
Feet to sea level:	85.67	Note:	Not Reported
Level reading date:	1956-04-16	Feet below surface:	Not Reported
Feet to sea level:	86.46	Note:	Not Reported
Level reading date:	1955-12-02	Feet below surface:	Not Reported
Feet to sea level:	84.10	Note:	Not Reported
Level reading date:	1955-07-26	Feet below surface:	Not Reported
Feet to sea level:	81.58	Note:	Not Reported

Level reading date:	1955-04-06	Feet below surface:	Not Reported
Feet to sea level:	83.19	Note:	Not Reported
Level reading date:	1954-09-23	Feet below surface:	Not Reported
Feet to sea level:	83.14	Note:	Not Reported
Level reading date:	1954-04-23	Feet below surface:	Not Reported
Feet to sea level:	83.42	Note:	Not Reported
Level reading date:	1953-09-23	Feet below surface:	Not Reported
Feet to sea level:	84.25	Note:	Not Reported
Level reading date:	1953-03-28	Feet below surface:	Not Reported
Feet to sea level:	83.24	Note:	Not Reported
Level reading date:	1952-10-22	Feet below surface:	Not Reported
Feet to sea level:	81.67	Note:	Not Reported
Level reading date:	1952-06-18	Feet below surface:	Not Reported
Feet to sea level:	82.54	Note:	Not Reported
Level reading date:	1951-11-29	Feet below surface:	Not Reported
Feet to sea level:	77.56	Note:	Not Reported
Level reading date:	1951-05-18	Feet below surface:	Not Reported
Feet to sea level:	78.88	Note:	Not Reported
Level reading date:	1951-01-02	Feet below surface:	Not Reported
Feet to sea level:	77.83	Note:	Not Reported
Level reading date:	1950-09-04	Feet below surface:	Not Reported
Feet to sea level:	78.77	Note:	Not Reported
Level reading date:	1950-04-18	Feet below surface:	Not Reported
Feet to sea level:	79.65	Note:	Not Reported
Level reading date:	1950-02-18	Feet below surface:	Not Reported
Feet to sea level:	86.79	Note:	Not Reported

Q65
East
1/2 - 1 Mile
Higher

FED USGS **USGS40000832086**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 1214. 3	Type:	Well
Description:	OLD: N 1214. 2	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	85
Well Depth Units:	ft	Well Hole Depth:	85
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	77	Level reading date:	1982-03-18
Feet below surface:	Not Reported	Feet to sea level:	80.89
Note:	Not Reported		
Level reading date:	1982-01-08	Feet below surface:	Not Reported

Feet to sea level:	82.52	Note:	Not Reported
Level reading date:	1981-09-14	Feet below surface:	Not Reported
Feet to sea level:	81.83	Note:	Not Reported
Level reading date:	1981-06-03	Feet below surface:	Not Reported
Feet to sea level:	84.46	Note:	Not Reported
Level reading date:	1981-03-13	Feet below surface:	Not Reported
Feet to sea level:	84.36	Note:	Not Reported
Level reading date:	1980-12-18	Feet below surface:	Not Reported
Feet to sea level:	85.28	Note:	Not Reported
Level reading date:	1980-09-04	Feet below surface:	Not Reported
Feet to sea level:	86.19	Note:	Not Reported
Level reading date:	1980-05-29	Feet below surface:	Not Reported
Feet to sea level:	88.01	Note:	Not Reported
Level reading date:	1980-03-19	Feet below surface:	Not Reported
Feet to sea level:	86.66	Note:	Not Reported
Level reading date:	1979-12-10	Feet below surface:	Not Reported
Feet to sea level:	87.58	Note:	Not Reported
Level reading date:	1979-09-14	Feet below surface:	Not Reported
Feet to sea level:	88.22	Note:	Not Reported
Level reading date:	1979-06-07	Feet below surface:	Not Reported
Feet to sea level:	90.00		
Note:	A nearby site that taps the same aquifer had been pumped recently.		
Level reading date:	1979-05-24	Feet below surface:	Not Reported
Feet to sea level:	89.96	Note:	Not Reported
Level reading date:	1979-04-19	Feet below surface:	Not Reported
Feet to sea level:	88.56	Note:	Not Reported
Level reading date:	1979-03-21	Feet below surface:	Not Reported
Feet to sea level:	88.08	Note:	Not Reported
Level reading date:	1979-03-12	Feet below surface:	Not Reported
Feet to sea level:	86.68	Note:	Not Reported
Level reading date:	1978-12-27	Feet below surface:	Not Reported
Feet to sea level:	86.33	Note:	Not Reported
Level reading date:	1978-12-06	Feet below surface:	Not Reported
Feet to sea level:	85.32	Note:	Not Reported
Level reading date:	1978-11-20	Feet below surface:	Not Reported
Feet to sea level:	84.84	Note:	Not Reported
Level reading date:	1978-10-23	Feet below surface:	Not Reported
Feet to sea level:	85.36	Note:	Not Reported
Level reading date:	1978-09-26	Feet below surface:	Not Reported
Feet to sea level:	85.33	Note:	Not Reported
Level reading date:	1978-09-15	Feet below surface:	Not Reported
Feet to sea level:	85.55	Note:	Not Reported

Level reading date:	1978-08-23	Feet below surface:	Not Reported
Feet to sea level:	86.29	Note:	Not Reported
Level reading date:	1978-07-28	Feet below surface:	Not Reported
Feet to sea level:	85.37	Note:	Not Reported
Level reading date:	1978-06-27	Feet below surface:	Not Reported
Feet to sea level:	85.81	Note:	Not Reported
Level reading date:	1978-06-07	Feet below surface:	Not Reported
Feet to sea level:	86.59	Note:	Not Reported
Level reading date:	1978-05-31	Feet below surface:	Not Reported
Feet to sea level:	87.01	Note:	Not Reported
Level reading date:	1978-03-28	Feet below surface:	Not Reported
Feet to sea level:	86.63	Note:	Not Reported
Level reading date:	1977-12-21	Feet below surface:	Not Reported
Feet to sea level:	82.58	Note:	Not Reported
Level reading date:	1977-09-07	Feet below surface:	Not Reported
Feet to sea level:	80.62	Note:	Not Reported
Level reading date:	1977-06-13	Feet below surface:	Not Reported
Feet to sea level:	82.79	Note:	Not Reported
Level reading date:	1977-03-30	Feet below surface:	Not Reported
Feet to sea level:	83.39	Note:	Not Reported
Level reading date:	1976-12-08	Feet below surface:	Not Reported
Feet to sea level:	84.18	Note:	Not Reported
Level reading date:	1976-09-08	Feet below surface:	Not Reported
Feet to sea level:	84.13	Note:	Not Reported
Level reading date:	1976-06-10	Feet below surface:	Not Reported
Feet to sea level:	85.66	Note:	Not Reported
Level reading date:	1976-03-11	Feet below surface:	Not Reported
Feet to sea level:	85.88	Note:	Not Reported
Level reading date:	1975-12-17	Feet below surface:	Not Reported
Feet to sea level:	83.08	Note:	Not Reported
Level reading date:	1975-09-08	Feet below surface:	Not Reported
Feet to sea level:	82.81	Note:	Not Reported
Level reading date:	1975-06-11	Feet below surface:	Not Reported
Feet to sea level:	83.54	Note:	Not Reported
Level reading date:	1975-03-21	Feet below surface:	Not Reported
Feet to sea level:	82.40	Note:	Not Reported
Level reading date:	1975-01-13	Feet below surface:	Not Reported
Feet to sea level:	82.86	Note:	Not Reported
Level reading date:	1974-09-18	Feet below surface:	Not Reported
Feet to sea level:	81.69	Note:	Not Reported
Level reading date:	1974-06-17	Feet below surface:	Not Reported
Feet to sea level:	82.34	Note:	Not Reported

Level reading date:	1974-03-28	Feet below surface:	Not Reported
Feet to sea level:	83.94	Note:	Not Reported
Level reading date:	1973-12-04	Feet below surface:	Not Reported
Feet to sea level:	82.94	Note:	Not Reported
Level reading date:	1973-09-21	Feet below surface:	Not Reported
Feet to sea level:	84.31	Note:	Not Reported
Level reading date:	1973-06-13	Feet below surface:	Not Reported
Feet to sea level:	83.66	Note:	Not Reported
Level reading date:	1973-03-22	Feet below surface:	Not Reported
Feet to sea level:	82.36	Note:	Not Reported
Level reading date:	1972-12-22	Feet below surface:	Not Reported
Feet to sea level:	80.73	Note:	Not Reported
Level reading date:	1972-09-07	Feet below surface:	Not Reported
Feet to sea level:	78.16	Note:	Not Reported
Level reading date:	1972-06-12	Feet below surface:	Not Reported
Feet to sea level:	77.42	Note:	Not Reported
Level reading date:	1972-03-22	Feet below surface:	Not Reported
Feet to sea level:	77.24	Note:	Not Reported
Level reading date:	1971-12-23	Feet below surface:	Not Reported
Feet to sea level:	77.16	Note:	Not Reported
Level reading date:	1971-10-04	Feet below surface:	Not Reported
Feet to sea level:	77.02	Note:	Not Reported
Level reading date:	1971-07-19	Feet below surface:	Not Reported
Feet to sea level:	77.04	Note:	Not Reported
Level reading date:	1971-03-29	Feet below surface:	Not Reported
Feet to sea level:	78.44	Note:	Not Reported
Level reading date:	1970-12-16	Feet below surface:	Not Reported
Feet to sea level:	78.11	Note:	Not Reported
Level reading date:	1970-09-22	Feet below surface:	Not Reported
Feet to sea level:	77.38	Note:	Not Reported
Level reading date:	1970-06-18	Feet below surface:	Not Reported
Feet to sea level:	78.61	Note:	Not Reported
Level reading date:	1970-03-10	Feet below surface:	Not Reported
Feet to sea level:	77.46	Note:	Not Reported
Level reading date:	1970-01-29	Feet below surface:	Not Reported
Feet to sea level:	76.36	Note:	Not Reported
Level reading date:	1969-09-23	Feet below surface:	Not Reported
Feet to sea level:	75.61	Note:	Not Reported
Level reading date:	1969-07-11	Feet below surface:	Not Reported
Feet to sea level:	74.67	Note:	Not Reported
Level reading date:	1969-04-18	Feet below surface:	Not Reported
Feet to sea level:	74.60	Note:	Not Reported

Level reading date:	1969-01-28	Feet below surface:	Not Reported
Feet to sea level:	73.83	Note:	Not Reported
Level reading date:	1968-09-27	Feet below surface:	Not Reported
Feet to sea level:	72.66	Note:	Not Reported
Level reading date:	1968-06-26	Feet below surface:	Not Reported
Feet to sea level:	73.91	Note:	Not Reported
Level reading date:	1968-04-18	Feet below surface:	Not Reported
Feet to sea level:	73.83	Note:	Not Reported
Level reading date:	1967-12-18	Feet below surface:	Not Reported
Feet to sea level:	74.53	Note:	Not Reported
Level reading date:	1967-10-06	Feet below surface:	Not Reported
Feet to sea level:	73.16	Note:	Not Reported
Level reading date:	1967-07-19	Feet below surface:	Not Reported
Feet to sea level:	73.04	Note:	Not Reported
Level reading date:	1967-04-19	Feet below surface:	Not Reported
Feet to sea level:	73.21	Note:	Not Reported
Level reading date:	1967-01-03	Feet below surface:	Not Reported
Feet to sea level:	72.41	Note:	Not Reported
Level reading date:	1966-09-28	Feet below surface:	Not Reported
Feet to sea level:	73.39	Note:	Not Reported
Level reading date:	1966-06-07	Feet below surface:	Not Reported
Feet to sea level:	73.56	Note:	Not Reported
Level reading date:	1966-03-03	Feet below surface:	Not Reported
Feet to sea level:	75.08	Note:	Not Reported
Level reading date:	1965-12-03	Feet below surface:	Not Reported
Feet to sea level:	74.16	Note:	Not Reported

P66
WSW
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200058396**

WELLS REG 1:

Well Number:	N003964	Well Type:	Cooling (Commercial/Industrial)
Owner:	Matalah Equipment Corp.	Diameter (in):	6
Well Depth (ft):	103	Casing Length (ft):	93
Screen Length (ft):	10	Pump Capacity (gpm):	100

67
WSW
1/2 - 1 Mile
Lower

FED USGS **USGS40000831879**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10314. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported

Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	64
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

R68
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831615**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 6193. 2	Type:	Well
Description:	OLD: N 6193. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	472
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	4	Level reading date:	1986-04-17
Feet below surface:	Not Reported	Feet to sea level:	72.12
Note:	Not Reported		

Level reading date:	1986-03-05	Feet below surface:	Not Reported
Feet to sea level:	72.78	Note:	Not Reported

Level reading date:	1973-03-20	Feet below surface:	Not Reported
Feet to sea level:	76.61	Note:	Not Reported

Level reading date:	1964-12-29	Feet below surface:	Not Reported
Feet to sea level:	72.01	Note:	Not Reported

R69
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831616**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 6193. 1	Type:	Well
Description:	NEW: N 6193. 2 195806	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	737	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

70
SE
1/2 - 1 Mile
Lower | **FED USGS** | **USGS40000831714**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 10589. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	76
Well Depth Units:	ft	Well Hole Depth:	76
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	39	Level reading date:	1989-08-30
Feet below surface:	Not Reported	Feet to sea level:	73.71
Note:	Not Reported		

Level reading date:	1989-07-24	Feet below surface:	Not Reported
Feet to sea level:	73.59	Note:	Not Reported
Level reading date:	1989-06-27	Feet below surface:	Not Reported
Feet to sea level:	72.74	Note:	Not Reported
Level reading date:	1989-05-19	Feet below surface:	Not Reported
Feet to sea level:	70.40	Note:	Not Reported
Level reading date:	1989-04-26	Feet below surface:	Not Reported
Feet to sea level:	69.79	Note:	Not Reported
Level reading date:	1989-03-22	Feet below surface:	Not Reported
Feet to sea level:	69.96	Note:	Not Reported
Level reading date:	1989-02-28	Feet below surface:	Not Reported
Feet to sea level:	70.17	Note:	Not Reported
Level reading date:	1989-01-25	Feet below surface:	Not Reported
Feet to sea level:	70.42	Note:	Not Reported
Level reading date:	1988-12-29	Feet below surface:	Not Reported
Feet to sea level:	70.24	Note:	Not Reported
Level reading date:	1988-11-30	Feet below surface:	Not Reported
Feet to sea level:	69.67	Note:	Not Reported
Level reading date:	1988-10-14	Feet below surface:	Not Reported
Feet to sea level:	68.91	Note:	Not Reported
Level reading date:	1988-09-14	Feet below surface:	Not Reported
Feet to sea level:	69.09	Note:	Not Reported
Level reading date:	1988-08-09	Feet below surface:	Not Reported
Feet to sea level:	69.39	Note:	Not Reported
Level reading date:	1988-07-07	Feet below surface:	Not Reported
Feet to sea level:	69.96	Note:	Not Reported

Level reading date:	1988-06-02	Feet below surface:	Not Reported
Feet to sea level:	70.88	Note:	Not Reported
Level reading date:	1988-05-05	Feet below surface:	Not Reported
Feet to sea level:	71.17	Note:	Not Reported
Level reading date:	1988-04-11	Feet below surface:	Not Reported
Feet to sea level:	71.36	Note:	Not Reported
Level reading date:	1988-03-11	Feet below surface:	Not Reported
Feet to sea level:	71.39	Note:	Not Reported
Level reading date:	1988-02-11	Feet below surface:	Not Reported
Feet to sea level:	71.26	Note:	Not Reported
Level reading date:	1988-01-22	Feet below surface:	Not Reported
Feet to sea level:	71.16	Note:	Not Reported
Level reading date:	1987-12-16	Feet below surface:	Not Reported
Feet to sea level:	70.16	Note:	Not Reported
Level reading date:	1987-11-16	Feet below surface:	Not Reported
Feet to sea level:	70.99	Note:	Not Reported
Level reading date:	1987-10-15	Feet below surface:	Not Reported
Feet to sea level:	71.02	Note:	Not Reported
Level reading date:	1987-09-16	Feet below surface:	Not Reported
Feet to sea level:	71.13	Note:	Not Reported
Level reading date:	1987-08-18	Feet below surface:	Not Reported
Feet to sea level:	71.56	Note:	Not Reported
Level reading date:	1987-07-28	Feet below surface:	Not Reported
Feet to sea level:	72.07	Note:	Not Reported
Level reading date:	1987-07-22	Feet below surface:	Not Reported
Feet to sea level:	72.16	Note:	Not Reported
Level reading date:	1987-06-23	Feet below surface:	Not Reported
Feet to sea level:	72.72	Note:	Not Reported
Level reading date:	1987-05-20	Feet below surface:	Not Reported
Feet to sea level:	73.52	Note:	Not Reported
Level reading date:	1987-04-16	Feet below surface:	Not Reported
Feet to sea level:	73.52	Note:	Not Reported
Level reading date:	1987-03-19	Feet below surface:	Not Reported
Feet to sea level:	73.44	Note:	Not Reported
Level reading date:	1987-02-19	Feet below surface:	Not Reported
Feet to sea level:	73.16	Note:	Not Reported
Level reading date:	1987-01-12	Feet below surface:	Not Reported
Feet to sea level:	72.65	Note:	Not Reported
Level reading date:	1986-12-16	Feet below surface:	Not Reported
Feet to sea level:	72.24	Note:	Not Reported
Level reading date:	1986-11-25	Feet below surface:	Not Reported
Feet to sea level:	71.75	Note:	Not Reported

Level reading date:	1986-11-03	Feet below surface:	Not Reported
Feet to sea level:	71.33	Note:	Not Reported
Level reading date:	1986-09-23	Feet below surface:	Not Reported
Feet to sea level:	71.53	Note:	Not Reported
Level reading date:	1986-08-29	Feet below surface:	Not Reported
Feet to sea level:	72.08	Note:	Not Reported
Level reading date:	1986-07-25	Feet below surface:	Not Reported
Feet to sea level:	72.45	Note:	Not Reported

R71
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831612**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 6192. 1	Type:	Well
Description:	NEW: N 6192. 2 195806	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	657	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

R72
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831613**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9180. 1	Type:	Well
Description:	NEW: N 9180. 2 197711	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	700	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

---

R73
SSE
1/2 - 1 Mile
Lower

FED USGS **USGS40000831614**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 9180. 2	Type:	Well
Description:	OLD: N 9180. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	635
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	1	Level reading date:	1986-04-17
Feet below surface:	Not Reported	Feet to sea level:	61.09
Note:	Not Reported		

74
East
1/2 - 1 Mile
Higher

FED USGS **USGS40000832150**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 1481. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	77
Well Depth Units:	ft	Well Hole Depth:	77
Well Hole Depth Units:	ft		

Ground water levels,Number of Measurements:	28	Level reading date:	1958-04-25
Feet below surface:	Not Reported	Feet to sea level:	83.91
Note:	Not Reported		

Level reading date:	1957-05-08	Feet below surface:	Not Reported
Feet to sea level:	84.44	Note:	Not Reported
Level reading date:	1956-11-29	Feet below surface:	Not Reported
Feet to sea level:	83.82	Note:	Not Reported
Level reading date:	1956-04-16	Feet below surface:	Not Reported
Feet to sea level:	84.52	Note:	Not Reported
Level reading date:	1955-12-02	Feet below surface:	Not Reported
Feet to sea level:	85.81	Note:	Not Reported
Level reading date:	1955-07-26	Feet below surface:	Not Reported
Feet to sea level:	83.33	Note:	Not Reported
Level reading date:	1955-06-09	Feet below surface:	Not Reported
Feet to sea level:	83.90	Note:	Not Reported
Level reading date:	1953-09-23	Feet below surface:	Not Reported
Feet to sea level:	86.08	Note:	Not Reported
Level reading date:	1953-03-28	Feet below surface:	Not Reported
Feet to sea level:	84.81	Note:	Not Reported
Level reading date:	1952-10-22	Feet below surface:	Not Reported
Feet to sea level:	83.60	Note:	Not Reported
Level reading date:	1952-06-18	Feet below surface:	Not Reported
Feet to sea level:	83.24	Note:	Not Reported
Level reading date:	1951-11-29	Feet below surface:	Not Reported
Feet to sea level:	79.74	Note:	Not Reported
Level reading date:	1951-05-18	Feet below surface:	Not Reported
Feet to sea level:	80.90	Note:	Not Reported

Level reading date:	1951-01-08	Feet below surface:	Not Reported
Feet to sea level:	80.11	Note:	Not Reported
Level reading date:	1950-09-04	Feet below surface:	Not Reported
Feet to sea level:	80.87	Note:	Not Reported
Level reading date:	1950-04-18	Feet below surface:	Not Reported
Feet to sea level:	81.67	Note:	Not Reported
Level reading date:	1949-11-04	Feet below surface:	Not Reported
Feet to sea level:	85.25	Note:	Not Reported
Level reading date:	1949-06-16	Feet below surface:	Not Reported
Feet to sea level:	84.66	Note:	Not Reported
Level reading date:	1949-01-10	Feet below surface:	Not Reported
Feet to sea level:	82.40	Note:	Not Reported
Level reading date:	1948-07-19	Feet below surface:	Not Reported
Feet to sea level:	82.45	Note:	Not Reported
Level reading date:	1948-04-06	Feet below surface:	Not Reported
Feet to sea level:	80.46	Note:	Not Reported
Level reading date:	1947-10-24	Feet below surface:	Not Reported
Feet to sea level:	79.79	Note:	Not Reported
Level reading date:	1947-04-12	Feet below surface:	Not Reported
Feet to sea level:	81.10	Note:	Not Reported
Level reading date:	1946-09-27	Feet below surface:	Not Reported
Feet to sea level:	82.23	Note:	Not Reported
Level reading date:	1946-02-12	Feet below surface:	Not Reported
Feet to sea level:	81.23	Note:	Not Reported
Level reading date:	1945-07-11	Feet below surface:	Not Reported
Feet to sea level:	81.43	Note:	Not Reported
Level reading date:	1945-03-09	Feet below surface:	Not Reported
Feet to sea level:	81.54	Note:	Not Reported
Level reading date:	1944-05-01	Feet below surface:	Not Reported
Feet to sea level:	81.23	Note:	Not Reported

S75
SE
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200055925**

WELLS REG 1:

Well Number:	N007120	Well Type:	Cooling (Commercial/Industrial)
Owner:	Sonic Recording Products Inc.	Diameter (in):	8
Well Depth (ft):	120	Casing Length (ft):	Not Reported
Screen Length (ft):	16	Pump Capacity (gpm):	150

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation | Database | EDR ID Number

S76
SE
1/2 - 1 Mile
Lower

NY WELLS **NYREG1200056033**

WELLS REG 1:

Well Number:	N006996	Well Type:	Cooling (Commercial/Industrial)
Owner:	Sonic Recording Products Inc.	Diameter (in):	8
Well Depth (ft):	120	Casing Length (ft):	Not Reported
Screen Length (ft):	11	Pump Capacity (gpm):	150

T77
WNW
1/2 - 1 Mile
Lower

FED USGS **USGS40000832273**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 3878. 2	Type:	Well
Description:	OLD: N 3878. 1	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Magothy Aquifer	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	428
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

Ground water levels,Number of Measurements:	3	Level reading date:	1985-04-18
Feet below surface:	Not Reported	Feet to sea level:	-68.53
Note:	Not Reported		

Level reading date:	1985-04-18	Feet below surface:	Not Reported
Feet to sea level:	-68.53	Note:	Not Reported

Level reading date:	1961-02-15	Feet below surface:	Not Reported
Feet to sea level:	-68.80	Note:	Not Reported

T78
WNW
1/2 - 1 Mile
Lower

FED USGS **USGS40000832274**

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 3878. 1	Type:	Well
Description:	NEW: N 3878. 2 195210	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Not Reported	Formation Type:	Not Reported
Aquifer Type:	Not Reported	Construction Date:	Not Reported
Well Depth:	606	Well Depth Units:	ft
Well Hole Depth:	Not Reported	Well Hole Depth Units:	Not Reported

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS

Map ID
Direction
Distance
Elevation

Database	EDR ID Number
FED USGS	**USGS40000831775**

S79
SE
1/2 - 1 Mile
Lower

Organization ID:	USGS-NY	Organization Name:	USGS New York Water Science Center
Monitor Location:	N 6996. 1	Type:	Well
Description:	Not Reported	HUC:	02030202
Drainage Area:	Not Reported	Drainage Area Units:	Not Reported
Contrib Drainage Area:	Not Reported	Contrib Drainage Area Unts:	Not Reported
Aquifer:	Northern Atlantic Coastal Plain aquifer system		
Formation Type:	Glacial Aquifer, Upper	Aquifer Type:	Not Reported
Construction Date:	Not Reported	Well Depth:	120
Well Depth Units:	ft	Well Hole Depth:	Not Reported
Well Hole Depth Units:	Not Reported		

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: NY Radon

Radon Test Results

County	Town	Num Tests	Avg Result	Geo Mean	Max Result
NASSAU	GLEN COVE	6	2.53	2.15	5.5
NASSAU	HEMPSTEAD	350	1.19	0.86	8.3
NASSAU	LONG BEACH (CITY DESIGNATION)	2	0.25	0.2	0.4
NASSAU	N. HEMPSTEAD	164	1.61	1.2	7.5
NASSAU	OYSTER BAY	208	1.77	1.2	13.9

Federal EPA Radon Zone for NASSAU County: 3

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for NASSAU COUNTY, NY

Number of sites tested: 226

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.640 pCi/L	98%	2%	0%
Basement	1.100 pCi/L	98%	2%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data was obtained from the Federal Emergency Management Agency (FEMA). It depicts 100-year and 500-year flood zones as defined by FEMA. It includes the National Flood Hazard Layer (NFHL) which incorporates Flood Insurance Rate Map (FIRM) data and Q3 data from FEMA in areas not covered by NFHL.
Source: FEMA
Telephone: 877-336-2627
Date of Government Version: 2003, 2015

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005, 2010 and 2015 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands
Source: Department of Environmental Conservation
Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^{R} Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells
Source: New York Department of Health
Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database
Source: Department of Environmental Conservation
Telephone: 518-402-8072
These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon
Source: Department of Health
Telephone: 518-402-7556
Radon Test Results

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

Appendix H Nassau County Fire Marshal FOIL Information

Fasciani, Rich

From: do-not-reply@nassaucountyny.gov
Sent: Friday, April 12, 2024 8:30 AM
To: Fasciani, Rich
Subject: [EXT] Nassau County FOIL - The Fire Commission - Hazardous Materials Division Department does not have records pertaining to your FOIL Request - DO NOT REPLY

EXTERNAL EMAIL

Nassau County FOIL Request
Fire Commission - Hazardous Materials Division

Dear **Richard Fasciani**,

Regarding your Freedom of Information Law ("FOIL") request (Reference # 343390):

Please be advised that this Office has diligently searched our records and have not found any documents responsive to your request.

If you believe this request was improperly denied or the response is incomplete you have the right to appeal.

Appeals must be submitted in writing within thirty (30) days to the FOIL Appeals Officer, located at 1 West Street, Mineola, N 11501. See Public Officers Law • 89(4)(a). Please include a copy of this response along with a copy of your original request with your appeal.

Thank you.

Nassau County
https://www.nassaucountyny.gov/

Fasciani, Rich

From: do-not-reply@nassaucountyny.gov
Sent: Tuesday, October 15, 2024 8:47 AM
To: Fasciani, Rich
Subject: [EXT] Nassau County FOIL - The Fire Commission - Hazardous Materials Division Department does not have records pertaining to your FOIL Request - DO NOT REPLY

EXTERNAL EMAIL

Nassau County FOIL Request
Fire Commission - Hazardous Materials Division

Dear **Richard Fasciani**,

Regarding your Freedom of Information Law ("FOIL") request (Reference # 357600):

Please be advised that this Office has diligently searched our records and have not found any documents responsive to your request.

If you believe this request was improperly denied or the response is incomplete you have the right to appeal.

Appeals must be submitted in writing within thirty (30) days to the FOIL Appeals Officer, located at 1 West Street, Mineola, N 11501. See Public Officers Law • 89(4)(a). Please include a copy of this response along with a copy of your original request with your appeal.

Thank you.

Nassau County
https://www.nassaucountyny.gov/

CONFIDENTIALITY NOTICE: This transmission (including any attachments) may contain confidential information, privileged material (including material protected by the attorney-client or other applicable privileges), or constitute non-public information. Any use of this information by anyone other than the intended recipient is prohibited. If you have received this transmission in error, please immediately reply to the sender and delete this information from your system. Use, dissemination, distribution, or reproduction of this transmission by unintended recipients is not authorized and may be unlawful.

Fasciani, Rich

From: do-not-reply@nassaucountyny.gov
Sent: Tuesday, October 15, 2024 11:16 AM
To: Fasciani, Rich
Subject: [EXT] Nassau County FOIL - Your FOIL request has been acknowledged - DO NOT REPLY

EXTERNAL EMAIL

Nassau County FOIL Request
Health

The Health department has received your Freedom of Information Law ("FOIL") request dated (Reference # 357580).

Please be advised that your request is being reviewed to determine if the records you request are available and subject to th FOIL.

You should receive a response within twenty (20) business days.

Thank you.

Nassau County
https://www.nassaucountyny.gov/

CONFIDENTIALITY NOTICE: This transmission (including any attachments) may contain confidential information, privileged material (including material protected by the attorney-client or other applicable privileges), or constitute non-public information. Any use of this information by anyone other than the intended recipient is prohibited. If you have received this transmission in error, please immediately reply to the sender and delete this information from your system. Use, dissemination, distribution, or reproduction of this transmission by unintended recipients is not authorized and may be unlawful.

Appendix I Site Photographs



Photo 1. View of the three-story bank building at 20 Jerusalem Avenue, and associated parking lots. View facing northeast.



Photo 2. View of the single-story deli and laundromat located on the 40 Jerusalem Avenue portion. View facing southwest.



Photo 3. Another view of the single-story deli and laundromat located at 40 Jerusalem Avenue. View facing northwest from across Jerusalem Avenue.




Photo 4. Another view of the parking lot associated with 20 Jerusalem Avenue. View facing west.



Photo 5. Another view of the parking lot associated with the 20 Jerusalem Avenue building. View facing east.



Photo 6. Typical on-site stormwater dry well.



GEI Consultants

Phase II Environmental

Subsurface Investigation

40 Jerusalem Avenue, Hicksville, NY 11801

Submitted to:
Mr. Anthony Bartone
Terwilliger & Bartone Properties
141 Merritts Road, 2nd Floor
Farmingdale, NY 11735

Submitted by:
GEI Consultants, Inc. DBA GEI Consultants Engineering,
Geology, Architecture & Landscape Architecture
1000 New York Avenue, Ste. B
Huntington Station, NY 11746
631.760.9300

March 24, 2025
Project No. 2408313



Richard Fasciani
Project Scientist

Stephan Tauss, P.G.
Senior Project Manager

Table of Contents

1. Introduction 1
1.1. Site Description 1
1.2. Site History 1
1.3. Phase I Environmental Site Assessment 1
1.4. Limitations and Exceptions 2
2. Scope of Work 3
2.1. Geophysical Investigation 3
2.2. Soil Boring Installation and Sampling 3
2.3. Groundwater Monitoring Well Installation, Development, and Sampling 4
2.4. Soil Vapor Sampling 4
2.5. Laboratory Analysis 4
2.6. Health and Safety Plan 5
3. Findings 6
3.1. Lithology and Hydrogeology 6
3.2. Geophysical Investigation and Survey 6
3.3. Analytical Results 6
3.3.1. Equipment Dry Well Soil Analytical Results 6
3.3.2. Stormwater Dry Wells 7
3.3.3. Underground Storage Tank Anomaly 7
3.3.4. Soil Vapor Analytical Results 8
3.3.5. Groundwater Analytical Results 9
4. Conclusions and Recommendations 10
4.1. Conclusions 10
4.2. Recommendations 11

Tables

Table 1. Soil Analytical Results
Table 2. Soil Vapor Analytical Results
Table 3. Groundwater Analytical Results

Figures

Figure 1. Site Location Map
Figure 2. Historical 1966 Site Drainage Plan
Figure 3. Sample Location Map

Appendices

Appendix A Soil Boring Logs
Appendix B Photographs
Appendix C Laboratory Analytical Reports

RF/ST:ag
B:\Working\TERWILLIGER & BARTONE PROP\2408313 Phase II ESA 40 Jerusalem Ave\02_PM\GEI_Phase II ESI-40 Jerusalem Avenue 2025-03-24.docx

1. Introduction

GEI Consultants, Inc. DBA GEI Consultants Engineering, Geology, Architecture & Landscape Architecture (GEI) was retained by Terwilliger & Bartone Properties to perform a Phase II Environmental Site Investigation (ESI) for the property located at 40 Jerusalem Avenue, in Hicksville, New York (the Site). The Site is located in Nassau County and the tax parcel numbers are Section 11, Block 179, Lot Numbers 102, 103, and 104. The Site location is shown on Figure 1.

The scope of work was prepared to investigate the identified recognized environmental conditions (RECs) outlined in the Phase I ESA and described below in Section 2.

1.1. Site Description

The Site is approximately 9,500 square feet and is improved with an approximate 3,600 square-foot rectangular shaped one-story masonry and wood framed building structure (without basement). Half the building is used as a delicatessen and the other half is occupied by a laundromat business. This structure is located on the middle/western half the Site. Portions of the Site not occupied by the building consist of an asphalt parking area located behind the building on the west side of the Site and an asphalt parking area located on the east side in front of the building. There is a small asphalt walkway along the northern side of the building and property line. The building abuts the southern property line.

The elevation of the Site is approximately 150-feet above mean sea level (msl) and the topography is predominantly flat and level with surrounding streets. Additionally, the overall surrounding area appears to slope gently in a southerly direction. Based on monitoring well information obtained from this Phase II ESI, the depth to groundwater is approximately 65 feet below ground surface (bgs). Groundwater is presumed to follow the topographic gradient and flow in a southern direction.

1.2. Site History

GEI's review of available historical information indicates that the Site was originally occupied by a residential dwelling that existed on the Site as early as 1926. This dwelling was demolished in 1966 for the development of the current 1-story structure.

Identified uses for the Site include a dry-cleaning business, a flooring retail business, a laundromat, and food type businesses (i.e., bagel store and a delicatessen). It is noted that the bagel store and delicatessen are the current business occupying the building.

1.3. Phase I Environmental Site Assessment

GEI completed a Phase I ESA on behalf of Terwilliger & Bartone Properties on October 24, 2024. The following RECs were identified:

- **Historical Underground Storage Tank (UST):** Historical records indicated that the building had a 1,000-gallon fuel oil UST that was closed in place in 1994. It is assumed that this UST was

installed when the building was constructed in 1966. No testing or closure information concerning this UST was obtained or provided to GEI. The lack of testing or closure information is considered a REC. It is noted that GEI filed a Freedom of Information request to the Nassau County Department of Health (NCDOH) to obtain archived records in hopes of acquiring information regarding UST location. As of this writing, this information has not been made available.

- **Historical Cesspools and Equipment Dry Wells:** Historically, a 1966 Site Drainage Plan (Figure 2) depicts the Site building as having a cesspool in the front of the building and three equipment dry wells which appear to be connected to the building. It is noted that the term "Equipment Dry Well" is how it is referred to on the Drainage Plan. These appear to be drainage system that received effluent from the building. The actual date the septic system was closed, and the date the property was connected to the municipal sewer system is unknown.
- **Stormwater Dry Wells:** Two open grate stormwater dry wells exist on the Site. Stormwater dry wells are often impacted by automotive lubricants and fluids, tire particles, degrading asphalt, and parking lot sealants. These stormwater dry wells represent a REC.
- **Historical Dry-Cleaning Operations:** Historically, the building had been operating as a dry-cleaning business since 1966 when it was constructed. The duration of this original dry-cleaning operation is unknown; however, telephone directory information depicted a dry-cleaning business to be associated with the Site in the late 1980s. Dry cleaning operations typically involve the storage and use of significant quantities of dry-cleaning solvents, including perchloroethylene. In addition, dry cleaning operations typically generate significant quantities of waste dry cleaning solvents. Therefore, the historical dry-cleaning use represents a REC.

1.4. Limitations and Exceptions

This Phase II ESI was prepared in general accordance with an Agreement between Terwilliger & Bartone Properties and GEI, dated October 31, 2024, and authorized on November 4, 2024. This Phase II ESI was conducted to further investigate the RECs identified during the Phase I ESA.

It should be noted that the historic 1966 Site Plan previously mentioned depicted a cesspool and three equipment dry wells; however, while performing the ground penetrating radar (GPR) survey, the cesspool was not identified in the area depicted on the Site Plan. Therefore, no soil sample was collected in that area.

2. Scope of Work

GEI conducted all Phase II field investigation activities at the Site on November 21, 2024. This section provides a description of the activities performed and the methods used for conducting the fieldwork.

2.1. Geophysical Investigation

Prior to intrusive field activities, a geophysical and magnetometer survey was performed by Clean Globe Environmental LLC (Clean Globe) of Brentwood, New York to identify and determine the locations of underground features and subsurface utilities present at the Site. GEI was present during the geophysical survey. The survey area included all open and accessible areas of the exterior portion of the Site, as shown on Figures 2 and 3.

The geophysical and magnetometer survey was completed with a Geophysical Survey Systems Inc. SIR-4000 cart-mounted GPR unit with an 810 Mhz antenna, a Radio detection RD8000 precision utility locator, and a Fisher M-Scope TW-6 pipe and cable locator using inductive mode tracing.

2.2. Soil Boring Installation and Sampling

A total of five soil borings (SB-1 through SB-5) were installed in the stormwater dry wells (DW-1 and DW-2) at the Site by Clean Globe, utilizing using a Geoprobe® track-mounted 7822DT direct-push drill rig and a hand auger. The locations of the soil boring and stormwater dry well sample locations are shown on Figure 3.

Soil boring locations were selected based on information obtained from the Phase I ESA, results from the GPR survey, and field observations. SB-1, SB-2, and SB-3 were installed in the vicinity of the three equipment dry wells. It is noted that a shallow (7’ to 8’) and deeper soil sample (14’ to 15’) was obtained from the equipment dry well locations (SB-1 through SB-3) to provide information regarding vertical extent of contamination/impacts (if any).

SB-4 and SB-5 were obtained approximately 1-foot from the east and west sides of the anomaly believed to be the UST that was closed in place in 1994, to a depth of 10 feet bgs.

Sample DW-1 was collected from the first 12 inches from the bottom of the stormwater dry well located on the eastern side of the Site and sample DW-2 was collected from the first 12 inches from the bottom of the stormwater dry well on the western side of the Site. The bottom depth of each stormwater dry well was approximately 8-feet bgs.

Soil samples were logged by a GEI geologist who recorded geologic data, observations regarding moisture content, the results of photoionization detector (PID) soil headspace readings, and visual and olfactory observations regarding the presence of a staining, sheen, discoloration or odors that may be indicative of the presence of hydrocarbons or other contaminant residuals. Soil boring logs are included in Appendix A and photographs taken during the investigation are presented in Appendix B.

2.3. Groundwater Monitoring Well Installation, Development, and Sampling

A temporary groundwater monitoring well (GW-1), constructed with 10-foot screen, was installed to an approximate depth of 65 feet bgs using the truck-mounted drill rig. As stated previously, groundwater is presumed to follow the topographic gradient and flow in a southerly direction. The groundwater sample was collected on the presumed downgradient side of the three equipment dry wells. The temporary groundwater monitoring well location is shown on Figure 3.

Prior to collecting the groundwater sample, the depth to groundwater and the total well depth was measured using a water level meter accurate to 0.01 ft. Groundwater sampling was conducted using a decontaminated stainless-steel check valve with dedicated tubing.

2.4. Soil Vapor Sampling

Three soil vapor probes (SV-1 through SV-3) were installed and sampled for chemical analysis. It should be noted that two soil vapor samples (SV-1 and SV-3) were collected at the depth of the proposed underground parking garage of approximately 15-feet bgs. Soil vapor probe SV-2 was installed in front of the building in the vicinity of the equipment dry wells at a depth of 1-foot bgs. The soil vapor probes were installed with the truck-mount drill rig and were constructed of new, dedicated Teflon-lined polyethylene tubing. Soil vapor probe locations are shown on Figure 3.

Methodologies used for soil vapor installation and sampling conform to the NYSDOH Final Guidance on Soil Vapor Intrusion, October 2006 (updated May 2017 and May 2024) (NYSDOH Guidance).

Samples were collected in 6-liter summa canisters, which were certified clean by the laboratory and samples were analyzed using United States Environmental Protection Agency (USEPA) Method TO-15. Flow rate for both purging and sampling did not exceed 0.2 L/min. Following soil vapor probe installation, one to three tubing volumes were purged prior to the collection of any soil-gas samples. Sampling occurred for the duration of 2 hours. Following sample collection, the tubing was removed and discarded. The parking areas were then patched with asphalt to grade.

2.5. Laboratory Analysis

The soil samples obtained from the UST area were analyzed for volatile organic compounds (VOCs) using USEPA Method 8260D and semivolatile organic compounds (SVOCs) using USEPA Method 8270D.

Soil samples from around the equipment dry wells were analyzed for VOCs, SVOCs, Total Analyte List (TAL) metals by USEPA 6010D, and total petroleum hydrocarbons (TPHs) using USEPA Method 8215D. It is noted that the SVOC analysis was performed outside of the hold time for these soil samples as it was determined that this analysis would be required for NCDOH closure.

Soil sediment samples from within the stormwater dry wells were analyzed for VOCs, SVOCs, TAL metals.

The groundwater sample was analyzed for VOCs and SVOCs.

Upon collection, soil, and groundwater samples were placed into an iced cooler and transported under standard Chain of Custody procedures to York Analytical Laboratories, Inc., (York) a New York State Department of Health (NYSDOH) Environmental Laboratory Accreditation Program (ELAP)-certified laboratory.

Laboratory analytical reports are provided as follows:

- Appendix C1. Soil Analytical Report
- Appendix C2. Groundwater Analytical Report
- Appendix C3. Soil Vapor Analytical Report

2.6. Health and Safety Plan

GEI uses a site-specific health and safety plan (HASP) for all investigative work, which assigns responsibilities, establishes personal protection standards, recommends operating procedures, and provides for contingencies that may arise during performance of the assessment at the Site.
The protocols in the HASP apply to all personnel, including GEI, all outside subcontractors, client, or regulatory agencies present during the performance of the work.

In addition, the following safety equipment is made available for responding to potential emergency situations: portable eyewash, ABC fire extinguisher, and first aid kit. Telephone numbers of emergency response units in the area are also included. All personnel working at the Site are also required to receive training in respirator fitting, emergency procedures, equipment decontamination and specific task procedures, as appropriate. All personnel involved with the collection of soil, groundwater, and soil vapor samples have successfully completed the 40-hour Occupational Safety and Health Administration (OSHA) Hazardous Materials Training Program.

3. Findings

3.1. Lithology and Hydrogeology

Based on review of the soil boring logs, the stratigraphy of the Site outside of the building footprint, consists of an approximate 4-inch cover of asphalt underlain by fine to coarse sand and silt with varying amounts of fine gravel, observed to a depth of 1 to 15 feet bgs.

No staining, sheen, or discoloration that may be indicative of the presence of hydrocarbons or other contaminant residuals was noted at any soil boring. However, it is noted that the soil recovered at 8 to 10 feet from SB-4 and SB-5 exhibited a chemical odor as well as elevated PID readings ranging from 5.7 to 30.7 parts per million (ppm).

As stated previously, the depth to groundwater at the Site was observed to be approximately 65 feet bgs and groundwater is presumed to follow the topographic gradient and flow in a southerly direction.

3.2. Geophysical Investigation and Survey

During the GPR survey, anomalies associated with the three equipment dry wells that are depicted on the historical 1966 Site Drainage Plan were identified (Figure 2). In addition, an anomaly approximately 4 feet by 8 feet in size was identified on the southern side of the front parking lot. This is assumed to be the UST that was closed in place in 1994.

It should be noted that no other definitive anomalies were identified on the Site.

3.3. Analytical Results

3.3.1. Equipment Dry Well Soil Analytical Results

As stated previously, the historical cesspool identified on the 1966 Site Drainage Plan (Figure 2) was not identified during the GPR survey; therefore, no sampling was performed in this area. SB-1, SB-2, and SB-3 were obtained in areas proximate to the location where the three equipment dry wells were identified during the GPR survey and were depicted on the 1966 Site Plan. It is noted that a shallow (7’ to 8’) and deeper soil sample (14’ to 15’) were obtained from each equipment dry well locations (SB-1 through SB-3) to provide information regarding vertical extent of contamination/impacts (if any).

It should be noted that the driller cored through the top of equipment dry well in the northwest corner of the front parking lot in an attempt to collect samples from within the dry well. The equipment dry well was identified to not have been closed or filled with sand, as the driller's sampler fell to the bottom and was not retrievable. As such, samples were not able to be collected from the equipment dry well at that time. The bottom of the equipment dry well and was measured at approximately 12’ bgs. Although samples were not able to be collected from within the equipment dry well, a soil boring was installed immediately adjacent to the dry well, where soil samples were retrieved for inspection and laboratory analysis.

It was assumed that all three equipment dry wells were similarly not closed or filled with sand and, as such, soil borings were similarly installed immediately adjacent to the other equipment dry wells, where soil samples were retrieved for inspection and laboratory analysis.

GEI compared the soil analytical results from the equipment dry wells to the New York State Department of Environmental Conservation (NYSDEC) Protection of Groundwater Soil Cleanup Objectives (PGSCOs) and Commercial SCOs (CSCOs) and are summarized in Table 1.

VOCs, SVOCs, TAL metals, and TPHs were either not detected or were detected well below the PGSCOs and CSCOs for all the soil samples.

3.3.2. Stormwater Dry Wells

One soil sediment sample was collected from within each of the two stormwater dry wells located on the eastern (DW-1) and western side (DW-2) of the Site, as depicted on Figure 3. The stormwater dry well sample depth was collected approximately 12 inches below the 8-foot bottom depth for both dry wells. Sediment sample analytical results were compared to NYSDEC Part 375 PGSCOs and are summarized in Table 1.

Sediment samples recovered from the stormwater dry wells consisted predominantly of black, brown and/or tan, medium to coarse sands, with some pebbles and organic matter (i.e., leaves). These sediment samples exhibited a slight organic odor, but no PID detections.

Several analytes were detected at concentrations exceeding their respective PGWSCOs, as follows:

VOCs: Acetone was detected at 0.0650 mg/kg and 0.0770 mg/kg, above its PGSCO of 0.05 mg/kg in DW-1 and DW-2, respectively. Chloroform was detected at 3.5 mg/kg, above its PGSCO of 0.37 mg/kg in DW-1. Both compounds are typical laboratory contaminants.

SVOCs: Benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, and chrysene were detected at concentrations exceeding the PGSCOs in both DW-1 and DW-2. In addition, indeno(1,2,3-cd)pyrene was detected at concentrations exceeding its PGSCOs in DW-2.

With the exception of chloroform, the greater concentrations and occurrences of VOC and SVOC exceedances were generally observed in dry well DW-2.

3.3.3. Underground Storage Tank Anomaly

Two soil samples (SB-4 and SB-5) were collected in the front of the Site from the area identified during the GPR Survey as possibly being an UST, as depicted on Figure 3. The anomaly was assumed to be an UST as NCDOH records depicted an UST to be closed in place at the Site. Soil sample analytical results for VOCs and SVOCs were compared to NYSDEC Part 375 PGSCOs and are summarized in Table 1.

Soil recovered at 8 to 10 feet from both borings exhibited a chemical odor as well as elevated PID readings, ranging from 5.7 to 30.7 ppm. SB-4 exhibited the highest readings.

VOCs and SVOCs were either not detected or were detected well below the PGSCOs for both soil samples.

3.3.4. Soil Vapor Analytical Results

GEI compared the soil vapor samples collected during the investigation to the vapor intrusion matrices in the NYSDOH Final Guidance on Soil Vapor Intrusion (October 2006 and updated in May 2017 and February 2024) Matrix Guidance Values. As stated previously, the two soil vapor samples (SV-1 and SV-3) were collected at the depth of the proposed underground parking garage of approximately 15-feet bgs. SV-2 was installed in front of the building in the vicinity of the equipment dry wells at the depth of 1-foot bgs. Analytical results for the soil vapor samples collected during the investigation are summarized in Table 2.

It should be noted that this NYSDOH guidance provides sub slab soil vapor "mitigate" threshold concentrations for key compounds, regardless of corresponding indoor air concentrations, which are used to screen the sample results described below, based on the proposed future use of the site for residential housing purposes. These matrices are used to assist in making decisions to take actions to reduce exposure when soil vapor is entering a building. The matrices use the concentrations of the compounds-of-concern detected in the sub-slab vapor and compare them to indoor air concentrations collected in the same relative area of the building. It is noted that indoor air samples were not collected during this investigation; however, the NYSDOH Guidance identifies sub-slab vapor concentration thresholds above which active measures (monitoring or mitigating) would be required for occupied spaces, even if there are no detections in indoor air.

Multiple chlorinated VOCs (CVOCs) (1,1-dichloroethylene, cis-1,2-dichloroethylene, tetrachloroethylene, trichloroethylene, and vinyl chloride) were detected at concentrations well above the "mitigate" threshold in one or more of all collected soil vapor samples. The greater concentrations and occurrences of VOCs were detected in soil vapor point SV-1, located in the northwest corner of the front parking lot which was collocated with SB-1. As can be seen below, contaminant concentrations were generally higher at soil vapor samples collected at the 15-foot depth as compared to the shallower soil vapor sample collected at the 1-foot depth.

Sample ID	**SV-1 (15')**	**SV-2 (1')**	**SV-3 (15')**	**Mitigate if above**
Compound (reported in µg/m3)				
Trichloroethylene (TCE)	88,000	920	15,000	60 and above
cis-1,2-Dichloroethylene	110,000	310	4,800	60 and above
1,1-Dichloroethylene	63	ND	5.9	60 and above
Tetrachloroethylene (PCE)	95,000	9,900	75,000	1000 and above
Vinyl Chloride	230	ND	ND	60 and above

The source of the CVOCs in the soil vapor samples depicted in the above table are likely associated with historical dry-cleaning operation at the Site.

3.3.5. Groundwater Analytical Results

A temporary groundwater monitoring well (GW-1) was installed on the presumed downgradient side of the three equipment dry wells. The temporary groundwater monitoring well location is shown in Figure 3.

Groundwater sample GW-1 was collected for VOC and SVOC analysis. The laboratory analytical results for the groundwater sample were compared to the NYSDEC Technical and Operational Guidance Series (TOGS) ambient water quality standards (AWQS) and are summarized in Table 3.

VOCs and SVOCs were either not detected or were detected well below the AWQS.

4. Conclusions and Recommendations

4.1. Conclusions

As detailed above, this Phase II ESI was conducted to further investigate the RECs identified during the Phase I ESA, as identified in Section 1.

Based on review of the soil boring logs, the stratigraphy of the Site outside of the building footprint, consists of an approximate 4-inch cover of asphalt underlain by fine to coarse sand and silt with varying amounts of fine gravel, observed to a depth of 2 to 15 feet bgs. No staining, sheen, or discoloration that may be indicative of the presence of hydrocarbons or other contaminant residuals was noted; however, soil recovered at 8 to 10 feet bgs at soil borings SB-4 and SB-5 located in the vicinity of the UST anomaly exhibited a chemical odor as well as elevated PID readings ranging from 5.7 to 30.7 ppm.

Groundwater at the Site was encountered at approximately 65 feet bgs. As stated previously, groundwater is presumed to follow the topographic gradient and flow in a southerly direction.

In summary, field observations and sample analytical results revealed the following:

- Based upon the geophysical investigation, an anomaly indicative of an UST was identified on the southern side of the front parking lot area along Jerusalem Avenue.
- Given that one of the equipment dry wells was noted to have not been closed or backfilled with sand, it is possible that the other equipment dry wells have also not been closed or backfilled with sand.
- No VOCs, SVOCs or metals were detected above applicable SCOs in the soil samples collected in association with the equipment dry wells or UST anomaly.
- Tetrachlorethylene (TCE) was detected well below the AWQS in the groundwater sample. No other VOCs or SVOCs were detected in the groundwater soil sample.
- Several analytes were detected at concentrations exceeding their respective SCOs in site soil associated with the two stormwater drywells, as follows:
    - **VOCs:** Acetone was detected above its PGSCO in DW-1 and DW-2 and chloroform was detected above its PGSCO in DW-1. Both compounds are typical laboratory contaminants.
    - **SVOCs:** Benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, and chrysene were detected at concentrations exceeding the PGSCOs in both DW-1 and DW-2. In addition, indeno(1,2,3-cd)pyrene was detected at concentrations exceeding its PGSCOs in DW-2.
    - With the exception of chloroform, the greater concentrations and occurrences of VOC and SVOC exceedances were generally observed in dry well DW-2.
- VOCs and SVOCs were either not detected or were detected well below the AWQS.

- Multiple chlorinated VOCs (1,1-dichloroethylene, cis-1,2-dichloroethylenewere, tetrachloroethylene, trichloroethylene, and vinyl chloride) were detected at concentrations well above the "mitigate" threshold in one or more of all collected soil vapor samples. The greater concentrations and occurrences of VOCs were detected in soil vapor point SV-1, located in the northwest corner of the front parking lot. These detections are likely associated with the former dry-cleaning operations at the site.

4.2. Recommendations

Based on the planned future construction and use of the Site for residential housing purposes, exposure risks may be present during redevelopment and construction activities.

Based on the contaminants identified in Site soil vapor, as described above, it is recommended that prior to implementation of any redevelopment and construction activities, efforts should be made to identify and address the sources of identified CVOCs identified on the Site. This may include further investigation and remediation in the area of the equipment dry wells and other areas of the site which were not included in the Phase II ESI.

In addition, the UST anomaly should be further investigated to confirm what this structure is and, if determined to be a UST, it should be properly removed or closed in accordance with all applicable NCDOH and other agency rules and regulations.

Lastly, the sediments within the two impacted stormwater dry wells should be pumped/removed and properly cleaned and closed in accordance with NCDOH and USEPA Underground Injection Control (UIC) Program protocols.

Tables

Table 1. Soil Analytical Results

Table 2. Soil Vapor Analytical Results

Table 3. Groundwater Analytical Results

Table 1. Soil Analytical Results with SVOCs
40 Jerusalem Ave
Hicksville, NY 11801

				Equipment Dry Wells												Stormwater Dry Wells				Underground Storage Tank Anomoly			
Sample ID		**NYSDEC Part**	**NYSDEC Part 375**	**SB-1 (7-8)**		**SB-1 (14-15)**		**SB-2 (7-8)**		**SB-2 (14-15)**		**SB-3 (7-8)**		**SB-3 (14-15)**		**DW-1 (8)**		**DW-2 (8)**		**SB-4 (8-10)**		**SB-5 (8-10)**	
York ID		**375 Restricted**	**Restricted Use**	**24K1660-01**		**24K1660-02**		**24K1660-03**		**24K1660-04**		**24K1660-05**		**24K1660-06**		**24K1660-09**		**24K1660-10**		**24K1660-07**		**24K1660-08**	
Sampling Date		**Use Soil Cleanup**	**Soil Cleanup**	**11/21/2024 10:40:00 AM**		**11/21/2024 10:45:00 AM**		**11/21/2024 11:10:00 AM**		**11/21/2024 11:15:00 AM**		**11/21/2024 12:00:00 PM**		**11/21/2024 12:05:00 PM**		**11/21/2024 3:00:00 PM**		**11/21/2024 3:00:00 PM**		**11/21/2024 1:30:00 PM**		**11/21/2024 1:35:00 PM**	
Client Matrix		**Objectives-**	**Objectives-**	**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**	
Compound	**CAS Number**	**Commercial**	**Protection of GW**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Total Petroleum Hydrocarbons-GRO (C5-C10)				mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg									
Dilution Factor				100		100		100		100		100		100									
Total Petroleum Hydrocarbons-GRO	68334-30-5	~	~	37.800	U	44.800	U	47.500	U	80.400	U	139	U	40.200	U	NT		NT		NT		NT	
Volatile Organics, 8260 - Comprehensive		mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor				1		1		1		1		1		1		100		1		100		1	
1,1,1,2-Tetrachloroethane	630-20-6	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,1,1-Trichloroethane	71-55-6	500	0.68	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,1,2,2-Tetrachloroethane	79-34-5	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 11	76-13-1	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,1,2-Trichloroethane	79-00-5	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,1-Dichloroethane	75-34-3	240	0.27	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,1-Dichloroethylene	75-35-4	500	0.33	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,2,3-Trichlorobenzene	87-61-6	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,2,3-Trichloropropane	96-18-4	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,2,4-Trichlorobenzene	120-82-1	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.00360**	J	0.00200	U
1,2,4-Trimethylbenzene	95-63-6	190	3.6	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**1.400**	D	**0.0970**	
1,2-Dibromo-3-chloropropane	96-12-8	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,2-Dibromoethane	106-93-4	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,2-Dichlorobenzene	95-50-1	500	1.1	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,2-Dichloroethane	107-06-2	30	0.02	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,2-Dichloropropane	78-87-5	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,3,5-Trimethylbenzene	108-67-8	190	8.4	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.400**		**0.0470**	
1,3-Dichlorobenzene	541-73-1	280	2.4	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,4-Dichlorobenzene	106-46-7	130	1.8	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
1,4-Dioxane	123-91-1	130	0.1	0.0270	U	0.0270	U	0.0280	U	0.0570	U	0.0250	U	0.0300	U	0.0470	U	0.0680	U	0.0590	U	0.0410	U
2-Butanone	78-93-3	500	0.12	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00330	J	**0.0260**		0.00290	U	0.00200	U
2-Hexanone	591-78-6	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
4-Methyl-2-pentanone	108-10-1	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	**0.00810**		0.00290	U	0.00200	U
Acetone	67-64-1	500	0.05	0.00270	U	0.00270	U	0.00280	U	0.00570	U	0.00250	U	0.00300	U	**0.0650**		**0.0770**		0.00590	U	0.00410	U
Acrolein	107-02-8	~	~	0.00270	U	0.00270	U	0.00280	U	0.00570	U	0.00250	U	0.00300	U	0.00470	U	0.00680	U	0.00590	U	0.00410	U
Acrylonitrile	107-13-1	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Benzene	71-43-2	44	0.06	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Bromochloromethane	74-97-5	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Bromodichloromethane	75-27-4	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Bromoform	75-25-2	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Bromomethane	74-83-9	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Carbon disulfide	75-15-0	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	**0.00280**	J	0.00340	U	0.00290	U	0.00200	U
Carbon tetrachloride	56-23-5	22	0.76	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Chlorobenzene	108-90-7	500	1.1	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Chloroethane	75-00-3	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	**0.00360**	J	0.00340	U	0.00290	U	0.00200	U
Chloroform	67-66-3	350	0.37	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	**3.500**	D	0.00340	U	0.00290	U	0.00200	U
Chloromethane	74-87-3	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
cis-1,2-Dichloroethylene	156-59-2	500	0.25	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
cis-1,3-Dichloropropylene	10061-01-5	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Cyclohexane	110-82-7	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Dibromochloromethane	124-48-1	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Dibromomethane	74-95-3	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Dichlorodifluoromethane	75-71-8	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Ethyl Benzene	100-41-4	390	1	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.0200**		**0.00430**	
Hexachlorobutadiene	87-68-3	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Isopropylbenzene	98-82-8	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.0310**		**0.00480**	
Methyl acetate	79-20-9	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Methyl tert-butyl ether (MTBE)	1634-04-4	500	0.93	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Methylcyclohexane	108-87-2	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Methylene chloride	75-09-2	500	0.05	0.00270	U	0.00270	U	0.00280	U	0.00570	U	0.00250	U	0.00300	U	**0.0420**		0.00680	U	0.00590	U	0.00410	U
n-Butylbenzene	104-51-8	500	12	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.240**		**0.0220**	
n-Propylbenzene	103-65-1	500	3.9	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.0830**		**0.0110**	
o-Xylene	95-47-6	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.0960**		**0.0170**	
p- & m- Xylenes	179601-23-1	~	~	0.00270	U	0.00270	U	0.00280	U	0.00570	U	0.00250	U	0.00300	U	0.00470	U	0.00680	U	**0.0400**		**0.0100**	
p-Isopropyltoluene	99-87-6	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.120**		**0.0120**	
sec-Butylbenzene	135-98-8	500	11	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.110**		**0.0100**	
Styrene	100-42-5	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.00300**	J	0.00200	U
tert-Butyl alcohol (TBA)	75-65-0	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
tert-Butylbenzene	98-06-6	500	5.9	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.0110**		0.00200	U
Tetrachloroethylene	127-18-4	150	1.3	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	**0.0900**		**0.0110**	
Toluene	108-88-3	500	0.7	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	**0.00390**	J	0.00340	U	0.00290	U	0.00200	U
trans-1,2-Dichloroethylene	156-60-5	500	0.19	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
trans-1,3-Dichloropropylene	10061-02-6	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
trans-1,4-dichloro-2-butene	110-57-6	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Trichloroethylene	79-01-6	200	0.47	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Trichlorofluoromethane	75-69-4	~	~	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Vinyl Chloride	75-01-4	13	0.02	0.00140	U	0.00140	U	0.00140	U	0.00280	U	0.00120	U	0.00150	U	0.00240	U	0.00340	U	0.00290	U	0.00200	U
Xylenes, Total	1330-20-7	500	1.6	0.00410	U	0.00410	U	0.00420	U	0.00850	U	0.00370	U	0.00450	U	0.00710	U	0.0100	U	**0.140**		**0.0280**	

Table 1. Soil Analytical Results with SVOCs
40 Jerusalem Ave
Hicksville, NY 11801

				Equipment Dry Wells												Stormwater Dry Wells				Underground Storage Tank Anomoly			
Sample ID		**NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Commercial**	**NYSDEC Part 375 Restricted Use Soil Cleanup Objectives-Protection of GW**	**SB-1 (7-8)**		**SB-1 (14-15)**		**SB-2 (7-8)**		**SB-2 (14-15)**		**SB-3 (7-8)**		**SB-3 (14-15)**		**DW-1 (8)**		**DW-2 (8)**		**SB-4 (8-10)**		**SB-5 (8-10)**	
York ID				**24K1660-01**		**24K1660-02**		**24K1660-03**		**24K1660-04**		**24K1660-05**		**24K1660-06**		**24K1660-09**		**24K1660-10**		**24K1660-07**		**24K1660-08**	
Sampling Date				**11/21/2024 10:40:00 AM**		**11/21/2024 10:45:00 AM**		**11/21/2024 11:10:00 AM**		**11/21/2024 11:15:00 AM**		**11/21/2024 12:00:00 PM**		**11/21/2024 12:05:00 PM**		**11/21/2024 3:00:00 PM**		**11/21/2024 3:00:00 PM**		**11/21/2024 1:30:00 PM**		**11/21/2024 1:35:00 PM**	
Client Matrix				**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**	
Compound	**CAS Number**			Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Semi-Volatiles, 8270 - Comprehensive		mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg	
Dilution Factor				2		2		2		2		2		2		10		20		10		2	
1,1-Biphenyl	92-52-4	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	**0.0995**	JD	**0.828**	D	**0.160**	D
1,2,4,5-Tetrachlorobenzene	95-94-3	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
1,2,4-Trichlorobenzene	120-82-1	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
1,2-Dichlorobenzene	95-50-1	500	1.1	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
1,2-Diphenylhydrazine (as Azobenzene)	122-66-7	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
1,3-Dichlorobenzene	541-73-1	280	2.4	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
1,4-Dichlorobenzene	106-46-7	130	1.8	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2,3,4,6-Tetrachlorophenol	58-90-2	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
2,4,5-Trichlorophenol	95-95-4	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2,4,6-Trichlorophenol	88-06-2	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2,4-Dichlorophenol	120-83-2	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2,4-Dimethylphenol	105-67-9	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2,4-Dinitrophenol	51-28-5	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
2,4-Dinitrotoluene	121-14-2	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2,6-Dinitrotoluene	606-20-2	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2-Chloronaphthalene	91-58-7	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2-Chlorophenol	95-57-8	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2-Methylnaphthalene	91-57-6	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	**0.240**	D	**5.350**	D	**1.040**	D
2-Methylphenol	95-48-7	500	0.33	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
2-Nitroaniline	88-74-4	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
2-Nitrophenol	88-75-5	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
3- & 4-Methylphenols	65794-96-9	500	0.33	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
3,3-Dichlorobenzidine	91-94-1	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
3-Nitroaniline	99-09-2	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
4,6-Dinitro-2-methylphenol	534-52-1	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
4-Bromophenyl phenyl ether	101-55-3	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
4-Chloro-3-methylphenol	59-50-7	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
4-Chloroaniline	106-47-8	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
4-Chlorophenyl phenyl ether	7005-72-3	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
4-Nitroaniline	100-01-6	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
4-Nitrophenol	100-02-7	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
Acenaphthene	83-32-9	500	98	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**0.111**	D	**0.972**	D	**0.250**	D	**0.0754**	JD
Acenaphthylene	208-96-8	500	107	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**0.0840**	JD	**0.215**	D	0.0423	U	0.0415	U
Acetophenone	98-86-2	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Aniline	62-53-3	~	~	0.169	U	0.170	U	0.176	U	0.170	U	0.170	U	0.173	U	0.222	U	0.240	U	0.169	U	0.166	U
Anthracene	120-12-7	500	1,000	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.479	D	**2.790**	D	**0.0985**	D	0.0415	U
Atrazine	1912-24-9	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Benzaldehyde	100-52-7	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Benzidine	92-87-5	~	~	0.169	U	0.170	U	0.176	U	0.170	U	0.170	U	0.173	U	0.222	U	0.240	U	0.169	U	0.166	U
Benzo(a)anthracene	56-55-3	5.6	1	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**3.420**	D	**13.500**	D	0.0423	U	0.0415	U
Benzo(a)pyrene	50-32-8	1	22	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**3.900**	D	**15.400**	D	0.0423	U	0.0415	U
Benzo(b)fluoranthene	205-99-2	5.6	1.7	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**5.490**	D	**20.500**	D	0.0423	U	0.0415	U
Benzo(g,h,i)perylene	191-24-2	500	1,000	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**3.980**	D	**12.700**	D	0.0423	U	0.0415	U
Benzo(k)fluoranthene	207-08-9	56	1.7	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**2.220**	D	**14.300**	D	0.0423	U	0.0415	U
Benzoic acid	65-85-0	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	**0.233**	D	0.0423	U	0.0415	U
Benzyl alcohol	100-51-6	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Benzyl butyl phthalate	85-68-7	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Bis(2-chloroethoxy)methane	111-91-1	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Bis(2-chloroethyl)ether	111-44-4	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Bis(2-chloroisopropyl)ether	108-60-1	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Bis(2-ethylhexyl)phthalate	117-81-7	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**2.960**	D	**3.910**	D	0.0423	U	0.0415	U
Caprolactam	105-60-2	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	**1.240**	D	**0.304**	D
Carbazole	86-74-8	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**0.424**	D	**2.210**	D	0.0423	U	0.0415	U
Chrysene	218-01-9	56	1	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**6.300**	D	**25.200**	D	0.0423	U	0.0415	U
Dibenzo(a,h)anthracene	53-70-3	0.56	1,000	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**1.030**	D	**3.770**	D	0.0423	U	0.0415	U
Dibenzofuran	132-64-9	350	210	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.316	D	0.0423	U	0.0415	U
Diethyl phthalate	84-66-2	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Dimethyl phthalate	131-11-3	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Di-n-butyl phthalate	84-74-2	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**0.103**	JD	0.0600	U	0.0423	U	0.0415	U
Di-n-octyl phthalate	117-84-0	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.490	D	0.0600	U	0.0423	U	0.0415	U
Diphenylamine	122-39-4	~	~	0.0844	U	0.0849	U	0.0878	U	0.0851	U	0.0851	U	0.0864	U	0.111	U	0.120	U	0.0844	U	0.0827	U
Fluoranthene	206-44-0	500	1,000	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**7.450**	D	**37**	D	0.0423	U	0.0415	U
Fluorene	86-73-7	500	386	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**0.206**	D	**1.840**	D	**0.538**	D	0.143	D
Hexachlorobenzene	118-74-1	6	3.2	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Hexachlorobutadiene	87-68-3	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Hexachlorocyclopentadiene	77-47-4	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Hexachloroethane	67-72-1	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Indeno(1,2,3-cd)pyrene	193-39-5	5.6	8.2	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**3.060**	D	**11.200**	D	0.0423	U	0.0415	U
Isophorone	78-59-1	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Naphthalene	91-20-3	500	12	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	**0.177**	D	**0.243**	D	**0.0615**	JD
Nitrobenzene	98-95-3	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
N-Nitrosodimethylamine	62-75-9	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
N-nitroso-di-n-propylamine	621-64-7	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
N-Nitrosodiphenylamine	86-30-6	~	~	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Pentachlorophenol	87-86-5	6.7	0.8	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Phenanthrene	85-01-8	500	1,000	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**2.840**	D	**20.600**	D	**1.240**	D	**0.450**	D
Phenol	108-95-2	500	0.33	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	0.0555	U	0.0600	U	0.0423	U	0.0415	U
Pyrene	129-00-0	500	1,000	0.0423	U	0.0425	U	0.0440	U	0.0427	U	0.0426	U	0.0433	U	**8.260**	D	**36.600**	D	0.0423	U	0.0415	U

Table 1. Soil Analytical Results with SVOCs
40 Jerusalem Ave
Hicksville, NY 11801

				Equipment Dry Wells												Stormwater Dry Wells				Underground Storage Tank Anomoly			
Sample ID		**NYSDEC Part**	**NYSDEC Part 375**	**SB-1 (7-8)**		**SB-1 (14-15)**		**SB-2 (7-8)**		**SB-2 (14-15)**		**SB-3 (7-8)**		**SB-3 (14-15)**		**DW-1 (8)**		**DW-2 (8)**		**SB-4 (8-10)**		**SB-5 (8-10)**	
York ID		**375 Restricted**	**Restricted Use**	**24K1660-01**		**24K1660-02**		**24K1660-03**		**24K1660-04**		**24K1660-05**		**24K1660-06**		**24K1660-09**		**24K1660-10**		**24K1660-07**		**24K1660-08**	
Sampling Date		**Use Soil Cleanup**	**Soil Cleanup**	**11/21/2024 10:40:00 AM**		**11/21/2024 10:45:00 AM**		**11/21/2024 11:10:00 AM**		**11/21/2024 11:15:00 AM**		**11/21/2024 12:00:00 PM**		**11/21/2024 12:05:00 PM**		**11/21/2024 3:00:00 PM**		**11/21/2024 3:00:00 PM**		**11/21/2024 1:30:00 PM**		**11/21/2024 1:35:00 PM**	
Client Matrix		**Objectives-**	**Objectives-**	**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**		**Soil**	
Compound	**CAS Number**	**Commercial**	**Protection of GW**	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
Total Petroleum Hydrocarbons-DRO (C10-C28)				mg/kg		mg/kg		mg/kg		mg/kg		mg/kg		mg/kg									
Dilution Factor				1		1		1		1		1		1									
Total Petroleum Hydrocarbons-DRO	68334-30-5	~	~	10.100	U	10.100	U	10.300	U	9.950	U	9.940	U	10.100	U	NT		NT		NT		NT	
Metals, Target Analyte		mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg					
Dilution Factor				1		1		1		1		1		1		1		1					
Aluminum	7429-90-5	~	~	**1,180**		**1,160**		**1,340**		**711**		**1,580**		**1,180**		**5,590**		**2,450**		NT		NT	
Antimony	7440-36-0	~	~	2.140	U	2.150	U	2.220	U	2.150	U	2.150	U	2.190	U	2.820	U	3.050	U	NT		NT	
Arsenic	7440-38-2	16	16	1.280	U	1.290	U	1.330	U	1.290	U	1.290	U	1.310	U	**3.120**		1.830	U	NT		NT	
Barium	7440-39-3	400	820	**4.280**		**11.900**		**7.070**		**3.530**		**7.910**		**7.280**		**30.400**		**19.800**		NT		NT	
Beryllium	7440-41-7	590	47	**0.127**		**0.105**		**0.136**		**0.0700**		**0.121**		**0.116**		**0.220**		**0.0760**		NT		NT	
Cadmium	7440-43-9	9.3	7.5	0.256	U	0.258	U	0.267	U	0.259	U	0.258	U	0.262	U	**0.350**		**0.402**		NT		NT	
Calcium	7440-70-2	~	~	**117**		**86.800**		**125**		**53.600**		**5,690**		**189**		**14,800**		**1,500**		NT		NT	
Chromium	7440-47-3	~	~	**2.680**		**3.390**		**4.360**		**3.050**		**2.890**		**6.430**		**15.900**		**14.100**		NT		NT	
Cobalt	7440-48-4	~	~	**0.812**		**2.410**		**1.630**		**0.448**		**1.090**		**1.130**		**4.030**		**4.110**		NT		NT	
Copper	7440-50-8	270	1,720	**2.030**		**2.900**		**2.640**		**1.820**		**2.400**		**2.920**		**34.300**		**41.800**		NT		NT	
Iron	7439-89-6	~	~	**3,910**		**3,510**		**6,370**		**2,100**		**4,950**		**4,090**		**7,640**		**4,130**		NT		NT	
Lead	7439-92-1	1,000	450	**1.460**		**1.300**		**1.500**		**0.785**		**4.720**		**1.860**		**55**		**48.800**		NT		NT	
Magnesium	7439-95-4	~	~	**247**		**202**		**230**		**106**		**1,520**		**299**		**4,130**		**900**		NT		NT	
Manganese	7439-96-5	10,000	2,000	**44.600**		**354**		**130**		**25.700**		**137**		**50.400**		**112**		**30.800**		NT		NT	
Nickel	7440-02-0	310	130	**1.570**		**3.200**		**1.820**		0.859	U	**1.530**		**1.290**		**10.100**		**7.840**		NT		NT	
Potassium	7440-09-7	~	~	**120**		**166**		**192**		**92.100**		**207**		**186**		**396**		**225**		NT		NT	
Selenium	7782-49-2	1,500	4	2.140	U	2.150	U	2.220	U	2.150	U	2.150	U	2.190	U	2.820	U	3.050	U	NT		NT	
Silver	7440-22-4	1,500	8.3	0.431	U	0.433	U	0.448	U	0.435	U	0.434	U	0.441	U	0.568	U	0.615	U	NT		NT	
Sodium	7440-23-5	~	~	**47.500**		43	U	**47.200**		43.100	U	**68.500**		**47.600**		**715**		**139**		NT		NT	
Thallium	7440-28-0	~	~	2.140	U	2.150	U	2.220	U	2.150	U	2.150	U	2.190	U	2.820	U	3.050	U	NT		NT	
Vanadium	7440-62-2	~	~	**2.600**		**2.880**		**3.370**		**1.750**		**3.310**		**2.810**		**17.300**		**18.700**		NT		NT	
Zinc	7440-66-6	10,000	2,480	**3.500**		**4.600**		**7.950**		**2.230**		**5.080**		**3.980**		**562**		**185**		NT		NT	
Mercury by 7473		mg/Kg	mg/Kg	mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg		mg/Kg					
Dilution Factor				1		1		1		1		1		1		1		1					
Mercury	7439-97-6	2.8	0.73	0.0308	U	0.0309	U	0.0320	U	0.0310	U	0.0310	U	0.0315	U	**0.157**		0.0439	U	NT		NT	
Total Solids				%		%		%		%		%		%		%		%		%		%	
Dilution Factor				1		1		1		1		1		1		1		1		1		1	
% Solids	solids	~	~	**97.500**		**97**		**93.800**		**96.700**		**96.700**		**95.300**		**73.900**		**68.300**		**96.900**		**98.900**	

NOTES:
Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:
D=result is from an analysis that required a dilution
J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U=analyte not detected at or above the level indicated
B=analyte found in the analysis batch blank
E=result is estimated and cannot be accurately reported due to levels encountered or interferences
P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the two GC columns used for analysis
NT=this indicates the analyte was not a target for this sample
~=this indicates that no regulatory limit has been established for this analyte

DISCLAIMER:
York Analytical Laboratories, Inc. is providing this information as a convenience to you. York makes no representations or warranties that these data are accurate, complete or represent the latest regulatory authority limits or analytes. York is not responsible for any errors or omissions in these specific regulations. Your use of these data constitute your understanding of these limitations and you agree to hold York harmless from any and all action that may arise from use of said information. As regulations change often, we encourage the user to review the

Table 2. Soil Vapor Analytical Results
40 Jerusalem Ave.
Hicksville, NY 11801

Sample ID York ID Sampling Date Client Matrix		NYSDOH Guidance for Evaluating Soil Vapor Intrusion in New York State (October 2006 & 2024) Decision Matrix - Mitigate for Sub-Slab Conc.	SV-1 24K1678-01 11/21/2024 12:25:00 PM Soil Vapor		SV-2 24K1678-02 11/21/2024 1:15:00 PM Soil Vapor		SV-3 24K1678-03 11/21/2024 4:00:00 PM Soil Vapor	
Compound	**CAS Number**		Result	Q	Result	Q	Result	Q
Volatile Organics, EPA TO15 Full List			ug/m3		ug/m3		ug/m3	
Dilution Factor			642.8		34.1		426.6	
1,1,1,2-Tetrachloroethane	630-20-6	NA	11	U	12	U	15	U
1,1,1-Trichloroethane	71-55-6	1,000 and above	8.800	U	9.300	U	12	U
1,1,2,2-Tetrachloroethane	79-34-5	NA	11	U	12	U	15	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 11	76-13-1	NA	12	U	13	U	16	U
1,1,2-Trichloroethane	79-00-5	NA	8.800	U	9.300	U	12	U
1,1-Dichloroethane	75-34-3	NA	6.500	U	6.900	U	8.600	U
1,1-Dichloroethylene	75-35-4	60 and above	**63**	D	1.700	U	**5.900**	D
1,2,4-Trichlorobenzene	120-82-1	NA	12	U	13	U	16	U
1,2,4-Trimethylbenzene	95-63-6	600 and above	7.900	U	8.400	U	10	U
1,2-Dibromoethane	106-93-4	NA	12	U	13	U	16	U
1,2-Dichlorobenzene	95-50-1	NA	9.700	U	10	U	13	U
1,2-Dichloroethane	107-06-2	NA	6.500	U	6.900	U	8.600	U
1,2-Dichloropropane	78-87-5	NA	7.400	U	7.900	U	9.900	U
1,2-Dichlorotetrafluoroethane	76-14-2	NA	11	U	12	U	15	U
1,3,5-Trimethylbenzene	108-67-8	600 and above	7.900	U	8.400	U	10	U
1,3-Butadiene	106-99-0	NA	**23**	D	**130**	D	**190**	D
1,3-Dichlorobenzene	541-73-1	NA	9.700	U	10	U	13	U
1,3-Dichloropropane	142-28-9	NA	7.400	U	7.900	U	9.900	U
1,4-Dichlorobenzene	106-46-7	NA	9.700	U	10	U	13	U
1,4-Dioxane	123-91-1	NA	12	U	12	U	15	U
2,2,4-Trimethylpentane	540-84-1	NA	**3.800**	J	4	U	5	U
2-Butanone	78-93-3	NA	**79**	D	**85**	D	**200**	D
2-Hexanone	591-78-6	NA	13	U	14	U	17	U
3-Chloropropene	107-05-1	NA	25	U	27	U	33	U
4-Methyl-2-pentanone	108-10-1	NA	6.600	U	7	U	8.700	U
Acetone	67-64-1	NA	**150**	D	**240**	D	**260**	D
Acrylonitrile	107-13-1	NA	45	U	**48**	J	60	U
Benzene	71-43-2	600 and above	**9.200**	D	**66**	D	**46**	D
Benzyl chloride	100-44-7	NA	8.300	U	8.800	U	11	U
Bromodichloromethane	75-27-4	NA	11	U	11	U	14	U
Bromoform	75-25-2	NA	17	U	18	U	22	U
Bromomethane	74-83-9	NA	6.200	U	6.600	U	8.300	U
Carbon disulfide	75-15-0	NA	5	U	**11**	D	**8.600**	D
Carbon tetrachloride	56-23-5	60 and above	2.500	U	2.700	U	3.400	U
Chlorobenzene	108-90-7	NA	7.400	U	7.800	U	9.800	U
Chloroethane	75-00-3	NA	4.200	U	**24**	D	**14**	D
Chloroform	67-66-3	NA	7.800	U	**9.200**	D	**7,500**	D
Chloromethane	74-87-3	NA	3.300	U	**4.200**	D	**5.700**	D
cis-1,2-Dichloroethylene	156-59-2	60 and above	**110,000**	D	**310**	BD	**4,800**	D
cis-1,3-Dichloropropylene	10061-01-5	NA	7.300	U	7.700	U	9.700	U
Cyclohexane	110-82-7	600 and above	5.500	U	**10**	D	7.300	U

Table 2. Soil Vapor Analytical Results
40 Jerusalem Ave.
Hicksville, NY 11801

Sample ID York ID Sampling Date Client Matrix		NYSDOH Guidance for Evaluating Soil Vapor Intrusion in New York State (October 2006 & 2024) Decision Matrix - Mitigate for Sub-Slab Conc.	SV-1 24K1678-01 11/21/2024 12:25:00 PM Soil Vapor		SV-2 24K1678-02 11/21/2024 1:15:00 PM Soil Vapor		SV-3 24K1678-03 11/21/2024 4:00:00 PM Soil Vapor	
Compound	**CAS Number**		Result	Q	Result	Q	Result	Q
Dibromochloromethane	124-48-1	NA	14	U	15	U	18	U
Dichlorodifluoromethane	75-71-8	NA	7.900	U	8.400	U	11	U
Ethyl acetate	141-78-6	NA	12	U	12	U	15	U
Ethyl Benzene	100-41-4	60 and above	7	U	**8.900**	D	9.300	U
Hexachlorobutadiene	87-68-3	NA	17	U	18	U	23	U
Isopropanol	67-63-0	NA	**24**	J	**25**	J	31	U
Methyl Methacrylate	80-62-6	NA	6.600	U	7	U	**24**	D
Methyl tert-butyl ether (MTBE)	1634-04-4	NA	5.800	U	6.100	U	7.700	U
Methylene chloride	75-09-2	1,000 and above	33	U	**36**	J	**56**	D
Naphthalene	91-20-3	600 and above	17	U	18	U	22	U
n-Heptane	142-82-5	2,000 and above	6.600	U	**31**	D	**21**	D
n-Hexane	110-54-3	2,000 and above	**9.100**	D	**56**	D	**48**	D
o-Xylene	95-47-6	600 and above	7	U	**8.100**	D	9.300	U
p- & m- Xylenes	179601-23-1	2,000 and above	14	U	**15**	D	19	U
p-Ethyltoluene	622-96-8	NA	7.900	U	8.400	U	10	U
Propylene	115-07-1	NA	**160**	D	**720**	D	**1,300**	D
Styrene	100-42-5	NA	6.800	U	7.300	U	9.100	U
Tetrachloroethylene	127-18-4	1,000 and above	**95,000**	D	**9,900**	D	**75,000**	D
Tetrahydrofuran	109-99-9	NA	**33**	D	**26**	D	13	U
Toluene	108-88-3	3,000 and above	**13**	D	**55**	D	**35**	D
trans-1,2-Dichloroethylene	156-60-5	NA	**3,400**	D	**43**	D	**150**	D
trans-1,3-Dichloropropylene	10061-02-6	NA	7.300	U	7.700	U	9.700	U
Trichloroethylene	79-01-6	60 and above	**88,000**	D	**920**	BD	**15,000**	D
Trichlorofluoromethane (Freon 11)	75-69-4	NA	9	U	9.600	U	12	U
Vinyl acetate	108-05-4	NA	5.700	U	6	U	7.500	U
Vinyl bromide	593-60-2	NA	7	U	7.500	U	9.300	U
Vinyl Chloride	75-01-4	60 and above	**230**	D	2.200	U	2.700	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:
D=result is from an analysis that required a dilution
J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated
U=analyte not detected at or above the level indicated
B=analyte found in the analysis batch blank
E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the two GC columns used for analysis

NT=this indicates the analyte was not a target for this sample
~=this indicates that no regulatory limit has been established for this analyte

DISCLAIMER:
York Analytical Laboratories, Inc. is providing this information as a convenience to you. York makes no representations or warranties that these data are accurate, complete or represent the latest regulatory authority limits or analytes. York is not responsible for any errors or omissions in these specific regulations. Your use of these data constitute your understanding of these limitations and you agree to hold York

Table 3. Groundwater Analytical Results
40 Jerusalem Ave.
Hicksville, NY 11081

Sample ID York ID Sampling Date Client Matrix		NYSDEC TOGS Standards and Guidance Values - GA	GW-1 24K1665-01 11/21/2024 2:00:00 PM Ground Water	
Compound	**CAS Number**		Result	Q
Volatile Organics, 8260 - Comprehensive		ug/L	ug/L	
Dilution Factor			1	
1,1,1,2-Tetrachloroethane	630-20-6	5	0.200	U
1,1,1-Trichloroethane	71-55-6	5	0.200	U
1,1,2,2-Tetrachloroethane	79-34-5	5	0.200	U
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 11	76-13-1	5	0.200	U
1,1,2-Trichloroethane	79-00-5	1	0.200	U
1,1-Dichloroethane	75-34-3	5	0.200	U
1,1-Dichloroethylene	75-35-4	5	0.200	U
1,2,3-Trichlorobenzene	87-61-6	5	0.200	U
1,2,3-Trichloropropane	96-18-4	0.04	0.200	U
1,2,4-Trichlorobenzene	120-82-1	5	0.200	U
1,2,4-Trimethylbenzene	95-63-6	5	0.200	U
1,2-Dibromo-3-chloropropane	96-12-8	0.04	0.200	U
1,2-Dibromoethane	106-93-4	0.0006	0.200	U
1,2-Dichlorobenzene	95-50-1	3	0.200	U
1,2-Dichloroethane	107-06-2	0.6	0.200	U
1,2-Dichloropropane	78-87-5	1	0.200	U
1,3,5-Trimethylbenzene	108-67-8	5	0.200	U
1,3-Dichlorobenzene	541-73-1	3	0.200	U
1,4-Dichlorobenzene	106-46-7	3	0.200	U
1,4-Dioxane	123-91-1	0.35	40.000	U
2-Butanone	78-93-3	50	0.200	U
2-Hexanone	591-78-6	50	0.200	U
4-Methyl-2-pentanone	108-10-1	~	0.200	U
Acetone	67-64-1	50	1	U
Acrolein	107-02-8	~	**1.100**	B
Acrylonitrile	107-13-1	~	0.200	U
Benzene	71-43-2	1	0.200	U
Bromochloromethane	74-97-5	5	0.200	U
Bromodichloromethane	75-27-4	50	0.200	U
Bromoform	75-25-2	50	0.200	U
Bromomethane	74-83-9	5	0.200	U
Carbon disulfide	75-15-0	~	0.200	U
Carbon tetrachloride	56-23-5	5	0.200	U
Chlorobenzene	108-90-7	5	0.200	U
Chloroethane	75-00-3	5	0.200	U
Chloroform	67-66-3	7	0.200	U
Chloromethane	74-87-3	5	0.200	U
cis-1,2-Dichloroethylene	156-59-2	5	0.200	U
cis-1,3-Dichloropropylene	10061-01-5	0.4	0.200	U
Cyclohexane	110-82-7	~	0.200	U
Dibromochloromethane	124-48-1	50	0.200	U
Dibromomethane	74-95-3	~	0.200	U
Dichlorodifluoromethane	75-71-8	5	0.200	U
Ethyl Benzene	100-41-4	5	0.200	U
Hexachlorobutadiene	87-68-3	0.5	0.200	U
Isopropylbenzene	98-82-8	5	0.200	U
Methyl acetate	79-20-9	~	0.200	U
Methyl tert-butyl ether (MTBE)	1634-04-4	10	0.200	U
Methylcyclohexane	108-87-2	~	0.200	U
Methylene chloride	75-09-2	5	1	U
n-Butylbenzene	104-51-8	5	0.200	U
n-Propylbenzene	103-65-1	5	0.200	U
o-Xylene	95-47-6	5	0.200	U
p- & m- Xylenes	179601-23-1	~	0.500	U
p-Isopropyltoluene	99-87-6	5	0.200	U
sec-Butylbenzene	135-98-8	5	0.200	U
Styrene	100-42-5	5	0.200	U
tert-Butyl alcohol (TBA)	75-65-0	~	0.500	U
tert-Butylbenzene	98-06-6	5	0.200	U
Tetrachloroethylene	127-18-4	5	**0.360**	J
Toluene	108-88-3	5	0.200	U
trans-1,2-Dichloroethylene	156-60-5	5	0.200	U
trans-1,3-Dichloropropylene	10061-02-6	0.4	0.200	U
trans-1,4-dichloro-2-butene	110-57-6	~	0.200	U
Trichloroethylene	79-01-6	5	0.200	U
Trichlorofluoromethane	75-69-4	5	0.200	U
Vinyl Chloride	75-01-4	2	0.200	U
Xylenes, Total	1330-20-7	5	0.600	U
Semi-Volatiles, 8270 - Comprehensive		ug/L	ug/L	
Dilution Factor			1	
1,1-Biphenyl	92-52-4	~	2.500	U
1,2,4,5-Tetrachlorobenzene	95-94-3	~	2.500	U
1,2,4-Trichlorobenzene	120-82-1	5	2.500	U
1,2-Dichlorobenzene	95-50-1	3	2.500	U
1,2-Diphenylhydrazine (as Azobenzene)	122-66-7	~	2.500	U
1,3-Dichlorobenzene	541-73-1	3	2.500	U
1,4-Dichlorobenzene	106-46-7	3	2.500	U
2,3,4,6-Tetrachlorophenol	58-90-2	~	1.250	U
2,4,5-Trichlorophenol	95-95-4	1	1.250	U
2,4,6-Trichlorophenol	88-06-2	1	1.250	U
2,4-Dichlorophenol	120-83-2	5	1.250	U

Table 3. Groundwater Analytical Results
40 Jerusalem Ave.
Hicksville, NY 11081

2,4-Dimethylphenol	105-67-9	50	1.250	U
2,4-Dinitrophenol	51-28-5	10	1.250	U
2,4-Dinitrotoluene	121-14-2	5	2.500	U
2,6-Dinitrotoluene	606-20-2	5	2.500	U
2-Chloronaphthalene	91-58-7	10	2.500	U
2-Chlorophenol	95-57-8	1	1.250	U
2-Methylnaphthalene	91-57-6	~	2.500	U
2-Methylphenol	95-48-7	1	1.250	U
2-Nitroaniline	88-74-4	5	2.500	U
2-Nitrophenol	88-75-5	1	1.250	U
3- & 4-Methylphenols	65794-96-9	1	1.250	U
3,3-Dichlorobenzidine	91-94-1	5	2.500	U
3-Nitroaniline	99-09-2	5	2.500	U
4,6-Dinitro-2-methylphenol	534-52-1	~	1.250	U
4-Bromophenyl phenyl ether	101-55-3	~	2.500	U
4-Chloro-3-methylphenol	59-50-7	1	1.250	U
4-Chloroaniline	106-47-8	5	2.500	U
4-Chlorophenyl phenyl ether	7005-72-3	~	2.500	U
4-Nitroaniline	100-01-6	5	2.500	U
4-Nitrophenol	100-02-7	1	1.250	U
Acenaphthene	83-32-9	20	0.050	U
Acenaphthylene	208-96-8	~	0.0500	U
Acetophenone	98-86-2	~	2.500	U
Aniline	62-53-3	5	2.500	U
Anthracene	120-12-7	50	0.0500	U
Atrazine	1912-24-9	~	0.500	U
Benzaldehyde	100-52-7	~	2.500	U
Benzidine	92-87-5	~	10	U
Benzo(a)anthracene	56-55-3	0.002	0.0500	U
Benzo(a)pyrene	50-32-8	0.002	0.0500	U
Benzo(b)fluoranthene	205-99-2	0.002	0.0500	U
Benzo(g,h,i)perylene	191-24-2	~	0.0500	U
Benzo(k)fluoranthene	207-08-9	0.002	0.0500	U
Benzoic acid	65-85-0	~	25	U
Benzyl alcohol	100-51-6	~	2.500	U
Benzyl butyl phthalate	85-68-7	50	2.500	U
Bis(2-chloroethoxy)methane	111-91-1	5	2.500	U
Bis(2-chloroethyl)ether	111-44-4	1	1.250	U
Bis(2-chloroisopropyl)ether	108-60-1	5	2.500	U
Bis(2-ethylhexyl)phthalate	117-81-7	5	0.500	U
Caprolactam	105-60-2	~	2.500	U
Carbazole	86-74-8	~	2.500	U
Chrysene	218-01-9	0.002	0.0500	U
Dibenzo(a,h)anthracene	53-70-3	~	0.0500	U
Dibenzofuran	132-64-9	~	2.500	U
Diethyl phthalate	84-66-2	50	2.500	U
Dimethyl phthalate	131-11-3	50	2.500	U
Di-n-butyl phthalate	84-74-2	50	2.500	U
Di-n-octyl phthalate	117-84-0	50	2.500	U
Diphenylamine	122-39-4	~	2.500	U
Fluoranthene	206-44-0	50	0.0500	U
Fluorene	86-73-7	50	0.0500	U
Hexachlorobenzene	118-74-1	0.04	0.0200	U
Hexachlorobutadiene	87-68-3	0.5	0.500	U
Hexachlorocyclopentadiene	77-47-4	5	2.500	U
Hexachloroethane	67-72-1	5	0.500	U
Indeno(1,2,3-cd)pyrene	193-39-5	0.002	0.0500	U
Isophorone	78-59-1	50	2.500	U
Naphthalene	91-20-3	10	0.0500	U
Nitrobenzene	98-95-3	0.4	0.250	U
N-Nitrosodimethylamine	62-75-9	~	0.500	U
N-nitroso-di-n-propylamine	621-64-7	~	2.500	U
N-Nitrosodiphenylamine	86-30-6	50	2.500	U
Pentachlorophenol	87-86-5	1	0.250	U
Phenanthrene	85-01-8	50	0.0500	U
Phenol	108-95-2	1	1.2500	U
Pyrene	129-00-0	50	0.0500	U

NOTES:
Any Regulatory Exceedences are color coded by Regulation

Q is the Qualifier Column with definitions as follows:
D=result is from an analysis that required a dilution

J=analyte detected at or above the MDL (method detection limit) but below the RL (Reporting Limit) - data is estimated

U=analyte not detected at or above the level indicated
B=analyte found in the analysis batch blank
E=result is estimated and cannot be accurately reported due to levels encountered or interferences

P=this flag is used for pesticide and PCB (Aroclor) target compounds when there is a % difference for detected concentrations that exceed method dictated limits between the two GC columns used for analysis

NT=this indicates the analyte was not a target for this sample
~=this indicates that no regulatory limit has been established for this analyte


DISCLAIMER:
York Analytical Laboratories, Inc. is providing this information as a convenience to you. York makes no representations or warranties that these data are accurate, complete or represent the latest regulatory authority limits or analytes. York is not responsible for any errors or omissions in these specific regulations. Your use of these data constitute your understanding of these limitations and you agree to hold York harmless from any and all action that may arise from use of said information. As regulations change often, we encourage the user to review the regulatory limits and lists of interest to confirm these data.

Figures

Figure 1. Site Location Map

Figure 2. Historical 1966 Site Drainage Plan

Figure 3. Sample Location Map




0 1000 2000

SCALE, FEET

SOURCE:

1. PLAN BASED ON MAP PREPARED BY USGS 7.5 -MINUTE SERIES (2023)

40 JERUSALEM AVENUE HICKSVILLE, NEW YORK	GEI Consultants	SITE LOCATION MAP
TERWILLIGER & BARTONE PROPERTIES FARMINGDALE, NEW YORK	Project 2408313	March 2025 Fig. 1



SOURCE:


1. PLAN BASED ON DRAWINGS PROVIDED BY THE COUNTY PERMIT (1966)

0 20 40

SCALE, FEET

40 JERUSALEM AVENUE HICKSVILLE, NEW YORK	GEI Consultants	1966 SITE DRAINAGE PLAN
TERWILLIGER & BARTONE PROPERTIES FARMINGDALE, NEW YORK	Project 2408313	March 2025 Fig. 2

CASILLAS, DAVID \\geiconsultants.com\data\Data_Storage\Working\TERWILLIGER & BARTONE PROP\2408313 Phase II ESA 40 Jerusalem Ave\00_CAD\Figures\FIGURES 1-3.dwg - 12/11/2024



LEGEND:

- GROUNDWATER SAMPLE
- SOIL VAPOR SAMPLE
- SOIL BORING SAMPLE
- SOIL BORING/SOIL VAPOR SAMPLE
- DRY WELL SAMPLE

SOURCE:

1. PLAN BASED ON IMAGE PROVIDED BY GOOGLE EARTH (2022)

0 20 40

SCALE, FEET

40 JERUSALEM AVENUE HICKSVILLE, NEW YORK	GEI Consultants	SAMPLE LOCATIONS
TERWILLIGER & BARTONE PROPERTIES FARMINGDALE, NEW YORK	Project 2408313	March 2025 Fig. 3

CASILLAS, DAVID \\geiconsultants.com\data\Data_Storage\Working\TERWILLIGER & BARTONE PROP\2408313 Phase II ESA 40 Jerusalem Ave\00_CAD\Figures\FIGURES 1-3.dwg - 12/11/2024

Appendix A Soil Boring Logs

GEI Consultants

EXPLORATION LOG

SOIL BORING SB-1

Boring Location	Parking Lot Dry Wells	**Client:**	Terwilliger and Bartone Properties
Project Number:	2408313	**Project Name:**	40 Jerusalem Avenue
Logged By:	B. Fitchett	**Site Address:**	40 Jerusalem Avenue, Hicksville, New York
Date:	11/21/2024	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	7822DT	**Driller:**	Mario
Groundwater Depth	NA	**Drilling Method:**	Direct Push
Date of Groundwater Depth Reading	NA	**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1 2 3 4 5	S1		60	20	0.0	4" ASPHALT 14" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)
6 7 8 9 10	S2	SB-1 (7-8)	60	30	0.0	30" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)
11 12 13 14 15	S3	SB-1 (14-15)	60	30	0.0	30" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)

End of Boring - 15 feet

GEI Consultants

EXPLORATION LOG

SOIL BORING SB-2

Boring Location	Parking Lot Dry Wells	**Client:**	Terwilliger and Bartone Properties
Project Number:	2408313	**Project Name:**	40 Jerusalem Avenue
Logged By:	B. Fitchett	**Site Address:**	40 Jerusalem Avenue, Hicksville, New York
Date:	11/21/2024	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	7822DT	**Driller:**	Mario
Groundwater Depth	NA	**Drilling Method:**	Direct Push
Date of Groundwater Depth Reading	NA	**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1 2 3 4 5	S1		60	36	0.0	4" ASPHALT 10" SW: WIDELY GRADED SAND WITH GRAVEL - Dark brown widely graded sand (65%) with gravel (35%) (0.25", subrounded) 26" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)
6 7 8 9 10	S2	SB-2 (7-8)	60	45	0.0	45" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)
11 12 13 14 15	S3	SB-2 (14-15)	60	45	0.0	45" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)

End of Boring - 15 feet

GEI Consultants

EXPLORATION LOG

SOIL BORING SB-3

Boring Location	Parking Lot Dry Wells	**Client:**	Terwilliger and Bartone Properties
Project Number:	2408313	**Project Name:**	40 Jerusalem Avenue
Logged By:	B. Fitchett	**Site Address:**	40 Jerusalem Avenue, Hicksville, New York
Date:	11/21/2024	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	7822DT	**Driller:**	Mario
Groundwater Depth	NA	**Drilling Method:**	Direct Push
Date of Groundwater Depth Reading	NA	**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1 2 3 4 5	S1		60	36	0.0	4" ASPHALT 12" SW: WIDELY GRADED SAND WITH GRAVEL -Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded) 10" ML: SILT - Brown silt (100%)
6 7 8 9 10	S2	SB-3 (7-8)	60	40	0.0	40" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)
11 12 13 14 15	S3	SB-3 (14-15)	60	40	0.0	40" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)

End of Boring - 15 feet

GEI Consultants

EXPLORATION LOG

SOIL BORING SB-4

Boring Location	Parking Lot UST	**Client:**	Terwilliger and Bartone Properties
Project Number:	2408313	**Project Name:**	40 Jerusalem Avenue
Logged By:	B. Fitchett	**Site Address:**	40 Jerusalem Avenue, Hicksville, New York
Date:	11/21/2024	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	7822DT	**Driller:**	Mario
Groundwater Depth	NA	**Drilling Method:**	Direct Push
Date of Groundwater Depth Reading	NA	**Total Depth (feet):**	10

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1 2 3 4 5	S1		60	40	0.0	4" ASPHALT 10" ML: SILT - Brown silt (100%) 26" SW: WIDELY GRADED SAND WITH GRAVEL -Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)
6 7 8 9 10	S2	SB-4 (8-10)	60	40	0.0 15.3 30.7	40" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded), chemical odor

End of Boring - 10 feet

GEI Consultants

EXPLORATION LOG

SOIL BORING SB-5

Boring Location	Parking Lot UST	**Client:**	Terwilliger and Bartone Properties
Project Number:	2408313	**Project Name:**	40 Jerusalem Avenue
Logged By:	B. Fitchett	**Site Address:**	40 Jerusalem Avenue, Hicksville, New York
Date:	11/21/2024	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	7822DT	**Driller:**	Mario
Groundwater Depth	NA	**Drilling Method:**	Direct Push
Date of Groundwater Depth Reading	NA	**Total Depth (feet):**	10

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1 2 3 4 5	S1		60	35	0.0	4" ASPHALT 10" ML: SILT - Brown silt (100%) 21" SW: WIDELY GRADED SAND WITH GRAVEL -Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded)
6 7 8 9 10	S2	SB-5 (8-10)	60	40	0.0 5.7 13.3	40" SW: WIDELY GRADED SAND WITH GRAVEL - Light brown widely graded sand (65%) with gravel (35%) (0.25", subrounded), chemical odor

End of Boring - 10 feet

Appendix B Photographs



Photo 1. View of the Site.



Photo 2. Installing soil boring SB-2.



Photo 3. View of the collection of soil vapor with Summa Cannisters (SV-1 and SV-2).



Photo 4. View of the outline of the UST anomaly in the front parking area.



Photo 5. Installing the temporary groundwater monitoring well GW-1.



Photo 6. Preparing to install soil vapor point SV-3.

Appendix C Laboratory Analytical Reports

Technical Report

prepared for:

GEI Consultants, Inc
1000 New York Avenue
Huntington Station NY, 11746
Attention: Rich Fasciani

Report Date: 12/11/2024
Client Project ID: 40 Jerusalem
York Project (SDG) No.: 24K1660

Revision No. 1.0

Stratford, CT Laboratory IDs:
NY:10854, NJ: CT005, PA: 68-0440, CT: PH-0723

Richmond Hill, NY Laboratory IDs:
NY:12058, NJ: NY037, CT: PH-0721, NH: 2097,
EPA: NY01600

120 RESEARCH DRIVE STRATFORD, CT 06615 ■ 132-02 89th AVENUE RICHMOND HILL, NY 11418
www.YORKLAB.com (203) 325-1371 FAX (203) 357-0166 ClientServices@yorklab.com

Report Date: 12/11/2024
Client Project ID: 40 Jerusalem
York Project (SDG) No.: 24K1660

GEI Consultants, Inc
1000 New York Avenue
Huntington Station NY, 11746
Attention: Rich Fasciani

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 22, 2024 and listed below. The project was identified as your project: **40 Jerusalem**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
24K1660-01	SB-1 (7-8)	Soil	11/21/2024	11/22/2024
24K1660-02	SB-1 (14-15)	Soil	11/21/2024	11/22/2024
24K1660-03	SB-2 (7-8)	Soil	11/21/2024	11/22/2024
24K1660-04	SB-2 (14-15)	Soil	11/21/2024	11/22/2024
24K1660-05	SB-3 (7-8)	Soil	11/21/2024	11/22/2024
24K1660-06	SB-3 (14-15)	Soil	11/21/2024	11/22/2024
24K1660-07	SB-4 (8-10)	Soil	11/21/2024	11/22/2024
24K1660-08	SB-5 (8-10)	Soil	11/21/2024	11/22/2024
24K1660-09	DW-1 (8)	Soil	11/21/2024	11/22/2024
24K1660-10	DW-2 (8)	Soil	11/21/2024	11/22/2024

General Notes for York Project (SDG) No.: 24K1660

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854, NJ Cert No. CT005, PA Cert No. 68-04440, CT Cert No. PH-0723; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058, NJ Cert No. NY037, CT Cert No. PH-0721, NH Cert No. 2097, EPA Cert No. NY01600.

Approved By: 

Date: 12/11/2024

Cassie L. Mosher
Laboratory Manager

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-61-6	1,2,3-Trichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
96-18-4	1,2,3-Trichloropropane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	scb
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
95-63-6	1,2,4-Trimethylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
96-12-8	1,2-Dibromo-3-chloropropane	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-67-8	1,3,5-Trimethylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
123-91-1	1,4-Dioxane	ND	CCVE	ug/kg dry	27	54	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
78-93-3	2-Butanone	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
591-78-6	2-Hexanone	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
67-64-1	Acetone	ND		ug/kg dry	2.7	5.4	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
107-02-8	Acrolein	ND		ug/kg dry	2.7	5.4	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
107-13-1	Acrylonitrile	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
71-43-2	Benzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
74-97-5	Bromochloromethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-25-2	Bromoform	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
74-83-9	Bromomethane	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-15-0	Carbon disulfide	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
56-23-5	Carbon tetrachloride	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-90-7	Chlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-00-3	Chloroethane	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
67-66-3	Chloroform	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
110-82-7	Cyclohexane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
74-95-3	Dibromomethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-71-8	Dichlorodifluoromethane	ND	CCVE, ICVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
100-41-4	Ethyl Benzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
98-82-8	Isopropylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-20-9	Methyl acetate	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-87-2	Methylcyclohexane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-09-2	Methylene chloride	ND		ug/kg dry	2.7	5.4	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
104-51-8	n-Butylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
103-65-1	n-Propylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
95-47-6	o-Xylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
179601-23-1	p- & m- Xylenes	ND		ug/kg dry	2.7	5.4	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
99-87-6	p-Isopropyltoluene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
135-98-8	sec-Butylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:32 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
75-65-0	tert-Butyl alcohol (TBA)	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:32	scb
98-06-6	tert-Butylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
108-88-3	Toluene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
110-57-6	* trans-1,4-dichloro-2-butene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NJDEP-CT005	11/23/2024 15:32	scb
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
75-01-4	Vinyl Chloride	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb
1330-20-7	Xylenes, Total	ND		ug/kg dry	4.1	8.2	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:32	scb

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*123 %*	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*96.5 %*	*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*86.7 %*	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 09:25	SS
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 09:25	SS

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
51-28-5	2,4-Dinitrophenol	ND	CAL-E	ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-57-8	2-Chlorophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-48-7	2-Methylphenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-74-4	2-Nitroaniline	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-75-5	2-Nitrophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-94-1	3,3-Dichlorobenzidine	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
99-09-2	3-Nitroaniline	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E	ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
106-47-8	4-Chloroaniline	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
100-01-6	4-Nitroaniline	ND	CCVE	ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
100-02-7	4-Nitrophenol	ND	CCVE	ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
83-32-9	Acenaphthene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
208-96-8	Acenaphthylene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
98-86-2	Acetophenone	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
62-53-3	Aniline	ND		ug/kg dry	169	338	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
120-12-7	Anthracene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
1912-24-9	Atrazine	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
100-52-7	Benzaldehyde	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
92-87-5	Benzidine	ND		ug/kg dry	169	338	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 09:25	SS
100-51-6	Benzyl alcohol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 09:25	SS
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
105-60-2	Caprolactam	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 09:25	SS
86-74-8	Carbazole	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
218-01-9	Chrysene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
132-64-9	Dibenzofuran	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
84-66-2	Diethyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
131-11-3	Dimethyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
122-39-4	* Diphenylamine	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:25	SS
206-44-0	Fluoranthene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
86-73-7	Fluorene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 09:25	SS
118-74-1	Hexachlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
67-72-1	Hexachloroethane	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
193-39-5	Indeno(1,2,3-cd)pyrene	ND	CAL-E	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
78-59-1	Isophorone	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
91-20-3	Naphthalene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
98-95-3	Nitrobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
85-01-8	Phenanthrene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
108-95-2	Phenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS
129-00-0	Pyrene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:25	SS

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	Surrogate Recoveries	**Result**		**Acceptance Range**							
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*67.8 %*		*20-108*							
13127-88-3	*Surrogate: SURR: Phenol-d6*	*67.2 %*		*23-114*							
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*87.8 %*		*22-108*							
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*74.2 %*		*21-113*							
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*84.2 %*		*19-110*							
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*75.8 %*		*24-116*							

Total Petroleum Hydrocarbons-DRO (C10-C28)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-DRO	ND		mg/kg dry	10.1	1	EPA 8015D	11/25/2024 09:08	11/27/2024 14:04	GXB
							Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		

	Surrogate Recoveries	Result	Acceptance Range
638-68-6	*Surrogate: Triacontane*	*87.6 %*	*30-150*

Total Petroleum Hydrocarbons-GRO (C5-C10)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-GRO	ND		mg/kg dry	37.8	100	EPA 8015D	11/26/2024 07:00	11/26/2024 22:29	SCB
							Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		

	Surrogate Recoveries	Result	Acceptance Range
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*64.4 %*	*52-146*

Metals, Target Analyte

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	**Aluminum**	**1180**		mg/kg dry	4.27	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-36-0	Antimony	ND		mg/kg dry	2.14	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-38-2	Arsenic	ND		mg/kg dry	1.28	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-39-3	**Barium**	**4.28**		mg/kg dry	2.13	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-41-7	**Beryllium**	**0.127**		mg/kg dry	0.043	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-43-9	Cadmium	ND		mg/kg dry	0.256	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-70-2	**Calcium**	**117**		mg/kg dry	4.27	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-47-3	**Chromium**	**2.68**		mg/kg dry	0.428	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-48-4	**Cobalt**	**0.812**		mg/kg dry	0.342	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-50-8	**Copper**	**2.03**		mg/kg dry	1.71	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-89-6	**Iron**	**3910**		mg/kg dry	21.4	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-92-1	**Lead**	**1.46**		mg/kg dry	0.428	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-95-4	**Magnesium**	**247**		mg/kg dry	4.28	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-96-5	**Manganese**	**44.6**		mg/kg dry	0.428	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-02-0	**Nickel**	**1.57**		mg/kg dry	0.851	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-09-7	**Potassium**	**120**		mg/kg dry	4.28	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7782-49-2	Selenium	ND		mg/kg dry	2.14	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-22-4	Silver	ND		mg/kg dry	0.431	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-23-5	**Sodium**	**47.5**		mg/kg dry	42.7	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-28-0	Thallium	ND		mg/kg dry	2.14	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-62-2	**Vanadium**	**2.60**		mg/kg dry	0.851	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-66-6	**Zinc**	**3.50**		mg/kg dry	2.13	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:51	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

Sample Information

Client Sample ID: SB-1 (7-8) **York Sample ID:** 24K1660-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:40 am	11/22/2024

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0308	1	EPA 7473	11/23/2024 08:10	11/26/2024 14:30	DRS
							Certifications:	CTDOH-PH-0723,NJDEP-CT005,NELAC-NY10854,PADEP-68-044		

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**97.5**		%	0.100	1	SM 2540G	11/25/2024 06:57	11/25/2024 13:04	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 15:58	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 15:58	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 15:58	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	2.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 15:58	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 15:58	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 15:58	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 15:58	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
87-61-6	1,2,3-Trichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 15:58	scb
								Certifications:	NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
96-18-4	1,2,3-Trichloropropane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	11/23/2024 15:58	scb
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
95-63-6	1,2,4-Trimethylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
96-12-8	1,2-Dibromo-3-chloropropane	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
108-67-8	1,3,5-Trimethylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
123-91-1	1,4-Dioxane	ND	CCVE	ug/kg dry	27	55	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
78-93-3	2-Butanone	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
591-78-6	2-Hexanone	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
67-64-1	Acetone	ND		ug/kg dry	2.7	5.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
107-02-8	Acrolein	ND		ug/kg dry	2.7	5.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
107-13-1	Acrylonitrile	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
71-43-2	Benzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-97-5	Bromochloromethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
75-25-2	Bromoform	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
74-83-9	Bromomethane	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
75-15-0	Carbon disulfide	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
56-23-5	Carbon tetrachloride	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
108-90-7	Chlorobenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
75-00-3	Chloroethane	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
67-66-3	Chloroform	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
110-82-7	Cyclohexane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
74-95-3	Dibromomethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
75-71-8	Dichlorodifluoromethane	ND	CCVE, ICVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
100-41-4	Ethyl Benzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
98-82-8	Isopropylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
79-20-9	Methyl acetate	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
108-87-2	Methylcyclohexane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
75-09-2	Methylene chloride	ND		ug/kg dry	2.7	5.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
104-51-8	n-Butylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
103-65-1	n-Propylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
95-47-6	o-Xylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
179601-23-1	p- & m- Xylenes	ND		ug/kg dry	2.7	5.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
99-87-6	p-Isopropyltoluene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
135-98-8	sec-Butylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
100-42-5	Styrene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
75-65-0	tert-Butyl alcohol (TBA)	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 15:58	scb
98-06-6	tert-Butylbenzene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
108-88-3	Toluene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb
110-57-6	* trans-1,4-dichloro-2-butene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NJDEP-CT005	11/23/2024 15:58	scb
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 15:58	scb

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:58 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-01-4	Vinyl Chloride	ND	CCVE	ug/kg dry	1.4	2.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:58 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
1330-20-7	Xylenes, Total	ND		ug/kg dry	4.1	8.2	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 15:58 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*113 %*	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*98.6 %*	*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*88.1 %*	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
51-28-5	2,4-Dinitrophenol	ND	CAL-E	ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-57-8	2-Chlorophenol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-48-7	2-Methylphenol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-74-4	2-Nitroaniline	ND		ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-75-5	2-Nitrophenol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-94-1	3,3-Dichlorobenzidine	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
99-09-2	3-Nitroaniline	ND		ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E	ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
106-47-8	4-Chloroaniline	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-01-6	4-Nitroaniline	ND	CCVE	ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-02-7	4-Nitrophenol	ND	CCVE	ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
83-32-9	Acenaphthene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
208-96-8	Acenaphthylene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
98-86-2	Acetophenone	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
62-53-3	Aniline	ND		ug/kg dry	170	340	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
120-12-7	Anthracene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
1912-24-9	Atrazine	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
100-52-7	Benzaldehyde	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
92-87-5	Benzidine	ND		ug/kg dry	170	340	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
100-51-6	Benzyl alcohol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
105-60-2	Caprolactam	ND		ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
86-74-8	Carbazole	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
218-01-9	Chrysene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
132-64-9	Dibenzofuran	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
84-66-2	Diethyl phthalate	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
131-11-3	Dimethyl phthalate	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
122-39-4	* Diphenylamine	ND		ug/kg dry	84.9	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56	SS
206-44-0	Fluoranthene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
86-73-7	Fluorene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
118-74-1	Hexachlorobenzene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
67-72-1	Hexachloroethane	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
193-39-5	Indeno(1,2,3-cd)pyrene	ND	CAL-E	ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 09:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-59-1	Isophorone	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
91-20-3	Naphthalene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
98-95-3	Nitrobenzene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
85-01-8	Phenanthrene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
108-95-2	Phenol	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS
129-00-0	Pyrene	ND		ug/kg dry	42.5	84.9	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 09:56	SS

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*69.5 %*	*20-108*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*68.1 %*	*23-114*
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*87.1 %*	*22-108*
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*77.0 %*	*21-113*
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*82.4 %*	*19-110*
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*78.6 %*	*24-116*

Total Petroleum Hydrocarbons-DRO (C10-C28)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-DRO	ND		mg/kg dry	10.1	1	EPA 8015D Certifications:	11/25/2024 09:08 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/27/2024 12:15	GXB

	Surrogate Recoveries	Result	Acceptance Range
638-68-6	*Surrogate: Triacontane*	*82.0 %*	*30-150*

Total Petroleum Hydrocarbons-GRO (C5-C10)

Log-in Notes: **Sample Notes:**

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-GRO	ND		mg/kg dry	44.8	100	EPA 8015D	11/26/2024 07:00	11/26/2024 23:03	SCB
							Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		

	Surrogate Recoveries	Result	Acceptance Range
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*64.5 %*	*52-146*

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	**Aluminum**	**1160**		mg/kg dry	4.30	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-36-0	Antimony	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-38-2	Arsenic	ND		mg/kg dry	1.29	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-39-3	**Barium**	**11.9**		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-41-7	**Beryllium**	**0.105**		mg/kg dry	0.043	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-43-9	Cadmium	ND		mg/kg dry	0.258	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-70-2	**Calcium**	**86.8**		mg/kg dry	4.30	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-47-3	**Chromium**	**3.39**		mg/kg dry	0.430	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-48-4	**Cobalt**	**2.41**		mg/kg dry	0.343	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-50-8	**Copper**	**2.90**		mg/kg dry	1.72	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-89-6	**Iron**	**3510**		mg/kg dry	21.5	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-92-1	**Lead**	**1.30**		mg/kg dry	0.430	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-95-4	**Magnesium**	**202**		mg/kg dry	4.30	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-96-5	**Manganese**	**354**		mg/kg dry	0.430	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-02-0	**Nickel**	**3.20**		mg/kg dry	0.856	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-09-7	**Potassium**	**166**		mg/kg dry	4.30	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: SB-1 (14-15) **York Sample ID:** 24K1660-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 10:45 am	11/22/2024

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-22-4	Silver	ND		mg/kg dry	0.433	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-23-5	Sodium	ND		mg/kg dry	43.0	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-28-0	Thallium	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-62-2	**Vanadium**	**2.88**		mg/kg dry	0.856	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-66-6	**Zinc**	**4.60**		mg/kg dry	2.14	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:53	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0309	1	EPA 7473	11/23/2024 08:10	11/26/2024 14:30	DRS
							Certifications:	CTDOH-PH-0723,NJDEP-CT005,NELAC-NY10854,PADEP-68-044		

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**97.0**		%	0.100	1	SM 2540G	11/25/2024 06:57	11/25/2024 13:04	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
87-61-6	1,2,3-Trichlorobenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
96-18-4	1,2,3-Trichloropropane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	SCB
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
95-63-6	1,2,4-Trimethylbenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
78-87-5	1,2-Dichloropropane	ND	QL-02	ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
108-67-8	1,3,5-Trimethylbenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
123-91-1	1,4-Dioxane	ND		ug/kg dry	28	56	1	EPA 8260D Certifications:	11/25/2024 09:00 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/25/2024 12:14	SCB
78-93-3	2-Butanone	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
591-78-6	2-Hexanone	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
67-64-1	Acetone	ND		ug/kg dry	2.8	5.6	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
107-02-8	Acrolein	ND		ug/kg dry	2.8	5.6	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
107-13-1	Acrylonitrile	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
71-43-2	Benzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
74-97-5	Bromochloromethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/25/2024 12:14	SCB
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
75-25-2	Bromoform	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
74-83-9	Bromomethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
75-15-0	Carbon disulfide	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
56-23-5	Carbon tetrachloride	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
108-90-7	Chlorobenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
75-00-3	Chloroethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
67-66-3	Chloroform	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
110-82-7	Cyclohexane	ND	QL-02	ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
74-95-3	Dibromomethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-71-8	Dichlorodifluoromethane	ND	CCVE	ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
100-41-4	Ethyl Benzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
98-82-8	Isopropylbenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
79-20-9	Methyl acetate	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-87-2	Methylcyclohexane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-09-2	Methylene chloride	ND		ug/kg dry	2.8	5.6	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
104-51-8	n-Butylbenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
103-65-1	n-Propylbenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
95-47-6	o-Xylene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
179601-23-1	p- & m- Xylenes	ND		ug/kg dry	2.8	5.6	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
99-87-6	p-Isopropyltoluene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
135-98-8	sec-Butylbenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:14	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
75-65-0	tert-Butyl alcohol (TBA)	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/25/2024 12:14	SCB
98-06-6	tert-Butylbenzene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
108-88-3	Toluene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
110-57-6	* trans-1,4-dichloro-2-butene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NJDEP-CT005	11/25/2024 12:14	SCB
79-01-6	Trichloroethylene	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
75-01-4	Vinyl Chloride	ND		ug/kg dry	1.4	2.8	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB
1330-20-7	Xylenes, Total	ND		ug/kg dry	4.2	8.3	1	EPA 8260D Certifications:	11/25/2024 09:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/25/2024 12:14	SCB

	Surrogate Recoveries	Result		Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*129 %*	S-08	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*92.3 %*		*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*87.0 %*		*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:27	SS
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:27	SS

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
51-28-5	2,4-Dinitrophenol	ND	CAL-E	ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-57-8	2-Chlorophenol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-48-7	2-Methylphenol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-74-4	2-Nitroaniline	ND		ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-75-5	2-Nitrophenol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-94-1	3,3-Dichlorobenzidine	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
99-09-2	3-Nitroaniline	ND		ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E	ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
106-47-8	4-Chloroaniline	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-01-6	4-Nitroaniline	ND	CCVE	ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-02-7	4-Nitrophenol	ND	CCVE	ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
83-32-9	Acenaphthene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
208-96-8	Acenaphthylene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
98-86-2	Acetophenone	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
62-53-3	Aniline	ND		ug/kg dry	176	352	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
120-12-7	Anthracene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
1912-24-9	Atrazine	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
100-52-7	Benzaldehyde	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
92-87-5	Benzidine	ND		ug/kg dry	176	352	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive **Log-in Notes:** **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
100-51-6	Benzyl alcohol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
105-60-2	Caprolactam	ND		ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
86-74-8	Carbazole	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
218-01-9	Chrysene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
132-64-9	Dibenzofuran	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
84-66-2	Diethyl phthalate	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
131-11-3	Dimethyl phthalate	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
122-39-4	* Diphenylamine	ND		ug/kg dry	87.8	175	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:27	SS
206-44-0	Fluoranthene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
86-73-7	Fluorene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:27	SS
118-74-1	Hexachlorobenzene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
67-72-1	Hexachloroethane	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
193-39-5	Indeno(1,2,3-cd)pyrene	ND	CAL-E	ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
78-59-1	Isophorone	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
91-20-3	Naphthalene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
98-95-3	Nitrobenzene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
85-01-8	Phenanthrene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
108-95-2	Phenol	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS
129-00-0	Pyrene	ND		ug/kg dry	44.0	87.8	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:27	SS

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
	Surrogate Recoveries	**Result**		**Acceptance Range**							
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*58.6 %*		*20-108*							
13127-88-3	*Surrogate: SURR: Phenol-d6*	*59.2 %*		*23-114*							
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*76.8 %*		*22-108*							
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*67.4 %*		*21-113*							
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*70.5 %*		*19-110*							
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*67.9 %*		*24-116*							

Total Petroleum Hydrocarbons-DRO (C10-C28)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-DRO	ND		mg/kg dry	10.3	1	EPA 8015D Certifications:	11/25/2024 09:08 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/27/2024 12:42	GXB
	Surrogate Recoveries	**Result**		**Acceptance Range**						
638-68-6	*Surrogate: Triacontane*	*89.4 %*		*30-150*						

Total Petroleum Hydrocarbons-GRO (C5-C10)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-GRO	ND		mg/kg dry	47.5	100	EPA 8015D Certifications:	11/26/2024 07:00 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/27/2024 01:20	SCB
	Surrogate Recoveries	**Result**		**Acceptance Range**						
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*56.3 %*		*52-146*						

Metals, Target Analyte

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	**Aluminum**	**1340**		mg/kg dry	4.44	1	EPA 6010D Certifications:	11/26/2024 14:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	11/27/2024 14:54	AGNR
7440-36-0	Antimony	ND		mg/kg dry	2.22	1	EPA 6010D Certifications:	11/26/2024 14:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/27/2024 14:54	AGNR
7440-38-2	Arsenic	ND		mg/kg dry	1.33	1	EPA 6010D Certifications:	11/26/2024 14:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/27/2024 14:54	AGNR
7440-39-3	**Barium**	**7.07**		mg/kg dry	2.22	1	EPA 6010D Certifications:	11/26/2024 14:56 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	11/27/2024 14:54	AGNR

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-41-7	**Beryllium**	**0.136**		mg/kg dry	0.045	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-43-9	Cadmium	ND		mg/kg dry	0.267	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-70-2	**Calcium**	**125**		mg/kg dry	4.44	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-47-3	**Chromium**	**4.36**		mg/kg dry	0.445	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-48-4	**Cobalt**	**1.63**		mg/kg dry	0.355	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-50-8	**Copper**	**2.64**		mg/kg dry	1.78	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-89-6	**Iron**	**6370**		mg/kg dry	22.2	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-92-1	**Lead**	**1.50**		mg/kg dry	0.445	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-95-4	**Magnesium**	**230**		mg/kg dry	4.45	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-96-5	**Manganese**	**130**		mg/kg dry	0.445	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-02-0	**Nickel**	**1.82**		mg/kg dry	0.885	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-09-7	**Potassium**	**192**		mg/kg dry	4.45	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7782-49-2	Selenium	ND		mg/kg dry	2.22	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-22-4	Silver	ND		mg/kg dry	0.448	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-23-5	**Sodium**	**47.2**		mg/kg dry	44.4	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-28-0	Thallium	ND		mg/kg dry	2.22	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-62-2	**Vanadium**	**3.37**		mg/kg dry	0.885	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-66-6	**Zinc**	**7.95**		mg/kg dry	2.21	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:54	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

Sample Information

Client Sample ID: SB-2 (7-8) **York Sample ID:** 24K1660-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:10 am	11/22/2024

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0320	1	EPA 7473	11/23/2024 08:10	11/26/2024 14:30	DRS
							Certifications:	CTDOH-PH-0723,NJDEP-CT005,NELAC-NY10854,PADEP-68-044		

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**93.8**		%	0.100	1	SM 2540G	11/25/2024 06:57	11/25/2024 13:04	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 16:51	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 16:51	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 16:51	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	2.8	5.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 16:51	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 16:51	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 16:51	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 16:51	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
87-61-6	1,2,3-Trichlorobenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D	11/23/2024 11:49	11/23/2024 16:51	scb
								Certifications:	NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
96-18-4	1,2,3-Trichloropropane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	11/23/2024 16:51	scb
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 16:51	scb
95-63-6	1,2,4-Trimethylbenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
96-12-8	1,2-Dibromo-3-chloropropane	ND	CCVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
108-67-8	1,3,5-Trimethylbenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
123-91-1	1,4-Dioxane	ND	CCVE	ug/kg dry	57	110	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 16:51	scb
78-93-3	2-Butanone	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
591-78-6	2-Hexanone	ND	CCVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
67-64-1	Acetone	ND		ug/kg dry	5.7	11	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
107-02-8	Acrolein	ND		ug/kg dry	5.7	11	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
107-13-1	Acrylonitrile	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
71-43-2	Benzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-97-5	Bromochloromethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-27-4	Bromodichloromethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-25-2	Bromoform	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
74-83-9	Bromomethane	ND	CCVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-15-0	Carbon disulfide	ND	CCVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-90-7	Chlorobenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-00-3	Chloroethane	ND	CCVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
67-66-3	Chloroform	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
110-82-7	Cyclohexane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
124-48-1	Dibromochloromethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
74-95-3	Dibromomethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-71-8	Dichlorodifluoromethane	ND	CCVE, ICVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
100-41-4	Ethyl Benzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
98-82-8	Isopropylbenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
79-20-9	Methyl acetate	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-87-2	Methylcyclohexane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-09-2	Methylene chloride	ND		ug/kg dry	5.7	11	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
104-51-8	n-Butylbenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
103-65-1	n-Propylbenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
95-47-6	o-Xylene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
179601-23-1	p- & m- Xylenes	ND		ug/kg dry	5.7	11	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
99-87-6	p-Isopropyltoluene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
135-98-8	sec-Butylbenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
100-42-5	Styrene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-65-0	tert-Butyl alcohol (TBA)	ND	CCVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
98-06-6	tert-Butylbenzene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
127-18-4	Tetrachloroethylene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-88-3	Toluene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
110-57-6	* trans-1,4-dichloro-2-butene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NJDEP-CT005
79-01-6	Trichloroethylene	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 16:51	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
75-01-4	Vinyl Chloride	ND	CCVE	ug/kg dry	2.8	5.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb
1330-20-7	Xylenes, Total	ND		ug/kg dry	8.5	17	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 16:51	scb

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*115 %*	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*99.0 %*	*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*87.8 %*	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
51-28-5	2,4-Dinitrophenol	ND	CAL-E	ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-57-8	2-Chlorophenol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-48-7	2-Methylphenol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-74-4	2-Nitroaniline	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-75-5	2-Nitrophenol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-94-1	3,3-Dichlorobenzidine	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
99-09-2	3-Nitroaniline	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E	ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
106-47-8	4-Chloroaniline	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-01-6	4-Nitroaniline	ND	CCVE	ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-02-7	4-Nitrophenol	ND	CCVE	ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
83-32-9	Acenaphthene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
208-96-8	Acenaphthylene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
98-86-2	Acetophenone	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
62-53-3	Aniline	ND		ug/kg dry	170	341	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
120-12-7	Anthracene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
1912-24-9	Atrazine	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
100-52-7	Benzaldehyde	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
92-87-5	Benzidine	ND		ug/kg dry	170	341	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
100-51-6	Benzyl alcohol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 10:57	SS
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
105-60-2	Caprolactam	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
86-74-8	Carbazole	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
218-01-9	Chrysene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
132-64-9	Dibenzofuran	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
84-66-2	Diethyl phthalate	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
131-11-3	Dimethyl phthalate	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
122-39-4	* Diphenylamine	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57	SS
206-44-0	Fluoranthene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
86-73-7	Fluorene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
118-74-1	Hexachlorobenzene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
67-72-1	Hexachloroethane	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
193-39-5	Indeno(1,2,3-cd)pyrene	ND	CAL-E	ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 10:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-59-1	Isophorone	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
91-20-3	Naphthalene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
98-95-3	Nitrobenzene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
85-01-8	Phenanthrene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
108-95-2	Phenol	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS
129-00-0	Pyrene	ND		ug/kg dry	42.7	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 10:57	SS

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*64.9 %*	*20-108*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*63.1 %*	*23-114*
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*81.8 %*	*22-108*
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*69.8 %*	*21-113*
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*74.9 %*	*19-110*
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*71.9 %*	*24-116*

Total Petroleum Hydrocarbons-DRO (C10-C28)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-DRO	ND		mg/kg dry	9.95	1	EPA 8015D Certifications:	11/25/2024 09:08 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/27/2024 13:10	GXB

	Surrogate Recoveries	Result	Acceptance Range
638-68-6	*Surrogate: Triacontane*	*80.0 %*	*30-150*

Total Petroleum Hydrocarbons-GRO (C5-C10)

Log-in Notes: **Sample Notes:**

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-GRO	ND		mg/kg dry	80.4	100	EPA 8015D	11/26/2024 07:00	11/27/2024 01:55	SCB
							Certifications: NELAC-NY10854,NJDEP-CT005,PADEP-68-04440			

	Surrogate Recoveries	Result	Acceptance Range
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*61.9 %*	*52-146*

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	**Aluminum**	**711**		mg/kg dry	4.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7440-36-0	Antimony	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044			
7440-38-2	Arsenic	ND		mg/kg dry	1.29	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044			
7440-39-3	**Barium**	**3.53**		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7440-41-7	**Beryllium**	**0.070**		mg/kg dry	0.043	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7440-43-9	Cadmium	ND		mg/kg dry	0.259	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044			
7440-70-2	**Calcium**	**53.6**		mg/kg dry	4.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7440-47-3	**Chromium**	**3.05**		mg/kg dry	0.431	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7440-48-4	**Cobalt**	**0.448**		mg/kg dry	0.345	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7440-50-8	**Copper**	**1.82**		mg/kg dry	1.72	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7439-89-6	**Iron**	**2100**		mg/kg dry	21.5	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7439-92-1	**Lead**	**0.785**		mg/kg dry	0.431	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7439-95-4	**Magnesium**	**106**		mg/kg dry	4.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7439-96-5	**Manganese**	**25.7**		mg/kg dry	0.431	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			
7440-02-0	Nickel	ND		mg/kg dry	0.859	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044			
7440-09-7	**Potassium**	**92.1**		mg/kg dry	4.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications: CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04			

Sample Information

Client Sample ID: SB-2 (14-15) **York Sample ID:** 24K1660-04

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 11:15 am	11/22/2024

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-22-4	Silver	ND		mg/kg dry	0.435	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-23-5	Sodium	ND		mg/kg dry	43.1	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-28-0	Thallium	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-62-2	**Vanadium**	**1.75**		mg/kg dry	0.859	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-66-6	**Zinc**	**2.23**		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:55	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0310	1	EPA 7473	11/23/2024 08:10	11/26/2024 14:30	DRS
							Certifications:	CTDOH-PH-0723,NJDEP-CT005,NELAC-NY10854,PADEP-68-044		

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**96.7**		%	0.100	1	SM 2540G	11/25/2024 06:57	11/25/2024 13:04	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-61-6	1,2,3-Trichlorobenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
96-18-4	1,2,3-Trichloropropane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	scb
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
95-63-6	1,2,4-Trimethylbenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
96-12-8	1,2-Dibromo-3-chloropropane	ND	CCVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-67-8	1,3,5-Trimethylbenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
123-91-1	1,4-Dioxane	ND	CCVE	ug/kg dry	25	49	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 18:25	scb
78-93-3	2-Butanone	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
591-78-6	2-Hexanone	ND	CCVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
67-64-1	Acetone	ND		ug/kg dry	2.5	4.9	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
107-02-8	Acrolein	ND		ug/kg dry	2.5	4.9	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
107-13-1	Acrylonitrile	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
71-43-2	Benzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
74-97-5	Bromochloromethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 18:25	scb
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
75-25-2	Bromoform	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
74-83-9	Bromomethane	ND	CCVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
75-15-0	Carbon disulfide	ND	CCVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
56-23-5	Carbon tetrachloride	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
108-90-7	Chlorobenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
75-00-3	Chloroethane	ND	CCVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
67-66-3	Chloroform	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
110-82-7	Cyclohexane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
74-95-3	Dibromomethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-71-8	Dichlorodifluoromethane	ND	CCVE, ICVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
100-41-4	Ethyl Benzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
98-82-8	Isopropylbenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-20-9	Methyl acetate	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-87-2	Methylcyclohexane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-09-2	Methylene chloride	ND		ug/kg dry	2.5	4.9	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
104-51-8	n-Butylbenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
103-65-1	n-Propylbenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
95-47-6	o-Xylene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
179601-23-1	p- & m- Xylenes	ND		ug/kg dry	2.5	4.9	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
99-87-6	p-Isopropyltoluene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
135-98-8	sec-Butylbenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 18:25 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
75-65-0	tert-Butyl alcohol (TBA)	ND	CCVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 18:25	scb
98-06-6	tert-Butylbenzene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
108-88-3	Toluene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
110-57-6	* trans-1,4-dichloro-2-butene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NJDEP-CT005	11/23/2024 18:25	scb
79-01-6	Trichloroethylene	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
75-01-4	Vinyl Chloride	ND	CCVE	ug/kg dry	1.2	2.5	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb
1330-20-7	Xylenes, Total	ND		ug/kg dry	3.7	7.4	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 18:25	scb

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*118 %*	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*99.0 %*	*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*86.7 %*	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:27	SS
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:27	SS

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
51-28-5	2,4-Dinitrophenol	ND	CAL-E	ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
95-57-8	2-Chlorophenol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
95-48-7	2-Methylphenol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-74-4	2-Nitroaniline	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-75-5	2-Nitrophenol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-94-1	3,3-Dichlorobenzidine	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
99-09-2	3-Nitroaniline	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E	ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
106-47-8	4-Chloroaniline	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
100-01-6	4-Nitroaniline	ND	CCVE	ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
100-02-7	4-Nitrophenol	ND	CCVE	ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
83-32-9	Acenaphthene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
208-96-8	Acenaphthylene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
98-86-2	Acetophenone	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
62-53-3	Aniline	ND		ug/kg dry	170	341	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
120-12-7	Anthracene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
1912-24-9	Atrazine	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
100-52-7	Benzaldehyde	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
92-87-5	Benzidine	ND		ug/kg dry	170	341	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
100-51-6	Benzyl alcohol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
105-60-2	Caprolactam	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
86-74-8	Carbazole	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
218-01-9	Chrysene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
132-64-9	Dibenzofuran	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
84-66-2	Diethyl phthalate	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
131-11-3	Dimethyl phthalate	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
122-39-4	* Diphenylamine	ND		ug/kg dry	85.1	170	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27	SS
206-44-0	Fluoranthene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
86-73-7	Fluorene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
118-74-1	Hexachlorobenzene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
67-72-1	Hexachloroethane	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
193-39-5	Indeno(1,2,3-cd)pyrene	ND	CAL-E	ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
78-59-1	Isophorone	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-20-3	Naphthalene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
98-95-3	Nitrobenzene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
85-01-8	Phenanthrene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
108-95-2	Phenol	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
129-00-0	Pyrene	ND		ug/kg dry	42.6	85.1	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:27 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*65.8 %*	*20-108*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*67.0 %*	*23-114*
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*80.6 %*	*22-108*
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*66.5 %*	*21-113*
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*77.1 %*	*19-110*
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*73.8 %*	*24-116*

Total Petroleum Hydrocarbons-DRO (C10-C28)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-DRO	ND		mg/kg dry	9.94	1	EPA 8015D	11/25/2024 09:08	11/27/2024 13:37	GXB
							Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		

	Surrogate Recoveries	Result	Acceptance Range
638-68-6	*Surrogate: Triacontane*	*88.7 %*	*30-150*

Total Petroleum Hydrocarbons-GRO (C5-C10)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-GRO	ND		mg/kg dry	139	100	EPA 8015D	11/26/2024 07:00	11/27/2024 02:29	SCB
							Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		

	Surrogate Recoveries	Result	Acceptance Range
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*56.9 %*	*52-146*

Metals, Target Analyte

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	**Aluminum**	**1580**		mg/kg dry	4.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-36-0	Antimony	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-38-2	Arsenic	ND		mg/kg dry	1.29	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-39-3	**Barium**	**7.91**		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7440-41-7	**Beryllium**	**0.121**		mg/kg dry	0.043	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-43-9	Cadmium	ND		mg/kg dry	0.258	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-70-2	**Calcium**	**5690**		mg/kg dry	4.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-47-3	**Chromium**	**2.89**		mg/kg dry	0.431	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-48-4	**Cobalt**	**1.09**		mg/kg dry	0.344	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-50-8	**Copper**	**2.40**		mg/kg dry	1.72	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-89-6	**Iron**	**4950**		mg/kg dry	21.5	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-92-1	**Lead**	**4.72**		mg/kg dry	0.431	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-95-4	**Magnesium**	**1520**		mg/kg dry	4.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-96-5	**Manganese**	**137**		mg/kg dry	0.431	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-02-0	**Nickel**	**1.53**		mg/kg dry	0.858	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-09-7	**Potassium**	**207**		mg/kg dry	4.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7782-49-2	Selenium	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-22-4	Silver	ND		mg/kg dry	0.434	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-23-5	**Sodium**	**68.5**		mg/kg dry	43.1	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-28-0	Thallium	ND		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-62-2	**Vanadium**	**3.31**		mg/kg dry	0.858	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-66-6	**Zinc**	**5.08**		mg/kg dry	2.15	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:57	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

Sample Information

Client Sample ID: SB-3 (7-8) **York Sample ID:** 24K1660-05

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:00 pm	11/22/2024

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0310	1	EPA 7473	11/23/2024 08:10	11/26/2024 14:30	DRS
							Certifications:	CTDOH-PH-0723,NJDEP-CT005,NELAC-NY10854,PADEP-68-044		

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**96.7**		%	0.100	1	SM 2540G	11/25/2024 06:57	11/25/2024 13:04	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D	11/23/2024 11:49	11/23/2024 17:59	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D	11/23/2024 11:49	11/23/2024 17:59	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D	11/23/2024 11:49	11/23/2024 17:59	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	1.5	3.0	1	EPA 8260D	11/23/2024 11:49	11/23/2024 17:59	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D	11/23/2024 11:49	11/23/2024 17:59	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D	11/23/2024 11:49	11/23/2024 17:59	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D	11/23/2024 11:49	11/23/2024 17:59	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
87-61-6	1,2,3-Trichlorobenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D	11/23/2024 11:49	11/23/2024 17:59	scb
								Certifications:	NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
96-18-4	1,2,3-Trichloropropane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	11/23/2024 17:59	scb
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 17:59	scb
95-63-6	1,2,4-Trimethylbenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
96-12-8	1,2-Dibromo-3-chloropropane	ND	CCVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
108-67-8	1,3,5-Trimethylbenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
123-91-1	1,4-Dioxane	ND	CCVE	ug/kg dry	30	60	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 17:59	scb
78-93-3	2-Butanone	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
591-78-6	2-Hexanone	ND	CCVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
67-64-1	Acetone	ND		ug/kg dry	3.0	6.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
107-02-8	Acrolein	ND		ug/kg dry	3.0	6.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
107-13-1	Acrylonitrile	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
71-43-2	Benzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-97-5	Bromochloromethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 17:59	scb
75-27-4	Bromodichloromethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
75-25-2	Bromoform	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
74-83-9	Bromomethane	ND	CCVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
75-15-0	Carbon disulfide	ND	CCVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
56-23-5	Carbon tetrachloride	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
108-90-7	Chlorobenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
75-00-3	Chloroethane	ND	CCVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
67-66-3	Chloroform	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
110-82-7	Cyclohexane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 17:59	scb
124-48-1	Dibromochloromethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 17:59	scb
74-95-3	Dibromomethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 17:59	scb
75-71-8	Dichlorodifluoromethane	ND	CCVE, ICVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 17:59	scb
100-41-4	Ethyl Benzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 17:59	scb
98-82-8	Isopropylbenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
79-20-9	Methyl acetate	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-87-2	Methylcyclohexane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-09-2	Methylene chloride	ND		ug/kg dry	3.0	6.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
104-51-8	n-Butylbenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
103-65-1	n-Propylbenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
95-47-6	o-Xylene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
179601-23-1	p- & m- Xylenes	ND		ug/kg dry	3.0	6.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
99-87-6	p-Isopropyltoluene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
135-98-8	sec-Butylbenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
100-42-5	Styrene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-65-0	tert-Butyl alcohol (TBA)	ND	CCVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
98-06-6	tert-Butylbenzene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
127-18-4	Tetrachloroethylene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-88-3	Toluene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
110-57-6	* trans-1,4-dichloro-2-butene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NJDEP-CT005
79-01-6	Trichloroethylene	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 17:59	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
75-01-4	Vinyl Chloride	ND	CCVE	ug/kg dry	1.5	3.0	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb
1330-20-7	Xylenes, Total	ND		ug/kg dry	4.5	8.9	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 17:59	scb

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*121 %*	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*97.0 %*	*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*86.9 %*	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
51-28-5	2,4-Dinitrophenol	ND	CAL-E	ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-57-8	2-Chlorophenol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-48-7	2-Methylphenol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-74-4	2-Nitroaniline	ND		ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-75-5	2-Nitrophenol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-94-1	3,3-Dichlorobenzidine	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
99-09-2	3-Nitroaniline	ND		ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E	ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
106-47-8	4-Chloroaniline	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-01-6	4-Nitroaniline	ND	CCVE	ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-02-7	4-Nitrophenol	ND	CCVE	ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
83-32-9	Acenaphthene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
208-96-8	Acenaphthylene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
98-86-2	Acetophenone	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
62-53-3	Aniline	ND		ug/kg dry	173	346	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
120-12-7	Anthracene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
1912-24-9	Atrazine	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
100-52-7	Benzaldehyde	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
92-87-5	Benzidine	ND		ug/kg dry	173	346	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
100-51-6	Benzyl alcohol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	12/06/2024 11:57	SS
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
105-60-2	Caprolactam	ND		ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
86-74-8	Carbazole	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
218-01-9	Chrysene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
132-64-9	Dibenzofuran	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
84-66-2	Diethyl phthalate	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
131-11-3	Dimethyl phthalate	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
122-39-4	* Diphenylamine	ND		ug/kg dry	86.4	173	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57	SS
206-44-0	Fluoranthene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
86-73-7	Fluorene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
118-74-1	Hexachlorobenzene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
67-72-1	Hexachloroethane	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
193-39-5	Indeno(1,2,3-cd)pyrene	ND	CAL-E	ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07	12/06/2024 11:57 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-59-1	Isophorone	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
91-20-3	Naphthalene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
98-95-3	Nitrobenzene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
85-01-8	Phenanthrene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
108-95-2	Phenol	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS
129-00-0	Pyrene	ND		ug/kg dry	43.3	86.4	2	EPA 8270E Certifications:	12/05/2024 13:07 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	12/06/2024 11:57	SS

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*65.0 %*	*20-108*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*67.2 %*	*23-114*
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*83.2 %*	*22-108*
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*70.2 %*	*21-113*
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*81.9 %*	*19-110*
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*76.1 %*	*24-116*

Total Petroleum Hydrocarbons-DRO (C10-C28)

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-DRO	ND		mg/kg dry	10.1	1	EPA 8015D Certifications:	11/25/2024 09:08 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/27/2024 14:31	GXB

	Surrogate Recoveries	Result	Acceptance Range
638-68-6	*Surrogate: Triacontane*	*88.0 %*	*30-150*

Total Petroleum Hydrocarbons-GRO (C5-C10)

Log-in Notes: **Sample Notes:**

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
68334-30-5	Total Petroleum Hydrocarbons-GRO	ND		mg/kg dry	40.2	100	EPA 8015D	11/26/2024 07:00	11/27/2024 03:03	SCB
							Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		

	Surrogate Recoveries	Result	Acceptance Range
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*59.9 %*	*52-146*

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	**Aluminum**	**1180**		mg/kg dry	4.37	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-36-0	Antimony	ND		mg/kg dry	2.19	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-38-2	Arsenic	ND		mg/kg dry	1.31	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-39-3	**Barium**	**7.28**		mg/kg dry	2.18	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-41-7	**Beryllium**	**0.116**		mg/kg dry	0.044	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-43-9	Cadmium	ND		mg/kg dry	0.262	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-70-2	**Calcium**	**189**		mg/kg dry	4.37	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-47-3	**Chromium**	**6.43**		mg/kg dry	0.438	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-48-4	**Cobalt**	**1.13**		mg/kg dry	0.349	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-50-8	**Copper**	**2.92**		mg/kg dry	1.75	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-89-6	**Iron**	**4090**		mg/kg dry	21.9	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-92-1	**Lead**	**1.86**		mg/kg dry	0.438	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-95-4	**Magnesium**	**299**		mg/kg dry	4.38	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-96-5	**Manganese**	**50.4**		mg/kg dry	0.438	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-02-0	**Nickel**	**1.29**		mg/kg dry	0.871	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-09-7	**Potassium**	**186**		mg/kg dry	4.38	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: SB-3 (14-15) **York Sample ID:** 24K1660-06

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 12:05 pm	11/22/2024

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	ND		mg/kg dry	2.19	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-22-4	Silver	ND		mg/kg dry	0.441	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-23-5	**Sodium**	**47.6**		mg/kg dry	43.7	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-28-0	Thallium	ND		mg/kg dry	2.19	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-62-2	**Vanadium**	**2.81**		mg/kg dry	0.871	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-66-6	**Zinc**	**3.98**		mg/kg dry	2.18	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:58	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0315	1	EPA 7473	11/23/2024 08:10	11/26/2024 14:30	DRS
							Certifications:	CTDOH-PH-0723,NJDEP-CT005,NELAC-NY10854,PADEP-68-044		

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**95.3**		%	0.100	1	SM 2540G	11/25/2024 06:57	11/25/2024 13:04	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
71-55-6	1,1,1-Trichloroethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
79-34-5	1,1,2,2-Tetrachloroethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
79-00-5	1,1,2-Trichloroethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-34-3	1,1-Dichloroethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-35-4	1,1-Dichloroethylene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
87-61-6	1,2,3-Trichlorobenzene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04		
96-18-4	1,2,3-Trichloropropane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	NELAC-NY10854,NELAC-NY12058,NJDEP-CT005		
120-82-1	**1,2,4-Trichlorobenzene**	**3.6**	IS-LO, J	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04		
95-63-6	**1,2,4-Trimethylbenzene**	**1400**		ug/kg dry	260	520	100	EPA 8260D	11/26/2024 10:11	11/26/2024 12:07	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C		
96-12-8	1,2-Dibromo-3-chloropropane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
106-93-4	1,2-Dibromoethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
95-50-1	1,2-Dichlorobenzene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
107-06-2	1,2-Dichloroethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
78-87-5	1,2-Dichloropropane	ND	IS-LO, QL-02	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
108-67-8	**1,3,5-Trimethylbenzene**	**400**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C		
541-73-1	1,3-Dichlorobenzene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
106-46-7	1,4-Dichlorobenzene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
123-91-1	1,4-Dioxane	ND	IS-LO	ug/kg dry	59	120	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
78-93-3	2-Butanone	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
591-78-6	2-Hexanone	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-10-1	4-Methyl-2-pentanone	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
67-64-1	Acetone	ND	IS-LO	ug/kg dry	5.9	12	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
107-02-8	Acrolein	ND	IS-LO	ug/kg dry	5.9	12	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
107-13-1	Acrylonitrile	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
71-43-2	Benzene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-97-5	Bromochloromethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-27-4	Bromodichloromethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-25-2	Bromoform	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-83-9	Bromomethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-15-0	Carbon disulfide	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
56-23-5	Carbon tetrachloride	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-90-7	Chlorobenzene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-00-3	Chloroethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
67-66-3	Chloroform	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-87-3	Chloromethane	ND	CCVE, IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
156-59-2	cis-1,2-Dichloroethylene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
10061-01-5	cis-1,3-Dichloropropylene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
110-82-7	Cyclohexane	ND	IS-LO, QL-02	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
124-48-1	Dibromochloromethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
74-95-3	Dibromomethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
75-71-8	Dichlorodifluoromethane	ND	CCVE, IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
100-41-4	**Ethyl Benzene**	**20**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
87-68-3	Hexachlorobutadiene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
98-82-8	**Isopropylbenzene**	**31**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
79-20-9	Methyl acetate	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
1634-04-4	Methyl tert-butyl ether (MTBE)	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
108-87-2	Methylcyclohexane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB
75-09-2	Methylene chloride	ND	IS-LO	ug/kg dry	5.9	12	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	SCB
104-51-8	**n-Butylbenzene**	**240**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
103-65-1	**n-Propylbenzene**	**83**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
95-47-6	**o-Xylene**	**96**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
179601-23-1	**p- & m- Xylenes**	**40**	IS-LO	ug/kg dry	5.9	12	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
99-87-6	**p-Isopropyltoluene**	**120**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
135-98-8	**sec-Butylbenzene**	**110**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
100-42-5	**Styrene**	**3.0**	J, IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	SCB
75-65-0	tert-Butyl alcohol (TBA)	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D Certifications:	11/25/2024 09:00	11/25/2024 12:40 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	SCB

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
98-06-6	**tert-Butylbenzene**	**11**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C		
127-18-4	**Tetrachloroethylene**	**90**	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C		
108-88-3	Toluene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
156-60-5	trans-1,2-Dichloroethylene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
10061-02-6	trans-1,3-Dichloropropylene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
110-57-6	* trans-1,4-dichloro-2-butene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NJDEP-CT005		
79-01-6	Trichloroethylene	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-69-4	Trichlorofluoromethane	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
75-01-4	Vinyl Chloride	ND	IS-LO	ug/kg dry	2.9	5.9	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
1330-20-7	**Xylenes, Total**	**140**	IS-LO	ug/kg dry	8.8	18	1	EPA 8260D	11/25/2024 09:00	11/25/2024 12:40	SCB
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C		

	Surrogate Recoveries	Result		Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*138 %*	IS-LO, S-08	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*92.0 %*	IS-LO	*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*90.3 %*	IS-LO	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	**1,1-Biphenyl**	**828**		ug/kg dry	42.3	84.4	2	EPA 8270E	11/22/2024 08:50	11/24/2024 23:32	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
95-94-3	1,2,4,5-Tetrachlorobenzene	ND	ICVE	ug/kg dry	84.4	169	2	EPA 8270E	11/22/2024 08:50	11/24/2024 23:32	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E	11/22/2024 08:50	11/24/2024 23:32	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E	11/22/2024 08:50	11/24/2024 23:32	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
95-57-8	2-Chlorophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-57-6	**2-Methylnaphthalene**	**5350**		ug/kg dry	212	422	10	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 15:11 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	SS
95-48-7	2-Methylphenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-74-4	2-Nitroaniline	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
88-75-5	2-Nitrophenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-94-1	3,3-Dichlorobenzidine	ND	ICVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
99-09-2	3-Nitroaniline	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E, CCVE	ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
106-47-8	4-Chloroaniline	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
100-01-6	4-Nitroaniline	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
100-02-7	4-Nitrophenol	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
83-32-9	**Acenaphthene**	**250**		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
208-96-8	Acenaphthylene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
98-86-2	Acetophenone	ND	ICVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
62-53-3	Aniline	ND		ug/kg dry	169	338	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
120-12-7	**Anthracene**	**98.5**		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
1912-24-9	Atrazine	ND	ICVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
100-52-7	Benzaldehyde	ND	ICVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
92-87-5	Benzidine	ND	CAL-E, ICVE	ug/kg dry	169	338	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
100-51-6	Benzyl alcohol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
105-60-2	**Caprolactam**	**1240**	ICVE	ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
86-74-8	Carbazole	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
218-01-9	Chrysene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
132-64-9	Dibenzofuran	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
84-66-2	Diethyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
131-11-3	Dimethyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
122-39-4	* Diphenylamine	ND		ug/kg dry	84.4	169	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
206-44-0	Fluoranthene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
86-73-7	**Fluorene**	**538**		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
118-74-1	Hexachlorobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
77-47-4	Hexachlorocyclopentadiene	ND	CCVE	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
67-72-1	Hexachloroethane	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
78-59-1	Isophorone	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-20-3	**Naphthalene**	**243**		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
98-95-3	Nitrobenzene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
87-86-5	Pentachlorophenol	ND	CAL-E	ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
85-01-8	**Phenanthrene**	**1240**		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
108-95-2	Phenol	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
129-00-0	Pyrene	ND		ug/kg dry	42.3	84.4	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 23:32	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*52.0 %*	*20-108*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*55.2 %*	*23-114*
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*66.2 %*	*22-108*
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*82.5 %*	*21-113*

Sample Information

Client Sample ID: SB-4 (8-10) **York Sample ID:** 24K1660-07

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:30 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*81.1 %*			*19-110*						
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*47.5 %*			*24-116*						

Total Solids

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**96.9**		%	0.100	1	SM 2540G	11/25/2024 06:57	11/25/2024 13:04	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT			
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT			
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT			
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT			
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT			
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT			
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT			
87-61-6	1,2,3-Trichlorobenzene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
							Certifications:	NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04			

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
96-18-4	1,2,3-Trichloropropane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	11/23/2024 20:31	scb
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 20:31	scb
95-63-6	**1,2,4-Trimethylbenzene**	**97**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	11/23/2024 20:31	scb
96-12-8	1,2-Dibromo-3-chloropropane	ND	CCVE	ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
108-67-8	**1,3,5-Trimethylbenzene**	**47**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	11/23/2024 20:31	scb
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
123-91-1	1,4-Dioxane	ND	CCVE	ug/kg dry	41	82	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 20:31	scb
78-93-3	2-Butanone	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
591-78-6	2-Hexanone	ND	CCVE	ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
67-64-1	Acetone	ND		ug/kg dry	4.1	8.2	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
107-02-8	Acrolein	ND		ug/kg dry	4.1	8.2	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
107-13-1	Acrylonitrile	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb
71-43-2	Benzene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:31	scb

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-97-5	Bromochloromethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-27-4	Bromodichloromethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-25-2	Bromoform	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
74-83-9	Bromomethane	ND	CCVE	ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-15-0	Carbon disulfide	ND	CCVE	ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-90-7	Chlorobenzene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-00-3	Chloroethane	ND	CCVE	ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
67-66-3	Chloroform	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
110-82-7	Cyclohexane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
124-48-1	Dibromochloromethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
74-95-3	Dibromomethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-71-8	Dichlorodifluoromethane	ND	CCVE, ICVE	ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
100-41-4	**Ethyl Benzene**	**4.3**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	scb
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
98-82-8	**Isopropylbenzene**	**4.8**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	scb

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
79-20-9	Methyl acetate	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-87-2	Methylcyclohexane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-09-2	Methylene chloride	ND		ug/kg dry	4.1	8.2	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
104-51-8	**n-Butylbenzene**	**22**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
103-65-1	**n-Propylbenzene**	**11**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
95-47-6	**o-Xylene**	**17**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
179601-23-1	**p- & m- Xylenes**	**10**		ug/kg dry	4.1	8.2	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
99-87-6	**p-Isopropyltoluene**	**12**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
135-98-8	**sec-Butylbenzene**	**10**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
100-42-5	Styrene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-65-0	tert-Butyl alcohol (TBA)	ND	CCVE	ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
98-06-6	tert-Butylbenzene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
127-18-4	**Tetrachloroethylene**	**11**		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
108-88-3	Toluene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
110-57-6	* trans-1,4-dichloro-2-butene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NJDEP-CT005
79-01-6	Trichloroethylene	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.0	4.1	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:31	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-01-4	Vinyl Chloride	ND	CCVE	ug/kg dry	2.0	4.1	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT		
1330-20-7	**Xylenes, Total**	**28**		ug/kg dry	6.1	12	1	EPA 8260D	11/23/2024 11:49	11/23/2024 20:31	scb
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C		

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*115 %*	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*99.0 %*	*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*124 %*	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	**1,1-Biphenyl**	**160**		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
95-94-3	1,2,4,5-Tetrachlorobenzene	ND	ICVE	ug/kg dry	82.7	165	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	82.7	165	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
105-67-9	2,4-Dimethylphenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
51-28-5	2,4-Dinitrophenol	ND		ug/kg dry	82.7	165	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
95-57-8	2-Chlorophenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
91-57-6	**2-Methylnaphthalene**	**1040**		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	11/25/2024 00:03	SS
95-48-7	2-Methylphenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
88-74-4	2-Nitroaniline	ND		ug/kg dry	82.7	165	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
88-75-5	2-Nitrophenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
91-94-1	3,3-Dichlorobenzidine	ND	ICVE	ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/25/2024 00:03	SS
99-09-2	3-Nitroaniline	ND		ug/kg dry	82.7	165	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E, CCVE	ug/kg dry	82.7	165	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
106-47-8	4-Chloroaniline	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
100-01-6	4-Nitroaniline	ND		ug/kg dry	82.7	165	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS
100-02-7	4-Nitrophenol	ND		ug/kg dry	82.7	165	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/25/2024 00:03	SS

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
83-32-9	**Acenaphthene**	**75.4**	J	ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
208-96-8	Acenaphthylene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
98-86-2	Acetophenone	ND	ICVE	ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
62-53-3	Aniline	ND		ug/kg dry	166	331	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
120-12-7	Anthracene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
1912-24-9	Atrazine	ND	ICVE	ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
100-52-7	Benzaldehyde	ND	ICVE	ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
92-87-5	Benzidine	ND	CAL-E, ICVE	ug/kg dry	166	331	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
56-55-3	Benzo(a)anthracene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
50-32-8	Benzo(a)pyrene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
205-99-2	Benzo(b)fluoranthene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
191-24-2	Benzo(g,h,i)perylene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
207-08-9	Benzo(k)fluoranthene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
100-51-6	Benzyl alcohol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
85-68-7	Benzyl butyl phthalate	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
108-60-1	Bis(2-chloroisopropyl)ether	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
105-60-2	**Caprolactam**	**304**	ICVE	ug/kg dry	82.7	165	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
86-74-8	Carbazole	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
218-01-9	Chrysene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
53-70-3	Dibenzo(a,h)anthracene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
132-64-9	Dibenzofuran	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
84-66-2	Diethyl phthalate	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
131-11-3	Dimethyl phthalate	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
122-39-4	* Diphenylamine	ND		ug/kg dry	82.7	165	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS
206-44-0	Fluoranthene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
86-73-7	**Fluorene**	**143**		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
118-74-1	Hexachlorobenzene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
77-47-4	Hexachlorocyclopentadiene	ND	CCVE	ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
67-72-1	Hexachloroethane	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
193-39-5	Indeno(1,2,3-cd)pyrene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
78-59-1	Isophorone	ND		ug/kg dry	41.5	82.7	2	EPA 8270E Certifications:	11/22/2024 08:50	11/25/2024 00:03	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

Sample Information

Client Sample ID: SB-5 (8-10) **York Sample ID:** 24K1660-08

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 1:35 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
91-20-3	**Naphthalene**	**61.5**	J	ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
98-95-3	Nitrobenzene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
87-86-5	Pentachlorophenol	ND	CAL-E	ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
85-01-8	**Phenanthrene**	**450**		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
108-95-2	Phenol	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
129-00-0	Pyrene	ND		ug/kg dry	41.5	82.7	2	EPA 8270E	11/22/2024 08:50	11/25/2024 00:03	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*72.3 %*	*20-108*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*72.6 %*	*23-114*
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*79.0 %*	*22-108*
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*81.2 %*	*21-113*
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*110 %*	*19-110*
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*74.9 %*	*24-116*

Total Solids

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**98.9**		%	0.100	1	SM 2540G	11/25/2024 06:59	11/25/2024 11:25	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-61-6	1,2,3-Trichlorobenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
96-18-4	1,2,3-Trichloropropane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	scb
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
95-63-6	1,2,4-Trimethylbenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
96-12-8	1,2-Dibromo-3-chloropropane	ND	CCVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-67-8	1,3,5-Trimethylbenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
123-91-1	1,4-Dioxane	ND	CCVE	ug/kg dry	47	95	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
78-93-3	**2-Butanone**	**3.3**	J	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
591-78-6	2-Hexanone	ND	CCVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-10-1	4-Methyl-2-pentanone	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
67-64-1	**Acetone**	**65**		ug/kg dry	4.7	9.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
107-02-8	Acrolein	ND		ug/kg dry	4.7	9.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
107-13-1	Acrylonitrile	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
71-43-2	Benzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-97-5	Bromochloromethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-27-4	Bromodichloromethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-25-2	Bromoform	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-83-9	Bromomethane	ND	CCVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-15-0	**Carbon disulfide**	**2.8**	J, CCVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
56-23-5	Carbon tetrachloride	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-90-7	Chlorobenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-00-3	**Chloroethane**	**3.6**	J, CCVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
67-66-3	**Chloroform**	**3500**		ug/kg dry	290	580	100	EPA 8260D Certifications:	11/23/2024 11:49	11/25/2024 19:23	SCB CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
110-82-7	Cyclohexane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
124-48-1	Dibromochloromethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
74-95-3	Dibromomethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-71-8	Dichlorodifluoromethane	ND	CCVE, ICVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
100-41-4	Ethyl Benzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
98-82-8	Isopropylbenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-20-9	Methyl acetate	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-87-2	Methylcyclohexane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-09-2	**Methylene chloride**	**42**		ug/kg dry	4.7	9.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	scb
104-51-8	n-Butylbenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
103-65-1	n-Propylbenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
95-47-6	o-Xylene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
179601-23-1	p- & m- Xylenes	ND		ug/kg dry	4.7	9.5	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
99-87-6	p-Isopropyltoluene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
135-98-8	sec-Butylbenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 20:57 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb
75-65-0	tert-Butyl alcohol (TBA)	ND	CCVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 20:57	scb
98-06-6	tert-Butylbenzene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb
127-18-4	Tetrachloroethylene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb
108-88-3	**Toluene**	**3.9**	J	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	11/23/2024 20:57	scb
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb
110-57-6	* trans-1,4-dichloro-2-butene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NJDEP-CT005	11/23/2024 20:57	scb
79-01-6	Trichloroethylene	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb
75-01-4	Vinyl Chloride	ND	CCVE	ug/kg dry	2.4	4.7	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb
1330-20-7	Xylenes, Total	ND		ug/kg dry	7.1	14	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 20:57	scb

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*110 %*	*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*101 %*	*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*106 %*	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/24/2024 19:11	SS
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/24/2024 19:11	SS

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
51-28-5	2,4-Dinitrophenol	ND	CAL-E, CCVE	ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
95-57-8	2-Chlorophenol	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-57-6	2-Methylnaphthalene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
95-48-7	2-Methylphenol	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-74-4	2-Nitroaniline	ND		ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-75-5	2-Nitrophenol	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-94-1	3,3-Dichlorobenzidine	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
99-09-2	3-Nitroaniline	ND		ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E, CCVE	ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
106-47-8	4-Chloroaniline	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
100-01-6	4-Nitroaniline	ND	CCVE	ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
100-02-7	4-Nitrophenol	ND		ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
83-32-9	**Acenaphthene**	**111**		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
208-96-8	**Acenaphthylene**	**84.0**	J	ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
98-86-2	Acetophenone	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
62-53-3	Aniline	ND		ug/kg dry	222	443	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
120-12-7	**Anthracene**	**479**		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
1912-24-9	Atrazine	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
100-52-7	Benzaldehyde	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
92-87-5	Benzidine	ND		ug/kg dry	222	443	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
56-55-3	**Benzo(a)anthracene**	**3420**		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
50-32-8	**Benzo(a)pyrene**	**3900**		ug/kg dry	277	553	10	EPA 8270E	11/22/2024 08:50	11/26/2024 15:02	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
205-99-2	**Benzo(b)fluoranthene**	**5490**		ug/kg dry	277	553	10	EPA 8270E	11/22/2024 08:50	11/26/2024 15:02	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
191-24-2	**Benzo(g,h,i)perylene**	**3980**		ug/kg dry	277	553	10	EPA 8270E	11/22/2024 08:50	11/26/2024 15:02	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
207-08-9	**Benzo(k)fluoranthene**	**2220**		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
65-85-0	Benzoic acid	ND	CAL-E	ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
100-51-6	Benzyl alcohol	ND		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
117-81-7	**Bis(2-ethylhexyl)phthalate**	**2960**		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
105-60-2	Caprolactam	ND		ug/kg dry	111	221	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
86-74-8	**Carbazole**	**424**		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
218-01-9	**Chrysene**	**6300**		ug/kg dry	277	553	10	EPA 8270E	11/22/2024 08:50	11/26/2024 15:02	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
53-70-3	**Dibenzo(a,h)anthracene**	**1030**		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
132-64-9	Dibenzofuran	ND		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
84-66-2	Diethyl phthalate	ND		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
131-11-3	Dimethyl phthalate	ND		ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
84-74-2	**Di-n-butyl phthalate**	**103**	J	ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
117-84-0	**Di-n-octyl phthalate**	**490**	CCVE	ug/kg dry	55.5	111	2	EPA 8270E	11/22/2024 08:50	11/24/2024 19:11	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
122-39-4	* Diphenylamine	ND		ug/kg dry	111	221	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS
206-44-0	**Fluoranthene**	**7450**		ug/kg dry	277	553	10	EPA 8270E Certifications:	11/22/2024 08:50	11/26/2024 15:02	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
86-73-7	**Fluorene**	**206**		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
118-74-1	Hexachlorobenzene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
67-72-1	Hexachloroethane	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
193-39-5	**Indeno(1,2,3-cd)pyrene**	**3060**		ug/kg dry	277	553	10	EPA 8270E Certifications:	11/22/2024 08:50	11/26/2024 15:02	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
78-59-1	Isophorone	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-20-3	Naphthalene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
98-95-3	Nitrobenzene	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
85-01-8	**Phenanthrene**	**2840**		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
108-95-2	Phenol	ND		ug/kg dry	55.5	111	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 19:11	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
129-00-0	**Pyrene**	**8260**		ug/kg dry	277	553	10	EPA 8270E Certifications:	11/22/2024 08:50	11/26/2024 15:02	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*37.5 %*	*20-108*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*42.9 %*	*23-114*

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*48.8 %*			*22-108*						
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*47.0 %*			*21-113*						
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*56.5 %*			*19-110*						
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*49.1 %*			*24-116*						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	**Aluminum**	**5590**		mg/kg dry	5.64	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-36-0	Antimony	ND		mg/kg dry	2.82	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-38-2	**Arsenic**	**3.12**		mg/kg dry	1.69	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-39-3	**Barium**	**30.4**		mg/kg dry	2.82	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-41-7	**Beryllium**	**0.220**		mg/kg dry	0.057	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-43-9	**Cadmium**	**0.350**		mg/kg dry	0.338	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-70-2	**Calcium**	**14800**		mg/kg dry	5.64	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-47-3	**Chromium**	**15.9**		mg/kg dry	0.564	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-48-4	**Cobalt**	**4.03**		mg/kg dry	0.451	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-50-8	**Copper**	**34.3**		mg/kg dry	2.26	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-89-6	**Iron**	**7640**		mg/kg dry	28.2	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-92-1	**Lead**	**55.0**		mg/kg dry	0.564	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-95-4	**Magnesium**	**4130**		mg/kg dry	5.64	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-96-5	**Manganese**	**112**		mg/kg dry	0.564	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-02-0	**Nickel**	**10.1**		mg/kg dry	1.12	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-09-7	**Potassium**	**396**		mg/kg dry	5.64	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: DW-1 (8) **York Sample ID:** 24K1660-09

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	ND		mg/kg dry	2.82	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-22-4	Silver	ND		mg/kg dry	0.568	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-23-5	**Sodium**	**715**		mg/kg dry	56.4	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-28-0	Thallium	ND		mg/kg dry	2.82	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-62-2	**Vanadium**	**17.3**		mg/kg dry	1.12	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-66-6	**Zinc**	**562**		mg/kg dry	2.81	1	EPA 6010D	11/26/2024 14:56	11/27/2024 14:59	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Mercury by 7473

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	**Mercury**	**0.157**		mg/kg dry	0.0406	1	EPA 7473	11/23/2024 08:10	11/26/2024 14:30	DRS
							Certifications:	CTDOH-PH-0723,NJDEP-CT005,NELAC-NY10854,PADEP-68-04		

Total Solids

Log-in Notes:

Sample Notes:

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**73.9**		%	0.100	1	SM 2540G	11/25/2024 06:59	11/25/2024 11:25	SMM
							Certifications:	CTDOH-PH-0723		

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
71-55-6	1,1,1-Trichloroethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-34-5	1,1,2,2-Tetrachloroethane	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-00-5	1,1,2-Trichloroethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-34-3	1,1-Dichloroethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
75-35-4	1,1-Dichloroethylene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-61-6	1,2,3-Trichlorobenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
96-18-4	1,2,3-Trichloropropane	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005	scb
120-82-1	1,2,4-Trichlorobenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
95-63-6	1,2,4-Trimethylbenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
96-12-8	1,2-Dibromo-3-chloropropane	ND	IS-LO, CCVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
106-93-4	1,2-Dibromoethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
95-50-1	1,2-Dichlorobenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
107-06-2	1,2-Dichloroethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
78-87-5	1,2-Dichloropropane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-67-8	1,3,5-Trimethylbenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
541-73-1	1,3-Dichlorobenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-46-7	1,4-Dichlorobenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
123-91-1	1,4-Dioxane	ND	CCVE	ug/kg dry	68	140	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
78-93-3	**2-Butanone**	**26**		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
591-78-6	2-Hexanone	ND	CCVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-10-1	**4-Methyl-2-pentanone**	**8.1**		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
67-64-1	**Acetone**	**77**		ug/kg dry	6.8	14	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
107-02-8	Acrolein	ND		ug/kg dry	6.8	14	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
107-13-1	Acrylonitrile	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
71-43-2	Benzene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-97-5	Bromochloromethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-27-4	Bromodichloromethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-25-2	Bromoform	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-83-9	Bromomethane	ND	CCVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-15-0	Carbon disulfide	ND	CCVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
56-23-5	Carbon tetrachloride	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-90-7	Chlorobenzene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-00-3	Chloroethane	ND	CCVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
67-66-3	Chloroform	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-87-3	Chloromethane	ND	CCVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24	scb CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
110-82-7	Cyclohexane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
124-48-1	Dibromochloromethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
74-95-3	Dibromomethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-71-8	Dichlorodifluoromethane	ND	CCVE, ICVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
100-41-4	Ethyl Benzene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
87-68-3	Hexachlorobutadiene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
98-82-8	Isopropylbenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
79-20-9	Methyl acetate	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
108-87-2	Methylcyclohexane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	scb
75-09-2	Methylene chloride	ND		ug/kg dry	6.8	14	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
104-51-8	n-Butylbenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
103-65-1	n-Propylbenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
95-47-6	o-Xylene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
179601-23-1	p- & m- Xylenes	ND		ug/kg dry	6.8	14	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
99-87-6	p-Isopropyltoluene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb
135-98-8	sec-Butylbenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49	11/23/2024 21:24 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	scb

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5035A

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
75-65-0	tert-Butyl alcohol (TBA)	ND	CCVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/23/2024 21:24	scb
98-06-6	tert-Butylbenzene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
127-18-4	Tetrachloroethylene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
108-88-3	Toluene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
156-60-5	trans-1,2-Dichloroethylene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
110-57-6	* trans-1,4-dichloro-2-butene	ND	IS-LO	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NJDEP-CT005	11/23/2024 21:24	scb
79-01-6	Trichloroethylene	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
75-69-4	Trichlorofluoromethane	ND		ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
75-01-4	Vinyl Chloride	ND	CCVE	ug/kg dry	3.4	6.8	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb
1330-20-7	Xylenes, Total	ND		ug/kg dry	10	20	1	EPA 8260D Certifications:	11/23/2024 11:49 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/23/2024 21:24	scb

	Surrogate Recoveries	Result		Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*124 %*		*77-125*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*109 %*		*85-120*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*124 %*	IS-LO	*76-130*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	**1,1-Biphenyl**	**99.5**	J	ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/24/2024 18:41	SS
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/24/2024 18:41	SS

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
120-82-1	1,2,4-Trichlorobenzene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
95-50-1	1,2-Dichlorobenzene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
541-73-1	1,3-Dichlorobenzene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
106-46-7	1,4-Dichlorobenzene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS NELAC-NY10854,NJDEP-CT005,PADEP-68-04440
95-95-4	2,4,5-Trichlorophenol	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-06-2	2,4,6-Trichlorophenol	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
120-83-2	2,4-Dichlorophenol	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
51-28-5	2,4-Dinitrophenol	ND	CAL-E, CCVE	ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
121-14-2	2,4-Dinitrotoluene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
606-20-2	2,6-Dinitrotoluene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-58-7	2-Chloronaphthalene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
95-57-8	2-Chlorophenol	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
91-57-6	**2-Methylnaphthalene**	**240**		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04
95-48-7	2-Methylphenol	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-74-4	2-Nitroaniline	ND		ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044
88-75-5	2-Nitrophenol	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive **Log-in Notes:** **Sample Notes:**

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
65794-96-9	3- & 4-Methylphenols	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-94-1	3,3-Dichlorobenzidine	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
99-09-2	3-Nitroaniline	ND		ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E, CCVE	ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
101-55-3	4-Bromophenyl phenyl ether	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
59-50-7	4-Chloro-3-methylphenol	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
106-47-8	4-Chloroaniline	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-01-6	4-Nitroaniline	ND	CCVE	ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-02-7	4-Nitrophenol	ND		ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
83-32-9	**Acenaphthene**	**972**		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	SS
208-96-8	**Acenaphthylene**	**215**		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	SS
98-86-2	Acetophenone	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
62-53-3	Aniline	ND		ug/kg dry	240	479	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
120-12-7	**Anthracene**	**2790**		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	SS
1912-24-9	Atrazine	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
100-52-7	Benzaldehyde	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
92-87-5	Benzidine	ND		ug/kg dry	240	479	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
56-55-3	**Benzo(a)anthracene**	**13500**		ug/kg dry	600	1200	20	EPA 8270E Certifications:	11/22/2024 08:50	11/26/2024 16:04 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	SS

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
50-32-8	**Benzo(a)pyrene**	**15400**		ug/kg dry	600	1200	20	EPA 8270E	11/22/2024 08:50	11/26/2024 16:04	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
205-99-2	**Benzo(b)fluoranthene**	**20500**		ug/kg dry	600	1200	20	EPA 8270E	11/22/2024 08:50	11/26/2024 16:04	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
191-24-2	**Benzo(g,h,i)perylene**	**12700**		ug/kg dry	600	1200	20	EPA 8270E	11/22/2024 08:50	11/26/2024 16:04	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
207-08-9	**Benzo(k)fluoranthene**	**14300**		ug/kg dry	600	1200	20	EPA 8270E	11/22/2024 08:50	11/26/2024 16:04	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
65-85-0	**Benzoic acid**	**233**	CAL-E, CCVE, ICVE	ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
100-51-6	Benzyl alcohol	ND		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
111-44-4	Bis(2-chloroethyl)ether	ND		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
117-81-7	**Bis(2-ethylhexyl)phthalate**	**3910**		ug/kg dry	600	1200	20	EPA 8270E	11/22/2024 08:50	11/26/2024 16:04	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
105-60-2	Caprolactam	ND		ug/kg dry	120	239	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	NELAC-NY10854,NJDEP-CT005,PADEP-68-04440		
86-74-8	**Carbazole**	**2210**		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
218-01-9	**Chrysene**	**25200**		ug/kg dry	600	1200	20	EPA 8270E	11/22/2024 08:50	11/26/2024 16:04	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
53-70-3	**Dibenzo(a,h)anthracene**	**3770**		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
132-64-9	**Dibenzofuran**	**316**		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
84-66-2	Diethyl phthalate	ND		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
131-11-3	Dimethyl phthalate	ND		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
84-74-2	Di-n-butyl phthalate	ND		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
117-84-0	Di-n-octyl phthalate	ND		ug/kg dry	60.0	120	2	EPA 8270E	11/22/2024 08:50	11/24/2024 18:41	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
122-39-4	* Diphenylamine	ND		ug/kg dry	120	239	2	EPA 8270E Certifications:	11/22/2024 08:50	11/24/2024 18:41	SS
206-44-0	**Fluoranthene**	**37000**		ug/kg dry	600	1200	20	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	11/26/2024 16:04	SS
86-73-7	**Fluorene**	**1840**		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/24/2024 18:41	SS
118-74-1	Hexachlorobenzene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
87-68-3	Hexachlorobutadiene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
67-72-1	Hexachloroethane	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
193-39-5	**Indeno(1,2,3-cd)pyrene**	**11200**		ug/kg dry	600	1200	20	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	11/26/2024 16:04	SS
78-59-1	Isophorone	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
91-20-3	**Naphthalene**	**177**		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	11/24/2024 18:41	SS
98-95-3	Nitrobenzene	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
62-75-9	N-Nitrosodimethylamine	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
621-64-7	N-nitroso-di-n-propylamine	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
86-30-6	N-Nitrosodiphenylamine	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
85-01-8	**Phenanthrene**	**20600**		ug/kg dry	600	1200	20	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	11/26/2024 16:04	SS
108-95-2	Phenol	ND		ug/kg dry	60.0	120	2	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/24/2024 18:41	SS
129-00-0	**Pyrene**	**36600**		ug/kg dry	600	1200	20	EPA 8270E Certifications:	11/22/2024 08:50 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04	11/26/2024 16:04	SS

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*39.2 %*	*20-108*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*42.7 %*	*23-114*

Sample Information

Client Sample ID: DW-2 (8)

York Sample ID: 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3550C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*53.4 %*			*22-108*						
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*47.8 %*			*21-113*						
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*57.6 %*			*19-110*						
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*47.5 %*			*24-116*						

Metals, Target Analyte

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7429-90-5	**Aluminum**	**2450**		mg/kg dry	6.10	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-36-0	Antimony	ND		mg/kg dry	3.05	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-38-2	Arsenic	ND		mg/kg dry	1.83	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-39-3	**Barium**	**19.8**		mg/kg dry	3.04	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-41-7	**Beryllium**	**0.076**		mg/kg dry	0.061	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-43-9	**Cadmium**	**0.402**		mg/kg dry	0.366	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-70-2	**Calcium**	**1500**		mg/kg dry	6.10	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-47-3	**Chromium**	**14.1**		mg/kg dry	0.610	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-48-4	**Cobalt**	**4.11**		mg/kg dry	0.487	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-50-8	**Copper**	**41.8**		mg/kg dry	2.44	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-89-6	**Iron**	**4130**		mg/kg dry	30.5	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-92-1	**Lead**	**48.8**		mg/kg dry	0.610	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-95-4	**Magnesium**	**900**		mg/kg dry	6.10	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7439-96-5	**Manganese**	**30.8**		mg/kg dry	0.610	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-02-0	**Nickel**	**7.84**		mg/kg dry	1.21	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-09-7	**Potassium**	**225**		mg/kg dry	6.10	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Sample Information

Client Sample ID: DW-2 (8) **York Sample ID:** 24K1660-10

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1660	40 Jerusalem	Soil	November 21, 2024 3:00 pm	11/22/2024

Metals, Target Analyte

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 3050B

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7782-49-2	Selenium	ND		mg/kg dry	3.05	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-22-4	Silver	ND		mg/kg dry	0.615	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-23-5	**Sodium**	**139**		mg/kg dry	61.0	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-28-0	Thallium	ND		mg/kg dry	3.05	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		
7440-62-2	**Vanadium**	**18.7**		mg/kg dry	1.21	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		
7440-66-6	**Zinc**	**185**		mg/kg dry	3.04	1	EPA 6010D	11/26/2024 14:56	11/27/2024 15:01	AGNR
							Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-04		

Mercury by 7473

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: EPA 7473 soil

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
7439-97-6	Mercury	ND		mg/kg dry	0.0439	1	EPA 7473	11/23/2024 08:04	11/26/2024 14:40	DRS
							Certifications:	CTDOH-PH-0723,NJDEP-CT005,NELAC-NY10854,PADEP-68-044		

Total Solids

Log-in Notes: **Sample Notes:**

Sample Prepared by Method: % Solids Prep

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
solids	*** % Solids**	**68.3**		%	0.100	1	SM 2540G	11/25/2024 06:59	11/25/2024 11:25	SMM
							Certifications:	CTDOH-PH-0723		

Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
24K1660-01	SB-1 (7-8)	40mL Vial with Stir Bar-Cool 4° C
24K1660-01	SB-1 (7-8)	40mL Pre-Tared Vial + 10mL MeOH; Cool to 4° C
24K1660-02	SB-1 (14-15)	40mL Vial with Stir Bar-Cool 4° C
24K1660-02	SB-1 (14-15)	40mL Pre-Tared Vial + 10mL MeOH; Cool to 4° C
24K1660-03	SB-2 (7-8)	40mL Vial with Stir Bar-Cool 4° C
24K1660-03	SB-2 (7-8)	40mL Pre-Tared Vial + 10mL MeOH; Cool to 4° C
24K1660-04	SB-2 (14-15)	40mL Vial with Stir Bar-Cool 4° C
24K1660-04	SB-2 (14-15)	40mL Pre-Tared Vial + 10mL MeOH; Cool to 4° C
24K1660-05	SB-3 (7-8)	40mL Vial with Stir Bar-Cool 4° C
24K1660-05	SB-3 (7-8)	40mL Pre-Tared Vial + 10mL MeOH; Cool to 4° C
24K1660-06	SB-3 (14-15)	40mL Vial with Stir Bar-Cool 4° C
24K1660-06	SB-3 (14-15)	40mL Pre-Tared Vial + 10mL MeOH; Cool to 4° C
24K1660-07	SB-4 (8-10)	40mL Vial with Stir Bar-Cool 4° C
24K1660-08	SB-5 (8-10)	40mL Vial with Stir Bar-Cool 4° C
24K1660-09	DW-1 (8)	40mL Vial with Stir Bar-Cool 4° C
24K1660-10	DW-2 (8)	40mL Vial with Stir Bar-Cool 4° C

Sample and Data Qualifiers Relating to This Work Order

S-08	The recovery of this surrogate was outside of QC limits.
QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
IS-LO	The internal std associated with this target compound did not meet acceptance criteria (area <50% CCV) at the stated dilution due to matrix effects. Sample was rerun to confirm matrix effects.
ICVE20	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 20% of expected value).
ICVE	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).
CCVE	The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).
CAL-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%)

Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon current NELAC/TNI Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

Revision Description: This report has been revised to include SVOA results on Sample -01 through -06.

York Analytical Laboratories, Inc.
120 Research Drive, Stratford, CT 06615
132-02 89th Ave, Queens, NY 11418
clientservices@yorklab.com
www.yorklab.com

Field Chain-of-Custody Record

NOTE: YORK's Standard Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization for YORK to proceed with the analyses requested below.
Your signature binds you to YORK's Standard Terms & Conditions.

YORK Project No. 24K16600

Page 1 of 1

YOUR Information	Report To:	Invoice To:	YOUR Project Number	Turn-Around Time
Company: GEI	Company:	Company:	2408313-1.2	RUSH - Next Day
Address: 1000 New York Ave Huntington Station NY 11746	Address: SAME	Address:	**YOUR Project Name**	RUSH - Two Day
Phone.: 631-760-9300	Phone.:	Phone.:	40 Jerusalem	RUSH - Three Day
Contact: Rich Fasciani	Contact:	Contact: AP Invoices		RUSH - Four Day
E-mail: rfasciani@geiconsultants.com	E-mail:	E-mail:	YOUR PO#: 2408313-1.2	**Standard (5-7 Day)** ✓

Please print clearly and legibly. All information must be complete. Samples will not be logged in and the turn-around-time clock will not begin until any questions by YORK are resolved.

William J. Fitchett

Samples Collected by: (print your name above and sign below)

Matrix Codes
S - soil / solid
GW - groundwater
DW - drinking water
WW - wastewater
O - Oil | Other

Samples From
New York ✓
New Jersey
Connecticut
Pennsylvania
Other

Report / EDD Type (circle selections)
~~Summary Report~~ | CT RCP | ~~Standard Excel EDD~~
QA Report | CT RCP DQA/DUE | EQuIS (Standard)
NY ASP A Package | NJDEP Reduced Deliverables | NYSDEC EQuIS
NY ASP B Package | NJDKQP | NJDEP SRP HazSite
Other:

YORK Reg. Comp.
Compared to the following Regulation(s): (please fill in)
NYSDEC Part 375
VOCs
RCSCOs

Sample Identification	Sample Matrix	Date/Time Sampled	Analysis Requested	Container Description
SB-1 (7-8)	S	11/21/24 1040	VOCs/8260, TAL Metals, TPH	Terracore/2 8oz
SB-1 (14-15)		11/21 1045		
SB-2 (7-8)		11/21/24 1110		
SB-2 (14-15)		11/21/24 1115		
SB-3 (7-8)		11/21/24 1200		
SB-3 (14-15)		11/21/24 1205		
SB-4 (8-10)		11/21/24 1330	VOCs 8260 / SVOCs 8270	
SB-5 (8-10)		11/21/24 1335		
DW-1 (8)	W	11/21/24	VOCs/8260 / SVOCs 8270 / TAL Metals	
DW-2 (8)		11/21/24		

Comments:

Preservation: (check all that apply)
HCl ___ MeOH ✓ HNO3 ___ H2SO4 ___ NaOH ___ ZnAc ___
Ascorbic Acid ___ Other: DI Water

Special Instruction
Field Filtered ____
Lab to Filter ____

Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time
	11/22 8:30	K Rahyork	830AM 11/22/24		11/22/24 1645
Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time
Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Received in LAB by / Date/Time	**Temp. Received at Lab**
				11/22/24 1645	2.2 Degrees C

Technical Report

prepared for:

GEI Consultants, Inc
1000 New York Avenue
Huntington Station NY, 11746
Attention: Rich Fasciani

Report Date: 12/05/2024
Client Project ID: 40 Jerusalem-2408313-1.2
York Project (SDG) No.: 24K1678

Stratford, CT Laboratory IDs:
NY:10854, NJ: CT005, PA: 68-0440, CT: PH-0723

Richmond Hill, NY Laboratory IDs:
NY:12058, NJ: NY037, CT: PH-0721, NH: 2097,
EPA: NY01600

120 RESEARCH DRIVE STRATFORD, CT 06615 ■ 132-02 89th AVENUE RICHMOND HILL, NY 11418
www.YORKLAB.com (203) 325-1371 FAX (203) 357-0166 ClientServices@yorklab.com

Report Date: 12/05/2024
Client Project ID: 40 Jerusalem-2408313-1.2
York Project (SDG) No.: 24K1678

GEI Consultants, Inc
1000 New York Avenue
Huntington Station NY, 11746
Attention: Rich Fasciani

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 22, 2024 and listed below. The project was identified as your project: **40 Jerusalem-2408313-1.2**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
24K1678-01	SV-1	Soil Vapor	11/21/2024	11/22/2024
24K1678-02	SV-2	Soil Vapor	11/21/2024	11/22/2024
24K1678-03	SV-3	Soil Vapor	11/21/2024	11/22/2024

General Notes for York Project (SDG) No.: 24K1678

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854, NJ Cert No. CT005, PA Cert No. 68-04440, CT Cert No. PH-0723; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058, NJ Cert No. NY037, CT Cert No. PH-0721, NH Cert No. 2097, EPA Cert No. NY01600.

Approved By: 

Date: 12/05/2024

Cassie L. Mosher
Laboratory Manager

Sample Information

Client Sample ID: SV-1 **York Sample ID:** 24K1678-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 12:25 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	* 1,1,1,2-Tetrachloroethane	ND		ug/m³	11	16.07	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 13:21	YR
71-55-6	1,1,1-Trichloroethane	ND		ug/m³	8.8	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m³	11	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m³	12	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
79-00-5	1,1,2-Trichloroethane	ND		ug/m³	8.8	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-34-3	1,1-Dichloroethane	ND		ug/m³	6.5	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-35-4	**1,1-Dichloroethylene**	**63**		ug/m³	1.6	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m³	12	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m³	7.9	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
106-93-4	1,2-Dibromoethane	ND		ug/m³	12	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
95-50-1	1,2-Dichlorobenzene	ND		ug/m³	9.7	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
107-06-2	1,2-Dichloroethane	ND		ug/m³	6.5	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
78-87-5	1,2-Dichloropropane	ND		ug/m³	7.4	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m³	11	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m³	7.9	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
106-99-0	**1,3-Butadiene**	**23**		ug/m³	11	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
541-73-1	1,3-Dichlorobenzene	ND		ug/m³	9.7	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
142-28-9	* 1,3-Dichloropropane	ND		ug/m³	7.4	16.07	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 13:21	YR

Sample Information

Client Sample ID: SV-1 **York Sample ID:** 24K1678-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 12:25 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-46-7	1,4-Dichlorobenzene	ND		ug/m³	9.7	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
123-91-1	1,4-Dioxane	ND		ug/m³	12	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
540-84-1	* 2,2,4-Trimethylpentane	ND		ug/m³	3.8	16.07	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 13:21	YR
78-93-3	**2-Butanone**	**79**		ug/m³	4.7	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
591-78-6	* 2-Hexanone	ND		ug/m³	13	16.07	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 13:21	YR
107-05-1	3-Chloropropene	ND		ug/m³	25	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
108-10-1	4-Methyl-2-pentanone	ND		ug/m³	6.6	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
67-64-1	**Acetone**	**150**		ug/m³	31	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
107-13-1	Acrylonitrile	ND		ug/m³	45	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
71-43-2	**Benzene**	**9.2**		ug/m³	5.1	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
100-44-7	Benzyl chloride	ND		ug/m³	8.3	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-27-4	Bromodichloromethane	ND		ug/m³	11	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-25-2	Bromoform	ND		ug/m³	17	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
74-83-9	Bromomethane	ND		ug/m³	6.2	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-15-0	Carbon disulfide	ND		ug/m³	5.0	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
56-23-5	Carbon tetrachloride	ND		ug/m³	2.5	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
108-90-7	Chlorobenzene	ND		ug/m³	7.4	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-00-3	Chloroethane	ND		ug/m³	4.2	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
67-66-3	Chloroform	ND		ug/m³	7.8	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR

Sample Information

Client Sample ID: SV-1 **York Sample ID:** 24K1678-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 12:25 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
74-87-3	Chloromethane	ND		ug/m³	3.3	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
156-59-2	**cis-1,2-Dichloroethylene**	**110000**		ug/m³	64	642.8	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/04/2024 21:23	YR
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m³	7.3	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
110-82-7	Cyclohexane	ND		ug/m³	5.5	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
124-48-1	Dibromochloromethane	ND		ug/m³	14	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-71-8	Dichlorodifluoromethane	ND		ug/m³	7.9	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
141-78-6	* Ethyl acetate	ND		ug/m³	12	16.07	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 13:21	YR
100-41-4	Ethyl Benzene	ND		ug/m³	7.0	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
87-68-3	Hexachlorobutadiene	ND		ug/m³	17	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
67-63-0	Isopropanol	ND		ug/m³	24	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
80-62-6	Methyl Methacrylate	ND		ug/m³	6.6	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m³	5.8	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-09-2	Methylene chloride	ND		ug/m³	33	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
91-20-3	* Naphthalene	ND		ug/m³	17	16.07	EPA TO-15 Certifications: NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
142-82-5	n-Heptane	ND		ug/m³	6.6	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
110-54-3	**n-Hexane**	**9.1**		ug/m³	5.7	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
95-47-6	o-Xylene	ND		ug/m³	7.0	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
179601-23-1	p- & m- Xylenes	ND		ug/m³	14	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
622-96-8	* p-Ethyltoluene	ND		ug/m³	7.9	16.07	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 13:21	YR

Sample Information

Client Sample ID: SV-1 **York Sample ID:** 24K1678-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 12:25 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
115-07-1	*** Propylene**	**160**		ug/m³	2.8	16.07	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 13:21	YR
100-42-5	Styrene	ND		ug/m³	6.8	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
127-18-4	**Tetrachloroethylene**	**95000**		ug/m³	440	642.8	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/04/2024 21:23	YR
109-99-9	*** Tetrahydrofuran**	**33**		ug/m³	9.5	16.07	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 13:21	YR
108-88-3	**Toluene**	**13**		ug/m³	6.1	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
156-60-5	**trans-1,2-Dichloroethylene**	**3400**		ug/m³	250	642.8	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/04/2024 21:23	YR
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m³	7.3	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
79-01-6	**Trichloroethylene**	**88000**		ug/m³	86	642.8	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/04/2024 21:23	YR
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m³	9.0	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
108-05-4	Vinyl acetate	ND	TO-LCS-L, ICVE	ug/m³	5.7	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
593-60-2	Vinyl bromide	ND		ug/m³	7.0	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR
75-01-4	**Vinyl Chloride**	**230**		ug/m³	2.1	16.07	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 13:21	YR

Sample Information

Client Sample ID: SV-2 **York Sample ID:** 24K1678-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 1:15 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	* 1,1,1,2-Tetrachloroethane	ND		ug/m³	12	17.05	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 14:12	YR
71-55-6	1,1,1-Trichloroethane	ND		ug/m³	9.3	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR

Sample Information

Client Sample ID: SV-2 **York Sample ID:** 24K1678-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 1:15 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m³	12	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m³	13	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
79-00-5	1,1,2-Trichloroethane	ND		ug/m³	9.3	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
75-34-3	1,1-Dichloroethane	ND		ug/m³	6.9	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
75-35-4	1,1-Dichloroethylene	ND		ug/m³	1.7	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m³	13	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m³	8.4	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
106-93-4	1,2-Dibromoethane	ND		ug/m³	13	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
95-50-1	1,2-Dichlorobenzene	ND		ug/m³	10	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
107-06-2	1,2-Dichloroethane	ND		ug/m³	6.9	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
78-87-5	1,2-Dichloropropane	ND		ug/m³	7.9	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m³	12	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m³	8.4	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
106-99-0	**1,3-Butadiene**	**130**		ug/m³	11	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
541-73-1	1,3-Dichlorobenzene	ND		ug/m³	10	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
142-28-9	* 1,3-Dichloropropane	ND		ug/m³	7.9	17.05	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 14:12	YR
106-46-7	1,4-Dichlorobenzene	ND		ug/m³	10	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
123-91-1	1,4-Dioxane	ND		ug/m³	12	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
540-84-1	* 2,2,4-Trimethylpentane	ND		ug/m³	4.0	17.05	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 14:12	YR

Sample Information

Client Sample ID: SV-2 **York Sample ID:** 24K1678-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 1:15 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
78-93-3	**2-Butanone**	**85**		ug/m³	5.0	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
591-78-6	* 2-Hexanone	ND		ug/m³	14	17.05	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 14:12	YR
107-05-1	3-Chloropropene	ND		ug/m³	27	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
108-10-1	4-Methyl-2-pentanone	ND		ug/m³	7.0	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
67-64-1	**Acetone**	**240**		ug/m³	32	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
107-13-1	Acrylonitrile	ND		ug/m³	48	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
71-43-2	**Benzene**	**66**		ug/m³	5.4	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
100-44-7	Benzyl chloride	ND		ug/m³	8.8	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
75-27-4	Bromodichloromethane	ND		ug/m³	11	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
75-25-2	Bromoform	ND		ug/m³	18	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
74-83-9	Bromomethane	ND		ug/m³	6.6	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
75-15-0	**Carbon disulfide**	**11**		ug/m³	5.3	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
56-23-5	Carbon tetrachloride	ND		ug/m³	2.7	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
108-90-7	Chlorobenzene	ND		ug/m³	7.8	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
75-00-3	**Chloroethane**	**24**		ug/m³	4.5	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
67-66-3	**Chloroform**	**9.2**		ug/m³	8.3	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
74-87-3	**Chloromethane**	**4.2**		ug/m³	3.5	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
156-59-2	**cis-1,2-Dichloroethylene**	**310**	B	ug/m³	1.7	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m³	7.7	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR
110-82-7	**Cyclohexane**	**10**		ug/m³	5.9	17.05	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 14:12	YR

Sample Information

Client Sample ID: SV-2 **York Sample ID:** 24K1678-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 1:15 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
124-48-1	Dibromochloromethane	ND		ug/m³	15	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
75-71-8	Dichlorodifluoromethane	ND		ug/m³	8.4	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
141-78-6	* Ethyl acetate	ND		ug/m³	12	17.05	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 14:12	YR
100-41-4	**Ethyl Benzene**	**8.9**		ug/m³	7.4	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
87-68-3	Hexachlorobutadiene	ND		ug/m³	18	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
67-63-0	Isopropanol	ND		ug/m³	25	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
80-62-6	Methyl Methacrylate	ND		ug/m³	7.0	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m³	6.1	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
75-09-2	Methylene chloride	ND		ug/m³	36	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
91-20-3	* Naphthalene	ND		ug/m³	18	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NJDEP-NY037	12/02/2024 14:12	YR
142-82-5	**n-Heptane**	**31**		ug/m³	7.0	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
110-54-3	**n-Hexane**	**56**		ug/m³	6.0	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
95-47-6	**o-Xylene**	**8.1**		ug/m³	7.4	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
179601-23-1	**p- & m- Xylenes**	**15**		ug/m³	15	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
622-96-8	* p-Ethyltoluene	ND		ug/m³	8.4	17.05	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 14:12	YR
115-07-1	*** Propylene**	**720**		ug/m³	2.9	17.05	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 14:12	YR
100-42-5	Styrene	ND		ug/m³	7.3	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR
127-18-4	**Tetrachloroethylene**	**9900**		ug/m³	23	34.1	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/04/2024 08:24	YR
109-99-9	*** Tetrahydrofuran**	**26**		ug/m³	10	17.05	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 14:12	YR
108-88-3	**Toluene**	**55**		ug/m³	6.4	17.05	EPA TO-15 Certifications:	12/01/2024 12:00 NELAC-NY12058,NJDEP-NY037	12/02/2024 14:12	YR

Sample Information

Client Sample ID: SV-2 **York Sample ID:** 24K1678-02

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 1:15 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-60-5	**trans-1,2-Dichloroethylene**	**43**		ug/m³	6.8	17.05	EPA TO-15	12/01/2024 12:00	12/02/2024 14:12	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m³	7.7	17.05	EPA TO-15	12/01/2024 12:00	12/02/2024 14:12	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
79-01-6	**Trichloroethylene**	**920**	B	ug/m³	2.3	17.05	EPA TO-15	12/01/2024 12:00	12/02/2024 14:12	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m³	9.6	17.05	EPA TO-15	12/01/2024 12:00	12/02/2024 14:12	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
108-05-4	Vinyl acetate	ND	ICVE, TO-LCS-L	ug/m³	6.0	17.05	EPA TO-15	12/01/2024 12:00	12/02/2024 14:12	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
593-60-2	Vinyl bromide	ND		ug/m³	7.5	17.05	EPA TO-15	12/01/2024 12:00	12/02/2024 14:12	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
75-01-4	Vinyl Chloride	ND		ug/m³	2.2	17.05	EPA TO-15	12/01/2024 12:00	12/02/2024 14:12	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		

Sample Information

Client Sample ID: SV-3 **York Sample ID:** 24K1678-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 4:00 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	* 1,1,1,2-Tetrachloroethane	ND		ug/m³	15	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:			
71-55-6	1,1,1-Trichloroethane	ND		ug/m³	12	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/m³	15	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/m³	16	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
79-00-5	1,1,2-Trichloroethane	ND		ug/m³	12	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
75-34-3	1,1-Dichloroethane	ND		ug/m³	8.6	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		

Sample Information

Client Sample ID: SV-3 **York Sample ID:** 24K1678-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 4:00 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
75-35-4	**1,1-Dichloroethylene**	**5.9**		ug/m³	2.1	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
120-82-1	1,2,4-Trichlorobenzene	ND		ug/m³	16	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
95-63-6	1,2,4-Trimethylbenzene	ND		ug/m³	10	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
106-93-4	1,2-Dibromoethane	ND		ug/m³	16	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
95-50-1	1,2-Dichlorobenzene	ND		ug/m³	13	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
107-06-2	1,2-Dichloroethane	ND		ug/m³	8.6	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
78-87-5	1,2-Dichloropropane	ND		ug/m³	9.9	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
76-14-2	1,2-Dichlorotetrafluoroethane	ND		ug/m³	15	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
108-67-8	1,3,5-Trimethylbenzene	ND		ug/m³	10	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
106-99-0	**1,3-Butadiene**	**190**		ug/m³	14	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
541-73-1	1,3-Dichlorobenzene	ND		ug/m³	13	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
142-28-9	* 1,3-Dichloropropane	ND		ug/m³	9.9	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:			
106-46-7	1,4-Dichlorobenzene	ND		ug/m³	13	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
123-91-1	1,4-Dioxane	ND		ug/m³	15	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
540-84-1	* 2,2,4-Trimethylpentane	ND		ug/m³	5.0	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:			
78-93-3	**2-Butanone**	**200**		ug/m³	6.3	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
591-78-6	* 2-Hexanone	ND		ug/m³	17	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:			
107-05-1	3-Chloropropene	ND		ug/m³	33	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
108-10-1	4-Methyl-2-pentanone	ND		ug/m³	8.7	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		

Sample Information

Client Sample ID: SV-3 **York Sample ID:** 24K1678-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 4:00 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
67-64-1	**Acetone**	**260**		ug/m³	41	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
107-13-1	Acrylonitrile	ND		ug/m³	60	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
71-43-2	**Benzene**	**46**		ug/m³	6.8	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
100-44-7	Benzyl chloride	ND		ug/m³	11	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
75-27-4	Bromodichloromethane	ND		ug/m³	14	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
75-25-2	Bromoform	ND		ug/m³	22	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
74-83-9	Bromomethane	ND		ug/m³	8.3	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
75-15-0	**Carbon disulfide**	**8.6**		ug/m³	6.6	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
56-23-5	Carbon tetrachloride	ND		ug/m³	3.4	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
108-90-7	Chlorobenzene	ND		ug/m³	9.8	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
75-00-3	**Chloroethane**	**14**		ug/m³	5.6	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
67-66-3	**Chloroform**	**7500**		ug/m³	210	426.6	EPA TO-15	12/01/2024 12:00	12/04/2024 22:14	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
74-87-3	**Chloromethane**	**5.7**		ug/m³	4.4	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
156-59-2	**cis-1,2-Dichloroethylene**	**4800**		ug/m³	42	426.6	EPA TO-15	12/01/2024 12:00	12/04/2024 22:14	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/m³	9.7	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
110-82-7	Cyclohexane	ND		ug/m³	7.3	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
124-48-1	Dibromochloromethane	ND		ug/m³	18	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
75-71-8	Dichlorodifluoromethane	ND		ug/m³	11	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		
141-78-6	* Ethyl acetate	ND		ug/m³	15	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:			
100-41-4	Ethyl Benzene	ND		ug/m³	9.3	21.33	EPA TO-15	12/01/2024 12:00	12/02/2024 15:21	YR
							Certifications:	NELAC-NY12058,NJDEP-NY037		

Sample Information

Client Sample ID: SV-3 **York Sample ID:** 24K1678-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 4:00 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
87-68-3	Hexachlorobutadiene	ND		ug/m³	23	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
67-63-0	Isopropanol	ND		ug/m³	31	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
80-62-6	**Methyl Methacrylate**	**24**		ug/m³	8.7	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/m³	7.7	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
75-09-2	**Methylene chloride**	**56**		ug/m³	44	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
91-20-3	* Naphthalene	ND		ug/m³	22	21.33	EPA TO-15 Certifications: NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
142-82-5	**n-Heptane**	**21**		ug/m³	8.7	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
110-54-3	**n-Hexane**	**48**		ug/m³	7.5	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
95-47-6	o-Xylene	ND		ug/m³	9.3	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
179601-23-1	p- & m- Xylenes	ND		ug/m³	19	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
622-96-8	* p-Ethyltoluene	ND		ug/m³	10	21.33	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 15:21	YR
115-07-1	*** Propylene**	**1300**		ug/m³	3.7	21.33	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 15:21	YR
100-42-5	Styrene	ND		ug/m³	9.1	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
127-18-4	**Tetrachloroethylene**	**75000**		ug/m³	290	426.6	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/04/2024 22:14	YR
109-99-9	* Tetrahydrofuran	ND		ug/m³	13	21.33	EPA TO-15 Certifications:	12/01/2024 12:00	12/02/2024 15:21	YR
108-88-3	**Toluene**	**35**		ug/m³	8.0	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
156-60-5	**trans-1,2-Dichloroethylene**	**150**		ug/m³	8.5	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/m³	9.7	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
79-01-6	**Trichloroethylene**	**15000**		ug/m³	57	426.6	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/04/2024 22:14	YR
75-69-4	Trichlorofluoromethane (Freon 11)	ND		ug/m³	12	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR

Sample Information

Client Sample ID: SV-3 **York Sample ID:** 24K1678-03

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1678	40 Jerusalem-2408313-1.2	Soil Vapor	November 21, 2024 4:00 pm	11/22/2024

Volatile Organics, EPA TO15 Full List

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA TO15 PREP

CAS No.	Parameter	Result	Flag	Units	Reported to LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
108-05-4	Vinyl acetate	ND	ICVE, TO-LCS-L	ug/m³	7.5	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
593-60-2	Vinyl bromide	ND		ug/m³	9.3	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR
75-01-4	Vinyl Chloride	ND		ug/m³	2.7	21.33	EPA TO-15 Certifications: NELAC-NY12058,NJDEP-NY037	12/01/2024 12:00	12/02/2024 15:21	YR

Sample and Data Qualifiers Relating to This Work Order

TO-LCS-L	The result reported for this compound may be biased low due to its behavior in the analysis batch LCS where it recovered less 70% of the expected value.
ICVE	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon current NELAC/TNI Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

York Analytical Laboratories, Inc.
120 Research Drive, Stratford, CT 06615 | 132-02 89th Ave Queens, NY 11418
clientservices@yorklab.com
www.yorklab.com

Field Chain-of-Custody Record - AIR

NOTE: YORK's Standard Terms & Conditions are listed on the back side of this document. This document serves as your written authorization for YORK to proceed with the analyses requested below. Your signature binds you to YORK's Standard Terms & Conditions.

YORK Project No. 24K1678

YOUR Information	Report To:	Invoice To:	YOUR Project Number	Turn-Around Time
Company: GEI Consultants	Company:	Company:	2408313-1.2	RUSH - Next Day
Address: 1000 New York Ave Huntington Station NY 11746	Address:	Address:	YOUR Project Name: 40 Jerusalem	RUSH - Two Day
Phone.: 631-760-9300	Phone.:	Phone.:		RUSH - Three Day
Contact: Rich Fasciani	Contact:	Contact: AP Invoices		RUSH - Four Day
E-mail: rfasciani@geiconsultants.com	E-mail:	E-mail:	YOUR PO#: 2408313-1.2	Standard (5-7 Day) ✓

Please print clearly and legibly. All information must be complete. Samples will not be logged in and the turn-around-time clock will not begin until any questions by YORK are resolved.

William J. Fitchett

Samples Collected by: (print your name above and sign below)

Air Matrix Codes	Samples From	Report / EDD Type (circle selections)			YORK Reg. Comp.
AI - Indoor Ambient Air	New York ✓	Summary Report	CT RCP	Standard Excel EDD	Compared to the following Regulation(s): (please fill in)
AO - Outdoor Amb. Air	New Jersey	QA Report	CT RCP DQA/DUE	EQuIS (Standard)	NYSDEC Guidelines
AE - Vapor Extraction Well/ Process Gas/Effluent	Connecticut	NY ASP A Package	NJDEP Reduced Deliv.	NYSDEC EQuIS	
	Pennsylvania	NY ASP B Package	NJDKQP	NJDEP SRP HazSite	
AS - Soil Vapor/Sub-Slab	Other	Other:			

Certified Canisters: Batch ___ Individual ___

Please enter the following REQUIRED Field Data

Reporting Units: ug/m³ ✓ ___ ppbv ___ ppmv ___

Sample Identification	Date/Time Sampled	Air Matrix	Canister Vacuum Before Sampling (in Hg)	Canister Vacuum After Sampling (in Hg)	Canister ID	Flow Cont. ID	Analysis Requested
SV-1	11/21/24 1225	SV	-30	-5	50950	17894	VOCs TO-15
SV-2	11/21/24 1315	SV	-30	-7	36411	20234	↓
SV-3	11/21/24 1600	SV	-30	-10	37794	20425	

Comments:

Detection Limits Required	Sampling Media
≤ 1 ug/m³ ___ NYSDEC V1 Limits ___	6 Liter Canister ✓
Routine Survey ✓ Other ___	Tedlar Bag

Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time
R. Fasciani	11/22 8:30	KBachyork	11/22/24 830 AM	KBachyork	11/22/24 16:45
Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time
NCCA	11/22/24 16:45	NCCA	11/22/24 21:00	Ahm Habib	11/22/24 21:00
Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Received in LAB by	Date/Time
Ahm Habib	11/23/24 22:55			ZZ 11/25/24	8:00

Technical Report

prepared for:

GEI Consultants, Inc
1000 New York Avenue
Huntington Station NY, 11746
Attention: Rich Fasciani

Report Date: 12/04/2024
Client Project ID: 40 Jerusalem
York Project (SDG) No.: 24K1665

Revision No. 1.0

Stratford, CT Laboratory IDs:
NY:10854, NJ: CT005, PA: 68-0440, CT: PH-0723

Richmond Hill, NY Laboratory IDs:
NY:12058, NJ: NY037, CT: PH-0721, NH: 2097,
EPA: NY01600

120 RESEARCH DRIVE STRATFORD, CT 06615 ■ 132-02 89th AVENUE RICHMOND HILL, NY 11418
www.YORKLAB.com (203) 325-1371 FAX (203) 357-0166 ClientServices@yorklab.com

Report Date: 12/04/2024
Client Project ID: 40 Jerusalem
York Project (SDG) No.: 24K1665

GEI Consultants, Inc
1000 New York Avenue
Huntington Station NY, 11746
Attention: Rich Fasciani

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on November 22, 2024 and listed below. The project was identified as your project: **40 Jerusalem**.

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the customary acceptance requirements for environmental samples except those indicated under the Sample and Analysis Qualifiers section of this report.

All analyses met the method and laboratory standard operating procedure requirements except as indicated by any data flags, the meaning of which are explained in the Sample and Data Qualifiers Relating to This Work Order section of this report and case narrative if applicable.

The results of the analyses, which are all reported on dry weight basis (soils) unless otherwise noted, are detailed in the following pages.

Please contact Client Services at 203.325.1371 with any questions regarding this report.

York Sample ID	Client Sample ID	Matrix	Date Collected	Date Received
24K1665-01	GW-1	Ground Water	11/21/2024	11/22/2024

General Notes for York Project (SDG) No.: 24K1665

1. The RLs and MDLs (Reporting Limit and Method Detection Limit respectively) reported are adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. The RL(REPORTING LIMIT) is based upon the lowest standard utilized for the calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All analyses conducted met method or Laboratory SOP requirements. See the Sample and Data Qualifiers Section for further information.
6. It is noted that no analyses reported herein were subcontracted to another laboratory, unless noted in the report.
7. This report reflects results that relate only to the samples submitted on the attached chain-of-custody form(s) received by York.
8. Analyses conducted at York Analytical Laboratories, Inc. Stratford, CT are indicated by NY Cert. No. 10854, NJ Cert No. CT005, PA Cert No. 68-04440, CT Cert No. PH-0723; those conducted at York Analytical Laboratories, Inc., Richmond Hill, NY are indicated by NY Cert. No. 12058, NJ Cert No. NY037, CT Cert No. PH-0721, NH Cert No. 2097, EPA Cert No. NY01600.

Approved By: Cassie L. Mosher

Cassie L. Mosher
Laboratory Manager

Date: 12/04/2024

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
630-20-6	1,1,1,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
71-55-6	1,1,1-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
79-34-5	1,1,2,2-Tetrachloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
79-00-5	1,1,2-Trichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
75-34-3	1,1-Dichloroethane	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
75-35-4	1,1-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
87-61-6	1,2,3-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/26/2024 18:12	PD
96-18-4	1,2,3-Trichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/26/2024 18:12	PD
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/26/2024 18:12	PD
95-63-6	1,2,4-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
96-12-8	1,2-Dibromo-3-chloropropane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
106-93-4	1,2-Dibromoethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
95-50-1	1,2-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
107-06-2	1,2-Dichloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
78-87-5	1,2-Dichloropropane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
108-67-8	1,3,5-Trimethylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
541-73-1	1,3-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
106-46-7	1,4-Dichlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
123-91-1	1,4-Dioxane	ND		ug/L	40	40	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
78-93-3	2-Butanone	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
591-78-6	2-Hexanone	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-10-1	4-Methyl-2-pentanone	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
67-64-1	Acetone	ND		ug/L	1.0	2.0	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
107-02-8	**Acrolein**	**1.1**	CCVE, B	ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C
107-13-1	Acrylonitrile	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
71-43-2	Benzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-97-5	Bromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-27-4	Bromodichloromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-25-2	Bromoform	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-83-9	Bromomethane	ND	CCVE	ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-15-0	Carbon disulfide	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
56-23-5	Carbon tetrachloride	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-90-7	Chlorobenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
75-00-3	Chloroethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
67-66-3	Chloroform	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-87-3	Chloromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
156-59-2	cis-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
10061-01-5	cis-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
110-82-7	Cyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
124-48-1	Dibromochloromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
74-95-3	Dibromomethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-71-8	Dichlorodifluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
100-41-4	Ethyl Benzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
87-68-3	Hexachlorobutadiene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
98-82-8	Isopropylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
79-20-9	Methyl acetate	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
1634-04-4	Methyl tert-butyl ether (MTBE)	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
108-87-2	Methylcyclohexane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04
75-09-2	Methylene chloride	ND		ug/L	1.0	2.0	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
104-51-8	n-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
103-65-1	n-Propylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
95-47-6	o-Xylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68
179601-23-1	p- & m- Xylenes	ND		ug/L	0.50	1.0	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,PADEP-68
99-87-6	p-Isopropyltoluene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT
135-98-8	sec-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00	11/26/2024 18:12	PD CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Volatile Organics, 8260 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 5030B

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
100-42-5	Styrene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
75-65-0	tert-Butyl alcohol (TBA)	ND		ug/L	0.50	1.0	1	EPA 8260D Certifications:	11/26/2024 08:00 NELAC-NY10854,NELAC-NY12058,NJDEP-CT005,PADEP-68-04	11/26/2024 18:12	PD
98-06-6	tert-Butylbenzene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
127-18-4	**Tetrachloroethylene**	**0.36**	J, CCVE, ICVE, QL-02	ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-C	11/26/2024 18:12	PD
108-88-3	Toluene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
156-60-5	trans-1,2-Dichloroethylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
10061-02-6	trans-1,3-Dichloropropylene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
110-57-6	trans-1,4-dichloro-2-butene	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
79-01-6	Trichloroethylene	ND	QL-02	ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
75-69-4	Trichlorofluoromethane	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
75-01-4	Vinyl Chloride	ND		ug/L	0.20	0.50	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD
1330-20-7	Xylenes, Total	ND		ug/L	0.60	1.5	1	EPA 8260D Certifications:	11/26/2024 08:00 CTDOH-PH-0723,NELAC-NY10854,NELAC-NY12058,NJDEP-CT	11/26/2024 18:12	PD

	Surrogate Recoveries	Result	Acceptance Range
17060-07-0	*Surrogate: SURR: 1,2-Dichloroethane-d4*	*102 %*	*69-130*
2037-26-5	*Surrogate: SURR: Toluene-d8*	*100 %*	*81-117*
460-00-4	*Surrogate: SURR: p-Bromofluorobenzene*	*99.7 %*	*79-122*

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
92-52-4	1,1-Biphenyl	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/26/2024 19:15	SS

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
95-94-3	1,2,4,5-Tetrachlorobenzene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/26/2024 19:15	SS
120-82-1	1,2,4-Trichlorobenzene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
95-50-1	1,2-Dichlorobenzene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,PADEP-68-04440	11/26/2024 19:15	SS
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/26/2024 19:15	SS
541-73-1	1,3-Dichlorobenzene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,PADEP-68-04440	11/26/2024 19:15	SS
106-46-7	1,4-Dichlorobenzene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,PADEP-68-04440	11/26/2024 19:15	SS
58-90-2	2,3,4,6-Tetrachlorophenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/26/2024 19:15	SS
95-95-4	2,4,5-Trichlorophenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
88-06-2	2,4,6-Trichlorophenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
120-83-2	2,4-Dichlorophenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
105-67-9	2,4-Dimethylphenol	ND	ICVE	ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
51-28-5	2,4-Dinitrophenol	ND	CAL-E	ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
121-14-2	2,4-Dinitrotoluene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
606-20-2	2,6-Dinitrotoluene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
91-58-7	2-Chloronaphthalene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
95-57-8	2-Chlorophenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
91-57-6	2-Methylnaphthalene	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
95-48-7	2-Methylphenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
88-74-4	2-Nitroaniline	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
88-75-5	2-Nitrophenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
65794-96-9	3- & 4-Methylphenols	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-94-1	3,3-Dichlorobenzidine	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
99-09-2	3-Nitroaniline	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
534-52-1	4,6-Dinitro-2-methylphenol	ND	CAL-E	ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
101-55-3	4-Bromophenyl phenyl ether	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
59-50-7	4-Chloro-3-methylphenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
106-47-8	4-Chloroaniline	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
7005-72-3	4-Chlorophenyl phenyl ether	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-01-6	4-Nitroaniline	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
100-02-7	4-Nitrophenol	ND	CCVE	ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
83-32-9	Acenaphthene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
208-96-8	Acenaphthylene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
98-86-2	Acetophenone	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
62-53-3	Aniline	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
120-12-7	Anthracene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
1912-24-9	Atrazine	ND		ug/L	0.500	0.500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
100-52-7	Benzaldehyde	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
92-87-5	Benzidine	ND		ug/L	10.0	20.0	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
56-55-3	Benzo(a)anthracene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
50-32-8	Benzo(a)pyrene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
205-99-2	Benzo(b)fluoranthene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
191-24-2	Benzo(g,h,i)perylene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
207-08-9	Benzo(k)fluoranthene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
65-85-0	Benzoic acid	ND	CAL-E	ug/L	25.0	50.0	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/26/2024 19:15	SS
100-51-6	Benzyl alcohol	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/26/2024 19:15	SS
85-68-7	Benzyl butyl phthalate	ND	CAL-E	ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
111-91-1	Bis(2-chloroethoxy)methane	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
111-44-4	Bis(2-chloroethyl)ether	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
108-60-1	Bis(2-chloroisopropyl)ether	ND	CCVE	ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
117-81-7	Bis(2-ethylhexyl)phthalate	ND		ug/L	0.500	0.500	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
105-60-2	Caprolactam	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	11/26/2024 19:15	SS
86-74-8	Carbazole	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
218-01-9	Chrysene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
53-70-3	Dibenzo(a,h)anthracene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
132-64-9	Dibenzofuran	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
84-66-2	Diethyl phthalate	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS
131-11-3	Dimethyl phthalate	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	11/26/2024 19:15	SS

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Semi-Volatiles, 8270 - Comprehensive

Log-in Notes:

Sample Notes:

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
84-74-2	Di-n-butyl phthalate	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
117-84-0	Di-n-octyl phthalate	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
122-39-4	* Diphenylamine	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15	SS
206-44-0	Fluoranthene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
86-73-7	Fluorene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 NELAC-NY10854,NJDEP-CT005,PADEP-68-04440	SS
118-74-1	Hexachlorobenzene	ND		ug/L	0.0200	0.0200	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
87-68-3	Hexachlorobutadiene	ND		ug/L	0.500	0.500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
77-47-4	Hexachlorocyclopentadiene	ND	CCVE, ICVE	ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
67-72-1	Hexachloroethane	ND		ug/L	0.500	0.500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
193-39-5	Indeno(1,2,3-cd)pyrene	ND	CAL-E	ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
78-59-1	Isophorone	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
91-20-3	Naphthalene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
98-95-3	Nitrobenzene	ND		ug/L	0.250	0.250	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
62-75-9	N-Nitrosodimethylamine	ND		ug/L	0.500	0.500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
621-64-7	N-nitroso-di-n-propylamine	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
86-30-6	N-Nitrosodiphenylamine	ND		ug/L	2.50	5.00	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
87-86-5	Pentachlorophenol	ND	CAL-E, CCVE	ug/L	0.250	0.250	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
85-01-8	Phenanthrene	ND		ug/L	0.0500	0.0500	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS
108-95-2	Phenol	ND		ug/L	1.25	1.25	1	EPA 8270E Certifications:	11/26/2024 08:03	11/26/2024 19:15 CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044	SS

Sample Information

Client Sample ID: GW-1 **York Sample ID:** 24K1665-01

York Project (SDG) No.	Client Project ID	Matrix	Collection Date/Time	Date Received
24K1665	40 Jerusalem	Ground Water	November 21, 2024 2:00 pm	11/22/2024

Log-in Notes:

Sample Notes:

Semi-Volatiles, 8270 - Comprehensive

Sample Prepared by Method: EPA 3510C

CAS No.	Parameter	Result	Flag	Units	Reported to LOD/MDL	LOQ	Dilution	Reference Method	Date/Time Prepared	Date/Time Analyzed	Analyst
129-00-0	Pyrene	ND		ug/L	0.0500	0.0500	1	EPA 8270E	11/26/2024 08:03	11/26/2024 19:15	SS
								Certifications:	CTDOH-PH-0723,NELAC-NY10854,NJDEP-CT005,PADEP-68-044		

	Surrogate Recoveries	Result	Acceptance Range
367-12-4	*Surrogate: SURR: 2-Fluorophenol*	*27.7 %*	*19.7-63.1*
13127-88-3	*Surrogate: SURR: Phenol-d6*	*17.3 %*	*10.1-41.7*
4165-60-0	*Surrogate: SURR: Nitrobenzene-d5*	*72.7 %*	*50.2-113*
321-60-8	*Surrogate: SURR: 2-Fluorobiphenyl*	*62.3 %*	*39.9-105*
118-79-6	*Surrogate: SURR: 2,4,6-Tribromophenol*	*73.7 %*	*39.3-151*
1718-51-0	*Surrogate: SURR: Terphenyl-d14*	*68.9 %*	*30.7-106*

Volatile Analysis Sample Containers

Lab ID	Client Sample ID	Volatile Sample Container
24K1665-01	GW-1	40mL Clear Vial (pre-pres.) HCl; Cool to 4° C

Sample and Data Qualifiers Relating to This Work Order

QL-02	This LCS analyte is outside Laboratory Recovery limits due the analyte behavior using the referenced method. The reference method has certain limitations with respect to analytes of this nature.
J	Detected below the Reporting Limit but greater than or equal to the Method Detection Limit (MDL/LOD) or in the case of a TIC, the result is an estimated concentration.
ICVE	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration verification (recovery exceeded 30% of expected value).
CCVE	The value reported is ESTIMATED. The value is estimated due to its behavior during continuing calibration verification (>20% Difference for average Rf or >20% Drift for quadratic fit).
CAL-E	The value reported is ESTIMATED. The value is estimated due to its behavior during initial calibration (average Rf>20%)
B	Analyte is found in the associated analysis batch blank. For volatiles, methylene chloride and acetone are common lab contaminants.

Definitions and Other Explanations

*	Analyte is not certified or the state of the samples origination does not offer certification for the Analyte.
ND	NOT DETECTED - the analyte is not detected at the Reported to level (LOQ/RL or LOD/MDL)
RL	REPORTING LIMIT - the minimum reportable value based upon the lowest point in the analyte calibration curve.
LOQ	LIMIT OF QUANTITATION - the minimum concentration of a target analyte that can be reported within a specified degree of confidence. This is the lowest point in an analyte calibration curve that has been subjected to all steps of the processing/analysis and verified to meet defined criteria. This is based upon current NELAC/TNI Standards and applies to all analyses.
LOD	LIMIT OF DETECTION - a verified estimate of the minimum concentration of a substance in a given matrix that an analytical process can reliably detect. This is based upon NELAC 2009 Standards and applies to all analyses conducted under the auspices of EPA SW-846.
MDL	METHOD DETECTION LIMIT - a statistically derived estimate of the minimum amount of a substance an analytical system can reliably detect with a 99% confidence that the concentration of the substance is greater than zero. This is based upon 40 CFR Part 136 Appendix B and applies only to EPA 600 and 200 series methods.
Reported to	This indicates that the data for a particular analysis is reported to either the LOD/MDL, or the LOQ/RL. In cases where the "Reported to" is located above the LOD/MDL, any value between this and the LOQ represents an estimated value which is "J" flagged accordingly. This applies to volatile and semi-volatile target compounds only.
NR	Not reported
RPD	Relative Percent Difference
Wet	The data has been reported on an as-received (wet weight) basis
Low Bias	Low Bias flag indicates that the recovery of the flagged analyte is below the laboratory or regulatory lower control limit. The data user should take note that this analyte may be biased low but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
High Bias	High Bias flag indicates that the recovery of the flagged analyte is above the laboratory or regulatory upper control limit. The data user should take note that this analyte may be biased high but should evaluate multiple lines of evidence including the LCS and site-specific MS/MSD data to draw bias conclusions. In cases where no site-specific MS/MSD was requested, only the LCS data can be used to evaluate such bias.
Non-Dir.	Non-dir. flag (Non-Directional Bias) indicates that the Relative Percent Difference (RPD) (a measure of precision) among the MS and MSD data is outside the laboratory or regulatory control limit. This alerts the data user where the MS and MSD are from site-specific samples that the RPD is high due to either non-homogeneous distribution of target analyte between the MS/MSD or indicates poor reproducibility for other reasons.

If EPA SW-846 method 8270 is included herein it is noted that the target compound N-nitrosodiphenylamine (NDPA) decomposes in the gas chromatographic inlet and cannot be separated from diphenylamine (DPA). These results could actually represent 100% DPA, 100% NDPA or some combination of the two. For this reason, York reports the combined result for n-nitrosodiphenylamine and diphenylamine for either of these compounds as a combined concentration as Diphenylamine.

If Total PCBs are detected and the target aroclors reported are "Not detected", the Total PCB value is reported due to the presence of either or both Aroclors 1262 and 1268 which are non-target aroclors for some regulatory lists.

2-chloroethylvinyl ether readily breaks down under acidic conditions. Samples that are acid preserved, including standards will exhibit breakdown. The data user should take note.

Certification for pH is no longer offered by NYDOH ELAP.

Semi-Volatile and Volatile analyses are reported down to the LOD/MDL, with values between the LOD/MDL and the LOQ being "J" flagged as estimated results.

For analyses by EPA SW-846-8270D, the Limit of Quantitation (LOQ) reported for benzidine is based upon the lowest standard used for calibration and is not a verified LOQ due to this compound's propensity for oxidative losses during extraction/concentration procedures and non-reproducible chromatographic performance.

Revision Description: This report has been revised to lower reporting limits for certain compounds.

York Analytical Laboratories, Inc.
120 Research Drive, Stratford, CT 06615 | 132-02 89th Ave, Queens, NY 11418
clientservices@yorklab.com
www.yorklab.com

Field Chain-of-Custody Record

NOTE: YORK's Standard Terms & Conditions are listed on the back side of this document.
This document serves as your written authorization for YORK to proceed with the analyses requested below.
Your signature binds you to YORK's Standard Terms & Conditions.

YORK Project No. 24K1665

Page 1 of 1

YOUR Information	Report To:	Invoice To:
Company: GEI	Company:	Company:
Address: 1000 New York Ave Huntington Station NY 11746	Address: SAME	Address:
Phone.: 631-760-9300	Phone.:	Phone.:
Contact: Rich Fasciano	Contact:	Contact: AP Invoices
E-mail: rfasciano@geiconsultants.com	E-mail:	E-mail:

YOUR Project Number: 2408313-1.2

YOUR Project Name: 40 Jerusalem

YOUR PO#: ~~24083-13~~ 2408313-1.2

Turn-Around Time

RUSH - Next Day	
RUSH - Two Day	
RUSH - Three Day	
RUSH - Four Day	
Standard (5-7 Day)	✓

Please print clearly and legibly. All information must be complete. Samples will not be logged in and the turn-around-time clock will not begin until any questions by YORK are resolved.

William J. Fitchett

Samples Collected by: (print your name above and sign below)

WmJ. F

Matrix Codes

S - soil / solid
GW - groundwater
DW - drinking water
WW - wastewater
O - Oil | Other

Samples From

New York ✓
New Jersey
Connecticut
Pennsylvania
Other

Report / EDD Type (circle selections)

Summary Report | CT RCP | Standard Excel EDD
QA Report | CT RCP DQA/DUE | EQuIS (Standard)
NY ASP A Package | NJDEP Reduced Deliverables | NYSDEC EQuIS
NY ASP B Package | NJDKQP | NJDEP SRP HazSite
Other:

YORK Reg. Comp.

Compared to the following Regulation(s): (please fill in)
NYSDEC TOGs
1.1.1 AWQS
Class GA


Sample Identification	Sample Matrix	Date/Time Sampled	Analysis Requested	Container Description
GW-1	GW	11/21/24 1400	VOCs 8260 / SVOCs 8270	3 VOAs, 2 Ambers

Comments:

Preservation: (check all that apply)
HCl ✓ MeOH ___ HNO3 ___ H2SO4 ___ NaOH ___ ZnAc ___
Ascorbic Acid ___ Other: _____

Special Instruction
Field Filtered ____
Lab to Filter ____

Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time
R. F	11/22 8:30	K Rafferty	11/22/24 830AM	K Rafferty 1645	11/22/24
Samples Received by / Company	Date/Time	Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time
Samples Relinquished by / Company	Date/Time	Samples Received by / Company	Date/Time	Samples Received in LAB by	Date/Time / Temp. Received at Lab
				AR	11/22/24 1645 — 2.2 Degrees C



GEI Consultants

Phase II Supplemental Environmental

Site Assessment

20 & 40 Jerusalem Avenue, Hicksville, New York 11801

Submitted to:
Mr. Anthony Bartone
Terwilliger & Bartone Properties
141 Merritts Road, 2nd Floor
Farmingdale , NY 11735

Submitted by:
GEI Consultants, Inc. DBA GEI Consultants Engineering,
Geology, Architecture & Landscape Architecture
1000 New York Avenue, Ste. B
Huntington Station, NY 11746
631.760.9300

July 2025
Project No. 2503398



Richard Fasciani
Project Scientist

Stephen Tauss, P.G.
In-House Reviewer / Senior Project Manager

Table of Contents

1. Introduction 1
1.1. Site Description 1
1.2. Site History 1
1.3. Historical Investigations 1
1.4. Limitations and Exceptions 5
2. Scope of Work 6
2.1. Geophysical Investigation 6
2.2. Soil Boring Installation and Sampling 6
2.3. Temporary Groundwater Probe Installation and Sampling 7
2.4. Soil Vapor Probe Installation and Sampling 7
2.5. Laboratory Analysis 8
2.6. Health and Safety Plan 8
3. Findings 9
3.1. Lithology and Hydrogeology 9
3.2. Geophysical Investigation and Survey 9
3.3. Analytical Results 9
3.3.1. Site-Wide Soil Analytical Results 10
3.3.2. Southwestern Dry Wells, Equipment Dry Wells, and Cesspool Sediment and Soil Analytical Results 11
3.3.3. Groundwater Analytical Results 11
3.3.4. Soil Vapor Analytical Results 11
4. Conclusions and Recommendations 13
4.1. Conclusions 13
4.2. Recommendations 14

Tables

Table 1. Site Wide Soil Sample Results
Table 2. Southwestern Dry Wells, Equipment Dry Wells, and Cesspool Sediment Sample Results
Table 3. Groundwater Analytical Results
Table 4. Soil Vapor Analytical Results

Figures

Figure 1. Site Location Map
Figure 2. Sample Location Map
Figure 3. Sample Exceedance Summary Map

Appendices

Appendix A Soil Boring Logs
Appendix B Photographs
Appendix C Laboratory Analytical Reports

RF/ST:ag
B:\Working\TERWILLIGER & BARTONE PROP\2503398 Sup Ph II ESI 20 & 40 Jerusalem Ave_Hicksville NY\02_PM\GEI_Phase II Suplemental Investigation 20 40 Jerusalem Avenue 2025-07-18.docx

1. Introduction

GEI Consultants, Inc. DBA GEI Consultants Engineering, Geology, Architecture & Landscape Architecture (GEI) was retained by Terwilliger & Bartone Properties (TBP) to perform a Supplemental Phase II Environmental Site Assessment (ESA) for the property located at 20 & 40 Jerusalem Avenue in Hicksville, Nassau County, New York (collectively, "the Site"). The Site location is shown on Figure 1.

GEI understands that TBP is interested in potentially entering the Site into the New York State Department of Environmental Conservation (NYSDEC) Brownfield Cleanup Program (BCP). The Supplemental Phase II ESA scope was developed based upon the findings of GEI's October 2024 Phase I ESA and May 2024 Phase II ESA, as further described in Section 2, and for the purposes of evaluating the Site for inclusion into the BCP program.

1.1. Site Description

The Site is approximately 2.2 acres in area (including both the 20 and 40 Jerusalem Avenue properties). The 40 Jerusalem Avenue property is improved with an approximate 3,600 square-foot rectangular shaped 1-story masonry and wood framed building (without basement), currently used as a laundromat and deli. The 20 Jerusalem Avenue property is improved with a 3-story multi-tenant office building with basement.

The elevation of the Site is approximately 140-feet above mean sea level (msl) and the topography is predominantly flat and level with surrounding streets. Additionally, the overall surrounding area appears to slope gently in a southerly direction. Based on information obtained during this Supplemental Phase II ESA, depth to groundwater is approximately 55 feet below ground surface (ft bgs). Groundwater is presumed to follow the topographic gradient and flow in a southerly direction.

1.2. Site History

GEI's review of available historical information indicates that the Site was occupied in the 1930s by residential dwellings and a church until the mid-1960s, when these structures were demolished and the current buildings on the Site were constructed. After this, the building at 20 Jerusalem Avenue has been used for office and banking uses, and the building at 40 Jerusalem Avenue has been used as a dry cleaner, a flooring business, and most recently as a deli and a coin-operated laundry business.

1.3. Historical Investigations

40 Jerusalem Avenue Phase I Environmental Site Assessment - October 2024

GEI completed a Phase I ESA of this portion of the Site on behalf of TBP in October 2024. The following RECs were identified:

- **Historical Fuel Oil UST:** Historical records indicated that the building had a 1,000-gallon fuel oil underground storage tank (UST) that was closed in place in 1994. It is assumed that this UST was

installed when the building was constructed in 1966. No testing or closure information concerning this UST was obtained or provided to GEI. The lack of testing or closure information is considered a REC.

- **Stormwater Dry Wells:** Two open grate stormwater dry wells exist on the Site. Stormwater dry wells are often impacted by automotive lubricants and fluids, tire particles, degrading asphalt, and parking lot sealants. These stormwater dry wells represent a REC.
- **Cesspool and Three Equipment Dry Wells:** Historically, a 1966 Site Plan depicts the Site building as having a cesspool in the front of the building and three equipment dry wells which appear to be connected to the building. The actual date the septic system was closed, and the property was connected to the municipal sewer system is unknown. These drainage structures represent a REC.
- **Historical Dry Cleaner Operation.** Historically, the building had been operating as a dry-cleaning business since 1966 when it was constructed. The duration of this original dry-cleaning operation is unknown; however, telephone directory information depicted a dry-cleaning business to be associated with the Site in the late 1980s. Dry cleaning operations typically involve the storage and use of significant quantities of dry-cleaning solvents, including perchloroethylene. In addition, dry cleaning operations typically generate significant quantities of waste dry cleaning solvents. Therefore, the historical dry-cleaning use represents a REC.

40 Jerusalem Avenue Phase II Environmental Site Assessment – March 2025

GEI performed a Phase II ESA in March 2025 that included a geophysical investigation, the installation of five soil borings around equipment dry wells and an UST anomaly, one temporary groundwater well, three soil vapor probes, and collection of two sediment samples from two stormwater dry wells.

The field observations and sample analytical results from the Phase II ESA indicated the following:

- Based upon the geophysical investigation, an anomaly indicative of an UST was identified on the southern side of the front parking lot area, along Jerusalem Avenue. No VOCs, SVOCs, or metals were detected above applicable soil cleanup objectives (SCOs) in the soil samples collected in association with the UST anomaly.
- Several analytes were detected at concentrations exceeding their respective SCOs in Site soil associated with the two stormwater drywells, as follows:
    - **VOCs:** Acetone was detected above its PGSCO in DW-1 and DW-2 and chloroform was detected above its PGSCO in DW-1. Both compounds are typical laboratory contaminants.
    - **SVOCs:** Benzo(a)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, and chrysene were detected at concentrations exceeding the PGSCOs in both DW-1 and DW-2. In addition, indeno(1,2,3-cd)pyrene was detected at concentrations exceeding its PGSCOs in DW-2. With the exception of chloroform, the greater concentrations and occurrences of VOC and SVOC exceedances were generally observed in DW-2.
- Based on field observations, it is possible that the equipment dry wells have not been closed.

- No VOCs, SVOCs, or metals were detected above applicable SCOs in the soil samples collected adjacent to the equipment dry wells.
- Tetrachlorethylene (TCE) was detected well below the NYSDEC Technical and Operational Guidance Series (TOGS) ambient water quality standards (AWQS) in the groundwater sample. No other VOCs or SVOCs were detected in the groundwater sample.
- Multiple chlorinated VOCs (CVOCs) (1,1-dichloroethylene, cis-1,2-dichloroethylenewere, tetrachloroethylene, trichloroethylene, and vinyl chloride) were detected at high concentrations in one or more of all collected soil vapor samples. The greater concentrations and occurrences of VOCs were detected in the northwest corner of the front parking lot. These detections are likely associated with the former dry-cleaning operations at the Site.

20 Jerusalem Avenue Phase I Environmental Site Assessment - April 2024

GEI completed a Phase I ESA of this portion of the Site on behalf of TBP in April 2024. The following RECs were identified:

- **Stormwater Dry Wells:** GEI observed numerous open grate stormwater dry wells in the parking areas. Stormwater dry wells are often impacted by automotive lubricants and fluids, tire particles, vehicle exhaust, degrading asphalt, or parking lot sealants. These drainage systems represent a REC and GEI recommended that an assessment and evaluation of the stormwater dry wells be performed, and the bottom sediments (if impacted) be removed and properly disposed. Additionally, should the dry wells require removal to facilitate redevelopment of the Site, they should be removed/abandoned in accordance with the USEPA UIC Program.
- **Sanitary System:** Evidence exists that the building discharges sanitary wastewater to an on-site septic/cesspool system. Given the current and historical banking and office types of operations, it is unlikely that the environmental integrity of the soils within the area of the sanitary system have been impacted. However, it should be noted that it is a Nassau County Public Health Ordinance requirement that the building be connected to the municipal sewer system and the on-site sanitary system must be properly closed in accordance with Nassau County Department of Health On-site Sanitary System Abandonment Procedures, which requires sampling the system.
- **Fuel Oil Tank:** No USTs or ASTs were observed on the Site or referenced in any regulatory agency database listing. Additionally, no visual evidence (e.g., fill port or vent line, plumbing, etc.) for a fuel oil tank was observed. However, the historical building and tax assessor records indicated that the building utilized fuel oil for heating at the time the building was constructed. Mr. Grossman stated that since he purchased the building in 2005, natural gas has always been utilized for heating and that he is unaware of any fuel oil tanks on the Site.
- No statement can be made with regard to whether or not a fuel oil UST is buried on the Site or if it was previously removed or if it was originally an AST that was removed. Therefore, to rule out the possibility of a UST being buried on the Site, it is GEI's opinion that a ground penetrating radar (GPR) survey be performed.

20 Jerusalem Avenue Phase II Environmental Site Assessment - June 2024

GEI performed a Phase II ESA in June 2024 that included, a geophysical investigation to check for the presence of a fuel oil UST, the collection of sediment samples from 15 stormwater dry wells and one solid cover stormwater manhole and the collection of one sediment sample from the sanitary septic/cesspool system.

The field observations and sample analytical results from the Phase II ESA indicated the following:

- **Stormwater Dry Wells:** Sediment samples recovered from 16 stormwater drainage structures consisted predominantly of black, brown and/or tan, medium to coarse sands, with some pebbles. Some sediment samples were noted with a slight organic odor and but there were no detected photoionization detector (PID) concentrations. The dry well sample depths ranged from 8 feet to 16 feet below grade surface (bgs).
    - **VOCs:** VOCs were either not detected or were detected at concentrations well below the PGSCO for all sediment samples, with one exception: acetone, a common laboratory contaminant, was detected at concentrations above its PGSCO in SW-10, SW-12, and SWMH-16.
    - **SVOCs:** One or more of several polycyclic aromatic hydrocarbons (PAHs), a subset of SVOCs, were identified at concentrations slightly to moderately exceeding the PGSCO at 13 of the 16 drainage structures. SW-7, SW-13, and SW-14 contained only Chrysene at concentrations slightly exceeding its PGSCO. These detections are consistent with normal parking lot usage and rainwater runoff.
    - **Metals:** Metals were either not detected or detected well below the PGSCOs.
- **Sanitary System:** GEI proposed taking a sediment sample from the bottom of each of the two septic/cesspools observed during the Phase I ESA. However, during field activities, it was noted that the two covers associated with the septic/cesspools were actually one interconnected septic tank (bgs). Therefore, one sample was obtained. The sediment sample recovered from the septic/cesspool system was consistent with human waste and had a strong sanitary or septic-like odor. The septic/cesspool system sample depth was 9.5 feet bgs. GEI compared the sediment analytical results for SS-1 to the applicable PGSCOs.
    - **VOCs:** One VOC compound, 2 butanone, was detected at 0.23 mg/kg, slightly above the PGSCO of 0.12 mg/kg; a second VOC, Acetone, was detected at 0.60 mg/kg, above the PGSCO of 0.05 mg/kg.
    - Metals and SVOCs were either not detected or were detected at concentrations well below their applicable PGSCOs, with the exception of mercury, which was detected at 1.76 mg/kg, above the PGSCO of 0.73 mg/kg.
    - **Total Petroleum Hydrocarbons (TPH):** TPH was detected at a concentration of 117 mg/kg. There is no guidance value for TPH.
- **Fuel Oil Tank:** To check for the presence of a fuel oil UST a GPR and magnetometer surveys were completed. The survey area included the perimeter of the building. No anomalies indicative of a UST were identified.

1.4. Limitations and Exceptions

This Supplemental Phase II ESA was prepared in general accordance with the requirements of the May 29, 2025 scope of work and associated Agreement between TBP and GEI, authorized on June 2, 2024.

2. Scope of Work

This section provides a description of the activities performed and the methods used for conducting the fieldwork.

As detailed above, this Supplemental Phase II ESA was completed based upon the findings of GEI's previous investigations, as well as for the purposes of evaluating the Site for inclusion into the BCP program.

GEI conducted all Supplemental Phase II ESA field activities on June 12-13 and June 16, 2025. All work was completed per the requirements of the May 29, 2025, scope of work. Sample locations are shown on Figure 2.

2.1. Geophysical Investigation

Prior to intrusive field activities, GPR and magnetometer surveys were performed by Clean Globe Environmental LLC (Clean Globe) of Brentwood, New York to identify and determine the locations of underground features and subsurface utilities present at the Site. The survey area included all open and accessible areas of the exterior portion of the Site, as shown on Figure 2. GEI was present during the geophysical investigation.

The GPR survey was completed with a Geophysical Survey Systems Inc. SIR-4000 cart-mounted unit with an 810 Mhz antenna, a Radio detection RD8000 precision utility locator, and a Fisher M-Scope TW-6 pipe and cable locator using inductive mode tracing.

2.2. Soil Boring Installation and Sampling

Multiple soil borings, temporary groundwater probes, and soil vapor probes were installed at the Site by Clean Globe, utilizing using a track-mounted 7822DT direct-push drill rig and a hand auger, as needed.

The soil boring and sampling program involved the installation of 13 soil borings, with discrete soil samples collected in 5-foot intervals throughout the entire depth of the boreholes. Sample locations are shown on Figure 2 and were collected as follows:

- Site-Wide Soil Borings
    - To assess the presence of historical fill and impacts from historical operations on the 20 Jerusalem Avenue property, four soil borings were completed in an area that was formerly occupied by a church (SB-1 and SB-4) and in an areas that were formerly occupied by residential dwellings (SB-5, SB-6, and SB-7).
    - Two soil borings (SB-2 and SB-3) were completed on the northern and southern sides of the lint collection system vault on the 40 Jerusalem Avenue property. It should be noted that this structure was constructed with a solid bottom and its discharge point was not able to be identified.

- Southwestern Dry Wells, Equipment Dry Wells, and Cesspool (40 Jerusalem Avenue)
    - One soil boring was installed within each of two dry wells (DW-1 and DW-2) identified off the southwest corner of the Site building during the geophysical survey.
    - One soil boing was installed within each of the three equipment dry wells (EDW-1 through EDW-3), where a total of two soil samples were collected, one from the bottom surface and one below the bottom surface, for laboratory analysis.
    - One soil boring (CP-1) was installed within the area on the east side of the 40 Jerusalem Avenue building, where a cesspool was identified on a historical 1966 Site Drainage Plan.
- A total of 19 soil and sediment samples were collected as part of this effort.

Soil samples were logged by a GEI geologist who recorded geologic data, observations regarding moisture content, the results of PID soil headspace readings, and visual and olfactory observations regarding the presence of a staining, sheen, discoloration or odors that may be indicative of the presence of hydrocarbons or other contaminant residuals. Soil boring logs are included in Appendix A and photographs collected during the investigation are presented in Appendix B.

2.3. Temporary Groundwater Probe Installation and Sampling

A total of five temporary groundwater probes (TMW-1 through TMW-5) were installed using the truck-mounted drill rig to immediately below the water table, at an approximate depth of 55 ft bgs. As stated previously, groundwater is presumed to follow the topographic gradient and flow in a southerly direction.

Groundwater sampling was conducted using a decontaminated stainless-steel check valve with dedicated tubing.

2.4. Soil Vapor Probe Installation and Sampling

Six temporary soil vapor probes (SV-1 through SV-6) were installed in the asphalt parking areas surrounding the northern and western portions of the Site building to further delineate previously identified contaminants in Site soil vapor.

The soil vapor probes were installed to a depth of approximately 15 feet below grade, generally coinciding with the presumed depth of the future building basement. The soil vapor probes were advanced using direct push drilling methods and consisted of 1 inch diameter steel rods with a prefabricated 3-inch perforated steel vapor probe tip attached to ⅜ inch diameter low density polyethylene (LDPE) plastic tubing. Once driven to depth, the rods were removed leaving only the perforated tip and tubing in the ground. The vapor probe borehole was then backfilled with #2 Morie well grade gravel and a surface seal was constructed using an impermeable clay seal at the last 6 inches of the annulus from surface grade.

The soil vapor probes were purged using a hand pump after installation to insure a proper seal. Helium gas was used in accordance with NYSDOH protocols to serve as a Quality Assurance/Quality Control

(QA/QC) device to verify the integrity of the seal. A portable monitoring device was used to analyze for the tracer prior to sampling. Following sample collection, tracer monitoring was performed a second time to confirm seal integrity.

Flow rate of both purging and sampling did not exceed 0.2 liters per minute (L/min), and sampling occurred for a duration of 2 hours. Helium breakthrough was not detected at any soil vapor sample point.

All soil vapor samples were collected in laboratory supplied, batch certified 6-liter summa canisters and were analyzed for VOCs via TO 15 in accordance with NYSDOH's Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York (May 2017). The soil vapor probe tubing was removed following sampling.

2.5. Laboratory Analysis

All sediment and soil samples were analyzed for volatile organic compounds (VOCs) by USEPA Method 8260, semi-volatile organic compounds (SVOCs) by USEPA 8270, and target analyte list (TAL) metals. All groundwater samples were analyzed for VOCs by USEPA Method 8260. All soil vapor samples were analyzed for VOCs by USEPA Method TO-15.

Upon collection, soil and groundwater samples were placed into an iced cooler. Soil vapor samples were not chilled. All samples were transported under standard Chain of Custody procedures to Eurofins Environment Testing (Eurofins) a New York State Department of Health (NYSDOH) Environmental Laboratory Accreditation Program (ELAP)-certified laboratory. Laboratory analytical reports are provided in Appendix C.

2.6. Health and Safety Plan

GEI uses a site-specific health and safety plan (HASP) for all investigative work, which assigns responsibilities, establishes personal protection standards, recommends operating procedures, and provides for contingencies that may arise during performance of the assessment at the Site. The protocols in the HASP apply to all personnel, including GEI, all outside subcontractors, client, or regulatory agencies present during the performance of the work.

In addition, the following safety equipment is made available for responding to potential emergency situations: portable eyewash, ABC fire extinguisher, and first aid kit. Telephone numbers of emergency response units in the area are also included. All personnel working at the Site are also required to receive training in respirator fitting, emergency procedures, equipment decontamination and specific task procedures, as appropriate. All personnel involved with the collection of soil, groundwater, and soil vapor samples have successfully completed the 40-hour Occupational Safety and Health Administration (OSHA) Hazardous Materials Training Program.

3. Findings

3.1. Lithology and Hydrogeology

Based on review of the soil boring logs provided in Appendix A, the stratigraphy of the Site within the paved parking areas consists of an approximate 3 to 6-inch cover of asphalt underlain by brown to tan fine to coarse sand and silt with varying amounts of fine gravel, observed to the terminal depth of each boring. Evidence of fill material, including brick and concrete fragments, was noted at soil borings SB-4, SB-6, and SB-7 from approximately 1 to 2 ft bgs. No soil staining or odors or elevated PID concentrations were observed in soil recovered in these areas.

Following voids in the drainage structures ranging from 4 to 15 feet below grade, soil of a similar physical make-up was identified within the dry wells southwest of the Site building and equipment dry wells to the east of the Site building. However, sediment exhibiting strong odors and PID concentrations of up to 4,585 parts per million (ppm) was noted at the surface of Equipment Dry Well 1. The upper approximately 4 to 6 inches of the sediment within Equipment Dry Well 1 consisted of a black sludge-like material. Slightly elevated PID concentrations (5.8 ppm) were also identified in surface sediment at Equipment Dry Well 2.

As stated previously, the depth to groundwater at the Site was observed to be approximately 55 ft bgs and groundwater is presumed to follow the topographic gradient and flow in a southerly direction.

3.2. Geophysical Investigation and Survey

During the GPR survey, two dry well structures were identified off the southwest corner of the Site building. It is unclear what discharge these dry wells received. No other anomalies were identified at any proposed sample location throughout the Site.

3.3. Analytical Results

Soil sample analytical results for the site-wide borings and the borings advanced adjacent to the lint collection system vault were compared to the NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives (UUSCOs) and Restricted Residential Use Soil Cleanup Objectives (RRUSCOs) (Table 1), while analytical results for soil samples collected from and southwestern dry wells, the equipment drywells, and cesspool were compared to the NYSDEC Protection of Groundwater Soil Cleanup Objectives (PGSCOs) (Table 2).

Groundwater analytical results were compared to the NYSDEC TOGS AWQS (Table 3).

Soil vapor analytical results are provided on Table 4. It should be noted that, as the future use for the Site includes demolition of the existing Site building and replacement with a new residential building, indoor air samples were not collected as part of this investigation and, therefore, soil vapor results are not compared to the NYSDOH Final Guidance for Evaluating Soil Vapor Intrusion.

In addition, as Sample Exceedance Summary Map is provided as Figure 3.

3.3.1. Site-Wide Soil Analytical Results

Site-wide soil sample analytical results are provided on Table 1 and sample locations are provided on Figure 2.

Volatile Organic Compounds

VOCs were either not detected or were detected well below the UUSCOs and RRUSCOs.

Semi-Volatile Organic Compounds

Several PAHs, a subset of SVOCs, were detected above the UUSCOs and RRUSCOs in two of the seven soil samples, as follows:

- Benzo[a]anthracene, at a concentration of 1.6 milligrams per kilogram (mg/kg), was detected in exceedance of its RRSCO of 1 mg/kg in soil sample SB-7 (0-2).
- Benzo[a]pyrene, at a concentration of 2.1 mg/kg, was detected in exceedance of its RRSCO of 1 mg/kg in soil sample SB-7 (0-2).
- Benzo[b]fluoranthene, at concentrations of 1.5 mg/kg and 2.7 mg/kg, was detected in exceedance of its RRSCO of 1 mg/kg in soil samples SB-4 (0-2) and SB-7 (0-2), respectively.
- Benzo[k]fluoranthene, at a concentration of 1.0 mg/kg, was detected in exceedance of its USCO of 0.8 mg/kg in soil sample SB-7 (0-2).
- Chrysene, at a concentration of 1.8 mg/kg, was detected in exceedance of its USCO of 1 mg/kg in soil sample SB-7 (0-2).
- Dibenzo(a,h)anthracene, at a concentration of 0.41 mg/kg, was detected in exceedance of its RRSCO of 0.33 mg/kg in soil sample SB-7 (0-2).
- Indeno[1,2,3-cd]pyrene, at concentrations of 0.75 mg/kg and 1.6 mg/kg, was detected in exceedance of its RRSCO of 0.5 mg/kg in soil samples SB-4 (0-2) and SB-7 (0-2), respectively.

It should be noted that evidence of fill material, including brick and concrete fragments, was noted at soil boring SB-7, as well as at soil borings SB-4 and SB-6, from approximately 1 to 2 ft bgs.

Metals

Two metals (lead and mercury) were detected above the UUSCOs in two of the seven soil samples, as follows:

- Lead, at concentrations of 155 mg/kg and 90.3 mg/kg, was detected in exceedance of its USCO of 63 mg/kg in soil samples SB-4 (0-2) and SB-7 (0-2), respectively.
- Mercury, at a concentration of 0.20 mg/kg, was detected in exceedance of its USCO of 0.18 mg/kg in soil sample SB-4 (0-2).

It should be noted that evidence of fill material, including brick and concrete fragments, was noted at soil boring SB-7, as well as at soil borings SB-4 and SB-6, from approximately 1 to 2 ft bgs.

3.3.2. Southwestern Dry Wells, Equipment Dry Wells, and Cesspool Sediment and Soil Analytical Results

No exceedances of the PGSCOs were identified in any of the subsurface drainage structures investigated, with the exception of several chlorinated VOCs and PAHs in Equipment Dry Well 1, as summarized below. As described above, the upper approximately 4 to 6 inches of the sediment within Equipment Dry Well 1 consisted of a black sludge-like material.

Volatile Organic Compounds

- cis-1,2-Dichloroethene, at a concentration of 890 mg/kg, was detected in exceedance of its PGSCO of 0.25 mg/kg in equipment dry well sample EDW-1 (14 to 15) (bottom surface sample).
- Tetrachloroethene, at concentrations of 76,000 mg/kg and 2.4 mg/kg, was detected in exceedance of its PGSCO of 1.3 mg/kg in equipment dry well samples EDW-1 (14 to 15) (bottom surface sample) and EDW-1 (19-20), respectively.
- Trichloroethene, at a concentration of 3,400 mg/kg, was detected in exceedance of its PGSCO of 0.47 mg/kg in equipment dry well sample EDW-1 (14 to 15) (bottom surface sample).

Semi-Volatile Organic Compounds

- Benzo[a]anthracene, at a concentration of 4.3 mg/kg, was detected in exceedance of its PGSCO of 1 mg/kg in equipment dry well sample EDW-1 (14 to 15) (bottom surface sample).
- Benzo[b]fluoranthene, at a concentration of 11.5 mg/kg, was detected in exceedance of its PGSCO of 1.7 mg/kg in equipment dry well sample EDW-1 (14 to 15) (bottom surface sample).
- Benzo[k]fluoranthene, at a concentration of 3.1 mg/kg, was detected in exceedance of its PGSCO of 1.7 mg/kg in equipment dry well sample EDW-1 (14 to 15) (bottom surface sample).
- Chrysene, at a concentration of 7.7 mg/kg, was detected in exceedance of its PGSCO of 1 mg/kg in equipment dry well sample EDW-1 (14 to 15) (bottom surface sample).

3.3.3. Groundwater Analytical Results

VOCs, SVOCs, and metals were either not detected or were detected well below the AWQS for all groundwater samples.

3.3.4. Soil Vapor Analytical Results

Several VOCs were detected in all collected soil vapor samples.

In general, the greater chlorinated VOC concentrations in soil vapor were identified in the eastern portion of the Site at SV-1, collected in the vicinity of the equipment dry wells. Of particular note, several chlorinated VOCs were detected at significant concentrations at soil vapor sample point SV-1, as follows:

- cis-1,2-Dichloroethene was detected at concentrations of up to 8,390 micrograms per cubic meter (µg/m^3).
- Tetrachloroethene was detected at concentrations of up to 24,000 µg/m^3.
- trans-1,2-Dichloroethene was detected at concentrations of up to 556 µg/m^3.
- Trichloroethene was detected at concentrations of up to 9,450 µg/m^3.

In addition, concentrations of the above chlorinated VOCs on the 20 Jerusalem Avenue property were generally detected in all SV probes at concentrations below those identified in SV-1. Furthermore, significant concentrations of chlorinated VOCs were also detected in association with Equipment dry wells on the 40 Jerusalem Avenue property during the previously completed Phase II ESA, with concentrations of cis-1,2-dichloroethylene detected at concentrations of up to 110,000 µg/m^3.

Although orders of magnitude below these chlorinated VOCs, the greater petroleum-related VOC concentrations were identified in the western portion of the Site at soil vapor sample points SV-5 and SV-6.

4. Conclusions and Recommendations

4.1. Conclusions

As detailed above, the Supplemental Phase II ESA was completed based upon the findings of GEI's previous investigations, as well as for the purposes of evaluating the Site for inclusion into the BCP program.

During the GPR survey, two dry well structures were identified off the southwest corner of the Site building.

Based on review of the soil boring logs, the stratigraphy of the Site within the paved parking areas consists of an approximate 3 to 6-inch cover of asphalt underlain by brown to tan fine to coarse sand and silt with varying amounts of fine gravel, observed to the terminal depth of each boring. Evidence of fill material, including brick and concrete fragments, was noted at soil borings SB-4, SB-6, and SB-7 from approximately 1 to 2 ft bgs. No soil staining or odors or elevated PID concentrations were observed in soil recovered in these areas.

Following voids ranging from 4 to 15 feet below grade, soil of a similar physical make-up was identified within the southwest dry wells, equipment dry wells, and cesspool to the east of the 40 Jerusalem Avenue building. However, gray colored sediment exhibiting strong odors and PID concentrations of up to 4,585 ppm was noted at the surface of Equipment Dry Well 1. Slightly elevated PID concentrations (5.8 ppm) were also identified in surface sediment at Equipment Dry Well 2.

Groundwater at the Site was encountered at approximately 55 ft bgs. As stated previously, groundwater is presumed to follow the topographic gradient and flow in a southerly direction.

In summary, sample analytical results indicated the following:

Soil

- Site-Wide Soil Borings:
    - VOCs were either not detected or were detected well below the UUSCOs and RRUSCOs.
    - Several PAHs (benzo[a]anthracene, benzo[a]pyrene, benzo[b]fluoranthene, benzo[k]fluoranthene, chrysene, dibenzo(a,h)anthracene, and indeno[1,2,3-cd]pyrene) were detected above the UUSCOs and RRUSCOs, with the maximum concentrations all detected in soil sample SB-7 (0-2), collected in the southwest portion of the Site.
    - Lead was detected in exceedance of its USCO in soil samples SB-4 (0-2) and SB-7 (0-2), collected in the northern-central and southwestern portions of the Site, respectively. Mercury was also detected in exceedance of its UUSCO in soil sample SB-4 (0-2).
- Southwestern Dry Wells, Equipment Dry Wells, and Cesspool:

- Several chlorinated VOCs (cis-1,2-dichloroethene, tetrachloroethene, and trichloroethene) were detected significantly above the PGSCOs in equipment dry well sample EDW-1 (14 to 15) (bottom surface sample), with tetrachloroethene also detected slightly above its PGSCO in equipment dry well sample EDW-1 (19 to 20). As described above, the upper approximately 4 to 6 inches of the sediment within Equipment Dry Well 1 consisted of a black sludge-like material
- Several PAHs (benzo[a]anthracene, benzo[b]fluoranthene, benzo[k]fluoranthene, and chrysene) were detected above the PGSCOs in equipment dry well sample EDW-1 (14 to 15) (bottom surface sample).
- No exceedances of the PGSCOs were identified in any of the subsurface drainage structures investigated, with the exception of several chlorinated VOCs and PAHs in Equipment Dry Well 1.

Groundwater

VOCs, SVOCs, and metals were either not detected or were detected well below the AWQS for all groundwater samples.

Soil Vapor

- In general, the greater chlorinated VOC concentrations in soil vapor were identified in the eastern portion of the Site at SV-1, collected in the vicinity of the equipment dry wells.
- Of particular note, several chlorinated VOCs (cis-1,2-dichloroethene [8,390 µg/m^3], tetrachloroethene [24,000 µg/m^3], trans-1,2-dichloroethene [556 µg/m^3], and trichloroethene [9,450 µg/m^3]) were detected at significant concentrations at soil vapor sample point SV-1.

  In addition, concentrations of the above chlorinated VOCs on the 20 Jerusalem Avenue property were generally detected in all SV probes at concentrations below those identified in SV-1. Furthermore, significant concentrations of chlorinated VOCs were also detected in association with Equipment dry wells on the 40 Jerusalem Avenue property during the previously completed Phase II ESA, with concentrations of cis-1,2-dichloroethylene detected at concentrations of up to 110,000 µg/m^3.

The above-described contaminants in soil and soil vapor have likely resulted from historical activities at the Site, including the historical operation of a dry cleaner and/or historical backfilling activities. As the Site is overlain by asphalt and the Site building, there is currently no potential exposure to soil at the Site. However, potential exposure to soil vapor and associated sub-slab vapors may exist currently within the Site building.

4.2. Recommendations

Based on the findings and conclusions presented above and the planned future construction and use of the Site for residential housing purposes, exposure risks to Site soil and soil vapor may be present during redevelopment/construction activities and during future residential occupancy of the Site.

As such, further investigation and/or remediation of the Site is recommended prior to implementation of any redevelopment/construction activities and any planned change in future Site usage, as follows:

- Soil contaminants potentially related to fill material identified in the northern-central (soil boring SB-4) and southwestern (soil boring SB-7) portions of the Site should be further investigated and remediated, as necessary.
- Sediment/soil contaminants in Equipment Dry Well 1, and its immediate vicinity, should be further investigated and remediated.
- Equipment Dry Well 1 should be closed, along with the two other Equipment Dry Wells and any other subsurface drainage structure which may no longer be needed as part of any future use of the Site, in accordance with Nassau County Department of Health (NCDOH) and United States Environmental Protection Agency (USEPA) Underground Injection Control (UIC) Program protocols. It was also noted that dry wells on the 20 Jerusalem Avenue property sampled as part of the Phase II ESA also exhibit NYSDEC PGSCO exceedances, which would also require remediation.
- Given the soil vapor contaminant concentrations described above, an indoor air and sub-slab soil vapor investigation should be considered for the existing 40 Jerusalem Avenue property building per the NYSDOH Final Guidance for Evaluating Soil Vapor Intrusion guidance to assess potential current indoor air and sub-slab soil vapor issues.

Based on the contaminants identified in Site soil and soil vapor, GEI further recommends that TBP move forward with the application process for NYSDEC's inclusion of the Site in the BCP program.

Tables

Table 1. Site Wide Soil Sample Results

Table 2. Southwestern Dry Wells, Equipment Dry Wells, and Cesspool Sediment Sample Results

Table 3. Groundwater Analytical Results

Table 4. Soil Vapor Analytical Results

Table 1. Site-Wide Soil Boring Analytical Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	UUSCOs	RRUSCOs	SB-1 (14-15) 06/13/2025 08:30:00 Result	SB-2 (9-10) 06/13/2025 09:15:00 Result	SB-3 (9-10) 06/13/2025 09:30:00 Result	SB-4 (0-2) 06/16/2025 09:00:00 Result	SB-5 (0-2) 06/16/2025 09:15:00 Result	SB-6 (0-2) 06/16/2025 09:40:00 Result	SB-7 (0-2) 06/16/2025 10:00:00 Result
Volatile Organic Compounds (GC/MS) (mg/Kg)									
1,1,1-Trichloroethane	0.68	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,1,2,2-Tetrachloroethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,1,2-Trichloro-1,2,2-trifluoroethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,1,2-Trichloroethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,1-Dichloroethane	0.27	26	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,1-Dichloroethene	0.33	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,2,3-Trichlorobenzene	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,2,4-Trichlorobenzene	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,2,4-Trimethylbenzene	3.6	52	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,2-Dibromo-3-Chloropropane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,2-Dichlorobenzene	1.1	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,2-Dichloroethane	~	3.1	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,2-Dichloropropane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,3,5-Trimethylbenzene	8.4	52	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,3-Dichlorobenzene	2.4	49	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
1,4-Dichlorobenzene	1.8	13	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
2-Butanone (MEK)	0.12	100	0.0048 U	0.0043 U	0.0042 U	0.0051 U	0.0049 U	0.0047 U	0.0050 U
2-Hexanone	~	~	0.0048 U	0.0043 U	0.0042 U	0.0051 U	0.0049 U	0.0047 U	0.0050 U
4-Methyl-2-pentanone (MIBK)	~	~	0.0048 U	0.0043 U	0.0042 U	0.0051 U	0.0049 U	0.0047 U	0.0050 U
Acetone	0.05	100	0.0057 U	0.0052 U	0.0051 U	**0.0070**	0.0058 U	**0.0057**	**0.0057 J**
Benzene	0.06	4.8	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Bromoform	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Bromomethane	~	~	0.0019 U	0.0017 U	0.0017 U	0.0020 U	0.0019 U	0.0019 U	0.0020 U
Carbon disulfide	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Carbon tetrachloride	0.76	2.4	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Chlorobenzene	1.1	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Chlorobromomethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Chlorodibromomethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Chloroethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Chloroform	0.37	49	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Chloromethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
cis-1,2-Dichloroethene	0.25	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
cis-1,3-Dichloropropene	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Cyclohexane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Dichlorobromomethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Dichlorodifluoromethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Ethylbenzene	1	41	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Ethylene Dibromide	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Isopropylbenzene	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Methyl acetate	~	~	0.0048 U	0.0043 U	0.0042 U	0.0051 U	0.0049 U	0.0047 U	0.0050 U
Methyl tert-butyl ether	0.93	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Methylcyclohexane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Methylene Chloride	0.05	100	0.0019 U	0.0017 U	0.0017 U	0.0020 U	0.0019 U	0.0019 U	0.0020 U

Table 1. Site-Wide Soil Boring Analytical Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	UUSCOs	RRUSCOs	SB-1 (14-15) 06/13/2025 08:30:00 Result	SB-2 (9-10) 06/13/2025 09:15:00 Result	SB-3 (9-10) 06/13/2025 09:30:00 Result	SB-4 (0-2) 06/16/2025 09:00:00 Result	SB-5 (0-2) 06/16/2025 09:15:00 Result	SB-6 (0-2) 06/16/2025 09:40:00 Result	SB-7 (0-2) 06/16/2025 10:00:00 Result
m-Xylene & p-Xylene	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
n-Butylbenzene	12	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
N-Propylbenzene	3.9	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
o-Xylene	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
sec-Butylbenzene	11	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Styrene	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
tert-Butylbenzene	5.9	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Tetrachloroethene	1.3	19	0.00095 U	**0.00072 J**	**0.0060**	**0.00097 J**	**0.00045 J**	0.00095 U	**0.0039**
Toluene	0.7	100	0.00095 U	0.00086 U	0.00085 U	**0.00057 J**	0.00097 U	0.00095 U	**0.00030 J**
trans-1,2-Dichloroethene	0.19	100	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
trans-1,3-Dichloropropene	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Trichloroethene	0.47	21	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Trichlorofluoromethane	~	~	0.00095 U	0.00086 U	0.00085 U	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Vinyl chloride	0.02	0.9	0.00095 U *	0.00086 U *	0.00085 U *	0.0010 U	0.00097 U	0.00095 U	0.00099 U
Xylenes, Total	0.26	100	0.0019 U	0.0017 U	0.0017 U	0.0020 U	**0.00021 J**	0.0019 U	0.0020 U
Semivolatile Organic Compounds (GC/MS) (mg/Kg)									
1,1'-Biphenyl	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
1,2,4,5-Tetrachlorobenzene	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
1,4-Dioxane	0.1	13	0.034 U	0.037 U	0.034 U	0.036 U	0.036 U	0.033 U	0.034 U
2,2'-oxybis[1-chloropropane]	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
2,3,4,6-Tetrachlorophenol	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
2,4,5-Trichlorophenol	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
2,4,6-Trichlorophenol	~	~	0.14 U	0.15 U	0.14 U	0.15 U	0.15 U	0.13 U	0.14 U
2,4-Dichlorophenol	~	~	0.14 U	0.15 U	0.14 U	0.15 U	0.15 U	0.13 U	0.14 U
2,4-Dimethylphenol	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
2,4-Dinitrophenol	~	~	0.27 U	0.30 U	0.27 U	0.29 U	0.29 U	0.27 U	0.28 U
2,4-Dinitrotoluene	~	~	0.068 U	0.074 U	0.069 U	0.074 U	0.073 U	0.067 U	0.069 U
2,6-Dinitrotoluene	~	~	0.068 U	0.074 U	0.069 U	0.074 U	0.073 U	0.067 U	0.069 U
2-Chloronaphthalene	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
2-Chlorophenol	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
2-Methylnaphthalene	~	~	0.34 U	0.37 U	0.34 U	**0.023 J**	0.36 U	0.33 U	**0.028 J**
2-Methylphenol	0.33	100	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
2-Nitroaniline	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
2-Nitrophenol	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
3 & 4 Methylphenol	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
3,3'-Dichlorobenzidine	~	~	0.14 U	0.15 U	0.14 U	0.15 U	0.15 U	0.13 U	0.14 U
3-Nitroaniline	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
4,6-Dinitro-2-methylphenol	~	~	0.27 U	0.30 U	0.27 U	0.29 U	0.29 U	0.27 U	0.28 U
4-Bromophenyl phenyl ether	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
4-Chloro-3-methylphenol	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
4-Chloroaniline	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
4-Chlorophenyl phenyl ether	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
4-Methylphenol	0.33	100	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
4-Nitroaniline	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U

Table 1. Site-Wide Soil Boring Analytical Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	UUSCOs	RRUSCOs	SB-1 (14-15) 06/13/2025 08:30:00 Result	SB-2 (9-10) 06/13/2025 09:15:00 Result	SB-3 (9-10) 06/13/2025 09:30:00 Result	SB-4 (0-2) 06/16/2025 09:00:00 Result	SB-5 (0-2) 06/16/2025 09:15:00 Result	SB-6 (0-2) 06/16/2025 09:40:00 Result	SB-7 (0-2) 06/16/2025 10:00:00 Result
4-Nitrophenol	~	~	0.68 U	0.74 U	0.69 U	0.74 U	0.73 U	0.67 U	0.69 U
Acenaphthene	20	100	0.34 U	0.37 U	0.34 U	**0.029 J**	0.36 U	0.33 U	**0.032 J**
Acenaphthylene	100	100	0.34 U	0.37 U	0.34 U	**0.018 J**	0.36 U	0.33 U	**0.25 J**
Acetophenone	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Anthracene	100	100	0.34 U	0.37 U	0.34 U	**0.089 J**	0.36 U	0.33 U	**0.19 J**
Atrazine	~	~	0.14 U *	0.15 U *	0.14 U *	0.15 U *	0.15 U *	0.13 U *	0.14 U *
Benzaldehyde	~	~	0.34 U *	0.37 U *	0.34 U *	0.36 U *	0.36 U *	0.33 U *	0.34 U *
Benzo[a]anthracene	1	1	0.034 U	0.037 U	0.034 U	**0.71**	0.036 U	0.033 U	**1.6**
Benzo[a]pyrene	1	1	0.034 U	0.037 U	0.034 U	**0.99**	**0.012 J**	0.033 U	**2.1**
Benzo[b]fluoranthene	1	1	0.034 U	0.037 U	0.034 U	**1.5**	**0.022 J**	0.033 U	**2.7**
Benzo[g,h,i]perylene	100	100	0.34 U	0.37 U	0.34 U	**0.68**	**0.013 J**	0.33 U	**1.5**
Benzo[k]fluoranthene	0.8	3.9	0.034 U	0.037 U	0.034 U	**0.52**	**0.0094 J**	0.033 U	**1.0**
Bis(2-chloroethoxy)methane	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Bis(2-chloroethyl)ether	~	~	0.034 U	0.037 U	0.034 U	0.036 U	0.036 U	0.033 U	0.034 U
Bis(2-ethylhexyl) phthalate	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Butyl benzyl phthalate	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Caprolactam	~	~	0.34 U *	0.37 U *	0.34 U *	0.36 U *	0.36 U *	0.33 U *	0.34 U *
Carbazole	~	~	0.34 U	0.37 U	0.34 U	**0.060 J**	0.36 U	0.33 U	**0.079 J**
Chrysene	1	3.9	0.34 U	0.37 U	0.34 U	**0.93**	**0.015 J**	0.33 U	**1.8**
Dibenz(a,h)anthracene	0.33	0.33	0.034 U	0.037 U	0.034 U	**0.19**	0.036 U	0.033 U	**0.41**
Dibenzofuran	7	59	0.34 U	0.37 U	0.34 U	**0.013 J**	0.36 U	0.33 U	**0.027 J**
Diethyl phthalate	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Dimethyl phthalate	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Di-n-butyl phthalate	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Di-n-octyl phthalate	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Fluoranthene	100	100	0.34 U	0.37 U	0.34 U	**1.7**	**0.032 J**	0.33 U	**2.7**
Fluorene	30	100	0.34 U	0.37 U	0.34 U	**0.018 J**	0.36 U	0.33 U	**0.038 J**
Hexachlorobenzene	0.33	1.2	0.034 U	0.037 U	0.034 U	0.036 U	0.036 U	0.033 U	0.034 U
Hexachlorobutadiene	~	~	0.068 U	0.074 U	0.069 U	0.074 U	0.073 U	0.067 U	0.069 U
Hexachlorocyclopentadiene	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Hexachloroethane	~	~	0.034 U	0.037 U	0.034 U	0.036 U	0.036 U	0.033 U	0.034 U
Indeno[1,2,3-cd]pyrene	0.5	0.5	0.034 U	0.037 U	0.034 U	**0.75**	0.036 U	0.033 U	**1.6**
Isophorone	~	~	0.14 U	0.15 U	0.14 U	0.15 U	0.15 U	0.13 U	0.14 U
Naphthalene	12	100	0.34 U	0.37 U	0.34 U	**0.031 J**	0.36 U	0.33 U	**0.077 J**
Nitrobenzene	~	~	0.034 U	0.037 U	0.034 U	0.036 U	0.036 U	0.033 U	0.034 U
N-Nitrosodi-n-propylamine	~	~	0.034 U	0.037 U	0.034 U	0.036 U	0.036 U	0.033 U	0.034 U
N-Nitrosodiphenylamine	~	~	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Pentachlorophenol	0.8	6.7	0.27 U	0.30 U	0.27 U	0.29 U	0.29 U	0.27 U	0.28 U
Phenanthrene	100	100	0.34 U	0.37 U	0.34 U	**0.50**	0.36 U	0.33 U	**0.66**
Phenol	0.33	100	0.34 U	0.37 U	0.34 U	0.36 U	0.36 U	0.33 U	0.34 U
Pyrene	100	100	0.34 U	0.37 U	0.34 U	**1.3**	**0.023 J**	0.33 U	**2.4**
Metals (ICP/MS) (mg/Kg)									
Aluminum	~	~	**947**	**2,020**	**945**	**5,500**	**9,060**	**2,550**	**4,150**
Antimony	~	~	0.81 U	0.88 U	0.77 U	**0.15 J**	0.98 U	0.93 U	**0.15 J**

Table 1. Site-Wide Soil Boring Analytical Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	UUSCOs	RRUSCOs	SB-1 (14-15) 06/13/2025 08:30:00 Result	SB-2 (9-10) 06/13/2025 09:15:00 Result	SB-3 (9-10) 06/13/2025 09:30:00 Result	SB-4 (0-2) 06/16/2025 09:00:00 Result	SB-5 (0-2) 06/16/2025 09:15:00 Result	SB-6 (0-2) 06/16/2025 09:40:00 Result	SB-7 (0-2) 06/16/2025 10:00:00 Result
Arsenic	13	16	**0.79 J**	**1.0**	**2.4**	**4.0**	**3.3**	**1.1**	**3.1**
Barium	350	400	**4.2**	**7.6**	**4.6**	**41.5**	**24.7**	**7.6**	**26.7**
Beryllium	7.2	72	**0.078 J**	**0.14 J**	**0.14 J**	**0.24 J**	**0.25 J**	**0.23 J**	**0.18 J**
Cadmium	2.5	4.3	0.81 U	0.88 U	0.77 U	**0.25 J**	0.98 U	0.93 U	**0.20 J**
Calcium	~	~	**81.7**	**160**	**80.7**	**60,600**	**4,430**	**264**	**3,230**
Chromium	~	~	**2.9**	**6.5**	**10.3**	**10.2**	**9.3**	**4.2**	**6.6**
Cobalt	~	~	**0.57 J**	**1.0 J**	**0.73 J**	**2.4**	**2.7**	**1.5 J**	**1.9**
Copper	50	270	**2.1**	**3.2**	**3.1**	**17.6**	**7.6**	**3.0**	**14.4**
Iron	~	~	**3,030**	**4,310**	**10,700**	**9,470**	**10,100**	**6,910**	**5,760**
Lead	63	400	**1.0**	**1.6**	**1.0**	**155**	**42.6**	**5.4**	**90.3**
Magnesium	~	~	**224**	**363**	**132**	**29,600**	**3,370**	**776**	**2,050**
Manganese	1,600	2,000	**30.2**	**75.8**	**60.1**	**126**	**79.7**	**55.7**	**81.3**
Mercury	0.18	0.81	0.017 U	0.018 U	0.017 U	**0.20**	**0.022**	0.017 U	**0.084**
Nickel	30	310	**1.5 J**	**2.3**	**1.6**	**5.7**	**5.3**	**2.5**	**4.1**
Potassium	~	~	**149**	**190**	**96.4**	**387**	**364**	**456**	**258**
Selenium	3.9	180	1.0 U	1.1 U	**0.17 J**	**0.31 J**	**0.45 J**	1.2 U	**0.21 J**
Silver	2	180	0.32 U	0.35 U	0.31 U	**0.65**	0.39 U	0.37 U	**0.094 J**
Sodium	~	~	81.0 U	**41.3 J**	76.6 U	**176**	**72.5 J**	**50.2 J**	**79.9 J**
Thallium	~	~	0.32 U	**0.054 J**	0.31 U	**0.071 J**	**0.080 J**	**0.043 J**	**0.057 J**
Vanadium	~	~	**2.0**	**3.8**	**2.9**	**18.5**	**17.6**	**4.1**	**8.6**
Zinc	109	10,000	**3.9 J**	**9.6**	**6.2**	**86.7**	**38.2**	**10.8**	**81.6**

NOTES:
NYSDEC - New York State Department of Environmental Conservation
USCOs - NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives
RRSCOs - NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives
mg/Kg - milligrams per kilogram
Bold - Indicates a detected concentration
Bold and shaded Indicates an exceedance of applicable SCO.
~ Not Established
J - Indicates the detection is estimated
U - Not Detected
* - LCS or LCSD is outside acceptance limits.

Table 2. Southwestern Drywells, Equipment Drywells, and Cesspool Sample Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	PGWSCOs	DW-1 (10-11) 06/13/2025 09:47:00 Result	DW-1 (14-15) 06/13/2025 09:50:00 Result	DW-2 (3-4) 06/13/2025 09:59:00 Result	DW-2 (7-8) 06/13/2025 10:03:00 Result	EDW-1 (14-15) 06/12/2025 11:00:00 Result	EDW-1 (19-20) 06/12/2025 11:10:00 Result
Volatile Organic Compounds (GC/MS) (mg/Kg)							
1,1,1-Trichloroethane	0.68	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,1,2,2-Tetrachloroethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U * F
1,1,2-Trichloro-1,2,2-trifluoroethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U * F
1,1,2-Trichloroethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,1-Dichloroethane	0.27	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,1-Dichloroethene	0.33	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,2,3-Trichlorobenzene	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,2,4-Trichlorobenzene	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,2,4-Trimethylbenzene	3.6	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,2-Dibromo-3-Chloropropane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,2-Dichlorobenzene	1.1	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,2-Dichloroethane	0.02	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,2-Dichloropropane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,3,5-Trimethylbenzene	8.4	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,3-Dichlorobenzene	2.4	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
1,4-Dichlorobenzene	1.8	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
2-Butanone (MEK)	0.12	0.0042 U	0.0051 U	0.0050 U	0.0044 U	1,900 U D	5.5 U F
2-Hexanone	~	0.0042 U	0.0051 U	0.0050 U	0.0044 U	1,900 U D	5.5 U F
4-Methyl-2-pentanone (MIBK)	~	0.0042 U	0.0051 U	0.0050 U	0.0044 U	1,900 U D	5.5 U F
Acetone	0.05	0.0050 U	0.0061 U	**0.0078**	**0.0093**	1,900 U D	5.5 U F
Benzene	0.06	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Bromoform	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Bromomethane	~	0.0017 U	0.0020 U	0.0020 U	0.0017 U	390 U D	1.1 U F
Carbon disulfide	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Carbon tetrachloride	0.76	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Chlorobenzene	1.1	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Chlorobromomethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Chlorodibromomethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Chloroethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Chloroform	0.37	**0.0040**	**0.0032**	0.0010 U	0.00087 U	390 U D	1.1 U F
Chloromethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
cis-1,2-Dichloroethene	0.25	**0.00052 J**	**0.00057 J**	0.0010 U	0.00087 U	**890 D**	1.1 U F
cis-1,3-Dichloropropene	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Cyclohexane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Dichlorobromomethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Dichlorodifluoromethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U * F
Ethylbenzene	1	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Ethylene Dibromide	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Isopropylbenzene	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Methyl acetate	~	0.0042 U	**0.011**	0.0050 U	0.0044 U	1,900 U D	5.5 U F
Methyl tert-butyl ether	0.93	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F

Table 2. Southwestern Drywells, Equipment Drywells, and Cesspool Sample Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	PGWSCOs	DW-1 (10-11) 06/13/2025 09:47:00 Result	DW-1 (14-15) 06/13/2025 09:50:00 Result	DW-2 (3-4) 06/13/2025 09:59:00 Result	DW-2 (7-8) 06/13/2025 10:03:00 Result	EDW-1 (14-15) 06/12/2025 11:00:00 Result	EDW-1 (19-20) 06/12/2025 11:10:00 Result
Methylcyclohexane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Methylene Chloride	0.05	0.0017 U	0.0020 U	0.0020 U	0.0017 U	390 U D	1.1 U F
m-Xylene & p-Xylene	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
n-Butylbenzene	12	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
N-Propylbenzene	3.9	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
o-Xylene	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
sec-Butylbenzene	11	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Styrene	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
tert-Butylbenzene	5.9	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Tetrachloroethene	1.3	**0.035**	**0.024**	**0.012**	0.00087 U	**76,000 D**	**2.4 F**
Toluene	0.7	0.00084 U	0.0010 U	**0.00082 J**	0.00087 U	390 U D	1.1 U F
trans-1,2-Dichloroethene	0.19	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
trans-1,3-Dichloropropene	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Trichloroethene	0.47	**0.0011**	**0.00095 J**	0.0010 U	0.00087 U	**3,400 D**	1.1 U F
Trichlorofluoromethane	~	0.00084 U	0.0010 U	0.0010 U	0.00087 U	390 U D	1.1 U F
Vinyl chloride	0.02	0.00084 U *	0.0010 U *	0.0010 U *	0.00087 U *	390 U D	1.1 U F
Xylenes, Total	1.6	0.0017 U	0.0020 U	0.0020 U	0.0017 U	780 U D	2.2 U F
Semivolatile Organic Compounds (GC/MS) (mg/Kg)							
1,1'-Biphenyl	~	0.34 U	0.34 U	0.33 U	0.34 U	**0.017 J**	0.37 U
1,2,4,5-Tetrachlorobenzene	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
1,4-Dioxane	0.1	0.034 U	0.034 U	0.033 U	0.034 U	0.047 U	0.037 U
2,2'-oxybis[1-chloropropane]	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
2,3,4,6-Tetrachlorophenol	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
2,4,5-Trichlorophenol	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
2,4,6-Trichlorophenol	~	0.14 U	0.14 U	0.13 U	0.14 U	0.19 U	0.15 U
2,4-Dichlorophenol	~	0.14 U	0.14 U	0.13 U	0.14 U	0.19 U	0.15 U
2,4-Dimethylphenol	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
2,4-Dinitrophenol	~	0.27 U	0.27 U	0.27 U	0.27 U	0.38 U	0.30 U
2,4-Dinitrotoluene	~	0.068 U	0.068 U	0.067 U	0.068 U	0.095 U	0.075 U
2,6-Dinitrotoluene	~	0.068 U	0.068 U	0.067 U	0.068 U	0.095 U	0.075 U
2-Chloronaphthalene	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
2-Chlorophenol	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
2-Methylnaphthalene	~	0.34 U	0.34 U	**0.0096 J**	0.34 U	**0.043 J**	0.37 U
2-Methylphenol	0.33	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
2-Nitroaniline	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
2-Nitrophenol	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
3 & 4 Methylphenol	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
3,3'-Dichlorobenzidine	~	0.14 U	0.14 U	0.13 U	0.14 U	0.19 U	0.15 U
3-Nitroaniline	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
4,6-Dinitro-2-methylphenol	~	0.27 U	0.27 U	0.27 U	0.27 U	0.38 U	0.30 U
4-Bromophenyl phenyl ether	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
4-Chloro-3-methylphenol	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
4-Chloroaniline	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U

Table 2. Southwestern Drywells, Equipment Drywells, and Cesspool Sample Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	PGWSCOs	DW-1 (10-11) 06/13/2025 09:47:00 Result	DW-1 (14-15) 06/13/2025 09:50:00 Result	DW-2 (3-4) 06/13/2025 09:59:00 Result	DW-2 (7-8) 06/13/2025 10:03:00 Result	EDW-1 (14-15) 06/12/2025 11:00:00 Result	EDW-1 (19-20) 06/12/2025 11:10:00 Result
4-Chlorophenyl phenyl ether	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
4-Methylphenol	0.33	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
4-Nitroaniline	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
4-Nitrophenol	~	0.68 U	0.68 U	0.67 U	0.68 U	0.95 U	0.75 U
Acenaphthene	98	**0.017 J**	0.34 U	**0.14 J**	0.34 U	**0.23 J**	0.37 U
Acenaphthylene	107	**0.011 J**	0.34 U	0.33 U	0.34 U	**0.058 J**	0.37 U
Acetophenone	~	0.34 U	0.34 U	0.33 U	0.34 U	**0.026 J**	0.37 U
Anthracene	1,000	**0.050 J**	0.34 U	**0.31 J**	0.34 U	**0.59**	0.37 U
Atrazine	~	0.14 U *	0.14 U *	0.13 U *	0.14 U *	0.19 U *	0.15 U *
Benzaldehyde	~	0.34 U *	0.34 U *	0.33 U *	0.34 U *	0.47 U *	0.37 U *
Benzo[a]anthracene	1	**0.20**	**0.036**	**0.62**	0.034 U	**4.3**	0.037 U
Benzo[a]pyrene	22	**0.21**	**0.042**	**0.68**	0.034 U	**7.1**	0.037 U
Benzo[b]fluoranthene	1.7	**0.30**	**0.060**	**0.87**	0.034 U	**11 S**	0.037 U
Benzo[g,h,i]perylene	1,000	**0.11 J**	**0.030 J**	**0.33**	0.34 U	**5.9**	0.37 U
Benzo[k]fluoranthene	1.7	**0.11**	**0.021 J**	**0.36**	0.034 U	**3.1**	0.037 U
Bis(2-chloroethoxy)methane	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
Bis(2-chloroethyl)ether	~	0.034 U	0.034 U	0.033 U	0.034 U	0.047 U	0.037 U
Bis(2-ethylhexyl) phthalate	~	**0.023 J**	**0.019 J**	0.33 U	0.34 U	**2.6**	0.37 U
Butyl benzyl phthalate	~	0.34 U	0.34 U	0.33 U	0.34 U	**0.088 J**	0.37 U
Caprolactam	~	0.34 U *	0.34 U *	0.33 U *	0.34 U *	0.47 U *	0.37 U *
Carbazole	~	**0.015 J**	0.34 U	**0.044 J**	0.34 U	**0.63**	0.37 U
Chrysene	1	**0.21 J**	**0.042 J**	**0.72**	0.34 U	**7.7**	0.37 U
Dibenz(a,h)anthracene	1,000	**0.043**	**0.027 J**	**0.10**	0.034 U	**1.5**	0.037 U
Dibenzofuran	210	0.34 U	0.34 U	**0.068 J**	0.34 U	**0.15 J**	0.37 U
Diethyl phthalate	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
Dimethyl phthalate	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
Di-n-butyl phthalate	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
Di-n-octyl phthalate	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
Fluoranthene	1,000	**0.45**	**0.062 J**	**1.5**	0.34 U	**10 S**	0.37 U
Fluorene	386	**0.012 J**	0.34 U	**0.15 J**	0.34 U	**0.35 J**	0.37 U
Hexachlorobenzene	3.2	0.034 U	0.034 U	0.033 U	0.034 U	0.047 U	0.037 U
Hexachlorobutadiene	~	0.068 U	0.068 U	0.067 U	0.068 U	0.095 U	0.075 U
Hexachlorocyclopentadiene	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
Hexachloroethane	~	0.034 U	0.034 U	0.033 U	0.034 U	0.047 U	0.037 U
Indeno[1,2,3-cd]pyrene	8.2	**0.14**	**0.045**	**0.37**	0.034 U	**5.1**	0.037 U
Isophorone	~	0.14 U	0.14 U	0.13 U	0.14 U	0.19 U	0.15 U
Naphthalene	12	0.34 U	0.34 U	0.33 U	0.34 U	**0.059 J**	0.37 U
Nitrobenzene	~	0.034 U	0.034 U	0.033 U	0.034 U	0.047 U	0.037 U
N-Nitrosodi-n-propylamine	~	0.034 U	0.034 U	0.033 U	0.034 U	0.047 U	0.037 U
N-Nitrosodiphenylamine	~	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
Pentachlorophenol	0.8	0.27 U	0.27 U	0.27 U	0.27 U	0.38 U	0.30 U
Phenanthrene	1,000	**0.19 J**	**0.020 J**	**1.0**	0.34 U	**5.3**	0.37 U
Phenol	0.33	0.34 U	0.34 U	0.33 U	0.34 U	0.47 U	0.37 U
Pyrene	1,000	**0.32 J**	**0.050 J**	**1.0**	0.34 U	**9.4**	0.37 U

Table 2. Southwestern Drywells, Equipment Drywells, and Cesspool Sample Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	PGWSCOs	DW-1 (10-11) 06/13/2025 09:47:00 Result	DW-1 (14-15) 06/13/2025 09:50:00 Result	DW-2 (3-4) 06/13/2025 09:59:00 Result	DW-2 (7-8) 06/13/2025 10:03:00 Result	EDW-1 (14-15) 06/12/2025 11:00:00 Result	EDW-1 (19-20) 06/12/2025 11:10:00 Result
Metals (ICP/MS) (mg/Kg)							
Aluminum	~	**5,640**	**4,820**	**1,980**	**5,350**	**5,780**	**1,790**
Antimony	~	**0.29 J**	**0.87**	**0.29 J**	0.80 U	**3.8**	0.87 U
Arsenic	16	**4.9**	**4.8**	**2.7**	**0.76 J**	**2.2**	**2.4**
Barium	820	**24.3**	**18.6**	**8.5**	**20.3**	**38.2**	**9.5**
Beryllium	47	**0.21 J**	**0.20 J**	**0.084 J**	**0.19 J**	**0.21 J**	**0.11 J**
Cadmium	7.5	**0.19 J**	**0.27 J**	0.74 U	0.80 U	**0.93 J**	0.87 U
Calcium	~	**5,830**	**3,630**	**10,300**	**93.4**	**2,930**	**86.1 J**
Chromium	~	**9.3**	**11.7**	**4.4**	**6.3**	**29.4**	**10.3**
Cobalt	~	**2.5**	**2.1**	**1.9**	**2.7**	**3.7**	**0.77 J**
Copper	1,720	**11.8**	**52.2**	**14.4**	**6.0**	**68.3**	**4.8**
Iron	~	**8,060**	**7,540**	**8,440**	**7,550**	**7,410**	**5,770**
Lead	450	**41.4**	**78.6**	**20.9**	**2.6**	**100**	**2.3**
Magnesium	~	**2,520**	**1,810**	**4,600**	**1,660**	**1,610**	**120**
Manganese	2,000	**104**	**99.2**	**69.7**	**83.4**	**55.2**	**20.7**
Mercury	0.73	**0.15**	**0.088**	**0.016**	0.017 U	**0.24**	0.018 U
Nickel	130	**5.9**	**4.9**	**4.4**	**3.4**	**13.1**	**2.2**
Potassium	~	**361**	**307**	**165**	**2000**	**453**	**88.4**
Selenium	4	**0.24 J**	**0.22 J**	0.93 U	1.0 U	**0.38 J**	1.1 U
Silver	8.3	0.31 U	0.32 U	**0.35**	0.32 U	**0.25 J**	0.35 U
Sodium	~	**152**	**159**	**98.1**	**50.9 J**	**227**	87.4 U
Thallium	~	**0.063 J**	**0.048 J**	0.30 U	**0.14 J**	**0.062 J**	0.35 U
Vanadium	~	**11.8**	**11.5**	**7.7**	**8.1**	**34.8**	**4.8**
Zinc	2,480	**44.8**	**38.1**	**16.5**	**19.1**	**332**	**18.9**

NOTES:
NYSDEC - New York State Department of Environmental Conservation
PGWSCOs - NYSDEC Part 375 Protection of Groundwater Soil Cleanup Objectives
mg/Kg - milligrams per kilogram
Bold - Indicates a detected
Bold and shaded - Indicates an exceedance of PGWSCOss.
~ Not Established
J - Indicates the detection is estimated
U - Not Detected
* - LCS or LCSD is outside acceptance limits.
D - Sample required dilution factor of 100,000.
F - Sample required dilution factor of 50.
S - Sample required dilution factor of 2.

Table 2. Southwestern Drywells, Equipment Drywells, and Cesspool Sample Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	PGWSCOs	EDW-2 (14-15) 06/12/2025 11:30:00 Result	EDW-2 (19-20) 06/12/2025 11:35:00 Result	EDW-3 (14-15) 06/12/2025 12:00:00 Result	EDW-3 (19-20) 06/12/2025 12:03:00 Result	CP-1 (14-15) 06/12/2025 13:10:00 Result	CP-1 (19-20) 06/12/2025 13:15:00 Result
Volatile Organic Compounds (GC/MS) (mg/Kg)							
1,1,1-Trichloroethane	0.68	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,1,2,2-Tetrachloroethane	~	0.096 U * F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,1,2-Trichloro-1,2,2-trifluoroethane	~	0.096 U * F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,1,2-Trichloroethane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,1-Dichloroethane	0.27	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,1-Dichloroethene	0.33	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,2,3-Trichlorobenzene	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,2,4-Trichlorobenzene	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,2,4-Trimethylbenzene	3.6	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,2-Dibromo-3-Chloropropane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,2-Dichlorobenzene	1.1	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,2-Dichloroethane	0.02	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,2-Dichloropropane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,3,5-Trimethylbenzene	8.4	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,3-Dichlorobenzene	2.4	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
1,4-Dichlorobenzene	1.8	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
2-Butanone (MEK)	0.12	0.48 U F	0.0046 U	0.0050 U	0.0044 U	0.0046 U	0.0050 U
2-Hexanone	~	0.48 U F	0.0046 U	0.0050 U	0.0044 U	0.0046 U	0.0050 U
4-Methyl-2-pentanone (MIBK)	~	0.48 U F	0.0046 U	0.0050 U	0.0044 U	0.0046 U	0.0050 U
Acetone	0.05	0.48 U F	**0.0076**	0.0060 U	**0.0069**	**0.0069**	0.0060 U
Benzene	0.06	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Bromoform	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Bromomethane	~	0.096 U F	0.0018 U	0.0020 U	0.0017 U	0.0018 U	0.0020 U
Carbon disulfide	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	**0.0014**	0.00099 U
Carbon tetrachloride	0.76	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Chlorobenzene	1.1	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Chlorobromomethane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Chlorodibromomethane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Chloroethane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Chloroform	0.37	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Chloromethane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
cis-1,2-Dichloroethene	0.25	**0.10 F**	**0.0029**	**0.00044 J**	**0.0020**	0.00092 U	0.00099 U
cis-1,3-Dichloropropene	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Cyclohexane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Dichlorobromomethane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Dichlorodifluoromethane	~	0.096 U * F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Ethylbenzene	1	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Ethylene Dibromide	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Isopropylbenzene	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Methyl acetate	~	0.48 U F	**0.0089**	0.0050 U	0.0044 U	0.0046 U	0.0050 U
Methyl tert-butyl ether	0.93	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U

Table 2. Southwestern Drywells, Equipment Drywells, and Cesspool Sample Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	PGWSCOs	EDW-2 (14-15) 06/12/2025 11:30:00 Result	EDW-2 (19-20) 06/12/2025 11:35:00 Result	EDW-3 (14-15) 06/12/2025 12:00:00 Result	EDW-3 (19-20) 06/12/2025 12:03:00 Result	CP-1 (14-15) 06/12/2025 13:10:00 Result	CP-1 (19-20) 06/12/2025 13:15:00 Result
Methylcyclohexane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Methylene Chloride	0.05	0.096 U F	0.0018 U	0.0020 U	0.0017 U	0.0018 U	0.0020 U
m-Xylene & p-Xylene	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
n-Butylbenzene	12	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
N-Propylbenzene	3.9	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
o-Xylene	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
sec-Butylbenzene	11	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Styrene	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
tert-Butylbenzene	5.9	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Tetrachloroethene	1.3	**0.80 F**	**0.0072**	**0.00057 J**	**0.0033**	**0.00075 J**	**0.00044 J**
Toluene	0.7	0.096 U F	0.00092 U	0.0010 U	0.00087 U	**0.00027 J**	0.00099 U
trans-1,2-Dichloroethene	0.19	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
trans-1,3-Dichloropropene	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Trichloroethene	0.47	**0.063 J F**	**0.00061 J**	0.0010 U	**0.0013**	0.00092 U	0.00099 U
Trichlorofluoromethane	~	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Vinyl chloride	0.02	0.096 U F	0.00092 U	0.0010 U	0.00087 U	0.00092 U	0.00099 U
Xylenes, Total	1.6	0.19 U F	0.0018 U	0.0020 U	0.0017 U	**0.00028 J**	0.0020 U
Semivolatile Organic Compounds (GC/MS) (mg/Kg)							
1,1'-Biphenyl	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
1,2,4,5-Tetrachlorobenzene	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
1,4-Dioxane	0.1	0.034 U	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
2,2'-oxybis[1-chloropropane]	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2,3,4,6-Tetrachlorophenol	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2,4,5-Trichlorophenol	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2,4,6-Trichlorophenol	~	0.14 U	0.14 U	0.14 U	0.14 U	0.13 U	0.14 U
2,4-Dichlorophenol	~	0.14 U	0.14 U	0.14 U	0.14 U	0.13 U	0.14 U
2,4-Dimethylphenol	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2,4-Dinitrophenol	~	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U
2,4-Dinitrotoluene	~	0.068 U	0.069 U	0.068 U	0.068 U	0.068 U	0.069 U
2,6-Dinitrotoluene	~	0.068 U	0.069 U	0.068 U	0.068 U	0.068 U	0.069 U
2-Chloronaphthalene	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2-Chlorophenol	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2-Methylnaphthalene	~	**0.011 J**	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2-Methylphenol	0.33	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2-Nitroaniline	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
2-Nitrophenol	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
3 & 4 Methylphenol	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
3,3'-Dichlorobenzidine	~	0.14 U	0.14 U	0.14 U	0.14 U	0.13 U	0.14 U
3-Nitroaniline	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
4,6-Dinitro-2-methylphenol	~	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U
4-Bromophenyl phenyl ether	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
4-Chloro-3-methylphenol	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
4-Chloroaniline	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U

Table 2. Southwestern Drywells, Equipment Drywells, and Cesspool Sample Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	PGWSCOs	EDW-2 (14-15) 06/12/2025 11:30:00 Result	EDW-2 (19-20) 06/12/2025 11:35:00 Result	EDW-3 (14-15) 06/12/2025 12:00:00 Result	EDW-3 (19-20) 06/12/2025 12:03:00 Result	CP-1 (14-15) 06/12/2025 13:10:00 Result	CP-1 (19-20) 06/12/2025 13:15:00 Result
4-Chlorophenyl phenyl ether	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
4-Methylphenol	0.33	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
4-Nitroaniline	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
4-Nitrophenol	~	0.68 U	0.69 U	0.68 U	0.68 U	0.68 U	0.69 U
Acenaphthene	98	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Acenaphthylene	107	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Acetophenone	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Anthracene	1,000	**0.027 J**	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Atrazine	~	0.14 U *	0.14 U *	0.14 U *	0.14 U *	0.13 U *	0.14 U *
Benzaldehyde	~	0.34 U *	0.34 U *	0.34 U *	0.34 U *	0.33 U *	0.34 U *
Benzo[a]anthracene	1	**0.13**	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
Benzo[a]pyrene	22	**0.22**	0.034 U	0.034 U	0.034 U	0.033 U	**0.011 J**
Benzo[b]fluoranthene	1.7	**0.54**	0.034 U	0.034 U	0.034 U	0.033 U	**0.013 J**
Benzo[g,h,i]perylene	1,000	**0.31 J**	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Benzo[k]fluoranthene	1.7	**0.15**	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
Bis(2-chloroethoxy)methane	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Bis(2-chloroethyl)ether	~	0.034 U	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
Bis(2-ethylhexyl) phthalate	~	**0.047 J**	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Butyl benzyl phthalate	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Caprolactam	~	0.34 U *	0.34 U *	0.34 U *	0.34 U *	0.33 U *	0.34 U *
Carbazole	~	**0.034 J**	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Chrysene	1	**0.27 J**	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Dibenz(a,h)anthracene	1,000	**0.055**	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
Dibenzofuran	210	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Diethyl phthalate	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Dimethyl phthalate	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Di-n-butyl phthalate	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Di-n-octyl phthalate	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Fluoranthene	1,000	**0.36**	0.34 U	0.34 U	0.34 U	0.33 U	**0.036 J**
Fluorene	386	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Hexachlorobenzene	3.2	0.034 U	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
Hexachlorobutadiene	~	0.068 U	0.069 U	0.068 U	0.068 U	0.068 U	0.069 U
Hexachlorocyclopentadiene	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Hexachloroethane	~	0.034 U	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
Indeno[1,2,3-cd]pyrene	8.2	**0.25**	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
Isophorone	~	0.14 U	0.14 U	0.14 U	0.14 U	0.13 U	0.14 U
Naphthalene	12	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	**0.015 J**
Nitrobenzene	~	0.034 U	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
N-Nitrosodi-n-propylamine	~	0.034 U	0.034 U	0.034 U	0.034 U	0.033 U	0.034 U
N-Nitrosodiphenylamine	~	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Pentachlorophenol	0.8	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U
Phenanthrene	1,000	**0.19 J**	0.34 U	0.34 U	0.34 U	0.33 U	**0.055 J**
Phenol	0.33	0.34 U	0.34 U	0.34 U	0.34 U	0.33 U	0.34 U
Pyrene	1,000	**0.38**	0.34 U	0.34 U	0.34 U	0.33 U	**0.026 J**

Table 2. Southwestern Drywells, Equipment Drywells, and Cesspool Sample Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	PGWSCOs	EDW-2 (14-15) 06/12/2025 11:30:00 Result	EDW-2 (19-20) 06/12/2025 11:35:00 Result	EDW-3 (14-15) 06/12/2025 12:00:00 Result	EDW-3 (19-20) 06/12/2025 12:03:00 Result	CP-1 (14-15) 06/12/2025 13:10:00 Result	CP-1 (19-20) 06/12/2025 13:15:00 Result
Metals (ICP/MS) (mg/Kg)							
Aluminum	~	**1,710**	**621**	**1,980**	**1,620**	**696**	**1,570**
Antimony	~	**0.45 J**	0.80 U	0.80 U	0.82 U	0.75 U	0.82 U
Arsenic	16	**1.1**	**0.42 J**	**0.85**	**2.1**	**0.90**	**1.3**
Barium	820	**12.5**	**4.4**	**3.9**	**3.5**	**4.4**	**4.9**
Beryllium	47	**0.079 J**	**0.027 J**	**0.080 J**	**0.087 J**	**0.069 J**	**0.096 J**
Cadmium	7.5	**0.26 J**	0.80 U	0.80 U	0.82 U	0.75 U	0.82 U
Calcium	~	**10,900**	**71.0 J**	**815**	**71.2 J**	**179**	**57.3 J**
Chromium	~	**8.3**	**2.6**	**5.9**	**2.4**	**3.4**	**3.0**
Cobalt	~	**1.5 J**	**0.52 J**	**0.71 J**	**0.38 J**	**1.2 J**	**0.80 J**
Copper	1,720	**33.8**	**5.3**	**5.4**	**2.7**	**1.5**	**1.9**
Iron	~	**4,110**	**1,920**	**3,680**	**1,940**	**2,440**	**3,120**
Lead	450	**32.7**	**2.5**	**1.7**	**1.2**	**1.8**	**1.4**
Magnesium	~	**6,300**	**127**	**557**	**116**	**165**	**197**
Manganese	2,000	**52.1**	**17.6**	**28.4**	**18.9**	**61.6**	**47.0**
Mercury	0.73	**0.099**	**0.018**	**0.0076 J**	0.017 U	0.017 U	0.016 U
Nickel	130	**3.9**	**1.2 J**	**1.9**	**1.1 J**	**1.2 J**	**1.4 J**
Potassium	~	**160**	**61.1 J**	**125**	**90.4**	**85.8**	**134**
Selenium	4	1.0 U	1.0 U	1.0 U	1.0 U	0.93 U	1.0 U
Silver	8.3	**0.31 J**	0.32 U	0.32 U	0.33 U	0.30 U	0.33 U
Sodium	~	**56.3 J**	80.3 U	80.2 U	81.5 U	74.5 U	81.5 U
Thallium	~	0.32 U	0.32 U	0.32 U	0.33 U	0.30 U	0.33 U
Vanadium	~	**5.8**	**1.7**	**2.4**	**2.1**	**1.5**	**3.5**
Zinc	2,480	**220**	**16.2**	**10.9**	**5.1 J**	**4.1 J**	**3.5 J**

NOTES:
NYSDEC - New York State Department of Environmental Con
PGWSCOs - NYSDEC Part 375 Protection of Groundwater Soi
mg/Kg - milligrams per kilogram
Bold - Indicates a detected
Bold and shaded - Indicates an exceedance of PGWSCOss.
~ Not Established
J - Indicates the detection is estimated
U - Not Detected
* - LCS or LCSD is outside acceptance limits.
D - Sample required dilution factor of 100,000.
F - Sample required dilution factor of 50.
S - Sample required dilution factor of 2.

Table 3. Groundwater Analytical Results
20 40 Jerusalem Avenue
Hicksville, New York

Analyte	NYS AWQS	TMW-1 06/12/2025 09:00:00 Result	TMW-2 06/12/2025 12:30:00 Result	TMW-3 06/13/2025 08:00:00 Result	TMW-4 06/13/2025 12:45:00 Result	TMW-5 06/13/2025 15:30:00 Result
Volatile Organic Compounds (GC/MS) (ug/L)						
1,1,1-Trichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	5	0.20 U	0.20 U	0.20 U	0.20 U	0.20 U
1,1,2-Trichloro-1,2,2-trifluoroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1	0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
1,1-Dichloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,3-Trichlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trichlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trimethylbenzene	5	1.0 U	**0.40 J**	**0.73 J**	1.0 U	1.0 U
1,2-Dibromo-3-Chloropropane	0.04	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	0.6	0.30 U	0.30 U	0.30 U	0.30 U	0.30 U
1,2-Dichloropropane	1	0.92 U	0.92 U	0.92 U	0.92 U	0.92 U
1,3,5-Trimethylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene	3	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone (MEK)	~	5.0 U	5.0 U	5.0 U	**11**	5.0 U
2-Hexanone	~	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
4-Methyl-2-pentanone (MIBK)	~	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	~	5.0 U	**37**	**15**	**55**	**7.3**
Benzene	1	0.45 U	0.45 U	0.45 U	**0.44 J**	0.45 U
Bromoform	~	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon disulfide	60	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobromomethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorodibromomethane	~	0.78 U	0.78 U	0.78 U	0.78 U	0.78 U
Chloroethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform	7	**0.35 J**	1.0 U	1.0 U	**5.8**	**0.40 J**
Chloromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene	5	1.0 U	1.0 U	**0.54 J**	**0.84 J**	1.0 U
cis-1,3-Dichloropropene	~	0.45 U	0.45 U	0.45 U	0.45 U	0.45 U
Cyclohexane	~	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Dichlorobromomethane	~	0.98 U	0.98 U	0.98 U	0.98 U	0.98 U
Dichlorodifluoromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylene Dibromide	0.0006	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Isopropylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl acetate	~	5.0 U *	5.0 U *	5.0 U *	5.0 U *	5.0 U *
Methyl tert-butyl ether	~	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylcyclohexane	~	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylene Chloride	5	1.0 U	1.0 U	1.0 U	**1.3**	1.0 U
m-Xylene & p-Xylene	~	1.0 U	**0.31 J**	**0.65 J**	1.0 U	1.0 U
n-Butylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
N-Propylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
o-Xylene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
sec-Butylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
tert-Butylbenzene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	5	**0.52**	**0.48**	**0.60**	**0.50**	**0.29 J**
Toluene	5	1.0 U	**0.50 J**	**0.82 J**	**0.60 J**	1.0 U
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	~	0.45 U	0.45 U	0.45 U	0.45 U	0.45 U
Trichloroethene	5	0.28 U	0.28 U	**0.33**	0.28 U	0.28 U
Trichlorofluoromethane	5	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	2	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylenes, Total	5	2.0 U	2.0 U	**0.65 J**	2.0 U	2.0 U

NOTES:
NYS AWQS - New York State Ambient Water Quality Standards and Guidance Values for Class GA Groundwater
ug/L - micrograms per liter
~ Not Established
U - Not Detected
Bold - Indicates a detected concentration
Bold and shaded - Indicates an exceedance of NYS AWQS.
* - LCS or LCSD is outside acceptance limits

Table 4. Soil Vapor Analytical Results
20 40 Jerusalem Avenue
Hicksville, New York

Sample ID	SV-1		SV-2		SV-3		SV-4		SV-5		SV-6	
Sample Date/Time	06/16/2025 12:31:00		06/16/2025 12:32:00		06/16/2025 12:34:00		06/16/2025 12:35:00		06/16/2025 12:36:00		06/16/2025 12:37:00	
Matrix	Air		Air		Air		Air		Air		Air	
Unit	ug/m3		ug/m3		ug/m3		ug/m3		ug/m3		ug/m3	
	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q
AIR BY TO-15												
1,1,1-Trichloroethane	223	U	1.09	U	**1.22**		8.73	U	8.73	U	5.46	U
1,1,2,2-Tetrachloroethane	280	U	1.37	U	1.37	U	11.0	U	11.0	U	6.87	U
1,1,2-Trichloroethane	223	U	1.09	U	1.09	U	8.73	U	8.73	U	5.46	U
1,1,2-Trichlorotrifluoroethane	313	U	**0.59**	J	1.53	U	12.3	U	12.3	U	7.66	U
1,1-Dichloroethane	165	U	0.81	U	0.81	U	6.48	U	6.48	U	4.05	U
1,1-Dichloroethene	40.8	U	0.20	U	0.20	U	1.60	U	1.60	U	1.00	U
1,2,4-Trichlorobenzene	757	U	3.71	U	3.71	U	29.7	U	29.7	U	18.6	U
1,2,4-Trimethylbenzene	201	U	**25.4**		**21.5**		**3.87**	J	13.2		**38.3**	
1,2-Dibromoethane	314	U	1.54	U	1.54	U	12.3	U	12.3	U	7.68	U
1,2-Dichlorobenzene	245	U	1.20	U	1.20	U	9.62	U	9.62	U	6.01	U
1,2-Dichloroethane	165	U	0.81	U	0.81	U	6.48	U	6.48	U	4.05	U
1,2-Dichloropropane	189	U	0.92	U	0.92	U	7.39	U	7.39	U	4.62	U
1,2-Dichlorotetrafluoroethane	285	U	1.40	U	1.40	U	11.2	U	11.2	U	6.99	U
1,3,5-Trimethylbenzene	201	U	**7.58**		**8.02**		7.87	U	**5.40**	J	**11.9**	
1,3-Butadiene	90.3	U	**33.4**		**70.3**		**45.7**		**65.2**		**77.2**	
1,3-Dichlorobenzene	245	U	1.20	U	1.20	U	9.62	U	9.62	U	6.01	U
1,4-Dichlorobenzene	245	U	1.20	U	1.20	U	9.62	U	9.62	U	6.01	U
1,4-Dioxane	3,680	U	18.0	U	18.0	U	144	U	144	U	90.1	U
2,2,4-Trimethylpentane	191	U	**5.70**		**4.78**		**5.74**	J	**7.87**		**8.84**	
2-Chlorotoluene	211	U	1.04	U	1.04	U	8.28	U	8.28	U	5.18	U
3-Chloropropene	319	U	1.57	U	1.57	U	12.5	U	12.5	U	7.83	U
4-Ethyltoluene	201	U	**10.0**		**10.1**		**3.48**	J	**7.56**	J	**13.8**	
4-Isopropyltoluene	224	U	**2.10**		**5.87**		8.78	U	8.78	U	**3.18**	J
4-Methyl-2-pentanone (Methyl isobutyl	418	U	**2.19**		**2.76**		16.4	U	16.4	U	10.2	U
Acetone	2,420	U	**232**	E	**136**	E	**189**	E	**176**	E	**166**	E
Benzene	130	U	**19.5**		**24.4**		**20.2**		**24.8**		**29.6**	
Benzyl chloride	211	U	1.04	U	1.04	U	8.28	U	8.28	U	5.18	U
Bromodichloromethane	273	U	1.34	U	1.34	U	10.7	U	10.7	U	6.70	U
Bromoethene(Vinyl Bromide)	178	U	0.87	U	0.87	U	7.00	U	7.00	U	4.37	U
Bromoform	422	U	2.07	U	2.07	U	16.5	U	16.5	U	10.3	U
Bromomethane	158	U	0.78	U	0.78	U	6.21	U	6.21	U	3.88	U
Carbon disulfide	**196**	J B	**6.63**	B	**8.54**	B	**11.0**	J B	**10.9**	J B	**7.41**	J B
Carbon tetrachloride	44.9	U	**0.32**		**0.38**		1.76	U	1.76	U	1.10	U
Chlorobenzene	188	U	0.92	U	0.92	U	7.37	U	7.37	U	4.60	U
Chlorodifluoromethane	361	U	1.77	U	1.77	U	14.1	U	14.1	U	8.84	U
Chloroethane	269	U	1.32	U	1.32	U	10.6	U	10.6	U	6.60	U
Chloroform	199	U	**9.24**		**63.6**		**227**	E	**13.4**		4.88	U
Chloromethane	211	U	**2.18**		**0.82**	J	8.26	U	8.26	U	5.16	U
cis-1,2-Dichloroethene	**8,390**	E	0.20	U	0.20	U	**17.3**		1.60	U	1.00	U
cis-1,3-Dichloropropene	185	U	0.91	U	0.91	U	7.26	U	7.26	U	4.54	U
Cumene	201	U	0.98	U	0.98	U	7.87	U	**5.60**	J	4.92	U
Cyclohexane	140	U	**4.16**		**4.46**		**4.20**	J	**6.24**		**6.83**	
Dibromochloromethane	348	U	1.70	U	1.70	U	13.6	U	13.6	U	8.52	U
Dichlorodifluoromethane	504	U	**2.55**		**2.70**		19.8	U	19.8	U	12.4	U
Ethylbenzene	177	U	**26.3**		**23.1**		**19.7**		**27.3**		**31.2**	
Hexachlorobutadiene	435	U	2.13	U	2.13	U	17.1	U	17.1	U	10.7	U
Isopropyl alcohol	2510	U	**23.6**		**18.0**		98.3	U	98.3	U	**50.1**	J
m,p-Xylene	**26.3**	J	**101**		**89.9**		**65.1**		**98.6**		**117**	
Methyl Butyl Ketone (2-Hexanone)	418	U	**1.51**	J	1.81	J	16.4	U	16.4	U	10.2	U
Methyl Ethyl Ketone (2-Butanone)	301	U	**29.5**		**21.6**		**25.7**		**21.8**		**25.1**	
Methyl methacrylate	418	U	**2.05**		**2.64**		16.4	U	16.4	U	10.2	U
Methyl tert-butyl ether	147	U	0.72	U	0.72	U	5.77	U	5.77	U	3.61	U
Methylene Chloride	354	U	1.74	U	**13.4**		13.9	U	13.9	U	8.68	U
Naphthalene	408	U	**0.97**	J	2.00	U	16.0	U	16.0	U	10.0	U
n-Butane	242	U	**53.8**		**127**	E	**69.0**		**140**	E	**132**	E
n-Butylbenzene	224	U	1.10	U	1.10	U	8.78	U	8.78	U	5.49	U
n-Heptane	167	U	**21.2**		**21.6**		**17.8**		**23.5**		**29.1**	
n-Hexane	359	U	**20.7**		**33.8**		**21.5**		**34.4**		**40.6**	
n-Propylbenzene	201	U	**6.56**		**6.76**		**2.66**	J	**5.69**	J	**8.48**	
o-Xylene	177	U	**34.6**		**33.1**		**17.9**		**33.9**		**41.1**	
sec-Butylbenzene	224	U	1.10	U	1.10	U	8.78	U	8.78	U	5.49	U
Styrene	174	U	**2.20**		**1.20**		6.82	U	6.82	U	**1.50**	J
tert-Butyl alcohol	3,090	U	**51.5**		**33.6**		**40.8**	J	**44.0**	J	**76.8**	
tert-Butylbenzene	224	U	1.10	U	1.10	U	8.78	U	8.78	U	5.49	U
Tetrachloroethene	**24,000**	E	**424**	E	**196**		**852**	E	**216**		**196**	
Tetrahydrofuran	3,010	U	14.7	U	14.7	U	118	U	118	U	73.7	U
Toluene	154	U	**116**		**85.0**		**98.8**		**126**		**120**	
trans-1,2-Dichloroethene	**556**		0.79	U	0.79	U	6.34	U	6.34	U	3.96	U
trans-1,3-Dichloropropene	185	U	0.91	U	0.91	U	7.26	U	7.26	U	4.54	U
Trichloroethene	**9,450**	E	**8.99**		**2.35**		**37.3**		1.60	U	1.00	U
Trichlorofluoromethane	229	U	**1.93**		**1.99**		8.99	U	8.99	U	2.47	J
Vinyl chloride	40.8	U	0.20	U	0.20	U	1.60	U	1.60	U	1.00	U

NR: Not Analyzed
B : The analyte was found in an associated blank, as well as in the sample.
J : Indicates an estimated value.
U : Analyzed for but not detected.
Bold font indictres a detection.

Figures

Figure 1. Site Location Map

Figure 2. Sample Location Map

Figure 3. Sample Exceedance Summary Map




LEGEND
PROPERTY LINE

SOURCE:

1. MAP EXTRACTED FROM NEARMAPS (N.T.S)

SUPPLEMENTAL PHASE II INVESTIGATION 20 & 40 JERUSALEM AVENUE HICKSVILLE NY	GEI Consultants	SITE LOCATION MAP
TERWILLIGER & BARTONE PROPERTIES FARMINGDALE, NEW YORK	Project: 2503398	July 2025 Fig. 1

---- B:\Working\TERWILLIGER & BARTONE PROP\2503398 Sup Ph II ESI 20 & 40 Jerusalem Ave_Hicksville NY\00_CAD\Figures\Phase II\250710 Figure update.dwg - 7/11/2025



0 60 120

SCALE: 1" = 60'

SOURCE:

1. MAP EXTRACTED FROM NEARMAPS

LEGEND

- SOIL SAMPLE LOCATION
- GROUNDWATER SAMPLE LOCATION
- SOIL VAPOR SAMPLE LOCATION
- 20 JERUSALEM PROPERTY LINE
- 40 JERUSALEM PROPERTY LINE

SUPPLEMENTAL PHASE II INVESTIGATION
20 & 40 JERUSALEM AVENUE
HICKSVILLE NY


TERWILLIGER & BARTONE PROPERTIES
FARMINGDALE, NEW YORK

GEI Consultants

SAMPLE LOCATION MAP

Project: 2503398 | July 2025 | Fig. 2

---- B:\Working\TERWILLIGER & BARTONE PROP\2503398 Sup Ph II ESI 20 & 40 Jerusalem Ave_Hicksville NY\00_CAD\Figures\Phase II\250710 Figure update.dwg - 7/11/2025



Analyte	UUSCOs	RRUSCOs	SB-4 (0-2)
Semivolatile Organic Compounds (mg/Kg)			
Benzo[b]fluoranthene	1	1	**1.5**
Indeno[1,2,3-cd]pyrene	0.5	0.5	**0.75**
Metals (mg/Kg)			
Lead	63	400	**155**
Mercury	0.18	0.81	**0.20**

Sample ID	SV-1
AIR BY TO-15 (ug/m3)	
cis-1,2-Dichloroethene	**8,390 E**
Tetrachloroethene	**24,000 E**
trans-1,2-Dichloroethene	**556**
Trichloroethene	**9450 E**

Analyte	PGWSCOs	EDW-1 (14-15)	EDW-1 (19-20)
Volatile Organic Compounds (mg/Kg)			
cis-1,2-Dichloroethene	0.25	**890 D**	1.1 U F
Tetrachloroethene	1.3	**76,000 D**	**2.4 F**
Trichloroethene	0.47	**3,400 D**	1.1 U F
Semivolatile Organic Compounds (mg/Kg)			
Benzo[a]anthracene	1	**4.3**	0.037 U
Benzo[b]fluoranthene	1.7	**11 S**	0.037 U
Benzo[k]fluoranthene	1.7	**3.1**	0.037 U
Chrysene	1	**7.7**	0.37 U

Analyte	UUSCOs	RRUSCOs	SB-7 (0-2)
Semivolatile Organic Compounds (mg/Kg)			
Benzo[a]anthracene	1	1	**1.6**
Benzo[a]pyrene	1	1	**2.1**
Benzo[b]fluoranthene	1	1	**2.7**
Benzo[k]fluoranthene	0.8	3.9	**1.0**
Chrysene	1	3.9	**1.8**
Dibenz(a,h)anthracene	0.33	0.33	**0.41**
Indeno[1,2,3-cd]pyrene	0.5	0.5	**1.6**
Metals (mg/Kg)			
Lead	63	400	**90.3**

NOTES:
USCOs - NYSDEC Part 375 Unrestricted Use Soil Cleanup Objectives
RRSCOs - NYSDEC Part 375 Restricted Residential Use Soil Cleanup Objectives
PGWSCOs - NYSDEC Part 375 Protection of Groundwater Soil Cleanup Objectives
mg/Kg - milligrams per kilogram
Bold and shaded Indicates an exceedance of applicable SCO.
U - Not Detected
D - Sample required dilution factor of 100,000.
F - Sample required dilution factor of 50.
S - Sample required dilution factor of 2.
E - Sample exceeds calibration range.

0 60 120
SCALE: 1" = 60'

SOURCE:
1. MAP EXTRACTED FROM NEARMAPS

LEGEND
- SOIL SAMPLE LOCATION
- SOIL VAPOR SAMPLE LOCATION
- 20 JERUSALEM PROPERTY LINE
- 40 JERUSALEM PROPERTY LINE

SUPPLEMENTAL PHASE II INVESTIGATION
20 & 40 JERUSALEM AVENUE
HICKSVILLE NY

TERWILLIGER & BARTONE PROPERTIES
FARMINGDALE, NEW YORK

GEI Consultants

SOIL EXCEEDANCE SUMMARY
MAP AND NOTABLE SOIL
VAPOR CONCENTRATIONS

Project: 2503398 | July 2025 | Fig. 3

---- B:\Working\TERWILLIGER & BARTONE PROP\2503398 Sup Ph II ESI 20 & 40 Jerusalem Ave_Hicksville NY\00_CAD\Figures\Phase II\250710 Figure update.dwg - 7/11/2025

Appendix A Soil Boring Logs

EXPLORATION LOG

SOIL BORING SB-1

Boring Location	North side of Site	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/13/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Elevation (Start):		**Drilling Method:**	Direct Push
Elevation (End):		**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1–5	S1		60	40	0.0	0"-6" - ASPHALT 6"-30" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
					0.0	30"-40" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (75%) with some silt (20%) and trace fine gravel (5%, subangular), no odors or staining
6–10	S2		60	45	0.0	0"-30" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (75%) with some silt (20%) and trace fine gravel (5%, subangular), no odors or staining 30"-45" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular),no odors or staining
					0.0	
11–15	S3	SB-1 (14-15)	60	50	0.0	0"-50" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (75%) with some silt (20%) and trace fine gravel (5%, subangular), no odors or staining
					0.0	

END OF BORING 15-feet BSG

EXPLORATION LOG

SOIL BORING SB-2

Boring Location	Proximate to Sanitary Tank	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/13/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Elevation (Start):		**Drilling Method:**	Direct Push
Elevation (End):		**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1–5	S1		60	36	0.0	0"-4" - ASPHALT 4"-36" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (80%) with some silt (20%), no odors or staining
					0.0	
6–10	S2	SB-2 (9-10)	60	43	0.0	0"-43" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
					0.0	
11–15	S3		60	50	0.0	0"-30" - SP: FINE GRADED SAND Gray fine sand (80%) with some silt (20%), no odors or staining 30"-50" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (75%) with some silt (20%) and trace fine gravel (5%, subangular), no odors or staining
					0.0	

END OF BORING 15-feet BSG

EXPLORATION LOG

SOIL BORING SB-3

Boring Location	Proximate to Sanitary Tank	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/13/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Elevation (Start):		**Drilling Method:**	Direct Push
Elevation (End):		**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1–5	S1		60	30	0.0	0"-5" - ASPHALT 5"-36" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
					0.0	
6–10	S2	SB-3 (9-10)	60	36	0.0	0"-36" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
					0.0	
11–15	S3		60	36	0.0	0"-36" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (70%) with some silt (20%) and little fine gravel (10%, subangular), no odors or staining
					0.0	

END OF BORING 15-feet BSG

EXPLORATION LOG

SOIL BORING SB-4

Boring Location	Central Portion of Parking Lot	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/16/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Elevation (Start):		**Drilling Method:**	Direct Push
Elevation (End):		**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1	S1	SB-4 (0-2)	60	27	0.0	0"-5" - ASPHALT 5"-25" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fill material (bricks and concrete) (20%), no odors or s
2						
3						
4					0.0	25"-27" - CRUSHED CONCRETE
5						
6	S2		60	26	0.0	0"-26" - SW: FINE TO COARSE GRADED SAND Light brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staini
7						
8						
9					0.0	
10						
11	S3		60	40	0.0	0"-40" - SW: FINE TO COARSE GRADED SAND Light brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staini
12						
13						
14					0.0	
15						

END OF BORING 15-feet BSG

EXPLORATION LOG

SOIL BORING SB-5

Boring Location	Central Portion of Parking Lot	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/16/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Elevation (Start):		**Drilling Method:**	Direct Push
Elevation (End):		**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1–5	S1	SB-5 (0-2)	60	25	0.0	0"-3" - ASPHALT 3"-25" - SW: FINE TO COARSE GRADED SAND Tan brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staini
					0.0	
6–10	S2		60	45	0.0	0"-25" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining 25"-45" - SW: FINE TO COARSE GRADED SAND Light brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stair
					0.0	
11–15	S3		60	36	0.0	0"-36" - SW: FINE TO COARSE GRADED SAND Light brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stair
					0.0	

END OF BORING 15-feet BSG

EXPLORATION LOG

SOIL BORING SB-6

Boring Location	Central Portion of Parking Lot	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/16/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Elevation (Start):		**Drilling Method:**	Direct Push
Elevation (End):		**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1–5	S1	SB-6 (0-2)	60	25	0.0	0"-3" - ASPHALT 3"-15" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fill material (bricks and concrete) (20%), no odors or
					0.0	15"-25" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
6–10	S2		60	25	0.0	0"-25" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
					0.0	
11–15	S3		60	36	0.0	0"-36" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
					0.0	

END OF BORING 15-feet BSG

EXPLORATION LOG

SOIL BORING SB-7

Boring Location	Southern Portion of Parking Lot	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/16/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Elevation (Start):		**Drilling Method:**	Direct Push
Elevation (End):		**Total Depth (feet):**	15

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1–5	S1	SB-7 (0-2)	60	36	0.0	0"-5" - ASPHALT 5"-10" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fill material (bricks and concrete) (20%), no odors or s
					0.0	10"-36" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
6–10	S2		60	38	0.0	0"-38" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
					0.0	
11–15	S3		60	46	0.0	0"-46" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining
					0.0	

END OF BORING 15-feet BSG

EXPLORATION LOG

SOIL BORING DW-1

Boring Location	40 Jerusalem Proximate to Build	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/13/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Starting Depth:	10-feet Below Surface Grade	**Drilling Method:**	Direct Push
Ending Depth:	15-feet Below Surface Grade	**Total Depth (feet):**	5

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1 2 3 4 5			NA	NA	NA NA	VOID
6 7 8 9 10			NA	NA	NA NA	VOID
11 12 13 14 15	S1	DW-1 (10-11) DW-1 (14-15)	60	25	0.0 0.1	0"-25" - SP: FINE TO MEDIUM GRADED SAND Brown fine to medium sand (60%) with some silt (20%), no odors or staining

END OF BORING 15-feet BSG

EXPLORATION LOG

SOIL BORING DW-2

Boring Location	40 Jerusalem Proximate to Buildi	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/13/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Starting Depth:	3-feet Below Surface Grade	**Drilling Method:**	Direct Push
Ending Depth:	8-feet Below Surface Grade	**Total Depth (feet):**	5

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1 2 3			NA	NA	NA	VOID
4 5 6 7 8	S1	DW-2 (3-4) DW-2 (7-8)	60	35	0.0 0.0	0"-15" - SP: FINE TO MEDIUM GRADED SAND Brown fine to medium sand (60%) with some silt (20%), no odors or staining 15"-35" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or staining

END OF BORING 8-feet BSG

EXPLORATION LOG

SOIL BORING EDW-1

Boring Location	40 Jerusalem Proximate to Buil	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/12/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Starting Depth:	14-feet Below Surface Grade	**Drilling Method:**	Direct Push
Ending Depth:	20-feet Below Surface Grade	**Total Depth (feet):**	6

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1			NA	NA	NA	VOID
2						
3					NA	
4						
5						
6			NA	NA	NA	VOID
7						
8					NA	
9						
10						
11			NA	NA	NA	VOID
12						
13						
14						
15	S1	EDW-1 (14-15)	72	25	4,585	0"-5" - SM: SILT Gray silt (90%) with little fine sand (10%), stong odors, no evidence of staining
16					5.9	5"-15" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stai
17						
18					0.1	15"-25" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stainir
19						
20		EDW-1 (19-20)				

END OF BORING 20-feet BSG

EXPLORATION LOG

SOIL BORING EDW-2

Boring Location	40 Jerusalem Proximate to Buil	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/12/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Starting Depth:	14-feet Below Surface Grade	**Drilling Method:**	Direct Push
Ending Depth:	20-feet Below Surface Grade	**Total Depth (feet):**	6

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1–5			NA	NA	NA NA	VOID
6–10			NA	NA	NA NA	VOID
11–14			NA	NA	NA	VOID
15–20	S1	EDW-2 (14-15) EDW-2 (19-20)	72	36	5.8 0.0	0"-10" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stai 10"-36" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stainir

END OF BORING 20-feet BSG

EXPLORATION LOG

SOIL BORING EDW-2

Boring Location	40 Jerusalem Proximate to Buil	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/12/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Starting Depth:	14-feet Below Surface Grade	**Drilling Method:**	Direct Push
Ending Depth:	20-feet Below Surface Grade	**Total Depth (feet):**	6

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1			NA	NA	NA	VOID
2						
3					NA	
4						
5						
6			NA	NA	NA	VOID
7						
8					NA	
9						
10						
11			NA	NA	NA	VOID
12						
13						
14						
15	S1	EDW-3 (14-15)	72	40	0.0	0"-7" - SW: FINE TO COARSE GRADED SAND Brown fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stai
16						7"-40" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stainir
17						
18					0.0	
19						
20		EDW-3 (19-20)				

END OF BORING 20-feet BSG

EXPLORATION LOG


SOIL BORING CP-1

Boring Location	40 Jerusalem Proximate to Buil	**Client:**	Terwillger & Bartone Properties
Project Number:	2503398	**Project Name:**	Supplemental Phase II Investigation
Logged By:	L. Robertson	**Site Address:**	20 & 40 Jerusalem Avenue, Hicksville NY
Date:	6/12/2025	**Contractor:**	Clean Globe Environmental LLC
Drill Type:	Geoprobe 7822DT	**Driller:**	Mario Pineda
Starting Depth:	14-feet Below Surface Grade	**Drilling Method:**	Direct Push
Ending Depth:	20-feet Below Surface Grade	**Total Depth (feet):**	6

Depth (feet)	Sample Identification	Lab Sample Interval (feet)	Penetration (inches)	Recovery (inches)	PID Jar HS / Remarks	Sample Description
1			NA	NA	NA	VOID
2						
3					NA	
4						
5						
6			NA	NA	NA	VOID
7						
8					NA	
9						
10						
11			NA	NA	NA	VOID
12						
13						
14						
15	S1	CP-1 (14-15)	72	36	0.0	0"-36" - SW: FINE TO COARSE GRADED SAND Tan fine to coarse sand (60%) with some silt (20%) and some fine gravel (20%, subangular), no odors or stainir
16						
17					0.0	
18						
19						
20		CP-1 (19-20)				

END OF BORING 20-feet BSG

Appendix B Photographs



20 & 40 Jerusalem Avenue
Hicksville, New York


GEI Consultants

Consulting
Engineers and
Scientists

Site Photographs



1. View of EDW-1 location.



2. View of soil collected at EDW-1 location.



3. View of EDW-2 location.



4. View of soil collected at EDW-2 location.



5. View of SI-SB-1 location.



6. View of soil collected at SI-SB-1 location.



7. View of SI-SB-2 and SI-SB-3 locations.



8. View of soil collected at SI-SB-2 location.




9. View of soil collected at SI-SB-3 location.



10. View of DW-1 and DW-2 locations.



11. View of typical soil collected at DW-1 and DW-2 locations.




12. View of SI-SB-4 location.



13. View of SI-SB-5 location. View of soil collected at SI-SB-4 location.




14. View of soil collected at SI-SB-4 location.



15. View of soil collected at SI-SB-5 location.




16. View of SI-SB-7 location.



17. View of soil collected at SI-SB-4 location.



18. View of typical method of collecting groundwater samples at the Site.



19. View of typical soil vapor sample collected at the Site.

Appendix C Laboratory Analytical Reports

eurofins | Environment Testing

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

ANALYTICAL REPORT

PREPARED FOR

Attn: Rich Fasciani
GEI Consultants Inc
1000 New York Avenue
Huntington Station, New York 11746

Generated 6/26/2025 6:30:40 PM

JOB DESCRIPTION

20/40 Jerusalem Avenue

JOB NUMBER

460-328592-1

Eurofins Edison
777 New Durham Road
Edison NJ 08817

See page two for job notes and contact information.

my EOL

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
6/26/2025 6:30:40 PM

Authorized for release by
Katelyn Connelly, Project Manager I
Katelyn.Connelly@et.eurofinsus.com
(732)549-3900

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 6
Detection Summary 7
Client Sample Results 12
Surrogate Summary 39
QC Sample Results 40
QC Association Summary 57
Lab Chronicle 60
Certification Summary 64
Method Summary 65
Sample Summary 66
Chain of Custody 67
Receipt Checklists 69

Definitions/Glossary

Client: GEI Consultants Inc
Job ID: 460-328592-1
Project/Site: 20/40 Jerusalem Avenue

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
*	Surrogate is outside acceptance limits.
J	Indicates an estimated value.
U	Analyzed for but not detected.

GC/MS Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
*	MS or MSD is outside acceptance limits.
*	Duplicate RPD exceeds control limits
E	Compound concentration exceeds the upper level of the calibration range of the instrument for that specific analysis.
J	Indicates an estimated value.
U	Analyzed for but not detected.

Metals

Qualifier	Qualifier Description
J	Sample result is greater than the MDL but below the CRDL
U	Indicates analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
TNTC	Too Numerous To Count

Job Narrative
460-328592-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt
The samples were received on 6/16/2025 6:45 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.7°C and 1.3°C.

GC/MS VOA
Method 8260D: The laboratory control sample (LCS) for analytical batch 460-1045112 recovered outside control limits for the following analyte: Vinyl chloride. This analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported.

Method 8260D: Four surrogates are used for this analysis. The laboratory's SOP allows one of these surrogates to be outside acceptance criteria without performing re-extraction/re-analysis. The following sample contained an allowable number of surrogate compounds outside limits: DW-1 (14-15) (460-328592-5). These results have been reported and qualified.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA
Method 8270E: The continuing calibration verification (CCV) analyzed in batch 460-1044412 was outside the method criteria for the following analyte(s): 1,2-Diphenylhydrazine, 2-Nitroaniline, 4-Nitrophenol, Benzaldehyde and bis (2-chloroisopropyl) ether. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Method 8270E: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 460-1044357 and analytical batch 460-1044412 recovered outside control limits for the following analytes: Atrazine, Benzaldehyde and Caprolactam. These analytes were biased high in the LCS/LCSD and were not detected in the associated samples; therefore, the data have been reported.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: SI-SB-1 (14-15) — Lab Sample ID: 460-328592-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Aluminum	947		16.2	4.4	mg/Kg	1	☼	6020B	Total/NA
Arsenic	0.79	J	0.81	0.083	mg/Kg	1	☼	6020B	Total/NA
Barium	4.2		1.6	0.12	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.078	J	0.32	0.018	mg/Kg	1	☼	6020B	Total/NA
Calcium	81.7		81.0	7.9	mg/Kg	1	☼	6020B	Total/NA
Chromium	2.9		1.6	0.24	mg/Kg	1	☼	6020B	Total/NA
Cobalt	0.57	J	1.6	0.12	mg/Kg	1	☼	6020B	Total/NA
Copper	2.1		1.6	0.30	mg/Kg	1	☼	6020B	Total/NA
Iron	3030		48.6	6.2	mg/Kg	1	☼	6020B	Total/NA
Lead	1.0		0.49	0.16	mg/Kg	1	☼	6020B	Total/NA
Magnesium	224		81.0	8.3	mg/Kg	1	☼	6020B	Total/NA
Manganese	30.2		3.2	0.33	mg/Kg	1	☼	6020B	Total/NA
Nickel	1.5	J	1.6	0.14	mg/Kg	1	☼	6020B	Total/NA
Potassium	149		81.0	13.1	mg/Kg	1	☼	6020B	Total/NA
Vanadium	2.0		1.6	0.17	mg/Kg	1	☼	6020B	Total/NA
Zinc	3.9	J	6.5	0.88	mg/Kg	1	☼	6020B	Total/NA

Client Sample ID: SI-SB-2 (9-10) — Lab Sample ID: 460-328592-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.00072	J	0.00086	0.00026	mg/Kg	1	☼	8260D	Total/NA
Aluminum	2020		17.6	4.8	mg/Kg	1	☼	6020B	Total/NA
Arsenic	1.0		0.88	0.091	mg/Kg	1	☼	6020B	Total/NA
Barium	7.6		1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.14	J	0.35	0.019	mg/Kg	1	☼	6020B	Total/NA
Calcium	160		88.2	8.6	mg/Kg	1	☼	6020B	Total/NA
Chromium	6.5		1.8	0.26	mg/Kg	1	☼	6020B	Total/NA
Cobalt	1.0	J	1.8	0.13	mg/Kg	1	☼	6020B	Total/NA
Copper	3.2		1.8	0.32	mg/Kg	1	☼	6020B	Total/NA
Iron	4310		52.9	6.8	mg/Kg	1	☼	6020B	Total/NA
Lead	1.6		0.53	0.18	mg/Kg	1	☼	6020B	Total/NA
Magnesium	363		88.2	9.0	mg/Kg	1	☼	6020B	Total/NA
Manganese	75.8		3.5	0.36	mg/Kg	1	☼	6020B	Total/NA
Nickel	2.3		1.8	0.16	mg/Kg	1	☼	6020B	Total/NA
Potassium	190		88.2	14.3	mg/Kg	1	☼	6020B	Total/NA
Sodium	41.3	J	88.2	40.3	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.054	J	0.35	0.036	mg/Kg	1	☼	6020B	Total/NA
Vanadium	3.8		1.8	0.18	mg/Kg	1	☼	6020B	Total/NA
Zinc	9.6		7.1	0.96	mg/Kg	1	☼	6020B	Total/NA

Client Sample ID: SI-SB-3 (9-10) — Lab Sample ID: 460-328592-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.0060		0.00085	0.00026	mg/Kg	1	☼	8260D	Total/NA
Aluminum	945		15.3	4.2	mg/Kg	1	☼	6020B	Total/NA
Arsenic	2.4		0.77	0.079	mg/Kg	1	☼	6020B	Total/NA
Barium	4.6		1.5	0.11	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.14	J	0.31	0.017	mg/Kg	1	☼	6020B	Total/NA
Calcium	80.7		76.6	7.5	mg/Kg	1	☼	6020B	Total/NA
Chromium	10.3		1.5	0.23	mg/Kg	1	☼	6020B	Total/NA
Cobalt	0.73	J	1.5	0.11	mg/Kg	1	☼	6020B	Total/NA
Copper	3.1		1.5	0.28	mg/Kg	1	☼	6020B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Client Sample ID: SI-SB-3 (9-10) (Continued) — Lab Sample ID: 460-328592-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Iron	10700		45.9	5.9	mg/Kg	1	☼	6020B	Total/NA
Lead	1.0		0.46	0.15	mg/Kg	1	☼	6020B	Total/NA
Magnesium	132		76.6	7.8	mg/Kg	1	☼	6020B	Total/NA
Manganese	60.1		3.1	0.31	mg/Kg	1	☼	6020B	Total/NA
Nickel	1.6		1.5	0.14	mg/Kg	1	☼	6020B	Total/NA
Potassium	96.4		76.6	12.4	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.17	J	0.96	0.098	mg/Kg	1	☼	6020B	Total/NA
Vanadium	2.9		1.5	0.16	mg/Kg	1	☼	6020B	Total/NA
Zinc	6.2		6.1	0.83	mg/Kg	1	☼	6020B	Total/NA

Client Sample ID: DW-1 (10-11) — Lab Sample ID: 460-328592-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.0040		0.00084	0.00082	mg/Kg	1	☼	8260D	Total/NA
cis-1,2-Dichloroethene	0.00052	J	0.00084	0.00030	mg/Kg	1	☼	8260D	Total/NA
Tetrachloroethene	0.035		0.00084	0.00026	mg/Kg	1	☼	8260D	Total/NA
Trichloroethene	0.0011		0.00084	0.00027	mg/Kg	1	☼	8260D	Total/NA
Acenaphthene	0.017	J	0.34	0.0096	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.011	J	0.34	0.0097	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.050	J	0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	0.20		0.034	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	0.21		0.034	0.0090	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	0.30		0.034	0.0087	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.11	J	0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.11		0.034	0.0066	mg/Kg	1	☼	8270E	Total/NA
Bis(2-ethylhexyl) phthalate	0.023	J	0.34	0.018	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.015	J	0.34	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	0.21	J	0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.043		0.034	0.015	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	0.45		0.34	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.012	J	0.34	0.0099	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.14		0.034	0.013	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	0.19	J	0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	0.32	J	0.34	0.0084	mg/Kg	1	☼	8270E	Total/NA
Aluminum	5640		15.4	4.2	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.29	J	0.77	0.11	mg/Kg	1	☼	6020B	Total/NA
Arsenic	4.9		0.77	0.079	mg/Kg	1	☼	6020B	Total/NA
Barium	24.3		1.5	0.11	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.21	J	0.31	0.017	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.19	J	0.77	0.087	mg/Kg	1	☼	6020B	Total/NA
Calcium	5830		76.9	7.5	mg/Kg	1	☼	6020B	Total/NA
Chromium	9.3		1.5	0.23	mg/Kg	1	☼	6020B	Total/NA
Cobalt	2.5		1.5	0.11	mg/Kg	1	☼	6020B	Total/NA
Copper	11.8		1.5	0.28	mg/Kg	1	☼	6020B	Total/NA
Iron	8060		46.2	5.9	mg/Kg	1	☼	6020B	Total/NA
Lead	41.4		0.46	0.15	mg/Kg	1	☼	6020B	Total/NA
Magnesium	2520		76.9	7.8	mg/Kg	1	☼	6020B	Total/NA
Manganese	104		3.1	0.31	mg/Kg	1	☼	6020B	Total/NA
Nickel	5.9		1.5	0.14	mg/Kg	1	☼	6020B	Total/NA
Potassium	361		76.9	12.5	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.24	J	0.96	0.098	mg/Kg	1	☼	6020B	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: DW-1 (10-11) (Continued)

Lab Sample ID: 460-328592-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Sodium	152		76.9	35.2	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.063	J	0.31	0.032	mg/Kg	1	☼	6020B	Total/NA
Vanadium	11.8		1.5	0.16	mg/Kg	1	☼	6020B	Total/NA
Zinc	44.8		6.2	0.84	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.15		0.016	0.0073	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: DW-1 (14-15)

Lab Sample ID: 460-328592-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.0032		0.0010	0.00098	mg/Kg	1	☼	8260D	Total/NA
cis-1,2-Dichloroethene	0.00057	J	0.0010	0.00036	mg/Kg	1	☼	8260D	Total/NA
Methyl acetate	0.011		0.0051	0.0044	mg/Kg	1	☼	8260D	Total/NA
Tetrachloroethene	0.024		0.0010	0.00031	mg/Kg	1	☼	8260D	Total/NA
Trichloroethene	0.00095	J	0.0010	0.00033	mg/Kg	1	☼	8260D	Total/NA
Benzo[a]anthracene	0.036		0.034	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	0.042		0.034	0.0090	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	0.060		0.034	0.0087	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.030	J	0.34	0.0099	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.021	J	0.034	0.0066	mg/Kg	1	☼	8270E	Total/NA
Bis(2-ethylhexyl) phthalate	0.019	J	0.34	0.018	mg/Kg	1	☼	8270E	Total/NA
Chrysene	0.042	J	0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.027	J	0.034	0.015	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	0.062	J	0.34	0.012	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.045		0.034	0.013	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	0.020	J	0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	0.050	J	0.34	0.0084	mg/Kg	1	☼	8270E	Total/NA
Aluminum	4820		15.9	4.4	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.87		0.79	0.12	mg/Kg	1	☼	6020B	Total/NA
Arsenic	4.8		0.79	0.082	mg/Kg	1	☼	6020B	Total/NA
Barium	18.6		1.6	0.12	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.20	J	0.32	0.017	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.27	J	0.79	0.090	mg/Kg	1	☼	6020B	Total/NA
Calcium	3630		79.5	7.7	mg/Kg	1	☼	6020B	Total/NA
Chromium	11.7		1.6	0.24	mg/Kg	1	☼	6020B	Total/NA
Cobalt	2.1		1.6	0.12	mg/Kg	1	☼	6020B	Total/NA
Copper	52.2		1.6	0.29	mg/Kg	1	☼	6020B	Total/NA
Iron	7540		47.7	6.1	mg/Kg	1	☼	6020B	Total/NA
Lead	78.6		0.48	0.16	mg/Kg	1	☼	6020B	Total/NA
Magnesium	1810		79.5	8.1	mg/Kg	1	☼	6020B	Total/NA
Manganese	99.2		3.2	0.32	mg/Kg	1	☼	6020B	Total/NA
Nickel	4.9		1.6	0.14	mg/Kg	1	☼	6020B	Total/NA
Potassium	307		79.5	12.9	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.22	J	0.99	0.10	mg/Kg	1	☼	6020B	Total/NA
Sodium	159		79.5	36.3	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.048	J	0.32	0.033	mg/Kg	1	☼	6020B	Total/NA
Vanadium	11.5		1.6	0.16	mg/Kg	1	☼	6020B	Total/NA
Zinc	38.1		6.4	0.87	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.088		0.017	0.0081	mg/Kg	1	☼	7471B	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: DW-2 (3-4)

Lab Sample ID: 460-328592-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	0.0078		0.0060	0.0057	mg/Kg	1	☼	8260D	Total/NA
Tetrachloroethene	0.012		0.0010	0.00030	mg/Kg	1	☼	8260D	Total/NA
Toluene	0.00082	J	0.0010	0.00023	mg/Kg	1	☼	8260D	Total/NA
2-Methylnaphthalene	0.0096	J	0.33	0.0093	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.14	J	0.33	0.0095	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.31	J	0.33	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	0.62		0.033	0.025	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	0.68		0.033	0.0089	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	0.87		0.033	0.0086	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.33		0.33	0.0098	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.36		0.033	0.0065	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.044	J	0.33	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	0.72		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.10		0.033	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.068	J	0.33	0.011	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	1.5		0.33	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.15	J	0.33	0.0097	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.37		0.033	0.013	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	1.0		0.33	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	1.0		0.33	0.0083	mg/Kg	1	☼	8270E	Total/NA
Aluminum	1980		14.9	4.1	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.29	J	0.74	0.11	mg/Kg	1	☼	6020B	Total/NA
Arsenic	2.7		0.74	0.077	mg/Kg	1	☼	6020B	Total/NA
Barium	8.5		1.5	0.11	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.084	J	0.30	0.016	mg/Kg	1	☼	6020B	Total/NA
Calcium	10300		74.3	7.2	mg/Kg	1	☼	6020B	Total/NA
Chromium	4.4		1.5	0.22	mg/Kg	1	☼	6020B	Total/NA
Cobalt	1.9		1.5	0.11	mg/Kg	1	☼	6020B	Total/NA
Copper	14.4		1.5	0.27	mg/Kg	1	☼	6020B	Total/NA
Iron	8440		44.6	5.7	mg/Kg	1	☼	6020B	Total/NA
Lead	20.9		0.45	0.15	mg/Kg	1	☼	6020B	Total/NA
Magnesium	4600		74.3	7.6	mg/Kg	1	☼	6020B	Total/NA
Manganese	69.7		3.0	0.30	mg/Kg	1	☼	6020B	Total/NA
Nickel	4.4		1.5	0.13	mg/Kg	1	☼	6020B	Total/NA
Potassium	165		74.3	12.0	mg/Kg	1	☼	6020B	Total/NA
Silver	0.35		0.30	0.066	mg/Kg	1	☼	6020B	Total/NA
Sodium	98.1		74.3	33.9	mg/Kg	1	☼	6020B	Total/NA
Vanadium	7.7		1.5	0.15	mg/Kg	1	☼	6020B	Total/NA
Zinc	16.5		5.9	0.81	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.016		0.016	0.0077	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: DW-2 (7-8)

Lab Sample ID: 460-328592-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	0.0093		0.0052	0.0050	mg/Kg	1	☼	8260D	Total/NA
Aluminum	5350		16.0	4.4	mg/Kg	1	☼	6020B	Total/NA
Arsenic	0.76	J	0.80	0.083	mg/Kg	1	☼	6020B	Total/NA
Barium	20.3		1.6	0.12	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.19	J	0.32	0.018	mg/Kg	1	☼	6020B	Total/NA
Calcium	93.4		80.1	7.8	mg/Kg	1	☼	6020B	Total/NA
Chromium	6.3		1.6	0.24	mg/Kg	1	☼	6020B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Client Sample ID: DW-2 (7-8) (Continued)

Lab Sample ID: 460-328592-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Cobalt	2.7		1.6	0.12	mg/Kg	1	☼	6020B	Total/NA
Copper	6.0		1.6	0.29	mg/Kg	1	☼	6020B	Total/NA
Iron	7550		48.1	6.1	mg/Kg	1	☼	6020B	Total/NA
Lead	2.6		0.48	0.16	mg/Kg	1	☼	6020B	Total/NA
Magnesium	1660		80.1	8.2	mg/Kg	1	☼	6020B	Total/NA
Manganese	83.4		3.2	0.32	mg/Kg	1	☼	6020B	Total/NA
Nickel	3.4		1.6	0.14	mg/Kg	1	☼	6020B	Total/NA
Potassium	2000		80.1	13.0	mg/Kg	1	☼	6020B	Total/NA
Sodium	50.9	J	80.1	36.6	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.14	J	0.32	0.033	mg/Kg	1	☼	6020B	Total/NA
Vanadium	8.1		1.6	0.17	mg/Kg	1	☼	6020B	Total/NA
Zinc	19.1		6.4	0.87	mg/Kg	1	☼	6020B	Total/NA

This Detection Summary does not include radiochemical test results.

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: SI-SB-1 (14-15)
Date Collected: 06/13/25 08:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-1
Matrix: Solid
Percent Solids: 98.0

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.00095	U	0.00095	0.00022	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,1,2,2-Tetrachloroethane	0.00095	U	0.00095	0.00050	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00095	U	0.00095	0.00029	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,1,2-Trichloroethane	0.00095	U	0.00095	0.00057	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,1-Dichloroethane	0.00095	U	0.00095	0.00057	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,1-Dichloroethene	0.00095	U	0.00095	0.00021	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,2,3-Trichlorobenzene	0.00095	U	0.00095	0.00070	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,2,4-Trichlorobenzene	0.00095	U	0.00095	0.00034	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,2,4-Trimethylbenzene	0.00095	U	0.00095	0.00023	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,2-Dibromo-3-Chloropropane	0.00095	U	0.00095	0.00044	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,2-Dichlorobenzene	0.00095	U	0.00095	0.00034	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,2-Dichloroethane	0.00095	U	0.00095	0.00028	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,2-Dichloropropane	0.00095	U	0.00095	0.00040	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,3,5-Trimethylbenzene	0.00095	U	0.00095	0.00030	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,3-Dichlorobenzene	0.00095	U	0.00095	0.00035	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
1,4-Dichlorobenzene	0.00095	U	0.00095	0.00049	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
2-Butanone (MEK)	0.0048	U	0.0048	0.00035	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
2-Hexanone	0.0048	U	0.0048	0.0016	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
4-Methyl-2-pentanone (MIBK)	0.0048	U	0.0048	0.0015	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Acetone	0.0057	U	0.0057	0.0055	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Benzene	0.00095	U	0.00095	0.00054	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Bromoform	0.00095	U	0.00095	0.00041	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Bromomethane	0.0019	U	0.0019	0.00095	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Carbon disulfide	0.00095	U	0.00095	0.00025	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Carbon tetrachloride	0.00095	U	0.00095	0.00037	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Chlorobenzene	0.00095	U	0.00095	0.00048	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Chlorobromomethane	0.00095	U	0.00095	0.00057	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Chlorodibromomethane	0.00095	U	0.00095	0.00051	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Chloroethane	0.00095	U	0.00095	0.00050	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Chloroform	0.00095	U	0.00095	0.00093	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Chloromethane	0.00095	U	0.00095	0.00041	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
cis-1,2-Dichloroethene	0.00095	U	0.00095	0.00034	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
cis-1,3-Dichloropropene	0.00095	U	0.00095	0.00026	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Cyclohexane	0.00095	U	0.00095	0.00021	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Dichlorobromomethane	0.00095	U	0.00095	0.00024	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Dichlorodifluoromethane	0.00095	U	0.00095	0.00032	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Ethylbenzene	0.00095	U	0.00095	0.00045	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Ethylene Dibromide	0.00095	U	0.00095	0.00048	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Isopropylbenzene	0.00095	U	0.00095	0.00027	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Methyl acetate	0.0048	U	0.0048	0.0041	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Methyl tert-butyl ether	0.00095	U	0.00095	0.00049	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Methylcyclohexane	0.00095	U	0.00095	0.00048	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Methylene Chloride	0.0019	U	0.0019	0.0011	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
m-Xylene & p-Xylene	0.00095	U	0.00095	0.00040	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
n-Butylbenzene	0.00095	U	0.00095	0.00028	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
N-Propylbenzene	0.00095	U	0.00095	0.00043	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
o-Xylene	0.00095	U	0.00095	0.00044	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
sec-Butylbenzene	0.00095	U	0.00095	0.00027	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Styrene	0.00095	U	0.00095	0.00026	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: SI-SB-1 (14-15)
Date Collected: 06/13/25 08:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-1
Matrix: Solid
Percent Solids: 98.0

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	0.00095	U	0.00095	0.00026	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Tetrachloroethene	0.00095	U	0.00095	0.00029	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Toluene	0.00095	U	0.00095	0.00022	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
trans-1,2-Dichloroethene	0.00095	U	0.00095	0.00023	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
trans-1,3-Dichloropropene	0.00095	U	0.00095	0.00025	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Trichloroethene	0.00095	U	0.00095	0.00031	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Trichlorofluoromethane	0.00095	U	0.00095	0.00039	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Vinyl chloride	0.00095	U *	0.00095	0.00052	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1
Xylenes, Total	0.0019	U	0.0019	0.00017	mg/Kg	☼	06/17/25 15:16	06/21/25 00:04	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*	☼		*N/A*	*06/17/25 15:16*	*06/21/25 00:04*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*100*		*65 - 138*	*06/17/25 15:16*	*06/21/25 00:04*	*1*
4-Bromofluorobenzene	*77*		*71 - 128*	*06/17/25 15:16*	*06/21/25 00:04*	*1*
Dibromofluoromethane (Surr)	*115*		*50 - 150*	*06/17/25 15:16*	*06/21/25 00:04*	*1*
Toluene-d8 (Surr)	*96*		*71 - 126*	*06/17/25 15:16*	*06/21/25 00:04*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
1,4-Dioxane	0.034	U	0.034	0.029	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,4,5-Trichlorophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,4-Dimethylphenol	0.34	U	0.34	0.040	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,4-Dinitrophenol	0.27	U	0.27	0.17	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2-Chloronaphthalene	0.34	U	0.34	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2-Methylnaphthalene	0.34	U	0.34	0.0094	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.051	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
3-Nitroaniline	0.34	U	0.34	0.080	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
4-Chloroaniline	0.34	U	0.34	0.060	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
4-Nitroaniline	0.34	U	0.34	0.085	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
4-Nitrophenol	0.68	U	0.68	0.055	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: SI-SB-1 (14-15)
Date Collected: 06/13/25 08:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-1
Matrix: Solid
Percent Solids: 98.0

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.34	U	0.34	0.0096	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Acenaphthylene	0.34	U	0.34	0.0096	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Acetophenone	0.34	U	0.34	0.017	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Anthracene	0.34	U	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Atrazine	0.14	U *	0.14	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Benzaldehyde	0.34	U *	0.34	0.056	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Benzo[a]anthracene	0.034	U	0.034	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Benzo[a]pyrene	0.034	U	0.034	0.0090	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Benzo[b]fluoranthene	0.034	U	0.034	0.0087	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Benzo[g,h,i]perylene	0.34	U	0.34	0.0099	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Benzo[k]fluoranthene	0.034	U	0.034	0.0066	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.062	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Bis(2-ethylhexyl) phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Butyl benzyl phthalate	0.34	U	0.34	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Caprolactam	0.34	U *	0.34	0.052	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Carbazole	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Chrysene	0.34	U	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Dibenz(a,h)anthracene	0.034	U	0.034	0.015	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Dibenzofuran	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Dimethyl phthalate	0.34	U	0.34	0.076	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Di-n-butyl phthalate	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Fluoranthene	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Fluorene	0.34	U	0.34	0.0098	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Hexachlorobutadiene	0.068	U	0.068	0.0072	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.030	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Indeno[1,2,3-cd]pyrene	0.034	U	0.034	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Isophorone	0.14	U	0.14	0.097	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Naphthalene	0.34	U	0.34	0.0058	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Phenanthrene	0.34	U	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Phenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1
Pyrene	0.34	U	0.34	0.0084	mg/Kg	☼	06/18/25 06:27	06/18/25 11:56	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*84*		*18 - 137*	*06/18/25 06:27*	*06/18/25 11:56*	*1*
2-Fluorobiphenyl	*72*		*33 - 117*	*06/18/25 06:27*	*06/18/25 11:56*	*1*
2-Fluorophenol (Surr)	*72*		*24 - 120*	*06/18/25 06:27*	*06/18/25 11:56*	*1*
Nitrobenzene-d5 (Surr)	*62*		*27 - 120*	*06/18/25 06:27*	*06/18/25 11:56*	*1*
Phenol-d5 (Surr)	*68*		*28 - 118*	*06/18/25 06:27*	*06/18/25 11:56*	*1*
Terphenyl-d14 (Surr)	*68*		*33 - 124*	*06/18/25 06:27*	*06/18/25 11:56*	*1*

Client Sample ID: SI-SB-1 (14-15)

Date Collected: 06/13/25 08:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-1
Matrix: Solid
Percent Solids: 98.0

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**947**		16.2	4.4	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Antimony	0.81	U	0.81	0.12	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Arsenic	**0.79**	**J**	0.81	0.083	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Barium	**4.2**		1.6	0.12	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Beryllium	**0.078**	**J**	0.32	0.018	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Cadmium	0.81	U	0.81	0.091	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Calcium	**81.7**		81.0	7.9	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Chromium	**2.9**		1.6	0.24	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Cobalt	**0.57**	**J**	1.6	0.12	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Copper	**2.1**		1.6	0.30	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Iron	**3030**		48.6	6.2	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Lead	**1.0**		0.49	0.16	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Magnesium	**224**		81.0	8.3	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Manganese	**30.2**		3.2	0.33	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Nickel	**1.5**	**J**	1.6	0.14	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Potassium	**149**		81.0	13.1	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Selenium	1.0	U	1.0	0.10	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Silver	0.32	U	0.32	0.072	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Sodium	81.0	U	81.0	37.0	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Thallium	0.32	U	0.32	0.033	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Vanadium	**2.0**		1.6	0.17	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1
Zinc	**3.9**	**J**	6.5	0.88	mg/Kg	☼	06/20/25 23:30	06/21/25 14:54	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.017	U	0.017	0.0078	mg/Kg	☼	06/23/25 02:25	06/23/25 14:43	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	**2.0**		1.0	1.0	%			06/17/25 17:40	1
Percent Solids (EPA Moisture)	**98.0**		1.0	1.0	%			06/17/25 17:40	1

Client Sample ID: SI-SB-2 (9-10)

Date Collected: 06/13/25 09:15
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-2
Matrix: Solid
Percent Solids: 89.9

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.00086	U	0.00086	0.00020	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,1,2,2-Tetrachloroethane	0.00086	U	0.00086	0.00045	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00086	U	0.00086	0.00026	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,1,2-Trichloroethane	0.00086	U	0.00086	0.00052	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,1-Dichloroethane	0.00086	U	0.00086	0.00052	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,1-Dichloroethene	0.00086	U	0.00086	0.00019	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,2,3-Trichlorobenzene	0.00086	U	0.00086	0.00064	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,2,4-Trichlorobenzene	0.00086	U	0.00086	0.00031	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,2,4-Trimethylbenzene	0.00086	U	0.00086	0.00021	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,2-Dibromo-3-Chloropropane	0.00086	U	0.00086	0.00040	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,2-Dichlorobenzene	0.00086	U	0.00086	0.00031	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,2-Dichloroethane	0.00086	U	0.00086	0.00026	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: SI-SB-2 (9-10)
Date Collected: 06/13/25 09:15
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-2
Matrix: Solid
Percent Solids: 89.9

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloropropane	0.00086	U	0.00086	0.00037	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,3,5-Trimethylbenzene	0.00086	U	0.00086	0.00027	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,3-Dichlorobenzene	0.00086	U	0.00086	0.00032	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
1,4-Dichlorobenzene	0.00086	U	0.00086	0.00045	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
2-Butanone (MEK)	0.0043	U	0.0043	0.00032	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
2-Hexanone	0.0043	U	0.0043	0.0015	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
4-Methyl-2-pentanone (MIBK)	0.0043	U	0.0043	0.0013	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Acetone	0.0052	U	0.0052	0.0049	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Benzene	0.00086	U	0.00086	0.00049	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Bromoform	0.00086	U	0.00086	0.00037	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Bromomethane	0.0017	U	0.0017	0.00086	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Carbon disulfide	0.00086	U	0.00086	0.00023	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Carbon tetrachloride	0.00086	U	0.00086	0.00033	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Chlorobenzene	0.00086	U	0.00086	0.00044	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Chlorobromomethane	0.00086	U	0.00086	0.00052	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Chlorodibromomethane	0.00086	U	0.00086	0.00046	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Chloroethane	0.00086	U	0.00086	0.00045	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Chloroform	0.00086	U	0.00086	0.00084	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Chloromethane	0.00086	U	0.00086	0.00038	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
cis-1,2-Dichloroethene	0.00086	U	0.00086	0.00031	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
cis-1,3-Dichloropropene	0.00086	U	0.00086	0.00024	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Cyclohexane	0.00086	U	0.00086	0.00019	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Dichlorobromomethane	0.00086	U	0.00086	0.00022	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Dichlorodifluoromethane	0.00086	U	0.00086	0.00029	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Ethylbenzene	0.00086	U	0.00086	0.00040	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Ethylene Dibromide	0.00086	U	0.00086	0.00044	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Isopropylbenzene	0.00086	U	0.00086	0.00025	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Methyl acetate	0.0043	U	0.0043	0.0037	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Methyl tert-butyl ether	0.00086	U	0.00086	0.00044	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Methylcyclohexane	0.00086	U	0.00086	0.00043	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Methylene Chloride	0.0017	U	0.0017	0.00099	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
m-Xylene & p-Xylene	0.00086	U	0.00086	0.00037	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
n-Butylbenzene	0.00086	U	0.00086	0.00025	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
N-Propylbenzene	0.00086	U	0.00086	0.00039	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
o-Xylene	0.00086	U	0.00086	0.00040	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
sec-Butylbenzene	0.00086	U	0.00086	0.00025	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Styrene	0.00086	U	0.00086	0.00024	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
tert-Butylbenzene	0.00086	U	0.00086	0.00024	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Tetrachloroethene	**0.00072**	**J**	0.00086	0.00026	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Toluene	0.00086	U	0.00086	0.00020	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
trans-1,2-Dichloroethene	0.00086	U	0.00086	0.00021	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
trans-1,3-Dichloropropene	0.00086	U	0.00086	0.00023	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Trichloroethene	0.00086	U	0.00086	0.00028	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Trichlorofluoromethane	0.00086	U	0.00086	0.00035	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Vinyl chloride	0.00086	U *	0.00086	0.00047	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1
Xylenes, Total	0.0017	U	0.0017	0.00015	mg/Kg	☼	06/17/25 15:16	06/21/25 00:28	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*	☼		*N/A*	*06/17/25 15:16*	*06/21/25 00:28*	*1*

Client Sample ID: SI-SB-2 (9-10)

Date Collected: 06/13/25 09:15
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-2

Matrix: Solid
Percent Solids: 89.9

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*99*		*65 - 138*	*06/17/25 15:16*	*06/21/25 00:28*	*1*
4-Bromofluorobenzene	*78*		*71 - 128*	*06/17/25 15:16*	*06/21/25 00:28*	*1*
Dibromofluoromethane (Surr)	*113*		*50 - 150*	*06/17/25 15:16*	*06/21/25 00:28*	*1*
Toluene-d8 (Surr)	*96*		*71 - 126*	*06/17/25 15:16*	*06/21/25 00:28*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.37	U	0.37	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
1,2,4,5-Tetrachlorobenzene	0.37	U	0.37	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
1,4-Dioxane	0.037	U	0.037	0.032	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,2'-oxybis[1-chloropropane]	0.37	U	0.37	0.022	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,3,4,6-Tetrachlorophenol	0.37	U	0.37	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,4,5-Trichlorophenol	0.37	U	0.37	0.037	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,4,6-Trichlorophenol	0.15	U	0.15	0.047	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,4-Dichlorophenol	0.15	U	0.15	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,4-Dimethylphenol	0.37	U	0.37	0.044	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,4-Dinitrophenol	0.30	U	0.30	0.18	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,4-Dinitrotoluene	0.074	U	0.074	0.040	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2,6-Dinitrotoluene	0.074	U	0.074	0.027	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2-Chloronaphthalene	0.37	U	0.37	0.047	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2-Chlorophenol	0.37	U	0.37	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2-Methylnaphthalene	0.37	U	0.37	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2-Methylphenol	0.37	U	0.37	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2-Nitroaniline	0.37	U	0.37	0.028	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
2-Nitrophenol	0.37	U	0.37	0.037	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
3 & 4 Methylphenol	0.37	U	0.37	0.023	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
3,3'-Dichlorobenzidine	0.15	U	0.15	0.055	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
3-Nitroaniline	0.37	U	0.37	0.087	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
4,6-Dinitro-2-methylphenol	0.30	U	0.30	0.15	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
4-Bromophenyl phenyl ether	0.37	U	0.37	0.015	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
4-Chloro-3-methylphenol	0.37	U	0.37	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
4-Chloroaniline	0.37	U	0.37	0.065	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
4-Chlorophenyl phenyl ether	0.37	U	0.37	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
4-Methylphenol	0.37	U	0.37	0.023	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
4-Nitroaniline	0.37	U	0.37	0.093	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
4-Nitrophenol	0.74	U	0.74	0.060	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Acenaphthene	0.37	U	0.37	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Acenaphthylene	0.37	U	0.37	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Acetophenone	0.37	U	0.37	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Anthracene	0.37	U	0.37	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Atrazine	0.15	U *	0.15	0.022	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Benzaldehyde	0.37	U *	0.37	0.061	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Benzo[a]anthracene	0.037	U	0.037	0.028	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Benzo[a]pyrene	0.037	U	0.037	0.0098	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Benzo[b]fluoranthene	0.037	U	0.037	0.0095	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Benzo[g,h,i]perylene	0.37	U	0.37	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Benzo[k]fluoranthene	0.037	U	0.037	0.0072	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Bis(2-chloroethoxy)methane	0.37	U	0.37	0.068	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Bis(2-chloroethyl)ether	0.037	U	0.037	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Bis(2-ethylhexyl) phthalate	0.37	U	0.37	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1

Client Sample ID: SI-SB-2 (9-10)
Date Collected: 06/13/25 09:15
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-2
Matrix: Solid
Percent Solids: 89.9

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Butyl benzyl phthalate	0.37	U	0.37	0.017	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Caprolactam	0.37	U *	0.37	0.057	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Carbazole	0.37	U	0.37	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Chrysene	0.37	U	0.37	0.015	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Dibenz(a,h)anthracene	0.037	U	0.037	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Dibenzofuran	0.37	U	0.37	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Diethyl phthalate	0.37	U	0.37	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Dimethyl phthalate	0.37	U	0.37	0.083	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Di-n-butyl phthalate	0.37	U	0.37	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Di-n-octyl phthalate	0.37	U	0.37	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Fluoranthene	0.37	U	0.37	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Fluorene	0.37	U	0.37	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Hexachlorobenzene	0.037	U	0.037	0.017	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Hexachlorobutadiene	0.074	U	0.074	0.0078	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Hexachlorocyclopentadiene	0.37	U	0.37	0.032	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Hexachloroethane	0.037	U	0.037	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Indeno[1,2,3-cd]pyrene	0.037	U	0.037	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Isophorone	0.15	U	0.15	0.11	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Naphthalene	0.37	U	0.37	0.0064	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Nitrobenzene	0.037	U	0.037	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
N-Nitrosodi-n-propylamine	0.037	U	0.037	0.027	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
N-Nitrosodiphenylamine	0.37	U	0.37	0.030	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Pentachlorophenol	0.30	U	0.30	0.075	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Phenanthrene	0.37	U	0.37	0.015	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Phenol	0.37	U	0.37	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1
Pyrene	0.37	U	0.37	0.0091	mg/Kg	☼	06/18/25 06:27	06/18/25 12:14	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*76*		*18 - 137*	*06/18/25 06:27*	*06/18/25 12:14*	*1*
2-Fluorobiphenyl	*64*		*33 - 117*	*06/18/25 06:27*	*06/18/25 12:14*	*1*
2-Fluorophenol (Surr)	*64*		*24 - 120*	*06/18/25 06:27*	*06/18/25 12:14*	*1*
Nitrobenzene-d5 (Surr)	*54*		*27 - 120*	*06/18/25 06:27*	*06/18/25 12:14*	*1*
Phenol-d5 (Surr)	*60*		*28 - 118*	*06/18/25 06:27*	*06/18/25 12:14*	*1*
Terphenyl-d14 (Surr)	*62*		*33 - 124*	*06/18/25 06:27*	*06/18/25 12:14*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**2020**		17.6	4.8	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Antimony	0.88	U	0.88	0.13	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Arsenic	**1.0**		0.88	0.091	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Barium	**7.6**		1.8	0.13	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Beryllium	**0.14**	**J**	0.35	0.019	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Cadmium	0.88	U	0.88	0.10	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Calcium	**160**		88.2	8.6	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Chromium	**6.5**		1.8	0.26	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Cobalt	**1.0**	**J**	1.8	0.13	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Copper	**3.2**		1.8	0.32	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Iron	**4310**		52.9	6.8	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Lead	**1.6**		0.53	0.18	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Magnesium	**363**		88.2	9.0	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1

Client Sample ID: SI-SB-2 (9-10)

Date Collected: 06/13/25 09:15
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-2

Matrix: Solid
Percent Solids: 89.9

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	75.8		3.5	0.36	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Nickel	2.3		1.8	0.16	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Potassium	190		88.2	14.3	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Selenium	1.1	U	1.1	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Silver	0.35	U	0.35	0.079	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Sodium	41.3	J	88.2	40.3	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Thallium	0.054	J	0.35	0.036	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Vanadium	3.8		1.8	0.18	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1
Zinc	9.6		7.1	0.96	mg/Kg	☼	06/21/25 18:10	06/22/25 16:52	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.018	U	0.018	0.0083	mg/Kg	☼	06/23/25 02:25	06/23/25 14:48	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	10.1		1.0	1.0	%			06/17/25 17:40	1
Percent Solids (EPA Moisture)	89.9		1.0	1.0	%			06/17/25 17:40	1

Client Sample ID: SI-SB-3 (9-10)

Date Collected: 06/13/25 09:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-3

Matrix: Solid
Percent Solids: 97.5

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.00085	U	0.00085	0.00020	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,1,2,2-Tetrachloroethane	0.00085	U	0.00085	0.00044	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00085	U	0.00085	0.00026	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,1,2-Trichloroethane	0.00085	U	0.00085	0.00051	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,1-Dichloroethane	0.00085	U	0.00085	0.00051	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,1-Dichloroethene	0.00085	U	0.00085	0.00019	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,2,3-Trichlorobenzene	0.00085	U	0.00085	0.00063	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,2,4-Trichlorobenzene	0.00085	U	0.00085	0.00030	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,2,4-Trimethylbenzene	0.00085	U	0.00085	0.00021	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,2-Dibromo-3-Chloropropane	0.00085	U	0.00085	0.00039	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,2-Dichlorobenzene	0.00085	U	0.00085	0.00031	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,2-Dichloroethane	0.00085	U	0.00085	0.00025	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,2-Dichloropropane	0.00085	U	0.00085	0.00036	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,3,5-Trimethylbenzene	0.00085	U	0.00085	0.00027	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,3-Dichlorobenzene	0.00085	U	0.00085	0.00031	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
1,4-Dichlorobenzene	0.00085	U	0.00085	0.00044	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
2-Butanone (MEK)	0.0042	U	0.0042	0.00031	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
2-Hexanone	0.0042	U	0.0042	0.0015	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
4-Methyl-2-pentanone (MIBK)	0.0042	U	0.0042	0.0013	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Acetone	0.0051	U	0.0051	0.0048	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Benzene	0.00085	U	0.00085	0.00048	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Bromoform	0.00085	U	0.00085	0.00036	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Bromomethane	0.0017	U	0.0017	0.00085	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Carbon disulfide	0.00085	U	0.00085	0.00023	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Carbon tetrachloride	0.00085	U	0.00085	0.00033	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1

Client Sample ID: SI-SB-3 (9-10)
Date Collected: 06/13/25 09:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-3
Matrix: Solid
Percent Solids: 97.5

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	0.00085	U	0.00085	0.00043	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Chlorobromomethane	0.00085	U	0.00085	0.00051	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Chlorodibromomethane	0.00085	U	0.00085	0.00046	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Chloroethane	0.00085	U	0.00085	0.00044	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Chloroform	0.00085	U	0.00085	0.00082	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Chloromethane	0.00085	U	0.00085	0.00037	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
cis-1,2-Dichloroethene	0.00085	U	0.00085	0.00030	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
cis-1,3-Dichloropropene	0.00085	U	0.00085	0.00023	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Cyclohexane	0.00085	U	0.00085	0.00019	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Dichlorobromomethane	0.00085	U	0.00085	0.00022	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Dichlorodifluoromethane	0.00085	U	0.00085	0.00029	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Ethylbenzene	0.00085	U	0.00085	0.00040	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Ethylene Dibromide	0.00085	U	0.00085	0.00043	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Isopropylbenzene	0.00085	U	0.00085	0.00024	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Methyl acetate	0.0042	U	0.0042	0.0036	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Methyl tert-butyl ether	0.00085	U	0.00085	0.00043	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Methylcyclohexane	0.00085	U	0.00085	0.00042	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Methylene Chloride	0.0017	U	0.0017	0.00097	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
m-Xylene & p-Xylene	0.00085	U	0.00085	0.00036	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
n-Butylbenzene	0.00085	U	0.00085	0.00025	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
N-Propylbenzene	0.00085	U	0.00085	0.00038	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
o-Xylene	0.00085	U	0.00085	0.00039	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
sec-Butylbenzene	0.00085	U	0.00085	0.00024	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Styrene	0.00085	U	0.00085	0.00024	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
tert-Butylbenzene	0.00085	U	0.00085	0.00023	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Tetrachloroethene	**0.0060**		0.00085	0.00026	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Toluene	0.00085	U	0.00085	0.00020	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
trans-1,2-Dichloroethene	0.00085	U	0.00085	0.00021	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
trans-1,3-Dichloropropene	0.00085	U	0.00085	0.00023	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Trichloroethene	0.00085	U	0.00085	0.00027	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Trichlorofluoromethane	0.00085	U	0.00085	0.00034	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Vinyl chloride	0.00085	U *	0.00085	0.00046	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1
Xylenes, Total	0.0017	U	0.0017	0.00015	mg/Kg	☼	06/17/25 15:16	06/21/25 00:53	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*	☼		*N/A*	*06/17/25 15:16*	*06/21/25 00:53*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*99*		*65 - 138*	*06/17/25 15:16*	*06/21/25 00:53*	*1*
4-Bromofluorobenzene	*79*		*71 - 128*	*06/17/25 15:16*	*06/21/25 00:53*	*1*
Dibromofluoromethane (Surr)	*116*		*50 - 150*	*06/17/25 15:16*	*06/21/25 00:53*	*1*
Toluene-d8 (Surr)	*96*		*71 - 126*	*06/17/25 15:16*	*06/21/25 00:53*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
1,4-Dioxane	0.034	U	0.034	0.030	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1

Client Sample ID: SI-SB-3 (9-10)
Date Collected: 06/13/25 09:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-3
Matrix: Solid
Percent Solids: 97.5

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4,5-Trichlorophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2,4-Dimethylphenol	0.34	U	0.34	0.040	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2,4-Dinitrophenol	0.27	U	0.27	0.17	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2,4-Dinitrotoluene	0.069	U	0.069	0.036	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2,6-Dinitrotoluene	0.069	U	0.069	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2-Chloronaphthalene	0.34	U	0.34	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2-Methylnaphthalene	0.34	U	0.34	0.0095	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.051	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
3-Nitroaniline	0.34	U	0.34	0.080	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
4-Chloroaniline	0.34	U	0.34	0.060	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
4-Nitroaniline	0.34	U	0.34	0.086	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
4-Nitrophenol	0.69	U	0.69	0.055	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Acenaphthene	0.34	U	0.34	0.0096	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Acenaphthylene	0.34	U	0.34	0.0097	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Acetophenone	0.34	U	0.34	0.017	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Anthracene	0.34	U	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Atrazine	0.14	U *	0.14	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Benzaldehyde	0.34	U *	0.34	0.056	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Benzo[a]anthracene	0.034	U	0.034	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Benzo[a]pyrene	0.034	U	0.034	0.0090	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Benzo[b]fluoranthene	0.034	U	0.034	0.0088	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Benzo[g,h,i]perylene	0.34	U	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Benzo[k]fluoranthene	0.034	U	0.034	0.0066	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.063	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Bis(2-ethylhexyl) phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Butyl benzyl phthalate	0.34	U	0.34	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Caprolactam	0.34	U *	0.34	0.053	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Carbazole	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Chrysene	0.34	U	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Dibenz(a,h)anthracene	0.034	U	0.034	0.015	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Dibenzofuran	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Dimethyl phthalate	0.34	U	0.34	0.077	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Di-n-butyl phthalate	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Fluoranthene	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1

Client Sample ID: SI-SB-3 (9-10)

Date Collected: 06/13/25 09:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-3

Matrix: Solid
Percent Solids: 97.5

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	0.34	U	0.34	0.0099	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Hexachlorobutadiene	0.069	U	0.069	0.0072	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.030	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Indeno[1,2,3-cd]pyrene	0.034	U	0.034	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Isophorone	0.14	U	0.14	0.098	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Naphthalene	0.34	U	0.34	0.0059	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Phenanthrene	0.34	U	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Phenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1
Pyrene	0.34	U	0.34	0.0084	mg/Kg	☼	06/18/25 06:27	06/18/25 12:31	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*77*		*18 - 137*	*06/18/25 06:27*	*06/18/25 12:31*	*1*
2-Fluorobiphenyl	*66*		*33 - 117*	*06/18/25 06:27*	*06/18/25 12:31*	*1*
2-Fluorophenol (Surr)	*66*		*24 - 120*	*06/18/25 06:27*	*06/18/25 12:31*	*1*
Nitrobenzene-d5 (Surr)	*56*		*27 - 120*	*06/18/25 06:27*	*06/18/25 12:31*	*1*
Phenol-d5 (Surr)	*60*		*28 - 118*	*06/18/25 06:27*	*06/18/25 12:31*	*1*
Terphenyl-d14 (Surr)	*68*		*33 - 124*	*06/18/25 06:27*	*06/18/25 12:31*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**945**		15.3	4.2	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Antimony	0.77	U	0.77	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Arsenic	**2.4**		0.77	0.079	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Barium	**4.6**		1.5	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Beryllium	**0.14**	**J**	0.31	0.017	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Cadmium	0.77	U	0.77	0.087	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Calcium	**80.7**		76.6	7.5	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Chromium	**10.3**		1.5	0.23	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Cobalt	**0.73**	**J**	1.5	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Copper	**3.1**		1.5	0.28	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Iron	**10700**		45.9	5.9	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Lead	**1.0**		0.46	0.15	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Magnesium	**132**		76.6	7.8	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Manganese	**60.1**		3.1	0.31	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Nickel	**1.6**		1.5	0.14	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Potassium	**96.4**		76.6	12.4	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Selenium	**0.17**	**J**	0.96	0.098	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Silver	0.31	U	0.31	0.068	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Sodium	76.6	U	76.6	35.0	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Thallium	0.31	U	0.31	0.031	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Vanadium	**2.9**		1.5	0.16	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1
Zinc	**6.2**		6.1	0.83	mg/Kg	☼	06/21/25 18:10	06/22/25 16:55	1

Client Sample ID: SI-SB-3 (9-10)

Lab Sample ID: 460-328592-3
Date Collected: 06/13/25 09:30
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 97.5

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.017	U	0.017	0.0082	mg/Kg	☼	06/23/25 02:25	06/23/25 14:51	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	**2.5**		1.0	1.0	%			06/17/25 17:40	1
Percent Solids (EPA Moisture)	**97.5**		1.0	1.0	%			06/17/25 17:40	1

Client Sample ID: DW-1 (10-11)

Lab Sample ID: 460-328592-4
Date Collected: 06/13/25 09:47
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 97.7

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.00084	U	0.00084	0.00020	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,1,2,2-Tetrachloroethane	0.00084	U	0.00084	0.00044	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00084	U	0.00084	0.00025	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,1,2-Trichloroethane	0.00084	U	0.00084	0.00051	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,1-Dichloroethane	0.00084	U	0.00084	0.00050	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,1-Dichloroethene	0.00084	U	0.00084	0.00019	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,2,3-Trichlorobenzene	0.00084	U	0.00084	0.00062	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,2,4-Trichlorobenzene	0.00084	U	0.00084	0.00030	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,2,4-Trimethylbenzene	0.00084	U	0.00084	0.00021	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,2-Dibromo-3-Chloropropane	0.00084	U	0.00084	0.00039	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,2-Dichlorobenzene	0.00084	U	0.00084	0.00030	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,2-Dichloroethane	0.00084	U	0.00084	0.00025	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,2-Dichloropropane	0.00084	U	0.00084	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,3,5-Trimethylbenzene	0.00084	U	0.00084	0.00026	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,3-Dichlorobenzene	0.00084	U	0.00084	0.00031	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
1,4-Dichlorobenzene	0.00084	U	0.00084	0.00044	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
2-Butanone (MEK)	0.0042	U	0.0042	0.00031	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
2-Hexanone	0.0042	U	0.0042	0.0014	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
4-Methyl-2-pentanone (MIBK)	0.0042	U	0.0042	0.0013	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Acetone	0.0050	U	0.0050	0.0048	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Benzene	0.00084	U	0.00084	0.00048	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Bromoform	0.00084	U	0.00084	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Bromomethane	0.0017	U	0.0017	0.00084	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Carbon disulfide	0.00084	U	0.00084	0.00022	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Carbon tetrachloride	0.00084	U	0.00084	0.00033	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Chlorobenzene	0.00084	U	0.00084	0.00043	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Chlorobromomethane	0.00084	U	0.00084	0.00050	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Chlorodibromomethane	0.00084	U	0.00084	0.00045	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Chloroethane	0.00084	U	0.00084	0.00044	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Chloroform	**0.0040**		0.00084	0.00082	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Chloromethane	0.00084	U	0.00084	0.00037	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
cis-1,2-Dichloroethene	**0.00052**	**J**	0.00084	0.00030	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
cis-1,3-Dichloropropene	0.00084	U	0.00084	0.00023	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Cyclohexane	0.00084	U	0.00084	0.00019	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Dichlorobromomethane	0.00084	U	0.00084	0.00022	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Dichlorodifluoromethane	0.00084	U	0.00084	0.00028	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Ethylbenzene	0.00084	U	0.00084	0.00039	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1

Client Sample ID: DW-1 (10-11)
Date Collected: 06/13/25 09:47
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-4
Matrix: Solid
Percent Solids: 97.7

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylene Dibromide	0.00084	U	0.00084	0.00042	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Isopropylbenzene	0.00084	U	0.00084	0.00024	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Methyl acetate	0.0042	U	0.0042	0.0036	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Methyl tert-butyl ether	0.00084	U	0.00084	0.00043	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Methylcyclohexane	0.00084	U	0.00084	0.00042	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Methylene Chloride	0.0017	U	0.0017	0.00096	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
m-Xylene & p-Xylene	0.00084	U	0.00084	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
n-Butylbenzene	0.00084	U	0.00084	0.00025	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
N-Propylbenzene	0.00084	U	0.00084	0.00038	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
o-Xylene	0.00084	U	0.00084	0.00039	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
sec-Butylbenzene	0.00084	U	0.00084	0.00024	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Styrene	0.00084	U	0.00084	0.00023	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
tert-Butylbenzene	0.00084	U	0.00084	0.00023	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Tetrachloroethene	**0.035**		0.00084	0.00026	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Toluene	0.00084	U	0.00084	0.00020	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
trans-1,2-Dichloroethene	0.00084	U	0.00084	0.00021	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
trans-1,3-Dichloropropene	0.00084	U	0.00084	0.00022	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Trichloroethene	**0.0011**		0.00084	0.00027	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Trichlorofluoromethane	0.00084	U	0.00084	0.00034	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Vinyl chloride	0.00084	U *	0.00084	0.00046	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1
Xylenes, Total	0.0017	U	0.0017	0.00015	mg/Kg	☼	06/17/25 15:17	06/21/25 01:17	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*	☼		*N/A*	*06/17/25 15:17*	*06/21/25 01:17*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*101*		*65 - 138*	*06/17/25 15:17*	*06/21/25 01:17*	*1*
4-Bromofluorobenzene	*80*		*71 - 128*	*06/17/25 15:17*	*06/21/25 01:17*	*1*
Dibromofluoromethane (Surr)	*116*		*50 - 150*	*06/17/25 15:17*	*06/21/25 01:17*	*1*
Toluene-d8 (Surr)	*94*		*71 - 126*	*06/17/25 15:17*	*06/21/25 01:17*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
1,4-Dioxane	0.034	U	0.034	0.029	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,4,5-Trichlorophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,4-Dimethylphenol	0.34	U	0.34	0.040	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,4-Dinitrophenol	0.27	U	0.27	0.17	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2-Chloronaphthalene	0.34	U	0.34	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2-Methylnaphthalene	0.34	U	0.34	0.0094	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1

Client Sample ID: DW-1 (10-11)
Date Collected: 06/13/25 09:47
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-4
Matrix: Solid
Percent Solids: 97.7

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.051	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
3-Nitroaniline	0.34	U	0.34	0.080	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
4-Chloroaniline	0.34	U	0.34	0.060	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
4-Nitroaniline	0.34	U	0.34	0.086	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
4-Nitrophenol	0.68	U	0.68	0.055	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Acenaphthene	**0.017**	**J**	0.34	0.0096	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Acenaphthylene	**0.011**	**J**	0.34	0.0097	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Acetophenone	0.34	U	0.34	0.017	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Anthracene	**0.050**	**J**	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Atrazine	0.14	U *	0.14	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Benzaldehyde	0.34	U *	0.34	0.056	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Benzo[a]anthracene	**0.20**		0.034	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Benzo[a]pyrene	**0.21**		0.034	0.0090	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Benzo[b]fluoranthene	**0.30**		0.034	0.0087	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Benzo[g,h,i]perylene	**0.11**	**J**	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Benzo[k]fluoranthene	**0.11**		0.034	0.0066	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.062	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Bis(2-ethylhexyl) phthalate	**0.023**	**J**	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Butyl benzyl phthalate	0.34	U	0.34	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Caprolactam	0.34	U *	0.34	0.053	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Carbazole	**0.015**	**J**	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Chrysene	**0.21**	**J**	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Dibenz(a,h)anthracene	**0.043**		0.034	0.015	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Dibenzofuran	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Dimethyl phthalate	0.34	U	0.34	0.077	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Di-n-butyl phthalate	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Fluoranthene	**0.45**		0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Fluorene	**0.012**	**J**	0.34	0.0099	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Hexachlorobutadiene	0.068	U	0.068	0.0072	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.030	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Indeno[1,2,3-cd]pyrene	**0.14**		0.034	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Isophorone	0.14	U	0.14	0.098	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Naphthalene	0.34	U	0.34	0.0058	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1

Client Sample ID: DW-1 (10-11)

Date Collected: 06/13/25 09:47
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-4

Matrix: Solid
Percent Solids: 97.7

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenanthrene	0.19	J	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Phenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1
Pyrene	0.32	J	0.34	0.0084	mg/Kg	☼	06/18/25 06:27	06/18/25 18:58	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*75*		*18 - 137*	*06/18/25 06:27*	*06/18/25 18:58*	*1*
2-Fluorobiphenyl	*56*		*33 - 117*	*06/18/25 06:27*	*06/18/25 18:58*	*1*
2-Fluorophenol (Surr)	*50*		*24 - 120*	*06/18/25 06:27*	*06/18/25 18:58*	*1*
Nitrobenzene-d5 (Surr)	*42*		*27 - 120*	*06/18/25 06:27*	*06/18/25 18:58*	*1*
Phenol-d5 (Surr)	*50*		*28 - 118*	*06/18/25 06:27*	*06/18/25 18:58*	*1*
Terphenyl-d14 (Surr)	*59*		*33 - 124*	*06/18/25 06:27*	*06/18/25 18:58*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	5640		15.4	4.2	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Antimony	0.29	J	0.77	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Arsenic	4.9		0.77	0.079	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Barium	24.3		1.5	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Beryllium	0.21	J	0.31	0.017	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Cadmium	0.19	J	0.77	0.087	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Calcium	5830		76.9	7.5	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Chromium	9.3		1.5	0.23	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Cobalt	2.5		1.5	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Copper	11.8		1.5	0.28	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Iron	8060		46.2	5.9	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Lead	41.4		0.46	0.15	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Magnesium	2520		76.9	7.8	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Manganese	104		3.1	0.31	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Nickel	5.9		1.5	0.14	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Potassium	361		76.9	12.5	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Selenium	0.24	J	0.96	0.098	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Silver	0.31	U	0.31	0.068	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Sodium	152		76.9	35.2	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Thallium	0.063	J	0.31	0.032	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Vanadium	11.8		1.5	0.16	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1
Zinc	44.8		6.2	0.84	mg/Kg	☼	06/21/25 18:10	06/22/25 16:58	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.15		0.016	0.0073	mg/Kg	☼	06/23/25 02:25	06/23/25 14:54	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	2.3		1.0	1.0	%			06/17/25 17:40	1
Percent Solids (EPA Moisture)	97.7		1.0	1.0	%			06/17/25 17:40	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: DW-1 (14-15)
Date Collected: 06/13/25 09:50
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-5
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00024	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00053	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00031	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00061	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00061	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00075	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00047	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00043	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00032	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00053	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
2-Butanone (MEK)	0.0051	U	0.0051	0.00037	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
2-Hexanone	0.0051	U	0.0051	0.0017	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
4-Methyl-2-pentanone (MIBK)	0.0051	U	0.0051	0.0016	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Acetone	0.0061	U	0.0061	0.0058	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Benzene	0.0010	U	0.0010	0.00058	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Chlorobenzene	0.0010	U	0.0010	0.00051	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Chlorobromomethane	0.0010	U	0.0010	0.00060	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Chlorodibromomethane	0.0010	U	0.0010	0.00054	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Chloroethane	0.0010	U	0.0010	0.00053	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Chloroform	**0.0032**		0.0010	0.00098	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
cis-1,2-Dichloroethene	**0.00057**	**J**	0.0010	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Ethylbenzene	0.0010	U	0.0010	0.00047	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Ethylene Dibromide	0.0010	U	0.0010	0.00051	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Methyl acetate	**0.011**		0.0051	0.0044	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00052	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Methylcyclohexane	0.0010	U	0.0010	0.00051	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Methylene Chloride	0.0020	U	0.0020	0.0012	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00043	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
n-Butylbenzene	0.0010	U	0.0010	0.00030	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
N-Propylbenzene	0.0010	U	0.0010	0.00046	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
o-Xylene	0.0010	U	0.0010	0.00047	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Styrene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: DW-1 (14-15)

Date Collected: 06/13/25 09:50
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-5

Matrix: Solid
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Tetrachloroethene	**0.024**		0.0010	0.00031	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Toluene	0.0010	U	0.0010	0.00024	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Trichloroethene	**0.00095**	**J**	0.0010	0.00033	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Vinyl chloride	0.0010	U *	0.0010	0.00055	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1
Xylenes, Total	0.0020	U	0.0020	0.00018	mg/Kg	☼	06/17/25 15:17	06/21/25 01:43	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*	☼		*N/A*	*06/17/25 15:17*	*06/21/25 01:43*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*90*		*65 - 138*	*06/17/25 15:17*	*06/21/25 01:43*	*1*
4-Bromofluorobenzene	*70*	*	*71 - 128*	*06/17/25 15:17*	*06/21/25 01:43*	*1*
Dibromofluoromethane (Surr)	*104*		*50 - 150*	*06/17/25 15:17*	*06/21/25 01:43*	*1*
Toluene-d8 (Surr)	*85*		*71 - 126*	*06/17/25 15:17*	*06/21/25 01:43*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
1,4-Dioxane	0.034	U	0.034	0.029	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,4,5-Trichlorophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,4-Dimethylphenol	0.34	U	0.34	0.040	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,4-Dinitrophenol	0.27	U	0.27	0.17	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2-Chloronaphthalene	0.34	U	0.34	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2-Methylnaphthalene	0.34	U	0.34	0.0094	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.051	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
3-Nitroaniline	0.34	U	0.34	0.080	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
4-Chloroaniline	0.34	U	0.34	0.060	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
4-Nitroaniline	0.34	U	0.34	0.085	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
4-Nitrophenol	0.68	U	0.68	0.055	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1

Client Sample ID: DW-1 (14-15)
Date Collected: 06/13/25 09:50
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-5
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acenaphthene	0.34	U	0.34	0.0096	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Acenaphthylene	0.34	U	0.34	0.0096	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Acetophenone	0.34	U	0.34	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Anthracene	0.34	U	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Atrazine	0.14	U *	0.14	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Benzaldehyde	0.34	U *	0.34	0.056	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Benzo[a]anthracene	**0.036**		0.034	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Benzo[a]pyrene	**0.042**		0.034	0.0090	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Benzo[b]fluoranthene	**0.060**		0.034	0.0087	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Benzo[g,h,i]perylene	**0.030**	**J**	0.34	0.0099	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Benzo[k]fluoranthene	**0.021**	**J**	0.034	0.0066	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.062	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Bis(2-ethylhexyl) phthalate	**0.019**	**J**	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Butyl benzyl phthalate	0.34	U	0.34	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Caprolactam	0.34	U *	0.34	0.052	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Carbazole	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Chrysene	**0.042**	**J**	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Dibenz(a,h)anthracene	**0.027**	**J**	0.034	0.015	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Dibenzofuran	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Dimethyl phthalate	0.34	U	0.34	0.076	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Di-n-butyl phthalate	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Fluoranthene	**0.062**	**J**	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Fluorene	0.34	U	0.34	0.0098	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Hexachlorobutadiene	0.068	U	0.068	0.0072	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.029	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Indeno[1,2,3-cd]pyrene	**0.045**		0.034	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Isophorone	0.14	U	0.14	0.097	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Naphthalene	0.34	U	0.34	0.0058	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Phenanthrene	**0.020**	**J**	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Phenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1
Pyrene	**0.050**	**J**	0.34	0.0084	mg/Kg	☼	06/18/25 06:27	06/18/25 19:15	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*74*		*18 - 137*	*06/18/25 06:27*	*06/18/25 19:15*	*1*
2-Fluorobiphenyl	*56*		*33 - 117*	*06/18/25 06:27*	*06/18/25 19:15*	*1*
2-Fluorophenol (Surr)	*54*		*24 - 120*	*06/18/25 06:27*	*06/18/25 19:15*	*1*
Nitrobenzene-d5 (Surr)	*45*		*27 - 120*	*06/18/25 06:27*	*06/18/25 19:15*	*1*
Phenol-d5 (Surr)	*52*		*28 - 118*	*06/18/25 06:27*	*06/18/25 19:15*	*1*
Terphenyl-d14 (Surr)	*59*		*33 - 124*	*06/18/25 06:27*	*06/18/25 19:15*	*1*

Client Sample ID: DW-1 (14-15)

Lab Sample ID: 460-328592-5
Date Collected: 06/13/25 09:50
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 98.3

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	4820		15.9	4.4	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Antimony	0.87		0.79	0.12	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Arsenic	4.8		0.79	0.082	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Barium	18.6		1.6	0.12	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Beryllium	0.20	J	0.32	0.017	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Cadmium	0.27	J	0.79	0.090	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Calcium	3630		79.5	7.7	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Chromium	11.7		1.6	0.24	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Cobalt	2.1		1.6	0.12	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Copper	52.2		1.6	0.29	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Iron	7540		47.7	6.1	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Lead	78.6		0.48	0.16	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Magnesium	1810		79.5	8.1	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Manganese	99.2		3.2	0.32	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Nickel	4.9		1.6	0.14	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Potassium	307		79.5	12.9	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Selenium	0.22	J	0.99	0.10	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Silver	0.32	U	0.32	0.071	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Sodium	159		79.5	36.3	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Thallium	0.048	J	0.32	0.033	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Vanadium	11.5		1.6	0.16	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1
Zinc	38.1		6.4	0.87	mg/Kg	☼	06/21/25 18:10	06/22/25 17:01	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.088		0.017	0.0081	mg/Kg	☼	06/23/25 02:25	06/23/25 14:57	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	1.7		1.0	1.0	%			06/17/25 17:40	1
Percent Solids (EPA Moisture)	98.3		1.0	1.0	%			06/17/25 17:40	1

Client Sample ID: DW-2 (3-4)

Lab Sample ID: 460-328592-6
Date Collected: 06/13/25 09:59
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 99.0

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00023	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00052	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00030	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00060	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00060	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00022	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00074	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00046	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1

Client Sample ID: DW-2 (3-4)
Date Collected: 06/13/25 09:59
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-6
Matrix: Solid
Percent Solids: 99.0

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloropropane	0.0010	U	0.0010	0.00042	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00031	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00052	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0016	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Acetone	**0.0078**		0.0060	0.0057	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Benzene	0.0010	U	0.0010	0.00057	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Bromoform	0.0010	U	0.0010	0.00042	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Chlorobenzene	0.0010	U	0.0010	0.00051	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Chlorobromomethane	0.0010	U	0.0010	0.00060	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Chlorodibromomethane	0.0010	U	0.0010	0.00054	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Chloroethane	0.0010	U	0.0010	0.00052	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Chloroform	0.0010	U	0.0010	0.00097	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Chloromethane	0.0010	U	0.0010	0.00043	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00036	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Ethylbenzene	0.0010	U	0.0010	0.00047	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Ethylene Dibromide	0.0010	U	0.0010	0.00050	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Isopropylbenzene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00051	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Methylcyclohexane	0.0010	U	0.0010	0.00050	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00042	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
n-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
N-Propylbenzene	0.0010	U	0.0010	0.00045	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
o-Xylene	0.0010	U	0.0010	0.00046	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Styrene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Tetrachloroethene	**0.012**		0.0010	0.00030	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Toluene	**0.00082**	**J**	0.0010	0.00023	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Trichloroethene	0.0010	U	0.0010	0.00032	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Vinyl chloride	0.0010	U *	0.0010	0.00055	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg	☼	06/17/25 15:17	06/21/25 02:08	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*	☼		*N/A*	*06/17/25 15:17*	*06/21/25 02:08*	*1*

Client Sample ID: DW-2 (3-4)

Date Collected: 06/13/25 09:59
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-6

Matrix: Solid
Percent Solids: 99.0

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*99*		*65 - 138*	*06/17/25 15:17*	*06/21/25 02:08*	*1*
4-Bromofluorobenzene	*78*		*71 - 128*	*06/17/25 15:17*	*06/21/25 02:08*	*1*
Dibromofluoromethane (Surr)	*112*		*50 - 150*	*06/17/25 15:17*	*06/21/25 02:08*	*1*
Toluene-d8 (Surr)	*93*		*71 - 126*	*06/17/25 15:17*	*06/21/25 02:08*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.023	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,4-Dimethylphenol	0.33	U	0.33	0.040	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,4-Dinitrotoluene	0.067	U	0.067	0.036	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2,6-Dinitrotoluene	0.067	U	0.067	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2-Chloronaphthalene	0.33	U	0.33	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2-Methylnaphthalene	**0.0096**	**J**	0.33	0.0093	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
4-Nitroaniline	0.33	U	0.33	0.084	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
4-Nitrophenol	0.67	U	0.67	0.054	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Acenaphthene	**0.14**	**J**	0.33	0.0095	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Acenaphthylene	0.33	U	0.33	0.0095	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Anthracene	**0.31**	**J**	0.33	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Atrazine	0.13	U *	0.13	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Benzaldehyde	0.33	U *	0.33	0.055	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Benzo[a]anthracene	**0.62**		0.033	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Benzo[a]pyrene	**0.68**		0.033	0.0089	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Benzo[b]fluoranthene	**0.87**		0.033	0.0086	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Benzo[g,h,i]perylene	**0.33**		0.33	0.0098	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Benzo[k]fluoranthene	**0.36**		0.033	0.0065	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.061	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1

Client Sample ID: DW-2 (3-4)
Date Collected: 06/13/25 09:59
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-6
Matrix: Solid
Percent Solids: 99.0

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Caprolactam	0.33	U *	0.33	0.052	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Carbazole	**0.044**	**J**	0.33	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Chrysene	**0.72**		0.33	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Dibenz(a,h)anthracene	**0.10**		0.033	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Dibenzofuran	**0.068**	**J**	0.33	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Dimethyl phthalate	0.33	U	0.33	0.076	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Di-n-butyl phthalate	0.33	U	0.33	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Fluoranthene	**1.5**		0.33	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Fluorene	**0.15**	**J**	0.33	0.0097	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Hexachlorobutadiene	0.067	U	0.067	0.0071	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Indeno[1,2,3-cd]pyrene	**0.37**		0.033	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Isophorone	0.13	U	0.13	0.096	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Naphthalene	0.33	U	0.33	0.0058	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Nitrobenzene	0.033	U	0.033	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Phenanthrene	**1.0**		0.33	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Phenol	0.33	U	0.33	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1
Pyrene	**1.0**		0.33	0.0083	mg/Kg	☼	06/18/25 06:27	06/18/25 19:33	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*85*		*18 - 137*	*06/18/25 06:27*	*06/18/25 19:33*	*1*
2-Fluorobiphenyl	*70*		*33 - 117*	*06/18/25 06:27*	*06/18/25 19:33*	*1*
2-Fluorophenol (Surr)	*68*		*24 - 120*	*06/18/25 06:27*	*06/18/25 19:33*	*1*
Nitrobenzene-d5 (Surr)	*56*		*27 - 120*	*06/18/25 06:27*	*06/18/25 19:33*	*1*
Phenol-d5 (Surr)	*65*		*28 - 118*	*06/18/25 06:27*	*06/18/25 19:33*	*1*
Terphenyl-d14 (Surr)	*67*		*33 - 124*	*06/18/25 06:27*	*06/18/25 19:33*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**1980**		14.9	4.1	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Antimony	**0.29**	**J**	0.74	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Arsenic	**2.7**		0.74	0.077	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Barium	**8.5**		1.5	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Beryllium	**0.084**	**J**	0.30	0.016	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Cadmium	0.74	U	0.74	0.084	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Calcium	**10300**		74.3	7.2	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Chromium	**4.4**		1.5	0.22	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Cobalt	**1.9**		1.5	0.11	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Copper	**14.4**		1.5	0.27	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Iron	**8440**		44.6	5.7	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Lead	**20.9**		0.45	0.15	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Magnesium	**4600**		74.3	7.6	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1

Client Sample ID: DW-2 (3-4)

Lab Sample ID: 460-328592-6
Date Collected: 06/13/25 09:59
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 99.0

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Manganese	**69.7**		3.0	0.30	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Nickel	**4.4**		1.5	0.13	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Potassium	**165**		74.3	12.0	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Selenium	0.93	U	0.93	0.095	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Silver	**0.35**		0.30	0.066	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Sodium	**98.1**		74.3	33.9	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Thallium	0.30	U	0.30	0.030	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Vanadium	**7.7**		1.5	0.15	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1
Zinc	**16.5**		5.9	0.81	mg/Kg	☼	06/21/25 18:10	06/22/25 17:03	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	**0.016**		0.016	0.0077	mg/Kg	☼	06/23/25 02:25	06/23/25 15:00	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	**1.0**		1.0	1.0	%			06/17/25 17:40	1
Percent Solids (EPA Moisture)	**99.0**		1.0	1.0	%			06/17/25 17:40	1

Client Sample ID: DW-2 (7-8)

Lab Sample ID: 460-328592-7
Date Collected: 06/13/25 10:03
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.00087	U	0.00087	0.00020	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,1,2,2-Tetrachloroethane	0.00087	U	0.00087	0.00046	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00087	U	0.00087	0.00026	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,1,2-Trichloroethane	0.00087	U	0.00087	0.00052	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,1-Dichloroethane	0.00087	U	0.00087	0.00052	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,1-Dichloroethene	0.00087	U	0.00087	0.00020	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,2,3-Trichlorobenzene	0.00087	U	0.00087	0.00064	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,2,4-Trichlorobenzene	0.00087	U	0.00087	0.00031	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,2,4-Trimethylbenzene	0.00087	U	0.00087	0.00021	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,2-Dibromo-3-Chloropropane	0.00087	U	0.00087	0.00040	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,2-Dichlorobenzene	0.00087	U	0.00087	0.00031	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,2-Dichloroethane	0.00087	U	0.00087	0.00026	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,2-Dichloropropane	0.00087	U	0.00087	0.00037	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,3,5-Trimethylbenzene	0.00087	U	0.00087	0.00027	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,3-Dichlorobenzene	0.00087	U	0.00087	0.00032	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
1,4-Dichlorobenzene	0.00087	U	0.00087	0.00045	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
2-Butanone (MEK)	0.0044	U	0.0044	0.00032	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
2-Hexanone	0.0044	U	0.0044	0.0015	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
4-Methyl-2-pentanone (MIBK)	0.0044	U	0.0044	0.0014	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Acetone	**0.0093**		0.0052	0.0050	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Benzene	0.00087	U	0.00087	0.00049	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Bromoform	0.00087	U	0.00087	0.00037	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Bromomethane	0.0017	U	0.0017	0.00087	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Carbon disulfide	0.00087	U	0.00087	0.00023	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Carbon tetrachloride	0.00087	U	0.00087	0.00034	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: DW-2 (7-8)
Date Collected: 06/13/25 10:03
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-7
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	0.00087	U	0.00087	0.00044	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Chlorobromomethane	0.00087	U	0.00087	0.00052	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Chlorodibromomethane	0.00087	U	0.00087	0.00047	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Chloroethane	0.00087	U	0.00087	0.00046	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Chloroform	0.00087	U	0.00087	0.00085	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Chloromethane	0.00087	U	0.00087	0.00038	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
cis-1,2-Dichloroethene	0.00087	U	0.00087	0.00031	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
cis-1,3-Dichloropropene	0.00087	U	0.00087	0.00024	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Cyclohexane	0.00087	U	0.00087	0.00019	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Dichlorobromomethane	0.00087	U	0.00087	0.00022	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Dichlorodifluoromethane	0.00087	U	0.00087	0.00029	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Ethylbenzene	0.00087	U	0.00087	0.00041	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Ethylene Dibromide	0.00087	U	0.00087	0.00044	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Isopropylbenzene	0.00087	U	0.00087	0.00025	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Methyl acetate	0.0044	U	0.0044	0.0038	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Methyl tert-butyl ether	0.00087	U	0.00087	0.00045	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Methylcyclohexane	0.00087	U	0.00087	0.00044	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Methylene Chloride	0.0017	U	0.0017	0.0010	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
m-Xylene & p-Xylene	0.00087	U	0.00087	0.00037	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
n-Butylbenzene	0.00087	U	0.00087	0.00026	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
N-Propylbenzene	0.00087	U	0.00087	0.00039	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
o-Xylene	0.00087	U	0.00087	0.00040	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
sec-Butylbenzene	0.00087	U	0.00087	0.00025	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Styrene	0.00087	U	0.00087	0.00024	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
tert-Butylbenzene	0.00087	U	0.00087	0.00024	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Tetrachloroethene	0.00087	U	0.00087	0.00027	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Toluene	0.00087	U	0.00087	0.00020	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
trans-1,2-Dichloroethene	0.00087	U	0.00087	0.00021	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
trans-1,3-Dichloropropene	0.00087	U	0.00087	0.00023	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Trichloroethene	0.00087	U	0.00087	0.00028	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Trichlorofluoromethane	0.00087	U	0.00087	0.00035	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Vinyl chloride	0.00087	U *	0.00087	0.00048	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1
Xylenes, Total	0.0017	U	0.0017	0.00015	mg/Kg	☼	06/17/25 15:18	06/21/25 02:33	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*	☼		*N/A*	*06/17/25 15:18*	*06/21/25 02:33*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*109*		*65 - 138*	*06/17/25 15:18*	*06/21/25 02:33*	*1*
4-Bromofluorobenzene	*84*		*71 - 128*	*06/17/25 15:18*	*06/21/25 02:33*	*1*
Dibromofluoromethane (Surr)	*126*		*50 - 150*	*06/17/25 15:18*	*06/21/25 02:33*	*1*
Toluene-d8 (Surr)	*104*		*71 - 126*	*06/17/25 15:18*	*06/21/25 02:33*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
1,4-Dioxane	0.034	U	0.034	0.029	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1

Client Sample ID: DW-2 (7-8)
Date Collected: 06/13/25 10:03
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-7
Matrix: Solid
Percent Solids: 98.3

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4,5-Trichlorophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2,4-Dimethylphenol	0.34	U	0.34	0.040	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2,4-Dinitrophenol	0.27	U	0.27	0.17	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2,4-Dinitrotoluene	0.068	U	0.068	0.036	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2,6-Dinitrotoluene	0.068	U	0.068	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2-Chloronaphthalene	0.34	U	0.34	0.043	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2-Methylnaphthalene	0.34	U	0.34	0.0094	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.051	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
3-Nitroaniline	0.34	U	0.34	0.080	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
4-Chloroaniline	0.34	U	0.34	0.060	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
4-Nitroaniline	0.34	U	0.34	0.085	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
4-Nitrophenol	0.68	U	0.68	0.055	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Acenaphthene	0.34	U	0.34	0.0096	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Acenaphthylene	0.34	U	0.34	0.0096	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Acetophenone	0.34	U	0.34	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Anthracene	0.34	U	0.34	0.010	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Atrazine	0.14	U *	0.14	0.020	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Benzaldehyde	0.34	U *	0.34	0.056	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Benzo[a]anthracene	0.034	U	0.034	0.025	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Benzo[a]pyrene	0.034	U	0.034	0.0090	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Benzo[b]fluoranthene	0.034	U	0.034	0.0087	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Benzo[g,h,i]perylene	0.34	U	0.34	0.0099	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Benzo[k]fluoranthene	0.034	U	0.034	0.0066	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.062	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Bis(2-ethylhexyl) phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Butyl benzyl phthalate	0.34	U	0.34	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Caprolactam	0.34	U *	0.34	0.052	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Carbazole	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Chrysene	0.34	U	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Dibenz(a,h)anthracene	0.034	U	0.034	0.015	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Dibenzofuran	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Dimethyl phthalate	0.34	U	0.34	0.076	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Di-n-butyl phthalate	0.34	U	0.34	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Fluoranthene	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1

Client Sample ID: DW-2 (7-8)

Date Collected: 06/13/25 10:03
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-7

Matrix: Solid
Percent Solids: 98.3

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluorene	0.34	U	0.34	0.0098	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Hexachlorobutadiene	0.068	U	0.068	0.0072	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.029	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Indeno[1,2,3-cd]pyrene	0.034	U	0.034	0.013	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Isophorone	0.14	U	0.14	0.097	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Naphthalene	0.34	U	0.34	0.0058	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.024	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Pentachlorophenol	0.27	U	0.27	0.069	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Phenanthrene	0.34	U	0.34	0.014	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Phenol	0.34	U	0.34	0.012	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1
Pyrene	0.34	U	0.34	0.0084	mg/Kg	☼	06/18/25 06:27	06/18/25 12:49	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*85*		*18 - 137*	*06/18/25 06:27*	*06/18/25 12:49*	*1*
2-Fluorobiphenyl	*69*		*33 - 117*	*06/18/25 06:27*	*06/18/25 12:49*	*1*
2-Fluorophenol (Surr)	*66*		*24 - 120*	*06/18/25 06:27*	*06/18/25 12:49*	*1*
Nitrobenzene-d5 (Surr)	*58*		*27 - 120*	*06/18/25 06:27*	*06/18/25 12:49*	*1*
Phenol-d5 (Surr)	*63*		*28 - 118*	*06/18/25 06:27*	*06/18/25 12:49*	*1*
Terphenyl-d14 (Surr)	*71*		*33 - 124*	*06/18/25 06:27*	*06/18/25 12:49*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**5350**		16.0	4.4	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Antimony	0.80	U	0.80	0.12	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Arsenic	**0.76**	**J**	0.80	0.083	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Barium	**20.3**		1.6	0.12	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Beryllium	**0.19**	**J**	0.32	0.018	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Cadmium	0.80	U	0.80	0.091	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Calcium	**93.4**		80.1	7.8	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Chromium	**6.3**		1.6	0.24	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Cobalt	**2.7**		1.6	0.12	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Copper	**6.0**		1.6	0.29	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Iron	**7550**		48.1	6.1	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Lead	**2.6**		0.48	0.16	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Magnesium	**1660**		80.1	8.2	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Manganese	**83.4**		3.2	0.32	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Nickel	**3.4**		1.6	0.14	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Potassium	**2000**		80.1	13.0	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Selenium	1.0	U	1.0	0.10	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Silver	0.32	U	0.32	0.071	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Sodium	**50.9**	**J**	80.1	36.6	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Thallium	**0.14**	**J**	0.32	0.033	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Vanadium	**8.1**		1.6	0.17	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1
Zinc	**19.1**		6.4	0.87	mg/Kg	☼	06/21/25 18:10	06/22/25 17:06	1

Client Sample Results

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: DW-2 (7-8)

Date Collected: 06/13/25 10:03
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-7

Matrix: Solid
Percent Solids: 98.3

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.017	U	0.017	0.0080	mg/Kg	☼	06/23/25 02:25	06/23/25 15:03	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	1.7		1.0	1.0	%			06/17/25 17:40	1
Percent Solids (EPA Moisture)	98.3		1.0	1.0	%			06/17/25 17:40	1

Surrogate Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(65-138)	(71-128)	(50-150)	(71-126)
460-328592-1	SI-SB-1 (14-15)	100	77	115	96
460-328592-2	SI-SB-2 (9-10)	99	78	113	96
460-328592-3	SI-SB-3 (9-10)	99	79	116	96
460-328592-4	DW-1 (10-11)	101	80	116	94
460-328592-5	DW-1 (14-15)	90	70 *	104	85
460-328592-6	DW-2 (3-4)	99	78	112	93
460-328592-7	DW-2 (7-8)	109	84	126	104
LCS 460-1045112/3	Lab Control Sample	92	80	109	101
LCSD 460-1045112/4	Lab Control Sample Dup	94	83	110	102
MB 460-1045112/7	Method Blank	94	81	113	99

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		TBP	FBP	2FP	NBZ	PHL	TPHL
Lab Sample ID	Client Sample ID	(18-137)	(33-117)	(24-120)	(27-120)	(28-118)	(33-124)
460-328592-1	SI-SB-1 (14-15)	84	72	72	62	68	68
460-328592-1 MS	SI-SB-1 (14-15)	87	69	66	58	64	66
460-328592-1 MSD	SI-SB-1 (14-15)	91	72	69	60	67	69
460-328592-2	SI-SB-2 (9-10)	76	64	64	54	60	62
460-328592-3	SI-SB-3 (9-10)	77	66	66	56	60	68
460-328592-4	DW-1 (10-11)	75	56	50	42	50	59
460-328592-5	DW-1 (14-15)	74	56	54	45	52	59
460-328592-6	DW-2 (3-4)	85	70	68	56	65	67
460-328592-7	DW-2 (7-8)	85	69	66	58	63	71
LCS 460-1044357/2-A	Lab Control Sample	92	71	69	61	68	71
LCSD 460-1044357/3-A	Lab Control Sample Dup	89	72	68	60	68	71
MB 460-1044357/1-A	Method Blank	97	78	76	67	71	81

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPHL = Terphenyl-d14 (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-1045112/7
Matrix: Solid
Analysis Batch: 1045112

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00023	mg/Kg			06/20/25 18:40	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00052	mg/Kg			06/20/25 18:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00030	mg/Kg			06/20/25 18:40	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00060	mg/Kg			06/20/25 18:40	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00060	mg/Kg			06/20/25 18:40	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg			06/20/25 18:40	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00074	mg/Kg			06/20/25 18:40	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			06/20/25 18:40	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg			06/20/25 18:40	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00046	mg/Kg			06/20/25 18:40	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			06/20/25 18:40	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg			06/20/25 18:40	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00042	mg/Kg			06/20/25 18:40	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00031	mg/Kg			06/20/25 18:40	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg			06/20/25 18:40	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00052	mg/Kg			06/20/25 18:40	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg			06/20/25 18:40	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg			06/20/25 18:40	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0016	mg/Kg			06/20/25 18:40	1
Acetone	0.0060	U	0.0060	0.0057	mg/Kg			06/20/25 18:40	1
Benzene	0.0010	U	0.0010	0.00057	mg/Kg			06/20/25 18:40	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg			06/20/25 18:40	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg			06/20/25 18:40	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg			06/20/25 18:40	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg			06/20/25 18:40	1
Chlorobenzene	0.0010	U	0.0010	0.00051	mg/Kg			06/20/25 18:40	1
Chlorobromomethane	0.0010	U	0.0010	0.00060	mg/Kg			06/20/25 18:40	1
Chlorodibromomethane	0.0010	U	0.0010	0.00054	mg/Kg			06/20/25 18:40	1
Chloroethane	0.0010	U	0.0010	0.00052	mg/Kg			06/20/25 18:40	1
Chloroform	0.0010	U	0.0010	0.00097	mg/Kg			06/20/25 18:40	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg			06/20/25 18:40	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00036	mg/Kg			06/20/25 18:40	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			06/20/25 18:40	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg			06/20/25 18:40	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg			06/20/25 18:40	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg			06/20/25 18:40	1
Ethylbenzene	0.0010	U	0.0010	0.00047	mg/Kg			06/20/25 18:40	1
Ethylene Dibromide	0.0010	U	0.0010	0.00050	mg/Kg			06/20/25 18:40	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/20/25 18:40	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg			06/20/25 18:40	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00051	mg/Kg			06/20/25 18:40	1
Methylcyclohexane	0.0010	U	0.0010	0.00050	mg/Kg			06/20/25 18:40	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg			06/20/25 18:40	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00042	mg/Kg			06/20/25 18:40	1
n-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/20/25 18:40	1
N-Propylbenzene	0.0010	U	0.0010	0.00045	mg/Kg			06/20/25 18:40	1
o-Xylene	0.0010	U	0.0010	0.00046	mg/Kg			06/20/25 18:40	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/20/25 18:40	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-1045112/7
Matrix: Solid
Analysis Batch: 1045112

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	0.0010	U	0.0010	0.00028	mg/Kg			06/20/25 18:40	1
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg			06/20/25 18:40	1
Tetrachloroethene	0.0010	U	0.0010	0.00031	mg/Kg			06/20/25 18:40	1
Toluene	0.0010	U	0.0010	0.00023	mg/Kg			06/20/25 18:40	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg			06/20/25 18:40	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			06/20/25 18:40	1
Trichloroethene	0.0010	U	0.0010	0.00032	mg/Kg			06/20/25 18:40	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg			06/20/25 18:40	1
Vinyl chloride	0.0010	U	0.0010	0.00055	mg/Kg			06/20/25 18:40	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg			06/20/25 18:40	1

Tentatively Identified Compound	*Est. Result*	*MB Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*			*N/A*		*06/20/25 18:40*	*1*

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*94*		*65 - 138*		*06/20/25 18:40*	*1*
4-Bromofluorobenzene	*81*		*71 - 128*		*06/20/25 18:40*	*1*
Dibromofluoromethane (Surr)	*113*		*50 - 150*		*06/20/25 18:40*	*1*
Toluene-d8 (Surr)	*99*		*71 - 126*		*06/20/25 18:40*	*1*

Lab Sample ID: LCS 460-1045112/3
Matrix: Solid
Analysis Batch: 1045112

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	0.0200	0.0174		mg/Kg		87	78 - 120
1,1,2,2-Tetrachloroethane	0.0200	0.0187		mg/Kg		93	70 - 133
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0216		mg/Kg		108	75 - 121
1,1,2-Trichloroethane	0.0200	0.0197		mg/Kg		98	80 - 120
1,1-Dichloroethane	0.0200	0.0204		mg/Kg		102	72 - 120
1,1-Dichloroethene	0.0200	0.0220		mg/Kg		110	76 - 120
1,2,3-Trichlorobenzene	0.0200	0.0183		mg/Kg		91	77 - 137
1,2,4-Trichlorobenzene	0.0200	0.0184		mg/Kg		92	77 - 136
1,2,4-Trimethylbenzene	0.0200	0.0171		mg/Kg		85	75 - 120
1,2-Dibromo-3-Chloropropane	0.0200	0.0189		mg/Kg		94	80 - 124
1,2-Dichlorobenzene	0.0200	0.0195		mg/Kg		98	80 - 120
1,2-Dichloroethane	0.0200	0.0177		mg/Kg		88	70 - 123
1,2-Dichloropropane	0.0200	0.0207		mg/Kg		103	73 - 124
1,3,5-Trimethylbenzene	0.0200	0.0174		mg/Kg		87	70 - 120
1,3-Dichlorobenzene	0.0200	0.0195		mg/Kg		98	80 - 120
1,4-Dichlorobenzene	0.0200	0.0199		mg/Kg		99	80 - 120
2-Butanone (MEK)	0.100	0.103		mg/Kg		103	64 - 128
2-Hexanone	0.100	0.0964		mg/Kg		96	75 - 120
4-Methyl-2-pentanone (MIBK)	0.100	0.100		mg/Kg		100	80 - 120
Acetone	0.100	0.113		mg/Kg		113	58 - 122
Benzene	0.0200	0.0205		mg/Kg		103	75 - 120
Bromoform	0.0200	0.0229		mg/Kg		114	61 - 125

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1045112/3
Matrix: Solid
Analysis Batch: 1045112

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Bromomethane	0.0200	0.0295		mg/Kg		147	37 - 150
Carbon disulfide	0.0200	0.0216		mg/Kg		108	57 - 133
Carbon tetrachloride	0.0200	0.0185		mg/Kg		92	66 - 127
Chlorobenzene	0.0200	0.0210		mg/Kg		105	80 - 120
Chlorobromomethane	0.0200	0.0220		mg/Kg		110	76 - 127
Chlorodibromomethane	0.0200	0.0216		mg/Kg		108	72 - 120
Chloroethane	0.0200	0.0227		mg/Kg		113	60 - 123
Chloroform	0.0200	0.0201		mg/Kg		100	79 - 126
Chloromethane	0.0200	0.0227		mg/Kg		114	46 - 122
cis-1,2-Dichloroethene	0.0200	0.0212		mg/Kg		106	80 - 123
cis-1,3-Dichloropropene	0.0200	0.0184		mg/Kg		92	75 - 120
Cyclohexane	0.0200	0.0188		mg/Kg		94	65 - 132
Dichlorobromomethane	0.0200	0.0198		mg/Kg		99	77 - 124
Dichlorodifluoromethane	0.0200	0.0246		mg/Kg		123	45 - 129
Ethylbenzene	0.0200	0.0197		mg/Kg		99	80 - 120
Ethylene Dibromide	0.0200	0.0196		mg/Kg		98	79 - 120
Isopropylbenzene	0.0200	0.0188		mg/Kg		94	74 - 120
Methyl acetate	0.0400	0.0420		mg/Kg		105	57 - 120
Methyl tert-butyl ether	0.0200	0.0179		mg/Kg		90	74 - 125
Methylcyclohexane	0.0200	0.0195		mg/Kg		98	66 - 125
Methylene Chloride	0.0200	0.0219		mg/Kg		109	78 - 120
m-Xylene & p-Xylene	0.0200	0.0195		mg/Kg		98	80 - 120
n-Butylbenzene	0.0200	0.0182		mg/Kg		91	72 - 120
N-Propylbenzene	0.0200	0.0188		mg/Kg		94	68 - 120
o-Xylene	0.0200	0.0193		mg/Kg		97	80 - 120
sec-Butylbenzene	0.0200	0.0172		mg/Kg		86	78 - 120
Styrene	0.0200	0.0191		mg/Kg		95	80 - 120
tert-Butylbenzene	0.0200	0.0169		mg/Kg		84	80 - 120
Tetrachloroethene	0.0200	0.0207		mg/Kg		104	73 - 120
Toluene	0.0200	0.0194		mg/Kg		97	80 - 120
trans-1,2-Dichloroethene	0.0200	0.0223		mg/Kg		111	78 - 120
trans-1,3-Dichloropropene	0.0200	0.0173		mg/Kg		87	77 - 120
Trichloroethene	0.0200	0.0185		mg/Kg		93	80 - 120
Trichlorofluoromethane	0.0200	0.0230		mg/Kg		115	61 - 130
Vinyl chloride	0.0200	0.0246	*	mg/Kg		123	54 - 122
Xylenes, Total	0.0400	0.0389		mg/Kg		97	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*92*		*65 - 138*
4-Bromofluorobenzene	*80*		*71 - 128*
Dibromofluoromethane (Surr)	*109*		*50 - 150*
Toluene-d8 (Surr)	*101*		*71 - 126*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1045112/4
Matrix: Solid
Analysis Batch: 1045112

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane			0.0200	0.0188		mg/Kg		94	78 - 120	7	30
1,1,2,2-Tetrachloroethane			0.0200	0.0203		mg/Kg		101	70 - 133	8	30
1,1,2-Trichloro-1,2,2-trifluoroethane			0.0200	0.0234		mg/Kg		117	75 - 121	8	30
1,1,2-Trichloroethane			0.0200	0.0210		mg/Kg		105	80 - 120	6	30
1,1-Dichloroethane			0.0200	0.0213		mg/Kg		106	72 - 120	4	30
1,1-Dichloroethene			0.0200	0.0237		mg/Kg		118	76 - 120	7	30
1,2,3-Trichlorobenzene			0.0200	0.0192		mg/Kg		96	77 - 137	5	30
1,2,4-Trichlorobenzene			0.0200	0.0190		mg/Kg		95	77 - 136	3	30
1,2,4-Trimethylbenzene			0.0200	0.0180		mg/Kg		90	75 - 120	5	30
1,2-Dibromo-3-Chloropropane			0.0200	0.0208		mg/Kg		104	80 - 124	9	30
1,2-Dichlorobenzene			0.0200	0.0205		mg/Kg		102	80 - 120	5	30
1,2-Dichloroethane			0.0200	0.0185		mg/Kg		92	70 - 123	4	30
1,2-Dichloropropane			0.0200	0.0219		mg/Kg		110	73 - 124	6	30
1,3,5-Trimethylbenzene			0.0200	0.0184		mg/Kg		92	70 - 120	5	30
1,3-Dichlorobenzene			0.0200	0.0201		mg/Kg		101	80 - 120	3	30
1,4-Dichlorobenzene			0.0200	0.0208		mg/Kg		104	80 - 120	4	30
2-Butanone (MEK)			0.100	0.104		mg/Kg		104	64 - 128	1	30
2-Hexanone			0.100	0.0999		mg/Kg		100	75 - 120	4	30
4-Methyl-2-pentanone (MIBK)			0.100	0.103		mg/Kg		103	80 - 120	3	30
Acetone			0.100	0.117		mg/Kg		117	58 - 122	4	30
Benzene			0.0200	0.0213		mg/Kg		106	75 - 120	4	30
Bromoform			0.0200	0.0239		mg/Kg		120	61 - 125	5	30
Bromomethane			0.0200	0.0288		mg/Kg		144	37 - 150	2	30
Carbon disulfide			0.0200	0.0230		mg/Kg		115	57 - 133	6	30
Carbon tetrachloride			0.0200	0.0201		mg/Kg		100	66 - 127	8	30
Chlorobenzene			0.0200	0.0219		mg/Kg		109	80 - 120	4	30
Chlorobromomethane			0.0200	0.0227		mg/Kg		114	76 - 127	3	30
Chlorodibromomethane			0.0200	0.0233		mg/Kg		116	72 - 120	7	30
Chloroethane			0.0200	0.0217		mg/Kg		108	60 - 123	4	30
Chloroform			0.0200	0.0208		mg/Kg		104	79 - 126	4	30
Chloromethane			0.0200	0.0231		mg/Kg		116	46 - 122	2	30
cis-1,2-Dichloroethene			0.0200	0.0218		mg/Kg		109	80 - 123	3	30
cis-1,3-Dichloropropene			0.0200	0.0194		mg/Kg		97	75 - 120	5	30
Cyclohexane			0.0200	0.0207		mg/Kg		103	65 - 132	9	30
Dichlorobromomethane			0.0200	0.0209		mg/Kg		105	77 - 124	5	30
Dichlorodifluoromethane			0.0200	0.0231		mg/Kg		115	45 - 129	6	30
Ethylbenzene			0.0200	0.0213		mg/Kg		107	80 - 120	8	30
Ethylene Dibromide			0.0200	0.0209		mg/Kg		105	79 - 120	6	30
Isopropylbenzene			0.0200	0.0200		mg/Kg		100	74 - 120	6	30
Methyl acetate			0.0400	0.0423		mg/Kg		106	57 - 120	1	30
Methyl tert-butyl ether			0.0200	0.0187		mg/Kg		93	74 - 125	4	30
Methylcyclohexane			0.0200	0.0212		mg/Kg		106	66 - 125	8	30
Methylene Chloride			0.0200	0.0223		mg/Kg		112	78 - 120	2	30
m-Xylene & p-Xylene			0.0200	0.0206		mg/Kg		103	80 - 120	5	30
n-Butylbenzene			0.0200	0.0194		mg/Kg		97	72 - 120	6	30
N-Propylbenzene			0.0200	0.0197		mg/Kg		99	68 - 120	5	30
o-Xylene			0.0200	0.0203		mg/Kg		101	80 - 120	5	30
sec-Butylbenzene			0.0200	0.0185		mg/Kg		93	78 - 120	7	30

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1045112/4
Matrix: Solid
Analysis Batch: 1045112

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Styrene			0.0200	0.0203		mg/Kg		102	80 - 120	6	30
tert-Butylbenzene			0.0200	0.0184		mg/Kg		92	80 - 120	9	30
Tetrachloroethene			0.0200	0.0220		mg/Kg		110	73 - 120	6	30
Toluene			0.0200	0.0202		mg/Kg		101	80 - 120	4	30
trans-1,2-Dichloroethene			0.0200	0.0231		mg/Kg		115	78 - 120	4	30
trans-1,3-Dichloropropene			0.0200	0.0184		mg/Kg		92	77 - 120	6	30
Trichloroethene			0.0200	0.0202		mg/Kg		101	80 - 120	9	30
Trichlorofluoromethane			0.0200	0.0232		mg/Kg		116	61 - 130	1	30
Vinyl chloride			0.0200	0.0242		mg/Kg		121	54 - 122	2	30
Xylenes, Total			0.0400	0.0408		mg/Kg		102	80 - 120	5	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*94*		*65 - 138*
4-Bromofluorobenzene	*83*		*71 - 128*
Dibromofluoromethane (Surr)	*110*		*50 - 150*
Toluene-d8 (Surr)	*102*		*71 - 126*

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-1044357/1-A
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.022	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.042	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,4-Dimethylphenol	0.33	U	0.33	0.039	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,4-Dinitrotoluene	0.067	U	0.067	0.036	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2,6-Dinitrotoluene	0.067	U	0.067	0.024	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2-Chloronaphthalene	0.33	U	0.33	0.043	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2-Methylnaphthalene	0.33	U	0.33	0.0093	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg		06/18/25 06:27	06/18/25 10:11	1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1044357/1-A
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
4-Nitroaniline	0.33	U	0.33	0.084	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
4-Nitrophenol	0.67	U	0.67	0.054	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Acenaphthene	0.33	U	0.33	0.0094	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Acenaphthylene	0.33	U	0.33	0.0095	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Anthracene	0.33	U	0.33	0.010	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Atrazine	0.13	U	0.13	0.019	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Benzo[a]anthracene	0.033	U	0.033	0.025	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Benzo[a]pyrene	0.033	U	0.033	0.0088	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Benzo[b]fluoranthene	0.033	U	0.033	0.0086	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Benzo[g,h,i]perylene	0.33	U	0.33	0.0098	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Benzo[k]fluoranthene	0.033	U	0.033	0.0065	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.061	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.017	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Caprolactam	0.33	U	0.33	0.051	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Carbazole	0.33	U	0.33	0.013	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Chrysene	0.33	U	0.33	0.014	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Dibenz(a,h)anthracene	0.033	U	0.033	0.014	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Dibenzofuran	0.33	U	0.33	0.011	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Dimethyl phthalate	0.33	U	0.33	0.075	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Di-n-butyl phthalate	0.33	U	0.33	0.012	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Fluoranthene	0.33	U	0.33	0.012	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Fluorene	0.33	U	0.33	0.0097	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Hexachlorobutadiene	0.067	U	0.067	0.0070	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Indeno[1,2,3-cd]pyrene	0.033	U	0.033	0.013	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Isophorone	0.13	U	0.13	0.096	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Naphthalene	0.33	U	0.33	0.0057	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Nitrobenzene	0.033	U	0.033	0.018	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Phenanthrene	0.33	U	0.33	0.014	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Phenol	0.33	U	0.33	0.012	mg/Kg		06/18/25 06:27	06/18/25 10:11	1
Pyrene	0.33	U	0.33	0.0082	mg/Kg		06/18/25 06:27	06/18/25 10:11	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*97*		*18 - 137*	*06/18/25 06:27*	*06/18/25 10:11*	*1*
2-Fluorobiphenyl	*78*		*33 - 117*	*06/18/25 06:27*	*06/18/25 10:11*	*1*

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1044357/1-A
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1044357

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorophenol (Surr)	76		24 - 120	06/18/25 06:27	06/18/25 10:11	1
Nitrobenzene-d5 (Surr)	67		27 - 120	06/18/25 06:27	06/18/25 10:11	1
Phenol-d5 (Surr)	71		28 - 118	06/18/25 06:27	06/18/25 10:11	1
Terphenyl-d14 (Surr)	81		33 - 124	06/18/25 06:27	06/18/25 10:11	1

Lab Sample ID: LCS 460-1044357/2-A
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1'-Biphenyl	3.33	2.43		mg/Kg		73	64 - 120
1,2,4,5-Tetrachlorobenzene	3.33	2.58		mg/Kg		77	60 - 120
1,4-Dioxane	3.33	1.39		mg/Kg		42	31 - 105
2,2'-oxybis[1-chloropropane]	3.33	1.70		mg/Kg		51	50 - 126
2,3,4,6-Tetrachlorophenol	3.33	2.97		mg/Kg		89	62 - 120
2,4,5-Trichlorophenol	3.33	2.84		mg/Kg		85	64 - 120
2,4,6-Trichlorophenol	3.33	2.76		mg/Kg		83	65 - 120
2,4-Dichlorophenol	3.33	2.75		mg/Kg		83	66 - 120
2,4-Dimethylphenol	3.33	2.59		mg/Kg		78	75 - 136
2,4-Dinitrophenol	6.67	5.99		mg/Kg		90	41 - 120
2,4-Dinitrotoluene	3.33	3.01		mg/Kg		90	65 - 124
2,6-Dinitrotoluene	3.33	2.82		mg/Kg		85	67 - 121
2-Chloronaphthalene	3.33	2.44		mg/Kg		73	64 - 120
2-Chlorophenol	3.33	2.47		mg/Kg		74	63 - 120
2-Methylnaphthalene	3.33	2.53		mg/Kg		76	56 - 102
2-Methylphenol	3.33	2.45		mg/Kg		74	63 - 120
2-Nitroaniline	3.33	1.91		mg/Kg		57	52 - 120
2-Nitrophenol	3.33	2.53		mg/Kg		76	64 - 120
3 & 4 Methylphenol	3.33	2.47		mg/Kg		74	61 - 120
3,3'-Dichlorobenzidine	3.33	2.25		mg/Kg		68	10 - 106
3-Nitroaniline	3.33	2.26		mg/Kg		68	18 - 105
4,6-Dinitro-2-methylphenol	6.67	6.49		mg/Kg		97	61 - 127
4-Bromophenyl phenyl ether	3.33	2.95		mg/Kg		89	64 - 120
4-Chloro-3-methylphenol	3.33	2.68		mg/Kg		80	68 - 120
4-Chloroaniline	3.33	1.90		mg/Kg		57	10 - 107
4-Chlorophenyl phenyl ether	3.33	2.80		mg/Kg		84	62 - 120
4-Methylphenol	3.33	2.47		mg/Kg		74	61 - 120
4-Nitroaniline	3.33	2.58		mg/Kg		77	51 - 112
4-Nitrophenol	6.67	4.32		mg/Kg		65	52 - 122
Acenaphthene	3.33	2.51		mg/Kg		75	65 - 120
Acenaphthylene	3.33	2.52		mg/Kg		76	68 - 120
Acetophenone	3.33	2.27		mg/Kg		68	61 - 111
Anthracene	3.33	2.84		mg/Kg		85	67 - 120
Atrazine	1.33	3.35	*	mg/Kg		251	52 - 150
Benzaldehyde	1.33	2.14	*	mg/Kg		161	45 - 150
Benzo[a]anthracene	3.33	2.61		mg/Kg		78	66 - 120
Benzo[a]pyrene	3.33	3.02		mg/Kg		91	69 - 123
Benzo[b]fluoranthene	3.33	3.17		mg/Kg		95	66 - 125

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1044357/2-A
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzo[g,h,i]perylene	3.33	2.98		mg/Kg		89	66 - 138
Benzo[k]fluoranthene	3.33	2.72		mg/Kg		82	67 - 122
Bis(2-chloroethoxy)methane	3.33	2.18		mg/Kg		65	62 - 120
Bis(2-chloroethyl)ether	3.33	2.17		mg/Kg		65	60 - 120
Bis(2-ethylhexyl) phthalate	3.33	2.49		mg/Kg		75	64 - 125
Butyl benzyl phthalate	3.33	2.46		mg/Kg		74	62 - 127
Caprolactam	1.33	2.34	*	mg/Kg		175	46 - 150
Carbazole	3.33	2.87		mg/Kg		86	64 - 120
Chrysene	3.33	2.58		mg/Kg		77	67 - 120
Dibenz(a,h)anthracene	3.33	2.91		mg/Kg		87	66 - 128
Dibenzofuran	3.33	2.60		mg/Kg		78	61 - 120
Diethyl phthalate	3.33	2.65		mg/Kg		80	63 - 120
Dimethyl phthalate	3.33	2.65		mg/Kg		80	65 - 120
Di-n-butyl phthalate	3.33	2.85		mg/Kg		86	61 - 120
Di-n-octyl phthalate	3.33	2.65		mg/Kg		79	61 - 123
Fluoranthene	3.33	2.92		mg/Kg		88	61 - 120
Fluorene	3.33	2.65		mg/Kg		80	64 - 120
Hexachlorobenzene	3.33	3.02		mg/Kg		91	66 - 120
Hexachlorobutadiene	3.33	2.64		mg/Kg		79	62 - 120
Hexachlorocyclopentadiene	3.33	1.82		mg/Kg		55	32 - 150
Hexachloroethane	3.33	2.18		mg/Kg		66	61 - 112
Indeno[1,2,3-cd]pyrene	3.33	2.95		mg/Kg		88	63 - 137
Isophorone	3.33	2.16		mg/Kg		65	61 - 120
Naphthalene	3.33	2.39		mg/Kg		72	63 - 113
Nitrobenzene	3.33	2.44		mg/Kg		73	63 - 120
N-Nitrosodi-n-propylamine	3.33	2.19		mg/Kg		66	60 - 120
N-Nitrosodiphenylamine	3.33	2.76		mg/Kg		83	63 - 120
Pentachlorophenol	6.67	6.28		mg/Kg		94	61 - 126
Phenanthrene	3.33	2.79		mg/Kg		84	66 - 120
Phenol	3.33	2.31		mg/Kg		69	63 - 120
Pyrene	3.33	2.48		mg/Kg		74	61 - 121

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*92*		*18 - 137*
2-Fluorobiphenyl	*71*		*33 - 117*
2-Fluorophenol (Surr)	*69*		*24 - 120*
Nitrobenzene-d5 (Surr)	*61*		*27 - 120*
Phenol-d5 (Surr)	*68*		*28 - 118*
Terphenyl-d14 (Surr)	*71*		*33 - 124*

Lab Sample ID: LCSD 460-1044357/3-A
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1'-Biphenyl	3.33	2.56		mg/Kg		77	64 - 120	5	30
1,2,4,5-Tetrachlorobenzene	3.33	2.66		mg/Kg		80	60 - 120	3	30
1,4-Dioxane	3.33	1.58		mg/Kg		47	31 - 105	13	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-1044357/3-A
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,2'-oxybis[1-chloropropane]	3.33	1.77		mg/Kg		53	50 - 126	4	30
2,3,4,6-Tetrachlorophenol	3.33	3.00		mg/Kg		90	62 - 120	1	30
2,4,5-Trichlorophenol	3.33	2.87		mg/Kg		86	64 - 120	1	30
2,4,6-Trichlorophenol	3.33	2.84		mg/Kg		85	65 - 120	3	30
2,4-Dichlorophenol	3.33	2.87		mg/Kg		86	66 - 120	4	30
2,4-Dimethylphenol	3.33	2.72		mg/Kg		82	75 - 136	5	30
2,4-Dinitrophenol	6.67	6.19		mg/Kg		93	41 - 120	3	30
2,4-Dinitrotoluene	3.33	3.02		mg/Kg		91	65 - 124	1	30
2,6-Dinitrotoluene	3.33	2.88		mg/Kg		87	67 - 121	2	30
2-Chloronaphthalene	3.33	2.55		mg/Kg		76	64 - 120	4	30
2-Chlorophenol	3.33	2.57		mg/Kg		77	63 - 120	4	30
2-Methylnaphthalene	3.33	2.60		mg/Kg		78	56 - 102	3	30
2-Methylphenol	3.33	2.58		mg/Kg		77	63 - 120	5	30
2-Nitroaniline	3.33	1.94		mg/Kg		58	52 - 120	1	30
2-Nitrophenol	3.33	2.69		mg/Kg		81	64 - 120	6	30
3 & 4 Methylphenol	3.33	2.60		mg/Kg		78	61 - 120	5	30
3,3'-Dichlorobenzidine	3.33	2.08		mg/Kg		62	10 - 106	8	30
3-Nitroaniline	3.33	2.06		mg/Kg		62	18 - 105	9	30
4,6-Dinitro-2-methylphenol	6.67	6.58		mg/Kg		99	61 - 127	1	30
4-Bromophenyl phenyl ether	3.33	3.05		mg/Kg		92	64 - 120	3	30
4-Chloro-3-methylphenol	3.33	2.80		mg/Kg		84	68 - 120	4	30
4-Chloroaniline	3.33	1.73		mg/Kg		52	10 - 107	10	30
4-Chlorophenyl phenyl ether	3.33	2.83		mg/Kg		85	62 - 120	1	30
4-Methylphenol	3.33	2.60		mg/Kg		78	61 - 120	5	30
4-Nitroaniline	3.33	2.64		mg/Kg		79	51 - 112	2	30
4-Nitrophenol	6.67	4.48		mg/Kg		67	52 - 122	4	30
Acenaphthene	3.33	2.57		mg/Kg		77	65 - 120	3	30
Acenaphthylene	3.33	2.59		mg/Kg		78	68 - 120	3	30
Acetophenone	3.33	2.34		mg/Kg		70	61 - 111	3	30
Anthracene	3.33	2.86		mg/Kg		86	67 - 120	1	30
Atrazine	1.33	3.57	*	mg/Kg		268	52 - 150	6	30
Benzaldehyde	1.33	2.30	*	mg/Kg		172	45 - 150	7	30
Benzo[a]anthracene	3.33	2.65		mg/Kg		80	66 - 120	2	30
Benzo[a]pyrene	3.33	3.06		mg/Kg		92	69 - 123	1	30
Benzo[b]fluoranthene	3.33	2.95		mg/Kg		89	66 - 125	7	30
Benzo[g,h,i]perylene	3.33	3.05		mg/Kg		92	66 - 138	2	30
Benzo[k]fluoranthene	3.33	3.03		mg/Kg		91	67 - 122	11	30
Bis(2-chloroethoxy)methane	3.33	2.27		mg/Kg		68	62 - 120	4	30
Bis(2-chloroethyl)ether	3.33	2.21		mg/Kg		66	60 - 120	2	30
Bis(2-ethylhexyl) phthalate	3.33	2.56		mg/Kg		77	64 - 125	3	30
Butyl benzyl phthalate	3.33	2.52		mg/Kg		76	62 - 127	3	30
Caprolactam	1.33	2.47	*	mg/Kg		185	46 - 150	6	30
Carbazole	3.33	2.90		mg/Kg		87	64 - 120	1	30
Chrysene	3.33	2.63		mg/Kg		79	67 - 120	2	30
Dibenz(a,h)anthracene	3.33	3.01		mg/Kg		90	66 - 128	3	30
Dibenzofuran	3.33	2.66		mg/Kg		80	61 - 120	2	30
Diethyl phthalate	3.33	2.71		mg/Kg		81	63 - 120	2	30
Dimethyl phthalate	3.33	2.71		mg/Kg		81	65 - 120	2	30
Di-n-butyl phthalate	3.33	2.90		mg/Kg		87	61 - 120	2	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-1044357/3-A
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1044357

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Di-n-octyl phthalate			3.33	2.68		mg/Kg		80	61 - 123	1	30
Fluoranthene			3.33	3.01		mg/Kg		90	61 - 120	3	30
Fluorene			3.33	2.70		mg/Kg		81	64 - 120	2	30
Hexachlorobenzene			3.33	3.08		mg/Kg		92	66 - 120	2	30
Hexachlorobutadiene			3.33	2.75		mg/Kg		82	62 - 120	4	30
Hexachlorocyclopentadiene			3.33	1.94		mg/Kg		58	32 - 150	6	30
Hexachloroethane			3.33	2.31		mg/Kg		69	61 - 112	5	30
Indeno[1,2,3-cd]pyrene			3.33	2.99		mg/Kg		90	63 - 137	2	30
Isophorone			3.33	2.23		mg/Kg		67	61 - 120	3	30
Naphthalene			3.33	2.48		mg/Kg		75	63 - 113	4	30
Nitrobenzene			3.33	2.53		mg/Kg		76	63 - 120	4	30
N-Nitrosodi-n-propylamine			3.33	2.30		mg/Kg		69	60 - 120	5	30
N-Nitrosodiphenylamine			3.33	2.82		mg/Kg		84	63 - 120	2	30
Pentachlorophenol			6.67	6.44		mg/Kg		97	61 - 126	2	30
Phenanthrene			3.33	2.82		mg/Kg		85	66 - 120	1	30
Phenol			3.33	2.39		mg/Kg		72	63 - 120	4	30
Pyrene			3.33	2.56		mg/Kg		77	61 - 121	3	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*89*		*18 - 137*
2-Fluorobiphenyl	*72*		*33 - 117*
2-Fluorophenol (Surr)	*68*		*24 - 120*
Nitrobenzene-d5 (Surr)	*60*		*27 - 120*
Phenol-d5 (Surr)	*68*		*28 - 118*
Terphenyl-d14 (Surr)	*71*		*33 - 124*

Lab Sample ID: 460-328592-1 MS
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: SI-SB-1 (14-15)
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
1,1'-Biphenyl	0.34	U	3.39	2.45		mg/Kg	☼	72	64 - 120
1,2,4,5-Tetrachlorobenzene	0.34	U	3.39	2.62		mg/Kg	☼	77	60 - 120
1,4-Dioxane	0.034	U	3.39	1.49		mg/Kg	☼	44	31 - 105
2,2'-oxybis[1-chloropropane]	0.34	U	3.39	1.63	*	mg/Kg	☼	48	50 - 126
2,3,4,6-Tetrachlorophenol	0.34	U	3.39	2.94		mg/Kg	☼	87	62 - 120
2,4,5-Trichlorophenol	0.34	U	3.39	2.79		mg/Kg	☼	82	64 - 120
2,4,6-Trichlorophenol	0.14	U	3.39	2.77		mg/Kg	☼	82	65 - 120
2,4-Dichlorophenol	0.14	U	3.39	2.85		mg/Kg	☼	84	66 - 120
2,4-Dimethylphenol	0.34	U	3.39	2.59		mg/Kg	☼	76	75 - 136
2,4-Dinitrophenol	0.27	U	6.78	0.762	*	mg/Kg	☼	11	41 - 120
2,4-Dinitrotoluene	0.068	U	3.39	2.81		mg/Kg	☼	83	65 - 124
2,6-Dinitrotoluene	0.068	U	3.39	2.70		mg/Kg	☼	79	67 - 121
2-Chloronaphthalene	0.34	U	3.39	2.50		mg/Kg	☼	74	64 - 120
2-Chlorophenol	0.34	U	3.39	2.50		mg/Kg	☼	74	63 - 120
2-Methylnaphthalene	0.34	U	3.39	2.59		mg/Kg	☼	76	56 - 102
2-Methylphenol	0.34	U	3.39	2.47		mg/Kg	☼	73	63 - 120
2-Nitroaniline	0.34	U	3.39	1.85		mg/Kg	☼	55	52 - 120

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-328592-1 MS
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: SI-SB-1 (14-15)
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
2-Nitrophenol	0.34	U	3.39	2.43		mg/Kg	☼	72	64 - 120
3 & 4 Methylphenol	0.34	U	3.39	2.50		mg/Kg	☼	74	61 - 120
3,3'-Dichlorobenzidine	0.14	U	3.39	2.54		mg/Kg	☼	75	10 - 106
3-Nitroaniline	0.34	U	3.39	2.29		mg/Kg	☼	68	18 - 105
4,6-Dinitro-2-methylphenol	0.27	U	6.78	0.890	*	mg/Kg	☼	13	61 - 127
4-Bromophenyl phenyl ether	0.34	U	3.39	2.99		mg/Kg	☼	88	64 - 120
4-Chloro-3-methylphenol	0.34	U	3.39	2.64		mg/Kg	☼	78	68 - 120
4-Chloroaniline	0.34	U	3.39	1.93		mg/Kg	☼	57	10 - 107
4-Chlorophenyl phenyl ether	0.34	U	3.39	2.78		mg/Kg	☼	82	62 - 120
4-Methylphenol	0.34	U	3.39	2.50		mg/Kg	☼	74	61 - 120
4-Nitroaniline	0.34	U	3.39	2.28		mg/Kg	☼	67	51 - 112
4-Nitrophenol	0.68	U	6.78	4.01		mg/Kg	☼	59	52 - 122
Acenaphthene	0.34	U	3.39	2.48		mg/Kg	☼	73	65 - 120
Acenaphthylene	0.34	U	3.39	2.53		mg/Kg	☼	74	68 - 120
Acetophenone	0.34	U	3.39	2.23		mg/Kg	☼	66	61 - 111
Anthracene	0.34	U	3.39	2.72		mg/Kg	☼	80	67 - 120
Atrazine	0.14	U *	1.36	3.00	E *	mg/Kg	☼	221	52 - 150
Benzaldehyde	0.34	U *	1.36	1.85	E	mg/Kg	☼	136	45 - 150
Benzo[a]anthracene	0.034	U	3.39	2.50		mg/Kg	☼	74	66 - 120
Benzo[a]pyrene	0.034	U	3.39	2.93		mg/Kg	☼	86	69 - 123
Benzo[b]fluoranthene	0.034	U	3.39	2.89		mg/Kg	☼	85	66 - 125
Benzo[g,h,i]perylene	0.34	U	3.39	2.14	*	mg/Kg	☼	63	66 - 138
Benzo[k]fluoranthene	0.034	U	3.39	2.78		mg/Kg	☼	82	67 - 122
Bis(2-chloroethoxy)methane	0.34	U	3.39	2.15		mg/Kg	☼	63	62 - 120
Bis(2-chloroethyl)ether	0.034	U	3.39	2.14		mg/Kg	☼	63	60 - 120
Bis(2-ethylhexyl) phthalate	0.34	U	3.39	2.43		mg/Kg	☼	72	64 - 125
Butyl benzyl phthalate	0.34	U	3.39	2.40		mg/Kg	☼	71	62 - 127
Caprolactam	0.34	U *	1.36	2.00		mg/Kg	☼	148	46 - 150
Carbazole	0.34	U	3.39	2.71		mg/Kg	☼	80	64 - 120
Chrysene	0.34	U	3.39	2.54		mg/Kg	☼	75	67 - 120
Dibenz(a,h)anthracene	0.034	U	3.39	2.33		mg/Kg	☼	69	66 - 128
Dibenzofuran	0.34	U	3.39	2.63		mg/Kg	☼	77	61 - 120
Diethyl phthalate	0.34	U	3.39	2.60		mg/Kg	☼	77	63 - 120
Dimethyl phthalate	0.34	U	3.39	2.59		mg/Kg	☼	76	65 - 120
Di-n-butyl phthalate	0.34	U	3.39	2.76		mg/Kg	☼	81	61 - 120
Di-n-octyl phthalate	0.34	U	3.39	2.58		mg/Kg	☼	76	61 - 123
Fluoranthene	0.34	U	3.39	2.87		mg/Kg	☼	85	61 - 120
Fluorene	0.34	U	3.39	2.63		mg/Kg	☼	77	64 - 120
Hexachlorobenzene	0.034	U	3.39	3.02		mg/Kg	☼	89	66 - 120
Hexachlorobutadiene	0.068	U	3.39	2.78		mg/Kg	☼	82	62 - 120
Hexachlorocyclopentadiene	0.34	U	3.39	0.898	*	mg/Kg	☼	26	32 - 150
Hexachloroethane	0.034	U	3.39	2.19		mg/Kg	☼	65	61 - 112
Indeno[1,2,3-cd]pyrene	0.034	U	3.39	2.21		mg/Kg	☼	65	63 - 137
Isophorone	0.14	U	3.39	2.14		mg/Kg	☼	63	61 - 120
Naphthalene	0.34	U	3.39	2.44		mg/Kg	☼	72	63 - 113
Nitrobenzene	0.034	U	3.39	2.47		mg/Kg	☼	73	63 - 120
N-Nitrosodi-n-propylamine	0.034	U	3.39	2.09		mg/Kg	☼	62	60 - 120
N-Nitrosodiphenylamine	0.34	U	3.39	2.74		mg/Kg	☼	81	63 - 120
Pentachlorophenol	0.27	U	6.78	6.34		mg/Kg	☼	93	61 - 126

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-328592-1 MS
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: SI-SB-1 (14-15)
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Phenanthrene	0.34	U	3.39	2.73		mg/Kg	☼	81	66 - 120
Phenol	0.34	U	3.39	2.28		mg/Kg	☼	67	63 - 120
Pyrene	0.34	U	3.39	2.39		mg/Kg	☼	70	61 - 121

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	87		18 - 137
2-Fluorobiphenyl	69		33 - 117
2-Fluorophenol (Surr)	66		24 - 120
Nitrobenzene-d5 (Surr)	58		27 - 120
Phenol-d5 (Surr)	64		28 - 118
Terphenyl-d14 (Surr)	66		33 - 124

Lab Sample ID: 460-328592-1 MSD
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: SI-SB-1 (14-15)
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1'-Biphenyl	0.34	U	3.40	2.52		mg/Kg	☼	74	64 - 120	3	30
1,2,4,5-Tetrachlorobenzene	0.34	U	3.40	2.71		mg/Kg	☼	80	60 - 120	3	30
1,4-Dioxane	0.034	U	3.40	1.34		mg/Kg	☼	39	31 - 105	11	30
2,2'-oxybis[1-chloropropane]	0.34	U	3.40	1.72		mg/Kg	☼	51	50 - 126	5	30
2,3,4,6-Tetrachlorophenol	0.34	U	3.40	3.03		mg/Kg	☼	89	62 - 120	3	30
2,4,5-Trichlorophenol	0.34	U	3.40	2.87		mg/Kg	☼	84	64 - 120	3	30
2,4,6-Trichlorophenol	0.14	U	3.40	2.89		mg/Kg	☼	85	65 - 120	4	30
2,4-Dichlorophenol	0.14	U	3.40	2.94		mg/Kg	☼	87	66 - 120	3	30
2,4-Dimethylphenol	0.34	U	3.40	2.69		mg/Kg	☼	79	75 - 136	4	30
2,4-Dinitrophenol	0.27	U	6.79	1.01	*	mg/Kg	☼	15	41 - 120	28	30
2,4-Dinitrotoluene	0.068	U	3.40	2.95		mg/Kg	☼	87	65 - 124	5	30
2,6-Dinitrotoluene	0.068	U	3.40	2.85		mg/Kg	☼	84	67 - 121	6	30
2-Chloronaphthalene	0.34	U	3.40	2.58		mg/Kg	☼	76	64 - 120	3	30
2-Chlorophenol	0.34	U	3.40	2.62		mg/Kg	☼	77	63 - 120	5	30
2-Methylnaphthalene	0.34	U	3.40	2.66		mg/Kg	☼	78	56 - 102	3	30
2-Methylphenol	0.34	U	3.40	2.61		mg/Kg	☼	77	63 - 120	6	30
2-Nitroaniline	0.34	U	3.40	1.96		mg/Kg	☼	58	52 - 120	6	30
2-Nitrophenol	0.34	U	3.40	2.60		mg/Kg	☼	76	64 - 120	6	30
3 & 4 Methylphenol	0.34	U	3.40	2.62		mg/Kg	☼	77	61 - 120	5	30
3,3'-Dichlorobenzidine	0.14	U	3.40	2.71		mg/Kg	☼	80	10 - 106	6	30
3-Nitroaniline	0.34	U	3.40	2.37		mg/Kg	☼	70	18 - 105	4	30
4,6-Dinitro-2-methylphenol	0.27	U	6.79	1.26	*	mg/Kg	☼	19	61 - 127	34	30
4-Bromophenyl phenyl ether	0.34	U	3.40	3.08		mg/Kg	☼	91	64 - 120	3	30
4-Chloro-3-methylphenol	0.34	U	3.40	2.74		mg/Kg	☼	81	68 - 120	4	30
4-Chloroaniline	0.34	U	3.40	2.05		mg/Kg	☼	60	10 - 107	6	30
4-Chlorophenyl phenyl ether	0.34	U	3.40	2.84		mg/Kg	☼	84	62 - 120	2	30
4-Methylphenol	0.34	U	3.40	2.62		mg/Kg	☼	77	61 - 120	5	30
4-Nitroaniline	0.34	U	3.40	2.36		mg/Kg	☼	70	51 - 112	4	30
4-Nitrophenol	0.68	U	6.79	4.29		mg/Kg	☼	63	52 - 122	7	30
Acenaphthene	0.34	U	3.40	2.58		mg/Kg	☼	76	65 - 120	4	30
Acenaphthylene	0.34	U	3.40	2.57		mg/Kg	☼	76	68 - 120	2	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-328592-1 MSD
Matrix: Solid
Analysis Batch: 1044412

Client Sample ID: SI-SB-1 (14-15)
Prep Type: Total/NA
Prep Batch: 1044357

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acetophenone	0.34	U	3.40	2.37		mg/Kg	☼	70	61 - 111	6	30
Anthracene	0.34	U	3.40	2.82		mg/Kg	☼	83	67 - 120	3	30
Atrazine	0.14	U *	1.36	3.29	E *	mg/Kg	☼	242	52 - 150	9	30
Benzaldehyde	0.34	U *	1.36	2.02	E	mg/Kg	☼	148	45 - 150	9	30
Benzo[a]anthracene	0.034	U	3.40	2.67		mg/Kg	☼	79	66 - 120	7	30
Benzo[a]pyrene	0.034	U	3.40	3.03		mg/Kg	☼	89	69 - 123	3	30
Benzo[b]fluoranthene	0.034	U	3.40	3.21		mg/Kg	☼	95	66 - 125	10	30
Benzo[g,h,i]perylene	0.34	U	3.40	2.43		mg/Kg	☼	72	66 - 138	13	30
Benzo[k]fluoranthene	0.034	U	3.40	2.73		mg/Kg	☼	80	67 - 122	2	30
Bis(2-chloroethoxy)methane	0.34	U	3.40	2.24		mg/Kg	☼	66	62 - 120	4	30
Bis(2-chloroethyl)ether	0.034	U	3.40	2.24		mg/Kg	☼	66	60 - 120	5	30
Bis(2-ethylhexyl) phthalate	0.34	U	3.40	2.51		mg/Kg	☼	74	64 - 125	4	30
Butyl benzyl phthalate	0.34	U	3.40	2.49		mg/Kg	☼	73	62 - 127	4	30
Caprolactam	0.34	U *	1.36	2.11	*	mg/Kg	☼	155	46 - 150	5	30
Carbazole	0.34	U	3.40	2.83		mg/Kg	☼	83	64 - 120	4	30
Chrysene	0.34	U	3.40	2.61		mg/Kg	☼	77	67 - 120	3	30
Dibenz(a,h)anthracene	0.034	U	3.40	2.55		mg/Kg	☼	75	66 - 128	9	30
Dibenzofuran	0.34	U	3.40	2.63		mg/Kg	☼	78	61 - 120	0	30
Diethyl phthalate	0.34	U	3.40	2.65		mg/Kg	☼	78	63 - 120	2	30
Dimethyl phthalate	0.34	U	3.40	2.66		mg/Kg	☼	78	65 - 120	2	30
Di-n-butyl phthalate	0.34	U	3.40	2.88		mg/Kg	☼	85	61 - 120	4	30
Di-n-octyl phthalate	0.34	U	3.40	2.72		mg/Kg	☼	80	61 - 123	5	30
Fluoranthene	0.34	U	3.40	2.98		mg/Kg	☼	88	61 - 120	4	30
Fluorene	0.34	U	3.40	2.71		mg/Kg	☼	80	64 - 120	3	30
Hexachlorobenzene	0.034	U	3.40	3.06		mg/Kg	☼	90	66 - 120	1	30
Hexachlorobutadiene	0.068	U	3.40	2.81		mg/Kg	☼	83	62 - 120	1	30
Hexachlorocyclopentadiene	0.34	U	3.40	1.09		mg/Kg	☼	32	32 - 150	20	30
Hexachloroethane	0.034	U	3.40	2.24		mg/Kg	☼	66	61 - 112	2	30
Indeno[1,2,3-cd]pyrene	0.034	U	3.40	2.50		mg/Kg	☼	74	63 - 137	12	30
Isophorone	0.14	U	3.40	2.21		mg/Kg	☼	65	61 - 120	3	30
Naphthalene	0.34	U	3.40	2.51		mg/Kg	☼	74	63 - 113	2	30
Nitrobenzene	0.034	U	3.40	2.57		mg/Kg	☼	76	63 - 120	4	30
N-Nitrosodi-n-propylamine	0.034	U	3.40	2.23		mg/Kg	☼	66	60 - 120	6	30
N-Nitrosodiphenylamine	0.34	U	3.40	2.79		mg/Kg	☼	82	63 - 120	2	30
Pentachlorophenol	0.27	U	6.79	6.61		mg/Kg	☼	97	61 - 126	4	30
Phenanthrene	0.34	U	3.40	2.80		mg/Kg	☼	82	66 - 120	2	30
Phenol	0.34	U	3.40	2.42		mg/Kg	☼	71	63 - 120	6	30
Pyrene	0.34	U	3.40	2.50		mg/Kg	☼	73	61 - 121	4	30

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*91*		*18 - 137*
2-Fluorobiphenyl	*72*		*33 - 117*
2-Fluorophenol (Surr)	*69*		*24 - 120*
Nitrobenzene-d5 (Surr)	*60*		*27 - 120*
Phenol-d5 (Surr)	*67*		*28 - 118*
Terphenyl-d14 (Surr)	*69*		*33 - 124*

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-1045197/1-A
Matrix: Solid
Analysis Batch: 1045329

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1045197

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	20.0	U	20.0	5.5	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Antimony	1.0	U	1.0	0.15	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Arsenic	1.0	U	1.0	0.10	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Barium	2.0	U	2.0	0.15	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Beryllium	0.40	U	0.40	0.022	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Cadmium	1.0	U	1.0	0.11	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Calcium	100	U	100	9.7	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Chromium	2.0	U	2.0	0.30	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Cobalt	2.0	U	2.0	0.15	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Copper	2.0	U	2.0	0.37	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Iron	60.0	U	60.0	7.7	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Lead	0.60	U	0.60	0.20	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Magnesium	100	U	100	10.2	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Manganese	4.0	U	4.0	0.40	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Nickel	2.0	U	2.0	0.18	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Potassium	100	U	100	16.2	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Selenium	1.3	U	1.3	0.13	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Silver	0.40	U	0.40	0.089	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Sodium	100	U	100	45.7	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Thallium	0.40	U	0.40	0.041	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Vanadium	2.0	U	2.0	0.21	mg/Kg		06/20/25 23:30	06/21/25 13:30	1
Zinc	8.0	U	8.0	1.1	mg/Kg		06/20/25 23:30	06/21/25 13:30	1

Lab Sample ID: LCSSRM 460-1045197/2-A ^3
Matrix: Solid
Analysis Batch: 1045329

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045197

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	6840	5368		mg/Kg		78.5	53.2 - 146.2
Antimony	131	67.31		mg/Kg		51.4	4.5 - 195.4
Arsenic	192	169.6		mg/Kg		88.3	81.3 - 118.8
Barium	219	195.3		mg/Kg		89.2	81.7 - 118.3
Beryllium	146	130.9		mg/Kg		89.7	82.2 - 117.8
Cadmium	114	100.8		mg/Kg		88.4	81.7 - 118.4
Calcium	4080	3615		mg/Kg		88.6	82.4 - 117.6
Chromium	153	138.1		mg/Kg		90.3	81.0 - 119.0
Cobalt	231	210.8		mg/Kg		91.3	83.1 - 117.3
Copper	91.2	82.34		mg/Kg		90.3	83.1 - 117.3
Iron	7020	5721		mg/Kg		81.5	60.7 - 139.2
Lead	141	123.7		mg/Kg		87.7	81.6 - 118.4

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-1045197/2-A ^3
Matrix: Solid
Analysis Batch: 1045329

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045197

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Magnesium	1900	1646		mg/Kg		86.6	76.3 - 123.7
Manganese	401	351.0		mg/Kg		87.5	80.8 - 119.0
Nickel	143	134.4		mg/Kg		94.0	81.8 - 118.9
Potassium	1760	1457		mg/Kg		82.8	72.2 - 127.8
Selenium	94.7	86.41		mg/Kg		91.2	78.5 - 121.4
Silver	77.0	69.78		mg/Kg		90.6	79.4 - 120.6
Sodium	661	598.4		mg/Kg		90.5	73.7 - 126.2
Thallium	183	167.2		mg/Kg		91.4	80.3 - 119.7
Vanadium	159	140.7		mg/Kg		88.5	78.6 - 122.0
Zinc	292	268.1		mg/Kg		91.8	79.8 - 120.2

Lab Sample ID: MB 460-1045330/1-A
Matrix: Solid
Analysis Batch: 1045433

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1045330

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	20.0	U	20.0	5.5	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Antimony	1.0	U	1.0	0.15	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Arsenic	1.0	U	1.0	0.10	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Barium	2.0	U	2.0	0.15	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Beryllium	0.40	U	0.40	0.022	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Cadmium	1.0	U	1.0	0.11	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Calcium	100	U	100	9.7	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Chromium	2.0	U	2.0	0.30	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Cobalt	2.0	U	2.0	0.15	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Copper	2.0	U	2.0	0.37	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Iron	60.0	U	60.0	7.7	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Lead	0.60	U	0.60	0.20	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Magnesium	100	U	100	10.2	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Manganese	4.0	U	4.0	0.40	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Nickel	2.0	U	2.0	0.18	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Potassium	100	U	100	16.2	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Selenium	1.3	U	1.3	0.13	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Silver	0.40	U	0.40	0.089	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Sodium	100	U	100	45.7	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Thallium	0.40	U	0.40	0.041	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Vanadium	2.0	U	2.0	0.21	mg/Kg		06/21/25 18:10	06/22/25 16:12	1
Zinc	8.0	U	8.0	1.1	mg/Kg		06/21/25 18:10	06/22/25 16:12	1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-1045330/2-A ^3
Matrix: Solid
Analysis Batch: 1045433

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045330

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	6840	5675		mg/Kg		83.0	53.2 - 146.2
Antimony	131	59.01		mg/Kg		45.0	4.5 - 195.4
Arsenic	192	180.8		mg/Kg		94.2	81.3 - 118.8
Barium	219	214.3		mg/Kg		97.8	81.7 - 118.3
Beryllium	146	137.5		mg/Kg		94.2	82.2 - 117.8
Cadmium	114	105.5		mg/Kg		92.5	81.7 - 118.4
Calcium	4080	3918		mg/Kg		96.0	82.4 - 117.6
Chromium	153	146.2		mg/Kg		95.6	81.0 - 119.0
Cobalt	231	223.4		mg/Kg		96.7	83.1 - 117.3
Copper	91.2	87.64		mg/Kg		96.1	83.1 - 117.3
Iron	7020	6077		mg/Kg		86.6	60.7 - 139.2
Lead	141	130.1		mg/Kg		92.3	81.6 - 118.4
Magnesium	1900	1665		mg/Kg		87.6	76.3 - 123.7
Manganese	401	368.7		mg/Kg		92.0	80.8 - 119.0
Nickel	143	141.6		mg/Kg		99.0	81.8 - 118.9
Potassium	1760	1521		mg/Kg		86.4	72.2 - 127.8
Selenium	94.7	92.34		mg/Kg		97.5	78.5 - 121.4
Silver	77.0	72.65		mg/Kg		94.4	79.4 - 120.6
Sodium	661	632.5		mg/Kg		95.7	73.7 - 126.2
Thallium	183	193.8		mg/Kg		105.9	80.3 - 119.7
Vanadium	159	144.8		mg/Kg		91.1	78.6 - 122.0
Zinc	292	276.8		mg/Kg		94.8	79.8 - 120.2

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-1045450/1-A
Matrix: Solid
Analysis Batch: 1045615

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1045450

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.017	U	0.017	0.0080	mg/Kg		06/23/25 02:25	06/23/25 14:25	1

Method: 7471B - Mercury (CVAA) (Continued)

Lab Sample ID: LCSSRM 460-1045450/2-A
Matrix: Solid
Analysis Batch: 1045615

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045450

Analyte			Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits		
Mercury			14.1	11.11		mg/Kg		78.8	69.6 - 130.5		

Lab Sample ID: 460-328592-1 MS
Matrix: Solid
Analysis Batch: 1045615

Client Sample ID: SI-SB-1 (14-15)
Prep Type: Total/NA
Prep Batch: 1045450

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Mercury	0.017	U	0.0810	0.0804		mg/Kg	☼	99	80 - 120		

Lab Sample ID: 460-328592-1 DU
Matrix: Solid
Analysis Batch: 1045615

Client Sample ID: SI-SB-1 (14-15)
Prep Type: Total/NA
Prep Batch: 1045450

Analyte	Sample Result	Sample Qualifier		DU Result	DU Qualifier	Unit	D			RPD	RPD Limit
Mercury	0.017	U		0.017	U	mg/Kg	☼			NC	20

GC/MS VOA

Prep Batch: 1044262

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	5035	
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	5035	
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	5035	
460-328592-4	DW-1 (10-11)	Total/NA	Solid	5035	
460-328592-5	DW-1 (14-15)	Total/NA	Solid	5035	
460-328592-6	DW-2 (3-4)	Total/NA	Solid	5035	
460-328592-7	DW-2 (7-8)	Total/NA	Solid	5035	

Analysis Batch: 1045112

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	8260D	1044262
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	8260D	1044262
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	8260D	1044262
460-328592-4	DW-1 (10-11)	Total/NA	Solid	8260D	1044262
460-328592-5	DW-1 (14-15)	Total/NA	Solid	8260D	1044262
460-328592-6	DW-2 (3-4)	Total/NA	Solid	8260D	1044262
460-328592-7	DW-2 (7-8)	Total/NA	Solid	8260D	1044262
MB 460-1045112/7	Method Blank	Total/NA	Solid	8260D	
LCS 460-1045112/3	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 460-1045112/4	Lab Control Sample Dup	Total/NA	Solid	8260D	

GC/MS Semi VOA

Prep Batch: 1044357

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	3546	
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	3546	
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	3546	
460-328592-4	DW-1 (10-11)	Total/NA	Solid	3546	
460-328592-5	DW-1 (14-15)	Total/NA	Solid	3546	
460-328592-6	DW-2 (3-4)	Total/NA	Solid	3546	
460-328592-7	DW-2 (7-8)	Total/NA	Solid	3546	
MB 460-1044357/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-1044357/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 460-1044357/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
460-328592-1 MS	SI-SB-1 (14-15)	Total/NA	Solid	3546	
460-328592-1 MSD	SI-SB-1 (14-15)	Total/NA	Solid	3546	

Analysis Batch: 1044412

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	8270E	1044357
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	8270E	1044357
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	8270E	1044357
460-328592-4	DW-1 (10-11)	Total/NA	Solid	8270E	1044357
460-328592-5	DW-1 (14-15)	Total/NA	Solid	8270E	1044357
460-328592-6	DW-2 (3-4)	Total/NA	Solid	8270E	1044357
460-328592-7	DW-2 (7-8)	Total/NA	Solid	8270E	1044357
MB 460-1044357/1-A	Method Blank	Total/NA	Solid	8270E	1044357
LCS 460-1044357/2-A	Lab Control Sample	Total/NA	Solid	8270E	1044357
LCSD 460-1044357/3-A	Lab Control Sample Dup	Total/NA	Solid	8270E	1044357
460-328592-1 MS	SI-SB-1 (14-15)	Total/NA	Solid	8270E	1044357

GC/MS Semi VOA (Continued)

Analysis Batch: 1044412 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1 MSD	SI-SB-1 (14-15)	Total/NA	Solid	8270E	1044357

Metals

Prep Batch: 1045197

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	3050B	
MB 460-1045197/1-A	Method Blank	Total/NA	Solid	3050B	
LCSSRM 460-1045197/2-A ^	Lab Control Sample	Total/NA	Solid	3050B	

Analysis Batch: 1045329

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	6020B	1045197
MB 460-1045197/1-A	Method Blank	Total/NA	Solid	6020B	1045197
LCSSRM 460-1045197/2-A ^	Lab Control Sample	Total/NA	Solid	6020B	1045197

Prep Batch: 1045330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	3050B	
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	3050B	
460-328592-4	DW-1 (10-11)	Total/NA	Solid	3050B	
460-328592-5	DW-1 (14-15)	Total/NA	Solid	3050B	
460-328592-6	DW-2 (3-4)	Total/NA	Solid	3050B	
460-328592-7	DW-2 (7-8)	Total/NA	Solid	3050B	
MB 460-1045330/1-A	Method Blank	Total/NA	Solid	3050B	
LCSSRM 460-1045330/2-A ^	Lab Control Sample	Total/NA	Solid	3050B	

Analysis Batch: 1045433

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	6020B	1045330
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	6020B	1045330
460-328592-4	DW-1 (10-11)	Total/NA	Solid	6020B	1045330
460-328592-5	DW-1 (14-15)	Total/NA	Solid	6020B	1045330
460-328592-6	DW-2 (3-4)	Total/NA	Solid	6020B	1045330
460-328592-7	DW-2 (7-8)	Total/NA	Solid	6020B	1045330
MB 460-1045330/1-A	Method Blank	Total/NA	Solid	6020B	1045330
LCSSRM 460-1045330/2-A ^	Lab Control Sample	Total/NA	Solid	6020B	1045330

Prep Batch: 1045450

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	7471B	
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	7471B	
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	7471B	
460-328592-4	DW-1 (10-11)	Total/NA	Solid	7471B	
460-328592-5	DW-1 (14-15)	Total/NA	Solid	7471B	
460-328592-6	DW-2 (3-4)	Total/NA	Solid	7471B	
460-328592-7	DW-2 (7-8)	Total/NA	Solid	7471B	
MB 460-1045450/1-A	Method Blank	Total/NA	Solid	7471B	
LCSSRM 460-1045450/2-A	Lab Control Sample	Total/NA	Solid	7471B	
460-328592-1 MS	SI-SB-1 (14-15)	Total/NA	Solid	7471B	
460-328592-1 DU	SI-SB-1 (14-15)	Total/NA	Solid	7471B	

QC Association Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Metals

Analysis Batch: 1045615

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	7471B	1045450
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	7471B	1045450
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	7471B	1045450
460-328592-4	DW-1 (10-11)	Total/NA	Solid	7471B	1045450
460-328592-5	DW-1 (14-15)	Total/NA	Solid	7471B	1045450
460-328592-6	DW-2 (3-4)	Total/NA	Solid	7471B	1045450
460-328592-7	DW-2 (7-8)	Total/NA	Solid	7471B	1045450
MB 460-1045450/1-A	Method Blank	Total/NA	Solid	7471B	1045450
LCSSRM 460-1045450/2-A	Lab Control Sample	Total/NA	Solid	7471B	1045450
460-328592-1 MS	SI-SB-1 (14-15)	Total/NA	Solid	7471B	1045450
460-328592-1 DU	SI-SB-1 (14-15)	Total/NA	Solid	7471B	1045450

General Chemistry

Analysis Batch: 1044266

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328592-1	SI-SB-1 (14-15)	Total/NA	Solid	Moisture	
460-328592-2	SI-SB-2 (9-10)	Total/NA	Solid	Moisture	
460-328592-3	SI-SB-3 (9-10)	Total/NA	Solid	Moisture	
460-328592-4	DW-1 (10-11)	Total/NA	Solid	Moisture	
460-328592-5	DW-1 (14-15)	Total/NA	Solid	Moisture	
460-328592-6	DW-2 (3-4)	Total/NA	Solid	Moisture	
460-328592-7	DW-2 (7-8)	Total/NA	Solid	Moisture	

Lab Chronicle

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: SI-SB-1 (14-15)
Date Collected: 06/13/25 08:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1044266	CJC	EET EDI	06/17/25 17:40

Client Sample ID: SI-SB-1 (14-15)
Date Collected: 06/13/25 08:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-1
Matrix: Solid
Percent Solids: 98.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1044262	JCZ	EET EDI	06/17/25 15:16
Total/NA	Analysis	8260D		1	1045112	AAT	EET EDI	06/21/25 00:04
Total/NA	Prep	3546			1044357	BJB	EET EDI	06/18/25 06:27
Total/NA	Analysis	8270E		1	1044412	DXD	EET EDI	06/18/25 11:56
Total/NA	Prep	3050B			1045197	GAE	EET EDI	06/20/25 23:30
Total/NA	Analysis	6020B		1	1045329	CDC	EET EDI	06/21/25 14:54
Total/NA	Prep	7471B			1045450	TJS	EET EDI	06/23/25 02:25
Total/NA	Analysis	7471B		1	1045615	LBD	EET EDI	06/23/25 14:43

Client Sample ID: SI-SB-2 (9-10)
Date Collected: 06/13/25 09:15
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1044266	CJC	EET EDI	06/17/25 17:40

Client Sample ID: SI-SB-2 (9-10)
Date Collected: 06/13/25 09:15
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-2
Matrix: Solid
Percent Solids: 89.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1044262	JCZ	EET EDI	06/17/25 15:16
Total/NA	Analysis	8260D		1	1045112	AAT	EET EDI	06/21/25 00:28
Total/NA	Prep	3546			1044357	BJB	EET EDI	06/18/25 06:27
Total/NA	Analysis	8270E		1	1044412	DXD	EET EDI	06/18/25 12:14
Total/NA	Prep	3050B			1045330	GAE	EET EDI	06/21/25 18:10
Total/NA	Analysis	6020B		1	1045433	CDC	EET EDI	06/22/25 16:52
Total/NA	Prep	7471B			1045450	TJS	EET EDI	06/23/25 02:25
Total/NA	Analysis	7471B		1	1045615	LBD	EET EDI	06/23/25 14:48

Client Sample ID: SI-SB-3 (9-10)
Date Collected: 06/13/25 09:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328592-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1044266	CJC	EET EDI	06/17/25 17:40

Client Sample ID: SI-SB-3 (9-10)

Lab Sample ID: 460-328592-3
Date Collected: 06/13/25 09:30
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 97.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1044262	JCZ	EET EDI	06/17/25 15:16
Total/NA	Analysis	8260D		1	1045112	AAT	EET EDI	06/21/25 00:53
Total/NA	Prep	3546			1044357	BJB	EET EDI	06/18/25 06:27
Total/NA	Analysis	8270E		1	1044412	DXD	EET EDI	06/18/25 12:31
Total/NA	Prep	3050B			1045330	GAE	EET EDI	06/21/25 18:10
Total/NA	Analysis	6020B		1	1045433	CDC	EET EDI	06/22/25 16:55
Total/NA	Prep	7471B			1045450	TJS	EET EDI	06/23/25 02:25
Total/NA	Analysis	7471B		1	1045615	LBD	EET EDI	06/23/25 14:51

Client Sample ID: DW-1 (10-11)

Lab Sample ID: 460-328592-4
Date Collected: 06/13/25 09:47
Matrix: Solid
Date Received: 06/16/25 18:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1044266	CJC	EET EDI	06/17/25 17:40

Client Sample ID: DW-1 (10-11)

Lab Sample ID: 460-328592-4
Date Collected: 06/13/25 09:47
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 97.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1044262	JCZ	EET EDI	06/17/25 15:17
Total/NA	Analysis	8260D		1	1045112	AAT	EET EDI	06/21/25 01:17
Total/NA	Prep	3546			1044357	BJB	EET EDI	06/18/25 06:27
Total/NA	Analysis	8270E		1	1044412	DXD	EET EDI	06/18/25 18:58
Total/NA	Prep	3050B			1045330	GAE	EET EDI	06/21/25 18:10
Total/NA	Analysis	6020B		1	1045433	CDC	EET EDI	06/22/25 16:58
Total/NA	Prep	7471B			1045450	TJS	EET EDI	06/23/25 02:25
Total/NA	Analysis	7471B		1	1045615	LBD	EET EDI	06/23/25 14:54

Client Sample ID: DW-1 (14-15)

Lab Sample ID: 460-328592-5
Date Collected: 06/13/25 09:50
Matrix: Solid
Date Received: 06/16/25 18:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1044266	CJC	EET EDI	06/17/25 17:40

Client Sample ID: DW-1 (14-15)

Lab Sample ID: 460-328592-5
Date Collected: 06/13/25 09:50
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 98.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1044262	JCZ	EET EDI	06/17/25 15:17
Total/NA	Analysis	8260D		1	1045112	AAT	EET EDI	06/21/25 01:43
Total/NA	Prep	3546			1044357	BJB	EET EDI	06/18/25 06:27
Total/NA	Analysis	8270E		1	1044412	DXD	EET EDI	06/18/25 19:15

Lab Chronicle

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Client Sample ID: DW-1 (14-15)

Lab Sample ID: 460-328592-5
Date Collected: 06/13/25 09:50
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 98.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3050B			1045330	GAE	EET EDI	06/21/25 18:10
Total/NA	Analysis	6020B		1	1045433	CDC	EET EDI	06/22/25 17:01
Total/NA	Prep	7471B			1045450	TJS	EET EDI	06/23/25 02:25
Total/NA	Analysis	7471B		1	1045615	LBD	EET EDI	06/23/25 14:57

Client Sample ID: DW-2 (3-4)

Lab Sample ID: 460-328592-6
Date Collected: 06/13/25 09:59
Matrix: Solid
Date Received: 06/16/25 18:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1044266	CJC	EET EDI	06/17/25 17:40

Client Sample ID: DW-2 (3-4)

Lab Sample ID: 460-328592-6
Date Collected: 06/13/25 09:59
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 99.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1044262	JCZ	EET EDI	06/17/25 15:17
Total/NA	Analysis	8260D		1	1045112	AAT	EET EDI	06/21/25 02:08
Total/NA	Prep	3546			1044357	BJB	EET EDI	06/18/25 06:27
Total/NA	Analysis	8270E		1	1044412	DXD	EET EDI	06/18/25 19:33
Total/NA	Prep	3050B			1045330	GAE	EET EDI	06/21/25 18:10
Total/NA	Analysis	6020B		1	1045433	CDC	EET EDI	06/22/25 17:03
Total/NA	Prep	7471B			1045450	TJS	EET EDI	06/23/25 02:25
Total/NA	Analysis	7471B		1	1045615	LBD	EET EDI	06/23/25 15:00

Client Sample ID: DW-2 (7-8)

Lab Sample ID: 460-328592-7
Date Collected: 06/13/25 10:03
Matrix: Solid
Date Received: 06/16/25 18:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1044266	CJC	EET EDI	06/17/25 17:40

Client Sample ID: DW-2 (7-8)

Lab Sample ID: 460-328592-7
Date Collected: 06/13/25 10:03
Matrix: Solid
Date Received: 06/16/25 18:45
Percent Solids: 98.3

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1044262	JCZ	EET EDI	06/17/25 15:18
Total/NA	Analysis	8260D		1	1045112	AAT	EET EDI	06/21/25 02:33
Total/NA	Prep	3546			1044357	BJB	EET EDI	06/18/25 06:27
Total/NA	Analysis	8270E		1	1044412	DXD	EET EDI	06/18/25 12:49
Total/NA	Prep	3050B			1045330	GAE	EET EDI	06/21/25 18:10
Total/NA	Analysis	6020B		1	1045433	CDC	EET EDI	06/22/25 17:06
Total/NA	Prep	7471B			1045450	TJS	EET EDI	06/23/25 02:25
Total/NA	Analysis	7471B		1	1045615	LBD	EET EDI	06/23/25 15:03

Lab Chronicle

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: GEI Consultants Inc
Job ID: 460-328592-1
Project/Site: 20/40 Jerusalem Avenue

Laboratory: Eurofins Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	11452	03-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8270E	3546	Solid	3 & 4 Methylphenol
Moisture		Solid	Percent Moisture
Moisture		Solid	Percent Solids

Method Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8270E	Semivolatile Organic Compounds (GC/MS)	SW846	EET EDI
6020B	Metals (ICP/MS)	SW846	EET EDI
7471B	Mercury (CVAA)	SW846	EET EDI
Moisture	Percent Moisture	EPA	EET EDI
3050B	Preparation, Metals	SW846	EET EDI
3546	Microwave Extraction	SW846	EET EDI
5035	Closed System Purge and Trap	SW846	EET EDI
7471B	Preparation, Mercury	SW846	EET EDI

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328592-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-328592-1	SI-SB-1 (14-15)	Solid	06/13/25 08:30	06/16/25 18:45
460-328592-2	SI-SB-2 (9-10)	Solid	06/13/25 09:15	06/16/25 18:45
460-328592-3	SI-SB-3 (9-10)	Solid	06/13/25 09:30	06/16/25 18:45
460-328592-4	DW-1 (10-11)	Solid	06/13/25 09:47	06/16/25 18:45
460-328592-5	DW-1 (14-15)	Solid	06/13/25 09:50	06/16/25 18:45
460-328592-6	DW-2 (3-4)	Solid	06/13/25 09:59	06/16/25 18:45
460-328592-7	DW-2 (7-8)	Solid	06/13/25 10:03	06/16/25 18:45

Chain of Custody Record 761417

eurofins | Environment Testing

Address: _____

Regulatory Program: ☐ DW ☐ NPDES ☐ RCRA ☐ Other: TAL-8210

Client Contact	Project Manager: Rich F.	Site Contact: Leif R.	Date: 6/13/25	COC No: ___ of ___ COCs
Company Name: GET Consultants	Tel/Email: rfuccini@getconsultants.com	Lab Contact: Katelyn C.	Carrier:	Sampler:
Address: 1000 New York Ave	Analysis Turnaround Time			For Lab Use Only:
City/State/Zip: Huntington Station	☐ CALENDAR DAYS ☐ WORKING DAYS			Walk-in Client:
Phone:	TAT if different from Below ___			Lab Sampling:
Fax:	☐ 2 weeks ☐ 1 week ☐ 2 days ☐ 1 day			Job / SDG No.: 328592
Project Name: 20 + 40 Jerusalem				
Site:				
P O # 2503398				

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS / MSD (Y/N)	TCL VOC's	TCL SVOC's + 1,4 Dx	TAL metals / Mercury	Sample Specific Notes:
SI-SB-1 (14-15)	6/13	830	G	S	5			X	X	X	-1
SI-SB-2 (9-10)	6/13	915	G	S	5			X	X	X	-2
SI-SB-3 (9-10)	6/13	930	G	S	5			X	X	X	-3
DW-1 (10-11)	6/13	947	G	S	5			X	X	X	-4
DW-1 (14-15)	6/13	950	G	S	6			X	X	X	-5
DW-2 (3-4)	6/13	959	G	S	5			X	X	X	-6
DW-2 (7-8)	6/13	10:03	G	S	5			X	X	X	-7

SHO HO

NYC 222

460-328592 Chain of Custody

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other _____

Possible Hazard Identification:
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☐ Disposal by Lab ☐ Archive for ___ Months

Special Instructions/QC Requirements & Comments:

Custody Seals Intact: ☐ Yes ☐ No | Custody Seal No.: | Cooler Temp. (°C): Obs'd: ___ Corr'd: ___ | Therm ID No.: ___

	Company	Date/Time		Company	Date/Time
Relinquished by:	GET		Received by:	ETA	06-16-25 11:00 AM
Relinquished by: 06-16-25 1700 ETA	Company:	Date/Time:	Received by:	Company:	Date/Time:
Relinquished by:	Company: EET	Date/Time: 6/16/25 1845	Received in Laboratory by: Adele R	Company: ETA	Date/Time: 6/16/25 18:45

NO CS IRTH 0.3-0.7 / 0.9-1.3 °C

Eurofins TestAmerica Edison
Receipt Temperature and pH Log

Job Number: 328592

Number of Coolers: 2 IR Gun # 9

Cooler Temperatures

	RAW	CORRECTED		RAW	CORRECTED		RAW	CORRECTED
Cooler #1:	0.3 °C	0.7 °C	Cooler #4:	°C	°C	Cooler #7:	°C	°C
Cooler #2:	0.9 °C	1.3 °C	Cooler #5:	°C	°C	Cooler #8:	°C	°C
Cooler #3:	°C	°C	Cooler #6:	°C	°C	Cooler #9:	°C	°C

TALS Sample Number	Ammonia (pH<2)	COD (pH<2)	Nitrate Nitrite (pH<2)	Metals* (pH<2)	Hardness (pH<2)	Pest (pH 5-9)	EPH or QAM (pH<2)	Phenols (pH<2)	Sulfide (pH>9)	TKN (pH<2)	TOC (pH<2)	Total Cyanide (pH>12)	Total Phos (pH<2)	Other	Other

If pH adjustments are required record the information below:

Sample No(s). adjusted: _____

Preservative Name/Conc.: _____ Volume of Preservative used (ml): _____

Lot # of Preservative(s): _____ Expiration Date: _____

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

** Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.*

EDS-WI-038, Rev 4.1
10/22/2019

Initials: MM Date: 6/16/25

Login Sample Receipt Checklist

Client: GEI Consultants Inc

Job Number: 460-328592-1

Login Number: 328592
List Number: 1
Creator: Thundathorn, Sukanan 1

List Source: Eurofins Edison

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Rich Fasciani
GEI Consultants Inc
1000 New York Avenue
Huntington Station, New York 11746

Generated 6/26/2025 6:19:16 PM

JOB DESCRIPTION

20/40 Jerusalem Avenue

JOB NUMBER

460-328593-1

Eurofins Edison
777 New Durham Road
Edison NJ 08817

See page two for job notes and contact information.

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
6/26/2025 6:19:16 PM

Authorized for release by
Katelyn Connelly, Project Manager I
Katelyn.Connelly@et.eurofinsus.com
(732)549-3900

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 7
Surrogate Summary 16
QC Sample Results 17
QC Association Summary 22
Lab Chronicle 23
Certification Summary 24
Method Summary 25
Sample Summary 26
Chain of Custody 27
Receipt Checklists 29

Definitions/Glossary

Client: GEI Consultants Inc
Job ID: 460-328593-1
Project/Site: 20/40 Jerusalem Avenue

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
J	Indicates an estimated value.
U	Analyzed for but not detected.

GC/MS VOA TICs

Qualifier	Qualifier Description
J	Indicates an estimated value.
N	This flag indicates the presumptive evidence of a compound.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job Narrative
460-328593-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt
The samples were received on 6/16/2025 6:45 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 0.7°C and 1.3°C.

Receipt Exceptions
A trip blank was submitted for analysis with these samples; however, it was not listed on the Chain of Custody (COC).

GC/MS VOA
Method 8260D: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for analytical batch 460-1045604 recovered outside control limits for the following analyte: Methyl acetate. This analyte was biased high in the LCS/LCSD and was not detected in the associated samples; therefore, the data have been reported.

Method 8260D: The continuing calibration verification (CCV) associated with batch 460-1045604 recovered above the upper control limit for Chloromethane and Methyl acetate. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Method 8260D: The following sample was collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The sample was analyzed outside the 7-day holding time specified for unpreserved samples but within the 14-day holding time specified for preserved samples: TMW-4 (460-328593-4).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Client Sample ID: TMW-1 — Lab Sample ID: 460-328593-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.35	J	1.0	0.33	ug/L	1		8260D	Total/NA
Tetrachloroethene	0.52		0.40	0.28	ug/L	1		8260D	Total/NA

Client Sample ID: TMW-2 — Lab Sample ID: 460-328593-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	0.40	J	1.0	0.37	ug/L	1		8260D	Total/NA
Acetone	37		5.0	4.4	ug/L	1		8260D	Total/NA
m-Xylene & p-Xylene	0.31	J	1.0	0.30	ug/L	1		8260D	Total/NA
Tetrachloroethene	0.48		0.40	0.28	ug/L	1		8260D	Total/NA
Toluene	0.50	J	1.0	0.38	ug/L	1		8260D	Total/NA

Client Sample ID: TMW-3 — Lab Sample ID: 460-328593-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2,4-Trimethylbenzene	0.73	J	1.0	0.37	ug/L	1		8260D	Total/NA
Acetone	15		5.0	4.4	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	0.54	J	1.0	0.48	ug/L	1		8260D	Total/NA
m-Xylene & p-Xylene	0.65	J	1.0	0.30	ug/L	1		8260D	Total/NA
Tetrachloroethene	0.60		0.40	0.28	ug/L	1		8260D	Total/NA
Toluene	0.82	J	1.0	0.38	ug/L	1		8260D	Total/NA
Trichloroethene	0.33		0.28	0.074	ug/L	1		8260D	Total/NA
Xylenes, Total	0.65	J	2.0	0.65	ug/L	1		8260D	Total/NA

Client Sample ID: TMW-4 — Lab Sample ID: 460-328593-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
2-Butanone (MEK)	11		5.0	3.9	ug/L	1		8260D	Total/NA
Acetone	55		5.0	4.4	ug/L	1		8260D	Total/NA
Benzene	0.44	J	0.45	0.070	ug/L	1		8260D	Total/NA
Chloroform	5.8		1.0	0.33	ug/L	1		8260D	Total/NA
cis-1,2-Dichloroethene	0.84	J	1.0	0.48	ug/L	1		8260D	Total/NA
Methylene Chloride	1.3		1.0	0.65	ug/L	1		8260D	Total/NA
Tetrachloroethene	0.50		0.40	0.28	ug/L	1		8260D	Total/NA
Toluene	0.60	J	1.0	0.38	ug/L	1		8260D	Total/NA

Client Sample ID: TMW-5 — Lab Sample ID: 460-328593-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	7.3		5.0	4.4	ug/L	1		8260D	Total/NA
Chloroform	0.40	J	1.0	0.33	ug/L	1		8260D	Total/NA
Tetrachloroethene	0.29	J	0.40	0.28	ug/L	1		8260D	Total/NA

Client Sample ID: Trip Blank — Lab Sample ID: 460-328593-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	5.2		5.0	4.4	ug/L	1		8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Client Sample ID: TMW-1
Date Collected: 06/12/25 09:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-1
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			06/24/25 00:41	1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.085	ug/L			06/24/25 00:41	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			06/24/25 00:41	1
1,1,2-Trichloroethane	0.58	U	0.58	0.19	ug/L			06/24/25 00:41	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			06/24/25 00:41	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			06/24/25 00:41	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			06/24/25 00:41	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			06/24/25 00:41	1
1,2,4-Trimethylbenzene	1.0	U	1.0	0.37	ug/L			06/24/25 00:41	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			06/24/25 00:41	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			06/24/25 00:41	1
1,2-Dichloroethane	0.30	U	0.30	0.087	ug/L			06/24/25 00:41	1
1,2-Dichloropropane	0.92	U	0.92	0.074	ug/L			06/24/25 00:41	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			06/24/25 00:41	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			06/24/25 00:41	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			06/24/25 00:41	1
2-Butanone (MEK)	5.0	U	5.0	3.9	ug/L			06/24/25 00:41	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			06/24/25 00:41	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			06/24/25 00:41	1
Acetone	5.0	U	5.0	4.4	ug/L			06/24/25 00:41	1
Benzene	0.45	U	0.45	0.070	ug/L			06/24/25 00:41	1
Bromoform	1.0	U	1.0	0.54	ug/L			06/24/25 00:41	1
Bromomethane	1.0	U	1.0	0.55	ug/L			06/24/25 00:41	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			06/24/25 00:41	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			06/24/25 00:41	1
Chlorobenzene	1.0	U	1.0	0.38	ug/L			06/24/25 00:41	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			06/24/25 00:41	1
Chlorodibromomethane	0.78	U	0.78	0.086	ug/L			06/24/25 00:41	1
Chloroethane	1.0	U	1.0	0.32	ug/L			06/24/25 00:41	1
Chloroform	**0.35**	**J**	1.0	0.33	ug/L			06/24/25 00:41	1
Chloromethane	1.0	U	1.0	0.40	ug/L			06/24/25 00:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.48	ug/L			06/24/25 00:41	1
cis-1,3-Dichloropropene	0.45	U	0.45	0.069	ug/L			06/24/25 00:41	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			06/24/25 00:41	1
Dichlorobromomethane	0.98	U	0.98	0.15	ug/L			06/24/25 00:41	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			06/24/25 00:41	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			06/24/25 00:41	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			06/24/25 00:41	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 00:41	1
Methyl acetate	5.0	U *	5.0	0.79	ug/L			06/24/25 00:41	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			06/24/25 00:41	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			06/24/25 00:41	1
Methylene Chloride	1.0	U	1.0	0.65	ug/L			06/24/25 00:41	1
m-Xylene & p-Xylene	1.0	U	1.0	0.30	ug/L			06/24/25 00:41	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 00:41	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 00:41	1
o-Xylene	1.0	U	1.0	0.36	ug/L			06/24/25 00:41	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			06/24/25 00:41	1
Styrene	1.0	U	1.0	0.42	ug/L			06/24/25 00:41	1

Client Sample ID: TMW-1

Date Collected: 06/12/25 09:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-1
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 00:41	1
Tetrachloroethene	**0.52**		0.40	0.28	ug/L			06/24/25 00:41	1
Toluene	1.0	U	1.0	0.38	ug/L			06/24/25 00:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/24/25 00:41	1
trans-1,3-Dichloropropene	0.45	U	0.45	0.12	ug/L			06/24/25 00:41	1
Trichloroethene	0.28	U	0.28	0.074	ug/L			06/24/25 00:41	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			06/24/25 00:41	1
Vinyl chloride	1.0	U	1.0	0.40	ug/L			06/24/25 00:41	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			06/24/25 00:41	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/L*			*N/A*		*06/24/25 00:41*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*111*		*70 - 128*		*06/24/25 00:41*	*1*
4-Bromofluorobenzene	*91*		*76 - 120*		*06/24/25 00:41*	*1*
Dibromofluoromethane (Surr)	*94*		*77 - 132*		*06/24/25 00:41*	*1*
Toluene-d8 (Surr)	*100*		*80 - 120*		*06/24/25 00:41*	*1*

Client Sample ID: TMW-2

Date Collected: 06/12/25 12:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-2
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			06/24/25 01:01	1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.085	ug/L			06/24/25 01:01	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			06/24/25 01:01	1
1,1,2-Trichloroethane	0.58	U	0.58	0.19	ug/L			06/24/25 01:01	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			06/24/25 01:01	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			06/24/25 01:01	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			06/24/25 01:01	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			06/24/25 01:01	1
1,2,4-Trimethylbenzene	**0.40**	**J**	1.0	0.37	ug/L			06/24/25 01:01	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			06/24/25 01:01	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			06/24/25 01:01	1
1,2-Dichloroethane	0.30	U	0.30	0.087	ug/L			06/24/25 01:01	1
1,2-Dichloropropane	0.92	U	0.92	0.074	ug/L			06/24/25 01:01	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			06/24/25 01:01	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:01	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			06/24/25 01:01	1
2-Butanone (MEK)	5.0	U	5.0	3.9	ug/L			06/24/25 01:01	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			06/24/25 01:01	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			06/24/25 01:01	1
Acetone	**37**		5.0	4.4	ug/L			06/24/25 01:01	1
Benzene	0.45	U	0.45	0.070	ug/L			06/24/25 01:01	1
Bromoform	1.0	U	1.0	0.54	ug/L			06/24/25 01:01	1
Bromomethane	1.0	U	1.0	0.55	ug/L			06/24/25 01:01	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			06/24/25 01:01	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			06/24/25 01:01	1

Client Sample ID: TMW-2

Date Collected: 06/12/25 12:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-2

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	1.0	U	1.0	0.38	ug/L			06/24/25 01:01	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			06/24/25 01:01	1
Chlorodibromomethane	0.78	U	0.78	0.086	ug/L			06/24/25 01:01	1
Chloroethane	1.0	U	1.0	0.32	ug/L			06/24/25 01:01	1
Chloroform	1.0	U	1.0	0.33	ug/L			06/24/25 01:01	1
Chloromethane	1.0	U	1.0	0.40	ug/L			06/24/25 01:01	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.48	ug/L			06/24/25 01:01	1
cis-1,3-Dichloropropene	0.45	U	0.45	0.069	ug/L			06/24/25 01:01	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			06/24/25 01:01	1
Dichlorobromomethane	0.98	U	0.98	0.15	ug/L			06/24/25 01:01	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			06/24/25 01:01	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			06/24/25 01:01	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			06/24/25 01:01	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:01	1
Methyl acetate	5.0	U *	5.0	0.79	ug/L			06/24/25 01:01	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			06/24/25 01:01	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			06/24/25 01:01	1
Methylene Chloride	1.0	U	1.0	0.65	ug/L			06/24/25 01:01	1
m-Xylene & p-Xylene	**0.31**	**J**	1.0	0.30	ug/L			06/24/25 01:01	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 01:01	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 01:01	1
o-Xylene	1.0	U	1.0	0.36	ug/L			06/24/25 01:01	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			06/24/25 01:01	1
Styrene	1.0	U	1.0	0.42	ug/L			06/24/25 01:01	1
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:01	1
Tetrachloroethene	**0.48**		0.40	0.28	ug/L			06/24/25 01:01	1
Toluene	**0.50**	**J**	1.0	0.38	ug/L			06/24/25 01:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/24/25 01:01	1
trans-1,3-Dichloropropene	0.45	U	0.45	0.12	ug/L			06/24/25 01:01	1
Trichloroethene	0.28	U	0.28	0.074	ug/L			06/24/25 01:01	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			06/24/25 01:01	1
Vinyl chloride	1.0	U	1.0	0.40	ug/L			06/24/25 01:01	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			06/24/25 01:01	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/L*			*N/A*		*06/24/25 01:01*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*111*		*70 - 128*		*06/24/25 01:01*	*1*
4-Bromofluorobenzene	*90*		*76 - 120*		*06/24/25 01:01*	*1*
Dibromofluoromethane (Surr)	*96*		*77 - 132*		*06/24/25 01:01*	*1*
Toluene-d8 (Surr)	*98*		*80 - 120*		*06/24/25 01:01*	*1*

Client Sample ID: TMW-3

Date Collected: 06/13/25 08:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-3

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			06/24/25 01:21	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Client Sample ID: TMW-3
Date Collected: 06/13/25 08:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-3
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.085	ug/L			06/24/25 01:21	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			06/24/25 01:21	1
1,1,2-Trichloroethane	0.58	U	0.58	0.19	ug/L			06/24/25 01:21	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			06/24/25 01:21	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			06/24/25 01:21	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			06/24/25 01:21	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			06/24/25 01:21	1
1,2,4-Trimethylbenzene	**0.73**	**J**	1.0	0.37	ug/L			06/24/25 01:21	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			06/24/25 01:21	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			06/24/25 01:21	1
1,2-Dichloroethane	0.30	U	0.30	0.087	ug/L			06/24/25 01:21	1
1,2-Dichloropropane	0.92	U	0.92	0.074	ug/L			06/24/25 01:21	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			06/24/25 01:21	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:21	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			06/24/25 01:21	1
2-Butanone (MEK)	5.0	U	5.0	3.9	ug/L			06/24/25 01:21	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			06/24/25 01:21	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			06/24/25 01:21	1
Acetone	**15**		5.0	4.4	ug/L			06/24/25 01:21	1
Benzene	0.45	U	0.45	0.070	ug/L			06/24/25 01:21	1
Bromoform	1.0	U	1.0	0.54	ug/L			06/24/25 01:21	1
Bromomethane	1.0	U	1.0	0.55	ug/L			06/24/25 01:21	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			06/24/25 01:21	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			06/24/25 01:21	1
Chlorobenzene	1.0	U	1.0	0.38	ug/L			06/24/25 01:21	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			06/24/25 01:21	1
Chlorodibromomethane	0.78	U	0.78	0.086	ug/L			06/24/25 01:21	1
Chloroethane	1.0	U	1.0	0.32	ug/L			06/24/25 01:21	1
Chloroform	1.0	U	1.0	0.33	ug/L			06/24/25 01:21	1
Chloromethane	1.0	U	1.0	0.40	ug/L			06/24/25 01:21	1
cis-1,2-Dichloroethene	**0.54**	**J**	1.0	0.48	ug/L			06/24/25 01:21	1
cis-1,3-Dichloropropene	0.45	U	0.45	0.069	ug/L			06/24/25 01:21	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			06/24/25 01:21	1
Dichlorobromomethane	0.98	U	0.98	0.15	ug/L			06/24/25 01:21	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			06/24/25 01:21	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			06/24/25 01:21	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			06/24/25 01:21	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:21	1
Methyl acetate	5.0	U *	5.0	0.79	ug/L			06/24/25 01:21	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			06/24/25 01:21	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			06/24/25 01:21	1
Methylene Chloride	1.0	U	1.0	0.65	ug/L			06/24/25 01:21	1
m-Xylene & p-Xylene	**0.65**	**J**	1.0	0.30	ug/L			06/24/25 01:21	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 01:21	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 01:21	1
o-Xylene	1.0	U	1.0	0.36	ug/L			06/24/25 01:21	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			06/24/25 01:21	1
Styrene	1.0	U	1.0	0.42	ug/L			06/24/25 01:21	1
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:21	1

Client Sample ID: TMW-3

Date Collected: 06/13/25 08:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-3

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Tetrachloroethene	**0.60**		0.40	0.28	ug/L			06/24/25 01:21	1
Toluene	**0.82**	**J**	1.0	0.38	ug/L			06/24/25 01:21	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/24/25 01:21	1
trans-1,3-Dichloropropene	0.45	U	0.45	0.12	ug/L			06/24/25 01:21	1
Trichloroethene	**0.33**		0.28	0.074	ug/L			06/24/25 01:21	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			06/24/25 01:21	1
Vinyl chloride	1.0	U	1.0	0.40	ug/L			06/24/25 01:21	1
Xylenes, Total	**0.65**	**J**	2.0	0.65	ug/L			06/24/25 01:21	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Propene	*26*	*J N*	*ug/L*		*1.28*	*115-07-1*		*06/24/25 01:21*	*1*
Unknown	*19*	*J*	*ug/L*		*1.49*	*N/A*		*06/24/25 01:21*	*1*
Unknown	*5.9*	*J*	*ug/L*		*1.90*	*N/A*		*06/24/25 01:21*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*110*		*70 - 128*		*06/24/25 01:21*	*1*
4-Bromofluorobenzene	*93*		*76 - 120*		*06/24/25 01:21*	*1*
Dibromofluoromethane (Surr)	*94*		*77 - 132*		*06/24/25 01:21*	*1*
Toluene-d8 (Surr)	*98*		*80 - 120*		*06/24/25 01:21*	*1*

Client Sample ID: TMW-4

Date Collected: 06/13/25 12:45
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-4

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			06/24/25 02:01	1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.085	ug/L			06/24/25 02:01	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			06/24/25 02:01	1
1,1,2-Trichloroethane	0.58	U	0.58	0.19	ug/L			06/24/25 02:01	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			06/24/25 02:01	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			06/24/25 02:01	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			06/24/25 02:01	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			06/24/25 02:01	1
1,2,4-Trimethylbenzene	1.0	U	1.0	0.37	ug/L			06/24/25 02:01	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			06/24/25 02:01	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			06/24/25 02:01	1
1,2-Dichloroethane	0.30	U	0.30	0.087	ug/L			06/24/25 02:01	1
1,2-Dichloropropane	0.92	U	0.92	0.074	ug/L			06/24/25 02:01	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			06/24/25 02:01	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			06/24/25 02:01	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			06/24/25 02:01	1
2-Butanone (MEK)	**11**		5.0	3.9	ug/L			06/24/25 02:01	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			06/24/25 02:01	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			06/24/25 02:01	1
Acetone	**55**		5.0	4.4	ug/L			06/24/25 02:01	1
Benzene	**0.44**	**J**	0.45	0.070	ug/L			06/24/25 02:01	1
Bromoform	1.0	U	1.0	0.54	ug/L			06/24/25 02:01	1
Bromomethane	1.0	U	1.0	0.55	ug/L			06/24/25 02:01	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			06/24/25 02:01	1

Client Sample ID: TMW-4

Date Collected: 06/13/25 12:45
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-4

Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			06/24/25 02:01	1
Chlorobenzene	1.0	U	1.0	0.38	ug/L			06/24/25 02:01	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			06/24/25 02:01	1
Chlorodibromomethane	0.78	U	0.78	0.086	ug/L			06/24/25 02:01	1
Chloroethane	1.0	U	1.0	0.32	ug/L			06/24/25 02:01	1
Chloroform	**5.8**		1.0	0.33	ug/L			06/24/25 02:01	1
Chloromethane	1.0	U	1.0	0.40	ug/L			06/24/25 02:01	1
cis-1,2-Dichloroethene	**0.84**	**J**	1.0	0.48	ug/L			06/24/25 02:01	1
cis-1,3-Dichloropropene	0.45	U	0.45	0.069	ug/L			06/24/25 02:01	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			06/24/25 02:01	1
Dichlorobromomethane	0.98	U	0.98	0.15	ug/L			06/24/25 02:01	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			06/24/25 02:01	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			06/24/25 02:01	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			06/24/25 02:01	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 02:01	1
Methyl acetate	5.0	U *	5.0	0.79	ug/L			06/24/25 02:01	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			06/24/25 02:01	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			06/24/25 02:01	1
Methylene Chloride	**1.3**		1.0	0.65	ug/L			06/24/25 02:01	1
m-Xylene & p-Xylene	1.0	U	1.0	0.30	ug/L			06/24/25 02:01	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 02:01	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 02:01	1
o-Xylene	1.0	U	1.0	0.36	ug/L			06/24/25 02:01	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			06/24/25 02:01	1
Styrene	1.0	U	1.0	0.42	ug/L			06/24/25 02:01	1
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 02:01	1
Tetrachloroethene	**0.50**		0.40	0.28	ug/L			06/24/25 02:01	1
Toluene	**0.60**	**J**	1.0	0.38	ug/L			06/24/25 02:01	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/24/25 02:01	1
trans-1,3-Dichloropropene	0.45	U	0.45	0.12	ug/L			06/24/25 02:01	1
Trichloroethene	0.28	U	0.28	0.074	ug/L			06/24/25 02:01	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			06/24/25 02:01	1
Vinyl chloride	1.0	U	1.0	0.40	ug/L			06/24/25 02:01	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			06/24/25 02:01	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Propene	*47*	*J N*	*ug/L*		*1.28*	*115-07-1*		*06/24/25 02:01*	*1*
1-Butene	*37*	*J N*	*ug/L*		*1.49*	*106-98-9*		*06/24/25 02:01*	*1*
Unknown	*7.8*	*J*	*ug/L*		*1.57*	*N/A*		*06/24/25 02:01*	*1*
Cyclopropane, ethyl-	*15*	*J N*	*ug/L*		*1.90*	*1191-96-4*		*06/24/25 02:01*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*109*		*70 - 128*		*06/24/25 02:01*	*1*
4-Bromofluorobenzene	*89*		*76 - 120*		*06/24/25 02:01*	*1*
Dibromofluoromethane (Surr)	*94*		*77 - 132*		*06/24/25 02:01*	*1*
Toluene-d8 (Surr)	*100*		*80 - 120*		*06/24/25 02:01*	*1*

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Client Sample ID: TMW-5
Date Collected: 06/13/25 15:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-5
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			06/24/25 01:41	1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.085	ug/L			06/24/25 01:41	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			06/24/25 01:41	1
1,1,2-Trichloroethane	0.58	U	0.58	0.19	ug/L			06/24/25 01:41	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			06/24/25 01:41	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			06/24/25 01:41	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			06/24/25 01:41	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			06/24/25 01:41	1
1,2,4-Trimethylbenzene	1.0	U	1.0	0.37	ug/L			06/24/25 01:41	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			06/24/25 01:41	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			06/24/25 01:41	1
1,2-Dichloroethane	0.30	U	0.30	0.087	ug/L			06/24/25 01:41	1
1,2-Dichloropropane	0.92	U	0.92	0.074	ug/L			06/24/25 01:41	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			06/24/25 01:41	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:41	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			06/24/25 01:41	1
2-Butanone (MEK)	5.0	U	5.0	3.9	ug/L			06/24/25 01:41	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			06/24/25 01:41	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			06/24/25 01:41	1
Acetone	**7.3**		5.0	4.4	ug/L			06/24/25 01:41	1
Benzene	0.45	U	0.45	0.070	ug/L			06/24/25 01:41	1
Bromoform	1.0	U	1.0	0.54	ug/L			06/24/25 01:41	1
Bromomethane	1.0	U	1.0	0.55	ug/L			06/24/25 01:41	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			06/24/25 01:41	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			06/24/25 01:41	1
Chlorobenzene	1.0	U	1.0	0.38	ug/L			06/24/25 01:41	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			06/24/25 01:41	1
Chlorodibromomethane	0.78	U	0.78	0.086	ug/L			06/24/25 01:41	1
Chloroethane	1.0	U	1.0	0.32	ug/L			06/24/25 01:41	1
Chloroform	**0.40**	**J**	1.0	0.33	ug/L			06/24/25 01:41	1
Chloromethane	1.0	U	1.0	0.40	ug/L			06/24/25 01:41	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.48	ug/L			06/24/25 01:41	1
cis-1,3-Dichloropropene	0.45	U	0.45	0.069	ug/L			06/24/25 01:41	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			06/24/25 01:41	1
Dichlorobromomethane	0.98	U	0.98	0.15	ug/L			06/24/25 01:41	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			06/24/25 01:41	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			06/24/25 01:41	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			06/24/25 01:41	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:41	1
Methyl acetate	5.0	U *	5.0	0.79	ug/L			06/24/25 01:41	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			06/24/25 01:41	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			06/24/25 01:41	1
Methylene Chloride	1.0	U	1.0	0.65	ug/L			06/24/25 01:41	1
m-Xylene & p-Xylene	1.0	U	1.0	0.30	ug/L			06/24/25 01:41	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 01:41	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			06/24/25 01:41	1
o-Xylene	1.0	U	1.0	0.36	ug/L			06/24/25 01:41	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			06/24/25 01:41	1
Styrene	1.0	U	1.0	0.42	ug/L			06/24/25 01:41	1

Client Sample ID: TMW-5

Lab Sample ID: 460-328593-5

Date Collected: 06/13/25 15:30

Matrix: Water

Date Received: 06/16/25 18:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			06/24/25 01:41	1
Tetrachloroethene	**0.29**	**J**	0.40	0.28	ug/L			06/24/25 01:41	1
Toluene	1.0	U	1.0	0.38	ug/L			06/24/25 01:41	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/24/25 01:41	1
trans-1,3-Dichloropropene	0.45	U	0.45	0.12	ug/L			06/24/25 01:41	1
Trichloroethene	0.28	U	0.28	0.074	ug/L			06/24/25 01:41	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			06/24/25 01:41	1
Vinyl chloride	1.0	U	1.0	0.40	ug/L			06/24/25 01:41	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			06/24/25 01:41	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/L*			*N/A*		*06/24/25 01:41*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*108*		*70 - 128*		*06/24/25 01:41*	*1*
4-Bromofluorobenzene	*90*		*76 - 120*		*06/24/25 01:41*	*1*
Dibromofluoromethane (Surr)	*94*		*77 - 132*		*06/24/25 01:41*	*1*
Toluene-d8 (Surr)	*102*		*80 - 120*		*06/24/25 01:41*	*1*

Client Sample ID: Trip Blank

Lab Sample ID: 460-328593-6

Date Collected: 06/16/25 00:00

Matrix: Water

Date Received: 06/16/25 18:45

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			06/23/25 23:20	1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.085	ug/L			06/23/25 23:20	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			06/23/25 23:20	1
1,1,2-Trichloroethane	0.58	U	0.58	0.19	ug/L			06/23/25 23:20	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			06/23/25 23:20	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			06/23/25 23:20	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			06/23/25 23:20	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			06/23/25 23:20	1
1,2,4-Trimethylbenzene	1.0	U	1.0	0.37	ug/L			06/23/25 23:20	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			06/23/25 23:20	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			06/23/25 23:20	1
1,2-Dichloroethane	0.30	U	0.30	0.087	ug/L			06/23/25 23:20	1
1,2-Dichloropropane	0.92	U	0.92	0.074	ug/L			06/23/25 23:20	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			06/23/25 23:20	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			06/23/25 23:20	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			06/23/25 23:20	1
2-Butanone (MEK)	5.0	U	5.0	3.9	ug/L			06/23/25 23:20	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			06/23/25 23:20	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			06/23/25 23:20	1
Acetone	**5.2**		5.0	4.4	ug/L			06/23/25 23:20	1
Benzene	0.45	U	0.45	0.070	ug/L			06/23/25 23:20	1
Bromoform	1.0	U	1.0	0.54	ug/L			06/23/25 23:20	1
Bromomethane	1.0	U	1.0	0.55	ug/L			06/23/25 23:20	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			06/23/25 23:20	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			06/23/25 23:20	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Client Sample ID: Trip Blank
Date Collected: 06/16/25 00:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-6
Matrix: Water

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	1.0	U	1.0	0.38	ug/L			06/23/25 23:20	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			06/23/25 23:20	1
Chlorodibromomethane	0.78	U	0.78	0.086	ug/L			06/23/25 23:20	1
Chloroethane	1.0	U	1.0	0.32	ug/L			06/23/25 23:20	1
Chloroform	1.0	U	1.0	0.33	ug/L			06/23/25 23:20	1
Chloromethane	1.0	U	1.0	0.40	ug/L			06/23/25 23:20	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.48	ug/L			06/23/25 23:20	1
cis-1,3-Dichloropropene	0.45	U	0.45	0.069	ug/L			06/23/25 23:20	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			06/23/25 23:20	1
Dichlorobromomethane	0.98	U	0.98	0.15	ug/L			06/23/25 23:20	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			06/23/25 23:20	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			06/23/25 23:20	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			06/23/25 23:20	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			06/23/25 23:20	1
Methyl acetate	5.0	U *	5.0	0.79	ug/L			06/23/25 23:20	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			06/23/25 23:20	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			06/23/25 23:20	1
Methylene Chloride	1.0	U	1.0	0.65	ug/L			06/23/25 23:20	1
m-Xylene & p-Xylene	1.0	U	1.0	0.30	ug/L			06/23/25 23:20	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			06/23/25 23:20	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			06/23/25 23:20	1
o-Xylene	1.0	U	1.0	0.36	ug/L			06/23/25 23:20	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			06/23/25 23:20	1
Styrene	1.0	U	1.0	0.42	ug/L			06/23/25 23:20	1
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			06/23/25 23:20	1
Tetrachloroethene	0.40	U	0.40	0.28	ug/L			06/23/25 23:20	1
Toluene	1.0	U	1.0	0.38	ug/L			06/23/25 23:20	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/23/25 23:20	1
trans-1,3-Dichloropropene	0.45	U	0.45	0.12	ug/L			06/23/25 23:20	1
Trichloroethene	0.28	U	0.28	0.074	ug/L			06/23/25 23:20	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			06/23/25 23:20	1
Vinyl chloride	1.0	U	1.0	0.40	ug/L			06/23/25 23:20	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			06/23/25 23:20	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/L*			*N/A*		*06/23/25 23:20*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*108*		*70 - 128*		*06/23/25 23:20*	*1*
4-Bromofluorobenzene	*91*		*76 - 120*		*06/23/25 23:20*	*1*
Dibromofluoromethane (Surr)	*94*		*77 - 132*		*06/23/25 23:20*	*1*
Toluene-d8 (Surr)	*100*		*80 - 120*		*06/23/25 23:20*	*1*

Surrogate Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(70-128)	(76-120)	(77-132)	(80-120)
460-328593-1	TMW-1	111	91	94	100
460-328593-2	TMW-2	111	90	96	98
460-328593-3	TMW-3	110	93	94	98
460-328593-4	TMW-4	109	89	94	100
460-328593-5	TMW-5	108	90	94	102
460-328593-6	Trip Blank	108	91	94	100
LCS 460-1045604/5	Lab Control Sample	103	96	92	101
LCSD 460-1045604/6	Lab Control Sample Dup	103	95	92	100
MB 460-1045604/10	Method Blank	106	91	94	98

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-1045604/10
Matrix: Water
Analysis Batch: 1045604

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.24	ug/L			06/23/25 22:19	1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.085	ug/L			06/23/25 22:19	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			06/23/25 22:19	1
1,1,2-Trichloroethane	0.58	U	0.58	0.19	ug/L			06/23/25 22:19	1
1,1-Dichloroethane	1.0	U	1.0	0.26	ug/L			06/23/25 22:19	1
1,1-Dichloroethene	1.0	U	1.0	0.26	ug/L			06/23/25 22:19	1
1,2,3-Trichlorobenzene	1.0	U	1.0	0.36	ug/L			06/23/25 22:19	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.37	ug/L			06/23/25 22:19	1
1,2,4-Trimethylbenzene	1.0	U	1.0	0.37	ug/L			06/23/25 22:19	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.38	ug/L			06/23/25 22:19	1
1,2-Dichlorobenzene	1.0	U	1.0	0.21	ug/L			06/23/25 22:19	1
1,2-Dichloroethane	0.30	U	0.30	0.087	ug/L			06/23/25 22:19	1
1,2-Dichloropropane	0.92	U	0.92	0.074	ug/L			06/23/25 22:19	1
1,3,5-Trimethylbenzene	1.0	U	1.0	0.33	ug/L			06/23/25 22:19	1
1,3-Dichlorobenzene	1.0	U	1.0	0.34	ug/L			06/23/25 22:19	1
1,4-Dichlorobenzene	1.0	U	1.0	0.33	ug/L			06/23/25 22:19	1
2-Butanone (MEK)	5.0	U	5.0	3.9	ug/L			06/23/25 22:19	1
2-Hexanone	5.0	U	5.0	1.1	ug/L			06/23/25 22:19	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	1.3	ug/L			06/23/25 22:19	1
Acetone	5.0	U	5.0	4.4	ug/L			06/23/25 22:19	1
Benzene	0.45	U	0.45	0.070	ug/L			06/23/25 22:19	1
Bromoform	1.0	U	1.0	0.54	ug/L			06/23/25 22:19	1
Bromomethane	1.0	U	1.0	0.55	ug/L			06/23/25 22:19	1
Carbon disulfide	1.0	U	1.0	0.82	ug/L			06/23/25 22:19	1
Carbon tetrachloride	1.0	U	1.0	0.21	ug/L			06/23/25 22:19	1
Chlorobenzene	1.0	U	1.0	0.38	ug/L			06/23/25 22:19	1
Chlorobromomethane	1.0	U	1.0	0.41	ug/L			06/23/25 22:19	1
Chlorodibromomethane	0.78	U	0.78	0.086	ug/L			06/23/25 22:19	1
Chloroethane	1.0	U	1.0	0.32	ug/L			06/23/25 22:19	1
Chloroform	1.0	U	1.0	0.33	ug/L			06/23/25 22:19	1
Chloromethane	1.0	U	1.0	0.40	ug/L			06/23/25 22:19	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.48	ug/L			06/23/25 22:19	1
cis-1,3-Dichloropropene	0.45	U	0.45	0.069	ug/L			06/23/25 22:19	1
Cyclohexane	1.0	U	1.0	0.32	ug/L			06/23/25 22:19	1
Dichlorobromomethane	0.98	U	0.98	0.15	ug/L			06/23/25 22:19	1
Dichlorodifluoromethane	1.0	U	1.0	0.31	ug/L			06/23/25 22:19	1
Ethylbenzene	1.0	U	1.0	0.30	ug/L			06/23/25 22:19	1
Ethylene Dibromide	1.0	U	1.0	0.50	ug/L			06/23/25 22:19	1
Isopropylbenzene	1.0	U	1.0	0.34	ug/L			06/23/25 22:19	1
Methyl acetate	5.0	U	5.0	0.79	ug/L			06/23/25 22:19	1
Methyl tert-butyl ether	1.0	U	1.0	0.22	ug/L			06/23/25 22:19	1
Methylcyclohexane	1.0	U	1.0	0.71	ug/L			06/23/25 22:19	1
Methylene Chloride	1.0	U	1.0	0.65	ug/L			06/23/25 22:19	1
m-Xylene & p-Xylene	1.0	U	1.0	0.30	ug/L			06/23/25 22:19	1
n-Butylbenzene	1.0	U	1.0	0.32	ug/L			06/23/25 22:19	1
N-Propylbenzene	1.0	U	1.0	0.32	ug/L			06/23/25 22:19	1
o-Xylene	1.0	U	1.0	0.36	ug/L			06/23/25 22:19	1
sec-Butylbenzene	1.0	U	1.0	0.37	ug/L			06/23/25 22:19	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-1045604/10
Matrix: Water
Analysis Batch: 1045604

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	1.0	U	1.0	0.42	ug/L			06/23/25 22:19	1
tert-Butylbenzene	1.0	U	1.0	0.34	ug/L			06/23/25 22:19	1
Tetrachloroethene	0.40	U	0.40	0.28	ug/L			06/23/25 22:19	1
Toluene	1.0	U	1.0	0.38	ug/L			06/23/25 22:19	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.24	ug/L			06/23/25 22:19	1
trans-1,3-Dichloropropene	0.45	U	0.45	0.12	ug/L			06/23/25 22:19	1
Trichloroethene	0.28	U	0.28	0.074	ug/L			06/23/25 22:19	1
Trichlorofluoromethane	1.0	U	1.0	0.32	ug/L			06/23/25 22:19	1
Vinyl chloride	1.0	U	1.0	0.40	ug/L			06/23/25 22:19	1
Xylenes, Total	2.0	U	2.0	0.65	ug/L			06/23/25 22:19	1

Tentatively Identified Compound	*Est. Result*	*MB Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/L*			*N/A*		*06/23/25 22:19*	*1*

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*106*		*70 - 128*		*06/23/25 22:19*	*1*
4-Bromofluorobenzene	*91*		*76 - 120*		*06/23/25 22:19*	*1*
Dibromofluoromethane (Surr)	*94*		*77 - 132*		*06/23/25 22:19*	*1*
Toluene-d8 (Surr)	*98*		*80 - 120*		*06/23/25 22:19*	*1*

Lab Sample ID: LCS 460-1045604/5
Matrix: Water
Analysis Batch: 1045604

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	20.0	19.0		ug/L		95	72 - 128
1,1,2,2-Tetrachloroethane	20.0	19.9		ug/L		100	63 - 139
1,1,2-Trichloro-1,2,2-trifluoroethane	20.0	18.3		ug/L		91	65 - 142
1,1,2-Trichloroethane	20.0	20.5		ug/L		102	74 - 125
1,1-Dichloroethane	20.0	23.0		ug/L		115	73 - 130
1,1-Dichloroethene	20.0	19.6		ug/L		98	68 - 133
1,2,3-Trichlorobenzene	20.0	18.2		ug/L		91	55 - 150
1,2,4-Trichlorobenzene	20.0	17.6		ug/L		88	67 - 132
1,2,4-Trimethylbenzene	20.0	21.4		ug/L		107	75 - 125
1,2-Dibromo-3-Chloropropane	20.0	16.5		ug/L		82	58 - 132
1,2-Dichlorobenzene	20.0	21.0		ug/L		105	80 - 120
1,2-Dichloroethane	20.0	22.3		ug/L		111	66 - 129
1,2-Dichloropropane	20.0	20.9		ug/L		105	72 - 128
1,3,5-Trimethylbenzene	20.0	20.7		ug/L		104	75 - 125
1,3-Dichlorobenzene	20.0	21.0		ug/L		105	80 - 120
1,4-Dichlorobenzene	20.0	20.8		ug/L		104	80 - 120
2-Butanone (MEK)	100	79.1		ug/L		79	65 - 142
2-Hexanone	100	108		ug/L		108	72 - 134
4-Methyl-2-pentanone (MIBK)	100	109		ug/L		109	77 - 130
Acetone	100	106		ug/L		106	60 - 133
Benzene	20.0	22.6		ug/L		113	71 - 126
Bromoform	20.0	19.1		ug/L		95	58 - 128

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1045604/5
Matrix: Water
Analysis Batch: 1045604

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Bromomethane	20.0	19.4		ug/L		97	33 - 150
Carbon disulfide	20.0	20.1		ug/L		101	35 - 150
Carbon tetrachloride	20.0	17.9		ug/L		90	65 - 131
Chlorobenzene	20.0	19.8		ug/L		99	80 - 120
Chlorobromomethane	20.0	17.3		ug/L		86	71 - 134
Chlorodibromomethane	20.0	19.5		ug/L		98	73 - 121
Chloroethane	20.0	21.0		ug/L		105	54 - 150
Chloroform	20.0	21.5		ug/L		108	78 - 125
Chloromethane	20.0	25.5		ug/L		127	43 - 149
cis-1,2-Dichloroethene	20.0	19.5		ug/L		97	78 - 121
cis-1,3-Dichloropropene	20.0	20.8		ug/L		104	74 - 125
Cyclohexane	20.0	18.4		ug/L		92	64 - 142
Dichlorobromomethane	20.0	20.4		ug/L		102	76 - 121
Dichlorodifluoromethane	20.0	19.0		ug/L		95	38 - 144
Ethylbenzene	20.0	19.7		ug/L		99	78 - 120
Ethylene Dibromide	20.0	18.3		ug/L		92	79 - 126
Isopropylbenzene	20.0	19.9		ug/L		99	79 - 125
Methyl acetate	40.0	60.1	*	ug/L		150	50 - 147
Methyl tert-butyl ether	20.0	19.1		ug/L		95	72 - 131
Methylcyclohexane	20.0	17.5		ug/L		87	63 - 138
Methylene Chloride	20.0	20.6		ug/L		103	74 - 127
m-Xylene & p-Xylene	20.0	19.0		ug/L		95	78 - 120
n-Butylbenzene	20.0	21.8		ug/L		109	69 - 135
N-Propylbenzene	20.0	22.2		ug/L		111	68 - 129
o-Xylene	20.0	20.0		ug/L		100	78 - 120
sec-Butylbenzene	20.0	20.9		ug/L		105	77 - 129
Styrene	20.0	20.1		ug/L		100	82 - 127
tert-Butylbenzene	20.0	20.0		ug/L		100	78 - 120
Tetrachloroethene	20.0	17.3		ug/L		87	70 - 127
Toluene	20.0	20.8		ug/L		104	78 - 120
trans-1,2-Dichloroethene	20.0	19.4		ug/L		97	70 - 126
trans-1,3-Dichloropropene	20.0	19.6		ug/L		98	71 - 127
Trichloroethene	20.0	19.6		ug/L		98	73 - 121
Trichlorofluoromethane	20.0	18.6		ug/L		93	62 - 134
Vinyl chloride	20.0	20.7		ug/L		104	55 - 144
Xylenes, Total	40.0	39.0		ug/L		97	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*103*		*70 - 128*
4-Bromofluorobenzene	*96*		*76 - 120*
Dibromofluoromethane (Surr)	*92*		*77 - 132*
Toluene-d8 (Surr)	*101*		*80 - 120*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1045604/6
Matrix: Water
Analysis Batch: 1045604

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane			20.0	20.2		ug/L		101	72 - 128	6	30
1,1,2,2-Tetrachloroethane			20.0	20.2		ug/L		101	63 - 139	1	30
1,1,2-Trichloro-1,2,2-trifluoroethane			20.0	19.3		ug/L		97	65 - 142	6	30
1,1,2-Trichloroethane			20.0	20.9		ug/L		105	74 - 125	2	30
1,1-Dichloroethane			20.0	24.0		ug/L		120	73 - 130	4	30
1,1-Dichloroethene			20.0	20.6		ug/L		103	68 - 133	5	30
1,2,3-Trichlorobenzene			20.0	18.4		ug/L		92	55 - 150	1	30
1,2,4-Trichlorobenzene			20.0	18.8		ug/L		94	67 - 132	7	30
1,2,4-Trimethylbenzene			20.0	22.0		ug/L		110	75 - 125	3	30
1,2-Dibromo-3-Chloropropane			20.0	16.4		ug/L		82	58 - 132	0	30
1,2-Dichlorobenzene			20.0	20.7		ug/L		104	80 - 120	1	30
1,2-Dichloroethane			20.0	22.8		ug/L		114	66 - 129	2	30
1,2-Dichloropropane			20.0	21.6		ug/L		108	72 - 128	3	30
1,3,5-Trimethylbenzene			20.0	21.4		ug/L		107	75 - 125	3	30
1,3-Dichlorobenzene			20.0	21.2		ug/L		106	80 - 120	1	30
1,4-Dichlorobenzene			20.0	20.9		ug/L		104	80 - 120	0	30
2-Butanone (MEK)			100	84.2		ug/L		84	65 - 142	6	30
2-Hexanone			100	111		ug/L		111	72 - 134	3	30
4-Methyl-2-pentanone (MIBK)			100	113		ug/L		113	77 - 130	4	30
Acetone			100	112		ug/L		112	60 - 133	6	30
Benzene			20.0	23.8		ug/L		119	71 - 126	5	30
Bromoform			20.0	19.9		ug/L		100	58 - 128	4	30
Bromomethane			20.0	20.8		ug/L		104	33 - 150	7	30
Carbon disulfide			20.0	20.9		ug/L		104	35 - 150	4	30
Carbon tetrachloride			20.0	19.5		ug/L		98	65 - 131	9	30
Chlorobenzene			20.0	20.6		ug/L		103	80 - 120	4	30
Chlorobromomethane			20.0	17.9		ug/L		90	71 - 134	4	30
Chlorodibromomethane			20.0	20.2		ug/L		101	73 - 121	3	30
Chloroethane			20.0	22.5		ug/L		113	54 - 150	7	30
Chloroform			20.0	22.2		ug/L		111	78 - 125	3	30
Chloromethane			20.0	26.2		ug/L		131	43 - 149	3	30
cis-1,2-Dichloroethene			20.0	20.1		ug/L		100	78 - 121	3	30
cis-1,3-Dichloropropene			20.0	21.4		ug/L		107	74 - 125	2	30
Cyclohexane			20.0	19.6		ug/L		98	64 - 142	7	30
Dichlorobromomethane			20.0	21.3		ug/L		106	76 - 121	4	30
Dichlorodifluoromethane			20.0	20.9		ug/L		104	38 - 144	9	30
Ethylbenzene			20.0	20.5		ug/L		103	78 - 120	4	30
Ethylene Dibromide			20.0	19.0		ug/L		95	79 - 126	4	30
Isopropylbenzene			20.0	21.0		ug/L		105	79 - 125	5	30
Methyl acetate			40.0	61.9	*	ug/L		155	50 - 147	3	30
Methyl tert-butyl ether			20.0	19.9		ug/L		100	72 - 131	4	30
Methylcyclohexane			20.0	19.0		ug/L		95	63 - 138	9	30
Methylene Chloride			20.0	21.2		ug/L		106	74 - 127	3	30
m-Xylene & p-Xylene			20.0	20.7		ug/L		104	78 - 120	9	30
n-Butylbenzene			20.0	22.2		ug/L		111	69 - 135	2	30
N-Propylbenzene			20.0	22.9		ug/L		114	68 - 129	3	30
o-Xylene			20.0	20.5		ug/L		102	78 - 120	2	30
sec-Butylbenzene			20.0	21.3		ug/L		107	77 - 129	2	30

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1045604/6
Matrix: Water
Analysis Batch: 1045604

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Styrene			20.0	20.6		ug/L		103	82 - 127	3	30
tert-Butylbenzene			20.0	20.4		ug/L		102	78 - 120	2	30
Tetrachloroethene			20.0	18.4		ug/L		92	70 - 127	6	30
Toluene			20.0	21.5		ug/L		108	78 - 120	4	30
trans-1,2-Dichloroethene			20.0	20.0		ug/L		100	70 - 126	3	30
trans-1,3-Dichloropropene			20.0	20.8		ug/L		104	71 - 127	6	30
Trichloroethene			20.0	20.8		ug/L		104	73 - 121	6	30
Trichlorofluoromethane			20.0	19.3		ug/L		97	62 - 134	4	30
Vinyl chloride			20.0	22.1		ug/L		110	55 - 144	6	30
Xylenes, Total			40.0	41.2		ug/L		103	80 - 120	5	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*103*		*70 - 128*
4-Bromofluorobenzene	*95*		*76 - 120*
Dibromofluoromethane (Surr)	*92*		*77 - 132*
Toluene-d8 (Surr)	*100*		*80 - 120*

QC Association Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

GC/MS VOA

Analysis Batch: 1045604

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328593-1	TMW-1	Total/NA	Water	8260D	
460-328593-2	TMW-2	Total/NA	Water	8260D	
460-328593-3	TMW-3	Total/NA	Water	8260D	
460-328593-4	TMW-4	Total/NA	Water	8260D	
460-328593-5	TMW-5	Total/NA	Water	8260D	
460-328593-6	Trip Blank	Total/NA	Water	8260D	
MB 460-1045604/10	Method Blank	Total/NA	Water	8260D	
LCS 460-1045604/5	Lab Control Sample	Total/NA	Water	8260D	
LCSD 460-1045604/6	Lab Control Sample Dup	Total/NA	Water	8260D	

Lab Chronicle

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Client Sample ID: TMW-1
Date Collected: 06/12/25 09:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-1
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1045604	VBP	EET EDI	06/24/25 00:41

Client Sample ID: TMW-2
Date Collected: 06/12/25 12:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-2
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1045604	VBP	EET EDI	06/24/25 01:01

Client Sample ID: TMW-3
Date Collected: 06/13/25 08:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-3
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1045604	VBP	EET EDI	06/24/25 01:21

Client Sample ID: TMW-4
Date Collected: 06/13/25 12:45
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-4
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1045604	VBP	EET EDI	06/24/25 02:01

Client Sample ID: TMW-5
Date Collected: 06/13/25 15:30
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-5
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1045604	VBP	EET EDI	06/24/25 01:41

Client Sample ID: Trip Blank
Date Collected: 06/16/25 00:00
Date Received: 06/16/25 18:45

Lab Sample ID: 460-328593-6
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260D		1	1045604	VBP	EET EDI	06/23/25 23:20

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: GEI Consultants Inc
Job ID: 460-328593-1
Project/Site: 20/40 Jerusalem Avenue

Laboratory: Eurofins Edison

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	11452	03-31-26

Method Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
5030C	Purge and Trap	SW846	EET EDI

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328593-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-328593-1	TMW-1	Water	06/12/25 09:00	06/16/25 18:45
460-328593-2	TMW-2	Water	06/12/25 12:30	06/16/25 18:45
460-328593-3	TMW-3	Water	06/13/25 08:00	06/16/25 18:45
460-328593-4	TMW-4	Water	06/13/25 12:45	06/16/25 18:45
460-328593-5	TMW-5	Water	06/13/25 15:30	06/16/25 18:45
460-328593-6	Trip Blank	Water	06/16/25 00:00	06/16/25 18:45

Chain of Custody Record 761423

eurofins | Environment Testing

Address. _____

Regulatory Program ☐ DW ☐ NPDES ☐ RCRA ☐ Other

TAL-8210

Client Contact	Project Manager: Rich F.	Site Contact: Leif B.	Date: 6/12/25	COC No: 1 of 1 COCs
Company Name: GEI Consultants	Tel/Email: rfascian@geiconsultants.com	Lab Contact: Katelyn C.	Carrier:	Sampler:
Address: 1000 New York Avenue	Analysis Turnaround Time: ☐ CALENDAR DAYS ☐ WORKING DAYS			For Lab Use Only: Walk-in Client: Lab Sampling:
City/State/Zip: Hunting Station	TAT if different from Below: Standard			Job / SDG No.
Phone:	☐ 2 weeks ☐ 1 week ☐ 2 days ☐ 1 day			
Fax:				
Project Name: 20+40 Jerusalem				
Site:				
P O #: 2503398				

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	TCL VOC's	Sample Specific Notes.
TMW 1	6/12	900	G	GW	3			X	
TMW 2	6/12	1230	G	GW	3			X	
TMW-3	6/13	800	G	GW	3			X	
TMW-4	6/13	1215	G	GW	3			X	
TMW-5	6/13	1530	G	GW	3			X	

460-328593 Chain of Custody

NYQ 222

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4, 4=HNO3; 5=NaOH; 6= Other

Possible Hazard Identification
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return to Client ☐ Disposal by Lab ☐ Archive for _____ Months

Special Instructions/QC Requirements & Comments:

Custody Seals Intact: ☐ Yes ☐ No | Custody Seal No. | Cooler Temp. (°C): Obs'd. _____ Corr'd: _____ | Therm ID No. _____

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
	GEI		06-16-25 1100AM	ETA	
Relinquished by: 06-6-25 1700	Company: ETA	Date/Time:	Received by:	Company:	Date/Time:
Relinquished by:	Company: EET	Date/Time: 6/16/25 1845	Received in Laboratory by: Adela R	Company: ETA	Date/Time: 6/16/25 18.45

NO CS IR#9 0.3-07 / 09-13 6/17/25 1410

6/26/2025

Eurofins TestAmerica Edison
Receipt Temperature and pH Log

Job Number: _____

Number of Coolers: 2 IR Gun # 9

Cooler Temperatures

	RAW	CORRECTED		RAW	CORRECTED		RAW	CORRECTED
Cooler #1:	0.3 °C	0.7 °C	Cooler #4:	°C	°C	Cooler #7:	°C	°C
Cooler #2:	0.9 °C	1.3 °C	Cooler #5:	°C	°C	Cooler #8:	°C	°C
Cooler #3:	°C	°C	Cooler #6:	°C	°C	Cooler #9:	°C	°C

TALS Sample Number	Ammonia (pH<2)	COD (pH<2)	Nitrate Nitrite (pH<2)	Metals* (pH<2)	Hardness (pH<2)	Pest (pH 5-9)	EPH or QAM (pH<2)	Phenols (pH<2)	Sulfide (pH>9)	TKN (pH<2)	TOC (pH<2)	Total Cyanide (pH>12)	Total Phos (pH<2)	Other	Other

If pH adjustments are required record the information below:

Sample No(s). adjusted: _____

Preservative Name/Conc. _____ Volume of Preservative used (ml) _____

Lot # of Preservative(s): _____ Expiration Date: _____

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

* *Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.*

Initials: MW Date: 6/16/25

Login Sample Receipt Checklist

Client: GEI Consultants Inc

Job Number: 460-328593-1

Login Number: 328593
List Number: 1
Creator: Thundathorn, Sukanan 1

List Source: Eurofins Edison

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Rich Fasciani
GEI Consultants Inc
1000 New York Avenue
Huntington Station, New York 11746

Generated 6/26/2025 6:43:43 PM

JOB DESCRIPTION

20/40 Jerusalem Avenue

JOB NUMBER

460-328835-1

Eurofins Edison
777 New Durham Road
Edison NJ 08817

See page two for job notes and contact information.

my EOL

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
6/26/2025 6:43:43 PM

Authorized for release by
Katelyn Connelly, Project Manager I
Katelyn.Connelly@et.eurofinsus.com
(732)549-3900

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 9
Surrogate Summary 25
QC Sample Results 26
QC Association Summary 42
Lab Chronicle 44
Certification Summary 46
Method Summary 47
Sample Summary 48
Chain of Custody 49
Receipt Checklists 51

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Indicates an estimated value.
U	Analyzed for but not detected.

GC/MS VOA TICs

Qualifier	Qualifier Description
J	Indicates an estimated value.
N	This flag indicates the presumptive evidence of a compound.

GC/MS Semi VOA

Qualifier	Qualifier Description
*	LCS or LCSD is outside acceptance limits.
J	Indicates an estimated value.
U	Analyzed for but not detected.

Metals

Qualifier	Qualifier Description
J	Sample result is greater than the MDL but below the CRDL
U	Indicates analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 460-328835-1 — Eurofins Edison

Job Narrative
460-328835-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt
The samples were received on 6/18/2025 7:10 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.2°C.

GC/MS VOA
Method 8260D: The continuing calibration verification (CCV) analyzed in batch 460-1045423 was outside the method criteria for the following analytes: 1,2,4-Trichlorobenzene, n-Butylbenzene, sec-Butylbenzene and tert-Butylbenzene. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analytes is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS Semi VOA
Method 8270E: The continuing calibration verification (CCV) analyzed in batch 460-1045389 was outside the method criteria for the following analyte(s): Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Method 8270E: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for preparation batch 460-1045291 and analytical batch 460-1045389 recovered outside control limits for the following analytes: Atrazine, Benzaldehyde and Caprolactam. These analytes were biased high in the LCS/LCSD and were not detected in the associated samples; therefore, the data have been reported.

Method 8270E: The continuing calibration verification (CCV) analyzed in batch 460-1045487 was outside the method criteria for the following analyte(s): Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Metals
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

General Chemistry
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328835-1

Client Sample ID: RI-SB-4 (0-2) — Lab Sample ID: 460-328835-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	0.0070		0.0061	0.0058	mg/Kg	1	☼	8260D	Total/NA
Tetrachloroethene	0.00097	J	0.0010	0.00031	mg/Kg	1	☼	8260D	Total/NA
Toluene	0.00057	J	0.0010	0.00024	mg/Kg	1	☼	8260D	Total/NA
2-Methylnaphthalene	0.023	J	0.36	0.010	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.029	J	0.36	0.010	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.018	J	0.36	0.010	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.089	J	0.36	0.011	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	0.71		0.036	0.027	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	0.99		0.036	0.0097	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	1.5		0.036	0.0094	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.68		0.36	0.011	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.52		0.036	0.0072	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.060	J	0.36	0.014	mg/Kg	1	☼	8270E	Total/NA
Chrysene	0.93		0.36	0.015	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.19		0.036	0.016	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.013	J	0.36	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	1.7		0.36	0.013	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.018	J	0.36	0.011	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.75		0.036	0.014	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.031	J	0.36	0.0063	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	0.50		0.36	0.015	mg/Kg	1	☼	8270E	Total/NA
Pyrene	1.3		0.36	0.0091	mg/Kg	1	☼	8270E	Total/NA
Aluminum	5500		20.3	5.6	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.15	J	1.0	0.15	mg/Kg	1	☼	6020B	Total/NA
Arsenic	4.0		1.0	0.10	mg/Kg	1	☼	6020B	Total/NA
Barium	41.5		2.0	0.15	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.24	J	0.41	0.022	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.25	J	1.0	0.11	mg/Kg	1	☼	6020B	Total/NA
Calcium	60600		101	9.9	mg/Kg	1	☼	6020B	Total/NA
Chromium	10.2		2.0	0.30	mg/Kg	1	☼	6020B	Total/NA
Cobalt	2.4		2.0	0.15	mg/Kg	1	☼	6020B	Total/NA
Copper	17.6		2.0	0.37	mg/Kg	1	☼	6020B	Total/NA
Iron	9470		60.8	7.8	mg/Kg	1	☼	6020B	Total/NA
Lead	155		0.61	0.20	mg/Kg	1	☼	6020B	Total/NA
Magnesium	29600		101	10.3	mg/Kg	1	☼	6020B	Total/NA
Manganese	126		4.1	0.41	mg/Kg	1	☼	6020B	Total/NA
Nickel	5.7		2.0	0.18	mg/Kg	1	☼	6020B	Total/NA
Potassium	387		101	16.4	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.31	J	1.3	0.13	mg/Kg	1	☼	6020B	Total/NA
Silver	0.65		0.41	0.090	mg/Kg	1	☼	6020B	Total/NA
Sodium	176		101	46.3	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.071	J	0.41	0.042	mg/Kg	1	☼	6020B	Total/NA
Vanadium	18.5		2.0	0.21	mg/Kg	1	☼	6020B	Total/NA
Zinc	86.7		8.1	1.1	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.20		0.018	0.0087	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: RI-SB-5 (0-2) — Lab Sample ID: 460-328835-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene	0.00045	J	0.00097	0.00030	mg/Kg	1	☼	8260D	Total/NA
Xylenes, Total	0.00021	J	0.0019	0.00017	mg/Kg	1	☼	8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Client Sample ID: RI-SB-5 (0-2) (Continued)

Lab Sample ID: 460-328835-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]pyrene	0.012	J	0.036	0.0097	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	0.022	J	0.036	0.0094	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	0.013	J	0.36	0.011	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	0.0094	J	0.036	0.0071	mg/Kg	1	☼	8270E	Total/NA
Chrysene	0.015	J	0.36	0.015	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	0.032	J	0.36	0.013	mg/Kg	1	☼	8270E	Total/NA
Pyrene	0.023	J	0.36	0.0090	mg/Kg	1	☼	8270E	Total/NA
Aluminum	9060		19.5	5.4	mg/Kg	1	☼	6020B	Total/NA
Arsenic	3.3		0.98	0.10	mg/Kg	1	☼	6020B	Total/NA
Barium	24.7		2.0	0.14	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.25	J	0.39	0.021	mg/Kg	1	☼	6020B	Total/NA
Calcium	4430		97.6	9.5	mg/Kg	1	☼	6020B	Total/NA
Chromium	9.3		2.0	0.29	mg/Kg	1	☼	6020B	Total/NA
Cobalt	2.7		2.0	0.14	mg/Kg	1	☼	6020B	Total/NA
Copper	7.6		2.0	0.36	mg/Kg	1	☼	6020B	Total/NA
Iron	10100		58.5	7.5	mg/Kg	1	☼	6020B	Total/NA
Lead	42.6		0.59	0.20	mg/Kg	1	☼	6020B	Total/NA
Magnesium	3370		97.6	10	mg/Kg	1	☼	6020B	Total/NA
Manganese	79.7		3.9	0.39	mg/Kg	1	☼	6020B	Total/NA
Nickel	5.3		2.0	0.17	mg/Kg	1	☼	6020B	Total/NA
Potassium	364		97.6	15.8	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.45	J	1.2	0.12	mg/Kg	1	☼	6020B	Total/NA
Sodium	72.5	J	97.6	44.6	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.080	J	0.39	0.040	mg/Kg	1	☼	6020B	Total/NA
Vanadium	17.6		2.0	0.20	mg/Kg	1	☼	6020B	Total/NA
Zinc	38.2		7.8	1.1	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.022		0.019	0.0088	mg/Kg	1	☼	7471B	Total/NA

Client Sample ID: RI-SB-6 (0-2)

Lab Sample ID: 460-328835-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	0.0057		0.0057	0.0054	mg/Kg	1	☼	8260D	Total/NA
Aluminum	2550		18.6	5.1	mg/Kg	1	☼	6020B	Total/NA
Arsenic	1.1		0.93	0.096	mg/Kg	1	☼	6020B	Total/NA
Barium	7.6		1.9	0.13	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.23	J	0.37	0.020	mg/Kg	1	☼	6020B	Total/NA
Calcium	264		93.0	9.1	mg/Kg	1	☼	6020B	Total/NA
Chromium	4.2		1.9	0.28	mg/Kg	1	☼	6020B	Total/NA
Cobalt	1.5	J	1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Copper	3.0		1.9	0.34	mg/Kg	1	☼	6020B	Total/NA
Iron	6910		55.8	7.1	mg/Kg	1	☼	6020B	Total/NA
Lead	5.4		0.56	0.19	mg/Kg	1	☼	6020B	Total/NA
Magnesium	776		93.0	9.5	mg/Kg	1	☼	6020B	Total/NA
Manganese	55.7		3.7	0.37	mg/Kg	1	☼	6020B	Total/NA
Nickel	2.5		1.9	0.16	mg/Kg	1	☼	6020B	Total/NA
Potassium	456		93.0	15.1	mg/Kg	1	☼	6020B	Total/NA
Sodium	50.2	J	93.0	42.5	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.043	J	0.37	0.038	mg/Kg	1	☼	6020B	Total/NA
Vanadium	4.1		1.9	0.19	mg/Kg	1	☼	6020B	Total/NA
Zinc	10.8		7.4	1.0	mg/Kg	1	☼	6020B	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328835-1

Client Sample ID: RI-SB-7 (0-2)

Lab Sample ID: 460-328835-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	0.0057	J	0.0060	0.0057	mg/Kg	1	☼	8260D	Total/NA
Tetrachloroethene	0.0039		0.00099	0.00030	mg/Kg	1	☼	8260D	Total/NA
Toluene	0.00030	J	0.00099	0.00023	mg/Kg	1	☼	8260D	Total/NA
2-Methylnaphthalene	0.028	J	0.34	0.0096	mg/Kg	1	☼	8270E	Total/NA
Acenaphthene	0.032	J	0.34	0.0098	mg/Kg	1	☼	8270E	Total/NA
Acenaphthylene	0.25	J	0.34	0.0098	mg/Kg	1	☼	8270E	Total/NA
Anthracene	0.19	J	0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]anthracene	1.6		0.034	0.026	mg/Kg	1	☼	8270E	Total/NA
Benzo[a]pyrene	2.1		0.034	0.0091	mg/Kg	1	☼	8270E	Total/NA
Benzo[b]fluoranthene	2.7		0.034	0.0089	mg/Kg	1	☼	8270E	Total/NA
Benzo[g,h,i]perylene	1.5		0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Benzo[k]fluoranthene	1.0		0.034	0.0067	mg/Kg	1	☼	8270E	Total/NA
Carbazole	0.079	J	0.34	0.013	mg/Kg	1	☼	8270E	Total/NA
Chrysene	1.8		0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Dibenz(a,h)anthracene	0.41		0.034	0.015	mg/Kg	1	☼	8270E	Total/NA
Dibenzofuran	0.027	J	0.34	0.011	mg/Kg	1	☼	8270E	Total/NA
Fluoranthene	2.7		0.34	0.012	mg/Kg	1	☼	8270E	Total/NA
Fluorene	0.038	J	0.34	0.010	mg/Kg	1	☼	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	1.6		0.034	0.013	mg/Kg	1	☼	8270E	Total/NA
Naphthalene	0.077	J	0.34	0.0059	mg/Kg	1	☼	8270E	Total/NA
Phenanthrene	0.66		0.34	0.014	mg/Kg	1	☼	8270E	Total/NA
Pyrene	2.4		0.34	0.0085	mg/Kg	1	☼	8270E	Total/NA
Aluminum	4150		19.1	5.2	mg/Kg	1	☼	6020B	Total/NA
Antimony	0.15	J	0.96	0.14	mg/Kg	1	☼	6020B	Total/NA
Arsenic	3.1		0.96	0.098	mg/Kg	1	☼	6020B	Total/NA
Barium	26.7		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Beryllium	0.18	J	0.38	0.021	mg/Kg	1	☼	6020B	Total/NA
Cadmium	0.20	J	0.96	0.11	mg/Kg	1	☼	6020B	Total/NA
Calcium	3230		95.5	9.3	mg/Kg	1	☼	6020B	Total/NA
Chromium	6.6		1.9	0.28	mg/Kg	1	☼	6020B	Total/NA
Cobalt	1.9		1.9	0.14	mg/Kg	1	☼	6020B	Total/NA
Copper	14.4		1.9	0.35	mg/Kg	1	☼	6020B	Total/NA
Iron	5760		57.3	7.3	mg/Kg	1	☼	6020B	Total/NA
Lead	90.3		0.57	0.19	mg/Kg	1	☼	6020B	Total/NA
Magnesium	2050		95.5	9.7	mg/Kg	1	☼	6020B	Total/NA
Manganese	81.3		3.8	0.39	mg/Kg	1	☼	6020B	Total/NA
Nickel	4.1		1.9	0.17	mg/Kg	1	☼	6020B	Total/NA
Potassium	258		95.5	15.5	mg/Kg	1	☼	6020B	Total/NA
Selenium	0.21	J	1.2	0.12	mg/Kg	1	☼	6020B	Total/NA
Silver	0.094	J	0.38	0.085	mg/Kg	1	☼	6020B	Total/NA
Sodium	79.9	J	95.5	43.7	mg/Kg	1	☼	6020B	Total/NA
Thallium	0.057	J	0.38	0.039	mg/Kg	1	☼	6020B	Total/NA
Vanadium	8.6		1.9	0.20	mg/Kg	1	☼	6020B	Total/NA
Zinc	81.6		7.6	1.0	mg/Kg	1	☼	6020B	Total/NA
Mercury	0.084		0.017	0.0082	mg/Kg	1	☼	7471B	Total/NA

This Detection Summary does not include radiochemical test results.

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328835-1

Client Sample ID: RI-SB-4 (0-2)
Date Collected: 06/16/25 09:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-1
Matrix: Solid
Percent Solids: 90.5

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00024	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00053	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00031	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00061	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00061	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00075	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00047	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00043	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00032	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00053	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
2-Butanone (MEK)	0.0051	U	0.0051	0.00038	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
2-Hexanone	0.0051	U	0.0051	0.0017	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
4-Methyl-2-pentanone (MIBK)	0.0051	U	0.0051	0.0016	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Acetone	**0.0070**		0.0061	0.0058	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Benzene	0.0010	U	0.0010	0.00058	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Carbon tetrachloride	0.0010	U	0.0010	0.00040	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Chlorobenzene	0.0010	U	0.0010	0.00052	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Chlorobromomethane	0.0010	U	0.0010	0.00061	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Chlorodibromomethane	0.0010	U	0.0010	0.00055	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Chloroethane	0.0010	U	0.0010	0.00053	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Chloroform	0.0010	U	0.0010	0.00099	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00037	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Cyclohexane	0.0010	U	0.0010	0.00023	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00035	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Ethylbenzene	0.0010	U	0.0010	0.00048	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Ethylene Dibromide	0.0010	U	0.0010	0.00052	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Methyl acetate	0.0051	U	0.0051	0.0044	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00052	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Methylcyclohexane	0.0010	U	0.0010	0.00051	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Methylene Chloride	0.0020	U	0.0020	0.0012	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00043	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
n-Butylbenzene	0.0010	U	0.0010	0.00030	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
N-Propylbenzene	0.0010	U	0.0010	0.00046	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
o-Xylene	0.0010	U	0.0010	0.00047	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Styrene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1

Client Sample ID: RI-SB-4 (0-2)

Date Collected: 06/16/25 09:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-1

Matrix: Solid
Percent Solids: 90.5

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Tetrachloroethene	**0.00097**	**J**	0.0010	0.00031	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Toluene	**0.00057**	**J**	0.0010	0.00024	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Trichloroethene	0.0010	U	0.0010	0.00033	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Vinyl chloride	0.0010	U	0.0010	0.00056	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1
Xylenes, Total	0.0020	U	0.0020	0.00018	mg/Kg	☼	06/20/25 14:27	06/23/25 02:37	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Pentane, 2-methyl-	*5.6*	*J N*	*ug/Kg*	☼	*2.95*	*107-83-5*	*06/20/25 14:27*	*06/23/25 02:37*	*1*
Unknown	*7.1*	*J*	*ug/Kg*	☼	*7.67*	*N/A*	*06/20/25 14:27*	*06/23/25 02:37*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*94*		*65 - 138*	*06/20/25 14:27*	*06/23/25 02:37*	*1*
4-Bromofluorobenzene	*100*		*71 - 128*	*06/20/25 14:27*	*06/23/25 02:37*	*1*
Dibromofluoromethane (Surr)	*99*		*50 - 150*	*06/20/25 14:27*	*06/23/25 02:37*	*1*
Toluene-d8 (Surr)	*91*		*71 - 126*	*06/20/25 14:27*	*06/23/25 02:37*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.36	U	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
1,2,4,5-Tetrachlorobenzene	0.36	U	0.36	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
1,4-Dioxane	0.036	U	0.036	0.032	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,2'-oxybis[1-chloropropane]	0.36	U	0.36	0.022	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,3,4,6-Tetrachlorophenol	0.36	U	0.36	0.025	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,4,5-Trichlorophenol	0.36	U	0.36	0.037	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,4,6-Trichlorophenol	0.15	U	0.15	0.047	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,4-Dichlorophenol	0.15	U	0.15	0.023	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,4-Dimethylphenol	0.36	U	0.36	0.044	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,4-Dinitrophenol	0.29	U	0.29	0.18	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,4-Dinitrotoluene	0.074	U	0.074	0.039	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2,6-Dinitrotoluene	0.074	U	0.074	0.026	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2-Chloronaphthalene	0.36	U	0.36	0.047	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2-Chlorophenol	0.36	U	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2-Methylnaphthalene	**0.023**	**J**	0.36	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2-Methylphenol	0.36	U	0.36	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2-Nitroaniline	0.36	U	0.36	0.028	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
2-Nitrophenol	0.36	U	0.36	0.037	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
3 & 4 Methylphenol	0.36	U	0.36	0.023	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
3,3'-Dichlorobenzidine	0.15	U	0.15	0.055	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
3-Nitroaniline	0.36	U	0.36	0.087	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
4,6-Dinitro-2-methylphenol	0.29	U	0.29	0.15	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
4-Bromophenyl phenyl ether	0.36	U	0.36	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
4-Chloro-3-methylphenol	0.36	U	0.36	0.020	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
4-Chloroaniline	0.36	U	0.36	0.065	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
4-Chlorophenyl phenyl ether	0.36	U	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
4-Methylphenol	0.36	U	0.36	0.023	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
4-Nitroaniline	0.36	U	0.36	0.093	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1

Client Sample ID: RI-SB-4 (0-2)
Date Collected: 06/16/25 09:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-1
Matrix: Solid
Percent Solids: 90.5

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Nitrophenol	0.74	U	0.74	0.059	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Acenaphthene	**0.029**	**J**	0.36	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Acenaphthylene	**0.018**	**J**	0.36	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Acetophenone	0.36	U	0.36	0.018	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Anthracene	**0.089**	**J**	0.36	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Atrazine	0.15	U *	0.15	0.021	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Benzaldehyde	0.36	U *	0.36	0.060	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Benzo[a]anthracene	**0.71**		0.036	0.027	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Benzo[a]pyrene	**0.99**		0.036	0.0097	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Benzo[b]fluoranthene	**1.5**		0.036	0.0094	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Benzo[g,h,i]perylene	**0.68**		0.36	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Benzo[k]fluoranthene	**0.52**		0.036	0.0072	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Bis(2-chloroethoxy)methane	0.36	U	0.36	0.067	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Bis(2-chloroethyl)ether	0.036	U	0.036	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Bis(2-ethylhexyl) phthalate	0.36	U	0.36	0.019	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Butyl benzyl phthalate	0.36	U	0.36	0.017	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Caprolactam	0.36	U *	0.36	0.057	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Carbazole	**0.060**	**J**	0.36	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Chrysene	**0.93**		0.36	0.015	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Dibenz(a,h)anthracene	**0.19**		0.036	0.016	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Dibenzofuran	**0.013**	**J**	0.36	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Diethyl phthalate	0.36	U	0.36	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Dimethyl phthalate	0.36	U	0.36	0.083	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Di-n-butyl phthalate	0.36	U	0.36	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Di-n-octyl phthalate	0.36	U	0.36	0.019	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Fluoranthene	**1.7**		0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Fluorene	**0.018**	**J**	0.36	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Hexachlorobenzene	0.036	U	0.036	0.017	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Hexachlorobutadiene	0.074	U	0.074	0.0078	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Hexachlorocyclopentadiene	0.36	U	0.36	0.032	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Hexachloroethane	0.036	U	0.036	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Indeno[1,2,3-cd]pyrene	**0.75**		0.036	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Isophorone	0.15	U	0.15	0.11	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Naphthalene	**0.031**	**J**	0.36	0.0063	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Nitrobenzene	0.036	U	0.036	0.020	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
N-Nitrosodi-n-propylamine	0.036	U	0.036	0.027	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
N-Nitrosodiphenylamine	0.36	U	0.36	0.030	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Pentachlorophenol	0.29	U	0.29	0.075	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Phenanthrene	**0.50**		0.36	0.015	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Phenol	0.36	U	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1
Pyrene	**1.3**		0.36	0.0091	mg/Kg	☼	06/21/25 11:49	06/23/25 15:05	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*79*		*18 - 137*	*06/21/25 11:49*	*06/23/25 15:05*	*1*
2-Fluorobiphenyl	*82*		*33 - 117*	*06/21/25 11:49*	*06/23/25 15:05*	*1*
2-Fluorophenol (Surr)	*75*		*24 - 120*	*06/21/25 11:49*	*06/23/25 15:05*	*1*
Nitrobenzene-d5 (Surr)	*73*		*27 - 120*	*06/21/25 11:49*	*06/23/25 15:05*	*1*
Phenol-d5 (Surr)	*74*		*28 - 118*	*06/21/25 11:49*	*06/23/25 15:05*	*1*
Terphenyl-d14 (Surr)	*75*		*33 - 124*	*06/21/25 11:49*	*06/23/25 15:05*	*1*

Client Sample ID: RI-SB-4 (0-2)

Date Collected: 06/16/25 09:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-1
Matrix: Solid
Percent Solids: 90.5

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	5500		20.3	5.6	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Antimony	0.15	J	1.0	0.15	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Arsenic	4.0		1.0	0.10	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Barium	41.5		2.0	0.15	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Beryllium	0.24	J	0.41	0.022	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Cadmium	0.25	J	1.0	0.11	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Calcium	60600		101	9.9	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Chromium	10.2		2.0	0.30	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Cobalt	2.4		2.0	0.15	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Copper	17.6		2.0	0.37	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Iron	9470		60.8	7.8	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Lead	155		0.61	0.20	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Magnesium	29600		101	10.3	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Manganese	126		4.1	0.41	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Nickel	5.7		2.0	0.18	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Potassium	387		101	16.4	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Selenium	0.31	J	1.3	0.13	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Silver	0.65		0.41	0.090	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Sodium	176		101	46.3	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Thallium	0.071	J	0.41	0.042	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Vanadium	18.5		2.0	0.21	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1
Zinc	86.7		8.1	1.1	mg/Kg	☼	06/23/25 07:31	06/24/25 13:10	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.20		0.018	0.0087	mg/Kg	☼	06/25/25 02:38	06/25/25 15:39	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.5		1.0	1.0	%			06/20/25 08:32	1
Percent Solids (EPA Moisture)	90.5		1.0	1.0	%			06/20/25 08:32	1

Client Sample ID: RI-SB-5 (0-2)

Date Collected: 06/16/25 09:15
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-2
Matrix: Solid
Percent Solids: 90.7

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.00097	U	0.00097	0.00023	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,1,2,2-Tetrachloroethane	0.00097	U	0.00097	0.00051	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00097	U	0.00097	0.00029	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,1,2-Trichloroethane	0.00097	U	0.00097	0.00059	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,1-Dichloroethane	0.00097	U	0.00097	0.00058	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,1-Dichloroethene	0.00097	U	0.00097	0.00022	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,2,3-Trichlorobenzene	0.00097	U	0.00097	0.00072	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,2,4-Trichlorobenzene	0.00097	U	0.00097	0.00035	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,2,4-Trimethylbenzene	0.00097	U	0.00097	0.00024	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,2-Dibromo-3-Chloropropane	0.00097	U	0.00097	0.00045	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,2-Dichlorobenzene	0.00097	U	0.00097	0.00035	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,2-Dichloroethane	0.00097	U	0.00097	0.00029	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1

Client Sample ID: RI-SB-5 (0-2)
Date Collected: 06/16/25 09:15
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-2
Matrix: Solid
Percent Solids: 90.7

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloropropane	0.00097	U	0.00097	0.00041	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,3,5-Trimethylbenzene	0.00097	U	0.00097	0.00031	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,3-Dichlorobenzene	0.00097	U	0.00097	0.00036	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
1,4-Dichlorobenzene	0.00097	U	0.00097	0.00051	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
2-Butanone (MEK)	0.0049	U	0.0049	0.00036	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
2-Hexanone	0.0049	U	0.0049	0.0017	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
4-Methyl-2-pentanone (MIBK)	0.0049	U	0.0049	0.0015	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Acetone	0.0058	U	0.0058	0.0056	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Benzene	0.00097	U	0.00097	0.00055	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Bromoform	0.00097	U	0.00097	0.00041	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Bromomethane	0.0019	U	0.0019	0.00097	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Carbon disulfide	0.00097	U	0.00097	0.00026	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Carbon tetrachloride	0.00097	U	0.00097	0.00038	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Chlorobenzene	0.00097	U	0.00097	0.00049	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Chlorobromomethane	0.00097	U	0.00097	0.00058	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Chlorodibromomethane	0.00097	U	0.00097	0.00052	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Chloroethane	0.00097	U	0.00097	0.00051	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Chloroform	0.00097	U	0.00097	0.00095	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Chloromethane	0.00097	U	0.00097	0.00042	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
cis-1,2-Dichloroethene	0.00097	U	0.00097	0.00035	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
cis-1,3-Dichloropropene	0.00097	U	0.00097	0.00027	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Cyclohexane	0.00097	U	0.00097	0.00022	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Dichlorobromomethane	0.00097	U	0.00097	0.00025	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Dichlorodifluoromethane	0.00097	U	0.00097	0.00033	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Ethylbenzene	0.00097	U	0.00097	0.00046	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Ethylene Dibromide	0.00097	U	0.00097	0.00049	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Isopropylbenzene	0.00097	U	0.00097	0.00028	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Methyl acetate	0.0049	U	0.0049	0.0042	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Methyl tert-butyl ether	0.00097	U	0.00097	0.00050	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Methylcyclohexane	0.00097	U	0.00097	0.00049	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Methylene Chloride	0.0019	U	0.0019	0.0011	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
m-Xylene & p-Xylene	0.00097	U	0.00097	0.00041	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
n-Butylbenzene	0.00097	U	0.00097	0.00029	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
N-Propylbenzene	0.00097	U	0.00097	0.00044	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
o-Xylene	0.00097	U	0.00097	0.00045	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
sec-Butylbenzene	0.00097	U	0.00097	0.00028	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Styrene	0.00097	U	0.00097	0.00027	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
tert-Butylbenzene	0.00097	U	0.00097	0.00027	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Tetrachloroethene	**0.00045**	**J**	0.00097	0.00030	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Toluene	0.00097	U	0.00097	0.00023	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
trans-1,2-Dichloroethene	0.00097	U	0.00097	0.00024	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
trans-1,3-Dichloropropene	0.00097	U	0.00097	0.00026	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Trichloroethene	0.00097	U	0.00097	0.00031	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Trichlorofluoromethane	0.00097	U	0.00097	0.00040	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Vinyl chloride	0.00097	U	0.00097	0.00053	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1
Xylenes, Total	**0.00021**	**J**	0.0019	0.00017	mg/Kg	☼	06/20/25 14:27	06/23/25 08:40	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Unknown	*6.6*	*J*	*ug/Kg*	☼	*2.45*	*N/A*	*06/20/25 14:27*	*06/23/25 08:40*	*1*
Unknown	*6.2*	*J*	*ug/Kg*	☼	*2.95*	*N/A*	*06/20/25 14:27*	*06/23/25 08:40*	*1*

Client Sample ID: RI-SB-5 (0-2)

Date Collected: 06/16/25 09:15
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-2

Matrix: Solid
Percent Solids: 90.7

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Unknown	5.0	J	ug/Kg	☼	7.66	N/A	06/20/25 14:27	06/23/25 08:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	91		65 - 138	06/20/25 14:27	06/23/25 08:40	1
4-Bromofluorobenzene	100		71 - 128	06/20/25 14:27	06/23/25 08:40	1
Dibromofluoromethane (Surr)	97		50 - 150	06/20/25 14:27	06/23/25 08:40	1
Toluene-d8 (Surr)	91		71 - 126	06/20/25 14:27	06/23/25 08:40	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.36	U	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
1,2,4,5-Tetrachlorobenzene	0.36	U	0.36	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
1,4-Dioxane	0.036	U	0.036	0.032	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,2'-oxybis[1-chloropropane]	0.36	U	0.36	0.022	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,3,4,6-Tetrachlorophenol	0.36	U	0.36	0.025	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,4,5-Trichlorophenol	0.36	U	0.36	0.037	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,4,6-Trichlorophenol	0.15	U	0.15	0.047	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,4-Dichlorophenol	0.15	U	0.15	0.023	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,4-Dimethylphenol	0.36	U	0.36	0.043	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,4-Dinitrophenol	0.29	U	0.29	0.18	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,4-Dinitrotoluene	0.073	U	0.073	0.039	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2,6-Dinitrotoluene	0.073	U	0.073	0.026	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2-Chloronaphthalene	0.36	U	0.36	0.047	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2-Chlorophenol	0.36	U	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2-Methylnaphthalene	0.36	U	0.36	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2-Methylphenol	0.36	U	0.36	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2-Nitroaniline	0.36	U	0.36	0.028	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
2-Nitrophenol	0.36	U	0.36	0.036	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
3 & 4 Methylphenol	0.36	U	0.36	0.023	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
3,3'-Dichlorobenzidine	0.15	U	0.15	0.055	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
3-Nitroaniline	0.36	U	0.36	0.086	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
4,6-Dinitro-2-methylphenol	0.29	U	0.29	0.15	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
4-Bromophenyl phenyl ether	0.36	U	0.36	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
4-Chloro-3-methylphenol	0.36	U	0.36	0.020	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
4-Chloroaniline	0.36	U	0.36	0.064	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
4-Chlorophenyl phenyl ether	0.36	U	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
4-Methylphenol	0.36	U	0.36	0.023	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
4-Nitroaniline	0.36	U	0.36	0.092	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
4-Nitrophenol	0.73	U	0.73	0.059	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Acenaphthene	0.36	U	0.36	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Acenaphthylene	0.36	U	0.36	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Acetophenone	0.36	U	0.36	0.018	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Anthracene	0.36	U	0.36	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Atrazine	0.15	U *	0.15	0.021	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Benzaldehyde	0.36	U *	0.36	0.060	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Benzo[a]anthracene	0.036	U	0.036	0.027	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Benzo[a]pyrene	**0.012**	**J**	0.036	0.0097	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Benzo[b]fluoranthene	**0.022**	**J**	0.036	0.0094	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Benzo[g,h,i]perylene	**0.013**	**J**	0.36	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1

Client Sample ID: RI-SB-5 (0-2)
Date Collected: 06/16/25 09:15
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-2
Matrix: Solid
Percent Solids: 90.7

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[k]fluoranthene	**0.0094**	**J**	0.036	0.0071	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Bis(2-chloroethoxy)methane	0.36	U	0.36	0.067	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Bis(2-chloroethyl)ether	0.036	U	0.036	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Bis(2-ethylhexyl) phthalate	0.36	U	0.36	0.019	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Butyl benzyl phthalate	0.36	U	0.36	0.017	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Caprolactam	0.36	U *	0.36	0.056	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Carbazole	0.36	U	0.36	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Chrysene	**0.015**	**J**	0.36	0.015	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Dibenz(a,h)anthracene	0.036	U	0.036	0.016	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Dibenzofuran	0.36	U	0.36	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Diethyl phthalate	0.36	U	0.36	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Dimethyl phthalate	0.36	U	0.36	0.082	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Di-n-butyl phthalate	0.36	U	0.36	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Di-n-octyl phthalate	0.36	U	0.36	0.019	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Fluoranthene	**0.032**	**J**	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Fluorene	0.36	U	0.36	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Hexachlorobenzene	0.036	U	0.036	0.017	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Hexachlorobutadiene	0.073	U	0.073	0.0077	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Hexachlorocyclopentadiene	0.36	U	0.36	0.032	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Hexachloroethane	0.036	U	0.036	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Indeno[1,2,3-cd]pyrene	0.036	U	0.036	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Isophorone	0.15	U	0.15	0.10	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Naphthalene	0.36	U	0.36	0.0063	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Nitrobenzene	0.036	U	0.036	0.020	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
N-Nitrosodi-n-propylamine	0.036	U	0.036	0.026	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
N-Nitrosodiphenylamine	0.36	U	0.36	0.030	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Pentachlorophenol	0.29	U	0.29	0.074	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Phenanthrene	0.36	U	0.36	0.015	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Phenol	0.36	U	0.36	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1
Pyrene	**0.023**	**J**	0.36	0.0090	mg/Kg	☼	06/21/25 11:49	06/23/25 13:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*73*		*18 - 137*	*06/21/25 11:49*	*06/23/25 13:54*	*1*
2-Fluorobiphenyl	*75*		*33 - 117*	*06/21/25 11:49*	*06/23/25 13:54*	*1*
2-Fluorophenol (Surr)	*70*		*24 - 120*	*06/21/25 11:49*	*06/23/25 13:54*	*1*
Nitrobenzene-d5 (Surr)	*66*		*27 - 120*	*06/21/25 11:49*	*06/23/25 13:54*	*1*
Phenol-d5 (Surr)	*70*		*28 - 118*	*06/21/25 11:49*	*06/23/25 13:54*	*1*
Terphenyl-d14 (Surr)	*65*		*33 - 124*	*06/21/25 11:49*	*06/23/25 13:54*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**9060**		19.5	5.4	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Antimony	0.98	U	0.98	0.14	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Arsenic	**3.3**		0.98	0.10	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Barium	**24.7**		2.0	0.14	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Beryllium	**0.25**	**J**	0.39	0.021	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Cadmium	0.98	U	0.98	0.11	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Calcium	**4430**		97.6	9.5	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Chromium	**9.3**		2.0	0.29	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Cobalt	**2.7**		2.0	0.14	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1

Client Sample ID: RI-SB-5 (0-2)

Date Collected: 06/16/25 09:15
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-2
Matrix: Solid
Percent Solids: 90.7

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	7.6		2.0	0.36	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Iron	10100		58.5	7.5	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Lead	42.6		0.59	0.20	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Magnesium	3370		97.6	10	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Manganese	79.7		3.9	0.39	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Nickel	5.3		2.0	0.17	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Potassium	364		97.6	15.8	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Selenium	0.45	J	1.2	0.12	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Silver	0.39	U	0.39	0.087	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Sodium	72.5	J	97.6	44.6	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Thallium	0.080	J	0.39	0.040	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Vanadium	17.6		2.0	0.20	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1
Zinc	38.2		7.8	1.1	mg/Kg	☼	06/23/25 07:31	06/24/25 13:12	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.022		0.019	0.0088	mg/Kg	☼	06/25/25 02:38	06/25/25 15:42	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.3		1.0	1.0	%			06/20/25 08:32	1
Percent Solids (EPA Moisture)	90.7		1.0	1.0	%			06/20/25 08:32	1

Client Sample ID: RI-SB-6 (0-2)

Date Collected: 06/16/25 09:40
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-3
Matrix: Solid
Percent Solids: 98.6

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.00095	U	0.00095	0.00022	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,1,2,2-Tetrachloroethane	0.00095	U	0.00095	0.00050	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00095	U	0.00095	0.00029	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,1,2-Trichloroethane	0.00095	U	0.00095	0.00057	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,1-Dichloroethane	0.00095	U	0.00095	0.00057	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,1-Dichloroethene	0.00095	U	0.00095	0.00021	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,2,3-Trichlorobenzene	0.00095	U	0.00095	0.00070	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,2,4-Trichlorobenzene	0.00095	U	0.00095	0.00034	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,2,4-Trimethylbenzene	0.00095	U	0.00095	0.00023	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,2-Dibromo-3-Chloropropane	0.00095	U	0.00095	0.00044	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,2-Dichlorobenzene	0.00095	U	0.00095	0.00034	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,2-Dichloroethane	0.00095	U	0.00095	0.00028	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,2-Dichloropropane	0.00095	U	0.00095	0.00040	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,3,5-Trimethylbenzene	0.00095	U	0.00095	0.00030	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,3-Dichlorobenzene	0.00095	U	0.00095	0.00035	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
1,4-Dichlorobenzene	0.00095	U	0.00095	0.00049	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
2-Butanone (MEK)	0.0047	U	0.0047	0.00035	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
2-Hexanone	0.0047	U	0.0047	0.0016	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
4-Methyl-2-pentanone (MIBK)	0.0047	U	0.0047	0.0015	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Acetone	0.0057		0.0057	0.0054	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Benzene	0.00095	U	0.00095	0.00054	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1

Client Sample ID: RI-SB-6 (0-2)
Date Collected: 06/16/25 09:40
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-3
Matrix: Solid
Percent Solids: 98.6

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bromoform	0.00095	U	0.00095	0.00040	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Bromomethane	0.0019	U	0.0019	0.00095	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Carbon disulfide	0.00095	U	0.00095	0.00025	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Carbon tetrachloride	0.00095	U	0.00095	0.00037	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Chlorobenzene	0.00095	U	0.00095	0.00048	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Chlorobromomethane	0.00095	U	0.00095	0.00057	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Chlorodibromomethane	0.00095	U	0.00095	0.00051	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Chloroethane	0.00095	U	0.00095	0.00050	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Chloroform	0.00095	U	0.00095	0.00092	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Chloromethane	0.00095	U	0.00095	0.00041	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
cis-1,2-Dichloroethene	0.00095	U	0.00095	0.00034	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
cis-1,3-Dichloropropene	0.00095	U	0.00095	0.00026	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Cyclohexane	0.00095	U	0.00095	0.00021	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Dichlorobromomethane	0.00095	U	0.00095	0.00024	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Dichlorodifluoromethane	0.00095	U	0.00095	0.00032	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Ethylbenzene	0.00095	U	0.00095	0.00044	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Ethylene Dibromide	0.00095	U	0.00095	0.00048	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Isopropylbenzene	0.00095	U	0.00095	0.00027	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Methyl acetate	0.0047	U	0.0047	0.0041	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Methyl tert-butyl ether	0.00095	U	0.00095	0.00049	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Methylcyclohexane	0.00095	U	0.00095	0.00047	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Methylene Chloride	0.0019	U	0.0019	0.0011	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
m-Xylene & p-Xylene	0.00095	U	0.00095	0.00040	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
n-Butylbenzene	0.00095	U	0.00095	0.00028	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
N-Propylbenzene	0.00095	U	0.00095	0.00043	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
o-Xylene	0.00095	U	0.00095	0.00044	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
sec-Butylbenzene	0.00095	U	0.00095	0.00027	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Styrene	0.00095	U	0.00095	0.00026	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
tert-Butylbenzene	0.00095	U	0.00095	0.00026	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Tetrachloroethene	0.00095	U	0.00095	0.00029	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Toluene	0.00095	U	0.00095	0.00022	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
trans-1,2-Dichloroethene	0.00095	U	0.00095	0.00023	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
trans-1,3-Dichloropropene	0.00095	U	0.00095	0.00025	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Trichloroethene	0.00095	U	0.00095	0.00030	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Trichlorofluoromethane	0.00095	U	0.00095	0.00039	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Vinyl chloride	0.00095	U	0.00095	0.00052	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1
Xylenes, Total	0.0019	U	0.0019	0.00017	mg/Kg	☼	06/20/25 14:28	06/23/25 09:04	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*	☼		*N/A*	*06/20/25 14:28*	*06/23/25 09:04*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*95*		*65 - 138*	*06/20/25 14:28*	*06/23/25 09:04*	*1*
4-Bromofluorobenzene	*104*		*71 - 128*	*06/20/25 14:28*	*06/23/25 09:04*	*1*
Dibromofluoromethane (Surr)	*102*		*50 - 150*	*06/20/25 14:28*	*06/23/25 09:04*	*1*
Toluene-d8 (Surr)	*95*		*71 - 126*	*06/20/25 14:28*	*06/23/25 09:04*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1

Client Sample ID: RI-SB-6 (0-2)
Date Collected: 06/16/25 09:40
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-3
Matrix: Solid
Percent Solids: 98.6

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.023	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.043	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,4-Dimethylphenol	0.33	U	0.33	0.040	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,4-Dinitrotoluene	0.067	U	0.067	0.036	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2,6-Dinitrotoluene	0.067	U	0.067	0.024	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2-Chloronaphthalene	0.33	U	0.33	0.043	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2-Methylnaphthalene	0.33	U	0.33	0.0093	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
4-Nitroaniline	0.33	U	0.33	0.084	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
4-Nitrophenol	0.67	U	0.67	0.054	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Acenaphthene	0.33	U	0.33	0.0095	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Acenaphthylene	0.33	U	0.33	0.0095	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Anthracene	0.33	U	0.33	0.010	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Atrazine	0.13	U *	0.13	0.020	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Benzaldehyde	0.33	U *	0.33	0.055	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Benzo[a]anthracene	0.033	U	0.033	0.025	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Benzo[a]pyrene	0.033	U	0.033	0.0089	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Benzo[b]fluoranthene	0.033	U	0.033	0.0086	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Benzo[g,h,i]perylene	0.33	U	0.33	0.0098	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Benzo[k]fluoranthene	0.033	U	0.033	0.0065	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.061	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.018	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Caprolactam	0.33	U *	0.33	0.052	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Carbazole	0.33	U	0.33	0.013	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Chrysene	0.33	U	0.33	0.014	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Dibenz(a,h)anthracene	0.033	U	0.033	0.014	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Dibenzofuran	0.33	U	0.33	0.011	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1

Client Sample ID: RI-SB-6 (0-2)

Date Collected: 06/16/25 09:40
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-3

Matrix: Solid
Percent Solids: 98.6

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dimethyl phthalate	0.33	U	0.33	0.076	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Di-n-butyl phthalate	0.33	U	0.33	0.013	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Fluoranthene	0.33	U	0.33	0.012	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Fluorene	0.33	U	0.33	0.0097	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Hexachlorobutadiene	0.067	U	0.067	0.0071	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Indeno[1,2,3-cd]pyrene	0.033	U	0.033	0.013	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Isophorone	0.13	U	0.13	0.096	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Naphthalene	0.33	U	0.33	0.0057	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Nitrobenzene	0.033	U	0.033	0.018	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Phenanthrene	0.33	U	0.33	0.014	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Phenol	0.33	U	0.33	0.012	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1
Pyrene	0.33	U	0.33	0.0083	mg/Kg	☼	06/21/25 11:49	06/22/25 17:54	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*86*		*18 - 137*	*06/21/25 11:49*	*06/22/25 17:54*	*1*
2-Fluorobiphenyl	*81*		*33 - 117*	*06/21/25 11:49*	*06/22/25 17:54*	*1*
2-Fluorophenol (Surr)	*81*		*24 - 120*	*06/21/25 11:49*	*06/22/25 17:54*	*1*
Nitrobenzene-d5 (Surr)	*75*		*27 - 120*	*06/21/25 11:49*	*06/22/25 17:54*	*1*
Phenol-d5 (Surr)	*79*		*28 - 118*	*06/21/25 11:49*	*06/22/25 17:54*	*1*
Terphenyl-d14 (Surr)	*75*		*33 - 124*	*06/21/25 11:49*	*06/22/25 17:54*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**2550**		18.6	5.1	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Antimony	0.93	U	0.93	0.14	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Arsenic	**1.1**		0.93	0.096	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Barium	**7.6**		1.9	0.13	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Beryllium	**0.23**	**J**	0.37	0.020	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Cadmium	0.93	U	0.93	0.11	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Calcium	**264**		93.0	9.1	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Chromium	**4.2**		1.9	0.28	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Cobalt	**1.5**	**J**	1.9	0.14	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Copper	**3.0**		1.9	0.34	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Iron	**6910**		55.8	7.1	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Lead	**5.4**		0.56	0.19	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Magnesium	**776**		93.0	9.5	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Manganese	**55.7**		3.7	0.37	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Nickel	**2.5**		1.9	0.16	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Potassium	**456**		93.0	15.1	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Selenium	1.2	U	1.2	0.12	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Silver	0.37	U	0.37	0.083	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Sodium	**50.2**	**J**	93.0	42.5	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Thallium	**0.043**	**J**	0.37	0.038	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1

Client Sample ID: RI-SB-6 (0-2)

Lab Sample ID: 460-328835-3
Date Collected: 06/16/25 09:40
Matrix: Solid
Date Received: 06/18/25 19:10
Percent Solids: 98.6

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Vanadium	4.1		1.9	0.19	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1
Zinc	10.8		7.4	1.0	mg/Kg	☼	06/23/25 07:31	06/24/25 13:15	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.017	U	0.017	0.0081	mg/Kg	☼	06/25/25 02:38	06/25/25 15:45	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	1.4		1.0	1.0	%			06/20/25 08:32	1
Percent Solids (EPA Moisture)	98.6		1.0	1.0	%			06/20/25 08:32	1

Client Sample ID: RI-SB-7 (0-2)

Lab Sample ID: 460-328835-4
Date Collected: 06/16/25 10:00
Matrix: Solid
Date Received: 06/18/25 19:10
Percent Solids: 96.0

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.00099	U	0.00099	0.00023	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,1,2,2-Tetrachloroethane	0.00099	U	0.00099	0.00052	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00099	U	0.00099	0.00030	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,1,2-Trichloroethane	0.00099	U	0.00099	0.00060	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,1-Dichloroethane	0.00099	U	0.00099	0.00059	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,1-Dichloroethene	0.00099	U	0.00099	0.00022	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,2,3-Trichlorobenzene	0.00099	U	0.00099	0.00073	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,2,4-Trichlorobenzene	0.00099	U	0.00099	0.00036	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,2,4-Trimethylbenzene	0.00099	U	0.00099	0.00024	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,2-Dibromo-3-Chloropropane	0.00099	U	0.00099	0.00046	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,2-Dichlorobenzene	0.00099	U	0.00099	0.00036	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,2-Dichloroethane	0.00099	U	0.00099	0.00029	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,2-Dichloropropane	0.00099	U	0.00099	0.00042	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,3,5-Trimethylbenzene	0.00099	U	0.00099	0.00031	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,3-Dichlorobenzene	0.00099	U	0.00099	0.00036	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
1,4-Dichlorobenzene	0.00099	U	0.00099	0.00052	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0015	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Acetone	0.0057	J	0.0060	0.0057	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Benzene	0.00099	U	0.00099	0.00056	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Bromoform	0.00099	U	0.00099	0.00042	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Bromomethane	0.0020	U	0.0020	0.00099	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Carbon disulfide	0.00099	U	0.00099	0.00026	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Carbon tetrachloride	0.00099	U	0.00099	0.00038	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Chlorobenzene	0.00099	U	0.00099	0.00050	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Chlorobromomethane	0.00099	U	0.00099	0.00059	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Chlorodibromomethane	0.00099	U	0.00099	0.00053	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Chloroethane	0.00099	U	0.00099	0.00052	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Chloroform	0.00099	U	0.00099	0.00097	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Chloromethane	0.00099	U	0.00099	0.00043	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
cis-1,2-Dichloroethene	0.00099	U	0.00099	0.00036	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1

Client Sample ID: RI-SB-7 (0-2)

Date Collected: 06/16/25 10:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-4

Matrix: Solid
Percent Solids: 96.0

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,3-Dichloropropene	0.00099	U	0.00099	0.00027	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Cyclohexane	0.00099	U	0.00099	0.00022	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Dichlorobromomethane	0.00099	U	0.00099	0.00026	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Dichlorodifluoromethane	0.00099	U	0.00099	0.00034	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Ethylbenzene	0.00099	U	0.00099	0.00047	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Ethylene Dibromide	0.00099	U	0.00099	0.00050	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Isopropylbenzene	0.00099	U	0.00099	0.00028	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Methyl tert-butyl ether	0.00099	U	0.00099	0.00051	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Methylcyclohexane	0.00099	U	0.00099	0.00050	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
m-Xylene & p-Xylene	0.00099	U	0.00099	0.00042	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
n-Butylbenzene	0.00099	U	0.00099	0.00029	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
N-Propylbenzene	0.00099	U	0.00099	0.00045	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
o-Xylene	0.00099	U	0.00099	0.00046	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
sec-Butylbenzene	0.00099	U	0.00099	0.00029	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Styrene	0.00099	U	0.00099	0.00028	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
tert-Butylbenzene	0.00099	U	0.00099	0.00027	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Tetrachloroethene	**0.0039**		0.00099	0.00030	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Toluene	**0.00030**	**J**	0.00099	0.00023	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
trans-1,2-Dichloroethene	0.00099	U	0.00099	0.00024	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
trans-1,3-Dichloropropene	0.00099	U	0.00099	0.00026	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Trichloroethene	0.00099	U	0.00099	0.00032	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Trichlorofluoromethane	0.00099	U	0.00099	0.00040	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Vinyl chloride	0.00099	U	0.00099	0.00054	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg	☼	06/20/25 14:28	06/23/25 09:27	1

Tentatively Identified Compound	*Est. Result*	*Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Pentane, 2-methyl-	*9.1*	*J N*	*ug/Kg*	☼	*2.95*	*107-83-5*	*06/20/25 14:28*	*06/23/25 09:27*	*1*
Unknown	*8.5*	*J*	*ug/Kg*	☼	*7.67*	*N/A*	*06/20/25 14:28*	*06/23/25 09:27*	*1*

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*99*		*65 - 138*	*06/20/25 14:28*	*06/23/25 09:27*	*1*
4-Bromofluorobenzene	*109*		*71 - 128*	*06/20/25 14:28*	*06/23/25 09:27*	*1*
Dibromofluoromethane (Surr)	*108*		*50 - 150*	*06/20/25 14:28*	*06/23/25 09:27*	*1*
Toluene-d8 (Surr)	*102*		*71 - 126*	*06/20/25 14:28*	*06/23/25 09:27*	*1*

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.34	U	0.34	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
1,2,4,5-Tetrachlorobenzene	0.34	U	0.34	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
1,4-Dioxane	0.034	U	0.034	0.030	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2,2'-oxybis[1-chloropropane]	0.34	U	0.34	0.021	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2,3,4,6-Tetrachlorophenol	0.34	U	0.34	0.023	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2,4,5-Trichlorophenol	0.34	U	0.34	0.035	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2,4,6-Trichlorophenol	0.14	U	0.14	0.044	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2,4-Dichlorophenol	0.14	U	0.14	0.022	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2,4-Dimethylphenol	0.34	U	0.34	0.041	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2,4-Dinitrophenol	0.28	U	0.28	0.17	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2,4-Dinitrotoluene	0.069	U	0.069	0.037	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1

Client Sample ID: RI-SB-7 (0-2)

Date Collected: 06/16/25 10:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-4

Matrix: Solid
Percent Solids: 96.0

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,6-Dinitrotoluene	0.069	U	0.069	0.025	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2-Chloronaphthalene	0.34	U	0.34	0.044	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2-Chlorophenol	0.34	U	0.34	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2-Methylnaphthalene	**0.028**	**J**	0.34	0.0096	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2-Methylphenol	0.34	U	0.34	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2-Nitroaniline	0.34	U	0.34	0.026	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
2-Nitrophenol	0.34	U	0.34	0.034	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
3 & 4 Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
3,3'-Dichlorobenzidine	0.14	U	0.14	0.052	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
3-Nitroaniline	0.34	U	0.34	0.081	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
4,6-Dinitro-2-methylphenol	0.28	U	0.28	0.14	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
4-Bromophenyl phenyl ether	0.34	U	0.34	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
4-Chloro-3-methylphenol	0.34	U	0.34	0.019	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
4-Chloroaniline	0.34	U	0.34	0.061	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
4-Chlorophenyl phenyl ether	0.34	U	0.34	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
4-Methylphenol	0.34	U	0.34	0.021	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
4-Nitroaniline	0.34	U	0.34	0.087	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
4-Nitrophenol	0.69	U	0.69	0.056	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Acenaphthene	**0.032**	**J**	0.34	0.0098	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Acenaphthylene	**0.25**	**J**	0.34	0.0098	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Acetophenone	0.34	U	0.34	0.017	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Anthracene	**0.19**	**J**	0.34	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Atrazine	0.14	U *	0.14	0.020	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Benzaldehyde	0.34	U *	0.34	0.057	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Benzo[a]anthracene	**1.6**		0.034	0.026	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Benzo[a]pyrene	**2.1**		0.034	0.0091	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Benzo[b]fluoranthene	**2.7**		0.034	0.0089	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Benzo[g,h,i]perylene	**1.5**		0.34	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Benzo[k]fluoranthene	**1.0**		0.034	0.0067	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Bis(2-chloroethoxy)methane	0.34	U	0.34	0.063	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Bis(2-chloroethyl)ether	0.034	U	0.034	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Bis(2-ethylhexyl) phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Butyl benzyl phthalate	0.34	U	0.34	0.016	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Caprolactam	0.34	U *	0.34	0.053	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Carbazole	**0.079**	**J**	0.34	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Chrysene	**1.8**		0.34	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Dibenz(a,h)anthracene	**0.41**		0.034	0.015	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Dibenzofuran	**0.027**	**J**	0.34	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Diethyl phthalate	0.34	U	0.34	0.011	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Dimethyl phthalate	0.34	U	0.34	0.078	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Di-n-butyl phthalate	0.34	U	0.34	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Di-n-octyl phthalate	0.34	U	0.34	0.018	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Fluoranthene	**2.7**		0.34	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Fluorene	**0.038**	**J**	0.34	0.010	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Hexachlorobenzene	0.034	U	0.034	0.016	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Hexachlorobutadiene	0.069	U	0.069	0.0073	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Hexachlorocyclopentadiene	0.34	U	0.34	0.030	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Hexachloroethane	0.034	U	0.034	0.012	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Indeno[1,2,3-cd]pyrene	**1.6**		0.034	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1

Client Sample ID: RI-SB-7 (0-2)

Date Collected: 06/16/25 10:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-4

Matrix: Solid
Percent Solids: 96.0

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Isophorone	0.14	U	0.14	0.099	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Naphthalene	**0.077**	**J**	0.34	0.0059	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Nitrobenzene	0.034	U	0.034	0.019	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
N-Nitrosodi-n-propylamine	0.034	U	0.034	0.025	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
N-Nitrosodiphenylamine	0.34	U	0.34	0.028	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Pentachlorophenol	0.28	U	0.28	0.070	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Phenanthrene	**0.66**		0.34	0.014	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Phenol	0.34	U	0.34	0.013	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1
Pyrene	**2.4**		0.34	0.0085	mg/Kg	☼	06/21/25 11:49	06/23/25 12:42	1

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*76*		*18 - 137*	*06/21/25 11:49*	*06/23/25 12:42*	*1*
2-Fluorobiphenyl	*75*		*33 - 117*	*06/21/25 11:49*	*06/23/25 12:42*	*1*
2-Fluorophenol (Surr)	*71*		*24 - 120*	*06/21/25 11:49*	*06/23/25 12:42*	*1*
Nitrobenzene-d5 (Surr)	*67*		*27 - 120*	*06/21/25 11:49*	*06/23/25 12:42*	*1*
Phenol-d5 (Surr)	*71*		*28 - 118*	*06/21/25 11:49*	*06/23/25 12:42*	*1*
Terphenyl-d14 (Surr)	*73*		*33 - 124*	*06/21/25 11:49*	*06/23/25 12:42*	*1*

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	**4150**		19.1	5.2	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Antimony	**0.15**	**J**	0.96	0.14	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Arsenic	**3.1**		0.96	0.098	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Barium	**26.7**		1.9	0.14	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Beryllium	**0.18**	**J**	0.38	0.021	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Cadmium	**0.20**	**J**	0.96	0.11	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Calcium	**3230**		95.5	9.3	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Chromium	**6.6**		1.9	0.28	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Cobalt	**1.9**		1.9	0.14	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Copper	**14.4**		1.9	0.35	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Iron	**5760**		57.3	7.3	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Lead	**90.3**		0.57	0.19	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Magnesium	**2050**		95.5	9.7	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Manganese	**81.3**		3.8	0.39	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Nickel	**4.1**		1.9	0.17	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Potassium	**258**		95.5	15.5	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Selenium	**0.21**	**J**	1.2	0.12	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Silver	**0.094**	**J**	0.38	0.085	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Sodium	**79.9**	**J**	95.5	43.7	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Thallium	**0.057**	**J**	0.38	0.039	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Vanadium	**8.6**		1.9	0.20	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1
Zinc	**81.6**		7.6	1.0	mg/Kg	☼	06/23/25 07:31	06/24/25 13:18	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	**0.084**		0.017	0.0082	mg/Kg	☼	06/25/25 02:38	06/25/25 15:48	1

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	**4.0**		1.0	1.0	%			06/20/25 08:32	1

Client: GEI Consultants Inc
Job ID: 460-328835-1
Project/Site: 20/40 Jerusalem Avenue

Client Sample ID: RI-SB-7 (0-2)
Lab Sample ID: 460-328835-4
Date Collected: 06/16/25 10:00
Matrix: Solid
Date Received: 06/18/25 19:10
Percent Solids: 96.0

General Chemistry (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Solids (EPA Moisture)	96.0		1.0	1.0	%			06/20/25 08:32	1

Surrogate Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328835-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		DCA	BFB	DBFM	TOL
Lab Sample ID	Client Sample ID	(65-138)	(71-128)	(50-150)	(71-126)
460-328835-1	RI-SB-4 (0-2)	94	100	99	91
460-328835-2	RI-SB-5 (0-2)	91	100	97	91
460-328835-3	RI-SB-6 (0-2)	95	104	102	95
460-328835-4	RI-SB-7 (0-2)	99	109	108	102
LCS 460-1045423/3	Lab Control Sample	113	116	115	112
LCS 460-1045465/3	Lab Control Sample	84	94	95	91
LCSD 460-1045423/4	Lab Control Sample Dup	92	92	93	93
LCSD 460-1045465/4	Lab Control Sample Dup	89	99	98	96
MB 460-1045423/8	Method Blank	96	105	101	93
MB 460-1045465/8	Method Blank	87	102	98	95

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)					
		TBP	FBP	2FP	NBZ	PHL	TPHL
Lab Sample ID	Client Sample ID	(18-137)	(33-117)	(24-120)	(27-120)	(28-118)	(33-124)
460-328835-1	RI-SB-4 (0-2)	79	82	75	73	74	75
460-328835-2	RI-SB-5 (0-2)	73	75	70	66	70	65
460-328835-3	RI-SB-6 (0-2)	86	81	81	75	79	75
460-328835-4	RI-SB-7 (0-2)	76	75	71	67	71	73
LCS 460-1045291/2-A	Lab Control Sample	94	81	81	75	80	83
LCSD 460-1045291/3-A	Lab Control Sample Dup	95	82	81	76	79	82
MB 460-1045291/1-A	Method Blank	79	72	73	70	70	81

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)
FBP = 2-Fluorobiphenyl
2FP = 2-Fluorophenol (Surr)
NBZ = Nitrobenzene-d5 (Surr)
PHL = Phenol-d5 (Surr)
TPHL = Terphenyl-d14 (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-1045423/8
Matrix: Solid
Analysis Batch: 1045423

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00023	mg/Kg			06/22/25 19:15	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00052	mg/Kg			06/22/25 19:15	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00030	mg/Kg			06/22/25 19:15	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00060	mg/Kg			06/22/25 19:15	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00060	mg/Kg			06/22/25 19:15	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg			06/22/25 19:15	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00074	mg/Kg			06/22/25 19:15	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			06/22/25 19:15	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg			06/22/25 19:15	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00046	mg/Kg			06/22/25 19:15	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			06/22/25 19:15	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg			06/22/25 19:15	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00042	mg/Kg			06/22/25 19:15	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00031	mg/Kg			06/22/25 19:15	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg			06/22/25 19:15	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00052	mg/Kg			06/22/25 19:15	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg			06/22/25 19:15	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg			06/22/25 19:15	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0016	mg/Kg			06/22/25 19:15	1
Acetone	0.0060	U	0.0060	0.0057	mg/Kg			06/22/25 19:15	1
Benzene	0.0010	U	0.0010	0.00057	mg/Kg			06/22/25 19:15	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg			06/22/25 19:15	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg			06/22/25 19:15	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg			06/22/25 19:15	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg			06/22/25 19:15	1
Chlorobenzene	0.0010	U	0.0010	0.00051	mg/Kg			06/22/25 19:15	1
Chlorobromomethane	0.0010	U	0.0010	0.00060	mg/Kg			06/22/25 19:15	1
Chlorodibromomethane	0.0010	U	0.0010	0.00054	mg/Kg			06/22/25 19:15	1
Chloroethane	0.0010	U	0.0010	0.00052	mg/Kg			06/22/25 19:15	1
Chloroform	0.0010	U	0.0010	0.00097	mg/Kg			06/22/25 19:15	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg			06/22/25 19:15	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00036	mg/Kg			06/22/25 19:15	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			06/22/25 19:15	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg			06/22/25 19:15	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg			06/22/25 19:15	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg			06/22/25 19:15	1
Ethylbenzene	0.0010	U	0.0010	0.00047	mg/Kg			06/22/25 19:15	1
Ethylene Dibromide	0.0010	U	0.0010	0.00050	mg/Kg			06/22/25 19:15	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/22/25 19:15	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg			06/22/25 19:15	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00051	mg/Kg			06/22/25 19:15	1
Methylcyclohexane	0.0010	U	0.0010	0.00050	mg/Kg			06/22/25 19:15	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg			06/22/25 19:15	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00042	mg/Kg			06/22/25 19:15	1
n-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/22/25 19:15	1
N-Propylbenzene	0.0010	U	0.0010	0.00045	mg/Kg			06/22/25 19:15	1
o-Xylene	0.0010	U	0.0010	0.00046	mg/Kg			06/22/25 19:15	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/22/25 19:15	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-1045423/8
Matrix: Solid
Analysis Batch: 1045423

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	0.0010	U	0.0010	0.00028	mg/Kg			06/22/25 19:15	1
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg			06/22/25 19:15	1
Tetrachloroethene	0.0010	U	0.0010	0.00031	mg/Kg			06/22/25 19:15	1
Toluene	0.0010	U	0.0010	0.00023	mg/Kg			06/22/25 19:15	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg			06/22/25 19:15	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			06/22/25 19:15	1
Trichloroethene	0.0010	U	0.0010	0.00032	mg/Kg			06/22/25 19:15	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg			06/22/25 19:15	1
Vinyl chloride	0.0010	U	0.0010	0.00055	mg/Kg			06/22/25 19:15	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg			06/22/25 19:15	1

Tentatively Identified Compound	*Est. Result*	*MB Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*			*N/A*		*06/22/25 19:15*	*1*

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*96*		*65 - 138*		*06/22/25 19:15*	*1*
4-Bromofluorobenzene	*105*		*71 - 128*		*06/22/25 19:15*	*1*
Dibromofluoromethane (Surr)	*101*		*50 - 150*		*06/22/25 19:15*	*1*
Toluene-d8 (Surr)	*93*		*71 - 126*		*06/22/25 19:15*	*1*

Lab Sample ID: LCS 460-1045423/3
Matrix: Solid
Analysis Batch: 1045423

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	0.0200	0.0193		mg/Kg		96	78 - 120
1,1,2,2-Tetrachloroethane	0.0200	0.0186		mg/Kg		93	70 - 133
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0209		mg/Kg		104	75 - 121
1,1,2-Trichloroethane	0.0200	0.0188		mg/Kg		94	80 - 120
1,1-Dichloroethane	0.0200	0.0192		mg/Kg		96	72 - 120
1,1-Dichloroethene	0.0200	0.0195		mg/Kg		97	76 - 120
1,2,3-Trichlorobenzene	0.0200	0.0190		mg/Kg		95	77 - 137
1,2,4-Trichlorobenzene	0.0200	0.0173		mg/Kg		87	77 - 136
1,2,4-Trimethylbenzene	0.0200	0.0187		mg/Kg		94	75 - 120
1,2-Dibromo-3-Chloropropane	0.0200	0.0181		mg/Kg		91	80 - 124
1,2-Dichlorobenzene	0.0200	0.0179		mg/Kg		89	80 - 120
1,2-Dichloroethane	0.0200	0.0195		mg/Kg		97	70 - 123
1,2-Dichloropropane	0.0200	0.0180		mg/Kg		90	73 - 124
1,3,5-Trimethylbenzene	0.0200	0.0184		mg/Kg		92	70 - 120
1,3-Dichlorobenzene	0.0200	0.0178		mg/Kg		89	80 - 120
1,4-Dichlorobenzene	0.0200	0.0178		mg/Kg		89	80 - 120
2-Butanone (MEK)	0.100	0.0910		mg/Kg		91	64 - 128
2-Hexanone	0.100	0.100		mg/Kg		100	75 - 120
4-Methyl-2-pentanone (MIBK)	0.100	0.0989		mg/Kg		99	80 - 120
Acetone	0.100	0.0818		mg/Kg		82	58 - 122
Benzene	0.0200	0.0183		mg/Kg		91	75 - 120
Bromoform	0.0200	0.0182		mg/Kg		91	61 - 125

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1045423/3
Matrix: Solid
Analysis Batch: 1045423

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Bromomethane	0.0200	0.0179		mg/Kg		90	37 - 150
Carbon disulfide	0.0200	0.0198		mg/Kg		99	57 - 133
Carbon tetrachloride	0.0200	0.0195		mg/Kg		98	66 - 127
Chlorobenzene	0.0200	0.0182		mg/Kg		91	80 - 120
Chlorobromomethane	0.0200	0.0182		mg/Kg		91	76 - 127
Chlorodibromomethane	0.0200	0.0184		mg/Kg		92	72 - 120
Chloroethane	0.0200	0.0193		mg/Kg		97	60 - 123
Chloroform	0.0200	0.0195		mg/Kg		98	79 - 126
Chloromethane	0.0200	0.0189		mg/Kg		94	46 - 122
cis-1,2-Dichloroethene	0.0200	0.0189		mg/Kg		94	80 - 123
cis-1,3-Dichloropropene	0.0200	0.0181		mg/Kg		90	75 - 120
Cyclohexane	0.0200	0.0201		mg/Kg		101	65 - 132
Dichlorobromomethane	0.0200	0.0187		mg/Kg		94	77 - 124
Dichlorodifluoromethane	0.0200	0.0210		mg/Kg		105	45 - 129
Ethylbenzene	0.0200	0.0184		mg/Kg		92	80 - 120
Ethylene Dibromide	0.0200	0.0186		mg/Kg		93	79 - 120
Isopropylbenzene	0.0200	0.0189		mg/Kg		94	74 - 120
Methyl acetate	0.0400	0.0392		mg/Kg		98	57 - 120
Methyl tert-butyl ether	0.0200	0.0189		mg/Kg		95	74 - 125
Methylcyclohexane	0.0200	0.0202		mg/Kg		101	66 - 125
Methylene Chloride	0.0200	0.0189		mg/Kg		94	78 - 120
m-Xylene & p-Xylene	0.0200	0.0188		mg/Kg		94	80 - 120
n-Butylbenzene	0.0200	0.0188		mg/Kg		94	72 - 120
N-Propylbenzene	0.0200	0.0191		mg/Kg		95	68 - 120
o-Xylene	0.0200	0.0185		mg/Kg		93	80 - 120
sec-Butylbenzene	0.0200	0.0195		mg/Kg		97	78 - 120
Styrene	0.0200	0.0180		mg/Kg		90	80 - 120
tert-Butylbenzene	0.0200	0.0189		mg/Kg		95	80 - 120
Tetrachloroethene	0.0200	0.0183		mg/Kg		92	73 - 120
Toluene	0.0200	0.0177		mg/Kg		89	80 - 120
trans-1,2-Dichloroethene	0.0200	0.0200		mg/Kg		100	78 - 120
trans-1,3-Dichloropropene	0.0200	0.0173		mg/Kg		87	77 - 120
Trichloroethene	0.0200	0.0191		mg/Kg		95	80 - 120
Trichlorofluoromethane	0.0200	0.0192		mg/Kg		96	61 - 130
Vinyl chloride	0.0200	0.0190		mg/Kg		95	54 - 122
Xylenes, Total	0.0400	0.0373		mg/Kg		93	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*113*		*65 - 138*
4-Bromofluorobenzene	*116*		*71 - 128*
Dibromofluoromethane (Surr)	*115*		*50 - 150*
Toluene-d8 (Surr)	*112*		*71 - 126*

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1045423/4
Matrix: Solid
Analysis Batch: 1045423

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane			0.0200	0.0189		mg/Kg		95	78 - 120	2	30
1,1,2,2-Tetrachloroethane			0.0200	0.0184		mg/Kg		92	70 - 133	1	30
1,1,2-Trichloro-1,2,2-trifluoroethane			0.0200	0.0201		mg/Kg		100	75 - 121	4	30
1,1,2-Trichloroethane			0.0200	0.0193		mg/Kg		97	80 - 120	3	30
1,1-Dichloroethane			0.0200	0.0190		mg/Kg		95	72 - 120	1	30
1,1-Dichloroethene			0.0200	0.0186		mg/Kg		93	76 - 120	5	30
1,2,3-Trichlorobenzene			0.0200	0.0186		mg/Kg		93	77 - 137	2	30
1,2,4-Trichlorobenzene			0.0200	0.0174		mg/Kg		87	77 - 136	1	30
1,2,4-Trimethylbenzene			0.0200	0.0183		mg/Kg		91	75 - 120	2	30
1,2-Dibromo-3-Chloropropane			0.0200	0.0177		mg/Kg		89	80 - 124	2	30
1,2-Dichlorobenzene			0.0200	0.0176		mg/Kg		88	80 - 120	1	30
1,2-Dichloroethane			0.0200	0.0190		mg/Kg		95	70 - 123	3	30
1,2-Dichloropropane			0.0200	0.0180		mg/Kg		90	73 - 124	0	30
1,3,5-Trimethylbenzene			0.0200	0.0179		mg/Kg		89	70 - 120	3	30
1,3-Dichlorobenzene			0.0200	0.0170		mg/Kg		85	80 - 120	5	30
1,4-Dichlorobenzene			0.0200	0.0170		mg/Kg		85	80 - 120	5	30
2-Butanone (MEK)			0.100	0.0855		mg/Kg		85	64 - 128	6	30
2-Hexanone			0.100	0.0950		mg/Kg		95	75 - 120	6	30
4-Methyl-2-pentanone (MIBK)			0.100	0.0944		mg/Kg		94	80 - 120	5	30
Acetone			0.100	0.0790		mg/Kg		79	58 - 122	3	30
Benzene			0.0200	0.0184		mg/Kg		92	75 - 120	1	30
Bromoform			0.0200	0.0187		mg/Kg		94	61 - 125	3	30
Bromomethane			0.0200	0.0189		mg/Kg		94	37 - 150	5	30
Carbon disulfide			0.0200	0.0192		mg/Kg		96	57 - 133	3	30
Carbon tetrachloride			0.0200	0.0187		mg/Kg		94	66 - 127	4	30
Chlorobenzene			0.0200	0.0186		mg/Kg		93	80 - 120	2	30
Chlorobromomethane			0.0200	0.0180		mg/Kg		90	76 - 127	1	30
Chlorodibromomethane			0.0200	0.0188		mg/Kg		94	72 - 120	2	30
Chloroethane			0.0200	0.0196		mg/Kg		98	60 - 123	1	30
Chloroform			0.0200	0.0190		mg/Kg		95	79 - 126	3	30
Chloromethane			0.0200	0.0191		mg/Kg		95	46 - 122	1	30
cis-1,2-Dichloroethene			0.0200	0.0186		mg/Kg		93	80 - 123	1	30
cis-1,3-Dichloropropene			0.0200	0.0187		mg/Kg		94	75 - 120	3	30
Cyclohexane			0.0200	0.0192		mg/Kg		96	65 - 132	5	30
Dichlorobromomethane			0.0200	0.0190		mg/Kg		95	77 - 124	2	30
Dichlorodifluoromethane			0.0200	0.0213		mg/Kg		106	45 - 129	1	30
Ethylbenzene			0.0200	0.0187		mg/Kg		93	80 - 120	1	30
Ethylene Dibromide			0.0200	0.0194		mg/Kg		97	79 - 120	5	30
Isopropylbenzene			0.0200	0.0191		mg/Kg		95	74 - 120	1	30
Methyl acetate			0.0400	0.0399		mg/Kg		100	57 - 120	2	30
Methyl tert-butyl ether			0.0200	0.0189		mg/Kg		95	74 - 125	0	30
Methylcyclohexane			0.0200	0.0198		mg/Kg		99	66 - 125	2	30
Methylene Chloride			0.0200	0.0184		mg/Kg		92	78 - 120	3	30
m-Xylene & p-Xylene			0.0200	0.0185		mg/Kg		92	80 - 120	2	30
n-Butylbenzene			0.0200	0.0176		mg/Kg		88	72 - 120	7	30
N-Propylbenzene			0.0200	0.0183		mg/Kg		92	68 - 120	4	30
o-Xylene			0.0200	0.0191		mg/Kg		95	80 - 120	3	30
sec-Butylbenzene			0.0200	0.0189		mg/Kg		95	78 - 120	3	30

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1045423/4
Matrix: Solid
Analysis Batch: 1045423

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Styrene			0.0200	0.0187		mg/Kg		93	80 - 120	4	30
tert-Butylbenzene			0.0200	0.0180		mg/Kg		90	80 - 120	5	30
Tetrachloroethene			0.0200	0.0184		mg/Kg		92	73 - 120	0	30
Toluene			0.0200	0.0178		mg/Kg		89	80 - 120	0	30
trans-1,2-Dichloroethene			0.0200	0.0189		mg/Kg		94	78 - 120	6	30
trans-1,3-Dichloropropene			0.0200	0.0183		mg/Kg		91	77 - 120	6	30
Trichloroethene			0.0200	0.0189		mg/Kg		95	80 - 120	1	30
Trichlorofluoromethane			0.0200	0.0200		mg/Kg		100	61 - 130	4	30
Vinyl chloride			0.0200	0.0194		mg/Kg		97	54 - 122	2	30
Xylenes, Total			0.0400	0.0375		mg/Kg		94	80 - 120	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*92*		*65 - 138*
4-Bromofluorobenzene	*92*		*71 - 128*
Dibromofluoromethane (Surr)	*93*		*50 - 150*
Toluene-d8 (Surr)	*93*		*71 - 126*

Lab Sample ID: MB 460-1045465/8
Matrix: Solid
Analysis Batch: 1045465

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.0010	U	0.0010	0.00023	mg/Kg			06/23/25 06:42	1
1,1,2,2-Tetrachloroethane	0.0010	U	0.0010	0.00052	mg/Kg			06/23/25 06:42	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0010	U	0.0010	0.00030	mg/Kg			06/23/25 06:42	1
1,1,2-Trichloroethane	0.0010	U	0.0010	0.00060	mg/Kg			06/23/25 06:42	1
1,1-Dichloroethane	0.0010	U	0.0010	0.00060	mg/Kg			06/23/25 06:42	1
1,1-Dichloroethene	0.0010	U	0.0010	0.00023	mg/Kg			06/23/25 06:42	1
1,2,3-Trichlorobenzene	0.0010	U	0.0010	0.00074	mg/Kg			06/23/25 06:42	1
1,2,4-Trichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			06/23/25 06:42	1
1,2,4-Trimethylbenzene	0.0010	U	0.0010	0.00025	mg/Kg			06/23/25 06:42	1
1,2-Dibromo-3-Chloropropane	0.0010	U	0.0010	0.00046	mg/Kg			06/23/25 06:42	1
1,2-Dichlorobenzene	0.0010	U	0.0010	0.00036	mg/Kg			06/23/25 06:42	1
1,2-Dichloroethane	0.0010	U	0.0010	0.00030	mg/Kg			06/23/25 06:42	1
1,2-Dichloropropane	0.0010	U	0.0010	0.00042	mg/Kg			06/23/25 06:42	1
1,3,5-Trimethylbenzene	0.0010	U	0.0010	0.00031	mg/Kg			06/23/25 06:42	1
1,3-Dichlorobenzene	0.0010	U	0.0010	0.00037	mg/Kg			06/23/25 06:42	1
1,4-Dichlorobenzene	0.0010	U	0.0010	0.00052	mg/Kg			06/23/25 06:42	1
2-Butanone (MEK)	0.0050	U	0.0050	0.00037	mg/Kg			06/23/25 06:42	1
2-Hexanone	0.0050	U	0.0050	0.0017	mg/Kg			06/23/25 06:42	1
4-Methyl-2-pentanone (MIBK)	0.0050	U	0.0050	0.0016	mg/Kg			06/23/25 06:42	1
Acetone	0.0060	U	0.0060	0.0057	mg/Kg			06/23/25 06:42	1
Benzene	0.0010	U	0.0010	0.00057	mg/Kg			06/23/25 06:42	1
Bromoform	0.0010	U	0.0010	0.00043	mg/Kg			06/23/25 06:42	1
Bromomethane	0.0020	U	0.0020	0.0010	mg/Kg			06/23/25 06:42	1
Carbon disulfide	0.0010	U	0.0010	0.00027	mg/Kg			06/23/25 06:42	1
Carbon tetrachloride	0.0010	U	0.0010	0.00039	mg/Kg			06/23/25 06:42	1
Chlorobenzene	0.0010	U	0.0010	0.00051	mg/Kg			06/23/25 06:42	1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-1045465/8
Matrix: Solid
Analysis Batch: 1045465

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobromomethane	0.0010	U	0.0010	0.00060	mg/Kg			06/23/25 06:42	1
Chlorodibromomethane	0.0010	U	0.0010	0.00054	mg/Kg			06/23/25 06:42	1
Chloroethane	0.0010	U	0.0010	0.00052	mg/Kg			06/23/25 06:42	1
Chloroform	0.0010	U	0.0010	0.00097	mg/Kg			06/23/25 06:42	1
Chloromethane	0.0010	U	0.0010	0.00044	mg/Kg			06/23/25 06:42	1
cis-1,2-Dichloroethene	0.0010	U	0.0010	0.00036	mg/Kg			06/23/25 06:42	1
cis-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			06/23/25 06:42	1
Cyclohexane	0.0010	U	0.0010	0.00022	mg/Kg			06/23/25 06:42	1
Dichlorobromomethane	0.0010	U	0.0010	0.00026	mg/Kg			06/23/25 06:42	1
Dichlorodifluoromethane	0.0010	U	0.0010	0.00034	mg/Kg			06/23/25 06:42	1
Ethylbenzene	0.0010	U	0.0010	0.00047	mg/Kg			06/23/25 06:42	1
Ethylene Dibromide	0.0010	U	0.0010	0.00050	mg/Kg			06/23/25 06:42	1
Isopropylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/23/25 06:42	1
Methyl acetate	0.0050	U	0.0050	0.0043	mg/Kg			06/23/25 06:42	1
Methyl tert-butyl ether	0.0010	U	0.0010	0.00051	mg/Kg			06/23/25 06:42	1
Methylcyclohexane	0.0010	U	0.0010	0.00050	mg/Kg			06/23/25 06:42	1
Methylene Chloride	0.0020	U	0.0020	0.0011	mg/Kg			06/23/25 06:42	1
m-Xylene & p-Xylene	0.0010	U	0.0010	0.00042	mg/Kg			06/23/25 06:42	1
n-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/23/25 06:42	1
N-Propylbenzene	0.0010	U	0.0010	0.00045	mg/Kg			06/23/25 06:42	1
o-Xylene	0.0010	U	0.0010	0.00046	mg/Kg			06/23/25 06:42	1
sec-Butylbenzene	0.0010	U	0.0010	0.00029	mg/Kg			06/23/25 06:42	1
Styrene	0.0010	U	0.0010	0.00028	mg/Kg			06/23/25 06:42	1
tert-Butylbenzene	0.0010	U	0.0010	0.00028	mg/Kg			06/23/25 06:42	1
Tetrachloroethene	0.0010	U	0.0010	0.00031	mg/Kg			06/23/25 06:42	1
Toluene	0.0010	U	0.0010	0.00023	mg/Kg			06/23/25 06:42	1
trans-1,2-Dichloroethene	0.0010	U	0.0010	0.00025	mg/Kg			06/23/25 06:42	1
trans-1,3-Dichloropropene	0.0010	U	0.0010	0.00027	mg/Kg			06/23/25 06:42	1
Trichloroethene	0.0010	U	0.0010	0.00032	mg/Kg			06/23/25 06:42	1
Trichlorofluoromethane	0.0010	U	0.0010	0.00041	mg/Kg			06/23/25 06:42	1
Vinyl chloride	0.0010	U	0.0010	0.00055	mg/Kg			06/23/25 06:42	1
Xylenes, Total	0.0020	U	0.0020	0.00017	mg/Kg			06/23/25 06:42	1

Tentatively Identified Compound	*MB Est. Result*	*MB Qualifier*	*Unit*	*D*	*RT*	*CAS No.*	*Prepared*	*Analyzed*	*Dil Fac*
Tentatively Identified Compound	*None*		*ug/Kg*			*N/A*		*06/23/25 06:42*	*1*

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*87*		*65 - 138*		*06/23/25 06:42*	*1*
4-Bromofluorobenzene	*102*		*71 - 128*		*06/23/25 06:42*	*1*
Dibromofluoromethane (Surr)	*98*		*50 - 150*		*06/23/25 06:42*	*1*
Toluene-d8 (Surr)	*95*		*71 - 126*		*06/23/25 06:42*	*1*

Lab Sample ID: LCS 460-1045465/3
Matrix: Solid
Analysis Batch: 1045465

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	0.0200	0.0187		mg/Kg		94	78 - 120

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1045465/3
Matrix: Solid
Analysis Batch: 1045465

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,2,2-Tetrachloroethane	0.0200	0.0172		mg/Kg		86	70 - 133
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0196		mg/Kg		98	75 - 121
1,1,2-Trichloroethane	0.0200	0.0177		mg/Kg		89	80 - 120
1,1-Dichloroethane	0.0200	0.0180		mg/Kg		90	72 - 120
1,1-Dichloroethene	0.0200	0.0186		mg/Kg		93	76 - 120
1,2,3-Trichlorobenzene	0.0200	0.0193		mg/Kg		96	77 - 137
1,2,4-Trichlorobenzene	0.0200	0.0186		mg/Kg		93	77 - 136
1,2,4-Trimethylbenzene	0.0200	0.0187		mg/Kg		93	75 - 120
1,2-Dibromo-3-Chloropropane	0.0200	0.0166		mg/Kg		83	80 - 124
1,2-Dichlorobenzene	0.0200	0.0179		mg/Kg		90	80 - 120
1,2-Dichloroethane	0.0200	0.0173		mg/Kg		87	70 - 123
1,2-Dichloropropane	0.0200	0.0176		mg/Kg		88	73 - 124
1,3,5-Trimethylbenzene	0.0200	0.0185		mg/Kg		93	70 - 120
1,3-Dichlorobenzene	0.0200	0.0180		mg/Kg		90	80 - 120
1,4-Dichlorobenzene	0.0200	0.0181		mg/Kg		90	80 - 120
2-Butanone (MEK)	0.100	0.0904		mg/Kg		90	64 - 128
2-Hexanone	0.100	0.0957		mg/Kg		96	75 - 120
4-Methyl-2-pentanone (MIBK)	0.100	0.0954		mg/Kg		95	80 - 120
Acetone	0.100	0.0822		mg/Kg		82	58 - 122
Benzene	0.0200	0.0177		mg/Kg		88	75 - 120
Bromoform	0.0200	0.0175		mg/Kg		88	61 - 125
Bromomethane	0.0200	0.0169		mg/Kg		84	37 - 150
Carbon disulfide	0.0200	0.0185		mg/Kg		92	57 - 133
Carbon tetrachloride	0.0200	0.0187		mg/Kg		93	66 - 127
Chlorobenzene	0.0200	0.0180		mg/Kg		90	80 - 120
Chlorobromomethane	0.0200	0.0183		mg/Kg		92	76 - 127
Chlorodibromomethane	0.0200	0.0178		mg/Kg		89	72 - 120
Chloroethane	0.0200	0.0171		mg/Kg		85	60 - 123
Chloroform	0.0200	0.0187		mg/Kg		93	79 - 126
Chloromethane	0.0200	0.0161		mg/Kg		81	46 - 122
cis-1,2-Dichloroethene	0.0200	0.0183		mg/Kg		91	80 - 123
cis-1,3-Dichloropropene	0.0200	0.0175		mg/Kg		87	75 - 120
Cyclohexane	0.0200	0.0188		mg/Kg		94	65 - 132
Dichlorobromomethane	0.0200	0.0176		mg/Kg		88	77 - 124
Dichlorodifluoromethane	0.0200	0.0178		mg/Kg		89	45 - 129
Ethylbenzene	0.0200	0.0180		mg/Kg		90	80 - 120
Ethylene Dibromide	0.0200	0.0185		mg/Kg		92	79 - 120
Isopropylbenzene	0.0200	0.0188		mg/Kg		94	74 - 120
Methyl acetate	0.0400	0.0356		mg/Kg		89	57 - 120
Methyl tert-butyl ether	0.0200	0.0183		mg/Kg		92	74 - 125
Methylcyclohexane	0.0200	0.0187		mg/Kg		94	66 - 125
Methylene Chloride	0.0200	0.0185		mg/Kg		92	78 - 120
m-Xylene & p-Xylene	0.0200	0.0185		mg/Kg		92	80 - 120
n-Butylbenzene	0.0200	0.0186		mg/Kg		93	72 - 120
N-Propylbenzene	0.0200	0.0188		mg/Kg		94	68 - 120
o-Xylene	0.0200	0.0184		mg/Kg		92	80 - 120
sec-Butylbenzene	0.0200	0.0191		mg/Kg		96	78 - 120
Styrene	0.0200	0.0179		mg/Kg		90	80 - 120

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-1045465/3
Matrix: Solid
Analysis Batch: 1045465

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
tert-Butylbenzene	0.0200	0.0191		mg/Kg		96	80 - 120
Tetrachloroethene	0.0200	0.0190		mg/Kg		95	73 - 120
Toluene	0.0200	0.0172		mg/Kg		86	80 - 120
trans-1,2-Dichloroethene	0.0200	0.0189		mg/Kg		95	78 - 120
trans-1,3-Dichloropropene	0.0200	0.0173		mg/Kg		87	77 - 120
Trichloroethene	0.0200	0.0187		mg/Kg		93	80 - 120
Trichlorofluoromethane	0.0200	0.0177		mg/Kg		88	61 - 130
Vinyl chloride	0.0200	0.0170		mg/Kg		85	54 - 122
Xylenes, Total	0.0400	0.0369		mg/Kg		92	80 - 120

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*84*		*65 - 138*
4-Bromofluorobenzene	*94*		*71 - 128*
Dibromofluoromethane (Surr)	*95*		*50 - 150*
Toluene-d8 (Surr)	*91*		*71 - 126*

Lab Sample ID: LCSD 460-1045465/4
Matrix: Solid
Analysis Batch: 1045465

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane	0.0200	0.0186		mg/Kg		93	78 - 120	1	30
1,1,2,2-Tetrachloroethane	0.0200	0.0172		mg/Kg		86	70 - 133	0	30
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0208		mg/Kg		104	75 - 121	6	30
1,1,2-Trichloroethane	0.0200	0.0179		mg/Kg		89	80 - 120	1	30
1,1-Dichloroethane	0.0200	0.0183		mg/Kg		91	72 - 120	1	30
1,1-Dichloroethene	0.0200	0.0190		mg/Kg		95	76 - 120	2	30
1,2,3-Trichlorobenzene	0.0200	0.0195		mg/Kg		98	77 - 137	1	30
1,2,4-Trichlorobenzene	0.0200	0.0183		mg/Kg		92	77 - 136	1	30
1,2,4-Trimethylbenzene	0.0200	0.0186		mg/Kg		93	75 - 120	1	30
1,2-Dibromo-3-Chloropropane	0.0200	0.0161		mg/Kg		80	80 - 124	3	30
1,2-Dichlorobenzene	0.0200	0.0183		mg/Kg		92	80 - 120	2	30
1,2-Dichloroethane	0.0200	0.0173		mg/Kg		86	70 - 123	0	30
1,2-Dichloropropane	0.0200	0.0174		mg/Kg		87	73 - 124	1	30
1,3,5-Trimethylbenzene	0.0200	0.0185		mg/Kg		92	70 - 120	0	30
1,3-Dichlorobenzene	0.0200	0.0176		mg/Kg		88	80 - 120	2	30
1,4-Dichlorobenzene	0.0200	0.0177		mg/Kg		88	80 - 120	2	30
2-Butanone (MEK)	0.100	0.0923		mg/Kg		92	64 - 128	2	30
2-Hexanone	0.100	0.0953		mg/Kg		95	75 - 120	0	30
4-Methyl-2-pentanone (MIBK)	0.100	0.0952		mg/Kg		95	80 - 120	0	30
Acetone	0.100	0.0832		mg/Kg		83	58 - 122	1	30
Benzene	0.0200	0.0180		mg/Kg		90	75 - 120	2	30
Bromoform	0.0200	0.0174		mg/Kg		87	61 - 125	1	30
Bromomethane	0.0200	0.0168		mg/Kg		84	37 - 150	0	30
Carbon disulfide	0.0200	0.0188		mg/Kg		94	57 - 133	2	30
Carbon tetrachloride	0.0200	0.0187		mg/Kg		94	66 - 127	0	30
Chlorobenzene	0.0200	0.0185		mg/Kg		92	80 - 120	2	30
Chlorobromomethane	0.0200	0.0188		mg/Kg		94	76 - 127	2	30

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-1045465/4
Matrix: Solid
Analysis Batch: 1045465

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chlorodibromomethane	0.0200	0.0179		mg/Kg		89	72 - 120	0	30
Chloroethane	0.0200	0.0175		mg/Kg		88	60 - 123	2	30
Chloroform	0.0200	0.0186		mg/Kg		93	79 - 126	0	30
Chloromethane	0.0200	0.0168		mg/Kg		84	46 - 122	4	30
cis-1,2-Dichloroethene	0.0200	0.0183		mg/Kg		91	80 - 123	0	30
cis-1,3-Dichloropropene	0.0200	0.0177		mg/Kg		88	75 - 120	1	30
Cyclohexane	0.0200	0.0188		mg/Kg		94	65 - 132	0	30
Dichlorobromomethane	0.0200	0.0182		mg/Kg		91	77 - 124	3	30
Dichlorodifluoromethane	0.0200	0.0177		mg/Kg		89	45 - 129	1	30
Ethylbenzene	0.0200	0.0187		mg/Kg		94	80 - 120	4	30
Ethylene Dibromide	0.0200	0.0182		mg/Kg		91	79 - 120	2	30
Isopropylbenzene	0.0200	0.0195		mg/Kg		97	74 - 120	4	30
Methyl acetate	0.0400	0.0362		mg/Kg		90	57 - 120	2	30
Methyl tert-butyl ether	0.0200	0.0183		mg/Kg		92	74 - 125	0	30
Methylcyclohexane	0.0200	0.0193		mg/Kg		97	66 - 125	3	30
Methylene Chloride	0.0200	0.0184		mg/Kg		92	78 - 120	0	30
m-Xylene & p-Xylene	0.0200	0.0189		mg/Kg		95	80 - 120	2	30
n-Butylbenzene	0.0200	0.0185		mg/Kg		93	72 - 120	1	30
N-Propylbenzene	0.0200	0.0188		mg/Kg		94	68 - 120	0	30
o-Xylene	0.0200	0.0190		mg/Kg		95	80 - 120	3	30
sec-Butylbenzene	0.0200	0.0190		mg/Kg		95	78 - 120	1	30
Styrene	0.0200	0.0181		mg/Kg		91	80 - 120	1	30
tert-Butylbenzene	0.0200	0.0191		mg/Kg		96	80 - 120	0	30
Tetrachloroethene	0.0200	0.0187		mg/Kg		94	73 - 120	1	30
Toluene	0.0200	0.0176		mg/Kg		88	80 - 120	2	30
trans-1,2-Dichloroethene	0.0200	0.0190		mg/Kg		95	78 - 120	0	30
trans-1,3-Dichloropropene	0.0200	0.0175		mg/Kg		87	77 - 120	1	30
Trichloroethene	0.0200	0.0191		mg/Kg		96	80 - 120	2	30
Trichlorofluoromethane	0.0200	0.0180		mg/Kg		90	61 - 130	2	30
Vinyl chloride	0.0200	0.0175		mg/Kg		88	54 - 122	3	30
Xylenes, Total	0.0400	0.0379		mg/Kg		95	80 - 120	3	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
1,2-Dichloroethane-d4 (Surr)	*89*		*65 - 138*
4-Bromofluorobenzene	*99*		*71 - 128*
Dibromofluoromethane (Surr)	*98*		*50 - 150*
Toluene-d8 (Surr)	*96*		*71 - 126*

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-1045291/1-A
Matrix: Solid
Analysis Batch: 1045389

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1045291

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	0.33	U	0.33	0.012	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
1,2,4,5-Tetrachlorobenzene	0.33	U	0.33	0.010	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
1,4-Dioxane	0.033	U	0.033	0.029	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2,2'-oxybis[1-chloropropane]	0.33	U	0.33	0.020	mg/Kg		06/21/25 11:49	06/22/25 14:04	1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1045291/1-A
Matrix: Solid
Analysis Batch: 1045389

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1045291

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,3,4,6-Tetrachlorophenol	0.33	U	0.33	0.022	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2,4,5-Trichlorophenol	0.33	U	0.33	0.034	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2,4,6-Trichlorophenol	0.13	U	0.13	0.042	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2,4-Dichlorophenol	0.13	U	0.13	0.021	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2,4-Dimethylphenol	0.33	U	0.33	0.039	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2,4-Dinitrophenol	0.27	U	0.27	0.16	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2,4-Dinitrotoluene	0.067	U	0.067	0.036	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2,6-Dinitrotoluene	0.067	U	0.067	0.024	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2-Chloronaphthalene	0.33	U	0.33	0.043	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2-Chlorophenol	0.33	U	0.33	0.012	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2-Methylnaphthalene	0.33	U	0.33	0.0093	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2-Methylphenol	0.33	U	0.33	0.012	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2-Nitroaniline	0.33	U	0.33	0.025	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
2-Nitrophenol	0.33	U	0.33	0.033	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
3 & 4 Methylphenol	0.33	U	0.33	0.021	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
3,3'-Dichlorobenzidine	0.13	U	0.13	0.050	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
3-Nitroaniline	0.33	U	0.33	0.079	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
4,6-Dinitro-2-methylphenol	0.27	U	0.27	0.14	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
4-Bromophenyl phenyl ether	0.33	U	0.33	0.013	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
4-Chloro-3-methylphenol	0.33	U	0.33	0.019	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
4-Chloroaniline	0.33	U	0.33	0.059	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
4-Chlorophenyl phenyl ether	0.33	U	0.33	0.012	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
4-Methylphenol	0.33	U	0.33	0.021	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
4-Nitroaniline	0.33	U	0.33	0.084	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
4-Nitrophenol	0.67	U	0.67	0.054	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Acenaphthene	0.33	U	0.33	0.0094	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Acenaphthylene	0.33	U	0.33	0.0095	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Acetophenone	0.33	U	0.33	0.016	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Anthracene	0.33	U	0.33	0.010	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Atrazine	0.13	U	0.13	0.019	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Benzaldehyde	0.33	U	0.33	0.055	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Benzo[a]anthracene	0.033	U	0.033	0.025	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Benzo[a]pyrene	0.033	U	0.033	0.0088	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Benzo[b]fluoranthene	0.033	U	0.033	0.0086	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Benzo[g,h,i]perylene	0.33	U	0.33	0.0098	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Benzo[k]fluoranthene	0.033	U	0.033	0.0065	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Bis(2-chloroethoxy)methane	0.33	U	0.33	0.061	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Bis(2-chloroethyl)ether	0.033	U	0.033	0.012	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Bis(2-ethylhexyl) phthalate	0.33	U	0.33	0.017	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Butyl benzyl phthalate	0.33	U	0.33	0.016	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Caprolactam	0.33	U	0.33	0.051	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Carbazole	0.33	U	0.33	0.013	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Chrysene	0.33	U	0.33	0.014	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Dibenz(a,h)anthracene	0.033	U	0.033	0.014	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Dibenzofuran	0.33	U	0.33	0.011	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Diethyl phthalate	0.33	U	0.33	0.011	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Dimethyl phthalate	0.33	U	0.33	0.075	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Di-n-butyl phthalate	0.33	U	0.33	0.012	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Di-n-octyl phthalate	0.33	U	0.33	0.018	mg/Kg		06/21/25 11:49	06/22/25 14:04	1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-1045291/1-A
Matrix: Solid
Analysis Batch: 1045389

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1045291

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Fluoranthene	0.33	U	0.33	0.012	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Fluorene	0.33	U	0.33	0.0097	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Hexachlorobenzene	0.033	U	0.033	0.016	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Hexachlorobutadiene	0.067	U	0.067	0.0070	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Hexachlorocyclopentadiene	0.33	U	0.33	0.029	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Hexachloroethane	0.033	U	0.033	0.011	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Indeno[1,2,3-cd]pyrene	0.033	U	0.033	0.013	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Isophorone	0.13	U	0.13	0.096	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Naphthalene	0.33	U	0.33	0.0057	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Nitrobenzene	0.033	U	0.033	0.018	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
N-Nitrosodi-n-propylamine	0.033	U	0.033	0.024	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
N-Nitrosodiphenylamine	0.33	U	0.33	0.027	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Pentachlorophenol	0.27	U	0.27	0.068	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Phenanthrene	0.33	U	0.33	0.014	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Phenol	0.33	U	0.33	0.012	mg/Kg		06/21/25 11:49	06/22/25 14:04	1
Pyrene	0.33	U	0.33	0.0082	mg/Kg		06/21/25 11:49	06/22/25 14:04	1

Surrogate	*MB %Recovery*	*MB Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
2,4,6-Tribromophenol (Surr)	*79*		*18 - 137*	*06/21/25 11:49*	*06/22/25 14:04*	*1*
2-Fluorobiphenyl	*72*		*33 - 117*	*06/21/25 11:49*	*06/22/25 14:04*	*1*
2-Fluorophenol (Surr)	*73*		*24 - 120*	*06/21/25 11:49*	*06/22/25 14:04*	*1*
Nitrobenzene-d5 (Surr)	*70*		*27 - 120*	*06/21/25 11:49*	*06/22/25 14:04*	*1*
Phenol-d5 (Surr)	*70*		*28 - 118*	*06/21/25 11:49*	*06/22/25 14:04*	*1*
Terphenyl-d14 (Surr)	*81*		*33 - 124*	*06/21/25 11:49*	*06/22/25 14:04*	*1*

Lab Sample ID: LCS 460-1045291/2-A
Matrix: Solid
Analysis Batch: 1045389

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045291

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1'-Biphenyl	3.33	2.81		mg/Kg		84	64 - 120
1,2,4,5-Tetrachlorobenzene	3.33	2.83		mg/Kg		85	60 - 120
1,4-Dioxane	3.33	1.81		mg/Kg		54	31 - 105
2,2'-oxybis[1-chloropropane]	3.33	2.49		mg/Kg		75	50 - 126
2,3,4,6-Tetrachlorophenol	3.33	3.24		mg/Kg		97	62 - 120
2,4,5-Trichlorophenol	3.33	3.05		mg/Kg		91	64 - 120
2,4,6-Trichlorophenol	3.33	3.03		mg/Kg		91	65 - 120
2,4-Dichlorophenol	3.33	3.03		mg/Kg		91	66 - 120
2,4-Dimethylphenol	3.33	2.88		mg/Kg		87	75 - 136
2,4-Dinitrophenol	6.67	6.31		mg/Kg		95	41 - 120
2,4-Dinitrotoluene	3.33	3.39		mg/Kg		102	65 - 124
2,6-Dinitrotoluene	3.33	3.22		mg/Kg		96	67 - 121
2-Chloronaphthalene	3.33	2.82		mg/Kg		85	64 - 120
2-Chlorophenol	3.33	2.93		mg/Kg		88	63 - 120
2-Methylnaphthalene	3.33	2.83		mg/Kg		85	56 - 102
2-Methylphenol	3.33	2.99		mg/Kg		90	63 - 120
2-Nitroaniline	3.33	2.50		mg/Kg		75	52 - 120
2-Nitrophenol	3.33	2.92		mg/Kg		88	64 - 120

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1045291/2-A
Matrix: Solid
Analysis Batch: 1045389

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045291

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
3 & 4 Methylphenol	3.33	2.80		mg/Kg		84	61 - 120
3,3'-Dichlorobenzidine	3.33	1.87		mg/Kg		56	10 - 106
3-Nitroaniline	3.33	2.20		mg/Kg		66	18 - 105
4,6-Dinitro-2-methylphenol	6.67	7.04		mg/Kg		106	61 - 127
4-Bromophenyl phenyl ether	3.33	3.28		mg/Kg		98	64 - 120
4-Chloro-3-methylphenol	3.33	3.03		mg/Kg		91	68 - 120
4-Chloroaniline	3.33	1.35		mg/Kg		41	10 - 107
4-Chlorophenyl phenyl ether	3.33	3.06		mg/Kg		92	62 - 120
4-Methylphenol	3.33	2.80		mg/Kg		84	61 - 120
4-Nitroaniline	3.33	2.78		mg/Kg		83	51 - 112
4-Nitrophenol	6.67	5.72		mg/Kg		86	52 - 122
Acenaphthene	3.33	2.85		mg/Kg		85	65 - 120
Acenaphthylene	3.33	2.87		mg/Kg		86	68 - 120
Acetophenone	3.33	2.75		mg/Kg		83	61 - 111
Anthracene	3.33	3.18		mg/Kg		95	67 - 120
Atrazine	1.33	3.45	*	mg/Kg		259	52 - 150
Benzaldehyde	1.33	2.22	*	mg/Kg		167	45 - 150
Benzo[a]anthracene	3.33	3.05		mg/Kg		91	66 - 120
Benzo[a]pyrene	3.33	3.34		mg/Kg		100	69 - 123
Benzo[b]fluoranthene	3.33	3.38		mg/Kg		101	66 - 125
Benzo[g,h,i]perylene	3.33	3.05		mg/Kg		92	66 - 138
Benzo[k]fluoranthene	3.33	3.25		mg/Kg		97	67 - 122
Bis(2-chloroethoxy)methane	3.33	2.72		mg/Kg		82	62 - 120
Bis(2-chloroethyl)ether	3.33	2.88		mg/Kg		86	60 - 120
Bis(2-ethylhexyl) phthalate	3.33	3.18		mg/Kg		96	64 - 125
Butyl benzyl phthalate	3.33	3.17		mg/Kg		95	62 - 127
Caprolactam	1.33	2.98	*	mg/Kg		223	46 - 150
Carbazole	3.33	3.24		mg/Kg		97	64 - 120
Chrysene	3.33	3.01		mg/Kg		90	67 - 120
Dibenz(a,h)anthracene	3.33	3.17		mg/Kg		95	66 - 128
Dibenzofuran	3.33	3.00		mg/Kg		90	61 - 120
Diethyl phthalate	3.33	3.14		mg/Kg		94	63 - 120
Dimethyl phthalate	3.33	3.14		mg/Kg		94	65 - 120
Di-n-butyl phthalate	3.33	3.44		mg/Kg		103	61 - 120
Di-n-octyl phthalate	3.33	3.49		mg/Kg		105	61 - 123
Fluoranthene	3.33	3.33		mg/Kg		100	61 - 120
Fluorene	3.33	3.00		mg/Kg		90	64 - 120
Hexachlorobenzene	3.33	3.26		mg/Kg		98	66 - 120
Hexachlorobutadiene	3.33	2.83		mg/Kg		85	62 - 120
Hexachlorocyclopentadiene	3.33	2.58		mg/Kg		77	32 - 150
Hexachloroethane	3.33	2.71		mg/Kg		81	61 - 112
Indeno[1,2,3-cd]pyrene	3.33	3.17		mg/Kg		95	63 - 137
Isophorone	3.33	2.72		mg/Kg		82	61 - 120
Naphthalene	3.33	2.78		mg/Kg		83	63 - 113
Nitrobenzene	3.33	2.80		mg/Kg		84	63 - 120
N-Nitrosodi-n-propylamine	3.33	2.78		mg/Kg		83	60 - 120
N-Nitrosodiphenylamine	3.33	3.10		mg/Kg		93	63 - 120
Pentachlorophenol	6.67	6.51		mg/Kg		98	61 - 126
Phenanthrene	3.33	3.13		mg/Kg		94	66 - 120

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-1045291/2-A
Matrix: Solid
Analysis Batch: 1045389

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045291

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Phenol			3.33	2.94		mg/Kg		88	63 - 120		
Pyrene			3.33	3.03		mg/Kg		91	61 - 121		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*94*		*18 - 137*
2-Fluorobiphenyl	*81*		*33 - 117*
2-Fluorophenol (Surr)	*81*		*24 - 120*
Nitrobenzene-d5 (Surr)	*75*		*27 - 120*
Phenol-d5 (Surr)	*80*		*28 - 118*
Terphenyl-d14 (Surr)	*83*		*33 - 124*

Lab Sample ID: LCSD 460-1045291/3-A
Matrix: Solid
Analysis Batch: 1045389

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1045291

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1'-Biphenyl			3.33	2.85		mg/Kg		85	64 - 120	1	30
1,2,4,5-Tetrachlorobenzene			3.33	2.89		mg/Kg		87	60 - 120	2	30
1,4-Dioxane			3.33	1.79		mg/Kg		54	31 - 105	1	30
2,2'-oxybis[1-chloropropane]			3.33	2.42		mg/Kg		72	50 - 126	3	30
2,3,4,6-Tetrachlorophenol			3.33	3.26		mg/Kg		98	62 - 120	1	30
2,4,5-Trichlorophenol			3.33	3.12		mg/Kg		94	64 - 120	2	30
2,4,6-Trichlorophenol			3.33	3.08		mg/Kg		92	65 - 120	2	30
2,4-Dichlorophenol			3.33	3.05		mg/Kg		91	66 - 120	1	30
2,4-Dimethylphenol			3.33	2.90		mg/Kg		87	75 - 136	0	30
2,4-Dinitrophenol			6.67	6.27		mg/Kg		94	41 - 120	1	30
2,4-Dinitrotoluene			3.33	3.42		mg/Kg		102	65 - 124	1	30
2,6-Dinitrotoluene			3.33	3.25		mg/Kg		98	67 - 121	1	30
2-Chloronaphthalene			3.33	2.84		mg/Kg		85	64 - 120	1	30
2-Chlorophenol			3.33	2.89		mg/Kg		87	63 - 120	1	30
2-Methylnaphthalene			3.33	2.85		mg/Kg		86	56 - 102	1	30
2-Methylphenol			3.33	2.90		mg/Kg		87	63 - 120	3	30
2-Nitroaniline			3.33	2.53		mg/Kg		76	52 - 120	1	30
2-Nitrophenol			3.33	2.96		mg/Kg		89	64 - 120	1	30
3 & 4 Methylphenol			3.33	2.78		mg/Kg		83	61 - 120	1	30
3,3'-Dichlorobenzidine			3.33	1.91		mg/Kg		57	10 - 106	2	30
3-Nitroaniline			3.33	2.19		mg/Kg		66	18 - 105	0	30
4,6-Dinitro-2-methylphenol			6.67	7.10		mg/Kg		107	61 - 127	1	30
4-Bromophenyl phenyl ether			3.33	3.32		mg/Kg		100	64 - 120	1	30
4-Chloro-3-methylphenol			3.33	3.03		mg/Kg		91	68 - 120	0	30
4-Chloroaniline			3.33	1.40		mg/Kg		42	10 - 107	3	30
4-Chlorophenyl phenyl ether			3.33	3.13		mg/Kg		94	62 - 120	2	30
4-Methylphenol			3.33	2.78		mg/Kg		83	61 - 120	1	30
4-Nitroaniline			3.33	2.86		mg/Kg		86	51 - 112	3	30
4-Nitrophenol			6.67	6.17		mg/Kg		93	52 - 122	8	30
Acenaphthene			3.33	2.88		mg/Kg		86	65 - 120	1	30
Acenaphthylene			3.33	2.91		mg/Kg		87	68 - 120	1	30
Acetophenone			3.33	2.73		mg/Kg		82	61 - 111	1	30

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-1045291/3-A
Matrix: Solid
Analysis Batch: 1045389

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 1045291

Analyte			Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Anthracene			3.33	3.21		mg/Kg		96	67 - 120	1	30
Atrazine			1.33	3.40	*	mg/Kg		255	52 - 150	2	30
Benzaldehyde			1.33	2.20	*	mg/Kg		165	45 - 150	1	30
Benzo[a]anthracene			3.33	3.03		mg/Kg		91	66 - 120	0	30
Benzo[a]pyrene			3.33	3.37		mg/Kg		101	69 - 123	1	30
Benzo[b]fluoranthene			3.33	3.26		mg/Kg		98	66 - 125	3	30
Benzo[g,h,i]perylene			3.33	3.13		mg/Kg		94	66 - 138	3	30
Benzo[k]fluoranthene			3.33	3.35		mg/Kg		101	67 - 122	3	30
Bis(2-chloroethoxy)methane			3.33	2.73		mg/Kg		82	62 - 120	0	30
Bis(2-chloroethyl)ether			3.33	2.89		mg/Kg		87	60 - 120	0	30
Bis(2-ethylhexyl) phthalate			3.33	3.14		mg/Kg		94	64 - 125	1	30
Butyl benzyl phthalate			3.33	3.12		mg/Kg		94	62 - 127	1	30
Caprolactam			1.33	3.02	*	mg/Kg		226	46 - 150	1	30
Carbazole			3.33	3.28		mg/Kg		98	64 - 120	1	30
Chrysene			3.33	3.02		mg/Kg		91	67 - 120	0	30
Dibenz(a,h)anthracene			3.33	3.25		mg/Kg		98	66 - 128	3	30
Dibenzofuran			3.33	3.02		mg/Kg		91	61 - 120	1	30
Diethyl phthalate			3.33	3.15		mg/Kg		95	63 - 120	0	30
Dimethyl phthalate			3.33	3.14		mg/Kg		94	65 - 120	0	30
Di-n-butyl phthalate			3.33	3.49		mg/Kg		105	61 - 120	1	30
Di-n-octyl phthalate			3.33	3.43		mg/Kg		103	61 - 123	2	30
Fluoranthene			3.33	3.35		mg/Kg		101	61 - 120	1	30
Fluorene			3.33	3.04		mg/Kg		91	64 - 120	1	30
Hexachlorobenzene			3.33	3.29		mg/Kg		99	66 - 120	1	30
Hexachlorobutadiene			3.33	2.82		mg/Kg		84	62 - 120	0	30
Hexachlorocyclopentadiene			3.33	2.61		mg/Kg		78	32 - 150	1	30
Hexachloroethane			3.33	2.66		mg/Kg		80	61 - 112	2	30
Indeno[1,2,3-cd]pyrene			3.33	3.28		mg/Kg		98	63 - 137	4	30
Isophorone			3.33	2.73		mg/Kg		82	61 - 120	0	30
Naphthalene			3.33	2.80		mg/Kg		84	63 - 113	1	30
Nitrobenzene			3.33	2.75		mg/Kg		83	63 - 120	2	30
N-Nitrosodi-n-propylamine			3.33	2.73		mg/Kg		82	60 - 120	2	30
N-Nitrosodiphenylamine			3.33	3.09		mg/Kg		93	63 - 120	0	30
Pentachlorophenol			6.67	6.51		mg/Kg		98	61 - 126	0	30
Phenanthrene			3.33	3.19		mg/Kg		96	66 - 120	2	30
Phenol			3.33	2.86		mg/Kg		86	63 - 120	3	30
Pyrene			3.33	3.01		mg/Kg		90	61 - 121	1	30

Surrogate	*LCSD %Recovery*	*LCSD Qualifier*	*Limits*
2,4,6-Tribromophenol (Surr)	*95*		*18 - 137*
2-Fluorobiphenyl	*82*		*33 - 117*
2-Fluorophenol (Surr)	*81*		*24 - 120*
Nitrobenzene-d5 (Surr)	*76*		*27 - 120*
Phenol-d5 (Surr)	*79*		*28 - 118*
Terphenyl-d14 (Surr)	*82*		*33 - 124*

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-1045504/1-A
Matrix: Solid
Analysis Batch: 1045796

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1045504

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aluminum	20.0	U	20.0	5.5	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Antimony	1.0	U	1.0	0.15	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Arsenic	1.0	U	1.0	0.10	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Barium	2.0	U	2.0	0.15	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Beryllium	0.40	U	0.40	0.022	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Cadmium	1.0	U	1.0	0.11	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Calcium	100	U	100	9.7	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Chromium	2.0	U	2.0	0.30	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Cobalt	2.0	U	2.0	0.15	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Copper	2.0	U	2.0	0.37	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Iron	60.0	U	60.0	7.7	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Lead	0.60	U	0.60	0.20	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Magnesium	100	U	100	10.2	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Manganese	4.0	U	4.0	0.40	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Nickel	2.0	U	2.0	0.18	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Potassium	100	U	100	16.2	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Selenium	1.3	U	1.3	0.13	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Silver	0.40	U	0.40	0.089	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Sodium	100	U	100	45.7	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Thallium	0.40	U	0.40	0.041	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Vanadium	2.0	U	2.0	0.21	mg/Kg		06/23/25 07:31	06/24/25 12:18	1
Zinc	8.0	U	8.0	1.1	mg/Kg		06/23/25 07:31	06/24/25 12:18	1

Lab Sample ID: LCSSRM 460-1045504/2-A ^3
Matrix: Solid
Analysis Batch: 1045796

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045504

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Aluminum	6840	6350		mg/Kg		92.8	53.2 - 146.2
Antimony	131	78.44		mg/Kg		59.9	4.5 - 195.4
Arsenic	192	184.1		mg/Kg		95.9	81.3 - 118.8
Barium	219	187.3		mg/Kg		85.5	81.7 - 118.3
Beryllium	146	149.2		mg/Kg		102.2	82.2 - 117.8
Cadmium	114	108.9		mg/Kg		95.5	81.7 - 118.4
Calcium	4080	3797		mg/Kg		93.1	82.4 - 117.6
Chromium	153	144.0		mg/Kg		94.1	81.0 - 119.0
Cobalt	231	223.2		mg/Kg		96.6	83.1 - 117.3
Copper	91.2	89.85		mg/Kg		98.5	83.1 - 117.3
Iron	7020	6452		mg/Kg		91.9	60.7 - 139.2
Lead	141	132.8		mg/Kg		94.2	81.6 - 118.4

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-1045504/2-A ^3
Matrix: Solid
Analysis Batch: 1045796

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045504

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Magnesium	1900	1861		mg/Kg		98.0	76.3 - 123.7
Manganese	401	376.2		mg/Kg		93.8	80.8 - 119.0
Nickel	143	143.6		mg/Kg		100.4	81.8 - 118.9
Potassium	1760	1645		mg/Kg		93.5	72.2 - 127.8
Selenium	94.7	90.39		mg/Kg		95.5	78.5 - 121.4
Silver	77.0	76.30		mg/Kg		99.1	79.4 - 120.6
Sodium	661	676.7		mg/Kg		102.4	73.7 - 126.2
Thallium	183	190.2		mg/Kg		104.0	80.3 - 119.7
Vanadium	159	147.4		mg/Kg		92.7	78.6 - 122.0
Zinc	292	283.3		mg/Kg		97.0	79.8 - 120.2

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-1045889/1-A
Matrix: Solid
Analysis Batch: 1046069

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 1045889

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.017	U	0.017	0.0080	mg/Kg		06/25/25 02:38	06/25/25 15:11	1

Lab Sample ID: LCSSRM 460-1045889/2-A
Matrix: Solid
Analysis Batch: 1046069

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 1045889

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits
Mercury	14.1	10.20		mg/Kg		72.4	69.6 - 130.5

QC Association Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328835-1

GC/MS VOA

Prep Batch: 1045109

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	5035	
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	5035	
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	5035	
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	5035	

Analysis Batch: 1045423

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	8260D	1045109
MB 460-1045423/8	Method Blank	Total/NA	Solid	8260D	
LCS 460-1045423/3	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 460-1045423/4	Lab Control Sample Dup	Total/NA	Solid	8260D	

Analysis Batch: 1045465

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	8260D	1045109
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	8260D	1045109
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	8260D	1045109
MB 460-1045465/8	Method Blank	Total/NA	Solid	8260D	
LCS 460-1045465/3	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 460-1045465/4	Lab Control Sample Dup	Total/NA	Solid	8260D	

GC/MS Semi VOA

Prep Batch: 1045291

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	3546	
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	3546	
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	3546	
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	3546	
MB 460-1045291/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-1045291/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 460-1045291/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	

Analysis Batch: 1045389

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	8270E	1045291
MB 460-1045291/1-A	Method Blank	Total/NA	Solid	8270E	1045291
LCS 460-1045291/2-A	Lab Control Sample	Total/NA	Solid	8270E	1045291
LCSD 460-1045291/3-A	Lab Control Sample Dup	Total/NA	Solid	8270E	1045291

Analysis Batch: 1045487

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	8270E	1045291
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	8270E	1045291
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	8270E	1045291

Metals

Prep Batch: 1045504

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	3050B	
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	3050B	

Metals (Continued)

Prep Batch: 1045504 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	3050B	
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	3050B	
MB 460-1045504/1-A	Method Blank	Total/NA	Solid	3050B	
LCSSRM 460-1045504/2-A ^	Lab Control Sample	Total/NA	Solid	3050B	

Analysis Batch: 1045796

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	6020B	1045504
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	6020B	1045504
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	6020B	1045504
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	6020B	1045504
MB 460-1045504/1-A	Method Blank	Total/NA	Solid	6020B	1045504
LCSSRM 460-1045504/2-A ^	Lab Control Sample	Total/NA	Solid	6020B	1045504

Prep Batch: 1045889

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	7471B	
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	7471B	
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	7471B	
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	7471B	
MB 460-1045889/1-A	Method Blank	Total/NA	Solid	7471B	
LCSSRM 460-1045889/2-A	Lab Control Sample	Total/NA	Solid	7471B	

Analysis Batch: 1046069

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	7471B	1045889
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	7471B	1045889
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	7471B	1045889
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	7471B	1045889
MB 460-1045889/1-A	Method Blank	Total/NA	Solid	7471B	1045889
LCSSRM 460-1045889/2-A	Lab Control Sample	Total/NA	Solid	7471B	1045889

General Chemistry

Analysis Batch: 1045019

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-328835-1	RI-SB-4 (0-2)	Total/NA	Solid	Moisture	
460-328835-2	RI-SB-5 (0-2)	Total/NA	Solid	Moisture	
460-328835-3	RI-SB-6 (0-2)	Total/NA	Solid	Moisture	
460-328835-4	RI-SB-7 (0-2)	Total/NA	Solid	Moisture	

Lab Chronicle

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328835-1

Client Sample ID: RI-SB-4 (0-2)
Date Collected: 06/16/25 09:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1045019	DAN	EET EDI	06/20/25 08:32

Client Sample ID: RI-SB-4 (0-2)
Date Collected: 06/16/25 09:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-1
Matrix: Solid
Percent Solids: 90.5

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1045109	JCZ	EET EDI	06/20/25 14:27
Total/NA	Analysis	8260D		1	1045423	AAT	EET EDI	06/23/25 02:37
Total/NA	Prep	3546			1045291	SXS	EET EDI	06/21/25 11:49
Total/NA	Analysis	8270E		1	1045487	DXD	EET EDI	06/23/25 15:05
Total/NA	Prep	3050B			1045504	FBT	EET EDI	06/23/25 07:31
Total/NA	Analysis	6020B		1	1045796	CDC	EET EDI	06/24/25 13:10
Total/NA	Prep	7471B			1045889	TJS	EET EDI	06/25/25 02:38
Total/NA	Analysis	7471B		1	1046069	JKF	EET EDI	06/25/25 15:39

Client Sample ID: RI-SB-5 (0-2)
Date Collected: 06/16/25 09:15
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1045019	DAN	EET EDI	06/20/25 08:32

Client Sample ID: RI-SB-5 (0-2)
Date Collected: 06/16/25 09:15
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-2
Matrix: Solid
Percent Solids: 90.7

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1045109	JCZ	EET EDI	06/20/25 14:27
Total/NA	Analysis	8260D		1	1045465	AAT	EET EDI	06/23/25 08:40
Total/NA	Prep	3546			1045291	SXS	EET EDI	06/21/25 11:49
Total/NA	Analysis	8270E		1	1045487	DXD	EET EDI	06/23/25 13:54
Total/NA	Prep	3050B			1045504	FBT	EET EDI	06/23/25 07:31
Total/NA	Analysis	6020B		1	1045796	CDC	EET EDI	06/24/25 13:12
Total/NA	Prep	7471B			1045889	TJS	EET EDI	06/25/25 02:38
Total/NA	Analysis	7471B		1	1046069	JKF	EET EDI	06/25/25 15:42

Client Sample ID: RI-SB-6 (0-2)
Date Collected: 06/16/25 09:40
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1045019	DAN	EET EDI	06/20/25 08:32

Lab Chronicle

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328835-1

Client Sample ID: RI-SB-6 (0-2)

Date Collected: 06/16/25 09:40
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-3

Matrix: Solid
Percent Solids: 98.6

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1045109	JCZ	EET EDI	06/20/25 14:28
Total/NA	Analysis	8260D		1	1045465	AAT	EET EDI	06/23/25 09:04
Total/NA	Prep	3546			1045291	SXS	EET EDI	06/21/25 11:49
Total/NA	Analysis	8270E		1	1045389	YAH	EET EDI	06/22/25 17:54
Total/NA	Prep	3050B			1045504	FBT	EET EDI	06/23/25 07:31
Total/NA	Analysis	6020B		1	1045796	CDC	EET EDI	06/24/25 13:15
Total/NA	Prep	7471B			1045889	TJS	EET EDI	06/25/25 02:38
Total/NA	Analysis	7471B		1	1046069	JKF	EET EDI	06/25/25 15:45

Client Sample ID: RI-SB-7 (0-2)

Date Collected: 06/16/25 10:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	Moisture		1	1045019	DAN	EET EDI	06/20/25 08:32

Client Sample ID: RI-SB-7 (0-2)

Date Collected: 06/16/25 10:00
Date Received: 06/18/25 19:10

Lab Sample ID: 460-328835-4

Matrix: Solid
Percent Solids: 96.0

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			1045109	JCZ	EET EDI	06/20/25 14:28
Total/NA	Analysis	8260D		1	1045465	AAT	EET EDI	06/23/25 09:27
Total/NA	Prep	3546			1045291	SXS	EET EDI	06/21/25 11:49
Total/NA	Analysis	8270E		1	1045487	DXD	EET EDI	06/23/25 12:42
Total/NA	Prep	3050B			1045504	FBT	EET EDI	06/23/25 07:31
Total/NA	Analysis	6020B		1	1045796	CDC	EET EDI	06/24/25 13:18
Total/NA	Prep	7471B			1045889	TJS	EET EDI	06/25/25 02:38
Total/NA	Analysis	7471B		1	1046069	JKF	EET EDI	06/25/25 15:48

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Accreditation/Certification Summary

Client: GEI Consultants Inc
Job ID: 460-328835-1
Project/Site: 20/40 Jerusalem Avenue

Laboratory: Eurofins Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	11452	03-31-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8270E	3546	Solid	3 & 4 Methylphenol
Moisture		Solid	Percent Moisture
Moisture		Solid	Percent Solids

Method Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-328835-1

Method	Method Description	Protocol	Laboratory
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI
8270E	Semivolatile Organic Compounds (GC/MS)	SW846	EET EDI
6020B	Metals (ICP/MS)	SW846	EET EDI
7471B	Mercury (CVAA)	SW846	EET EDI
Moisture	Percent Moisture	EPA	EET EDI
3050B	Preparation, Metals	SW846	EET EDI
3546	Microwave Extraction	SW846	EET EDI
5035	Closed System Purge and Trap	SW846	EET EDI
7471B	Preparation, Mercury	SW846	EET EDI

Protocol References:

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Sample Summary

Client: GEI Consultants Inc
Job ID: 460-328835-1
Project/Site: 20/40 Jerusalem Avenue

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-328835-1	RI-SB-4 (0-2)	Solid	06/16/25 09:00	06/18/25 19:10
460-328835-2	RI-SB-5 (0-2)	Solid	06/16/25 09:15	06/18/25 19:10
460-328835-3	RI-SB-6 (0-2)	Solid	06/16/25 09:40	06/18/25 19:10
460-328835-4	RI-SB-7 (0-2)	Solid	06/16/25 10:00	06/18/25 19:10

Chain of Custody Record 761433

eurofins | Environment Testing

Address _____

Regulatory Program ☐ DW ☐ NPDES ☐ RCRA ☐ Other

TAL-8210

Client Contact	Project Manager: Rich F.	Site Contact: Leif R.	Date: 6/16/25	COC No.
Company Name: GEI Consultants	Tel/Email: rfrasciello@geiconsultants.com	Lab Contact: Katelyn C.	Carrier:	1 of 1 COCs
Address: 1000 New York Ave	Analysis Turnaround Time: ☐ CALENDAR DAYS ☐ WORKING DAYS			Sampler:
City/State/Zip: Huntington Station	TAT if different from Below: Standard			For Lab Use Only: Walk-in Client: / Lab Sampling:
Phone:	☐ 2 weeks ☐ 1 week ☐ 2 days ☐ 1 day			Job / SDG No.: 328837
Fax:				
Project Name: 20+40 Jerusalem Ave				
Site:				
PO #: 2503398				

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)	VOC's	SVOC's + 1,4 Dxn	TAL Metals + Mercury	Sample Specific Notes:
RI SB-4 (0-2)	6/16	900	G	S	4			X	X	X	
RI-SB-5 (0-2)	6/16	915	G	S	4			X	X	X	
RI-SB-6 (0-2)	6/16	940	G	S	4			X	X	X	
RI-SB-7 (0-2)	6/16	1000	G	S	4			X	X	X	

TC frozen S 1

460-328835 Chain of Custody

Page 49 of 51

NYO 220

Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other

Possible Hazard Identification
Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section the lab is to dispose of the sample.

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return to Client ☐ Disposal by Lab ☐ Archive for _____ Months

Special Instructions/QC Requirements & Comments.

* SOS Kit Frozen @ 12:30 on 6/16 *

Custody Seals Intact: ☐ Yes ☐ No | Custody Seal No. | Cooler Temp (°C) Obs'd. _____ Corr'd: _____ Therm ID No.: _____

Relinquished by	Company	Date/Time	Received by	Company	Date/Time
	GEI		06-18-25	ETA	2045
Relinquished by	Company	Date/Time	Received by	Company	Date/Time
	ETA				
Relinquished by	Company	Date/Time	Received in Laboratory by	Company	Date/Time
	FEI	6/18/25 1910		ETA	6/18 1910

NO CS IR#9 08-1.2

6/19/25 1345

6/26/2025

Eurofins TestAmerica Edison
Receipt Temperature and pH Log

Job Number: 32883~~4~~5

Number of Coolers: 1 IR Gun # 9

Cooler Temperatures

	RAW	CORRECTED		RAW	CORRECTED		RAW	CORRECTED
Cooler #1:	0.8 °C	1.3 °C	Cooler #4:	°C	°C	Cooler #7:	°C	°C
Cooler #2:	°C	°C	Cooler #5:	°C	°C	Cooler #8:	°C	°C
Cooler #3:	°C	°C	Cooler #6:	°C	°C	Cooler #9:	°C	°C

TALS Sample Number	Ammonia (pH<2)	COD (pH<2)	Nitrate Nitrite (pH<2)	Metals* (pH<2)	Hardness (pH<2)	Pest (pH 5-9)	EPH or QAM (pH<2)	Phenols (pH<2)	Sulfide (pH>9)	TKN (pH<2)	TOC (pH<2)	Total Cyanide (pH>12)	Total Phos (pH<2)	Other	Other

If pH adjustments are required record the information below*

Sample No(s). adjusted: _____

Preservative Name/Conc. _____ Volume of Preservative used (ml) _____

Lot # of Preservative(s). _____ Expiration Date: _____

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted.

** Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.*

EDS-WI-038, Rev 4.1
10/22/2019

Initials: MM Date: 6/18/25

Login Sample Receipt Checklist

Client: GEI Consultants Inc

Job Number: 460-328835-1

Login Number: 328835
List Number: 1
Creator: Khlungprakhon, Sukanya

List Source: Eurofins Edison

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Rich Fasciani
GEI Consultants Inc
1000 New York Avenue
Huntington Station, New York 11746

Generated 6/24/2025 4:22:24 PM

JOB DESCRIPTION

20/40 Jerusalem Avenue

JOB NUMBER

460-329019-1

Eurofins Edison
777 New Durham Road
Edison NJ 08817

See page two for job notes and contact information.

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
6/24/2025 4:22:24 PM

Authorized for release by
Katelyn Connelly, Project Manager I
Katelyn.Connelly@et.eurofinsus.com
(732)549-3900

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 13
QC Sample Results 33
QC Association Summary 37
Lab Chronicle 38
Certification Summary 39
Method Summary 40
Sample Summary 41
Canister QC Documents 42
Chain of Custody 43
Receipt Checklists 47
Air Canister Dilution 49
Clean Canister Certification 50
Pre-Ship Certification 50
Clean Canister Data 51

Definitions/Glossary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Qualifiers

Air - GC/MS VOA

Qualifier	Qualifier Description
B	The analyte was found in an associated blank, as well as in the sample.
E	Compound concentration exceeds the upper level of the calibration range of the instrument for that specific analysis.
J	Indicates an estimated value.
U	Analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 460-329019-1 — Eurofins Edison

Job Narrative
460-329019-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt
The samples were received on 6/21/2025 10:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice.

Air - GC/MS VOA
No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Client Sample ID: SV-1 — Lab Sample ID: 460-329019-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Vinyl chloride	22.6		7.60	2.82	ug/m3	38		TO-15	Total/NA
Carbon disulfide	39.5	J B	59.2	21.3	ug/m3	38		TO-15	Total/NA
trans-1,2-Dichloroethene	638		30.1	3.01	ug/m3	38		TO-15	Total/NA
cis-1,2-Dichloroethene	8390	E	7.60	4.82	ug/m3	38		TO-15	Total/NA
Chloroform	27.3	J	37.1	10.9	ug/m3	38		TO-15	Total/NA
Trichloroethene	9450	E	7.60	5.92	ug/m3	38		TO-15	Total/NA
Toluene	25.9	J	28.6	7.73	ug/m3	38		TO-15	Total/NA
Tetrachloroethene	24000	E	51.5	9.28	ug/m3	38		TO-15	Total/NA
Ethylbenzene	11.2	J	33.0	8.42	ug/m3	38		TO-15	Total/NA
m,p-Xylene	39.4	J	82.5	2.31	ug/m3	38		TO-15	Total/NA
o-Xylene	12.3	J	33.0	11.4	ug/m3	38		TO-15	Total/NA
1,2,4-Trimethylbenzene	16.4	J	37.4	15.3	ug/m3	38		TO-15	Total/NA
Carbon disulfide - DL	196	J B	318	114	ug/m3	204		TO-15	Total/NA
trans-1,2-Dichloroethene - DL	556		162	16.2	ug/m3	204		TO-15	Total/NA
cis-1,2-Dichloroethene - DL	7440		40.8	25.9	ug/m3	204		TO-15	Total/NA
Trichloroethene - DL	8520		40.8	31.8	ug/m3	204		TO-15	Total/NA
Tetrachloroethene - DL	23800		277	49.8	ug/m3	204		TO-15	Total/NA
m,p-Xylene - DL	26.3	J	443	12.4	ug/m3	204		TO-15	Total/NA

Client Sample ID: SV-2 — Lab Sample ID: 460-329019-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorodifluoromethane	2.55		2.47	1.09	ug/m3	1		TO-15	Total/NA
Chloromethane	2.18		1.03	0.68	ug/m3	1		TO-15	Total/NA
n-Butane	53.8		1.19	0.74	ug/m3	1		TO-15	Total/NA
1,3-Butadiene	33.4		0.44	0.088	ug/m3	1		TO-15	Total/NA
Trichlorofluoromethane	1.93		1.12	0.43	ug/m3	1		TO-15	Total/NA
1,1,2-Trichlorotrifluoroethane	0.59	J	1.53	0.44	ug/m3	1		TO-15	Total/NA
Acetone	232	E	11.9	4.51	ug/m3	1		TO-15	Total/NA
Isopropyl alcohol	23.6		12.3	5.41	ug/m3	1		TO-15	Total/NA
Carbon disulfide	6.63	B	1.56	0.56	ug/m3	1		TO-15	Total/NA
tert-Butyl alcohol	51.5		15.2	4.85	ug/m3	1		TO-15	Total/NA
n-Hexane	20.7		1.76	0.56	ug/m3	1		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone)	29.5		1.47	0.41	ug/m3	1		TO-15	Total/NA
Chloroform	9.24		0.98	0.29	ug/m3	1		TO-15	Total/NA
Cyclohexane	4.16		0.69	0.18	ug/m3	1		TO-15	Total/NA
Carbon tetrachloride	0.32		0.22	0.15	ug/m3	1		TO-15	Total/NA
2,2,4-Trimethylpentane	5.70		0.93	0.33	ug/m3	1		TO-15	Total/NA
Benzene	19.5		0.64	0.16	ug/m3	1		TO-15	Total/NA
n-Heptane	21.2		0.82	0.35	ug/m3	1		TO-15	Total/NA
Trichloroethene	8.99		0.20	0.16	ug/m3	1		TO-15	Total/NA
Methyl methacrylate	2.05		2.05	0.53	ug/m3	1		TO-15	Total/NA
4-Methyl-2-pentanone (Methyl isobutyl ketone)	2.19		2.05	0.78	ug/m3	1		TO-15	Total/NA
Toluene	116		0.75	0.20	ug/m3	1		TO-15	Total/NA
Tetrachloroethene	424	E	1.36	0.24	ug/m3	1		TO-15	Total/NA
Methyl Butyl Ketone (2-Hexanone)	1.51	J	2.05	0.82	ug/m3	1		TO-15	Total/NA
Ethylbenzene	26.3		0.87	0.22	ug/m3	1		TO-15	Total/NA
m,p-Xylene	101		2.17	0.061	ug/m3	1		TO-15	Total/NA
o-Xylene	34.6		0.87	0.30	ug/m3	1		TO-15	Total/NA
Styrene	2.20		0.85	0.24	ug/m3	1		TO-15	Total/NA
n-Propylbenzene	6.56		0.98	0.30	ug/m3	1		TO-15	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Client Sample ID: SV-2 (Continued)

Lab Sample ID: 460-329019-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
4-Ethyltoluene	10.0		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,3,5-Trimethylbenzene	7.58		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,2,4-Trimethylbenzene	25.4		0.98	0.40	ug/m3	1		TO-15	Total/NA
4-Isopropyltoluene	2.10		1.10	0.43	ug/m3	1		TO-15	Total/NA
Naphthalene	0.97	J	2.00	0.58	ug/m3	1		TO-15	Total/NA
n-Butane - DL	43.1		5.94	3.68	ug/m3	5		TO-15	Total/NA
1,3-Butadiene - DL	27.7		2.21	0.44	ug/m3	5		TO-15	Total/NA
Acetone - DL	188		59.4	22.6	ug/m3	5		TO-15	Total/NA
Carbon disulfide - DL	9.64	B	7.79	2.80	ug/m3	5		TO-15	Total/NA
tert-Butyl alcohol - DL	45.1	J	75.8	24.3	ug/m3	5		TO-15	Total/NA
n-Hexane - DL	16.8		8.81	2.82	ug/m3	5		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone) - DL	25.3		7.37	2.06	ug/m3	5		TO-15	Total/NA
cis-1,2-Dichloroethene - DL	1.64		1.00	0.63	ug/m3	5		TO-15	Total/NA
Chloroform - DL	8.77		4.88	1.44	ug/m3	5		TO-15	Total/NA
Cyclohexane - DL	3.81		3.44	0.89	ug/m3	5		TO-15	Total/NA
2,2,4-Trimethylpentane - DL	4.63	J	4.67	1.66	ug/m3	5		TO-15	Total/NA
Benzene - DL	17.9		3.19	0.81	ug/m3	5		TO-15	Total/NA
n-Heptane - DL	17.0		4.10	1.76	ug/m3	5		TO-15	Total/NA
Trichloroethene - DL	8.78		1.00	0.78	ug/m3	5		TO-15	Total/NA
Toluene - DL	120		3.77	1.02	ug/m3	5		TO-15	Total/NA
Tetrachloroethene - DL	480		6.78	1.22	ug/m3	5		TO-15	Total/NA
Ethylbenzene - DL	25.4		4.34	1.11	ug/m3	5		TO-15	Total/NA
m,p-Xylene - DL	99.1		10.9	0.30	ug/m3	5		TO-15	Total/NA
o-Xylene - DL	31.7		4.34	1.50	ug/m3	5		TO-15	Total/NA
n-Propylbenzene - DL	6.63		4.92	1.52	ug/m3	5		TO-15	Total/NA
4-Ethyltoluene - DL	10.1		4.92	1.67	ug/m3	5		TO-15	Total/NA
1,3,5-Trimethylbenzene - DL	7.98		4.92	1.67	ug/m3	5		TO-15	Total/NA
1,2,4-Trimethylbenzene - DL	25.3		4.92	2.02	ug/m3	5		TO-15	Total/NA
4-Isopropyltoluene - DL	2.43	J	5.49	2.14	ug/m3	5		TO-15	Total/NA

Client Sample ID: SV-3

Lab Sample ID: 460-329019-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorodifluoromethane	2.70		2.47	1.09	ug/m3	1		TO-15	Total/NA
Chloromethane	0.82	J	1.03	0.68	ug/m3	1		TO-15	Total/NA
n-Butane	127	E	1.19	0.74	ug/m3	1		TO-15	Total/NA
1,3-Butadiene	70.3		0.44	0.088	ug/m3	1		TO-15	Total/NA
Trichlorofluoromethane	1.99		1.12	0.43	ug/m3	1		TO-15	Total/NA
Acetone	136	E	11.9	4.51	ug/m3	1		TO-15	Total/NA
Isopropyl alcohol	18.0		12.3	5.41	ug/m3	1		TO-15	Total/NA
Carbon disulfide	8.54	B	1.56	0.56	ug/m3	1		TO-15	Total/NA
Methylene Chloride	13.4		1.74	0.66	ug/m3	1		TO-15	Total/NA
tert-Butyl alcohol	33.6		15.2	4.85	ug/m3	1		TO-15	Total/NA
n-Hexane	33.8		1.76	0.56	ug/m3	1		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone)	21.6		1.47	0.41	ug/m3	1		TO-15	Total/NA
Chloroform	63.6		0.98	0.29	ug/m3	1		TO-15	Total/NA
1,1,1-Trichloroethane	1.22		1.09	0.40	ug/m3	1		TO-15	Total/NA
Cyclohexane	4.46		0.69	0.18	ug/m3	1		TO-15	Total/NA
Carbon tetrachloride	0.38		0.22	0.15	ug/m3	1		TO-15	Total/NA
2,2,4-Trimethylpentane	4.78		0.93	0.33	ug/m3	1		TO-15	Total/NA
Benzene	24.4		0.64	0.16	ug/m3	1		TO-15	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SV-3 (Continued)

Lab Sample ID: 460-329019-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
n-Heptane	21.6		0.82	0.35	ug/m3	1		TO-15	Total/NA
Trichloroethene	2.35		0.20	0.16	ug/m3	1		TO-15	Total/NA
Methyl methacrylate	2.64		2.05	0.53	ug/m3	1		TO-15	Total/NA
4-Methyl-2-pentanone (Methyl isobutyl ketone)	2.76		2.05	0.78	ug/m3	1		TO-15	Total/NA
Toluene	85.0		0.75	0.20	ug/m3	1		TO-15	Total/NA
Tetrachloroethene	196		1.36	0.24	ug/m3	1		TO-15	Total/NA
Methyl Butyl Ketone (2-Hexanone)	1.81	J	2.05	0.82	ug/m3	1		TO-15	Total/NA
Ethylbenzene	23.1		0.87	0.22	ug/m3	1		TO-15	Total/NA
m,p-Xylene	89.9		2.17	0.061	ug/m3	1		TO-15	Total/NA
o-Xylene	33.1		0.87	0.30	ug/m3	1		TO-15	Total/NA
Styrene	1.20		0.85	0.24	ug/m3	1		TO-15	Total/NA
n-Propylbenzene	6.76		0.98	0.30	ug/m3	1		TO-15	Total/NA
4-Ethyltoluene	10.1		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,3,5-Trimethylbenzene	8.02		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,2,4-Trimethylbenzene	21.5		0.98	0.40	ug/m3	1		TO-15	Total/NA
4-Isopropyltoluene	5.87		1.10	0.43	ug/m3	1		TO-15	Total/NA
n-Butane - DL	115		5.94	3.68	ug/m3	5		TO-15	Total/NA
1,3-Butadiene - DL	61.3		2.21	0.44	ug/m3	5		TO-15	Total/NA
Acetone - DL	130		59.4	22.6	ug/m3	5		TO-15	Total/NA
Carbon disulfide - DL	11.4	B	7.79	2.80	ug/m3	5		TO-15	Total/NA
Methylene Chloride - DL	13.5		8.68	3.30	ug/m3	5		TO-15	Total/NA
tert-Butyl alcohol - DL	31.2	J	75.8	24.3	ug/m3	5		TO-15	Total/NA
n-Hexane - DL	32.0		8.81	2.82	ug/m3	5		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone) - DL	20.8		7.37	2.06	ug/m3	5		TO-15	Total/NA
cis-1,2-Dichloroethene - DL	1.41		1.00	0.63	ug/m3	5		TO-15	Total/NA
Chloroform - DL	61.5		4.88	1.44	ug/m3	5		TO-15	Total/NA
Cyclohexane - DL	4.18		3.44	0.89	ug/m3	5		TO-15	Total/NA
2,2,4-Trimethylpentane - DL	4.52	J	4.67	1.66	ug/m3	5		TO-15	Total/NA
Benzene - DL	24.6		3.19	0.81	ug/m3	5		TO-15	Total/NA
n-Heptane - DL	18.4		4.10	1.76	ug/m3	5		TO-15	Total/NA
Trichloroethene - DL	1.85		1.00	0.78	ug/m3	5		TO-15	Total/NA
4-Methyl-2-pentanone (Methyl isobutyl ketone) - DL	4.00	J	10.2	3.89	ug/m3	5		TO-15	Total/NA
Toluene - DL	80.6		3.77	1.02	ug/m3	5		TO-15	Total/NA
Tetrachloroethene - DL	193		6.78	1.22	ug/m3	5		TO-15	Total/NA
Ethylbenzene - DL	20.6		4.34	1.11	ug/m3	5		TO-15	Total/NA
m,p-Xylene - DL	81.3		10.9	0.30	ug/m3	5		TO-15	Total/NA
o-Xylene - DL	28.4		4.34	1.50	ug/m3	5		TO-15	Total/NA
n-Propylbenzene - DL	5.95		4.92	1.52	ug/m3	5		TO-15	Total/NA
4-Ethyltoluene - DL	8.95		4.92	1.67	ug/m3	5		TO-15	Total/NA
1,3,5-Trimethylbenzene - DL	7.37		4.92	1.67	ug/m3	5		TO-15	Total/NA
1,2,4-Trimethylbenzene - DL	19.4		4.92	2.02	ug/m3	5		TO-15	Total/NA
4-Isopropyltoluene - DL	5.37	J	5.49	2.14	ug/m3	5		TO-15	Total/NA

Client Sample ID: SV-4

Lab Sample ID: 460-329019-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorodifluoromethane	2.94		2.47	1.09	ug/m3	1		TO-15	Total/NA
n-Butane	79.1		1.19	0.74	ug/m3	1		TO-15	Total/NA
1,3-Butadiene	53.6		0.44	0.088	ug/m3	1		TO-15	Total/NA
Trichlorofluoromethane	1.94		1.12	0.43	ug/m3	1		TO-15	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SV-4 (Continued)

Lab Sample ID: 460-329019-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	189	E	11.9	4.51	ug/m3	1		TO-15	Total/NA
Isopropyl alcohol	30.9		12.3	5.41	ug/m3	1		TO-15	Total/NA
Carbon disulfide	5.65	B	1.56	0.56	ug/m3	1		TO-15	Total/NA
Methylene Chloride	0.94	J	1.74	0.66	ug/m3	1		TO-15	Total/NA
tert-Butyl alcohol	46.8		15.2	4.85	ug/m3	1		TO-15	Total/NA
n-Hexane	23.6		1.76	0.56	ug/m3	1		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone)	31.3		1.47	0.41	ug/m3	1		TO-15	Total/NA
cis-1,2-Dichloroethene	18.1		0.20	0.13	ug/m3	1		TO-15	Total/NA
Chloroform	227	E	0.98	0.29	ug/m3	1		TO-15	Total/NA
Cyclohexane	5.16		0.69	0.18	ug/m3	1		TO-15	Total/NA
Carbon tetrachloride	0.26		0.22	0.15	ug/m3	1		TO-15	Total/NA
2,2,4-Trimethylpentane	6.72		0.93	0.33	ug/m3	1		TO-15	Total/NA
Benzene	22.7		0.64	0.16	ug/m3	1		TO-15	Total/NA
n-Heptane	21.0		0.82	0.35	ug/m3	1		TO-15	Total/NA
Trichloroethene	42.4		0.20	0.16	ug/m3	1		TO-15	Total/NA
4-Methyl-2-pentanone (Methyl isobutyl ketone)	2.65		2.05	0.78	ug/m3	1		TO-15	Total/NA
Toluene	110		0.75	0.20	ug/m3	1		TO-15	Total/NA
Tetrachloroethene	852	E	1.36	0.24	ug/m3	1		TO-15	Total/NA
Methyl Butyl Ketone (2-Hexanone)	2.10		2.05	0.82	ug/m3	1		TO-15	Total/NA
Ethylbenzene	24.3		0.87	0.22	ug/m3	1		TO-15	Total/NA
m,p-Xylene	79.8		2.17	0.061	ug/m3	1		TO-15	Total/NA
o-Xylene	24.9		0.87	0.30	ug/m3	1		TO-15	Total/NA
Styrene	0.77	J	0.85	0.24	ug/m3	1		TO-15	Total/NA
n-Propylbenzene	3.26		0.98	0.30	ug/m3	1		TO-15	Total/NA
4-Ethyltoluene	4.11		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,3,5-Trimethylbenzene	2.35		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,2,4-Trimethylbenzene	5.28		0.98	0.40	ug/m3	1		TO-15	Total/NA
4-Isopropyltoluene	2.65		1.10	0.43	ug/m3	1		TO-15	Total/NA
n-Butane - DL	69.0		9.51	5.90	ug/m3	8		TO-15	Total/NA
1,3-Butadiene - DL	45.7		3.54	0.71	ug/m3	8		TO-15	Total/NA
Acetone - DL	168		95.0	36.1	ug/m3	8		TO-15	Total/NA
Carbon disulfide - DL	11.0	J B	12.5	4.48	ug/m3	8		TO-15	Total/NA
tert-Butyl alcohol - DL	40.8	J	121	38.8	ug/m3	8		TO-15	Total/NA
n-Hexane - DL	21.5		14.1	4.51	ug/m3	8		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone) - DL	25.7		11.8	3.30	ug/m3	8		TO-15	Total/NA
cis-1,2-Dichloroethene - DL	17.3		1.60	1.01	ug/m3	8		TO-15	Total/NA
Chloroform - DL	216		7.81	2.30	ug/m3	8		TO-15	Total/NA
Cyclohexane - DL	4.20	J	5.51	1.43	ug/m3	8		TO-15	Total/NA
2,2,4-Trimethylpentane - DL	5.74	J	7.48	2.65	ug/m3	8		TO-15	Total/NA
Benzene - DL	20.2		5.11	1.30	ug/m3	8		TO-15	Total/NA
n-Heptane - DL	17.8		6.56	2.82	ug/m3	8		TO-15	Total/NA
Trichloroethene - DL	37.3		1.60	1.25	ug/m3	8		TO-15	Total/NA
Toluene - DL	98.8		6.03	1.63	ug/m3	8		TO-15	Total/NA
Tetrachloroethene - DL	1150		10.9	1.95	ug/m3	8		TO-15	Total/NA
Ethylbenzene - DL	19.7		6.95	1.77	ug/m3	8		TO-15	Total/NA
m,p-Xylene - DL	65.1		17.4	0.49	ug/m3	8		TO-15	Total/NA
o-Xylene - DL	17.9		6.95	2.40	ug/m3	8		TO-15	Total/NA
n-Propylbenzene - DL	2.66	J	7.87	2.44	ug/m3	8		TO-15	Total/NA
4-Ethyltoluene - DL	3.48	J	7.87	2.67	ug/m3	8		TO-15	Total/NA
1,2,4-Trimethylbenzene - DL	3.87	J	7.87	3.22	ug/m3	8		TO-15	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Client Sample ID: SV-5

Lab Sample ID: 460-329019-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorodifluoromethane	3.13		2.47	1.09	ug/m3	1		TO-15	Total/NA
n-Butane	140	E	1.19	0.74	ug/m3	1		TO-15	Total/NA
1,3-Butadiene	76.1		0.44	0.088	ug/m3	1		TO-15	Total/NA
Trichlorofluoromethane	2.07		1.12	0.43	ug/m3	1		TO-15	Total/NA
1,1,2-Trichlorotrifluoroethane	0.60	J	1.53	0.44	ug/m3	1		TO-15	Total/NA
Acetone	176	E	11.9	4.51	ug/m3	1		TO-15	Total/NA
Isopropyl alcohol	32.9		12.3	5.41	ug/m3	1		TO-15	Total/NA
Carbon disulfide	6.48	B	1.56	0.56	ug/m3	1		TO-15	Total/NA
tert-Butyl alcohol	47.8		15.2	4.85	ug/m3	1		TO-15	Total/NA
n-Hexane	38.1		1.76	0.56	ug/m3	1		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone)	24.9		1.47	0.41	ug/m3	1		TO-15	Total/NA
Chloroform	14.1		0.98	0.29	ug/m3	1		TO-15	Total/NA
Tetrahydrofuran	17.0		14.7	5.01	ug/m3	1		TO-15	Total/NA
Cyclohexane	6.87		0.69	0.18	ug/m3	1		TO-15	Total/NA
Carbon tetrachloride	0.28		0.22	0.15	ug/m3	1		TO-15	Total/NA
2,2,4-Trimethylpentane	8.22		0.93	0.33	ug/m3	1		TO-15	Total/NA
Benzene	26.9		0.64	0.16	ug/m3	1		TO-15	Total/NA
n-Heptane	29.0		0.82	0.35	ug/m3	1		TO-15	Total/NA
Trichloroethene	0.34		0.20	0.16	ug/m3	1		TO-15	Total/NA
Toluene	127		0.75	0.20	ug/m3	1		TO-15	Total/NA
Tetrachloroethene	217		1.36	0.24	ug/m3	1		TO-15	Total/NA
Methyl Butyl Ketone (2-Hexanone)	1.31	J	2.05	0.82	ug/m3	1		TO-15	Total/NA
Ethylbenzene	31.0		0.87	0.22	ug/m3	1		TO-15	Total/NA
m,p-Xylene	113		2.17	0.061	ug/m3	1		TO-15	Total/NA
o-Xylene	40.1		0.87	0.30	ug/m3	1		TO-15	Total/NA
Styrene	1.82		0.85	0.24	ug/m3	1		TO-15	Total/NA
n-Propylbenzene	6.22		0.98	0.30	ug/m3	1		TO-15	Total/NA
4-Ethyltoluene	7.90		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,3,5-Trimethylbenzene	5.13		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,2,4-Trimethylbenzene	15.3		0.98	0.40	ug/m3	1		TO-15	Total/NA
4-Isopropyltoluene	1.87		1.10	0.43	ug/m3	1		TO-15	Total/NA
n-Butane - DL	125		9.51	5.90	ug/m3	8		TO-15	Total/NA
1,3-Butadiene - DL	65.2		3.54	0.71	ug/m3	8		TO-15	Total/NA
Acetone - DL	156		95.0	36.1	ug/m3	8		TO-15	Total/NA
Carbon disulfide - DL	10.9	J B	12.5	4.48	ug/m3	8		TO-15	Total/NA
tert-Butyl alcohol - DL	44.0	J	121	38.8	ug/m3	8		TO-15	Total/NA
n-Hexane - DL	34.4		14.1	4.51	ug/m3	8		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone) - DL	21.8		11.8	3.30	ug/m3	8		TO-15	Total/NA
Chloroform - DL	13.4		7.81	2.30	ug/m3	8		TO-15	Total/NA
Cyclohexane - DL	6.24		5.51	1.43	ug/m3	8		TO-15	Total/NA
2,2,4-Trimethylpentane - DL	7.87		7.48	2.65	ug/m3	8		TO-15	Total/NA
Benzene - DL	24.8		5.11	1.30	ug/m3	8		TO-15	Total/NA
n-Heptane - DL	23.5		6.56	2.82	ug/m3	8		TO-15	Total/NA
Toluene - DL	126		6.03	1.63	ug/m3	8		TO-15	Total/NA
Tetrachloroethene - DL	216		10.9	1.95	ug/m3	8		TO-15	Total/NA
Ethylbenzene - DL	27.3		6.95	1.77	ug/m3	8		TO-15	Total/NA
m,p-Xylene - DL	98.6		17.4	0.49	ug/m3	8		TO-15	Total/NA
o-Xylene - DL	33.9		6.95	2.40	ug/m3	8		TO-15	Total/NA
Cumene - DL	5.60	J	7.87	2.83	ug/m3	8		TO-15	Total/NA
n-Propylbenzene - DL	5.69	J	7.87	2.44	ug/m3	8		TO-15	Total/NA
4-Ethyltoluene - DL	7.56	J	7.87	2.67	ug/m3	8		TO-15	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Client Sample ID: SV-5 (Continued)

Lab Sample ID: 460-329019-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,3,5-Trimethylbenzene - DL	5.40	J	7.87	2.67	ug/m3	8		TO-15	Total/NA
1,2,4-Trimethylbenzene - DL	13.2		7.87	3.22	ug/m3	8		TO-15	Total/NA

Client Sample ID: SV-6

Lab Sample ID: 460-329019-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorodifluoromethane	3.18		2.47	1.09	ug/m3	1		TO-15	Total/NA
n-Butane	132	E	1.19	0.74	ug/m3	1		TO-15	Total/NA
1,3-Butadiene	78.4		0.44	0.088	ug/m3	1		TO-15	Total/NA
Trichlorofluoromethane	2.50		1.12	0.43	ug/m3	1		TO-15	Total/NA
Acetone	166	E	11.9	4.51	ug/m3	1		TO-15	Total/NA
Isopropyl alcohol	50.5		12.3	5.41	ug/m3	1		TO-15	Total/NA
Carbon disulfide	4.53	B	1.56	0.56	ug/m3	1		TO-15	Total/NA
tert-Butyl alcohol	76.0		15.2	4.85	ug/m3	1		TO-15	Total/NA
n-Hexane	42.1		1.76	0.56	ug/m3	1		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone)	27.1		1.47	0.41	ug/m3	1		TO-15	Total/NA
Chloroform	0.76	J	0.98	0.29	ug/m3	1		TO-15	Total/NA
Tetrahydrofuran	22.3		14.7	5.01	ug/m3	1		TO-15	Total/NA
Cyclohexane	7.15		0.69	0.18	ug/m3	1		TO-15	Total/NA
2,2,4-Trimethylpentane	9.26		0.93	0.33	ug/m3	1		TO-15	Total/NA
Benzene	30.5		0.64	0.16	ug/m3	1		TO-15	Total/NA
n-Heptane	30.9		0.82	0.35	ug/m3	1		TO-15	Total/NA
Methyl methacrylate	1.62	J	2.05	0.53	ug/m3	1		TO-15	Total/NA
4-Methyl-2-pentanone (Methyl isobutyl ketone)	2.47		2.05	0.78	ug/m3	1		TO-15	Total/NA
Toluene	125		0.75	0.20	ug/m3	1		TO-15	Total/NA
Tetrachloroethene	199		1.36	0.24	ug/m3	1		TO-15	Total/NA
Methyl Butyl Ketone (2-Hexanone)	1.64	J	2.05	0.82	ug/m3	1		TO-15	Total/NA
Ethylbenzene	33.8		0.87	0.22	ug/m3	1		TO-15	Total/NA
m,p-Xylene	124		2.17	0.061	ug/m3	1		TO-15	Total/NA
o-Xylene	45.9		0.87	0.30	ug/m3	1		TO-15	Total/NA
Styrene	1.64		0.85	0.24	ug/m3	1		TO-15	Total/NA
n-Propylbenzene	9.09		0.98	0.30	ug/m3	1		TO-15	Total/NA
4-Ethyltoluene	14.6		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,3,5-Trimethylbenzene	12.1		0.98	0.33	ug/m3	1		TO-15	Total/NA
1,2,4-Trimethylbenzene	41.5		0.98	0.40	ug/m3	1		TO-15	Total/NA
4-Isopropyltoluene	2.87		1.10	0.43	ug/m3	1		TO-15	Total/NA
Naphthalene	1.22	J	2.00	0.58	ug/m3	1		TO-15	Total/NA
n-Butane - DL	137		5.94	3.68	ug/m3	5		TO-15	Total/NA
1,3-Butadiene - DL	77.2		2.21	0.44	ug/m3	5		TO-15	Total/NA
Trichlorofluoromethane - DL	2.47	J	5.62	2.16	ug/m3	5		TO-15	Total/NA
Acetone - DL	160		59.4	22.6	ug/m3	5		TO-15	Total/NA
Isopropyl alcohol - DL	50.1	J	61.5	27.0	ug/m3	5		TO-15	Total/NA
Carbon disulfide - DL	7.41	J B	7.79	2.80	ug/m3	5		TO-15	Total/NA
tert-Butyl alcohol - DL	76.8		75.8	24.3	ug/m3	5		TO-15	Total/NA
n-Hexane - DL	40.6		8.81	2.82	ug/m3	5		TO-15	Total/NA
Methyl Ethyl Ketone (2-Butanone) - DL	25.1		7.37	2.06	ug/m3	5		TO-15	Total/NA
Cyclohexane - DL	6.83		3.44	0.89	ug/m3	5		TO-15	Total/NA
2,2,4-Trimethylpentane - DL	8.84		4.67	1.66	ug/m3	5		TO-15	Total/NA
Benzene - DL	29.6		3.19	0.81	ug/m3	5		TO-15	Total/NA
n-Heptane - DL	29.1		4.10	1.76	ug/m3	5		TO-15	Total/NA
Toluene - DL	120		3.77	1.02	ug/m3	5		TO-15	Total/NA

This Detection Summary does not include radiochemical test results.

Client Sample ID: SV-6 (Continued)

Lab Sample ID: 460-329019-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Tetrachloroethene - DL	196		6.78	1.22	ug/m3	5		TO-15	Total/NA
Ethylbenzene - DL	31.2		4.34	1.11	ug/m3	5		TO-15	Total/NA
m,p-Xylene - DL	117		10.9	0.30	ug/m3	5		TO-15	Total/NA
o-Xylene - DL	41.1		4.34	1.50	ug/m3	5		TO-15	Total/NA
Styrene - DL	1.50	J	4.26	1.19	ug/m3	5		TO-15	Total/NA
n-Propylbenzene - DL	8.48		4.92	1.52	ug/m3	5		TO-15	Total/NA
4-Ethyltoluene - DL	13.8		4.92	1.67	ug/m3	5		TO-15	Total/NA
1,3,5-Trimethylbenzene - DL	11.9		4.92	1.67	ug/m3	5		TO-15	Total/NA
1,2,4-Trimethylbenzene - DL	38.3		4.92	2.02	ug/m3	5		TO-15	Total/NA
4-Isopropyltoluene - DL	3.18	J	5.49	2.14	ug/m3	5		TO-15	Total/NA

This Detection Summary does not include radiochemical test results.

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Client Sample ID: SV-1
Date Collected: 06/16/25 12:31
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-1
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	94.0	U	94.0	41.3	ug/m3			06/23/25 18:06	38
Chlorodifluoromethane	67.2	U	67.2	48.4	ug/m3			06/23/25 18:06	38
1,2-Dichlorotetrafluoroethane	53.1	U	53.1	20.2	ug/m3			06/23/25 18:06	38
Chloromethane	39.2	U	39.2	25.9	ug/m3			06/23/25 18:06	38
n-Butane	45.2	U	45.2	28.0	ug/m3			06/23/25 18:06	38
Vinyl chloride	**22.6**		7.60	2.82	ug/m3			06/23/25 18:06	38
1,3-Butadiene	16.8	U	16.8	3.36	ug/m3			06/23/25 18:06	38
Bromomethane	29.5	U	29.5	9.15	ug/m3			06/23/25 18:06	38
Chloroethane	50.1	U	50.1	16.0	ug/m3			06/23/25 18:06	38
Bromoethene(Vinyl Bromide)	33.2	U	33.2	7.98	ug/m3			06/23/25 18:06	38
Trichlorofluoromethane	42.7	U	42.7	16.4	ug/m3			06/23/25 18:06	38
1,1,2-Trichlorotrifluoroethane	58.2	U	58.2	16.6	ug/m3			06/23/25 18:06	38
1,1-Dichloroethene	7.60	U	7.60	5.27	ug/m3			06/23/25 18:06	38
Acetone	451	U	451	172	ug/m3			06/23/25 18:06	38
Isopropyl alcohol	467	U	467	205	ug/m3			06/23/25 18:06	38
Carbon disulfide	**39.5**	**J B**	59.2	21.3	ug/m3			06/23/25 18:06	38
3-Chloropropene	59.5	U	59.5	9.63	ug/m3			06/23/25 18:06	38
Methylene Chloride	66.0	U	66.0	25.1	ug/m3			06/23/25 18:06	38
tert-Butyl alcohol	576	U	576	184	ug/m3			06/23/25 18:06	38
Methyl tert-butyl ether	27.4	U	27.4	9.04	ug/m3			06/23/25 18:06	38
trans-1,2-Dichloroethene	**638**		30.1	3.01	ug/m3			06/23/25 18:06	38
n-Hexane	67.0	U	67.0	21.4	ug/m3			06/23/25 18:06	38
1,1-Dichloroethane	30.8	U	30.8	2.77	ug/m3			06/23/25 18:06	38
Methyl Ethyl Ketone (2-Butanone)	56.0	U	56.0	15.7	ug/m3			06/23/25 18:06	38
cis-1,2-Dichloroethene	**8390**	**E**	7.60	4.82	ug/m3			06/23/25 18:06	38
Chloroform	**27.3**	**J**	37.1	10.9	ug/m3			06/23/25 18:06	38
Tetrahydrofuran	560	U	560	191	ug/m3			06/23/25 18:06	38
1,1,1-Trichloroethane	41.5	U	41.5	15.1	ug/m3			06/23/25 18:06	38
Cyclohexane	26.2	U	26.2	6.80	ug/m3			06/23/25 18:06	38
Carbon tetrachloride	8.36	U	8.36	5.74	ug/m3			06/23/25 18:06	38
2,2,4-Trimethylpentane	35.5	U	35.5	12.6	ug/m3			06/23/25 18:06	38
Benzene	24.3	U	24.3	6.19	ug/m3			06/23/25 18:06	38
1,2-Dichloroethane	30.8	U	30.8	11.4	ug/m3			06/23/25 18:06	38
n-Heptane	31.1	U	31.1	13.4	ug/m3			06/23/25 18:06	38
Trichloroethene	**9450**	**E**	7.60	5.92	ug/m3			06/23/25 18:06	38
Methyl methacrylate	77.8	U	77.8	20.2	ug/m3			06/23/25 18:06	38
1,2-Dichloropropane	35.1	U	35.1	9.66	ug/m3			06/23/25 18:06	38
1,4-Dioxane	685	U	685	26.0	ug/m3			06/23/25 18:06	38
Bromodichloromethane	50.9	U	50.9	14.8	ug/m3			06/23/25 18:06	38
cis-1,3-Dichloropropene	34.5	U	34.5	9.66	ug/m3			06/23/25 18:06	38
4-Methyl-2-pentanone (Methyl isobutyl ketone)	77.8	U	77.8	29.6	ug/m3			06/23/25 18:06	38
Toluene	**25.9**	**J**	28.6	7.73	ug/m3			06/23/25 18:06	38
trans-1,3-Dichloropropene	34.5	U	34.5	10.7	ug/m3			06/23/25 18:06	38
1,1,2-Trichloroethane	41.5	U	41.5	11.0	ug/m3			06/23/25 18:06	38
Tetrachloroethene	**24000**	**E**	51.5	9.28	ug/m3			06/23/25 18:06	38
Methyl Butyl Ketone (2-Hexanone)	77.9	U	77.9	31.1	ug/m3			06/23/25 18:06	38
Dibromochloromethane	64.7	U	64.7	17.2	ug/m3			06/23/25 18:06	38
1,2-Dibromoethane	58.4	U	58.4	13.1	ug/m3			06/23/25 18:06	38

Client Sample ID: SV-1
Date Collected: 06/16/25 12:31
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-1
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	35.0	U	35.0	8.22	ug/m3			06/23/25 18:06	38
Ethylbenzene	**11.2**	**J**	33.0	8.42	ug/m3			06/23/25 18:06	38
m,p-Xylene	**39.4**	**J**	82.5	2.31	ug/m3			06/23/25 18:06	38
o-Xylene	**12.3**	**J**	33.0	11.4	ug/m3			06/23/25 18:06	38
Styrene	32.4	U	32.4	9.06	ug/m3			06/23/25 18:06	38
Bromoform	78.6	U	78.6	22.8	ug/m3			06/23/25 18:06	38
Cumene	37.4	U	37.4	13.4	ug/m3			06/23/25 18:06	38
1,1,2,2-Tetrachloroethane	52.2	U	52.2	15.9	ug/m3			06/23/25 18:06	38
n-Propylbenzene	37.4	U	37.4	11.6	ug/m3			06/23/25 18:06	38
4-Ethyltoluene	37.4	U	37.4	12.7	ug/m3			06/23/25 18:06	38
1,3,5-Trimethylbenzene	37.4	U	37.4	12.7	ug/m3			06/23/25 18:06	38
2-Chlorotoluene	39.3	U	39.3	11.4	ug/m3			06/23/25 18:06	38
tert-Butylbenzene	41.7	U	41.7	14.6	ug/m3			06/23/25 18:06	38
1,2,4-Trimethylbenzene	**16.4**	**J**	37.4	15.3	ug/m3			06/23/25 18:06	38
sec-Butylbenzene	41.7	U	41.7	15.0	ug/m3			06/23/25 18:06	38
4-Isopropyltoluene	41.7	U	41.7	16.3	ug/m3			06/23/25 18:06	38
1,3-Dichlorobenzene	45.7	U	45.7	14.4	ug/m3			06/23/25 18:06	38
1,4-Dichlorobenzene	45.7	U	45.7	16.0	ug/m3			06/23/25 18:06	38
Benzyl chloride	39.3	U	39.3	14.6	ug/m3			06/23/25 18:06	38
n-Butylbenzene	41.7	U	41.7	14.6	ug/m3			06/23/25 18:06	38
1,2-Dichlorobenzene	45.7	U	45.7	15.1	ug/m3			06/23/25 18:06	38
1,2,4-Trichlorobenzene	141	U	141	84.6	ug/m3			06/23/25 18:06	38
Hexachlorobutadiene	81.1	U	81.1	31.6	ug/m3			06/23/25 18:06	38
Naphthalene	76.0	U	76.0	21.9	ug/m3			06/23/25 18:06	38

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	504	U	504	222	ug/m3			06/23/25 19:04	204
Chlorodifluoromethane	361	U	361	260	ug/m3			06/23/25 19:04	204
1,2-Dichlorotetrafluoroethane	285	U	285	108	ug/m3			06/23/25 19:04	204
Chloromethane	211	U	211	139	ug/m3			06/23/25 19:04	204
n-Butane	242	U	242	150	ug/m3			06/23/25 19:04	204
Vinyl chloride	40.8	U	40.8	15.1	ug/m3			06/23/25 19:04	204
1,3-Butadiene	90.3	U	90.3	18.1	ug/m3			06/23/25 19:04	204
Bromomethane	158	U	158	49.1	ug/m3			06/23/25 19:04	204
Chloroethane	269	U	269	86.1	ug/m3			06/23/25 19:04	204
Bromoethene(Vinyl Bromide)	178	U	178	42.8	ug/m3			06/23/25 19:04	204
Trichlorofluoromethane	229	U	229	88.3	ug/m3			06/23/25 19:04	204
1,1,2-Trichlorotrifluoroethane	313	U	313	89.1	ug/m3			06/23/25 19:04	204
1,1-Dichloroethene	40.8	U	40.8	28.3	ug/m3			06/23/25 19:04	204
Acetone	2420	U	2420	921	ug/m3			06/23/25 19:04	204
Isopropyl alcohol	2510	U	2510	1100	ug/m3			06/23/25 19:04	204
Carbon disulfide	**196**	**J B**	318	114	ug/m3			06/23/25 19:04	204
3-Chloropropene	319	U	319	51.7	ug/m3			06/23/25 19:04	204
Methylene Chloride	354	U	354	135	ug/m3			06/23/25 19:04	204
tert-Butyl alcohol	3090	U	3090	989	ug/m3			06/23/25 19:04	204
Methyl tert-butyl ether	147	U	147	48.5	ug/m3			06/23/25 19:04	204
trans-1,2-Dichloroethene	**556**		162	16.2	ug/m3			06/23/25 19:04	204
n-Hexane	359	U	359	115	ug/m3			06/23/25 19:04	204

Client Sample ID: SV-1
Date Collected: 06/16/25 12:31
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-1
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethane	165	U	165	14.9	ug/m3			06/23/25 19:04	204
Methyl Ethyl Ketone (2-Butanone)	301	U	301	84.2	ug/m3			06/23/25 19:04	204
cis-1,2-Dichloroethene	**7440**		40.8	25.9	ug/m3			06/23/25 19:04	204
Chloroform	199	U	199	58.8	ug/m3			06/23/25 19:04	204
Tetrahydrofuran	3010	U	3010	1020	ug/m3			06/23/25 19:04	204
1,1,1-Trichloroethane	223	U	223	81.3	ug/m3			06/23/25 19:04	204
Cyclohexane	140	U	140	36.5	ug/m3			06/23/25 19:04	204
Carbon tetrachloride	44.9	U	44.9	30.8	ug/m3			06/23/25 19:04	204
2,2,4-Trimethylpentane	191	U	191	67.7	ug/m3			06/23/25 19:04	204
Benzene	130	U	130	33.2	ug/m3			06/23/25 19:04	204
1,2-Dichloroethane	165	U	165	61.1	ug/m3			06/23/25 19:04	204
n-Heptane	167	U	167	71.9	ug/m3			06/23/25 19:04	204
Trichloroethene	**8520**		40.8	31.8	ug/m3			06/23/25 19:04	204
Methyl methacrylate	418	U	418	109	ug/m3			06/23/25 19:04	204
1,2-Dichloropropane	189	U	189	51.9	ug/m3			06/23/25 19:04	204
1,4-Dioxane	3680	U	3680	140	ug/m3			06/23/25 19:04	204
Bromodichloromethane	273	U	273	79.3	ug/m3			06/23/25 19:04	204
cis-1,3-Dichloropropene	185	U	185	51.8	ug/m3			06/23/25 19:04	204
4-Methyl-2-pentanone (Methyl isobutyl ketone)	418	U	418	159	ug/m3			06/23/25 19:04	204
Toluene	154	U	154	41.5	ug/m3			06/23/25 19:04	204
trans-1,3-Dichloropropene	185	U	185	57.4	ug/m3			06/23/25 19:04	204
1,1,2-Trichloroethane	223	U	223	59.0	ug/m3			06/23/25 19:04	204
Tetrachloroethene	**23800**		277	49.8	ug/m3			06/23/25 19:04	204
Methyl Butyl Ketone (2-Hexanone)	418	U	418	167	ug/m3			06/23/25 19:04	204
Dibromochloromethane	348	U	348	92.1	ug/m3			06/23/25 19:04	204
1,2-Dibromoethane	314	U	314	70.5	ug/m3			06/23/25 19:04	204
Chlorobenzene	188	U	188	44.1	ug/m3			06/23/25 19:04	204
Ethylbenzene	177	U	177	45.2	ug/m3			06/23/25 19:04	204
m,p-Xylene	**26.3**	**J**	443	12.4	ug/m3			06/23/25 19:04	204
o-Xylene	177	U	177	61.1	ug/m3			06/23/25 19:04	204
Styrene	174	U	174	48.7	ug/m3			06/23/25 19:04	204
Bromoform	422	U	422	122	ug/m3			06/23/25 19:04	204
Cumene	201	U	201	72.2	ug/m3			06/23/25 19:04	204
1,1,2,2-Tetrachloroethane	280	U	280	85.4	ug/m3			06/23/25 19:04	204
n-Propylbenzene	201	U	201	62.2	ug/m3			06/23/25 19:04	204
4-Ethyltoluene	201	U	201	68.2	ug/m3			06/23/25 19:04	204
1,3,5-Trimethylbenzene	201	U	201	68.2	ug/m3			06/23/25 19:04	204
2-Chlorotoluene	211	U	211	61.3	ug/m3			06/23/25 19:04	204
tert-Butylbenzene	224	U	224	78.4	ug/m3			06/23/25 19:04	204
1,2,4-Trimethylbenzene	201	U	201	82.2	ug/m3			06/23/25 19:04	204
sec-Butylbenzene	224	U	224	80.6	ug/m3			06/23/25 19:04	204
4-Isopropyltoluene	224	U	224	87.4	ug/m3			06/23/25 19:04	204
1,3-Dichlorobenzene	245	U	245	77.3	ug/m3			06/23/25 19:04	204
1,4-Dichlorobenzene	245	U	245	85.9	ug/m3			06/23/25 19:04	204
Benzyl chloride	211	U	211	78.2	ug/m3			06/23/25 19:04	204
n-Butylbenzene	224	U	224	78.4	ug/m3			06/23/25 19:04	204
1,2-Dichlorobenzene	245	U	245	80.9	ug/m3			06/23/25 19:04	204
1,2,4-Trichlorobenzene	757	U	757	454	ug/m3			06/23/25 19:04	204

Client Sample ID: SV-1
Lab Sample ID: 460-329019-1
Date Collected: 06/16/25 12:31
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexachlorobutadiene	435	U	435	170	ug/m3			06/23/25 19:04	204
Naphthalene	408	U	408	118	ug/m3			06/23/25 19:04	204

Client Sample ID: SV-2
Lab Sample ID: 460-329019-2
Date Collected: 06/16/25 12:32
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	**2.55**		2.47	1.09	ug/m3			06/23/25 20:04	1
Chlorodifluoromethane	1.77	U	1.77	1.27	ug/m3			06/23/25 20:04	1
1,2-Dichlorotetrafluoroethane	1.40	U	1.40	0.53	ug/m3			06/23/25 20:04	1
Chloromethane	**2.18**		1.03	0.68	ug/m3			06/23/25 20:04	1
n-Butane	**53.8**		1.19	0.74	ug/m3			06/23/25 20:04	1
Vinyl chloride	0.20	U	0.20	0.074	ug/m3			06/23/25 20:04	1
1,3-Butadiene	**33.4**		0.44	0.088	ug/m3			06/23/25 20:04	1
Bromomethane	0.78	U	0.78	0.24	ug/m3			06/23/25 20:04	1
Chloroethane	1.32	U	1.32	0.42	ug/m3			06/23/25 20:04	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.21	ug/m3			06/23/25 20:04	1
Trichlorofluoromethane	**1.93**		1.12	0.43	ug/m3			06/23/25 20:04	1
1,1,2-Trichlorotrifluoroethane	**0.59**	**J**	1.53	0.44	ug/m3			06/23/25 20:04	1
1,1-Dichloroethene	0.20	U	0.20	0.14	ug/m3			06/23/25 20:04	1
Acetone	**232**	**E**	11.9	4.51	ug/m3			06/23/25 20:04	1
Isopropyl alcohol	**23.6**		12.3	5.41	ug/m3			06/23/25 20:04	1
Carbon disulfide	**6.63**	**B**	1.56	0.56	ug/m3			06/23/25 20:04	1
3-Chloropropene	1.57	U	1.57	0.25	ug/m3			06/23/25 20:04	1
Methylene Chloride	1.74	U	1.74	0.66	ug/m3			06/23/25 20:04	1
tert-Butyl alcohol	**51.5**		15.2	4.85	ug/m3			06/23/25 20:04	1
Methyl tert-butyl ether	0.72	U	0.72	0.24	ug/m3			06/23/25 20:04	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.079	ug/m3			06/23/25 20:04	1
n-Hexane	**20.7**		1.76	0.56	ug/m3			06/23/25 20:04	1
1,1-Dichloroethane	0.81	U	0.81	0.073	ug/m3			06/23/25 20:04	1
Methyl Ethyl Ketone (2-Butanone)	**29.5**		1.47	0.41	ug/m3			06/23/25 20:04	1
cis-1,2-Dichloroethene	0.20	U	0.20	0.13	ug/m3			06/23/25 20:04	1
Chloroform	**9.24**		0.98	0.29	ug/m3			06/23/25 20:04	1
Tetrahydrofuran	14.7	U	14.7	5.01	ug/m3			06/23/25 20:04	1
1,1,1-Trichloroethane	1.09	U	1.09	0.40	ug/m3			06/23/25 20:04	1
Cyclohexane	**4.16**		0.69	0.18	ug/m3			06/23/25 20:04	1
Carbon tetrachloride	**0.32**		0.22	0.15	ug/m3			06/23/25 20:04	1
2,2,4-Trimethylpentane	**5.70**		0.93	0.33	ug/m3			06/23/25 20:04	1
Benzene	**19.5**		0.64	0.16	ug/m3			06/23/25 20:04	1
1,2-Dichloroethane	0.81	U	0.81	0.30	ug/m3			06/23/25 20:04	1
n-Heptane	**21.2**		0.82	0.35	ug/m3			06/23/25 20:04	1
Trichloroethene	**8.99**		0.20	0.16	ug/m3			06/23/25 20:04	1
Methyl methacrylate	**2.05**		2.05	0.53	ug/m3			06/23/25 20:04	1
1,2-Dichloropropane	0.92	U	0.92	0.25	ug/m3			06/23/25 20:04	1
1,4-Dioxane	18.0	U	18.0	0.68	ug/m3			06/23/25 20:04	1
Bromodichloromethane	1.34	U	1.34	0.39	ug/m3			06/23/25 20:04	1

Client Sample ID: SV-2
Date Collected: 06/16/25 12:32
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-2
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,3-Dichloropropene	0.91	U	0.91	0.25	ug/m3			06/23/25 20:04	1
4-Methyl-2-pentanone (Methyl isobutyl ketone)	**2.19**		2.05	0.78	ug/m3			06/23/25 20:04	1
Toluene	**116**		0.75	0.20	ug/m3			06/23/25 20:04	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.28	ug/m3			06/23/25 20:04	1
1,1,2-Trichloroethane	1.09	U	1.09	0.29	ug/m3			06/23/25 20:04	1
Tetrachloroethene	**424**	**E**	1.36	0.24	ug/m3			06/23/25 20:04	1
Methyl Butyl Ketone (2-Hexanone)	**1.51**	**J**	2.05	0.82	ug/m3			06/23/25 20:04	1
Dibromochloromethane	1.70	U	1.70	0.45	ug/m3			06/23/25 20:04	1
1,2-Dibromoethane	1.54	U	1.54	0.35	ug/m3			06/23/25 20:04	1
Chlorobenzene	0.92	U	0.92	0.22	ug/m3			06/23/25 20:04	1
Ethylbenzene	**26.3**		0.87	0.22	ug/m3			06/23/25 20:04	1
m,p-Xylene	**101**		2.17	0.061	ug/m3			06/23/25 20:04	1
o-Xylene	**34.6**		0.87	0.30	ug/m3			06/23/25 20:04	1
Styrene	**2.20**		0.85	0.24	ug/m3			06/23/25 20:04	1
Bromoform	2.07	U	2.07	0.60	ug/m3			06/23/25 20:04	1
Cumene	0.98	U	0.98	0.35	ug/m3			06/23/25 20:04	1
1,1,2,2-Tetrachloroethane	1.37	U	1.37	0.42	ug/m3			06/23/25 20:04	1
n-Propylbenzene	**6.56**		0.98	0.30	ug/m3			06/23/25 20:04	1
4-Ethyltoluene	**10.0**		0.98	0.33	ug/m3			06/23/25 20:04	1
1,3,5-Trimethylbenzene	**7.58**		0.98	0.33	ug/m3			06/23/25 20:04	1
2-Chlorotoluene	1.04	U	1.04	0.30	ug/m3			06/23/25 20:04	1
tert-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/23/25 20:04	1
1,2,4-Trimethylbenzene	**25.4**		0.98	0.40	ug/m3			06/23/25 20:04	1
sec-Butylbenzene	1.10	U	1.10	0.40	ug/m3			06/23/25 20:04	1
4-Isopropyltoluene	**2.10**		1.10	0.43	ug/m3			06/23/25 20:04	1
1,3-Dichlorobenzene	1.20	U	1.20	0.38	ug/m3			06/23/25 20:04	1
1,4-Dichlorobenzene	1.20	U	1.20	0.42	ug/m3			06/23/25 20:04	1
Benzyl chloride	1.04	U	1.04	0.38	ug/m3			06/23/25 20:04	1
n-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/23/25 20:04	1
1,2-Dichlorobenzene	1.20	U	1.20	0.40	ug/m3			06/23/25 20:04	1
1,2,4-Trichlorobenzene	3.71	U	3.71	2.23	ug/m3			06/23/25 20:04	1
Hexachlorobutadiene	2.13	U	2.13	0.83	ug/m3			06/23/25 20:04	1
Naphthalene	**0.97**	**J**	2.00	0.58	ug/m3			06/23/25 20:04	1

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	12.4	U	12.4	5.44	ug/m3			06/23/25 21:00	5
Chlorodifluoromethane	8.84	U	8.84	6.37	ug/m3			06/23/25 21:00	5
1,2-Dichlorotetrafluoroethane	6.99	U	6.99	2.66	ug/m3			06/23/25 21:00	5
Chloromethane	5.16	U	5.16	3.41	ug/m3			06/23/25 21:00	5
n-Butane	**43.1**		5.94	3.68	ug/m3			06/23/25 21:00	5
Vinyl chloride	1.00	U	1.00	0.37	ug/m3			06/23/25 21:00	5
1,3-Butadiene	**27.7**		2.21	0.44	ug/m3			06/23/25 21:00	5
Bromomethane	3.88	U	3.88	1.20	ug/m3			06/23/25 21:00	5
Chloroethane	6.60	U	6.60	2.11	ug/m3			06/23/25 21:00	5
Bromoethene(Vinyl Bromide)	4.37	U	4.37	1.05	ug/m3			06/23/25 21:00	5
Trichlorofluoromethane	5.62	U	5.62	2.16	ug/m3			06/23/25 21:00	5
1,1,2-Trichlorotrifluoroethane	7.66	U	7.66	2.18	ug/m3			06/23/25 21:00	5

Client Sample ID: SV-2
Date Collected: 06/16/25 12:32
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-2
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	1.00	U	1.00	0.69	ug/m3			06/23/25 21:00	5
Acetone	**188**		59.4	22.6	ug/m3			06/23/25 21:00	5
Isopropyl alcohol	61.5	U	61.5	27.0	ug/m3			06/23/25 21:00	5
Carbon disulfide	**9.64**	**B**	7.79	2.80	ug/m3			06/23/25 21:00	5
3-Chloropropene	7.83	U	7.83	1.27	ug/m3			06/23/25 21:00	5
Methylene Chloride	8.68	U	8.68	3.30	ug/m3			06/23/25 21:00	5
tert-Butyl alcohol	**45.1**	**J**	75.8	24.3	ug/m3			06/23/25 21:00	5
Methyl tert-butyl ether	3.61	U	3.61	1.19	ug/m3			06/23/25 21:00	5
trans-1,2-Dichloroethene	3.96	U	3.96	0.40	ug/m3			06/23/25 21:00	5
n-Hexane	**16.8**		8.81	2.82	ug/m3			06/23/25 21:00	5
1,1-Dichloroethane	4.05	U	4.05	0.36	ug/m3			06/23/25 21:00	5
Methyl Ethyl Ketone (2-Butanone)	**25.3**		7.37	2.06	ug/m3			06/23/25 21:00	5
cis-1,2-Dichloroethene	**1.64**		1.00	0.63	ug/m3			06/23/25 21:00	5
Chloroform	**8.77**		4.88	1.44	ug/m3			06/23/25 21:00	5
Tetrahydrofuran	73.7	U	73.7	25.1	ug/m3			06/23/25 21:00	5
1,1,1-Trichloroethane	5.46	U	5.46	1.99	ug/m3			06/23/25 21:00	5
Cyclohexane	**3.81**		3.44	0.89	ug/m3			06/23/25 21:00	5
Carbon tetrachloride	1.10	U	1.10	0.75	ug/m3			06/23/25 21:00	5
2,2,4-Trimethylpentane	**4.63**	**J**	4.67	1.66	ug/m3			06/23/25 21:00	5
Benzene	**17.9**		3.19	0.81	ug/m3			06/23/25 21:00	5
1,2-Dichloroethane	4.05	U	4.05	1.50	ug/m3			06/23/25 21:00	5
n-Heptane	**17.0**		4.10	1.76	ug/m3			06/23/25 21:00	5
Trichloroethene	**8.78**		1.00	0.78	ug/m3			06/23/25 21:00	5
Methyl methacrylate	10.2	U	10.2	2.66	ug/m3			06/23/25 21:00	5
1,2-Dichloropropane	4.62	U	4.62	1.27	ug/m3			06/23/25 21:00	5
1,4-Dioxane	90.1	U	90.1	3.42	ug/m3			06/23/25 21:00	5
Bromodichloromethane	6.70	U	6.70	1.94	ug/m3			06/23/25 21:00	5
cis-1,3-Dichloropropene	4.54	U	4.54	1.27	ug/m3			06/23/25 21:00	5
4-Methyl-2-pentanone (Methyl isobutyl ketone)	10.2	U	10.2	3.89	ug/m3			06/23/25 21:00	5
Toluene	**120**		3.77	1.02	ug/m3			06/23/25 21:00	5
trans-1,3-Dichloropropene	4.54	U	4.54	1.41	ug/m3			06/23/25 21:00	5
1,1,2-Trichloroethane	5.46	U	5.46	1.45	ug/m3			06/23/25 21:00	5
Tetrachloroethene	**480**		6.78	1.22	ug/m3			06/23/25 21:00	5
Methyl Butyl Ketone (2-Hexanone)	10.2	U	10.2	4.10	ug/m3			06/23/25 21:00	5
Dibromochloromethane	8.52	U	8.52	2.26	ug/m3			06/23/25 21:00	5
1,2-Dibromoethane	7.68	U	7.68	1.73	ug/m3			06/23/25 21:00	5
Chlorobenzene	4.60	U	4.60	1.08	ug/m3			06/23/25 21:00	5
Ethylbenzene	**25.4**		4.34	1.11	ug/m3			06/23/25 21:00	5
m,p-Xylene	**99.1**		10.9	0.30	ug/m3			06/23/25 21:00	5
o-Xylene	**31.7**		4.34	1.50	ug/m3			06/23/25 21:00	5
Styrene	4.26	U	4.26	1.19	ug/m3			06/23/25 21:00	5
Bromoform	10.3	U	10.3	3.00	ug/m3			06/23/25 21:00	5
Cumene	4.92	U	4.92	1.77	ug/m3			06/23/25 21:00	5
1,1,2,2-Tetrachloroethane	6.87	U	6.87	2.09	ug/m3			06/23/25 21:00	5
n-Propylbenzene	**6.63**		4.92	1.52	ug/m3			06/23/25 21:00	5
4-Ethyltoluene	**10.1**		4.92	1.67	ug/m3			06/23/25 21:00	5
1,3,5-Trimethylbenzene	**7.98**		4.92	1.67	ug/m3			06/23/25 21:00	5
2-Chlorotoluene	5.18	U	5.18	1.50	ug/m3			06/23/25 21:00	5

Client Sample ID: SV-2

Lab Sample ID: 460-329019-2

Date Collected: 06/16/25 12:32
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
tert-Butylbenzene	5.49	U	5.49	1.92	ug/m3			06/23/25 21:00	5
1,2,4-Trimethylbenzene	**25.3**		4.92	2.02	ug/m3			06/23/25 21:00	5
sec-Butylbenzene	5.49	U	5.49	1.98	ug/m3			06/23/25 21:00	5
4-Isopropyltoluene	**2.43**	**J**	5.49	2.14	ug/m3			06/23/25 21:00	5
1,3-Dichlorobenzene	6.01	U	6.01	1.89	ug/m3			06/23/25 21:00	5
1,4-Dichlorobenzene	6.01	U	6.01	2.10	ug/m3			06/23/25 21:00	5
Benzyl chloride	5.18	U	5.18	1.92	ug/m3			06/23/25 21:00	5
n-Butylbenzene	5.49	U	5.49	1.92	ug/m3			06/23/25 21:00	5
1,2-Dichlorobenzene	6.01	U	6.01	1.98	ug/m3			06/23/25 21:00	5
1,2,4-Trichlorobenzene	18.6	U	18.6	11.1	ug/m3			06/23/25 21:00	5
Hexachlorobutadiene	10.7	U	10.7	4.16	ug/m3			06/23/25 21:00	5
Naphthalene	10.0	U	10.0	2.88	ug/m3			06/23/25 21:00	5

Client Sample ID: SV-3

Lab Sample ID: 460-329019-3

Date Collected: 06/16/25 12:34
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	**2.70**		2.47	1.09	ug/m3			06/23/25 21:59	1
Chlorodifluoromethane	1.77	U	1.77	1.27	ug/m3			06/23/25 21:59	1
1,2-Dichlorotetrafluoroethane	1.40	U	1.40	0.53	ug/m3			06/23/25 21:59	1
Chloromethane	**0.82**	**J**	1.03	0.68	ug/m3			06/23/25 21:59	1
n-Butane	**127**	**E**	1.19	0.74	ug/m3			06/23/25 21:59	1
Vinyl chloride	0.20	U	0.20	0.074	ug/m3			06/23/25 21:59	1
1,3-Butadiene	**70.3**		0.44	0.088	ug/m3			06/23/25 21:59	1
Bromomethane	0.78	U	0.78	0.24	ug/m3			06/23/25 21:59	1
Chloroethane	1.32	U	1.32	0.42	ug/m3			06/23/25 21:59	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.21	ug/m3			06/23/25 21:59	1
Trichlorofluoromethane	**1.99**		1.12	0.43	ug/m3			06/23/25 21:59	1
1,1,2-Trichlorotrifluoroethane	1.53	U	1.53	0.44	ug/m3			06/23/25 21:59	1
1,1-Dichloroethene	0.20	U	0.20	0.14	ug/m3			06/23/25 21:59	1
Acetone	**136**	**E**	11.9	4.51	ug/m3			06/23/25 21:59	1
Isopropyl alcohol	**18.0**		12.3	5.41	ug/m3			06/23/25 21:59	1
Carbon disulfide	**8.54**	**B**	1.56	0.56	ug/m3			06/23/25 21:59	1
3-Chloropropene	1.57	U	1.57	0.25	ug/m3			06/23/25 21:59	1
Methylene Chloride	**13.4**		1.74	0.66	ug/m3			06/23/25 21:59	1
tert-Butyl alcohol	**33.6**		15.2	4.85	ug/m3			06/23/25 21:59	1
Methyl tert-butyl ether	0.72	U	0.72	0.24	ug/m3			06/23/25 21:59	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.079	ug/m3			06/23/25 21:59	1
n-Hexane	**33.8**		1.76	0.56	ug/m3			06/23/25 21:59	1
1,1-Dichloroethane	0.81	U	0.81	0.073	ug/m3			06/23/25 21:59	1
Methyl Ethyl Ketone (2-Butanone)	**21.6**		1.47	0.41	ug/m3			06/23/25 21:59	1
cis-1,2-Dichloroethene	0.20	U	0.20	0.13	ug/m3			06/23/25 21:59	1
Chloroform	**63.6**		0.98	0.29	ug/m3			06/23/25 21:59	1
Tetrahydrofuran	14.7	U	14.7	5.01	ug/m3			06/23/25 21:59	1
1,1,1-Trichloroethane	**1.22**		1.09	0.40	ug/m3			06/23/25 21:59	1
Cyclohexane	**4.46**		0.69	0.18	ug/m3			06/23/25 21:59	1

Client Sample ID: SV-3
Date Collected: 06/16/25 12:34
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-3
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Carbon tetrachloride	**0.38**		0.22	0.15	ug/m3			06/23/25 21:59	1
2,2,4-Trimethylpentane	**4.78**		0.93	0.33	ug/m3			06/23/25 21:59	1
Benzene	**24.4**		0.64	0.16	ug/m3			06/23/25 21:59	1
1,2-Dichloroethane	0.81	U	0.81	0.30	ug/m3			06/23/25 21:59	1
n-Heptane	**21.6**		0.82	0.35	ug/m3			06/23/25 21:59	1
Trichloroethene	**2.35**		0.20	0.16	ug/m3			06/23/25 21:59	1
Methyl methacrylate	**2.64**		2.05	0.53	ug/m3			06/23/25 21:59	1
1,2-Dichloropropane	0.92	U	0.92	0.25	ug/m3			06/23/25 21:59	1
1,4-Dioxane	18.0	U	18.0	0.68	ug/m3			06/23/25 21:59	1
Bromodichloromethane	1.34	U	1.34	0.39	ug/m3			06/23/25 21:59	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.25	ug/m3			06/23/25 21:59	1
4-Methyl-2-pentanone (Methyl isobutyl ketone)	**2.76**		2.05	0.78	ug/m3			06/23/25 21:59	1
Toluene	**85.0**		0.75	0.20	ug/m3			06/23/25 21:59	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.28	ug/m3			06/23/25 21:59	1
1,1,2-Trichloroethane	1.09	U	1.09	0.29	ug/m3			06/23/25 21:59	1
Tetrachloroethene	**196**		1.36	0.24	ug/m3			06/23/25 21:59	1
Methyl Butyl Ketone (2-Hexanone)	**1.81**	**J**	2.05	0.82	ug/m3			06/23/25 21:59	1
Dibromochloromethane	1.70	U	1.70	0.45	ug/m3			06/23/25 21:59	1
1,2-Dibromoethane	1.54	U	1.54	0.35	ug/m3			06/23/25 21:59	1
Chlorobenzene	0.92	U	0.92	0.22	ug/m3			06/23/25 21:59	1
Ethylbenzene	**23.1**		0.87	0.22	ug/m3			06/23/25 21:59	1
m,p-Xylene	**89.9**		2.17	0.061	ug/m3			06/23/25 21:59	1
o-Xylene	**33.1**		0.87	0.30	ug/m3			06/23/25 21:59	1
Styrene	**1.20**		0.85	0.24	ug/m3			06/23/25 21:59	1
Bromoform	2.07	U	2.07	0.60	ug/m3			06/23/25 21:59	1
Cumene	0.98	U	0.98	0.35	ug/m3			06/23/25 21:59	1
1,1,2,2-Tetrachloroethane	1.37	U	1.37	0.42	ug/m3			06/23/25 21:59	1
n-Propylbenzene	**6.76**		0.98	0.30	ug/m3			06/23/25 21:59	1
4-Ethyltoluene	**10.1**		0.98	0.33	ug/m3			06/23/25 21:59	1
1,3,5-Trimethylbenzene	**8.02**		0.98	0.33	ug/m3			06/23/25 21:59	1
2-Chlorotoluene	1.04	U	1.04	0.30	ug/m3			06/23/25 21:59	1
tert-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/23/25 21:59	1
1,2,4-Trimethylbenzene	**21.5**		0.98	0.40	ug/m3			06/23/25 21:59	1
sec-Butylbenzene	1.10	U	1.10	0.40	ug/m3			06/23/25 21:59	1
4-Isopropyltoluene	**5.87**		1.10	0.43	ug/m3			06/23/25 21:59	1
1,3-Dichlorobenzene	1.20	U	1.20	0.38	ug/m3			06/23/25 21:59	1
1,4-Dichlorobenzene	1.20	U	1.20	0.42	ug/m3			06/23/25 21:59	1
Benzyl chloride	1.04	U	1.04	0.38	ug/m3			06/23/25 21:59	1
n-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/23/25 21:59	1
1,2-Dichlorobenzene	1.20	U	1.20	0.40	ug/m3			06/23/25 21:59	1
1,2,4-Trichlorobenzene	3.71	U	3.71	2.23	ug/m3			06/23/25 21:59	1
Hexachlorobutadiene	2.13	U	2.13	0.83	ug/m3			06/23/25 21:59	1
Naphthalene	2.00	U	2.00	0.58	ug/m3			06/23/25 21:59	1

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	12.4	U	12.4	5.44	ug/m3			06/23/25 22:55	5
Chlorodifluoromethane	8.84	U	8.84	6.37	ug/m3			06/23/25 22:55	5

Client Sample ID: SV-3
Date Collected: 06/16/25 12:34
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-3
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichlorotetrafluoroethane	6.99	U	6.99	2.66	ug/m3			06/23/25 22:55	5
Chloromethane	5.16	U	5.16	3.41	ug/m3			06/23/25 22:55	5
n-Butane	**115**		5.94	3.68	ug/m3			06/23/25 22:55	5
Vinyl chloride	1.00	U	1.00	0.37	ug/m3			06/23/25 22:55	5
1,3-Butadiene	**61.3**		2.21	0.44	ug/m3			06/23/25 22:55	5
Bromomethane	3.88	U	3.88	1.20	ug/m3			06/23/25 22:55	5
Chloroethane	6.60	U	6.60	2.11	ug/m3			06/23/25 22:55	5
Bromoethene(Vinyl Bromide)	4.37	U	4.37	1.05	ug/m3			06/23/25 22:55	5
Trichlorofluoromethane	5.62	U	5.62	2.16	ug/m3			06/23/25 22:55	5
1,1,2-Trichlorotrifluoroethane	7.66	U	7.66	2.18	ug/m3			06/23/25 22:55	5
1,1-Dichloroethene	1.00	U	1.00	0.69	ug/m3			06/23/25 22:55	5
Acetone	**130**		59.4	22.6	ug/m3			06/23/25 22:55	5
Isopropyl alcohol	61.5	U	61.5	27.0	ug/m3			06/23/25 22:55	5
Carbon disulfide	**11.4**	**B**	7.79	2.80	ug/m3			06/23/25 22:55	5
3-Chloropropene	7.83	U	7.83	1.27	ug/m3			06/23/25 22:55	5
Methylene Chloride	**13.5**		8.68	3.30	ug/m3			06/23/25 22:55	5
tert-Butyl alcohol	**31.2**	**J**	75.8	24.3	ug/m3			06/23/25 22:55	5
Methyl tert-butyl ether	3.61	U	3.61	1.19	ug/m3			06/23/25 22:55	5
trans-1,2-Dichloroethene	3.96	U	3.96	0.40	ug/m3			06/23/25 22:55	5
n-Hexane	**32.0**		8.81	2.82	ug/m3			06/23/25 22:55	5
1,1-Dichloroethane	4.05	U	4.05	0.36	ug/m3			06/23/25 22:55	5
Methyl Ethyl Ketone (2-Butanone)	**20.8**		7.37	2.06	ug/m3			06/23/25 22:55	5
cis-1,2-Dichloroethene	**1.41**		1.00	0.63	ug/m3			06/23/25 22:55	5
Chloroform	**61.5**		4.88	1.44	ug/m3			06/23/25 22:55	5
Tetrahydrofuran	73.7	U	73.7	25.1	ug/m3			06/23/25 22:55	5
1,1,1-Trichloroethane	5.46	U	5.46	1.99	ug/m3			06/23/25 22:55	5
Cyclohexane	**4.18**		3.44	0.89	ug/m3			06/23/25 22:55	5
Carbon tetrachloride	1.10	U	1.10	0.75	ug/m3			06/23/25 22:55	5
2,2,4-Trimethylpentane	**4.52**	**J**	4.67	1.66	ug/m3			06/23/25 22:55	5
Benzene	**24.6**		3.19	0.81	ug/m3			06/23/25 22:55	5
1,2-Dichloroethane	4.05	U	4.05	1.50	ug/m3			06/23/25 22:55	5
n-Heptane	**18.4**		4.10	1.76	ug/m3			06/23/25 22:55	5
Trichloroethene	**1.85**		1.00	0.78	ug/m3			06/23/25 22:55	5
Methyl methacrylate	10.2	U	10.2	2.66	ug/m3			06/23/25 22:55	5
1,2-Dichloropropane	4.62	U	4.62	1.27	ug/m3			06/23/25 22:55	5
1,4-Dioxane	90.1	U	90.1	3.42	ug/m3			06/23/25 22:55	5
Bromodichloromethane	6.70	U	6.70	1.94	ug/m3			06/23/25 22:55	5
cis-1,3-Dichloropropene	4.54	U	4.54	1.27	ug/m3			06/23/25 22:55	5
4-Methyl-2-pentanone (Methyl isobutyl ketone)	**4.00**	**J**	10.2	3.89	ug/m3			06/23/25 22:55	5
Toluene	**80.6**		3.77	1.02	ug/m3			06/23/25 22:55	5
trans-1,3-Dichloropropene	4.54	U	4.54	1.41	ug/m3			06/23/25 22:55	5
1,1,2-Trichloroethane	5.46	U	5.46	1.45	ug/m3			06/23/25 22:55	5
Tetrachloroethene	**193**		6.78	1.22	ug/m3			06/23/25 22:55	5
Methyl Butyl Ketone (2-Hexanone)	10.2	U	10.2	4.10	ug/m3			06/23/25 22:55	5
Dibromochloromethane	8.52	U	8.52	2.26	ug/m3			06/23/25 22:55	5
1,2-Dibromoethane	7.68	U	7.68	1.73	ug/m3			06/23/25 22:55	5
Chlorobenzene	4.60	U	4.60	1.08	ug/m3			06/23/25 22:55	5
Ethylbenzene	**20.6**		4.34	1.11	ug/m3			06/23/25 22:55	5

Client Sample ID: SV-3

Lab Sample ID: 460-329019-3

Date Collected: 06/16/25 12:34
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
m,p-Xylene	**81.3**		10.9	0.30	ug/m3			06/23/25 22:55	5
o-Xylene	**28.4**		4.34	1.50	ug/m3			06/23/25 22:55	5
Styrene	4.26	U	4.26	1.19	ug/m3			06/23/25 22:55	5
Bromoform	10.3	U	10.3	3.00	ug/m3			06/23/25 22:55	5
Cumene	4.92	U	4.92	1.77	ug/m3			06/23/25 22:55	5
1,1,2,2-Tetrachloroethane	6.87	U	6.87	2.09	ug/m3			06/23/25 22:55	5
n-Propylbenzene	**5.95**		4.92	1.52	ug/m3			06/23/25 22:55	5
4-Ethyltoluene	**8.95**		4.92	1.67	ug/m3			06/23/25 22:55	5
1,3,5-Trimethylbenzene	**7.37**		4.92	1.67	ug/m3			06/23/25 22:55	5
2-Chlorotoluene	5.18	U	5.18	1.50	ug/m3			06/23/25 22:55	5
tert-Butylbenzene	5.49	U	5.49	1.92	ug/m3			06/23/25 22:55	5
1,2,4-Trimethylbenzene	**19.4**		4.92	2.02	ug/m3			06/23/25 22:55	5
sec-Butylbenzene	5.49	U	5.49	1.98	ug/m3			06/23/25 22:55	5
4-Isopropyltoluene	**5.37**	**J**	5.49	2.14	ug/m3			06/23/25 22:55	5
1,3-Dichlorobenzene	6.01	U	6.01	1.89	ug/m3			06/23/25 22:55	5
1,4-Dichlorobenzene	6.01	U	6.01	2.10	ug/m3			06/23/25 22:55	5
Benzyl chloride	5.18	U	5.18	1.92	ug/m3			06/23/25 22:55	5
n-Butylbenzene	5.49	U	5.49	1.92	ug/m3			06/23/25 22:55	5
1,2-Dichlorobenzene	6.01	U	6.01	1.98	ug/m3			06/23/25 22:55	5
1,2,4-Trichlorobenzene	18.6	U	18.6	11.1	ug/m3			06/23/25 22:55	5
Hexachlorobutadiene	10.7	U	10.7	4.16	ug/m3			06/23/25 22:55	5
Naphthalene	10.0	U	10.0	2.88	ug/m3			06/23/25 22:55	5

Client Sample ID: SV-4

Lab Sample ID: 460-329019-4

Date Collected: 06/16/25 12:35
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	**2.94**		2.47	1.09	ug/m3			06/23/25 23:54	1
Chlorodifluoromethane	1.77	U	1.77	1.27	ug/m3			06/23/25 23:54	1
1,2-Dichlorotetrafluoroethane	1.40	U	1.40	0.53	ug/m3			06/23/25 23:54	1
Chloromethane	1.03	U	1.03	0.68	ug/m3			06/23/25 23:54	1
n-Butane	**79.1**		1.19	0.74	ug/m3			06/23/25 23:54	1
Vinyl chloride	0.20	U	0.20	0.074	ug/m3			06/23/25 23:54	1
1,3-Butadiene	**53.6**		0.44	0.088	ug/m3			06/23/25 23:54	1
Bromomethane	0.78	U	0.78	0.24	ug/m3			06/23/25 23:54	1
Chloroethane	1.32	U	1.32	0.42	ug/m3			06/23/25 23:54	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.21	ug/m3			06/23/25 23:54	1
Trichlorofluoromethane	**1.94**		1.12	0.43	ug/m3			06/23/25 23:54	1
1,1,2-Trichlorotrifluoroethane	1.53	U	1.53	0.44	ug/m3			06/23/25 23:54	1
1,1-Dichloroethene	0.20	U	0.20	0.14	ug/m3			06/23/25 23:54	1
Acetone	**189**	**E**	11.9	4.51	ug/m3			06/23/25 23:54	1
Isopropyl alcohol	**30.9**		12.3	5.41	ug/m3			06/23/25 23:54	1
Carbon disulfide	**5.65**	**B**	1.56	0.56	ug/m3			06/23/25 23:54	1
3-Chloropropene	1.57	U	1.57	0.25	ug/m3			06/23/25 23:54	1
Methylene Chloride	**0.94**	**J**	1.74	0.66	ug/m3			06/23/25 23:54	1
tert-Butyl alcohol	**46.8**		15.2	4.85	ug/m3			06/23/25 23:54	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Client Sample ID: SV-4
Date Collected: 06/16/25 12:35
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-4
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methyl tert-butyl ether	0.72	U	0.72	0.24	ug/m3			06/23/25 23:54	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.079	ug/m3			06/23/25 23:54	1
n-Hexane	**23.6**		1.76	0.56	ug/m3			06/23/25 23:54	1
1,1-Dichloroethane	0.81	U	0.81	0.073	ug/m3			06/23/25 23:54	1
Methyl Ethyl Ketone (2-Butanone)	**31.3**		1.47	0.41	ug/m3			06/23/25 23:54	1
cis-1,2-Dichloroethene	**18.1**		0.20	0.13	ug/m3			06/23/25 23:54	1
Chloroform	**227**	**E**	0.98	0.29	ug/m3			06/23/25 23:54	1
Tetrahydrofuran	14.7	U	14.7	5.01	ug/m3			06/23/25 23:54	1
1,1,1-Trichloroethane	1.09	U	1.09	0.40	ug/m3			06/23/25 23:54	1
Cyclohexane	**5.16**		0.69	0.18	ug/m3			06/23/25 23:54	1
Carbon tetrachloride	**0.26**		0.22	0.15	ug/m3			06/23/25 23:54	1
2,2,4-Trimethylpentane	**6.72**		0.93	0.33	ug/m3			06/23/25 23:54	1
Benzene	**22.7**		0.64	0.16	ug/m3			06/23/25 23:54	1
1,2-Dichloroethane	0.81	U	0.81	0.30	ug/m3			06/23/25 23:54	1
n-Heptane	**21.0**		0.82	0.35	ug/m3			06/23/25 23:54	1
Trichloroethene	**42.4**		0.20	0.16	ug/m3			06/23/25 23:54	1
Methyl methacrylate	2.05	U	2.05	0.53	ug/m3			06/23/25 23:54	1
1,2-Dichloropropane	0.92	U	0.92	0.25	ug/m3			06/23/25 23:54	1
1,4-Dioxane	18.0	U	18.0	0.68	ug/m3			06/23/25 23:54	1
Bromodichloromethane	1.34	U	1.34	0.39	ug/m3			06/23/25 23:54	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.25	ug/m3			06/23/25 23:54	1
4-Methyl-2-pentanone (Methyl isobutyl ketone)	**2.65**		2.05	0.78	ug/m3			06/23/25 23:54	1
Toluene	**110**		0.75	0.20	ug/m3			06/23/25 23:54	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.28	ug/m3			06/23/25 23:54	1
1,1,2-Trichloroethane	1.09	U	1.09	0.29	ug/m3			06/23/25 23:54	1
Tetrachloroethene	**852**	**E**	1.36	0.24	ug/m3			06/23/25 23:54	1
Methyl Butyl Ketone (2-Hexanone)	**2.10**		2.05	0.82	ug/m3			06/23/25 23:54	1
Dibromochloromethane	1.70	U	1.70	0.45	ug/m3			06/23/25 23:54	1
1,2-Dibromoethane	1.54	U	1.54	0.35	ug/m3			06/23/25 23:54	1
Chlorobenzene	0.92	U	0.92	0.22	ug/m3			06/23/25 23:54	1
Ethylbenzene	**24.3**		0.87	0.22	ug/m3			06/23/25 23:54	1
m,p-Xylene	**79.8**		2.17	0.061	ug/m3			06/23/25 23:54	1
o-Xylene	**24.9**		0.87	0.30	ug/m3			06/23/25 23:54	1
Styrene	**0.77**	**J**	0.85	0.24	ug/m3			06/23/25 23:54	1
Bromoform	2.07	U	2.07	0.60	ug/m3			06/23/25 23:54	1
Cumene	0.98	U	0.98	0.35	ug/m3			06/23/25 23:54	1
1,1,2,2-Tetrachloroethane	1.37	U	1.37	0.42	ug/m3			06/23/25 23:54	1
n-Propylbenzene	**3.26**		0.98	0.30	ug/m3			06/23/25 23:54	1
4-Ethyltoluene	**4.11**		0.98	0.33	ug/m3			06/23/25 23:54	1
1,3,5-Trimethylbenzene	**2.35**		0.98	0.33	ug/m3			06/23/25 23:54	1
2-Chlorotoluene	1.04	U	1.04	0.30	ug/m3			06/23/25 23:54	1
tert-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/23/25 23:54	1
1,2,4-Trimethylbenzene	**5.28**		0.98	0.40	ug/m3			06/23/25 23:54	1
sec-Butylbenzene	1.10	U	1.10	0.40	ug/m3			06/23/25 23:54	1
4-Isopropyltoluene	**2.65**		1.10	0.43	ug/m3			06/23/25 23:54	1
1,3-Dichlorobenzene	1.20	U	1.20	0.38	ug/m3			06/23/25 23:54	1
1,4-Dichlorobenzene	1.20	U	1.20	0.42	ug/m3			06/23/25 23:54	1
Benzyl chloride	1.04	U	1.04	0.38	ug/m3			06/23/25 23:54	1

Client Sample ID: SV-4
Date Collected: 06/16/25 12:35
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-4
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
n-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/23/25 23:54	1
1,2-Dichlorobenzene	1.20	U	1.20	0.40	ug/m3			06/23/25 23:54	1
1,2,4-Trichlorobenzene	3.71	U	3.71	2.23	ug/m3			06/23/25 23:54	1
Hexachlorobutadiene	2.13	U	2.13	0.83	ug/m3			06/23/25 23:54	1
Naphthalene	2.00	U	2.00	0.58	ug/m3			06/23/25 23:54	1

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	19.8	U	19.8	8.70	ug/m3			06/24/25 00:52	8
Chlorodifluoromethane	14.1	U	14.1	10.2	ug/m3			06/24/25 00:52	8
1,2-Dichlorotetrafluoroethane	11.2	U	11.2	4.25	ug/m3			06/24/25 00:52	8
Chloromethane	8.26	U	8.26	5.45	ug/m3			06/24/25 00:52	8
n-Butane	**69.0**		9.51	5.90	ug/m3			06/24/25 00:52	8
Vinyl chloride	1.60	U	1.60	0.59	ug/m3			06/24/25 00:52	8
1,3-Butadiene	**45.7**		3.54	0.71	ug/m3			06/24/25 00:52	8
Bromomethane	6.21	U	6.21	1.93	ug/m3			06/24/25 00:52	8
Chloroethane	10.6	U	10.6	3.38	ug/m3			06/24/25 00:52	8
Bromoethene(Vinyl Bromide)	7.00	U	7.00	1.68	ug/m3			06/24/25 00:52	8
Trichlorofluoromethane	8.99	U	8.99	3.46	ug/m3			06/24/25 00:52	8
1,1,2-Trichlorotrifluoroethane	12.3	U	12.3	3.49	ug/m3			06/24/25 00:52	8
1,1-Dichloroethene	1.60	U	1.60	1.11	ug/m3			06/24/25 00:52	8
Acetone	**168**		95.0	36.1	ug/m3			06/24/25 00:52	8
Isopropyl alcohol	98.3	U	98.3	43.3	ug/m3			06/24/25 00:52	8
Carbon disulfide	**11.0**	**J B**	12.5	4.48	ug/m3			06/24/25 00:52	8
3-Chloropropene	12.5	U	12.5	2.03	ug/m3			06/24/25 00:52	8
Methylene Chloride	13.9	U	13.9	5.28	ug/m3			06/24/25 00:52	8
tert-Butyl alcohol	**40.8**	**J**	121	38.8	ug/m3			06/24/25 00:52	8
Methyl tert-butyl ether	5.77	U	5.77	1.90	ug/m3			06/24/25 00:52	8
trans-1,2-Dichloroethene	6.34	U	6.34	0.63	ug/m3			06/24/25 00:52	8
n-Hexane	**21.5**		14.1	4.51	ug/m3			06/24/25 00:52	8
1,1-Dichloroethane	6.48	U	6.48	0.58	ug/m3			06/24/25 00:52	8
Methyl Ethyl Ketone (2-Butanone)	**25.7**		11.8	3.30	ug/m3			06/24/25 00:52	8
cis-1,2-Dichloroethene	**17.3**		1.60	1.01	ug/m3			06/24/25 00:52	8
Chloroform	**216**		7.81	2.30	ug/m3			06/24/25 00:52	8
Tetrahydrofuran	118	U	118	40.1	ug/m3			06/24/25 00:52	8
1,1,1-Trichloroethane	8.73	U	8.73	3.19	ug/m3			06/24/25 00:52	8
Cyclohexane	**4.20**	**J**	5.51	1.43	ug/m3			06/24/25 00:52	8
Carbon tetrachloride	1.76	U	1.76	1.21	ug/m3			06/24/25 00:52	8
2,2,4-Trimethylpentane	**5.74**	**J**	7.48	2.65	ug/m3			06/24/25 00:52	8
Benzene	**20.2**		5.11	1.30	ug/m3			06/24/25 00:52	8
1,2-Dichloroethane	6.48	U	6.48	2.40	ug/m3			06/24/25 00:52	8
n-Heptane	**17.8**		6.56	2.82	ug/m3			06/24/25 00:52	8
Trichloroethene	**37.3**		1.60	1.25	ug/m3			06/24/25 00:52	8
Methyl methacrylate	16.4	U	16.4	4.26	ug/m3			06/24/25 00:52	8
1,2-Dichloropropane	7.39	U	7.39	2.03	ug/m3			06/24/25 00:52	8
1,4-Dioxane	144	U	144	5.48	ug/m3			06/24/25 00:52	8
Bromodichloromethane	10.7	U	10.7	3.11	ug/m3			06/24/25 00:52	8
cis-1,3-Dichloropropene	7.26	U	7.26	2.03	ug/m3			06/24/25 00:52	8

Client Sample ID: SV-4

Lab Sample ID: 460-329019-4

Date Collected: 06/16/25 12:35
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4-Methyl-2-pentanone (Methyl isobutyl ketone)	16.4	U	16.4	6.23	ug/m3			06/24/25 00:52	8
Toluene	**98.8**		6.03	1.63	ug/m3			06/24/25 00:52	8
trans-1,3-Dichloropropene	7.26	U	7.26	2.25	ug/m3			06/24/25 00:52	8
1,1,2-Trichloroethane	8.73	U	8.73	2.31	ug/m3			06/24/25 00:52	8
Tetrachloroethene	**1150**		10.9	1.95	ug/m3			06/24/25 00:52	8
Methyl Butyl Ketone (2-Hexanone)	16.4	U	16.4	6.56	ug/m3			06/24/25 00:52	8
Dibromochloromethane	13.6	U	13.6	3.61	ug/m3			06/24/25 00:52	8
1,2-Dibromoethane	12.3	U	12.3	2.77	ug/m3			06/24/25 00:52	8
Chlorobenzene	7.37	U	7.37	1.73	ug/m3			06/24/25 00:52	8
Ethylbenzene	**19.7**		6.95	1.77	ug/m3			06/24/25 00:52	8
m,p-Xylene	**65.1**		17.4	0.49	ug/m3			06/24/25 00:52	8
o-Xylene	**17.9**		6.95	2.40	ug/m3			06/24/25 00:52	8
Styrene	6.82	U	6.82	1.91	ug/m3			06/24/25 00:52	8
Bromoform	16.5	U	16.5	4.80	ug/m3			06/24/25 00:52	8
Cumene	7.87	U	7.87	2.83	ug/m3			06/24/25 00:52	8
1,1,2,2-Tetrachloroethane	11.0	U	11.0	3.35	ug/m3			06/24/25 00:52	8
n-Propylbenzene	**2.66**	**J**	7.87	2.44	ug/m3			06/24/25 00:52	8
4-Ethyltoluene	**3.48**	**J**	7.87	2.67	ug/m3			06/24/25 00:52	8
1,3,5-Trimethylbenzene	7.87	U	7.87	2.67	ug/m3			06/24/25 00:52	8
2-Chlorotoluene	8.28	U	8.28	2.40	ug/m3			06/24/25 00:52	8
tert-Butylbenzene	8.78	U	8.78	3.07	ug/m3			06/24/25 00:52	8
1,2,4-Trimethylbenzene	**3.87**	**J**	7.87	3.22	ug/m3			06/24/25 00:52	8
sec-Butylbenzene	8.78	U	8.78	3.16	ug/m3			06/24/25 00:52	8
4-Isopropyltoluene	8.78	U	8.78	3.43	ug/m3			06/24/25 00:52	8
1,3-Dichlorobenzene	9.62	U	9.62	3.03	ug/m3			06/24/25 00:52	8
1,4-Dichlorobenzene	9.62	U	9.62	3.37	ug/m3			06/24/25 00:52	8
Benzyl chloride	8.28	U	8.28	3.06	ug/m3			06/24/25 00:52	8
n-Butylbenzene	8.78	U	8.78	3.07	ug/m3			06/24/25 00:52	8
1,2-Dichlorobenzene	9.62	U	9.62	3.17	ug/m3			06/24/25 00:52	8
1,2,4-Trichlorobenzene	29.7	U	29.7	17.8	ug/m3			06/24/25 00:52	8
Hexachlorobutadiene	17.1	U	17.1	6.65	ug/m3			06/24/25 00:52	8
Naphthalene	16.0	U	16.0	4.61	ug/m3			06/24/25 00:52	8

Client Sample ID: SV-5

Lab Sample ID: 460-329019-5

Date Collected: 06/16/25 12:36
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	**3.13**		2.47	1.09	ug/m3			06/24/25 01:52	1
Chlorodifluoromethane	1.77	U	1.77	1.27	ug/m3			06/24/25 01:52	1
1,2-Dichlorotetrafluoroethane	1.40	U	1.40	0.53	ug/m3			06/24/25 01:52	1
Chloromethane	1.03	U	1.03	0.68	ug/m3			06/24/25 01:52	1
n-Butane	**140**	**E**	1.19	0.74	ug/m3			06/24/25 01:52	1
Vinyl chloride	0.20	U	0.20	0.074	ug/m3			06/24/25 01:52	1
1,3-Butadiene	**76.1**		0.44	0.088	ug/m3			06/24/25 01:52	1
Bromomethane	0.78	U	0.78	0.24	ug/m3			06/24/25 01:52	1

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Client Sample ID: SV-5
Date Collected: 06/16/25 12:36
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-5
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroethane	1.32	U	1.32	0.42	ug/m3			06/24/25 01:52	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.21	ug/m3			06/24/25 01:52	1
Trichlorofluoromethane	**2.07**		1.12	0.43	ug/m3			06/24/25 01:52	1
1,1,2-Trichlorotrifluoroethane	**0.60**	**J**	1.53	0.44	ug/m3			06/24/25 01:52	1
1,1-Dichloroethene	0.20	U	0.20	0.14	ug/m3			06/24/25 01:52	1
Acetone	**176**	**E**	11.9	4.51	ug/m3			06/24/25 01:52	1
Isopropyl alcohol	**32.9**		12.3	5.41	ug/m3			06/24/25 01:52	1
Carbon disulfide	**6.48**	**B**	1.56	0.56	ug/m3			06/24/25 01:52	1
3-Chloropropene	1.57	U	1.57	0.25	ug/m3			06/24/25 01:52	1
Methylene Chloride	1.74	U	1.74	0.66	ug/m3			06/24/25 01:52	1
tert-Butyl alcohol	**47.8**		15.2	4.85	ug/m3			06/24/25 01:52	1
Methyl tert-butyl ether	0.72	U	0.72	0.24	ug/m3			06/24/25 01:52	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.079	ug/m3			06/24/25 01:52	1
n-Hexane	**38.1**		1.76	0.56	ug/m3			06/24/25 01:52	1
1,1-Dichloroethane	0.81	U	0.81	0.073	ug/m3			06/24/25 01:52	1
Methyl Ethyl Ketone (2-Butanone)	**24.9**		1.47	0.41	ug/m3			06/24/25 01:52	1
cis-1,2-Dichloroethene	0.20	U	0.20	0.13	ug/m3			06/24/25 01:52	1
Chloroform	**14.1**		0.98	0.29	ug/m3			06/24/25 01:52	1
Tetrahydrofuran	**17.0**		14.7	5.01	ug/m3			06/24/25 01:52	1
1,1,1-Trichloroethane	1.09	U	1.09	0.40	ug/m3			06/24/25 01:52	1
Cyclohexane	**6.87**		0.69	0.18	ug/m3			06/24/25 01:52	1
Carbon tetrachloride	**0.28**		0.22	0.15	ug/m3			06/24/25 01:52	1
2,2,4-Trimethylpentane	**8.22**		0.93	0.33	ug/m3			06/24/25 01:52	1
Benzene	**26.9**		0.64	0.16	ug/m3			06/24/25 01:52	1
1,2-Dichloroethane	0.81	U	0.81	0.30	ug/m3			06/24/25 01:52	1
n-Heptane	**29.0**		0.82	0.35	ug/m3			06/24/25 01:52	1
Trichloroethene	**0.34**		0.20	0.16	ug/m3			06/24/25 01:52	1
Methyl methacrylate	2.05	U	2.05	0.53	ug/m3			06/24/25 01:52	1
1,2-Dichloropropane	0.92	U	0.92	0.25	ug/m3			06/24/25 01:52	1
1,4-Dioxane	18.0	U	18.0	0.68	ug/m3			06/24/25 01:52	1
Bromodichloromethane	1.34	U	1.34	0.39	ug/m3			06/24/25 01:52	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.25	ug/m3			06/24/25 01:52	1
4-Methyl-2-pentanone (Methyl isobutyl ketone)	2.05	U	2.05	0.78	ug/m3			06/24/25 01:52	1
Toluene	**127**		0.75	0.20	ug/m3			06/24/25 01:52	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.28	ug/m3			06/24/25 01:52	1
1,1,2-Trichloroethane	1.09	U	1.09	0.29	ug/m3			06/24/25 01:52	1
Tetrachloroethene	**217**		1.36	0.24	ug/m3			06/24/25 01:52	1
Methyl Butyl Ketone (2-Hexanone)	**1.31**	**J**	2.05	0.82	ug/m3			06/24/25 01:52	1
Dibromochloromethane	1.70	U	1.70	0.45	ug/m3			06/24/25 01:52	1
1,2-Dibromoethane	1.54	U	1.54	0.35	ug/m3			06/24/25 01:52	1
Chlorobenzene	0.92	U	0.92	0.22	ug/m3			06/24/25 01:52	1
Ethylbenzene	**31.0**		0.87	0.22	ug/m3			06/24/25 01:52	1
m,p-Xylene	**113**		2.17	0.061	ug/m3			06/24/25 01:52	1
o-Xylene	**40.1**		0.87	0.30	ug/m3			06/24/25 01:52	1
Styrene	**1.82**		0.85	0.24	ug/m3			06/24/25 01:52	1
Bromoform	2.07	U	2.07	0.60	ug/m3			06/24/25 01:52	1
Cumene	0.98	U	0.98	0.35	ug/m3			06/24/25 01:52	1
1,1,2,2-Tetrachloroethane	1.37	U	1.37	0.42	ug/m3			06/24/25 01:52	1

Client Sample ID: SV-5
Date Collected: 06/16/25 12:36
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-5
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
n-Propylbenzene	**6.22**		0.98	0.30	ug/m3			06/24/25 01:52	1
4-Ethyltoluene	**7.90**		0.98	0.33	ug/m3			06/24/25 01:52	1
1,3,5-Trimethylbenzene	**5.13**		0.98	0.33	ug/m3			06/24/25 01:52	1
2-Chlorotoluene	1.04	U	1.04	0.30	ug/m3			06/24/25 01:52	1
tert-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/24/25 01:52	1
1,2,4-Trimethylbenzene	**15.3**		0.98	0.40	ug/m3			06/24/25 01:52	1
sec-Butylbenzene	1.10	U	1.10	0.40	ug/m3			06/24/25 01:52	1
4-Isopropyltoluene	**1.87**		1.10	0.43	ug/m3			06/24/25 01:52	1
1,3-Dichlorobenzene	1.20	U	1.20	0.38	ug/m3			06/24/25 01:52	1
1,4-Dichlorobenzene	1.20	U	1.20	0.42	ug/m3			06/24/25 01:52	1
Benzyl chloride	1.04	U	1.04	0.38	ug/m3			06/24/25 01:52	1
n-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/24/25 01:52	1
1,2-Dichlorobenzene	1.20	U	1.20	0.40	ug/m3			06/24/25 01:52	1
1,2,4-Trichlorobenzene	3.71	U	3.71	2.23	ug/m3			06/24/25 01:52	1
Hexachlorobutadiene	2.13	U	2.13	0.83	ug/m3			06/24/25 01:52	1
Naphthalene	2.00	U	2.00	0.58	ug/m3			06/24/25 01:52	1

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	19.8	U	19.8	8.70	ug/m3			06/24/25 02:49	8
Chlorodifluoromethane	14.1	U	14.1	10.2	ug/m3			06/24/25 02:49	8
1,2-Dichlorotetrafluoroethane	11.2	U	11.2	4.25	ug/m3			06/24/25 02:49	8
Chloromethane	8.26	U	8.26	5.45	ug/m3			06/24/25 02:49	8
n-Butane	**125**		9.51	5.90	ug/m3			06/24/25 02:49	8
Vinyl chloride	1.60	U	1.60	0.59	ug/m3			06/24/25 02:49	8
1,3-Butadiene	**65.2**		3.54	0.71	ug/m3			06/24/25 02:49	8
Bromomethane	6.21	U	6.21	1.93	ug/m3			06/24/25 02:49	8
Chloroethane	10.6	U	10.6	3.38	ug/m3			06/24/25 02:49	8
Bromoethene(Vinyl Bromide)	7.00	U	7.00	1.68	ug/m3			06/24/25 02:49	8
Trichlorofluoromethane	8.99	U	8.99	3.46	ug/m3			06/24/25 02:49	8
1,1,2-Trichlorotrifluoroethane	12.3	U	12.3	3.49	ug/m3			06/24/25 02:49	8
1,1-Dichloroethene	1.60	U	1.60	1.11	ug/m3			06/24/25 02:49	8
Acetone	**156**		95.0	36.1	ug/m3			06/24/25 02:49	8
Isopropyl alcohol	98.3	U	98.3	43.3	ug/m3			06/24/25 02:49	8
Carbon disulfide	**10.9**	**J B**	12.5	4.48	ug/m3			06/24/25 02:49	8
3-Chloropropene	12.5	U	12.5	2.03	ug/m3			06/24/25 02:49	8
Methylene Chloride	13.9	U	13.9	5.28	ug/m3			06/24/25 02:49	8
tert-Butyl alcohol	**44.0**	**J**	121	38.8	ug/m3			06/24/25 02:49	8
Methyl tert-butyl ether	5.77	U	5.77	1.90	ug/m3			06/24/25 02:49	8
trans-1,2-Dichloroethene	6.34	U	6.34	0.63	ug/m3			06/24/25 02:49	8
n-Hexane	**34.4**		14.1	4.51	ug/m3			06/24/25 02:49	8
1,1-Dichloroethane	6.48	U	6.48	0.58	ug/m3			06/24/25 02:49	8
Methyl Ethyl Ketone (2-Butanone)	**21.8**		11.8	3.30	ug/m3			06/24/25 02:49	8
cis-1,2-Dichloroethene	1.60	U	1.60	1.01	ug/m3			06/24/25 02:49	8
Chloroform	**13.4**		7.81	2.30	ug/m3			06/24/25 02:49	8
Tetrahydrofuran	118	U	118	40.1	ug/m3			06/24/25 02:49	8
1,1,1-Trichloroethane	8.73	U	8.73	3.19	ug/m3			06/24/25 02:49	8
Cyclohexane	**6.24**		5.51	1.43	ug/m3			06/24/25 02:49	8
Carbon tetrachloride	1.76	U	1.76	1.21	ug/m3			06/24/25 02:49	8

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Client Sample ID: SV-5
Date Collected: 06/16/25 12:36
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-5
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,2,4-Trimethylpentane	**7.87**		7.48	2.65	ug/m3			06/24/25 02:49	8
Benzene	**24.8**		5.11	1.30	ug/m3			06/24/25 02:49	8
1,2-Dichloroethane	6.48	U	6.48	2.40	ug/m3			06/24/25 02:49	8
n-Heptane	**23.5**		6.56	2.82	ug/m3			06/24/25 02:49	8
Trichloroethene	1.60	U	1.60	1.25	ug/m3			06/24/25 02:49	8
Methyl methacrylate	16.4	U	16.4	4.26	ug/m3			06/24/25 02:49	8
1,2-Dichloropropane	7.39	U	7.39	2.03	ug/m3			06/24/25 02:49	8
1,4-Dioxane	144	U	144	5.48	ug/m3			06/24/25 02:49	8
Bromodichloromethane	10.7	U	10.7	3.11	ug/m3			06/24/25 02:49	8
cis-1,3-Dichloropropene	7.26	U	7.26	2.03	ug/m3			06/24/25 02:49	8
4-Methyl-2-pentanone (Methyl isobutyl ketone)	16.4	U	16.4	6.23	ug/m3			06/24/25 02:49	8
Toluene	**126**		6.03	1.63	ug/m3			06/24/25 02:49	8
trans-1,3-Dichloropropene	7.26	U	7.26	2.25	ug/m3			06/24/25 02:49	8
1,1,2-Trichloroethane	8.73	U	8.73	2.31	ug/m3			06/24/25 02:49	8
Tetrachloroethene	**216**		10.9	1.95	ug/m3			06/24/25 02:49	8
Methyl Butyl Ketone (2-Hexanone)	16.4	U	16.4	6.56	ug/m3			06/24/25 02:49	8
Dibromochloromethane	13.6	U	13.6	3.61	ug/m3			06/24/25 02:49	8
1,2-Dibromoethane	12.3	U	12.3	2.77	ug/m3			06/24/25 02:49	8
Chlorobenzene	7.37	U	7.37	1.73	ug/m3			06/24/25 02:49	8
Ethylbenzene	**27.3**		6.95	1.77	ug/m3			06/24/25 02:49	8
m,p-Xylene	**98.6**		17.4	0.49	ug/m3			06/24/25 02:49	8
o-Xylene	**33.9**		6.95	2.40	ug/m3			06/24/25 02:49	8
Styrene	6.82	U	6.82	1.91	ug/m3			06/24/25 02:49	8
Bromoform	16.5	U	16.5	4.80	ug/m3			06/24/25 02:49	8
Cumene	**5.60**	**J**	7.87	2.83	ug/m3			06/24/25 02:49	8
1,1,2,2-Tetrachloroethane	11.0	U	11.0	3.35	ug/m3			06/24/25 02:49	8
n-Propylbenzene	**5.69**	**J**	7.87	2.44	ug/m3			06/24/25 02:49	8
4-Ethyltoluene	**7.56**	**J**	7.87	2.67	ug/m3			06/24/25 02:49	8
1,3,5-Trimethylbenzene	**5.40**	**J**	7.87	2.67	ug/m3			06/24/25 02:49	8
2-Chlorotoluene	8.28	U	8.28	2.40	ug/m3			06/24/25 02:49	8
tert-Butylbenzene	8.78	U	8.78	3.07	ug/m3			06/24/25 02:49	8
1,2,4-Trimethylbenzene	**13.2**		7.87	3.22	ug/m3			06/24/25 02:49	8
sec-Butylbenzene	8.78	U	8.78	3.16	ug/m3			06/24/25 02:49	8
4-Isopropyltoluene	8.78	U	8.78	3.43	ug/m3			06/24/25 02:49	8
1,3-Dichlorobenzene	9.62	U	9.62	3.03	ug/m3			06/24/25 02:49	8
1,4-Dichlorobenzene	9.62	U	9.62	3.37	ug/m3			06/24/25 02:49	8
Benzyl chloride	8.28	U	8.28	3.06	ug/m3			06/24/25 02:49	8
n-Butylbenzene	8.78	U	8.78	3.07	ug/m3			06/24/25 02:49	8
1,2-Dichlorobenzene	9.62	U	9.62	3.17	ug/m3			06/24/25 02:49	8
1,2,4-Trichlorobenzene	29.7	U	29.7	17.8	ug/m3			06/24/25 02:49	8
Hexachlorobutadiene	17.1	U	17.1	6.65	ug/m3			06/24/25 02:49	8
Naphthalene	16.0	U	16.0	4.61	ug/m3			06/24/25 02:49	8

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Client Sample ID: SV-6

Lab Sample ID: 460-329019-6

Date Collected: 06/16/25 12:37
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	**3.18**		2.47	1.09	ug/m3			06/24/25 03:49	1
Chlorodifluoromethane	1.77	U	1.77	1.27	ug/m3			06/24/25 03:49	1
1,2-Dichlorotetrafluoroethane	1.40	U	1.40	0.53	ug/m3			06/24/25 03:49	1
Chloromethane	1.03	U	1.03	0.68	ug/m3			06/24/25 03:49	1
n-Butane	**132**	**E**	1.19	0.74	ug/m3			06/24/25 03:49	1
Vinyl chloride	0.20	U	0.20	0.074	ug/m3			06/24/25 03:49	1
1,3-Butadiene	**78.4**		0.44	0.088	ug/m3			06/24/25 03:49	1
Bromomethane	0.78	U	0.78	0.24	ug/m3			06/24/25 03:49	1
Chloroethane	1.32	U	1.32	0.42	ug/m3			06/24/25 03:49	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.21	ug/m3			06/24/25 03:49	1
Trichlorofluoromethane	**2.50**		1.12	0.43	ug/m3			06/24/25 03:49	1
1,1,2-Trichlorotrifluoroethane	1.53	U	1.53	0.44	ug/m3			06/24/25 03:49	1
1,1-Dichloroethene	0.20	U	0.20	0.14	ug/m3			06/24/25 03:49	1
Acetone	**166**	**E**	11.9	4.51	ug/m3			06/24/25 03:49	1
Isopropyl alcohol	**50.5**		12.3	5.41	ug/m3			06/24/25 03:49	1
Carbon disulfide	**4.53**	**B**	1.56	0.56	ug/m3			06/24/25 03:49	1
3-Chloropropene	1.57	U	1.57	0.25	ug/m3			06/24/25 03:49	1
Methylene Chloride	1.74	U	1.74	0.66	ug/m3			06/24/25 03:49	1
tert-Butyl alcohol	**76.0**		15.2	4.85	ug/m3			06/24/25 03:49	1
Methyl tert-butyl ether	0.72	U	0.72	0.24	ug/m3			06/24/25 03:49	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.079	ug/m3			06/24/25 03:49	1
n-Hexane	**42.1**		1.76	0.56	ug/m3			06/24/25 03:49	1
1,1-Dichloroethane	0.81	U	0.81	0.073	ug/m3			06/24/25 03:49	1
Methyl Ethyl Ketone (2-Butanone)	**27.1**		1.47	0.41	ug/m3			06/24/25 03:49	1
cis-1,2-Dichloroethene	0.20	U	0.20	0.13	ug/m3			06/24/25 03:49	1
Chloroform	**0.76**	**J**	0.98	0.29	ug/m3			06/24/25 03:49	1
Tetrahydrofuran	**22.3**		14.7	5.01	ug/m3			06/24/25 03:49	1
1,1,1-Trichloroethane	1.09	U	1.09	0.40	ug/m3			06/24/25 03:49	1
Cyclohexane	**7.15**		0.69	0.18	ug/m3			06/24/25 03:49	1
Carbon tetrachloride	0.22	U	0.22	0.15	ug/m3			06/24/25 03:49	1
2,2,4-Trimethylpentane	**9.26**		0.93	0.33	ug/m3			06/24/25 03:49	1
Benzene	**30.5**		0.64	0.16	ug/m3			06/24/25 03:49	1
1,2-Dichloroethane	0.81	U	0.81	0.30	ug/m3			06/24/25 03:49	1
n-Heptane	**30.9**		0.82	0.35	ug/m3			06/24/25 03:49	1
Trichloroethene	0.20	U	0.20	0.16	ug/m3			06/24/25 03:49	1
Methyl methacrylate	**1.62**	**J**	2.05	0.53	ug/m3			06/24/25 03:49	1
1,2-Dichloropropane	0.92	U	0.92	0.25	ug/m3			06/24/25 03:49	1
1,4-Dioxane	18.0	U	18.0	0.68	ug/m3			06/24/25 03:49	1
Bromodichloromethane	1.34	U	1.34	0.39	ug/m3			06/24/25 03:49	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.25	ug/m3			06/24/25 03:49	1
4-Methyl-2-pentanone (Methyl isobutyl ketone)	**2.47**		2.05	0.78	ug/m3			06/24/25 03:49	1
Toluene	**125**		0.75	0.20	ug/m3			06/24/25 03:49	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.28	ug/m3			06/24/25 03:49	1
1,1,2-Trichloroethane	1.09	U	1.09	0.29	ug/m3			06/24/25 03:49	1
Tetrachloroethene	**199**		1.36	0.24	ug/m3			06/24/25 03:49	1
Methyl Butyl Ketone (2-Hexanone)	**1.64**	**J**	2.05	0.82	ug/m3			06/24/25 03:49	1
Dibromochloromethane	1.70	U	1.70	0.45	ug/m3			06/24/25 03:49	1
1,2-Dibromoethane	1.54	U	1.54	0.35	ug/m3			06/24/25 03:49	1

Client Sample ID: SV-6
Date Collected: 06/16/25 12:37
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-6
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	0.92	U	0.92	0.22	ug/m3			06/24/25 03:49	1
Ethylbenzene	**33.8**		0.87	0.22	ug/m3			06/24/25 03:49	1
m,p-Xylene	**124**		2.17	0.061	ug/m3			06/24/25 03:49	1
o-Xylene	**45.9**		0.87	0.30	ug/m3			06/24/25 03:49	1
Styrene	**1.64**		0.85	0.24	ug/m3			06/24/25 03:49	1
Bromoform	2.07	U	2.07	0.60	ug/m3			06/24/25 03:49	1
Cumene	0.98	U	0.98	0.35	ug/m3			06/24/25 03:49	1
1,1,2,2-Tetrachloroethane	1.37	U	1.37	0.42	ug/m3			06/24/25 03:49	1
n-Propylbenzene	**9.09**		0.98	0.30	ug/m3			06/24/25 03:49	1
4-Ethyltoluene	**14.6**		0.98	0.33	ug/m3			06/24/25 03:49	1
1,3,5-Trimethylbenzene	**12.1**		0.98	0.33	ug/m3			06/24/25 03:49	1
2-Chlorotoluene	1.04	U	1.04	0.30	ug/m3			06/24/25 03:49	1
tert-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/24/25 03:49	1
1,2,4-Trimethylbenzene	**41.5**		0.98	0.40	ug/m3			06/24/25 03:49	1
sec-Butylbenzene	1.10	U	1.10	0.40	ug/m3			06/24/25 03:49	1
4-Isopropyltoluene	**2.87**		1.10	0.43	ug/m3			06/24/25 03:49	1
1,3-Dichlorobenzene	1.20	U	1.20	0.38	ug/m3			06/24/25 03:49	1
1,4-Dichlorobenzene	1.20	U	1.20	0.42	ug/m3			06/24/25 03:49	1
Benzyl chloride	1.04	U	1.04	0.38	ug/m3			06/24/25 03:49	1
n-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/24/25 03:49	1
1,2-Dichlorobenzene	1.20	U	1.20	0.40	ug/m3			06/24/25 03:49	1
1,2,4-Trichlorobenzene	3.71	U	3.71	2.23	ug/m3			06/24/25 03:49	1
Hexachlorobutadiene	2.13	U	2.13	0.83	ug/m3			06/24/25 03:49	1
Naphthalene	**1.22**	**J**	2.00	0.58	ug/m3			06/24/25 03:49	1

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	12.4	U	12.4	5.44	ug/m3			06/24/25 04:45	5
Chlorodifluoromethane	8.84	U	8.84	6.37	ug/m3			06/24/25 04:45	5
1,2-Dichlorotetrafluoroethane	6.99	U	6.99	2.66	ug/m3			06/24/25 04:45	5
Chloromethane	5.16	U	5.16	3.41	ug/m3			06/24/25 04:45	5
n-Butane	**137**		5.94	3.68	ug/m3			06/24/25 04:45	5
Vinyl chloride	1.00	U	1.00	0.37	ug/m3			06/24/25 04:45	5
1,3-Butadiene	**77.2**		2.21	0.44	ug/m3			06/24/25 04:45	5
Bromomethane	3.88	U	3.88	1.20	ug/m3			06/24/25 04:45	5
Chloroethane	6.60	U	6.60	2.11	ug/m3			06/24/25 04:45	5
Bromoethene(Vinyl Bromide)	4.37	U	4.37	1.05	ug/m3			06/24/25 04:45	5
Trichlorofluoromethane	**2.47**	**J**	5.62	2.16	ug/m3			06/24/25 04:45	5
1,1,2-Trichlorotrifluoroethane	7.66	U	7.66	2.18	ug/m3			06/24/25 04:45	5
1,1-Dichloroethene	1.00	U	1.00	0.69	ug/m3			06/24/25 04:45	5
Acetone	**160**		59.4	22.6	ug/m3			06/24/25 04:45	5
Isopropyl alcohol	**50.1**	**J**	61.5	27.0	ug/m3			06/24/25 04:45	5
Carbon disulfide	**7.41**	**J B**	7.79	2.80	ug/m3			06/24/25 04:45	5
3-Chloropropene	7.83	U	7.83	1.27	ug/m3			06/24/25 04:45	5
Methylene Chloride	8.68	U	8.68	3.30	ug/m3			06/24/25 04:45	5
tert-Butyl alcohol	**76.8**		75.8	24.3	ug/m3			06/24/25 04:45	5
Methyl tert-butyl ether	3.61	U	3.61	1.19	ug/m3			06/24/25 04:45	5
trans-1,2-Dichloroethene	3.96	U	3.96	0.40	ug/m3			06/24/25 04:45	5
n-Hexane	**40.6**		8.81	2.82	ug/m3			06/24/25 04:45	5

Client Sample ID: SV-6
Date Collected: 06/16/25 12:37
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Lab Sample ID: 460-329019-6
Matrix: Air

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethane	4.05	U	4.05	0.36	ug/m3			06/24/25 04:45	5
Methyl Ethyl Ketone (2-Butanone)	**25.1**		7.37	2.06	ug/m3			06/24/25 04:45	5
cis-1,2-Dichloroethene	1.00	U	1.00	0.63	ug/m3			06/24/25 04:45	5
Chloroform	4.88	U	4.88	1.44	ug/m3			06/24/25 04:45	5
Tetrahydrofuran	73.7	U	73.7	25.1	ug/m3			06/24/25 04:45	5
1,1,1-Trichloroethane	5.46	U	5.46	1.99	ug/m3			06/24/25 04:45	5
Cyclohexane	**6.83**		3.44	0.89	ug/m3			06/24/25 04:45	5
Carbon tetrachloride	1.10	U	1.10	0.75	ug/m3			06/24/25 04:45	5
2,2,4-Trimethylpentane	**8.84**		4.67	1.66	ug/m3			06/24/25 04:45	5
Benzene	**29.6**		3.19	0.81	ug/m3			06/24/25 04:45	5
1,2-Dichloroethane	4.05	U	4.05	1.50	ug/m3			06/24/25 04:45	5
n-Heptane	**29.1**		4.10	1.76	ug/m3			06/24/25 04:45	5
Trichloroethene	1.00	U	1.00	0.78	ug/m3			06/24/25 04:45	5
Methyl methacrylate	10.2	U	10.2	2.66	ug/m3			06/24/25 04:45	5
1,2-Dichloropropane	4.62	U	4.62	1.27	ug/m3			06/24/25 04:45	5
1,4-Dioxane	90.1	U	90.1	3.42	ug/m3			06/24/25 04:45	5
Bromodichloromethane	6.70	U	6.70	1.94	ug/m3			06/24/25 04:45	5
cis-1,3-Dichloropropene	4.54	U	4.54	1.27	ug/m3			06/24/25 04:45	5
4-Methyl-2-pentanone (Methyl isobutyl ketone)	10.2	U	10.2	3.89	ug/m3			06/24/25 04:45	5
Toluene	**120**		3.77	1.02	ug/m3			06/24/25 04:45	5
trans-1,3-Dichloropropene	4.54	U	4.54	1.41	ug/m3			06/24/25 04:45	5
1,1,2-Trichloroethane	5.46	U	5.46	1.45	ug/m3			06/24/25 04:45	5
Tetrachloroethene	**196**		6.78	1.22	ug/m3			06/24/25 04:45	5
Methyl Butyl Ketone (2-Hexanone)	10.2	U	10.2	4.10	ug/m3			06/24/25 04:45	5
Dibromochloromethane	8.52	U	8.52	2.26	ug/m3			06/24/25 04:45	5
1,2-Dibromoethane	7.68	U	7.68	1.73	ug/m3			06/24/25 04:45	5
Chlorobenzene	4.60	U	4.60	1.08	ug/m3			06/24/25 04:45	5
Ethylbenzene	**31.2**		4.34	1.11	ug/m3			06/24/25 04:45	5
m,p-Xylene	**117**		10.9	0.30	ug/m3			06/24/25 04:45	5
o-Xylene	**41.1**		4.34	1.50	ug/m3			06/24/25 04:45	5
Styrene	**1.50**	**J**	4.26	1.19	ug/m3			06/24/25 04:45	5
Bromoform	10.3	U	10.3	3.00	ug/m3			06/24/25 04:45	5
Cumene	4.92	U	4.92	1.77	ug/m3			06/24/25 04:45	5
1,1,2,2-Tetrachloroethane	6.87	U	6.87	2.09	ug/m3			06/24/25 04:45	5
n-Propylbenzene	**8.48**		4.92	1.52	ug/m3			06/24/25 04:45	5
4-Ethyltoluene	**13.8**		4.92	1.67	ug/m3			06/24/25 04:45	5
1,3,5-Trimethylbenzene	**11.9**		4.92	1.67	ug/m3			06/24/25 04:45	5
2-Chlorotoluene	5.18	U	5.18	1.50	ug/m3			06/24/25 04:45	5
tert-Butylbenzene	5.49	U	5.49	1.92	ug/m3			06/24/25 04:45	5
1,2,4-Trimethylbenzene	**38.3**		4.92	2.02	ug/m3			06/24/25 04:45	5
sec-Butylbenzene	5.49	U	5.49	1.98	ug/m3			06/24/25 04:45	5
4-Isopropyltoluene	**3.18**	**J**	5.49	2.14	ug/m3			06/24/25 04:45	5
1,3-Dichlorobenzene	6.01	U	6.01	1.89	ug/m3			06/24/25 04:45	5
1,4-Dichlorobenzene	6.01	U	6.01	2.10	ug/m3			06/24/25 04:45	5
Benzyl chloride	5.18	U	5.18	1.92	ug/m3			06/24/25 04:45	5
n-Butylbenzene	5.49	U	5.49	1.92	ug/m3			06/24/25 04:45	5
1,2-Dichlorobenzene	6.01	U	6.01	1.98	ug/m3			06/24/25 04:45	5
1,2,4-Trichlorobenzene	18.6	U	18.6	11.1	ug/m3			06/24/25 04:45	5

Client: GEI Consultants Inc
Job ID: 460-329019-1
Project/Site: 20/40 Jerusalem Avenue

Client Sample ID: SV-6
Lab Sample ID: 460-329019-6
Date Collected: 06/16/25 12:37
Matrix: Air
Date Received: 06/21/25 10:30
Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexachlorobutadiene	10.7	U	10.7	4.16	ug/m3			06/24/25 04:45	5
Naphthalene	10.0	U	10.0	2.88	ug/m3			06/24/25 04:45	5

Method: TO-15 - Volatile Organic Compounds in Ambient Air

Lab Sample ID: MB 200-217722/6
Matrix: Air
Analysis Batch: 217722

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	2.47	U	2.47	1.09	ug/m3			06/23/25 11:42	1
Chlorodifluoromethane	1.77	U	1.77	1.27	ug/m3			06/23/25 11:42	1
1,2-Dichlorotetrafluoroethane	1.40	U	1.40	0.53	ug/m3			06/23/25 11:42	1
Chloromethane	1.03	U	1.03	0.68	ug/m3			06/23/25 11:42	1
n-Butane	1.19	U	1.19	0.74	ug/m3			06/23/25 11:42	1
Vinyl chloride	0.20	U	0.20	0.074	ug/m3			06/23/25 11:42	1
1,3-Butadiene	0.44	U	0.44	0.088	ug/m3			06/23/25 11:42	1
Bromomethane	0.78	U	0.78	0.24	ug/m3			06/23/25 11:42	1
Chloroethane	1.32	U	1.32	0.42	ug/m3			06/23/25 11:42	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.21	ug/m3			06/23/25 11:42	1
Trichlorofluoromethane	1.12	U	1.12	0.43	ug/m3			06/23/25 11:42	1
1,1,2-Trichlorotrifluoroethane	1.53	U	1.53	0.44	ug/m3			06/23/25 11:42	1
1,1-Dichloroethene	0.20	U	0.20	0.14	ug/m3			06/23/25 11:42	1
Acetone	11.9	U	11.9	4.51	ug/m3			06/23/25 11:42	1
Isopropyl alcohol	12.3	U	12.3	5.41	ug/m3			06/23/25 11:42	1
Carbon disulfide	1.072	J	1.56	0.56	ug/m3			06/23/25 11:42	1
3-Chloropropene	1.57	U	1.57	0.25	ug/m3			06/23/25 11:42	1
Methylene Chloride	1.74	U	1.74	0.66	ug/m3			06/23/25 11:42	1
tert-Butyl alcohol	15.2	U	15.2	4.85	ug/m3			06/23/25 11:42	1
Methyl tert-butyl ether	0.72	U	0.72	0.24	ug/m3			06/23/25 11:42	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.079	ug/m3			06/23/25 11:42	1
n-Hexane	1.76	U	1.76	0.56	ug/m3			06/23/25 11:42	1
1,1-Dichloroethane	0.81	U	0.81	0.073	ug/m3			06/23/25 11:42	1
Methyl Ethyl Ketone (2-Butanone)	1.47	U	1.47	0.41	ug/m3			06/23/25 11:42	1
cis-1,2-Dichloroethene	0.20	U	0.20	0.13	ug/m3			06/23/25 11:42	1
Chloroform	0.98	U	0.98	0.29	ug/m3			06/23/25 11:42	1
Tetrahydrofuran	14.7	U	14.7	5.01	ug/m3			06/23/25 11:42	1
1,1,1-Trichloroethane	1.09	U	1.09	0.40	ug/m3			06/23/25 11:42	1
Cyclohexane	0.69	U	0.69	0.18	ug/m3			06/23/25 11:42	1
Carbon tetrachloride	0.22	U	0.22	0.15	ug/m3			06/23/25 11:42	1
2,2,4-Trimethylpentane	0.93	U	0.93	0.33	ug/m3			06/23/25 11:42	1
Benzene	0.64	U	0.64	0.16	ug/m3			06/23/25 11:42	1
1,2-Dichloroethane	0.81	U	0.81	0.30	ug/m3			06/23/25 11:42	1
n-Heptane	0.82	U	0.82	0.35	ug/m3			06/23/25 11:42	1
Trichloroethene	0.20	U	0.20	0.16	ug/m3			06/23/25 11:42	1
Methyl methacrylate	2.05	U	2.05	0.53	ug/m3			06/23/25 11:42	1
1,2-Dichloropropane	0.92	U	0.92	0.25	ug/m3			06/23/25 11:42	1
1,4-Dioxane	18.0	U	18.0	0.68	ug/m3			06/23/25 11:42	1
Bromodichloromethane	1.34	U	1.34	0.39	ug/m3			06/23/25 11:42	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.25	ug/m3			06/23/25 11:42	1
4-Methyl-2-pentanone (Methyl isobutyl ketone)	2.05	U	2.05	0.78	ug/m3			06/23/25 11:42	1
Toluene	0.75	U	0.75	0.20	ug/m3			06/23/25 11:42	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.28	ug/m3			06/23/25 11:42	1
1,1,2-Trichloroethane	1.09	U	1.09	0.29	ug/m3			06/23/25 11:42	1
Tetrachloroethene	1.36	U	1.36	0.24	ug/m3			06/23/25 11:42	1
Methyl Butyl Ketone (2-Hexanone)	2.05	U	2.05	0.82	ug/m3			06/23/25 11:42	1
Dibromochloromethane	1.70	U	1.70	0.45	ug/m3			06/23/25 11:42	1
1,2-Dibromoethane	1.54	U	1.54	0.35	ug/m3			06/23/25 11:42	1

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Lab Sample ID: MB 200-217722/6
Matrix: Air
Analysis Batch: 217722

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlorobenzene	0.92	U	0.92	0.22	ug/m3			06/23/25 11:42	1
Ethylbenzene	0.87	U	0.87	0.22	ug/m3			06/23/25 11:42	1
m,p-Xylene	2.17	U	2.17	0.061	ug/m3			06/23/25 11:42	1
o-Xylene	0.87	U	0.87	0.30	ug/m3			06/23/25 11:42	1
Styrene	0.85	U	0.85	0.24	ug/m3			06/23/25 11:42	1
Bromoform	2.07	U	2.07	0.60	ug/m3			06/23/25 11:42	1
Cumene	0.98	U	0.98	0.35	ug/m3			06/23/25 11:42	1
1,1,2,2-Tetrachloroethane	1.37	U	1.37	0.42	ug/m3			06/23/25 11:42	1
n-Propylbenzene	0.98	U	0.98	0.30	ug/m3			06/23/25 11:42	1
4-Ethyltoluene	0.98	U	0.98	0.33	ug/m3			06/23/25 11:42	1
1,3,5-Trimethylbenzene	0.98	U	0.98	0.33	ug/m3			06/23/25 11:42	1
2-Chlorotoluene	1.04	U	1.04	0.30	ug/m3			06/23/25 11:42	1
tert-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/23/25 11:42	1
1,2,4-Trimethylbenzene	0.98	U	0.98	0.40	ug/m3			06/23/25 11:42	1
sec-Butylbenzene	1.10	U	1.10	0.40	ug/m3			06/23/25 11:42	1
4-Isopropyltoluene	1.10	U	1.10	0.43	ug/m3			06/23/25 11:42	1
1,3-Dichlorobenzene	1.20	U	1.20	0.38	ug/m3			06/23/25 11:42	1
1,4-Dichlorobenzene	1.20	U	1.20	0.42	ug/m3			06/23/25 11:42	1
Benzyl chloride	1.04	U	1.04	0.38	ug/m3			06/23/25 11:42	1
n-Butylbenzene	1.10	U	1.10	0.38	ug/m3			06/23/25 11:42	1
1,2-Dichlorobenzene	1.20	U	1.20	0.40	ug/m3			06/23/25 11:42	1
1,2,4-Trichlorobenzene	3.71	U	3.71	2.23	ug/m3			06/23/25 11:42	1
Hexachlorobutadiene	2.13	U	2.13	0.83	ug/m3			06/23/25 11:42	1
Naphthalene	2.00	U	2.00	0.58	ug/m3			06/23/25 11:42	1

Lab Sample ID: LCS 200-217722/4
Matrix: Air
Analysis Batch: 217722

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Dichlorodifluoromethane	49.4	55.61		ug/m3		112	61 - 142
Chlorodifluoromethane	35.4	40.47		ug/m3		114	60 - 147
1,2-Dichlorotetrafluoroethane	69.9	76.51		ug/m3		109	71 - 141
Chloromethane	20.6	23.21		ug/m3		112	56 - 141
n-Butane	23.8	26.50		ug/m3		112	53 - 151
Vinyl chloride	25.6	28.64		ug/m3		112	61 - 135
1,3-Butadiene	22.1	24.49		ug/m3		111	58 - 139
Bromomethane	38.8	40.46		ug/m3		104	72 - 124
Chloroethane	26.4	24.76		ug/m3		94	68 - 130
Bromoethene(Vinyl Bromide)	43.7	44.29		ug/m3		101	75 - 125
Trichlorofluoromethane	56.2	57.21		ug/m3		102	70 - 129
1,1,2-Trichlorotrifluoroethane	76.6	72.71		ug/m3		95	70 - 121
1,1-Dichloroethene	39.6	38.32		ug/m3		97	68 - 120
Acetone	23.7	26.50		ug/m3		112	54 - 154
Isopropyl alcohol	24.6	29.27		ug/m3		119	53 - 142
Carbon disulfide	31.1	29.72		ug/m3		95	71 - 138
3-Chloropropene	31.3	29.60		ug/m3		95	50 - 150
Methylene Chloride	34.7	35.00		ug/m3		101	59 - 137
tert-Butyl alcohol	30.3	34.59		ug/m3		114	66 - 132

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Lab Sample ID: LCS 200-217722/4
Matrix: Air
Analysis Batch: 217722

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Methyl tert-butyl ether	36.0	40.94		ug/m3		114	70 - 127
trans-1,2-Dichloroethene	39.6	41.88		ug/m3		106	69 - 137
n-Hexane	35.2	38.30		ug/m3		109	63 - 138
1,1-Dichloroethane	40.5	40.61		ug/m3		100	66 - 130
Methyl Ethyl Ketone (2-Butanone)	29.5	30.61		ug/m3		104	72 - 124
cis-1,2-Dichloroethene	39.6	39.42		ug/m3		99	72 - 121
Chloroform	48.8	48.21		ug/m3		99	73 - 124
Tetrahydrofuran	29.5	31.98		ug/m3		108	60 - 149
1,1,1-Trichloroethane	54.6	55.25		ug/m3		101	72 - 127
Cyclohexane	34.4	35.85		ug/m3		104	76 - 124
Carbon tetrachloride	62.9	65.48		ug/m3		104	71 - 133
2,2,4-Trimethylpentane	46.7	49.89		ug/m3		107	68 - 131
Benzene	31.9	31.54		ug/m3		99	73 - 119
1,2-Dichloroethane	40.5	41.44		ug/m3		102	68 - 135
n-Heptane	41.0	46.39		ug/m3		113	60 - 142
Trichloroethene	53.7	53.02		ug/m3		99	73 - 122
Methyl methacrylate	40.9	44.80		ug/m3		109	73 - 129
1,2-Dichloropropane	46.2	46.69		ug/m3		101	69 - 128
1,4-Dioxane	36.0	40.58		ug/m3		113	66 - 129
Bromodichloromethane	67.0	67.03		ug/m3		100	75 - 127
cis-1,3-Dichloropropene	45.4	46.81		ug/m3		103	74 - 125
4-Methyl-2-pentanone (Methyl isobutyl ketone)	41.0	48.25		ug/m3		118	58 - 144
Toluene	37.7	38.79		ug/m3		103	75 - 122
trans-1,3-Dichloropropene	45.4	52.27		ug/m3		115	74 - 128
1,1,2-Trichloroethane	54.6	53.94		ug/m3		99	75 - 126
Tetrachloroethene	67.8	65.37		ug/m3		96	70 - 125
Methyl Butyl Ketone (2-Hexanone)	41.0	49.56		ug/m3		121	57 - 143
Dibromochloromethane	85.2	83.97		ug/m3		99	73 - 125
1,2-Dibromoethane	76.8	75.74		ug/m3		99	78 - 122
Chlorobenzene	46.0	45.11		ug/m3		98	76 - 119
Ethylbenzene	43.4	46.44		ug/m3		107	74 - 122
m,p-Xylene	86.8	96.75		ug/m3		111	76 - 121
o-Xylene	43.4	49.50		ug/m3		114	73 - 123
Styrene	42.6	50.05		ug/m3		118	74 - 125
Bromoform	103	101.8		ug/m3		99	53 - 149
Cumene	49.1	57.56		ug/m3		117	73 - 123
1,1,2,2-Tetrachloroethane	68.6	73.65		ug/m3		107	74 - 126
n-Propylbenzene	49.1	57.00		ug/m3		116	73 - 127
4-Ethyltoluene	49.2	57.40		ug/m3		117	75 - 129
1,3,5-Trimethylbenzene	49.2	55.60		ug/m3		113	72 - 126
2-Chlorotoluene	51.8	56.96		ug/m3		110	74 - 126
tert-Butylbenzene	54.9	61.64		ug/m3		112	71 - 125
1,2,4-Trimethylbenzene	49.2	56.03		ug/m3		114	71 - 129
sec-Butylbenzene	54.9	62.28		ug/m3		113	70 - 128
4-Isopropyltoluene	54.9	64.61		ug/m3		118	68 - 130
1,3-Dichlorobenzene	60.1	65.92		ug/m3		110	69 - 131

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Lab Sample ID: LCS 200-217722/4
Matrix: Air
Analysis Batch: 217722

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dichlorobenzene	60.1	67.40		ug/m3		112	67 - 132
Benzyl chloride	51.8	57.39		ug/m3		111	60 - 136
n-Butylbenzene	54.9	66.20		ug/m3		121	65 - 137
1,2-Dichlorobenzene	60.1	65.26		ug/m3		109	68 - 129
1,2,4-Trichlorobenzene	74.2	83.00		ug/m3		112	50 - 150
Hexachlorobutadiene	107	129.5		ug/m3		121	58 - 130
Naphthalene	52.4	47.27		ug/m3		90	50 - 150

QC Association Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Air - GC/MS VOA

Analysis Batch: 217722

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-329019-1	SV-1	Total/NA	Air	TO-15	
460-329019-1 - DL	SV-1	Total/NA	Air	TO-15	
460-329019-2	SV-2	Total/NA	Air	TO-15	
460-329019-2 - DL	SV-2	Total/NA	Air	TO-15	
460-329019-3	SV-3	Total/NA	Air	TO-15	
460-329019-3 - DL	SV-3	Total/NA	Air	TO-15	
460-329019-4	SV-4	Total/NA	Air	TO-15	
460-329019-4 - DL	SV-4	Total/NA	Air	TO-15	
460-329019-5	SV-5	Total/NA	Air	TO-15	
460-329019-5 - DL	SV-5	Total/NA	Air	TO-15	
460-329019-6	SV-6	Total/NA	Air	TO-15	
460-329019-6 - DL	SV-6	Total/NA	Air	TO-15	
MB 200-217722/6	Method Blank	Total/NA	Air	TO-15	
LCS 200-217722/4	Lab Control Sample	Total/NA	Air	TO-15	

Client Sample ID: SV-1
Lab Sample ID: 460-329019-1
Date Collected: 06/16/25 12:31
Matrix: Air
Date Received: 06/21/25 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	TO-15		38	217722	K1P	EET BUR	06/23/25 18:06
Total/NA	Analysis	TO-15	DL	204	217722	K1P	EET BUR	06/23/25 19:04

Client Sample ID: SV-2
Lab Sample ID: 460-329019-2
Date Collected: 06/16/25 12:32
Matrix: Air
Date Received: 06/21/25 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	TO-15		1	217722	K1P	EET BUR	06/23/25 20:04
Total/NA	Analysis	TO-15	DL	5	217722	K1P	EET BUR	06/23/25 21:00

Client Sample ID: SV-3
Lab Sample ID: 460-329019-3
Date Collected: 06/16/25 12:34
Matrix: Air
Date Received: 06/21/25 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	TO-15		1	217722	K1P	EET BUR	06/23/25 21:59
Total/NA	Analysis	TO-15	DL	5	217722	K1P	EET BUR	06/23/25 22:55

Client Sample ID: SV-4
Lab Sample ID: 460-329019-4
Date Collected: 06/16/25 12:35
Matrix: Air
Date Received: 06/21/25 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	TO-15		1	217722	K1P	EET BUR	06/23/25 23:54
Total/NA	Analysis	TO-15	DL	8	217722	K1P	EET BUR	06/24/25 00:52

Client Sample ID: SV-5
Lab Sample ID: 460-329019-5
Date Collected: 06/16/25 12:36
Matrix: Air
Date Received: 06/21/25 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	TO-15		1	217722	K1P	EET BUR	06/24/25 01:52
Total/NA	Analysis	TO-15	DL	8	217722	K1P	EET BUR	06/24/25 02:49

Client Sample ID: SV-6
Lab Sample ID: 460-329019-6
Date Collected: 06/16/25 12:37
Matrix: Air
Date Received: 06/21/25 10:30

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	TO-15		1	217722	K1P	EET BUR	06/24/25 03:49
Total/NA	Analysis	TO-15	DL	5	217722	K1P	EET BUR	06/24/25 04:45

Laboratory References:
EET BUR = Eurofins Burlington, 530 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Accreditation/Certification Summary

Client: GEI Consultants Inc
Job ID: 460-329019-1
Project/Site: 20/40 Jerusalem Avenue

Laboratory: Eurofins Burlington

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2336	02-25-26
Connecticut	State	PH-0751	09-30-25
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	05-20-26
Florida	NELAP	E87467	06-30-25
Minnesota	NELAP	050-999-436	12-31-25
New Hampshire	NELAP	2006	12-18-25
New Jersey	NELAP	VT972	06-30-25
New York	NELAP	10391	03-31-26
Pennsylvania	NELAP	68-00489	04-30-26
US Fish & Wildlife	US Federal Programs	058448	07-31-25
USDA	US Federal Programs	525-23-353-27750	12-19-26
Virginia	NELAP	460209	12-14-25
Wisconsin	State	399140830	08-31-25

Method Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Method	Method Description	Protocol	Laboratory
TO-15	Volatile Organic Compounds in Ambient Air	EPA	EET BUR

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EET BUR = Eurofins Burlington, 530 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Sample Summary

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job ID: 460-329019-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
460-329019-1	SV-1	Air	06/16/25 12:31	06/21/25 10:30	Air Canister (6-Liter) #2883
460-329019-2	SV-2	Air	06/16/25 12:32	06/21/25 10:30	Air Canister (6-Liter) #3563
460-329019-3	SV-3	Air	06/16/25 12:34	06/21/25 10:30	Air Canister (6-Liter) #5047
460-329019-4	SV-4	Air	06/16/25 12:35	06/21/25 10:30	Air Canister (6-Liter) #5022
460-329019-5	SV-5	Air	06/16/25 12:36	06/21/25 10:30	Air Canister (6-Liter) #5085
460-329019-6	SV-6	Air	06/16/25 12:37	06/21/25 10:30	Air Canister (6-Liter) #2898

Post-Sampling Air Canister Pressure Check Record

Login # (w/ Location Code)	Analyst	Date	Time (Military)	Lab BP ("Hg)	Lab Temp (°C)	Pressure Gauge ID
460-329019	ZK	6/21/2025	11:48	29.8	23	G34

Sampling Information and Return Equipment Check	Yes	N o	Comments
(1) Is a Field Test Data Sheet (FTDS) or similar sampling documentation present?	Yes		
(2) Is the flow controller ID used for each canister recorded?	Yes		
(3) MA MCP & NJ DKQP: Check return flow rate for flow controllers		N o	
(4) Is visible sign of damage to canister and/or flow controller (FC) present?		N o	
If damage observed, list equipment IDs and describe condition:			

Laboratory	Canister ID	Press-ure Hg" [1]	Fail (Y/N)[2]	Sampling FC ID[3]	FC Check Reference	Return (Y/N)	Can Cert	Comments
460-329019-A-1	2939	-5.4	N	107/23	2883	Y	4081-65203	
460-329019-A-2	5188	-7.3	N	106/68	3563	Y	4081-65203	
460-329019-A-3	3133	-1.2	N	107/23	5047	Y	4081-65203	
460-329019-A-4	2995	-4.3	N	107/23	5022	Y	4081-65203	
460-329019-A-5	4043	-7.6	N	106/98	4043	Y	4081-65203	
460-329019-A-6	3961	-6.4	N	106/98	2898	Y	4081-65203	

[1] Criteria: Return Pressure should be between -1 and -12 ("Hg) with the exception of grab samples.
Grab samples, or if using 100 or 200mL/minute flow controllers, must be returned at no lower than -12"Hg, but have no other specific criteria.

[2] If return pressure is not within criteria, initiate Non-Conformance Memo

[3] Subtract the return pressure from the final field pressure reading recorded on the FTDS.

[4] The difference should be less than ± 2.3 ("Hg), if it is not, initiate Non-Conformance Memo.

[5] Record the ID of the FC used for sampling if information is provided, otherwise leave blank.

Eurofins TestAmerica, Burlington
530 Community Drive
Suite 11
South Burlington, VT 05403-6809
phone 802.660.1990 fax 802.660.1919

Canister Samples Chain of Custody Record

TestAmerica Laboratories, Inc. assumes no liability with respect to the collection and shipment of these samples

eurofins | Environment Testing America

TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica

Client Contact Information	**Client Project Manager:** Rich F	**Samples Collected By:** Geif R.
Company Name: GEI Consultants	**Phone:**	
Address: 1000 New York Ave	**Email:** rfrasca@geiconsultants.com	
City/State/Zip		
Phone:	**Site Contact:** Geif R.	
FAX:	**Tel/Fax**	
Project Name: 2040 Jessup Ave	**Analysis Turnaround Time**	
Site/Location:	**Standard (Specific):**	
P O # 2503398	**Rush (Specifiy):**	

COC No. 1 of 1 COCs

TALS Project #:

For Lab Use Only:
Walk-in Client:
Lab Sampling:

Job / SDG No.:

(See below for Add'l Items)

Sample Identification	Sample Start Date	Time Start	Sample End Date	Time Stop	Canister Vacuum in Field, "Hg (Start)	Canister Vacuum in Field, "Hg (Stop)	Flow Controller ID	Canister ID	TO-14/15 (Standard / Low Level)	TO-15 SIM	EPA 3C	EPA 25C	ASTM D-1946	EPA 15/16	Other (Please specify in notes section)	Indoor Air/Ambient Air	Sub-Slab	Soil Gas	Soil Vapor Extraction (SVE)	Landfill Gas	Other (Please specify in notes section)	Sample Specific Notes:
SU-1	6/16	1030	1231	6/16	-30	-7	2883	2939		Y												
SU-2	6/16	1031	1232	6/16		-5	3563	5188		Y												
SU-3	6/16	1032	1234	6/16		-7	5047	3133		Y												
SU-4	6/16	1033	1235	6/16		-7	5022	2995		Y												
SU-5	6/16	1034	1236	6/16		-7	50805	4043		Y												
SU-6	6/16	1035	1237	6/16	—	-5	2898	3961		Y												

460-329019 Chain of Custody

Temperature (Fahrenheit)			
Start	Interior	Ambient	
Stop			

Pressure (inches of Hg)			
Start	Interior	Ambient	
Stop			

Special Instructions/QC Requirements & Comments:

Samples Shipped by: GEI	**Date / Time:** 6/18/25	**Samples Received by:**
Samples Relinquished by:	**Date / Time:**	**Received by:** 06-18-25 EFT
Relinquished by:	**Date / Time:** 6/18/25 1910	**Received by:** EFT
Lab Use Only: Shipper Name:	**Opened by:** EFT 6/19/25 1900	**Condition:** EDD EPA Bun 6/20/25 1030

1. Select the 'Print' button to print 1 copy of each label.
2. The Return Shipment instructions, which provide your recipient with information on the returns process, will be printed with the label(s).
3. After printing, select your next step by clicking one of the displayed buttons.

Note: To review or print individual labels, select the Label button under each label image above.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery,misdelivery,or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental,consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is $500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

1. Select the 'Print' button to print 1 copy of each label.
2. The Return Shipment instructions, which provide your recipient with information on the returns process, will be printed with the label(s).
3. After printing, select your next step by clicking one of the displayed buttons.

Note: To review or print individual labels, select the Label button under each label image above.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com.FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery,misdelivery,or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim.Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental,consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss.Maximum for items of extraordinary value is $500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

1. Select the 'Print' button to print 1 copy of each label.
2. The Return Shipment instructions, which provide your recipient with information on the returns process, will be printed with the label(s).
3. After printing, select your next step by clicking one of the displayed buttons.

Note: To review or print individual labels, select the Label button under each label image above.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of $100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of $100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is $500, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Login Sample Receipt Checklist

Client: GEI Consultants Inc

Job Number: 460-329019-1

Login Number: 329019
List Number: 1
Creator: Khudaier, Zahraa

List Source: Eurofins Edison

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	2446103, 6104, 6105
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	Refer to Job Narrative for details.
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	N/A	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: GEI Consultants Inc

Job Number: 460-329019-1

Login Number: 329019
List Number: 2
Creator: Khudaier, Zahraa

List Source: Eurofins Burlington
List Creation: 06/21/25 11:37 AM

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	True	

Summa Canister Dilution Worksheet

Client: GEI Consultants Inc
Project/Site: 20/40 Jerusalem Avenue

Job No.: 460-329019-1

Lab Sample ID	Canister Volume (L)	Preadjusted Pressure ("Hg)	Preadjusted Pressure (atm)	Preadjusted Volume (L)	Adjusted Pressure (psig)	Adjusted Pressure (atm)	Adjusted Volume (L)	Initial Volume (mL)	Dilution Factor	Final Dilution Factor	Pressure Gauge ID	Date	Analyst Initals
460-329019-1	6	-6.1	0.80	4.78	37.3	3.54	21.22		4.44	4.44	G43	06/23/25 11:53	TPB
460-329019-1	6	0	1.00	6.00	49.4	4.36	26.16		4.36	19.38	G43	06/23/25 11:53	TPB

Formulae:

Preadjusted Volume (L) = ((Preadjusted Pressure ("Hg) + 29.92 "Hg) * Vol L) / 29.92 "Hg
Adjusted Volume (L) = ((Adjusted Pressure (psig) + 14.7 psig)* Vol L) / 14.7 psig
Dilution Factor = Adjusted Volume (L) / Preadjusted Volume (L)

Where:

29.92 "Hg = Standard atmospheric pressure in inches of Mercury (“Hg)
14.7 psig = Standard atmospheric pressure in pounds per square inch gauge (psig)

Pre-Shipment Clean Canister Certification Report

Canister Cleaning & Pre-Shipment Leak Test

System ID	Max DF#	# Cycles	Cleaning Start Date/Time		System Start Temp(s):		Technician	Can Size	Certification Type:
Bottom Rack	10	25	5/16/2025	1410	23	23	SML III	6 liter	batch

Port	Can ID	Initial[1] (psia)	Final (psia)	Diff.[3]	Final ("Hg)	Initial Reading Gauge:	Date:	Time:	Tech:	Temp:	Final Reading Gauge:	Date:	Time:	Tech:	Temp:
1	3259	0	0	0	-29.2	GA01	5/19/25	1045	[illegible]	22.0	GA01	6/1/25	1215	[illegible]	22.0
2	5464			0		GA01					GA01				
3	5042			0		GA01					GA01				
4	5085			0		GA01					GA01				
5	2883			0		GA01					GA01				
6	3563			0		GA01					GA01				
7	2953			0		GA01					GA01				
8	5047			0		GA01					GA01				
9	4081	0	0	0	29.7	GA01	6/1/25	1215	[illegible]	22.0	GA01	6/5/25	1135	[illegible]	23.0
10	3328	0	0	0	-29.2	GA01	5/19/25	1045	[illegible]	22.0	GA01	6/1/25	1215	[illegible]	22.0
11	5022			0		GA01					GA01				
12	2898			0		GA01					GA01				

[1] Batch Certification: The reading is taken on the "batch" canister and this value is used as the initial pressure for all canisters in the batch.

[3] Difference = Final Pressure - Initial Pressure . Acceptance Criteria: (1) The difference must be less than or equal to + 0.25psi. (2) Pressure readings must be at least 24 hours apart.

If time frame was not met, the PM must authorize shipment of canister **PM Authorization** **Date:**

Clean Canister Certification Analysis & Authorization of Release to Inventory

Test Method: ☒ TO15 Routine ☐ TO15 LL

Can ID	Date	Sequence	Analyst	Inventory Level 1	2	3	4	Secondary Review Limited	Review Date	Rev
4081	5/21/25	65203	ARI		XXXXXXX				5/21/25	

Inventory Level 1: Individual Canister Certification (TO15LL 0.01).

Inventory Level 2: Individual or Batch Certification (TO15 0.04 ppbv).

Inventory Level 3: Individual or Batch Certification (TO15 0.2 ppbv).

Inventory Level Limited: Canisters may only be used for certain projects.

Dup Tees/Vac gauges (enter IDs if included):

Comments:

Form ID: FAI023:12
Revision Date: 12/18/2018

200-78047-A-9
4081
Location: Air-Storage
Bottle: Summa Canister 6L
Sampled: 5/16/2025 12:00 AM
2003322
Loc: 200
78047
#9 A
Air-Storag

FORM I
AIR - GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Burlington Job No.: 200-78047-1

SDG No.:

Client Sample ID: 4081 Lab Sample ID: 200-78047-9

Matrix: Air Lab File ID: 65203-25.d

Analysis Method: TO-15 Date Collected: 05/16/2025 00:00

Sample wt/vol: 1000(mL) Date Analyzed: 05/21/2025 05:09

Soil Aliquot Vol: Dilution Factor: 0.2

Soil Extract Vol.: GC Column: RTX-624 ID: 0.32(mm)

Purge Volume: Heated Purge: (Y/N) pH:

% Moisture: % Solids: Level: (low/med) Low

Analysis Batch No.: 216346 Units: ppb v/v

Preparation Batch No.: Instrument ID: CHW.i

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.040	U	0.040	0.010
100-42-5	Styrene	0.040	U	0.040	0.011
10061-01-5	1,3-Dichloropropene, cis-	0.040	U	0.040	0.011
10061-02-6	1,3-Dichloropropene, trans-	0.040	U	0.040	0.012
106-46-7	1,4-Dichlorobenzene	0.040	U	0.040	0.014
106-93-4	1,2-Dibromoethane	0.040	U	0.040	0.0090
106-99-0	1,3-Butadiene	0.040	U	0.040	0.0080
107-05-1	Allyl chloride	0.10	U	0.10	0.016
107-06-2	1,2-Dichloroethane	0.040	U	0.040	0.015
108-10-1	Methyl isobutyl ketone (MIBK)	0.10	U	0.10	0.038
108-67-8	1,3,5-Trimethylbenzene	0.040	U	0.040	0.014
108-88-3	Toluene	0.040	U	0.040	0.011
108-90-7	Chlorobenzene	0.040	U	0.040	0.0094
109-99-9	Tetrahydrofuran	1.0	U	1.0	0.34
110-54-3	Hexane	0.10	U	0.10	0.032
110-82-7	Cyclohexane	0.040	U	0.040	0.010
120-82-1	1,2,4-Trichlorobenzene	0.10	U	0.10	0.060
123-91-1	1,4-Dioxane	0.040	U	0.040	0.038
124-48-1	Dibromochloromethane	0.040	U	0.040	0.011
127-18-4	Tetrachloroethene	0.040	U	0.040	0.0072
142-82-5	n-Heptane	0.040	U	0.040	0.017
156-59-2	1,2-Dichloroethene, cis-	0.028	U	0.028	0.0064
156-60-5	1,2-Dichloroethene, trans-	0.040	U	0.040	0.0040
1634-04-4	Methyl tert-butyl ether	0.040	U	0.040	0.013
179601-23-1	m,p-Xylene	0.10	U	0.10	0.0028
540-84-1	2,2,4-Trimethylpentane	0.040	U	0.040	0.014
541-73-1	1,3-Dichlorobenzene	0.040	U	0.040	0.013
56-23-5	Carbon tetrachloride	0.028	U	0.028	0.0048
593-60-2	Vinyl bromide	0.040	U	0.040	0.0096
622-96-8	4-Ethyltoluene	0.040	U	0.040	0.014
64-17-5	Ethanol	1.0	U	1.0	0.50
67-63-0	Isopropanol	1.0	U	1.0	0.44

FORM I
AIR - GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Burlington | Job No.: 200-78047-1

SDG No.:

Client Sample ID: 4081 | Lab Sample ID: 200-78047-9

Matrix: Air | Lab File ID: 65203-25.d

Analysis Method: TO-15 | Date Collected: 05/16/2025 00:00

Sample wt/vol: 1000(mL) | Date Analyzed: 05/21/2025 05:09

Soil Aliquot Vol: | Dilution Factor: 0.2

Soil Extract Vol.: | GC Column: RTX-624 ID: 0.32(mm)

Purge Volume: | Heated Purge: (Y/N) pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 216346 | Units: ppb v/v

Preparation Batch No.: | Instrument ID: CHW.i

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
67-64-1	Acetone	1.0	U	1.0	0.38
67-66-3	Chloroform	0.040	U	0.040	0.012
71-43-2	Benzene	0.040	U	0.040	0.010
71-55-6	1,1,1-Trichloroethane	0.040	U	0.040	0.015
74-83-9	Bromomethane	0.040	U	0.040	0.012
74-87-3	Chloromethane	0.10	U	0.10	0.066
75-00-3	Chloroethane	0.10	U	0.10	0.032
75-01-4	Vinyl chloride	0.028	U	0.028	0.0058
75-09-2	Methylene Chloride	0.10	U	0.10	0.038
75-15-0	Carbon disulfide	0.10	U	0.10	0.036
75-25-2	Bromoform	0.040	U	0.040	0.012
75-27-4	Bromodichloromethane	0.040	U	0.040	0.012
75-34-3	1,1-Dichloroethane	0.040	U	0.040	0.0036
75-35-4	1,1-Dichloroethene	0.028	U	0.028	0.0070
75-65-0	tert-Butyl alcohol	1.0	U	1.0	0.32
75-69-4	Trichlorofluoromethane	0.040	U	0.040	0.015
75-71-8	Dichlorodifluoromethane	0.10	U	0.10	0.044
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.040	U	0.040	0.011
76-14-2	1,2-Dichlorotetrafluoroethane	0.040	U	0.040	0.015
78-87-5	1,2-Dichloropropane	0.040	U	0.040	0.011
78-93-3	Methyl ethyl ketone (MEK)	0.10	U	0.10	0.028
79-00-5	1,1,2-Trichloroethane	0.040	U	0.040	0.011
79-01-6	Trichloroethene	0.028	U	0.028	0.0058
79-34-5	1,1,2,2-Tetrachloroethane	0.040	U	0.040	0.012
80-62-6	Methyl methacrylate	0.10	U	0.10	0.026
87-68-3	Hexachlorobutadiene	0.040	U	0.040	0.016
91-20-3	Naphthalene	0.10	U *+	0.10	0.022
95-47-6	Xylene, o-	0.040	U	0.040	0.014
95-49-8	2-Chlorotoluene	0.040	U	0.040	0.012
95-50-1	1,2-Dichlorobenzene	0.040	U	0.040	0.013
95-63-6	1,2,4-Trimethylbenzene	0.040	U	0.040	0.016
591-78-6	2-Hexanone	0.10	U	0.10	0.040

FORM I
AIR - GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Burlington Job No.: 200-78047-1

SDG No.:

Client Sample ID: 4081 Lab Sample ID: 200-78047-9

Matrix: Air Lab File ID: 65203-25.d

Analysis Method: TO-15 Date Collected: 05/16/2025 00:00

Sample wt/vol: 1000(mL) Date Analyzed: 05/21/2025 05:09

Soil Aliquot Vol: Dilution Factor: 0.2

Soil Extract Vol.: GC Column: RTX-624 ID: 0.32(mm)

Purge Volume: Heated Purge: (Y/N) pH:

% Moisture: % Solids: Level: (low/med) Low

Analysis Batch No.: 216346 Units: ppb v/v

Preparation Batch No.: Instrument ID: CHW.i

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
115-07-1	Propene	1.0	U	1.0	0.92
75-45-6	Chlorodifluoromethane	0.10	U	0.10	0.072
106-97-8	Butane	0.10	U	0.10	0.062
108-05-4	Vinyl acetate	1.0	U	1.0	0.42
141-78-6	Ethyl acetate	1.0	U	1.0	0.26
98-82-8	Isopropylbenzene	0.040	U	0.040	0.014
103-65-1	N-Propylbenzene	0.040	U	0.040	0.012
98-06-6	tert-Butylbenzene	0.040	U	0.040	0.014
135-98-8	sec-Butylbenzene	0.040	U	0.040	0.014
99-87-6	4-Isopropyltoluene	0.040	U	0.040	0.016
100-44-7	Benzyl chloride	0.040	U	0.040	0.015
104-51-8	n-Butylbenzene	0.040	U	0.040	0.014

Eurofins Burlington
Target Compound Quantitation Report

Data File: \\chromfs\Burlington\ChromData\CHW.i\20250520-65203.b\65203-25.d
Lims ID: 200-78047-A-9
Client ID: 4081
Sample Type: Client
Inject. Date: 21-May-2025 05:09:30 ALS Bottle#: 24 Worklist Smp#: 25
Purge Vol: 200.000 mL Dil. Factor: 0.2000
Sample Info: 200-0065203-025
Operator ID: vtp Instrument ID: CHW.i

Method: \\chromfs\Burlington\ChromData\CHW.i\20250520-65203.b\TO15_TO3_MasterMethod_W.m
Limit Group: AI_TO15_ICAL
Last Update: 21-May-2025 03:50:58 Calib Date: 11-Apr-2025 02:50:30
Integrator: RTE ID Type: Deconvolution ID
Quant Method: Internal Standard Quant By: Initial Calibration
Last ICal File: \\chromfs\Burlington\ChromData\CHW.i\20250410-64660.b\64660-15.d

Column 1 : RTX-624 (0.32 mm) Det: MS SCAN
Process Host: CTX1691

First Level Reviewer: BKZ7 Date: 21-May-2025 09:48:15

	Compound	Sig	RT (min.)	Adj RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ppb v/v	Flags
1	Propene	41		4.110				ND	
2	Dichlorodifluoromethane	85		4.201				ND	
3	Chlorodifluoromethane	51		4.238				ND	
4	1,2-Dichloro-1,1,2,2-tetrafluoro	85		4.538				ND	
5	Chloromethane	50		4.655				ND	7
6	Vinyl chloride	62		4.949				ND	
7	Butane	43		4.955				ND	
8	Butadiene	54		5.062				ND	
9	Bromomethane	94		5.805				ND	
10	Chloroethane	64		6.100				ND	
13	Vinyl bromide	106		6.570				ND	
14	Trichlorofluoromethane	101		6.758				ND	
16	Ethanol	45		7.164				ND	
20	1,1-Dichloroethene	96		7.983				ND	
21	1,1,2-Trichloro-1,2,2-trifluoroe	101		8.036				ND	
22	Acetone	43		8.058				ND	
23	Isopropyl alcohol	45		8.405				ND	
24	Carbon disulfide	76	8.491	8.482	0.016	1	1458	0.0157	
26	3-Chloro-1-propene	41		8.812				ND	
27	Methylene Chloride	49		9.090				ND	7
28	2-Methyl-2-propanol	59		9.315				ND	
31	Methyl tert-butyl ether	73		9.689				ND	
30	trans-1,2-Dichloroethene	61		9.695				ND	
32	Hexane	57		10.299				ND	
33	1,1-Dichloroethane	63		10.588				ND	
34	Vinyl acetate	43		10.593				ND	
36	2-Butanone (MEK)	72		11.679				ND	
37	cis-1,2-Dichloroethene	96		11.722				ND	
38	Ethyl acetate	88		11.776				ND	
* 39	Chlorobromomethane	128	12.193	12.182	0.011	80	202485	10.0	
40	Tetrahydrofuran	42		12.236				ND	
41	Chloroform	83		12.380				ND	

Compound	Sig	RT (min.)	Adj RT (min.)	Dlt RT (min.)	Q	Response	OnCol Amt ppb v/v	Flags
42 1,1,1-Trichloroethane	97		12.723				ND	
43 Cyclohexane	84		12.888				ND	
44 Carbon tetrachloride	117		13.038				ND	
45 Benzene	78		13.407				ND	7
46 1,2-Dichloroethane	62		13.482				ND	
47 Isooctane	57		13.643				ND	
48 n-Heptane	43		13.969				ND	7
* 49 1,4-Difluorobenzene	114	14.194	14.194	0.000	93	946466	10.0	
51 Trichloroethene	95		14.659				ND	7
53 1,2-Dichloropropane	63		15.141				ND	
54 Methyl methacrylate	69		15.210				ND	
55 1,4-Dioxane	88		15.269				ND	
58 Dichlorobromomethane	83		15.627				ND	
59 cis-1,3-Dichloropropene	75		16.467				ND	
61 4-Methyl-2-pentanone (MIBK)	43		16.713				ND	
62 Toluene	92		17.141				ND	
66 trans-1,3-Dichloropropene	75		17.553				ND	
67 1,1,2-Trichloroethane	83		17.944				ND	
68 Tetrachloroethene	166		18.174				ND	
69 2-Hexanone	43		18.340				ND	
70 Chlorodibromomethane	129		18.720				ND	
71 Ethylene Dibromide	107		18.971				ND	
* 73 Chlorobenzene-d5	117	19.907	19.902	0.005	84	869550	10.0	
74 Chlorobenzene	112		19.961				ND	
75 Ethylbenzene	91		20.148				ND	7
76 m-Xylene & p-Xylene	106		20.399				ND	
78 o-Xylene	106		21.111				ND	
79 Styrene	104		21.138				ND	
81 Bromoform	173		21.459				ND	
82 Isopropylbenzene	105		21.726				ND	
83 1,1,2,2-Tetrachloroethane	83		22.186				ND	7
85 N-Propylbenzene	91		22.384				ND	
86 2-Chlorotoluene	91		22.534				ND	
87 4-Ethyltoluene	105		22.566				ND	
88 1,3,5-Trimethylbenzene	105		22.652				ND	
91 tert-Butylbenzene	119		23.112				ND	
92 1,2,4-Trimethylbenzene	105		23.197				ND	
93 sec-Butylbenzene	105		23.433				ND	
94 1,3-Dichlorobenzene	146		23.625				ND	
95 4-Isopropyltoluene	119		23.647				ND	
96 1,4-Dichlorobenzene	146		23.775				ND	
97 Benzyl chloride	91		23.920				ND	
98 n-Butylbenzene	91		24.246				ND	
99 1,2-Dichlorobenzene	146		24.310				ND	
102 1,2,4-Trichlorobenzene	180		27.022				ND	
103 Hexachlorobutadiene	225		27.295				ND	
104 Naphthalene	128		27.573				ND	

QC Flag Legend

Processing Flags

7 - Failed Limit of Detection

Reagents:


ATTO15WISs_00010 Amount Added: 20.00 Units: mL Run Reagent

Report Date: 21-May-2025 09:48:16 Chrom Revision: 2.3 07-May-2025 18:53:14

Eurofins Burlington

Data File:	\\chromfs\Burlington\ChromData\CHW.i\20250520-65203.b\65203-25.d				
Injection Date:	21-May-2025 05:09:30	Instrument ID:	CHW.i	Operator ID:	vtp
Lims ID:	200-78047-A-9	Lab Sample ID:	200-78047-9	Worklist Smp#:	25
Client ID:	4081				
Purge Vol:	200.000 mL	Dil. Factor:	0.2000	ALS Bottle#:	24
Method:	TO15_TO3_MasterMethod_W	Limit Group:	AI_TO15_ICAL		

Column: RTX-624 (0.32 mm) Y Scaling: Method Defined: Scale to the Nth Largest Target: 1



Appendix B Key GEI Personnel Resumes

William J. Fitchett
Project Manager

resume

William J. Fitchett is a project manager working out of GEI's Long Island office with more than ten years of experience in the environmental consulting industry. Mr. Fitchett regularly completes environmental investigations and remediation including Phase I and Phase II Environmental Site Assessments, monitoring well design/installation, UIC closures, UST removals, Spill closures, and solid and hazardous waste disposal. His responsibilities include performing and managing field investigations and remedial activities at numerous sites throughout New York State, as well as several other states from New England to Florida. He has extensive experience in the brownfield industry including Sites in the New York State Brownfield Cleanup Program (BCP) and New York City Office of Environmental Remediation Voluntary Cleanup Program (VCP).

EDUCATION
M.A., Earth and Environmental Sciences, City University of New York, Brooklyn College
B.S., Environmental Science, State University of New York, College at Oneonta

EXPERIENCE IN THE INDUSTRY
10 years

EXPERIENCE WITH GEI
6.5 years

REGISTRATIONS/CERTIFICATIOS
OSHA 40-Hour HAZWOPER
OSHA 30-Hour Construction Safety
Adult First Aid/CPR/AED

PROJECT EXPERIENCE

Beneficial Use – NYC Department of Environmental Protection
Water Tunnel Shafts, Queens and Brooklyn, NY. Provided environmental support for the in-situ material classification of more than 25,000 cubic yards of soil/fill to be generated from the construction of two water tunnel shafts. In-situ sampling was performed to limit the need for on-site staging/stockpiling. Soil borings were installed to a depth of up 260 ft. Bgs., and more than 140 soil samples were collected. Sampling procedures and analytical protocols following strict adherence to the NYCDEP-approved Field Sampling Plan.

NYSDEC Brownfield Cleanup Program (BCP), Commercial Dry-Cleaners Astoria, Queens, NY. Past operations included a commercial dry-cleaning operation and an auto repair facility. Provided oversight for remedial investigation activities and coauthor of the Remedial Investigation Report (RIR) with impacts to soil, soil vapor, and groundwater. Managed field implementation of the Interim Remedial Measure (IRM) work plan which included impacted soil excavation, off-site disposal and a Community Air Monitoring Plan (CAMP). The Remedial Action Work Plan included installation of an active sub-slab depressurization system (SSDS) and In-Situ Chemical Oxidation (ISCO) treatment of impacted groundwater. The Final Engineering Report was approved by NYSDEC, and the Certificate of Completion was issued in December 2021. Managed the SSDS Startup and Monthly Operation and Maintenance (OMM) Inspections and Quarterly Post-Remedial Groundwater Monitoring.er results to date have shown a significant reduction in Tetrachloroethene (PCE) concentrations. Remedial Actions at the site were performed in conjunction with the construction of a multi-story residential building with a full basement. Served as Project Manager for post-remedial groundwater monitoring and SSDS OMM. Co-author Quarterly Groundwater Monitoring Reports and Annual Periodic Review Reports.

NYSDEC Brownfield Cleanup Program (BCP), Joey's Cleaners, Bronx, NY. Provided oversight for remedial investigation activities and supplemental remedial investigation activities and coauthor of the Remedial Investigation Report (RIR) for an active dry-cleaning operation with onsite and potential off-site impacts to soil, soil vapor, and groundwater. Remedial investigation included two supplemental investigations to fully delineate off-site contamination, as well as soil vapor intrusion testing in a neighboring residence. Investigations were performed in conjunction with the active commercial tenants to minimize disruption to the ongoing businesses at the Site. The Remedial Investigation Report (RIR) was approved by NYSDEC and NYSDOH. Managed the installation of an active Sub-Slab Depressurization System (SSDS) as specified in the NYSDEC-approved Interim Remedial Measure Work Plan (IRMWP). Co-Author of NYSDEC-approved IRM Construction Completion Report. Project work to date is on time and within the projected budget.

NYSDEC Brownfield Cleanup Program (BCP), Clearview Cleaners, Queens, NY. Managed on and off-site supplemental remedial investigation activities and the preparation of the Remedial Investigation Report (RIR) for a dry-cleaning operation with onsite and potential off-site impacts to soil, soil vapor, and groundwater. An

Interim Remedial Measure Work Plan design was completed. Project work to date is on time and within the projected budget.

NYCOER E-Designation Requirements and NYSDEC Spill Remediation, Hillside Avenue, Jamaica, NY. Manage decommissioning of a former gasoline filling station including removing four underground gasoline storage tanks. The OER-required remedial investigation was performed concurrently. In response to soil contamination identified, a spill incident was called into NYSDEC. Manage supplemental remedial investigation with strict adherence to a NYSDEC and NYCOER-approved work plan. Co-author of project documents including submission of Remedial Investigation Work Plan and Site-Specific Health and Safety Plan (HASP), Remedial Investigation Report (RIR), Supplemental RIWP and Supplemental RIR, and the Remedial Action Work Plan (RAWP). Remedial action is expected to begin in 2025.

NYCOER E-Designation Requirements and NYSDEC Spill Remediation, Jerome Avenue, Bronx, NY. Co-author Remedial Action Work Plan (RAWP) which included excavation and removal of petroleum-impacted soil and installation of a sub-slab depressurization system (SSDS). Mange the remedial action and co-author spill closure report for submittal to NYSDEC. Formal spill closure was issued by NYSDEC in 2023. Co-author Remedial Closure Report (RCR) for submittal to NYCOER.

NYCOER E-Designation Requirements, 49th Avenue, Long Island City, NY. Managed the OER-required Remedial Investigation and subsequent Remedial Action. Coauthor of project documents including submission of Remedial Investigation Work Plan and Site-Specific Health and Safety Plan (HASP), Remedial Investigation Report (RIR), Remedial Action Work Plan (RAWP), and Remedial Closure Report. Project Manager for the implementation of the RAWP which included the removal and off-Site disposal of more than 1,300 tons of soil, as well as installation of a vapor barrier and composite cover system. Final OER Notice of Satisfaction (NOS) was received in 2024.

NYCOER VCP Program, E-Designation Requirements, 31st Street, Astoria, NY. Managed the OER-required Remedial Investigation. Coauthor of project documents including, submission of Remedial Investigation Work Plan and Site-Specific Health and Safety Plan (HASP), Remedial Investigation Report (RIR), and the Remedial Action Work Plan (RAWP). Project Manager for the oversight for the implementation of the Remedial Action Work Plan, including the removal and off-site disposal of over 13,000 CY of soil, including 1,170 CY of soil which was transferred to the NYCOER Clean Soil Stockpile. Remedial action was completed in early 2024.

NYSDEC Spill Remediation, Long Island City, NY. Co-author of groundwater remediation plan which designed a remediation strategy for an open petroleum spill. Directed the installation of monitoring wells and recovery wells in a narrow sidewalk between an active 15-story commercial/residential building with an adjacent underground subway line as well as several utility conduits, located in a densely populated area of Queens. Managed the injection of over 12,500-gallons of water/Petro Fix mix to remediate a dissolved petroleum plume. Groundwater results to date have shown a significant reduction in petroleum-related Volatile Organic Compounds (VOCs). Field work was managed to minimize disruptions to local businesses and residents and avoid potential damage to NY Transit and utility equipment. Co-author Spill Closure Report. Formal closure from NYSDEC was received in 2024.

Environmental Due Diligence, Mavis Tire Supply Corp., Various Locations, RI and MA. Provide environmental due diligence forensic research during the acquisition of 105 automotive service properties in New England. The work entailed desktop review of relevant environmental documents. In addition, performance of site inspections of locations throughout New England to understand potential environmental liabilities prior to acquisition.

Environmental Due Diligence, Gateway Tire Acquisition, Mavis Tire Supply Corp., Various locations, TX and LA. Provided environmental due diligence during the acquisition of 12 various properties located throughout Texas and Louisiana. Phase 1 and Phase 2 investigation reports were prepared within a 30-day period to understand potential environmental liabilities prior to acquisition. Reports were prepared for investor review and financial risk assessment.

Environmental Due Diligence, Tuffy Tire Acquisition, Mavis Tire Supply Corp., Tampa, FL. Assessment and investigation of site history and potential presence of recognized environmental conditions during the acquisition of 4 automotive service properties. Phase 1 investigation reports were prepared within a 30-day period to understand potential environmental liabilities prior to acquisition. Reports were prepared for investor review and financial risk assessment.

Gasoline Station Decommissioning, Mavis Tire Supply Corp., Wayne, NJ. Performed field oversight for decommissioning of a gasoline service station under supervision of GEI's licensed site remediation professional (LSRP). Provide subcontractor oversight for removal of three 10,000-gallon underground storage tanks, one 12,000-gallon underground storage tank and all associated piping and dispenser pumps. Cleanup actions included excavation and off-site disposal of impacted soils as well as excavation dewatering of impacted groundwater. Performed all required soil sampling to confirm that all impacted soil was removed. Also provided subcontractor oversight for installation of groundwater monitoring wells.

Former Auto Repair Shop, Syosset, NY. Performed Phase I ESA which identified several recognized environmental conditions (RECs) in connection with stormwater drains, hydraulic lifts, and a former septic system. Provided oversight for Phase II ESA which identified contaminated sediment within parking lot storm drains and contaminated soils surrounding the former hydraulic lifts. Provided oversight for remedial action including the United States Environmental Protection Agency (USEPA) Class V Underground Injection Control (UIC) cleanouts and underground hydraulic lift removal to prepare a property for a future sale. Coordination and work plan approvals were required by several regulatory agencies including USEPA, NYSDEC, and Nassau County Department of Health (NCDH). Co-author Phase I and Phase II ESA reports and Remedial Action Report (RAR).

Legionella Remediation, Residential Building, Bronx, NY. Managed the implementation of a Long-Term Legionella Remediation Plan where the building water supply is under active treatment. Responsible for regular monitoring of the copper-silver ionization water treatment system to prevent buildup of Legionella bacteria in potable water. Perform scheduled legionella sampling to confirm Legionellae bacteria are no longer present in the potable building's water supply. Perform regular system maintenance, along with collection of potable water samples and field monitoring of copper concentrations.

East 115th Street Former MGP (Manufactured Gas Plant) Site, Con Edison, New York, NY. Field Manager for the startup and ongoing Operations, Maintenance, and Monitoring (OMM) of a large-scale sub-slab depressurization system (SSDS) installed in an active high school. OMM includes quarterly and annual inspections and confirmation of the SSDS performance. Responsibilities include troubleshooting and inspecting system components and quarterly monitoring sub-slab and extraction points. Co-author of annual Periodic Review Reports.

NYSDEC Brownfield Cleanup Program (BCP) Remedial Investigation, Redevelopment Site, New York, NY. Field Manager responsible for implementing remedial investigation activities and coauthor of the Remedial Investigation Report (RIR) for a large redevelopment Site with onsite and potential off-site impacts to soil, soil vapor, and groundwater. Conducted field operations for supplemental remedial investigation and co-authored the Supplemental Remedial Investigation Report.

PREVIOUS PROJECT EXPERIENCE

Phase I/II Environmental Site Investigations and Assessments, Numerous Sites in New York City and Long Island, NY. Assessment and investigation of site history and potential presence of recognized environmental conditions. Performed contractor oversight for various subsurface investigations and conducted environmental sampling for laboratory analysis. Preparation of Phase I/II Reports for review by various government agencies and clients.

NYCOER VCP Program, E-Designation Requirements, Brooklyn, NY. Provide soil removal and excavation oversight, inspections of engineering controls. Serve as site safety officer and co-author Remedial Action Report approved by NYCOER in 2017.

NYSDEC BCP Program, Brooklyn, NY. Perform field oversight for Remedial Investigation, including soil, soil vapor, and groundwater sampling, along with serving as site safety officer. Co-author Remedial Investigation Report (RIR) and Remedial Action Work Plan (RAWP) approved by NYSDEC in late 2017.

Hooker/Ruco Superfund Site, Hicksville, NY. Manage day-to-day operations and maintenance of biosparge groundwater remediation system. Serve as site safety officer and lead field personnel during semi-annual groundwater sampling events.

PROFESSIONAL AFFILIATIONS

New York City Brownfield Partnership – Board Member

Henry Gold
Senior Environmental Professional

resume

EDUCATION
B.A., Earth & Environmental Sciences, Queens College of the City University of New York

EXPERIENCE IN THE INDUSTRY
40 years

EXPERIENCE WITH GEI
3 years

TRAINING AND CERTIFICATIONS
40-Hr OSHA HAZWOPER Training
8-Hr OSHA HAZWOPER Refresher

Henry Gold has over 40 years of consulting experience in environmental risk management, investigations and environmental remediation. Mr. Gold has worked for several national environmental consulting firms and spent 12 years at a Fortune 500 Insurance Company located in New York City where he managed a multi-disciplinary team of 30 environmental scientists, engineers and geologists providing in-house consulting services for environmental claims and other lines of business requiring environmental expertise. The team was responsible for: evaluating cause and origin of environmental remediation claims; reviewing the technical aspects of environmental remediation claims to assess scope, duration and cost to complete; identifying emerging risk factors that may impact the scope and cost of remedial actions; providing technical on-call (24 X 7 X 365) staff for the company's emergency response program; and providing in-house transactional due diligence support for the company's Global Real Estate Group. Mr. Gold is also an Adjunct Lecturer (Environmental Risk Management) in the Queens College School of Earth and Environmental Studies.

Mr. Gold has diverse experience in evaluating operational and regulatory environmental risk at active industrial facilities; developing and implementing environmental risk management programs; data driven decision analysis; project management; transactional due diligence (American Society for Testing and Materials Phase I & Phase II Assessments); environmental site investigations and remediation; and environmental compliance auditing (federal, state and local regulations). Mr. Gold has in depth field experience across most of the contiguous states in the U.S., and in parts of Canada, France, Belgium, the Philippines and Liberia. He has evaluated and addressed complex environmental problems in a number of industries including: fuel and chemical distribution and bulk storage; mining; pulp and paper; metals fabricating and plating; electronics manufacturing, pharmaceutical; hydro-electric and fossil fuel power plants, and management of nuclear and solid waste.

Examples of large multi-disciplinary projects that Mr. Gold has managed and directed include: siting studies for critical facilities such as hydro-electric dams and pipelines; investigations and closure of municipal solid waste landfills; and investigation, remediation and redevelopment of electronics manufacturing facilities, coal fired power plants, chemical plants, pulp and paper mills and working waterfront operations.

PROJECT EXPERIENCE

Transactional Due Diligence. Extensive experience in advising real estate owner/operators, investors and lenders in the valuation and mitigation of environmental risk. Worked on numerous multi-site real estate portfolios that included operating industrial facilities, commercial and residential properties, and his experience includes the investigation

and remediation of several properties under the New York State Brownfield Cleanup Program and the New York City Mayor's Office of Environmental Remediation. Representative projects include: investigation and remediation of a former box printing factory in the Hudson Valley of New York that was converted into a museum; investigation of a former film and photo-chemical manufacturing facility in Suffolk County that will be redeveloped into a science education center; and the investigation and remediation of numerous former industrial facilities in New York City prior to redevelopment for residential or commercial use.

Risk Assessment Surveys. Conducted and managed Risk Assessment Surveys for a variety of industries. Recent project experience includes:

- **Produced water treatment and disposal.** Conducted environmental site and product exposure surveys for several oil field services companies that treat and dispose produced water generated during the extraction of hydrocarbons. Services provided by these companies include the design, installation and operation of water treatment systems, and operation of injection wells for the disposal of produced water.
- **Manufacturer of anti-corrosive coatings.** Conducted an environmental site and product exposure survey for a metals finishing company. The company manufactures solvent based anti-corrosive coatings for metal parts used in the automotive industry, then applies the coatings to parts manufactured by others.
- **Manufacturer pollution control, thermal treatment, and energy recovery equipment.** Conducted an environmental site and product exposure survey for this manufacturer of fiberglass fans and other equipment utilized in wastewater treatment plants, the pulp and paper industry, fertilizer manufacturers, metals processing and coating, electronics and chemical, energy and pharmaceutical manufacturers.
- **Real Estate portfolio reviews.** Conducted environmental risk reviews on behalf of real estate investors, developers, and lenders. Portfolios have included industrial, commercial, and residential properties across the U.S.

Environmental Claims. Provided technical support and analysis of environmental claims related to sudden and accidental releases as well as losses associated with gradual releases. Sample projects include:

- Project management of response actions, site investigation and long-term remediation after a fire damaged a warehouse storing automotive fluids and other products.
- Technical support and analysis of numerous transportation accidents (pipeline, rail and truck) involving the release of hazardous substances and hydrocarbons.
- Project management and long-term remediation at an acid mine drainage site.
- Technical analysis of a mine tailings pond failure.

Gary Rozmus, P.E.
Senior Consultant

resume

Gary Rozmus is a recognized leader in the environmental services and Brownfield redevelopment marketplace. His expertise is in Site assessment (Phase I, II and II ESAs, soil vapor intrusion and RI/FS); remediation; Brownfield redevelopment and risk-based closure (including area-wide and site specific planning and redevelopment); environmental compliance; regulatory interaction and negotiations; permitting; impact assessments; hazardous materials management (including asbestos containing materials-ACM, lead-based paint and other building and facility hazardous materials); GIS mapping and inventory; hazardous and non-hazardous waste management; litigation support; design, construction and facility decommissioning and demolition environmental services; stormwater and wastewater management; natural resource assessments; landfill closure; emergency incident/derailment consulting response; sustainable environmental design; and real estate transaction and support.

EDUCATION
M.S., Civil Engineering, Polytechnic Institute of New York
B.S., Civil Engineering, Manhattan College

EXPERIENCE IN THE INDUSTRY
48 years

EXPERIENCE WITH GEI
10 years

REGISTRATIONS AND LICENSES
Professional Engineer, NY No. 056744

PROJECT EXPERIENCE

Public and Private Sector Clients
Directed and provided senior project management services to public clients including NYC Mayor's Office of Environmental Remediation, NYC Economic Development Corporation, Transit Companies (e.g. Long Island Railroad, Metro North Railroad, NYCTA, NJT, SEPTA, WMATA), Triborough Bridge and Tunnel Authority, NYS and NYC DOT, other NYC agencies, other NY municipalities; and private clients including Class I freight railroads, attorneys; manufacturers and distributors (e.g. Duracell and Frito Lay), developers, communication companies and construction contractors.

- Directed multi-year Brownfield consulting services contracts through the NYCEDC for the NYCMOER. Led a team of environmental planners and GIS specialists in developing the initial version of the NYC SPEED portal, which mapped the entire City of NY and identified select vacant Brownfield sites and environmental/Phase I data as well as many other informational features
- Managed area-wide Brownfield contracts under nine NYSDOS Brownfield Opportunity Area (BOA) grant awards.
- Managed numerous contaminated site redevelopment projects including sites in the New York State Brownfield Cleanup Program, NYC Voluntary Cleanup Program, and sites under Consent Order.

SUMMARY OF EXPERIENCE

Brownfield Cleanup Program and Vacant Properties Database/SPEED Portal (Searchable Property Environmental E-Database), New York, NY, NYC Mayor's Office of Environmental Remediation. Environmental Project Manager involved with the development of the initial version of the SPEED portal to promote the redevelopment of potentially contaminated and under-used sites throughout the City. The City's BCP is the first municipal program of its kind in the country and it is intended to facilitate the fast and efficient cleanup and reuse of contaminated sites. One of the key elements of the PLANYC was the creation of the SPEED portal to identify historical site uses and potential Brownfield sites for redevelopment across the City. The SPEED portal assists in the rapid redevelopment of vacant and contaminated sites and allows the City to measure long-term progress toward the Plan's goals.

Suffolk County Landbank Corporation Projects, Various Locations, NY. Program Director providing Phase I Environmental Site Assessment (ESA) and Phase II Environmental Site Investigation services to the Suffolk County Landbank (SCLBC) under GEI's Environmental Site Assessment Master Services Contract since July 2014. Projects have involved subcontractor coordination; development of pertinent, targeted site investigation and remediation plans based on property usage and potential property development plans, and to meet applicable

end-use requirements and regulations; performance of site work under supervision of senior Environmental Scientists, Geologists and Hydrogeologists; and experience interfacing with the County's Department of Health Services (SCDHS), Public Works (SCDPW) and NYS Department of Environmental Conservation (NYSDEC) staff.

Hunts Point Site In-Situ Solidification, Resiliency, and Related Projects, NYC Economic Development Corporation, Bronx, NY. Contract Point of Contact and Lead Environmental Engineer. GEI is contracted by NYCEDC to perform all required investigation, report preparation, remedial design, and engineering to bring multiple Brownfield Cleanup Program sites located in the Hunts Point Food Distribution Center located in the Bronx through the full Program. This has resulted to date with multiple investigations, design of two In-Situ Solidification (ISS) remedies for Manufactured Gas Plant waste, one completed redevelopment expansion of a significant food distribution facility, and creation of a greenway and waterfront park. Currently two additional expansions of existing facilities are under design, along with a resiliency power generation project and two additional large-scale remedies. When the projects are completed, they will have transformed well over 100 acres of additional commercial space to be developed and protected from climate change and sea level rise through adaptive resiliency. GEI has been involved in virtually all aspects of planning, feasibility, public outreach, environmental assessment, design and implementation of the remedy and redevelopment efforts. Reuse for all parcels is the end goal for each Site.

City of Mt. Vernon Canal Village Brownfield Opportunity Area (BOA) and Local Waterfront Revitalization Plan (LWRP) Study, Mt. Vernon, NY. Environmental Project Manager for the Canal Village combined BOA and LWRP project to develop a redevelopment plan for the 251-acre waterfront area which includes the industrial area in the southeast corner of the City. This area lays along the eastern edge of the city limits that coincide with the Hutchinson River and its southern boundary with the Bronx, New York City. Because this planning effort has been made possible by two separate grants being combined—New York State's BOA and LWRP programs—there are two separate project boundaries which overlap. The work will serve as a BOA Nomination Report and as a neighborhood master plan for the Canal Village and the Hutchinson River Waterfront. This project included a study of the transportation and pedestrian network; industrial sector and regional relationships; strategic redevelopment sites investigation; public outreach; climate change impacts, habitat restoration, waterfront redevelopment plans, and green infrastructure opportunities; economic and market conditions study; urban design and open space considerations; and priority/catalytic redevelopment site selections.

Newtown Creek Brownfield Opportunity Area, Brooklyn, NY, Greenpoint Manufacturing and Design Center. Project Manager coordinating following tasks: planning, developing a public engagement strategy, attending meetings, analyzing existing conditions of the study area, developing conceptual design guidelines, completing an economic analysis, developing a geographic information system (GIS) database, and preparing project recommendations and a Nomination plan document.

Greater Jamaica Brownfield Opportunity Area Study, Jamaica NY. Project Manager. Evaluated the potential for redevelopment of several former industrial parcels located adjacent to the Long Island Railroad Station and the recently developed MTA JFK Airlink terminal. The project focused on developing strategic land use and policy strategies to support public-private partnerships for the development of a transit-oriented development in the city blocks adjacent to the station. The proposed development includes a series of mixed-use mid-rise buildings and a hotel. Services included Site Reuse Planning, Infrastructure Analysis, Environmental Assessments and traffic impacts analysis. This BOA has received a Step 3 Implementation grant.

High Line Elevated Rail, New York, NY, CSX Transportation. Senior Project Manager responsible for reviewing demolition and material management plans involved with the demolition/ redevelopment of the Highline extending from midtown to downtown Manhattan. The elevated railroad structure was built around 1900 and consists of trackage and ballast in a concrete containment supported by steel columns and extends approximately 1.7 miles. Assisted in addressing liabilities associated with handling ballast, which may be affected by chemical residuals, lead-based paint on the steel work, asbestos-containing materials, and areas of potential concern throughout the abandoned line.

Brownfields Conversion of Rail Yard to Minor League Ballpark and Recreational Facilities, Staten Island, NY, CSX Transportation. Senior Project Manager responsible for a site that has been redeveloped as the New York Yankees minor league baseball park, which includes restaurants and retail activities. This former rail yard consists of 53 acres of shoreline property, including 25 upland areas and 28 acres under water. The site was used as a locomotive and railcar servicing and maintenance facility and switchyard from 1883 to 1994. A presale environmental assessment showed evidence of residuals common to rail yards. Several environmental issues were addressed by removing an underground storage tank and aboveground storage tank, removing asbestos from a fire-damaged pier, closing a weigh-scale pit, and removing debris and a railcar in poor condition. The site had been leased to a car parking concession, which had filled the leased area and other parts of the property with shredded asphalt shingles. Some of this material was removed from wetland-related areas in accordance with a consent order with the State.

Grand Avenue Bus Depot, Environmental Services, Queens, NY, MTA New York City Transit. Senior Project Manager responsible for providing environmental services for a $226 million design-build project for a bus and central maintenance facility. Environmental services included developing and implementing an environmental permit strategy; modifying the facility air permit as required to reflect design-build conditions; conducting a Phase I assessment; developing and implementing soils, asbestos, waste management, and dewatering plans; developing and overseeing the implementation of a construction stormwater management plan; and obtaining permits for water and wastewater discharges and storage tanks and unloading systems.

Remedial Investigation/Remedial Alternative Analysis, Brooklyn, NY, Frito-Lay, Inc. Senior Project Manager responsible for providing project oversight and technical and policy assistance for a remedial investigation and alternatives analysis. The remedial investigation was conducted in accordance with New York State Department of Environmental Conservation (NYSDEC) DER-10 Guidelines.

Illegal Landfill on Railroad Property, NY, Staten Island, NY, CSXT. Principal-in-Charge for a project involving an illegal landfill site on inactive railroad property. A preliminary environmental assessment of the site was conducted in 1987. In 1988, illegal dumping occurred at the site, which resulted in approximately 500,000 cubic yards of waste being landfilled at the site. A site investigation was conducted in 1994, and ongoing monitoring has been performed at the site since that time. Groundwater and surface water sampling has been conducted, and volatile organic compounds, semi-volatile organic compounds, metals, pesticides, ammonia, and various other landfill leachate constituents have been found in groundwater and surface water. A phytoremediation system has been designed and installed that consists of approximately 1,000 trees planted to withdraw groundwater from two water-bearing zones beneath the site. A landfill closure plan was designed and constructed, which included dewatering and closing on-site ponds, performing site grading and development, installing a multilayer cap on the 500,000-cubic-yard waste piles with gas controls, installing stormwater control systems, and installing a groundwater recovery and recirculation system. Also served as a fact witness for the property owner in his cost recovery action against waste generators whose waste was disposed at the site.

The landfilling has been conducted on 26 acres of the overall 39 acres of the inactive railroad. During the course of the site investigation, the railroad negotiated the sale of the rail yard outside of the landfill area. The sale included the track and right-of-way. Environmental issues of concern were addressed with minimal remediation. The sale was to support a revitalization project. The adjacent property is being developed into a sports complex, including restaurants and shops.

City of Newburgh Brownfield Opportunity Area (BOA) Project, Newburgh, NY.
Environmental Task Leader for the study to create a strategy for revitalizing and redeveloping the Census Tract area of the city of Newburgh, New York. This work included analysis of local, regional, and national markets to determine best land use revitalization, inventory and analysis of brownfield sites, existing land use patterns and zoning, transportation systems and infrastructure, and natural resources and environmental features. Tasks included community outreach and participation in the BOA process and the development of a redevelopment master plan.

Brownfield Redevelopment, Babylon, NY, Town of Babylon. Senior Project Manager and Principal-in-Charge responsible for conducting Phase I and Phase II assessments and end-use planning and for providing

other engineering services related to the brownfield redevelopment of the Straight Path Area in the Hamlet of Wyandanch. This work was funded under a U.S. Environmental Protection Agency Brownfield Grant.

Tesla Science Center at Wardenclyffe, NY. Project Director for the investigation and remediation related to the redevelopment of the former Nikolas Tesla Laboratory and Peerless Photo Products Site into revitalized Tesla Science Center in Wardenclyffe Long Island, NY. The redeveloped former laboratory site will house a museum and science education facilities. The Peerless site is a NYS Superfund site which was reclassified as a Class 4 site (Site properly closed – requires continued management) on the State's Registry of Inactive Hazardous Waste Disposal Sites in 2010. Redevelopment activities to be undertaken in the first phases of redevelopment will include demolition of certain buildings, renovation of a visitor's center and updating of site utilities. Work will be conducted in accordance with a consent order between NYSDEC and Tesla.

Harmon Maintenance Facility Replacement, Phase I, II, and IV, Croton-on-Hudson, NY, MTA Metro-North Railroad (MNR). Environmental Task Leader for the various phases of the replacement of a rail maintenance facility. Responsibilities include providing leadership for the environmental tasks involved with the facility design and master planning efforts for the yard. The Phase I, II and IV work included assistance needed to address the environmental issues of concern, which are described below:

- Assistance to Metro-North's legal counsel in determining that the project was categorically exempt from the State Environmental Quality Review Act and National Environmental Policy Act, resulting in overall design cost savings
- Development and implementation of guidelines, which address the management of soils generated during investigation or excavation that will allow the reuse of soils on-site
- Development and implementation of a geographic information system (GIS)/key database to store the chemical and geological data generated at the site
- Treatment and management of dewatering fluids discharged to the local publicly owned treatment works in accordance with permission requirements
- Asbestos, lead-based paint, and polychlorinated biphenyl (PCB) abatement
- Tank closure and construction
- Air permitting compliance
- Modifications to the facility stormwater discharge permit to include changes to the post-construction wastewater stormwater management system
- Coverage for construction stormwater discharges under the New York State Department of Environmental Conservation State Pollutant Discharge Elimination System permit program GP 02-01
- Design of new environmental systems for the site, such as a spill-control system for a new 400,000-gallon fuel oil storage tank and a fuel pad oil/water separator. Coordinated requirements with regulatory agencies.

Inwood/Manhattan NY Affordable Housing Brownfield Development. Senior certifying engineer for a fully affordable 30-story residential building with ground floor commercial space and parking at 3875 9th Avenue taken through the NYS Brownfield Cleanup Program (BCP). Activities included site assessment and investigation; remedial action development, implementation and post-remedial site management; permitting; inter-agency coordination; and community outreach. The redeveloped site will provide residents waterfront access to the Harlem River and a new NYC Park to the north. Multiple City stakeholders played a role in the successful development of the site including NYC Housing Preservation and Development (HPD), Waterfront Planning Commission, Public Design Commission; NYC Parks and Recreation, NYC Housing Development Corp (HDC), Mayor's Office of Environmental Remediation (MOER) and the MOER Jumpstart Program, NYC Economic Development Corp and NYS regulatory agencies.

PROFESSIONAL ASSOCIATIONS

New York City Brownfield Partnership, Former First President and Member of Board of Directors
American Society of Civil Engineers, Member

American Railway Development Association, former President and Member of Board of Directors and former Environmental Committee Co-chair
Railroad Environmental Conference at University of Illinois at Urbana - Champaign (annual), Conference Moderator, Planning Committee and Presenter
National Brownfield Association, Former Member of NYS Executive team and National Advisory Board
Northeast Sustainable Communities Workshop, Conference Moderator and Planner
Brownfield Renewal Magazine, Brownfield Award Judge
EPA National Brownfield Conference, Speaker and Conference Planning Committee
Huntington Harbors and Bays Advisory Council
Atlantic Marine Conservation Society, Board of Directors

Jaimie L. Wargo
Senior Data Coordinator

resume

Jaimie Wargo is the Lead of an in-house service team managing analytical and survey data flowing through the East Region for QC and regulatory comparison.

Prior to joining GEI, Ms. Wargo worked 5.5 years as a Database Technician for a company providing food distribution software maintaining inventory; customer; vendor; accounts receivable; accounts payable and purchasing data. Her responsibilities included providing technical support to over 150 clients via phone, fax, email and remote access; installing new software and maintaining program updates on clients' server and troubleshooting and reporting program bugs. She also conducted in house and onsite training sessions for her clients.

EDUCATION
A.A., General Studies, Manchester Community College

EXPERIENCE IN THE INDUSTRY
20 years

EXPERIENCE WITH GEI
17 years

EXPERIENCE

As Coordinator of the Data Management team Jaimie schedules and coordinate daily deliverables, working with Project Managers and staff to identify the project needs and providing day to day technical support to our team and project staff. She works as a laboratory liaison setting up lab deliverable formats and deliverable needs and facilitate supply chain and tracking processes to ensure timely project delivery. This includes database setup and tracking, sample verification, troubleshooting data errors, database input, creating custom reports and invoice review. Ms. Wargo has also worked with multiple state agencies to provide analytical data in their required specified format.

As an EQuIS Data Specialist managing analytical, geotechnical, and survey data. Ms. Wargo has 20 years of experience managing data and over 17 years of experience using EarthSoft EQuIS, Microsoft Access and SQL Server Database. Knowledgeable with loading data using EQuIS Electronic Data Processor program as well creating MS Access tools to work with historical data loading and troubleshooting. I maintain and update quality control checks and data tracking logs. I've worked extensively with management of soils, ground water, vapor intrusion – including community response - and sediment data and familiar with coordinate conversions, stratigraphy, and boring log data. Ms. Wargo has participated in conducting on-line training and is a main point of contact and data lead for our on-line DIVR data visualization portal and help desk.

Data Management projects include but not limited to:

- Various sites Valero Energy Corporation, US and Canada
- Various sites ExxonMobil, US
- Kalamazoo River Superfund Remediation, NCR Corporation, MI
- UGI Utilities, Inc. COA, Various Sites, NJ

- 320 New Road, Monmouth Junction, NJ
- Georgia Power Company, Plant McIntosh Landfill3, Landfill4, AshPond sites, Effingham County, GA
- Con Edison, Consolidated Edison Company of NY, Various Sites, NY
- National Fuel Gas, Various Sites, Upstate NY.
- New York State Electric and Gas (NYSEG), Various Sites, NY
- Erie Street Former Manufactured Gas Plant, AGL Resources, Inc., Elizabeth, NJ.
- Orange & Rockland, Suffern MGP Site, Suffern, NY
- Henderson Remediation, Titanium Metals Corporation, Henderson, NV.
- NiSource, Various Sites, Indiana.
- Columbia Gas of Virginia/NiSource Ap - Crawford Bay Dredging-former Portsmouth Virginia MGP, Columbia Gas of VA, Inc. /NiSource AP, Portsmouth, VA.
- Cycle Chem RCRA Facility Investigation., Elizabeth, NJ
- Alpha Metals, Cookson Electronics, Jersey City, NJ
- Downing Square Environmental, Arlington, MA
- National Grid Former Manufactured Gas Plants- Various Sites, Long Island, NY.
- Gowanus Canal Superfund Site, National Grid, Brooklyn, NY.
- Rhode Island Department of Transportation, Providence, RI,
- Former Lite Control Facility, Hanson MA
- Ithaca First Street Former MGP Remedial Investigation and Workplan, New York State Electric & Gas Corp, Ithaca, NY.
- Stewardship Permit, MacDermid, Inc., Waterbury, CT.
- Sea Isle City RASR & RAW Remedial Design, FirstEnergy Corporation, Sea Isle City, NJ.

COMPUTER SKILLS

- EarthSoft EQuIS Chemistry
- Microsoft Access
- Microsoft Excel
- Microsoft PowerPoint
- Microsoft SQL Server 2012
- Microsoft Word
- Microsoft Outlook
- Adobe Acrobat
- PC Anywhere, Terminal Services, gotomeeting, VPN, Teams etc.

Appendix C Field Sampling Plan



GEI Consultants

Consulting
Engineers and
Scientists

FIELD SAMPLING PLAN

GEI Consultants, Inc., P.C.
1000 New York Avenue, Suite B
Huntington Station, NY 11746
631.760.9300




Table of Contents

Section 1 – Introduction

Section 2 – Project Planning Activities (PP)
- PP-001 General Guidance on Project Planning Activities
- PP-002 General Guidance on Private Utility Markout
- PP-003 General Guidance on Maintaining Markouts

Section 3 – Field Documentation (FD)
- FD-001 Field Notebook
- FD-002 Field Observation Report
- FD-003 Sample Handling and Chain of Custody
- FD-004 Photo Documentation
- FD-005 Surveying and Mapping Specifications

Section 4 – Drilling Methods (DM)
- DM-001 General Guidance on Determination of Appropriate Drilling Methods
- DM-002 Hollow-Stem Auger
- DM-003 Sonic Drilling
- DM-004 Drive and Wash
- DM-005 GeoProbe ® Direct Push Boring
- DM-006 Monitoring Well Construction and Installation
- DM-007 Monitoring Well Telescoping
- DM-008 Monitoring Well Development
- DM-009 General Guidance on Monitoring Well Abandonment

Section 5 – Sample Collection and Field Screening (SC)
- SC-001 General Guidance on Sample Collection
- SC-002 Sample Handling
- SC-003 Investigation Derived Waste
- SC-004 Head Space VOC Screening
- SC-005 SiteLAB ™ UVF-3100 Ultraviolet Fluorescence (UVF) Detection Method

Section 6 – Solid Matrix Sampling (SM)
- SM-001 Soil Sampling Techniques Including Split-Spoon
- SM-002 VOC Soil Collection and Preservation Method
- SM-003 Soil Classification

Section 7 – Groundwater (GW)

GW-001 Water Level Measurement
GW-002 Non-Aqueous Phase Liquid (NAPL) Measurement
GW-003 Low Flow (Low Stress) Groundwater Sampling
GW-004 pH and Temperature Measurement
GW-005 Turbidity Measurement
GW-006 Specific Conductance Measurement
GW-007 Dissolved Oxygen Measurement
GW-008 Temporary Groundwater Sampling Points

Acronyms and Abbreviations

AOC	Area of Concern
ASTM	American Society for Testing and Materials
BOD	Biological Oxygen Demand
BTEX	Benzene, Toluene, Ethyl Benzene, Xylenes
CAMP	Community Air Monitoring Plan
CD	Corrected Depth
COC	Chain of Custody
DNAPL	Dense Non-Aqueous Phase Liquid
DO	Dissolved Oxygen
DOT	Department of Transpsortation
EM	Electro-Magnetic
EPA	Environmental Protection Agency
FID	Flame Ionization Detector
FSP	Field Sampling Plan
GC/MS	Gas Chromatograph/Mass Spectrometer
GIS	Geographic Information Systems
GPR	Ground Penetrating Radar
GPS	Global Positioning System
HASP	Health and Safety Plan
HSAs	Hollow-Stem Augers
ID	Inner Diameter
IDW	Investigation Derived Waste

IHC	In-House Consultants
JHS	Jar Head Space
LNAPL	Light Non-Aqueous Phase Liquid
MC	Macrocore®
MTBE	Methyl Tert-Butyl Ether
NAPL	Non-aqueous Phase Liquids
NAVD	North American Vertical Datum
NYSDEC	New York State Department of Environmental Conservation
OD	Outer Diameter
ORP	Oxidation-Reduction Potential
OSHA	Occupational Safety and Health Administration
PAH	Polycyclic Aromatic Hydrocarbon
PCB	Polychlorinated Biphenyl
PID	Photoionization Detector
PM	Project Manager
PPE	Personal Protective Equipment
PVC	Polyvinyl Chloride
QAPP	Quality Assurance Project Plan
RCRA	Resource Conservation Recovery Act
SC	Specific Conductance
SMP	Site Management Plan
SOP	Standard Operating Procedure

SPLP	Synthetic Precipitate Leaching Procedure
SPT	Standard Penetration Test
SVOC	Semi-Volatile Organic Compounds
TCLP	Toxicity Characteristic Leaching Procedure
USEPA	United States Environmental Protection Agency
UTM	Universal Transverse Mercator
VOC	Volatile Organic Compounds

Measurements

bgs	Below Ground Surface
ft	Feet or Foot
g	Grams
lpm	Liters per minute
mg/L	Milligram per liter
ml	Milliliter
mL/min	Milliliters per minute
MSL	Mean Sea Level
mV	Millivolt
ng	Nanogram
NTUs	Nephelometric Turbity Units
ppm	Parts per million
µg/Kg	Microgram per kilogram

Section 1

INTRODUCTION

1. Introduction

This document serves as a Field Sampling Plan (FSP) for various types of environmental sampling activities that may be utilized during implementation of Site Characterizations, Remedial Investigations, Interim Remedial Measures, Feasibility Studies, Remedial Designs, and/or Remedial Actions. The primary intent of this document is to promote accuracy and consistency for field and office support operations.

This FSP encompasses a broad range of activities to improve the planning, implementation, and documentation of field and pertinent office operations. All methodologies presented in this document may not be applicable to site-specific situations. In the event of differences between the FSP and any site-specific work plan, including a work plan or a quality assurance project plan, the provisions of the site-specific plan will prevail.

This document is organized according to the chronological sequence of typical work flow proceeding from project setup to field activities and then to data collection.

The document contains two types of guidance:

General Guidance Procedures – Documents intended to be informative and not prescriptive. The documents are designed to provide necessary background information to adequately understand associated field processes.

Standard Operating Procedures (SOPs) – Documents intended to provide the necessary procedures and notes to successfully implement the operation.

This FSP incorporates requirements including but not limited to New York State Department of Environmental Conservation (NYSDEC) Division of Environmental Remediation (DER)-10, Technical Guidance for Site Investigation and Remediation dated May 3, 2010, any applicable local, state, or federal requirements, and client requirements. Each SOP is current as of the effective date indicated in the header and will be updated as necessary.

This document has been provided to all staff performing field tasks for the client.

2. FSP Layout Design

2.1 Header Information

i. Each SOP contains, within its designation, a two letter abbreviation of the general category in which it belongs (i.e. PP-001 means it is in Project Planning). The table of contents provides the definition for each abbreviation. The SOP name and number is provided in the header and footer of the document. As discussed in the previous section, GEI guidance documents are not given an SOP reference number.

i. The revision number is provided in the header of each SOP.

i. The effective date is provided in the header of each SOP. The effective date provides the date when the revisions to the SOP are in effect and provides information as to the last time the SOP was updated. Each SOP should contain the most up-to-date version and effective date.

2.2 Footer Information

i. Each footer contains the page number and total page numbers as well as a second reference to the SOP name.

2.3 Body of Text

i. Details of the SOP are provided sequentially.
ii. Notes are provided to understand precautions or common issues associated with the performance of the procedure.
iii. References provide sources for the creation of the SOP.
iv. Attachments provide reference to external documentation that could be reviewed in conjunction with the document.
v. Reference and inclusion of complete SOPs are included within this document. Each SOP should contain the most up-to-date version and revision date.

Section 2

PROJECT PLANNING ACTIVITIES (PP)

SUMMARY GUIDANCE

PP-001 General Guidance on Project Planning Activities

1. Objective

The purpose of this summary guidance section is to present a summary of the project planning activities that must be completed prior to the start of field activities. The following text outlines the steps which should be followed.

To begin, the task-specific work plan should be reviewed to identify the specifics of the task to be completed. This includes the type of work, sampling requirements, and schedule, among others. A site visit (if possible) should be made to verify that sample locations are accessible. Once the review of the work plan is completed, it can then be determined which steps need to be taken to start the project. A project planning checklist (see attached) should be completed and includes the items detailed below

2. Execution

- **Subcontractor Selection** – If the subcontractor is to be contracted through GEI, the subcontractor should be selected based on a combination of their qualifications and their proposed costs, if not identified in the Master Services Agreement. A minimum of two subcontractor cost proposals should be obtained for each task.
- **Subcontractor Agreement** – Once a subcontractor is selected, a subcontractor agreement between GEI and the subcontractor must be established. This agreement is task specific and should reference an approved proposal from the subcontractor.
- **Markouts** – If the project includes intrusive work, a utility markout request must be called in to Dig Net (811). Markouts must be called in at least 72 hours prior to the start of intrusive activities; however, five business days is recommended. If the work conducted is on private property, markouts by a private markout company should be obtained as public utility locating services will generally only identify line point-of-entry to a private property from a right-of-way. Markout verifications from Dig Net must be received at least one day prior to the start of field activities. Following the receipt of the markout verifications, a GEI utility clearance form must be completed, and the markouts must be visually verified. The markout verifications, verification spreadsheet and the GEI utility clearance forms must be compiled and remain onsite during the duration of intrusive activity. In addition, markouts must be checked every 10 days throughout the duration of intrusive work. For more information on markouts, please see SOPs PP-002 and PP-003.

- **Health and Safety** – A site-specific Health and Safety Plan (HASP) must be developed prior to any field work. The site-specific HASP must be reviewed by the staff involved in the project and signed prior to the start of work (by field staff). Subcontractors are required to provide their own HASPs (which are at a minimum, as strict as the GEI HASP), or must sign and comply with the GEI site-specific HASP. The subcontractor must also provide the proper certifications for the field crew, which should include, but is not limited to, OSHA certifications (8-hour and 40-hour HAZWOPER) and medical clearance documentation. In addition, tailgate safety meetings must be held daily, which discuss hazards related to the task being performed. For more information, please refer to the site-specific HASP. For the SOPs presented in this FSP, health and safety items must be adhered to during the conduct of all field activities.
- **Notifications** – prior to the scheduling of field activities, all team members should be identified. The appropriate project manager should be notified as soon as possible of the upcoming work and the proposed schedule. As a general rule, at least one week notice should be provided. The client will coordinate access to any private property where sampling is planned to be conducted.
- **Data Group Notification** – GEI's Data Group should be notified if laboratory analysis is to be performed. The Data Group should be made aware of the types of analysis being performed, the approximate number of samples to be collected, the validation requirements and turnaround times.
- **Lab Notification** – If laboratory analysis is needed, the selected laboratory should be notified as soon as possible to order the necessary sample bottles and supplies. They also should be informed of the anticipated amount of samples, type of analysis and required turnaround times.
- **Equipment** – Any specialized equipment or supplies, including Community Air Monitoring Program (CAMP) equipment, needed for the job should be ordered, to allow for sufficient lead time. CAMP equipment is required for any intrusive work. For more information on CAMP requirements, please see the site-specific HASP or Work Plan and SOPs AR-001 through AR-005.
- **Investigation Derived Waste (IDW) Management** – Consideration should be given to the management of IDW. Based on the work to be performed at the specific site, a determination needs to be made on how the IDW is to be handled. Possibilities include drums for soil and groundwater, frac tanks for groundwater or roll-offs for soil. Reducing the amount of IDW generated through selection of the appropriate sampling and investigation methods, as well as cost and efficiency of disposal, should always be considered.

- **Background Information** – Prior to field activities, pertinent background information should be discussed with the field staff and GEI task and project managers. Such information may include: historical perspective, property owner/community member interests, potential litigation matters, access and logistical issues, safety concerns, requirements and concerns, among others.
- **Kick-off Meeting** – A kick-off meeting should be conducted prior to the start of field activities. At a minimum, the meeting should be attended by the project manager and field staff. This meeting should review the tasks to be completed, equipment needed, laboratory analysis, and a review of any necessary background information (including potential sensitivities associated with the site or work area of the site). Other items that should be discussed include the process of and the need to keep the client informed of the work progress (including any relevant observations) and the steps to be taken if a member of the field crew is approached/questioned by a regulator or a member of the public or media.

SUMMARY GUIDANCE

PP-002 General Guidance on Private Utility Markout

1. Overview

Prior to installing any wells, performing excavations or penetrating the subsurface for any investigation; all service lines, including water, electrical power, natural gas, sewers, cable and product distribution piping, and others, must be mapped out on the ground surface. This requirement is independent of the need for borehole clearing to 5 feet. Both exercises together minimize the safety risk as well as the time and cost penalty associated with severing an underground line.

This guidance describes and recommends technologies that should be (and normally are) employed from the companies performing the mapping, which are private utility locators. Public utility locating services will identify line point-of-entry from a right-of-way, but in many cases are unwilling to mark locations within the footprint of a site. Even if the public companies provide onsite service, it is good insurance to have a private company verify buried utility locations because of the potential consequences of hitting an unknown buried utility.

Because subsurface lines may be metal, plastic, clay, or concrete, multiple technologies are generally needed for their identification. For most applications the following technologies are fit-for-purpose.

Electro-Magnetic (EM) Device: This technology uses an electro-magnetic field in the subsurface to accurately locate metallic lines or non-metallic lines incorporating a metallic trace wire along their surface. The field is created either by direct contact to the pipe or trace wire, or by an induced current via radio waves.

Sewer Sonde: For non-metallic lines where internal access is possible (such as cleanout ports in a sewer), a beacon or 'sonde' that emits a signal to a surface receiver as it is snaked through the pipe provides the same accuracy as the EM detector. If the internal condition of the pipe is desired, a camera can be deployed instead of only a sonde.

Ground Penetrating Radar (GPR): This technology involves radar waves reflecting to a surface receiver which provides a visual real-time map of the subsurface by which anomalies (such as pipes or tanks) may be detected. It has limitations in clay or wet soils and requires a skilled operator for interpretation. For high risk utilities (e.g. PVC natural gas lines without trace

wire) where line-of-sight projection from site entry point to a kiosk or other building is uncertain, GPR should be considered.

For most sites, utility markouts using the above technologies can be conducted in about two hours, assuming work covers a limited area where subsurface activities will be conducted. Consideration should be given to mapping an entire site if as-built drawings are suspect and work is planned over an extended period of time.

SUMMARY GUIDANCE

PP-003 General Guidance on Maintaining Markouts

1. Overview

Maintain the marks set down by utility operators/ locators at your site. Several steps should be taken to ensure site markouts are maintained/refreshed throughout the project.

Walk-through the site to become familiar with the markings and the locations of buried utilities. Pay special attention to any changes in direction that the underground facilities take. Consider photographing the markouts.

If the excavation will cause the removal or disturbance of markings, establish offset marks in order to maintain a reference point for those underground facilities.

Make sure that everyone involved in your excavation is aware of any offsets that have been established, any marks that have been compromised, or any other information regarding facility locations.

Don’t put spoil piles over markings.

If the markouts are located over grassy areas or if snow is expected, flags or stakes should be employed to avoid having the markouts washed away by rain or covered by snow.

Avoid driving machinery over stakes and flags. Paved areas should be swept periodically so that painted marks remain visible.

If marks have faded or have been compromised to the point where proper and safe excavation is no longer possible, call the public or private utility markout service and make a request for a new markout ticket. If the markings at your site are refreshed, make sure that you use the uniform color code.

Attachment A

Project Planning Checklist

SITE: _____

PROJECT MANAGER: _____

Activity	Completed (Yes, No or NA)	Date Completed	Comments
Subcontractor Identified (if needed)			
Subcontractor agreement			
Markouts			
HASP			
Subcontractor certs obtained			
National Grid Notifications			
Data Group Notified			
Laboratory notified			
Equipment Ordered			
IDW Management			
Background info reviewed			
Kick-off meeting or call			

Section 3

FIELD DOCUMENTATION (FD)

STANDARD OPERATING PROCEDURE

FD-001 Field Notebook

1. Objective

Proper documentation of all site activities is a crucial part of the field investigation process. Documentation, relative to sampling procedures, includes sample labels, sample seals, field logbooks, chain of custody (COC) records, sample analysis request forms, and laboratory sample logs. The field notebook serves as a record of significant field activities performed or observed during the project. The field notebook provides a factual basis for preparing field observation reports, if required, and reports to clients and regulatory agencies. Example field notes are provided in Appendix A.

2. Execution

- Use a separate all-weather bound notebook for each site/location/ project number, as appropriate.
- Write neatly using black or blue waterproof indelible pen (or note if field conditions [i.e., cold or wet weather] require use of pencil).
- Write the project name, project number, book number (i.e., 1 of 3), and date on the front cover. On the inside cover, identify the project name, project number, and “Return Book To:” the office address of the project manager.
- Number all of the pages of the field book starting with the first entry if notebook is not numbered already.
- Record activities as they occur.
- Neatly cross out mistakes using a single line and initial them. Erasures are not permitted. If an error is made on an accountable document assigned to one individual, that individual will make all corrections. The person who made the entry will correct any subsequent error discovered on an accountable document. All subsequent corrections will be initialed and dated.
- Sign or initial and date the bottom of the last daily page of an entry. Place a diagonal line through unused portions of a page.
- Record the following information upon each arrival at the site:
    1. Date/time/weather/project number.
    2. GEI personnel.
    3. Purpose of visit/daily objectives.
    4. Record conversations with:
        a. Contractors.
        b. Client.
        c. Visitors (include complete names, titles, and affiliations whenever possible).
        d. GEI office staff.

e. Landowners (site or abutters).

5. If possible, record telephone numbers of individual contacts for the site in the field notebook.
6. Note time of arrival and departure of individuals visiting the site.

- Potential additional observations to record (as needed):
  1. Type and quantity of monitoring well construction materials used.
  2. Use of field data sheets or electronic logging equipment (e.g. boring logs, monitoring well sampling logs, etc.).
  3. Ambient air monitoring data.
  4. Locations and descriptions of sampling points.
  5. Sample media (soil, sediment, groundwater, etc.).
  6. Sample collection method.
  7. Sample identification number(s) and date and time of sample collection.
  8. Approximate volume of groundwater removed before sampling.
  9. Field observations.
  10. Any field observations made such as pH, temperature, turbidity, conductivity, water level, etc.
  11. References for all maps and photographs of the sampling site(s).
  12. Information pertaining to sample documentation: bottle lot numbers/dates, method of sample shipments, COC record numbers, and overnight shipping numbers.
  13. Surveying data (including sketches with north arrows).
  14. Changes in weather.
  15. Rationale for critical field decisions.
  16. Recommendations made to the client representative and GEI Project Manager.
  17. Include a site sketch or representative site photograph of conditions at the end of the day, if required.
  18. Time.
  19. Summarize work completed/work remaining.

3. Notes

- Only record facts.
- Record all observations regardless of relevancy.
- Identify conditions or events that could affect/impede your ability to observe conditions.
- Do not use spiral notebooks because pages can be easily removed.

4. References

New Jersey DEP Field Sampling Procedures Manual, August 2005.

Yerington Mine Site SOP-03 Standard Operating Procedure Field Notes and Documentation, Revision 0 Revision Date: June 6, 2006.

ASFE Model Daily Field Report (1991), ASFE, Inc.


5. Attachments

Attachment A – Example Field Notes

Attachment A

SOP FD-001

Attachment A – Example Field Notes



Start of each day includes:
- **Date**
- **Project Number**
- **People on site**
- **Purpose of Work**
- **Weather Conditions**

Errors are single line crossed out and initialed

Blank Space crossed out and initialed

Bottom of each page signed and dated

GEI Consultants

STANDARD OPERATING PROCEDURE

FD-002 Field Observation Report

1. Objective

A Daily Report may be required to accurately summarize the activities, observations, and decisions made during the day's field work. The daily field observation report may serve as a permanent record of the day's activity for the Project Manager (PM) and In-House Consultant (IHC).

2. Execution

- If required, at the close of the day's field work, a Daily Report must be prepared by the individual responsible for the field notebook. This report must be completed before leaving work for the day. Contents of the report should include, at a minimum, the following information.
    1. A record of person(s) present at the site, time of arrival, departure times (e.g., GEI, contractor(s), client, etc.).
    2. A record of the daily objective(s) and the activities performed (e.g., drilled five borings in the overburden).
    3. A summary of deviation(s) from the field plan or objectives.
    4. A summary of field decision(s) made, who made it/them, and the basis for such decision(s).
    5. A diagram, sketch, and/or map showing the location and extent of the work or other significant observation(s) made during the day.
    6. Any recommendations that may result from field observations and any actions that resulted from those recommendations.
    7. A summary listing and field sketch showing location(s) of field activity.
- Submit a draft report to the PM/IHC for review and editing related to the clarity and conciseness of the report. Complete any editorial changes, sign, date, and submit the report to PM/IHC for approval/signature. Field Observation Reports should be written neatly. They are not required to be typed unless specifically requested by the PM.

3. Notes

- Not all projects require daily field observation reports.
- The Field Observation Report should be based solely upon factual information, not opinions. Any speculation should be clearly noted in the report as such.

- The Field Observation Report should never be released to anyone other than the PM/IHC prior to review and signoff unless explicitly authorized by the PM/IHC.

4. References

New Jersey DEP Field Sampling Procedures Manual, August 2005.

Yerington Mine Site SOP-03 Standard Operating Procedure Field Notes and Documentation, Revision 0 Revision Date: June 6, 2006.

ASFE Model Daily Field Report (1991), ASFE, Inc.

5. Attachments

Attachment A – Example Daily Report Form

Attachment A

Attachment A: FIELD OBSERVATION REPORT

Project : **Date:**
Client : **Report No.**
Contractor: **Page:**
GEI Proj. No.

Time of Arrival: **Departure:** **Weather:**

Persons Contacted, Company **GEI Representatives**

Purpose of Site Visit:

Observations

1.

By:	**Reviewed By:**

STANDARD OPERATING PROCEDURE

FD-003 Sample Handling and Chain of Custody

1. Objective

To properly collect, label, document, preserve, package, and transport environmental samples; provide a record of the custody of any environmental field sample from time of collection to delivery to the laboratory. The chain of custody (COC) can be used as a legal document to demonstrate that samples were not mishandled and that they were delivered to the laboratory within the timeframe necessary to start analysis. A sample is under custody if it is in:

a) GEI's possession;
b) GEI's sight after being in GEI's possession;
c) it was in GEI's possession and then it was locked up to prevent tampering; or
d) a designated secure area. GEI facilities are designated secure areas.

2. Execution

- Review the work plan and Quality Assurance Project Plan (QAPP) prior to sampling to determine the following:
  i. The analysis required by the work plan and sample volumes required by the laboratory to perform those analysis. (Be explicit when requesting analysis on the COC (e.g. rather than "VOCs" [Volatile Organic Compounds], write "VOCs 8260".)
  ii. The turnaround time required by the project.
  iii. If the data will be sent directly from the laboratory to the data validator or Data Group.
  iv. Holding time restrictions for sampling media and analytical methods.
- Label the jar or bottle
- Following sample collection, the sample container is labeled using a waterproof marker with the sample ID, the date and time (military time) of sample collection, project number, sample preservatives, and the sampler's initials. Sample custody begins at this time.
- Record the above information in the field notebook.
- Individually wrap sample jars with packing material. Place samples in a chilled (4°C) cooler immediately after collection.
- Complete a COC for the samples as described below, and sign off on the COC each time a new person takes possession of the samples. A COC form must accompany each shipment/delivery of samples to the laboratory. GEI or laboratory COC forms may be used as long as the laboratory form contains the same required information as described below.

- An example COC is provided in Attachment A.
- Place a custody seal on the cooler if shipping.
- Transport samples to the laboratory as soon as possible. It is preferable the samples are sent from the field rather than brought back to the office for submission at a later date.

2.1. Chain of Custody (COC) Completion

- Record the project name and number, the sampler's name(s) and the site, town, and state where the samples were collected.
- For each sample, enter the sample identification number, date and time (military time) collected, whether the sample is a grab or composite sample and the number of sample containers. Record the type of analysis (including laboratory method; e.g. EPA-SW846 Method XX) requested and the preservative (if appropriate) in the vertical boxes.
- When samples are ready to be relinquished, complete the bottom of the form with date and time (military time) and signatures of relinquisher and receiver of samples as indicated. The sample collector is always the first signature while the analytical laboratory is the final signature. Theoretically, all individuals handling the samples between collection and laboratory should sign the form; however, if a common carrier (i.e., FedEx, UPS) is used for shipping, GEI must identify the carrier in the 'Received by' box on the COC. If the sampler hand delivers the samples to the laboratory, the received box must be signed by the laboratory.
- Include turnaround time and project contact on the COC.
- The forms are in triplicate (white, yellow, and pink copies). The pink copy should be retained by the sampling personnel and provided to the Data Group for proper filing. The white and yellow copies should accompany the samples to the laboratory.
- Prior to sample shipment, the COC must be placed inside the cooler (in a ziplock bag or other watertight package taped inside the lid of the cooler), and the cooler must be sealed with a signed COC seal.
- If a common carrier such as FedEx is used to transport the samples to the laboratory, include the carrier tracking number and identify the carrier in the "Received by" box on the COC.
- Any unused sampling containers/media that is sent back to the lab should be included on the COC. Return samples to the laboratory in a timely manner.
- Field duplicates should be anonymous to the laboratory, but must be recorded for use by the Data Group. To keep track of this information, link the field duplicate with the proper sample in the field copy of the COC and also the field book.

- Prior to samples being sent to the laboratory, the project or task manager will check the COCs for accuracy against the sample tracking summary, if appropriate, or the work plan.
- After the samples are sent to the laboratory, the field copy must be sent to the Data Group. You can send the field copy with duplicate information in the mail to the Data Group.

3. Notes

- The field notebook must document all GEI personnel who had custody of any samples prior to shipping the samples to the laboratory, the samples must be relinquished to the shipper and the COC signed and dated by the sampler and the shipper, even if both people are GEI personnel.
- Keep the number of people involved in collecting and handling samples and data to a minimum.
- Only allow people associated with the project to handle samples and data.
- Always document the transfer of samples and data from one person to another on chain of custody forms.
- Always accompany samples and data with their chain of custody forms.
- Give sample identification at all times that is legible and written with permanent ink.
- When sending samples via a common carrier, use one COC per package.
- Do not send samples from more than one site with separate COCs in a single package.

4. References

New Jersey Department of Environmental Protection, Field Sampling Procedures Manual, August 2005.

Connecticut Department of Environmental Protection, Guidance for Collecting and Preserving Soil and Sediment Samples for Laboratory

Determination of Volatile Organic Compounds, Version 2.0 February 28, 2006.

5. Attachments

Attachment A – Example Chain of Custody

Attachment A

CHAIN OF CUSTODY

AMERICAN ANALYTICAL LABORATORIES
56 Toledo Street, Farmingdale NY 11735
(T) 631-454-6100 (F) 631-454-8027
www.american-analytical.com

CERTIFICATIONS
NY ELAP - 11418 PA DEP - 68-00573
NJ DEP - NY050 CT DOH - PH-0205

Client Information		Project Information	
Company Name		Project Name	
Address		Street	
City	State Zip	City	State Zip
Project Contact		Project # / Purchase Order #	
Phone #		Sampler's Name / Company	
E-mail		Sampler's Signature	

Analytical Test / Information

LAB SAMPLE # (LAB USE ONLY)	Sample Information			Sample Collection			Sample Containers									
								Number of Each Preserved Bottle								
	Client Sample ID	Sample Type	Matrix Code	Date	Time	Glass / Plastic	Total # of bottles	NONE	HCl	NaOH	HNO_3	H_2SO_4	DI Water (5035A)	MeOH	OTHER	

Turnaround Time (Business Days)	SAMPLE TYPE	MATRIX CODE	ELECTRONIC DELIVERABLES	Comments / Remarks
Standard 7-10 Business Days	**G = Grab**	L = Liquid **PC** = Paint Chip	**NYCRR Part 375 - please circle**	
3 Day *RUSH*			*Unres/ Comm/ Industrial/ Residential/ Res Residential/ PGW*	
5 Day *RUSH*	**C = Composite**	**S** = Soil **SL** = Sludge	**NJ Soil Clean Up Criteria** **SCDOH Action Levels**	
2 Day *RUSH*				
4 Day *RUSH*	**B = Blank**	**O** = Oil **SD** = Solid	**CP 51 - Gas / Fuel** **TCLP Hazardous Waste**	
1 Day *RUSH*				
Please contact laboratory for rush service availability		**W** = Wipe **M** = Misc	**TOGS** **NYSDEC EQUIS**	**Cooler Temp:** _____

Sample custody must be documented below, each time samples change possession, with a signature, date, and time.

RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME
RELINQUISHED BY (SIGNATURE)	DATE / TIME	PRINTED NAME	RECEIVED BY LAB (SIGNATURE)	DATE / TIME	PRINTED NAME

STANDARD OPERATING PROCEDURE

FD-004 Photo Documentation

1. Objective

To properly document and retain photographic records. Keeping a record of photographs taken is crucial to their validity as a representation of an existing situation.

2. Execution

- Photographs of a site, individual samples, or other observations should be taken using a digital camera.
- All photographic records should be recorded in the Field Notebook (SOP FD 001) and the following information should be recorded in the field notebook:
    i. Number of photograph in sequence.
    ii. Compass direction describing the direction the photograph was taken (e.g. looking southeast).
    iii. Brief description of what the photograph is intended to show.
- The field notebook should also note who took the photographs, and the date and time each photograph was taken.
- The photographs should be electronically backed up on a computer or other data storage device.
- Photographs should be placed on a photograph record template and the relevant information describing the photograph should be inserted into the caption section for each photograph.

3. References

New Jersey Department of Environmental Protection, Field Sampling Procedures Manual, August 2005.

4. Attachments

Attachment A – Example of Photo Documentation Template

Attachment A

Attachment A – Example of Photographic Record
GEI Consultants, Inc.

Project: Project Name

Location: Project Location



Photographer: K. Barber
Date: 10/25/07
Photo No.: 1
Direction: N

Comments:
Entrance of site with tree mulching operations.



Photographer: K.Barber
Date: 10/25/07
Photo No.: 2
Direction: W

Comments:
On-site building built in 1936.

STANDARD OPERATING PROCEDURE

FD-005 Surveying and Mapping Specifications

1. Objective

The objective of this Standard Operating Procedure (SOP) is to present the minimum requirements for establishing horizontal and vertical surveying control for field programs. Accurately surveyed locations are a key element in the evaluation of all field data, and are necessary for the preparation of geologic profiles and the interpretation of horizontal and vertical groundwater flow directions, and the locations of facilities. The accuracy of measurements and established elevations is particularly important when groundwater gradients are low, as errors may easily lead to misinterpretation of the direction of groundwater flow. The survey is usually performed after the field activities have been completed. Activities and land features requiring accurate horizontal and vertical control include:

- borings;
- test pits and trenches;
- monitoring wells and piezometers;
- geophysical surveys;
- surface water and drainage features;
- buildings and structures; and
- underground utilities and storage tanks as marked on the surface.

2. Execution

Mapping shall be based on field measurements and calculated to sufficient accuracy to be in conformance with A-2 standards, regardless of the intended end product of such work.

Standard site plans, as a minimum, shall provide the following elements:

- Location of all surface features, including, but not limited to: buildings, structures, fences, aboveground utilities, drainage equipment, underground features as marked on the surface, limits of pavement, landscaped or graded areas, and a general description of surface material and vegetation. All monitoring wells, soil borings, test pits, and other samples points shall be located.
- Location of all enclosed or abutting water bodies. Flow direction of rivers, streams, or surface drainage shall be noted with arrows.
- Location of boundaries by reference to other plans, when available, and to lines of occupation, where apparent. If this information does not exist, the surveyor shall make reference to Assessor's map and lot numbers.

- Disclaimers of certification to boundary and title should be prominently displayed.
- Location of surface features on abutting properties to a distance of 100 feet beyond property boundaries of study area are desired where practical, but in any case, to a minimum of 20 feet. Names of abutting property owners, as listed by the Town Assessor, shall be included.
- Include a location map of sufficient scale and detail to locate the site from a statewide reference.
- Provide a verbal and graphical scale of distance. All maps shall include a north arrow with reference to direction (magnetic, true, or grid). Unless a site-specific grid system is required, NAD83 (2007) should be identified as the horizontal datum.
- All maps shall be accompanied by copies of all field notes and sketches used in their preparation. The surveyor shall provide a coordinate and elevation list for all control and location points.
- Topography, when requested, shall conform to Class T-2 standards (90 percent of contours true to within 1/2 contour interval). The vertical datum should be identified on the plan. Monitoring well elevations shall be established at the ground surface and at the top of casing or riser.
- Requirements for location by state plane coordinates will include reference to geodetic monuments or global positioning system (GPS) base stations used.
- Plan should comply with GEI's Section 3 "File Specifications for Subcontractors" provided below.

Requests for boundary survey entail the following additional requirements.

- Examination of record descriptions of the property and adjoining parcels, of record surveys and plans, and of record easements appurtenant to the property. Record search will extend long enough to determine the original intended boundary locations. Certification as to ownership should be provided by the client's legal counsel.
- Location and description of all boundary monumentation found.
- Location of record easements and visible evidence of entry.
- Location and description of apparent encroachments by structures, occupation, and improvements on the property.
- Location and description of any conflict between deed description and actual occupation.
- Distance and bearing of property lines are to be shown to the nearest hundredth foot (0.01') and arc second (0°00'01''). Area should be shown in decimal acres and/or square feet.

- Plans should include certification as to conformation to state standards for boundary and topographic survey. No other certifications should be provided, except as specifically negotiated with the client.

2.1. Survey Requirements for Exploration Programs

The project manager shall go over the survey program with the survey chief to be sure that all requirements are understood and that the survey crew is alerted to potential site hazards.

The following criteria should be met for all survey programs.

- The survey is to be performed by or under the direction of a registered professional land surveyor.
- The survey shall be accurately performed to a precision of 0.01 foot for vertical control and 0.1 foot for horizontal control.
- Horizontal control is to be related to either a state plane coordinate system or the Universal Transverse Mercator (UTM) coordinate system. North American Vertical Datum (NAVD) 1988 should be used as the vertical datum unless a site-specific datum is required.
- Elevation precision to be obtained at monitoring wells and piezometers shall be:
    i. Top lip of protective casing without cover (0.01 foot); this point should only be used for vertical control and not for water-level measurements.
    ii. Top of monitoring well riser pipe (0.01 foot); a permanent reference point should be marked on the top of the riser to be used as the measuring point for all water-level measurements.
- Establish a permanent site benchmark on the most stable nearby feature and note its location on survey maps.
- The surveyor should submit a report of the survey, including a copy of all original field notes. Survey information needs to be reviewed carefully with respect to horizontal and vertical determinations. Survey errors may often be caught by using relative distances between wells or noting apparent anomalies in water levels or flow directions.

211. Previous Use of a Datum Other Than Mean Sea Level

Many times a parcel of land contains a previously established vertical benchmark on site to which elevations have been referenced. Such an arbitrary local datum may not provide any specific information about its relationship to Mean Seal Level (MSL), or a standard vertical datum. An arbitrary datum, when used, should be identified as a local or arbitrary datum. In other cases, when a standard city-wide local datum is used, the vertical relationship to the standard datum should be provided.

Otherwise, surveys at all sites subject to agency review shall be referenced to NAVD88.

2.12. Weather Conditions

Inclement conditions increase the chance for errors in identification, measurement, and recordings. Surveyors need to take extra time to assure proper identification of all monitoring wells surveyed, to guarantee ice- and snow-free surface elevation shots, and to carefully record survey data despite adverse conditions. Obtaining stable tripod set-ups may be more difficult under these conditions. Sightings should use shorter distances than under more favorable conditions. Warm, sunny days generate heat waves that may present problems for optical instruments.

2.13. Work at Hazardous Waste Sites

Surveyors need to be made aware of hazardous site conditions and potential exposures. Surveyors should have been enrolled in a health monitoring program for any sites which require personal protection above Level D. Note that anticipated risks to surveyors would be expected to be less than for those engaged in collecting samples or in subsurface explorations. However, potential exposure to hazardous materials should be pointed out and appropriate protective equipment worn and used. Surveyors shall also be made aware of other site activities and procedures for evacuation in case of emergency.

3. File Specifications For Subcontractors

3.1. General File Standards

- The method of naming files shall incorporate the name of the site and/or the GEI project number and the content. For example, SITE NAME-001110-Site Layout.
- All files provided to GEI will be electronically transmitted or recorded on CD, DVD, or other permanent recording medium. All referenced files and other supporting files such as special line types, color tables, images, etc., shall be included.
- All files are to be provided in .DWG or .DXF format and shall be compatible with AutoCAD Release 2007.
- It will be standard procedure to have purged all unused entities from a CAD file prior to delivery.
- Each file will be clearly labeled as follows:
    i. Project No.:
    ii. Project Name:
    iii. Drawing Title:
    iv. File Size:
    v. Date:

vi. Revised Date:

- Files which contain non-standard ACAD fonts, line types or custom menus are not acceptable.

3.2. General Drafting Standards

- All entity line types, colors, etc. are to be defined "BYLAYER."
- It shall be standard to use "object snap" for the creation or insertion of all entities (as compared to "eyeballing").
- All symbols will be originally drawn on layer "0." This will allow the symbol to acquire the color and line type properties it is inserted on. All symbols used to define sample locations are to contain attributes describing the sample identifier and any elevation data required by contract.
- All line entities are to be continuous polylines (PLINES).
- All text shall be rotated such that it is readable from the bottom of the sheet and from the right of the sheet. It will be standard to use the AutoCAD style "STANDARD" and Arial font whenever possible. All text shall be of a size such that it is legible when plotted at the file's intended scale.
- North up or to the right.

3.3. General Layering Standards

- The following are some of the acceptable layer names. Others may be added as needed. Descriptions of new layers are to be provided to GEI.
  i. PROPERTY (property lines)
  ii. TRAVERSE
  iii. BASELINE
  iv. BUILDING (buildings, other on-site/off-site structures)
  v. STREET
  vi. ELEC (all electrical lines, manholes, power poles, transformers)
  vii. WATER (all water lines, manholes, hand holes, gates, valves)
  viii. SAN (all sanitary sewer lines, manholes, catch basins, if combined sanitary/storm sewer)
  ix. STM (all storm sewer lines, manholes, roof drains, catch basins)
  x. CONTOUR (all contour lines & labels)
  xi. TEL (telephone)
  xii. GAS (all gas lines, valves, etc.)
  xiii. TEXT
  xiv. TANKRIVER
  xv. STREAM
  xvi. SEDIMENT (sediment sample location)
  xvii. SURFACE SOIL (surface soil sample location)
  xviii. MW (monitoring well location)

xix. BORING (soil boring location)
xx. SURFACE WATER (surface water sample location)
xxi. PAD, SLAB, STRUCTURE, FND (foundations or miscellaneous structures)
xxii. EASEMENT
xxiii. SAMPLING LAYERS (begin with “E” existing or “P” proposed)

3.4. Additional Data Required

- All files shall be accompanied by a “check plot” of each file. The “check plot” shall be checked for accuracy and corrected as necessary.
- Whenever surveyed files are supplied to GEI, they shall be considered incomplete until GEI is provided with copies of all field notes and sketches, data printouts, and a point reference file (if applicableI).

Section 4

DRILLING METHODS (DM)

SUMMARY GUIDANCE

DM-001 General Guidance on Determination of Appropriate Drilling Methods

1. Objective

There are multiple drilling methods which can be employed based on the type of stratum (e.g. overburden or bedrock) and the end use of borehole. End uses include geotechnical investigation, subsurface soil sampling, and monitoring well installation or a combination thereof.

The following text describes different methods of drilling with considerations for their use to collect groundwater and/or subsurface soil samples. Profiles of subsurface conditions encountered and well installation details must be recorded on logs. Procedures for field documentation are provided in Section 3 – Field Documentation.

2. Hollow-Stem Augers (HSAs)

Borings can be installed in unconsolidated formations using hollow-stem augers (HSAs). The augers are advanced by rotation and the drill cuttings are brought to the surface by travelling up the outside of the auger flights in a screw-like manner. HSAs have the advantage of allowing the well to be installed inside the hollow stem of the auger, which prevents the borehole from collapsing. Upon reaching the planned well depth, the casing and screen are placed inside the HSAs and the flights are individually removed while the annular space around the well is filled with the filter pack and grout, as appropriate. Conversely, solid-stem augers must be completely removed from the borehole before well installation, which can lead to collapse of the borehole. For this reason, solid stem augers are seldom used for installation of monitor wells.

HSAs come in a variety of sizes and allow collection of soil samples utilizing split spoons or Shelby tubes. Samples are collected ahead of the augers for determining soil/sediment type, stratigraphy, depth to the water table, and for collecting soil samples for chemical analysis. During this process, the standard penetration test (SPT, American Society for Testing and Materials [ASTM] Method D 1586) can also be performed. The HSA method also has an advantage over mud-rotary drilling techniques in that drilling mud is not used that can contaminate the soil samples and potentially reduce the yield of the wells.

A disadvantage of the method is that HSAs cannot be used to drill into competent bedrock or through large boulders. Also, heaving or running sands can be forced up inside the augers as a result of strong vertical groundwater gradients, which can hamper efforts to collect soil samples or complete well installation. Furthermore, the maximum depth achievable using HSAs, which is generally shallower than other methods, is dependent not only on the ability of the rig (e.g.,

horsepower, rig-torque, weight of augers, etc.), but also the lithology of the material drilled.

3. Rotary Drilling

Rotary drilling methods include both direct rotary and reverse-circulation rotary. Direct rotary is more commonly used in environmental investigations, whereas reverse-circulation rotary is used in drilling large-diameter water supply wells. In direct rotary drilling the borehole is advanced by rotating the drill pipe (rods) and bit to produce a cutting action. The cuttings are removed from the borehole by continuous circulation of a drilling fluid. The fluid or mud is pumped down the inside of the drill pipe and is circulated back to the surface on the outside of the pipe. The fluid removes the drill cuttings from the borehole and cools and lubricates the bit. Mud used during direct rotary consists of additives (e.g., bentonite), water, or air.

Reverse-circulation rotary drilling is similar to direct rotary except the drill rigs are larger and the flow of the drilling fluid is reversed. The drilling fluid moves upward inside the drill pipes and circulates back to the borehole via settling pits. The drilling fluid returns to the borehole via gravity and moves downward in the annular space between the drill pipe and borehole wall. Drilling fluids for reverse-circulation rotary are generally water and any suspended particles picked up from the surrounding formations.

Mud-rotary methods can be used to drill in both unconsolidated and consolidated (bedrock) formations. In addition, drilling mud stabilizes the borehole and limits the potential for borehole collapse. Disadvantages of using the mud-rotary method include the difficulty in determining the depth to the water table, the potential for drilling mud to impact soil samples and dragging of contamination into deeper zones since the drill cuttings are re-circulated in the borehole. Wells installed using this method typically take longer to develop than wells installed using the HSA or air-rotary methods due to the invasion of mud filtrate into the formation.

In air-rotary drilling, compressed air is directed down the inside of the drill pipe to a percussion “hammer” that breaks up soil and shatters rock. As in mud-rotary drilling, air removes the cuttings and lubricates the bit. However, since air has no viscosity, it cannot be used to stabilize a borehole therefore, casing must be advanced in unconsolidated formations to keep the borehole open. This is why air rotary methods are best suited for drilling in bedrock formations. The percussion-type air-rotary hammer bit provides the best penetration rate when drilling bedrock consisting of crystalline rock. However, when drilling above the water table, an air-rotary bit can grind the soil and bedrock to a fine powder which is blown out of the hole with air and which has the potential to be inhaled. Therefore, drilling above the water table using air-rotary methods requires the addition of potable water to the borehole for dust control. In addition, the air

compressor should be of the oil-less variety, or have a filter to prevent any oil from entering the borehole.

A disadvantage of using rotary methods while drilling in unconsolidated formations is the requirement of pulling the drill pipe out of the hole each time a split-spoon soil sample is collected (and the SPT is performed). This adds up to considerable amounts of time when deep wells are being installed or when continuous split-spoon sampling is being performed. As stated above, split-spoons used to collect soil samples can become contaminated when they are advanced down a mud-filled borehole.

A special type of rotary drilling is bedrock coring, wherein a special core bit and barrel are used to retrieve relatively undisturbed core samples of the bedrock. Coring allows better characterization of bedrock lithology and other features including orientation of fractures and bedding planes, which can control contaminant migration. Core barrels can either be unoriented or oriented. An oriented core is scribed with respect to magnetic north. Although more expensive than collecting an unoriented core, this method gives the true orientation of the features encountered in the core.

Drilling fluids are generally air (air-rotary) or bentonite and/or water (mud-rotary). Water added to a borehole must be of potable quality. The source of the potable water used during the installation (and development) of monitor wells should be documented (e.g., in the Remedial Investigation Report).

Bentonite is high swelling clay with sodium montmorillonite as its primary clay mineral. Bentonite is added to water to increase the viscosity of the drilling fluid so that drill cuttings can be removed from the borehole more effectively. At the same time, the viscosity must be low enough to allow cuttings and coarse-grained particles to settle out once they are circulated out of the hole. Bentonite also adds weight to the drilling fluid, which helps to maintain borehole stability.

4. Sonic Drilling

The method involves driving a core barrel using vibration, rotation, and a downward force to collect soil samples. A sonic drill rig looks and operates very much like a conventional top-drive rotary or auger rig. The main difference is that a sonic drill rig has a specially designed, hydraulically powered drill head or oscillator, which generates adjustable high-frequency vibrational forces. The oscillator uses two eccentric, counter-rotating balance weights or rollers that are timed to direct 100 percent of the vibrational energy at 0 and 180 degrees. There is an air spring system in the drill head that insulates or separates the vibration from the drill rig itself. The sonic head is attached directly to the drill pipe or outer casing, sending the high-frequency vibrations down through the drill pipe to the bit.

A core barrel is advanced using vibration, rotation, and downward force to collect continuous soil cores up to 20 feet in length. The bit at the end of the core barrel contains carbide teeth allowing the core barrel to be advanced through most overburden, soft bedrock, and minor obstructions such as bricks and boulders. Once the core barrel has been advanced, a secondary or over-ride casing is advanced down to the same depth as the inner core barrel. The over-ride casing keeps the borehole from collapsing while the inner core barrel is removed. Once the core barrel is removed, the soil core is pushed out of the core barrel through the use of vibration and either air or water pressure. Soil core diameters are dependent on the size of core barrel used and range from 3 to 12 inches. The use of multiple over-ride casings of increasing diameter allows the borehole to be telescoped down through multiple confining units. The setup used in sonic drilling makes this drilling method amendable to collecting soil cores and installing wells in angled boreholes. With only the bottom of the inner and outer core barrel exposed to the aquifer at any given time, determining the location of the water table can be difficult.

While this drilling method has the capability of drilling through and providing samples of coarse gravels, boulders, and tight clays, these situations will result in slow drilling or advancement of the core barrel. The result is a hotter core barrel and a longer contact time between the core barrel and the encased soil core. The aforementioned conditions will increase the probability that the sonic method will raise the temperature of the soil core and facilitate volatile organic compound (VOC) and semi-volatile organic compound (SVOC) loss.

The ability to quickly install deep borings and wells, while generating a large-diameter continuous soil core, makes this drilling technique invaluable when continuous soil sampling is needed to assess deep or complex geological situations. However, sonic drilling's high cost, relative to other drilling methods, may be prohibitive for small projects or shallow boreholes. The higher cost of the drilling method should be weighed against the cost savings incurred due to its faster drilling rate and high quality of the soil core produced.

5. GeoProbe®-Direct Push

The method involves hydraulically pushing a sampling device attached to a string of hollow rods into the subsurface for the purpose of collecting soil and/or groundwater samples (e.g., Geoprobe®). The method can be used to collect discrete soil samples or groundwater samples, as well as install small-diameter groundwater monitoring wells.

Advantages of the direct-push method include the relatively quick collection of groundwater samples and, when used along with a mobile laboratory, collection of data in “real” time. The method allows for collection of multiple samples in a day with the potential for achieving contaminant delineation in one mobilization of

the field equipment. The data can also be used to select locations of permanent monitor wells.

Disadvantages of using a mobile lab include the fact that the data quality achieved are often suitable only for screening purposes. Direct-push methods typically result in very turbid groundwater samples since an oversize borehole is not produced and a filter pack is not used. Turbid samples can produce higher metal concentrations in groundwater samples since metals are typically adsorbed onto soil particles. Use of direct-push methods can also cause cross-contamination since contamination from shallow zones may be driven down to deeper zones.

Another disadvantage of using direct-push technology for collecting groundwater samples is the potential to breech confining units. To prevent this, soil sampling using direct-push technology or conventional split-spoon sampling techniques should first be performed to identify the presence, depth and lateral extent of confining units. Pushing through confining units should be avoided if the presence of dense non-aqueous phase liquid (DNAPL) or very soluble compounds, such as methyl tert-butyl ether (MTBE), are suspected or the contaminant plume appears to be diving in the aquifer.

STANDARD OPERATING PROCEDURE

DM-002 Hollow-Stem Auger

1. Objective

To standardize the drilling of overburden soil borings for environmental investigations. This standard operating procedure (SOP) addresses the use of hollow-stem augers to drill the soil boring.

2. Execution

- If work is to be conducted on private property, verify that the client has been notified (see SOP PP-001) and that access has been granted.
- Ensure that markout procedures outlined in PP-001, PP-002, and PP-003 have been completed.
- Ensure that a safety check has been conducted.
- Inspect the drilling rig to make sure it has been appropriately decontaminated and that the down-hole equipment has been steam-cleaned. Check that the steam-cleaner is working properly (i.e., that steam is being produced). Record all observations and measurements in the field notebook.
- Plastic sheet, plywood sheet, or other suitable cover will be placed around the auger area during drilling, if needed, to contain soil cuttings.
- Soil cuttings will be placed in a 55-gallon steel drum or a roll-off container for subsequent sampling and disposal. Decontamination water and drilling water will be placed in tanks and/or 55-gallon steel drums for proper disposal.
- Prior to the start of drilling, the borehole location should be hand-cleared to a minimum of 5 feet below ground surface.
- For all split-spoon soil samples, use a 140-pound hammer to drive the sampler, unless conditions necessitate using a 300-pound hammer (see SOPs SM-001, *Split-Spoon Sampling* and SM-0003, *Soil Classification,* for details). Count and record the number of blow counts per 6-inch increments, confirming, blow counts with driller if necessary.
- Remove the sample with a clean laboratory spoon and transfer it directly to a suitable sample container.
- Label, preserve, and store the sample in accordance with SOP SC-002 *Sample Handling*.
- Decontaminate the split-spoon sampler after each use (see *Equipment Decontamination,* SOP QA-001) or use another decontaminated split-spoon sampler.
- Direct the drillers to drill the borehole to the top of the next sampling interval. Remove the auger cutting bit/plug and insert the split-spoon

sampler into the interior of the augers (the drillers are responsible for this activity). Measure the stick-up of the rods attached to the sampler to ensure that the nose of the spoon is in virgin soil below the augers.

- Watch for signs of a soil strata change at depth during drilling (i.e., change in blow counts, change in soil color, soil wetness, soil contamination, bouncing of the drill rig, etc.). If important to the investigation, stop drilling and collect a soil sample.
- Repeat until the borehole has been drilled to the desired depth.
- If a monitoring well is not installed in the soil boring, the boring should be abandoned with cement/bentonite grout. Do not backfill the boring with drill cuttings unless explicitly allowed under state-specific regulations and approved by the client.
- Complete boring log and, if necessary, well installation logs (SOP SM-003, *Soil Classification*).
- Record boring locations on a site map and in a field notebook sketch. Measure each location from onsite reference points in the field notebook so that enough information can be obtained to recreate the location.
- All boring locations or monitoring well locations should be surveyed and a boring/well location figure generated.

3. Notes

- In areas of significant soil contamination, hollow-stem augers may cross-contaminate upper soil layers as contaminated cuttings move up the auger flights. The potential also exists for contaminated augers to carry contamination to deeper soil strata.
- If *in situ* borehole permeability tests are to be performed prior to installation of the monitoring well, the hollow-stem auger method is not appropriate due to water loss at the auger junctions.
- If significant unanticipated contamination is encountered during drilling, stop drilling to confer with the project manager and evaluate health and safety conditions. If the borehole is to be advanced below the contaminated strata, use telescoping techniques, if appropriate, (see SOP DM-008 *Monitoring Well Telescoping*) to avoid cross-contaminating underlying geologic strata.
- When drilling below the groundwater table in fine to medium sands, the potential exists for the phenomenon of “running sands” or “blow in” to occur. Frequent measurements inside the hollow-stem augers after the drill bit/plug is removed will indicate if running sands are present.
- If necessary, arrange for the storage of contaminated soil cuttings and water in drums or other appropriate containers in a secure place at the site. Containers should be labeled.
- Plan the drilling program to drill borings from the least- to most-contaminated areas. Be prepared in advance and know where

alternative drilling locations are in the event that problems are encountered at each planned soil boring location. Alternative locations will need to have utility clearance.

4. References

Standard Practice for Design and Installation of Ground Water Monitoring Wells in Aquifers (October 1990), American Society for Testing and Materials [ASTM] D5092-90.

Nielsen, D.M. (1993), "Correct Well Design Improves Monitoring," Environmental Protection, July, pp. 38-49.

Standard References for Monitoring Wells (April 1991), Commonwealth of Massachusetts Department of Environmental Protection, WSC-310-91.


5. Attachments

Attachment A – Hollow-Stem Auger

Attachment A

SOP DM-002

Attachment A – Hollow Stem Auger



GEI Consultants

STANDARD OPERATING PROCEDURE

DM-003 Sonic Drilling

1. Objective

The objective of this standard operating procedure (SOP) is to standardize the drilling of overburden soil borings for environmental investigations. This SOP addresses the use of sonic drilling to drill the soil boring.

2. Execution

- If work is to be conducted on private property, verify that the client has been notified (see SOP PP-001) and that access has been granted.
- Ensure that markout procedures outlined in PP-001, PP-002, and PP-003 have been completed.
- Inspect the drilling rig to make sure it is clean and that the down-hole equipment has been steam-cleaned. Check that the steam-cleaner is working properly (i.e., that steam is being produced). Record all observations and measurements in the field notebook.
- Prior to the start of drilling, the borehole location should be hand-cleared to a minimum of 5 feet below ground surface (bgs).
- Collect soil cores in shorter runs. While some sonic rigs have the capability of collecting 20 feet of soil core at a time, the process of collecting the longer core results in the core being in contact with the core barrel for a longer period of time and consequently absorbing more heat from the core barrel itself.
- The core barrel should be cleaned with tap water following each use.
- The field geologist will classify and sample the soil located within the liner.
- Upon completion, the excess soil will be placed into a 55-gallon drum for disposal and the inner liner properly disposed.
- The core barrel will then be advanced, within the isolation casing on the same borehole, to collect the next soil core interval.
- Add water between the inner core barrel and the outer override casing. This water would reduce friction and adsorb heat between the inner core barrel and the outer over-ride casing.
- Maximize drilling advance rate. The faster the core barrel is advanced, the less likely the core barrel will heat up, and the less contact time the soil core has with the core barrel. Drilling with a 3-inch diameter core barrel and a 5-inch diameter override casing, instead of the standard 4-inch core barrel and 6-inch over-ride casing, may increase advance rates and reduce the potential for soil core heating.
- If a significant decrease in drilling advance rate is observed, stop drilling and remove what soil core has accumulated in the core barrel.

Resume drilling through the resistant material (gravel, boulder, hard clay, etc.). When the resistant material has been penetrated and the drilling advance rate increases, stop drilling and remove what material has accumulated in the core barrel.

- Wash down the core barrel with cool water to cool the core barrel and associated casing, and resume drilling.
- If a well is to be installed in the borehole, the sandpack and grout are placed as the core-barrel and over-ride casing(s) are selectively vibrated out of the ground. The vibratory action reportedly facilitates the settlement of the sandpack and grout. Upon completion, no casing is left in the ground other than the well casing and screen.

3. Notes

- Disturbance of the soil core is most likely to occur during removal of the soil core from the core barrel. The soil cores are usually vibrated out of the core barrel into plastic bags approximately 5 feet in length. As the plastic bags are a little larger than the soil core itself, fragmentation of the soil core may occur as the core is extruded into the bag or while the bagged core is being moved in an unsupported manner. Soil conditions that are prone to disturbance include wet or dry zones that contain little or no fines, and well graded sands that contain significant volumes of water.
- If integrity of the soil core is of concern, the following procedures should be implemented:
    i. Measures should be taken to ensure that the core, from the time it is extruded from the core barrel, is rigidly supported through the use of some type of cradle or carrying device.
    ii. The core should not be removed from its cradle until all sampling of the core has been completed. Acrylic liners are available for some core sizes and can be used to hold the core together upon removal from the core barrel.
    iii. If the soil is to be sampled for volatile organic compounds (VOCs), acrylic liners must be used.
    iv. Sampling of the soil core for VOCs or semi-volatile organic compounds (SVOCs) must be approved on a case by case basis. Proposals for VOC or SVOC soil core sampling must include provisions to minimize core fragmentation and heat generation, such as:
        1. Acetate liners in the core barrel so that the soil core does not have to be extruded out of the core barrel.
        2. Limit the length of soil core generated during a given downhole run.
        3. Implement practices to reduce the residency time of the soil core in the core barrel.

- For the analysis of SVOCs, the use of the acetate liners is not required.
- The large diameter of the core barrel enables ground water sampling equipment to be placed inside the core barrel so that discrete depth groundwater samples can be collected during borehole advancement.

4. References

Standard Practice for Design and Installation of Ground Water Monitoring Wells in Aquifers (October 1990), American Society for Testing and Materials [ASTM] D5092-90.

STANDARD OPERATING PROCEDURE

DM-004 Drive and Wash

1. Objective

The objective of this standard operating procedure (SOP) is to standardize the drilling of overburden soil borings for environmental investigations. This SOP addresses the use of casing with either the drive-and-wash or spin method to drill the soil boring.

2. Execution

- If work is to be conducted on private property, verify that the client has been notified (see SOP PP-001) and that access has been granted.
- Ensure that markout procedures outlined in PP-001, PP-002, and PP-003 have been completed.
- Steam cleaning may be performed by drillers either on site or prior to site mobilization. If performed prior to site mobilization, observe the drilling rig to make sure it is clean and that the down-hole equipment has been steam-cleaned. Check that the steam-cleaner is working properly (i.e., that steam is being produced). Record all observations and measurements in the field notebook (See SOP FD-001).
- If a surface-soil sample is desired, this sample should be collected prior to hand-clearing the borehole and in accordance with SOP SM-001 and American Society of Testing and Materials (ASTM) Specification D-1586-84.
- Prior to the start of drilling, the borehole location should be hand-cleared to a minimum of 5 feet below ground surface.
- For all split-spoon soil samples, use a 140-pound hammer to drive the sampler, unless conditions necessitate using a 300-pound hammer (see SOPs SM-001, *Soil Sampling Techniques Including Split-Spoon* and SM-0003, *Soil Classification,* for details). Count and record the number of blow counts per 6-inch increments, confirming, blow counts with driller if necessary.
- Decontaminate the split-spoon sampler after each use (see SOP QA-001 *Equipment Decontamination).*
- Instruct drillers to drill the borehole, either by pounding or spinning the casing, to the top of the next sampling interval.
- The wash water should be carefully observed for indications of a soil strata change with depth (i.e., change in soil color and particle size). Record the changes and depth of changes on the boring log. Make sure that the soils in the borehole have been fully removed by the rotary bit before sampling by measuring the depth of the borehole, or by measuring the length of stick-up of drill rods to verify that the driller has sufficiently cleaned out the boring.

- Monitor the return wash water and record water losses from around the borehole onto the ground surface.
- Follow steps until the borehole has been drilled to the desired depth. If refusal is encountered, a 5-foot core of the rock (at a minimum) may be required to confirm the bedrock surface (see site-specific field sampling plan).
- If a monitoring well is not installed in the soil boring, the boring should be abandoned with cement/bentonite grout. Do not backfill the boring with drill cuttings unless explicitly allowed under state-specific regulations and approved by the client.
- Complete boring log and, if necessary, well installation logs (see SOP SM-006 *Rock Coring Log*).
- Record boring locations on a site map. Measure each location from on-site reference points and record the information in the field book.

3. Notes

- At all times, follow safety procedures as defined in the site-specific Health and & Safety Plan.
- When the first 5-foot section of casing is pounded into the ground, make sure that the casing (i.e., the borehole) is vertical.
- If significant unanticipated contamination is encountered during drilling, stop drilling to confer with the project manager and evaluate health and safety conditions.
- If the borehole is to be advanced below the contaminated strata, use telescoping techniques (see DM-008 *Monitoring Well Telescoping)* to avoid cross-contaminating underlying geologic strata.
- While drilling through contaminated strata, do not recirculate the drilling water. Be prepared to containerize the drilling water in these situations.
- When drilling below the groundwater table in fine to medium sands, the potential exists for the phenomenon of “running sands” to occur. To minimize the problem, remove the drill rods with the rotary bit very slowly while adding potable water to the casing. A head should be kept on the borehole at all times.
- Arrange for the storage of contaminated soil cuttings and water in drums or other appropriate containers in a secure place at the site (see SOP SC-003, *Investigation Derived Waste*).
- Plan the drilling program to drill borings from the least to most contaminated areas. Be prepared in advance and know where alternative drilling locations are in the event that problems are encountered at each planned soil boring location. These locations must also have been cleared by the state utility service prior to drilling.

4. References

Standard Practice for Design and Installation of Ground Water Monitoring Wells in Aquifers (October 1990), American Society for Testing and Materials [ASTM] D5092-90.

Nielsen, D.M. (1993), "Correct Well Design Improves Monitoring," Environmental Protection, July, pp. 38-49.

Standard References for Monitoring Wells (April 1991), Commonwealth of Massachusetts Department of Environmental Protection, WSC-310-91.

ASTM Standard D1586, Standard Method for Penetration Test and Split Barrel Sampling of Soils.

STANDARD OPERATING PROCEDURE

DM-005 GeoProbe® Direct Push Boring

1. Objective

The purpose of this standard operating procedure (SOP) is to standardize soil sample collection using GeoProbe® and MacroCore® technologies. A Geoprobe® relies on a relatively small amount of static (vehicle) weight combined with percussion as the energy for advancement of a tool string. Using a Geoprobe®, you can drive a MacroCore® to obtain continuous soil cores or discrete soil samples.

2. Execution

- Complete utility markout procedures in accordance with PP-001, PP-002, and PP-003.
- Inspect the drilling rig to make sure it is clean and that the down-hole equipment has been steam-cleaned. Check that the steam-cleaner is working properly (i.e., that steam is being produced). Record all observations and measurements in the field notebook.
- Prior to the start of drilling, the borehole location should be hand-cleared to a minimum of 5 feet below ground surface.
- Insert a Macrocore® (MC) liner, (i.e., polyvinyl chloride [PVC]) into the sample tube, and connect a MC drive head to the top of the sample tube. A diagram of the MC assembly is provided as Attachment A.
- The drive head is then tightened into the sample tube, and a drive cap is attached to the drive head.
- Place the sampler in the driving position, and drive the sampler until the drive head reaches the ground surface.
- Remove the drive cap, attach a pull cap to the sampler drive head, and pull the sampler out of the ground.
- Remove the cutting shoe and filled liner.
- When the sampler is brought to the ground surface, it should be opened immediately, and the length of recovery should be measured and recorded.
- Decontaminate the sampler if necessary (SOP QA-001 *Equipment Decontamination*) and reassemble the parts with a new liner, and insert the sampler down the same hole to take the next soil core.
- In non-cohesive soils, slough material may enter the sampler as the next core is collected (see notes below).
- Careful logging of soil stratigraphy is necessary to document whether soil sloughing has occurred within the borehole (see limitations).
- Remove the sample with a clean laboratory spoon and transfer it directly to a suitable sample container.

- Label, preserve, and store the sample in accordance with SOP SC-002 *Sample Handling*.
- If a monitoring well is not installed in the soil boring, the boring should be abandoned with either cement/bentonite grout. Do not backfill the boring with drill cuttings unless explicitly allowed under state-specific regulations and approved by the client.
- Upon completion, all soil boring locations will be surveyed. This will include the location and ground surface elevation.

3. Notes

- The GEI oversight person shall ensure that the borehole created by the MC sampling tube does not collapse between collection of each sample. If the borehole collapses and representative samples cannot be obtained using the standard macro-core sampler, then one of two options may be used.
    i. The MC sampler can be fitted with a piston rod assembly, or a 1.5-inch outer diameter (OD), large bore sampler equipped with a piston rod assembly may be used to collect the samples. The sample tube (MC) is advanced through the caved-in borehole material to the top of the desired sampling interval. The sample tube remains closed by a piston tip as it is advanced. Upon reaching the target sample depth, the piston tip will be released and the discrete sampler device is then advanced to collect the representative sample.
    ii. The piston rod assembly is driven up to the top of the sample tube as the sample enters the tube.
- Because the MC sampling tube uses a dedicated, disposable liner made of clear plastic, the only part of the sampler that contacts the soil sample is the cutting shoe. Each sample liner will be disposed of after use and a new liner will be placed in the macro-core tube prior to collection of subsequent samples. Cutting shoes and sample collection spoons used to transfer samples to the laboratory jars will be decontaminated between use.

4. References

ASTM D6001-05 Guide for Direct Push Water Sampling for Geoenvironmental Investigations, April 2005.

GeoProbe Systems, "GeoProbe MacroCore MC-5 1.25-inch Light Weight Center Rod Soil Sample System SOP", Technical Bulletin No. MK 3139, November 2006.


5. Attachments

Attachment A – GeoProbe® with Macrocore® Sampler Assembly

Attachment A


SOP DM-005

Attachment A – GeoProbe® with Macrocore® Sampler Assembly



Above: Diagram of a Macrocore® sampler

Right: A track-mounted GeoProbe ® Rig



GEI Consultants

STANDARD OPERATING PROCEDURE

DM-006 Monitoring Well Construction and Installation

1. Objective

The objective of this standard operating procedure (SOP) is to standardize the installation of overburden monitoring wells for environmental investigations. This SOP assumes the monitoring wells will be constructed of flush-joint polyvinyl chloride (PVC) pipe; the screened section will have factory-slotted openings. Well dimensions (well diameter, screen length, and screen slot-diameters) will be specified in the Work Plan and recorded in field notes, along with rationale for any changes from the work plan.

2. Execution

- Attachment A provides a diagram of typical shallow, intermediate, and deep groundwater monitoring well construction detail.
- During the monitoring well installation, record all pertinent information on Attachment B, Well Construction Form.
- Using a weighted tape, measure and record the depth of the completed soil boring (within the augers), if applicable, before beginning the well installation.
- Measure the depth to groundwater in the borehole over a 10 to 15 minute period to ensure that the groundwater elevation has approximately stabilized. Compare the saturated soil depth estimated from the soil samples, if collected prior to well installation, to the measured water level in the borehole. If drilling water has been used during boring advancement, pump the water out of the borehole to the static water depth, based on examination of the soil samples, and monitor the recovery of groundwater until the level has stabilized.
- Choose the monitoring well screen and riser lengths so that the slotted section of the screen intersects the groundwater table, for shallow wells. If the borehole is deeper than the desired well depth, then fill the base of the borehole with sand.
- A minimum of a one-foot sump should extend to the bottom of the well if dense non-aqueous phase liquid (DNAPL) is suspected.
- Monitoring well screens should be constructed of either 2 or 4 inch inner diameter (ID) 0.01-inch or 0.02-inch slotted Schedule 40 PVC well screen.
- If DNAPL is suspected, the monitoring well should be constructed of either 2 or 4 inch ID 0.02-inch slotted Schedule 40 PVC well screen.
- Monitoring wells should be constructed of either 2 or 4 inch ID Schedule 40 threaded flush-jointed PVC. One-inch wells may be installed with prior approval of the client and the New York State Department of Environmental Conservation.

- Install and secure a bottom well cap. The bottom cap should be secured with either a threaded coupling and/or stainless steel screws. Do not use any kind glue to secure well sections together.
- Place at least 12 inches of clean uniformly graded medium quartz filter sand pack into the base of the borehole. Measure and record the depth of the boring. Temporarily cover the top of the riser pipe and lower the complete well plus riser into the borehole, with the base resting on the sand pack.
- Add adequate sand to surround the area around the slotted section. The filter sand should extend at least 2 feet above the top of the slotted section.
- Remove the drilling casing/augers from the borehole slowly, at a maximum of 2-foot intervals. As the drillers pour or use tamping rods to place the filter sand in the borehole, take frequent measurements of the depth-to-sand. Do not let the sand bridge in the annular space. Continue to observe the water level in the borehole.
- Place at least 1 foot of bentonite seal above the filter pack. If the seal is above the water table, use at least 5 gallons of potable water to hydrate the bentonite.
- If necessary, pump bentonite-cement grout using a tremie pipe into the bottom of the annular space to the ground surface. Grout should be mixed in approximately the following proportions: 7.5 gallons water to one 94-pound bag of cement to 2-4 pounds of pulverized bentonite. The grout must be mixed using the pump on the rig to ensure proper mixing. The protective casing should be set in the grout before it sets.
- The protective surface casing will be either a flush-mounted roadbox or a steel “stick up” pipe. The base of either type of casing should extend at least 1 foot into the grout below the ground surface (below the frost line) whenever possible.
- Cut the monitoring well riser flat and place a mark or V -notch or an arrow on the casing with an indelible marker at one point for surveying and groundwater measurements. Cut the well riser so that the top of the well is 3 to 6 inches below the top of the protective casing.
- Set bentonite-cement grout in the annular space between the protective casing and the borehole up to the ground surface. Slope the concrete radially away from the protective casing at the ground surface to promote surface water runoff. In areas of high traffic or areas of parking lots and/or roadways where plowing occurs, set the roadbox FLUSH with the ground surface to avoid damage to the well.
- If the well is installed in a high-traffic area with a guardpipe, additional protection such as steel pole bumpers around the guardpipe may be necessary.
- Place a locking, vented cap on the well pipe.

- All well locations should be photodocumented in accordance with SOP FD-004, *Photo Documentation*.
- Label the protective well casing with a paint pen and tape out the location to nearby landmarks so that the well may be located in the future. Make sure to enter this information in the field notebook. If possible, place a brightly colored stake or other identifier adjacent to the well.
- Develop the well (see SOP DM-009, *Monitoring Well Development*).
- Upon completion, all newly installed monitoring wells will be surveyed. This will include the well location, ground surface elevation and measuring point elevation.

3. Notes

- At all times, follow safety procedures as defined in the site-specific Health and Safety Plan.
- Site-specific conditions must be evaluated to determine appropriate materials.
- The water table will fluctuate seasonally and from year-to-year. Try and estimate the maximum high and low elevations of the water table from the current water table elevation and the season. Place the 10-foot screen so that at least 2 feet of the screen will extend above the top of the screen when water is at its highest. If very substantial fluctuations in the groundwater table are expected, a 15-foot screen is acceptable.
- Do not screen across different hydrostratigraphic units if possible (for example, outwash sands and till) unless specified in the Work Plan or approved by the Project Manager.
- If the formation is composed of a material that is uniformly coarser than the filter sand, the grain size of the filter sand must be increased. Consideration should also be given to changing the slot size on the well screen. Differences in average grain size should generally not be greater than a factor of two to four times.
- Do not use borehole/auger cuttings for backfill during monitoring well installation. If the cuttings are suspected to contain contamination which was identified during drilling, cuttings are to be containerized for later characterization and not used for filter pack materials.
- Do not screen across a confining layer (e.g., silt or clay). Backfill all confining layers with hydrated bentonite or grout.

4. References

Standard Practice for Design and Installation of Ground Water Monitoring Wells in Aquifers (October 1990), American Society for Testing and Materials [ASTM] D5092-90.


Nielsen, D.M. (1993), "Correct Well Design Improves Monitoring," Environmental Protection, July, pp. 38-49.

5. Attachments

Attachment A – Typical Shallow, Intermediate, and Deep Groundwater Monitoring Well Construction Detail


Attachment B – Well Construction Form

Attachment A



SHALLOW

INTERMEDIATE AND DEEP



NOT TO SCALE

TYPICAL SHALLOW, INTERMEDIATE AND DEEP GROUNDWATER MONITORING WELL CONSTRUCTION DETAIL

November 2010

Attachment B

WELL CONSTRUCTION FORM

Project _____ ID No. _____


Location _____ PG. 1 OF 1

Client _____ Boring No. _____

Contractor _____ Driller _____ Location _____

Inspected by _____ Date Started _____

Checked by _____ Date Completed _____ Project No. _____



NOTES:

GEI Consultants

STANDARD OPERATING PROCEDURE

DM-007 Monitoring Well Telescoping

1. Description

The method of monitoring well telescoping prevents the connection of two stratigraphic layers during monitoring well installation. Typically, these two stratigraphic layers are overburden and bedrock strata, or overburden deposits with a semiconfining layer.

2. Execution

- If work is to be conducted on private property, verify that the client has been notified (see SOP PP-001) and that access has been granted.
- Ensure that markout procedures outlined in PP-001, PP-002, and PP-003 have been completed.
  Prior to the start of drilling, the borehole location should be hand-cleared to a minimum of 5 feet below ground surface.
- Install large diameter casing (e.g., 6-inch outer diameter) to the top of the bedrock or semiconfining layer.
- Drill or core at least 10 feet into bedrock, or an appropriate thickness into the semiconfining layer, to confirm the presence of bedrock and adequately separate stratigraphic units (see precautions below).
- Freshly mixed grout is required. Depending on application, a mixture of Portland cement and bentonite meets most grouting requirements. For proper consistency, use no more than 6 gallons of water per 94-pound sack of cement. Add a few pounds of bentonite or hydrated lime per sack of cement for a better flow.
- Use a tremie pipe to deliver grout outside the casing. This method is not recommended for depths greater than 100 feet. You can use this method if the space between the casing and the borehole wall is large enough to contain a 1-inch tremie pipe. Use the following procedures to complete grouting using this method:
  i. Lower the tremie-pipe to the bottom of the borehole outside of the well casing. Make sure that the lower end of the casing is tightly seated at the bottom of the borehole.
  ii. Mix a sufficient quantity of grout and pump it through the tremie pipe or let it descend naturally. As the grout is placed, lift the tremie pipe slowly, but keep the lower end submerged in the grout.
  iii. Fill the casing with water as the grout is placed to balance the fluid pressure inside and outside the casing. Doing so prevents grout from leaking under the bottom of the casing.
  iv. Allow the grout to set for a minimum of 24 hours.

v. Drill through the existing casing into bedrock to complete monitoring well. Install additional casing, polyvinyl chloride (PVC), or open borehole into bedrock.

3. Notes

- These operating procedures include drilling the borehole used to case off the overburden a minimum of 10 feet into a semiconfining layer. However, if dense non-aqueous phase liquid (DNAPL) and/or dissolved contamination is suspected or likely to be present in the weathered bedrock, the 10-foot casing requirement will hide the DNAPL from detection. In this case, an overburden well (with casing and screen) should be installed in the weathered bedrock and an outer steel casing installed 10 feet into bedrock would not be required.

4. References

Environmental Protection Agency, Region 4, "Environmental Investigation Standard Operating Procedures and Quality Assurance Manual, Chapter 6 – Design and Installation of Monitoring Wells," November 2001.

STANDARD OPERATING PROCEDURE

DM-008 Monitoring Well Development

1. Objective

To remove drilling fluids and fine soil particles that may be trapped in the monitoring well's sand pack and screen, and to set the sand pack so that it will function properly, and create good hydraulic communication between the well and the formation.

2. Execution

- Wait at least 48 hours following monitoring well installation before beginning development activities.
- Decontaminate all development equipment prior to use with, Alconox, and deionized-water rinses. See SOP QA-001, *Equipment Decontamination*.
- Calculate the volume of water in the monitoring well (one well volume).
- Record volume on Monitoring Well Development Record (Attachment A).
- Collect a sample of water from the monitoring well with a submersible pump, a bailer, or a water pump. Record the color and turbidity of the sample.
- Utilize one of the following methods for purging:
  - Surging;
  - Bailing;
  - Using a centrifugal pump and dedicated polyethylene tubing;
  - Positive displacement pumps and dedicated polyethylene tubing; and/or
  - Other methods recommended by the field geologist and approved by the client Project Manager.
- Purge groundwater until it runs clear (<50 nephelometric turbity units [NTUs]) or until pH, temperature and specific conductivity stabilize as judged suitable by the field geologist.
- Well development should not exceed two hours for a single well.
- Measure the purge rate (gallons per minute) and total volume purged.
- Monitor the groundwater level in the well during development to determine if the pumping rate is sufficient to create a drawdown in the well.
- Collect groundwater samples every few well volumes during the pumping and record the physical properties (color and turbidity).
- Stop pumping when the purge water is relatively clear. Place a surge block in the monitoring well (if the method of development doesn't include a down-hole pump which serves as a surge block). Slowly

move the surge block up and down in the well. Periodically remove the surge block and purge the groundwater until it is relatively clear again. Start at a slow pace and progress to a faster surging action through time.

- Monitor the turbidity and color of the water during this procedure. The well is considered fully developed when all of the following criteria have been met:
    i. The volume of fluid added during drilling has been removed.
    ii. The water removed from the well is relatively free of fine-grained particles.
    iii. Record the volume of water pumped from the well and the physical properties (color, turbidity) of the water.

3. Notes

- Always remove groundwater with fine particles from the well before surging. The fine particles may be forced into the well screen by the surging action.
- Pump contaminated groundwater into an approved container (properly labeled drum or portable tank for transfer into frac tank).
- Use a bailer to develop monitoring wells that are installed in soils that are composed of fine-grained silts and clays. Pumping and mechanical surging is not recommended because these more vigorous techniques can cause fine particles to clog the filter pack.
- Sampling of groundwater should not occur within one weekafter development.

4. Calculations

To calculate the volume of water in the well, the following equation is used:
Well Volume (V) = Br^2 h (cf) **[Equation 1]**
where:

B = pi (3.14)
r = radius of monitoring well in feet (ft)
h = height of the water column in ft. [This may be determined by subtracting the depth to water from the total depth of the well as measured from the same reference point.]
cf = conversion factor in gallons per cubic foot (gal/ft^3) = 7.48 gal/ft^3. [In this equation, 7.48 gal/ft^3 is the necessary conversion factor.]

Monitor well diameters are typically 2-, 3-, 4-, or 6-inches. A number of standard conversion factors can be used to simplify the above equation using the diameter of the monitor well. The volume, in gallons per linear foot, for various standard monitor well diameters can be calculated as follows:
Where:

V (gal/ft) = Br^2 (cf) **[Equation 1]**

B = pi (3.14)
r = radius of monitoring well (ft)
cf = conversion factor (7.48 gal/ft^3)

For example, a 2 inch diameter well, the volume per linear foot can be calculated as follows:

V (gal/ft) = Br^2 (cf) **[Equation 2]**
= 3.14 (1/12 ft)^2 7.48 gal/ft^3
= 0.1631 gal/ft

NOTE: The diameter must be converted to the radius in feet as follows:

Well Diameter (inches) x 0.5 = Well Radius (ft) **[Equation 3]**

The volume in gallons/feet for the common size monitor wells are as follows:

Well diameter (inches)	Volume (gal/ft)
2	0.1631
3	0.3670
4	0.6524
6	1.4680

If you utilize the volumes for the common size wells above, Equation 1 is modified as follows:
Where:

Well volume = (h) (f) **[Equation 4]**

h = height of water column (ft)

f = the volume in gal/ft calculated from Equation 2

5. References

Standard Practice for Design and Installation of Ground Water Monitoring Wells in Aquifers (October 1990), American Society for Testing and Materials [ASTM] D5092-90.

Nielsen, D.M. (1993), Correct Well Design Improves Monitoring, Environmental Protection, July, pp. 38-49.

The Methods & Mechanics of Well Development, Part 2 of 5, National Drillers Buyers Guide, March 1993, p. 17.

Standard References for Monitoring Wells (April 1991), Commonwealth of Massachusetts Department of Environmental Protection, WSC-310-91.

U. S. EPA Environmental Response Team Standard Operating Procedure SOP: 2044 ," Monitor Well Development" REV: 0.1, 10/23/01.

6. Attachments

Attachment A - Monitoring Well Development Record

Attachment A

Monitoring Well Development Record

Project: _____ **Well ID:** _____ **Date:** _____

Total Well Depth (from top of casing): _____

Depth to Water (from top of casing): _____

Well Diameter: _____

Pump Intake Depth: _____

Sampling Crew: _____

Purge Time: *Start:* _____ *Finish:* _____

Purging Method: _____

Sample Time: *Start:* _____ *Finish:* _____

Sampling Method: _____

Sample Analysis: _____

Purge Data										
Sample Time	**Flow Rate** *(lpm/gpm)*	**Volume Purged** *(liters/gals.)*	**pH** *(std. Units)*	**Conductivity** *(mS/cm)*	**Turbidity** *(NTU)*	**Dissolved Oxygen** *(mg/l)*	**Temperature** *(Cel.)*	**Salinity** *(%)*	**ORP** *(mV)*	**Comments/Observations**
										Well Headspace PID =

Final Stabilization Data										
Sample Time	**Flow Rate** *(lpm/gpm)*	**Volume Purged** *(liters/gals.)*	**pH** *(std. Units)*	**Conductivity** *(mS/cm)*	**Turbidity** *(NTU)*	**Dissolved Oxygen** *(mg/l)*	**Temperature** *(Cel.)*	**Salinity** *(%)*	**ORP** *(mV)*	**Comments/Observations**

GEI Consultants

SUMMARY GUIDANCE

DM-009 General Guidance on Monitoring Well Abandonment

1. Objective

To properly abandon a monitoring well, preventing direct connections from surface conditions to the well screen zone.

When a decision is made to abandon a monitoring well, the borehole should be sealed in such a manner that the well can not act as a conduit for migration of contaminants from the ground surface to the water table or between aquifers. Guidelines for well abandonment are provided below but do not supersede state or local regulations. Make sure all well abandonment procedures adhere to appropriate regulations.

To properly abandon a well, the preferred method is to completely remove the well casing and screen from the borehole, clean out the borehole, and backfill with a cement or bentonite grout, neat cement, or concrete. In order to comply with New York State well abandonment requirements, the New York State Department of Environmental Conservation (NYSDEC) should be notified (if applicable) of monitoring well abandonment. However, some state requirements are not explicit, so a technically sound well abandonment method should be designed based on the site geology, well casing materials, and general condition of the well(s). In New York, the NYSDEC policy document titled, CP-43: Groundwater Monitoring Well Decommissioning Policy, should be followed. The document includes a flow chart to be used in selecting the appropriate decommissioning methods based upon the geologic and hydrogeologic conditions at the well site, the presence or absence of contamination in the groundwater and the original well construction details.

Execution

In accordance with NYSDEC's policy document referenced above, the four primary well decommissioning methods are:

- Grouting in-place.
- Perforating the casing followed by grouting in-place.
- Grouting in-place followed by casing pulling.
- Overdrilling and grouting with or without a temporary casing.

The methods and rationale for each of these methods is detailed in NYSDEC's policy document.

1.1. Borehole Abandonment

All soil borings not finished as monitoring wells or piezometers will be abandoned by adding neat cement grout or cement/bentonite grout via tremie pipe from the bottom of the borehole up to the ground surface. If the boring was completed via the hollow stem auger method, the borehole will be grouted as the augers are withdrawn, in the case of a direct-push soil boring, the borehole will be redrilled and pressure-grouted from the bottom depth of the borehole up. The neat cement grout will be mixed in accordance with the manufacturer's recommendations. The bentonite/cement grout will be mixed in the following relative proportions: 30 gallons of water to three 94-pound bags of cement to 25 pounds granular bentonite.

2. References

New York State Department of Environmental Conservation, *"CP-43: Groundwater Monitoring Well Decommissioning Policy"*, November 2009.

Environmental Protection Agency, Region 4*, "Environmental Investigation Standard Operating Procedures and Quality Assurance Manual, Chapter 6 – Design and Installation of Monitoring Wells,"* November 2001.

3. Attachment

Attachment A – CP-43: Groundwater Monitoring Well Decommissioning Policy

Attachment A

CP-43:Groundwater Monitoring Well Decommissioning Policy

New York State Department of Environmental Conservation

DEC POLICY

Issuing Authority: Commissioner Alexander B. Grannis	
Date Issued: November 3, 2009	**Latest Date Revised:**

I. Summary:

Groundwater monitoring wells provide essential access to the subsurface for scientific and engineering investigations (including monitoring wells installed for leak detection purposes). To a degree, every monitoring well is an environmental liability because of the potential to act as a conduit for pollution to reach the groundwater. To limit the environmental risk, a groundwater monitoring well must be properly decommissioned when its effective life has been reached. This document provides procedures to satisfactorily decommission groundwater monitoring wells in New York State. This policy also pertains to other temporary wells such as observation wells, test wells, de-watering wells and other small diameter, non-potable water wells. It does not pertain to water supply wells.

II. Policy:

Environmental monitoring wells should be decommissioned when:

1. they are no longer needed and re-use by another program is not an option; or
2. the well's integrity is suspect or compromised.

The method for decommissioning will be determined based upon well construction and environmental parameters. The method selected must be designed to protect groundwater and implemented according to current best engineering practices while following all applicable federal, state and local regulations. *Groundwater Monitoring Well Decommissioning Procedures* shall be maintained as an addendum to this policy.

This policy is applicable to all New York State Department of Environmental Conservation (DEC) programs that install, utilize and maintain monitoring wells for the study of groundwater, except monitoring wells for landfills regulated under 6 NYCRR Part 360 decommissioned in accordance with those regulations [*see* 6 NYCRR 360-2.11(a)(8)(vi)] and wells installed under the Oil, Gas and Solution Mining Law, Environmental Conservation Law Article 23. There is no specific time frame to dictate when to decommission a well; timing is dependent upon the use and condition of the well

and shall be determined on an individual basis. Best professional judgment must be exercised when using the decommissioning procedures. Outside of DEC use, this policy is mandatory when incorporated into the specifications of a state contract, an Order on Consent or a permit. In all other situations, it shall serve as guidance.

III. Purpose and Background:

This document establishes a monitoring well decommissioning policy and provides technical guidance. Synonyms for well decommissioning include “plugging,” “capping” and “abandoning. For consistency, only the term “decommissioning” is used within this document.

Unprotected, neglected and improperly abandoned monitoring wells are a serious environmental liability. They can function as a pollution conduit for surface contaminants to reach the subsurface and pollute our groundwater. They also can cause unwanted mixing of groundwater, which degrades the overall water quality within an aquifer. Improperly constructed, poorly maintained or damaged monitoring wells can yield anomalous poor data that can compromise the findings of an environmental investigation or remediation project. Unneeded or compromised monitoring wells should be properly decommissioned in order to prevent harm to our groundwater.

Since 1980, the DEC has installed, directed or overseen the installation of thousands of monitoring wells throughout New York for various state and federal programs, such as Superfund, solid waste, Resource Conservation and Recovery Act (RCRA), spill response, petroleum bulk storage and chemical bulk storage. This guidance addresses the environmental liability associated with this aging network of wells.

Within its boring zone, a successfully decommissioned well prevents the following:

1. Migration of existing or future contaminants into an aquifer or between aquifers;
2. Migration of existing or future contaminants within the vadose zone;
3. Potential for vertical or horizontal migration of fluids in the well or adjacent to the well; and
4. Any change in the aquifer yield and hydrostatic head, unless due to natural conditions.

Monitoring well construction in New York varies considerably with factors such as age of the well, local geology and either the presence or absence of contamination. The predominant type of monitoring well in New York is the shallow, watertable monitoring well constructed of polyvinyl chloride plastic (PVC). The best method for decommissioning should be selected to suit the conditions and circumstances. Each decommissioning situation is to be evaluated separately using this guidance before a method is chosen and implemented.

IV. Responsibility:

The Division of Environmental Remediation (DER) is responsible for updating this policy and the *Groundwater Monitoring Well Decommissioning Procedures* (addendum) in consultation with the Division of Solid and Hazardous Materials (DSHM) and the Division of Water (DOW). Compliance with the guidance does not relieve any party of the obligation to properly decommission a monitoring well. Oversight responsibility will be carried out by the DEC Regional Engineer.

V. Procedure:

Groundwater Monitoring Well Decommissioning Procedures, the addendum to this policy, provides guidance on proper decommissioning of monitoring wells in New York State.

VI. Related References:

- Groundwater Monitoring Well Decommissioning Procedures, October 1986. Prepared by Malcolm Pirnie, Inc. for the New York State Department of Environmental Conservation, Division of Environmental Remediation.
- Standard Guide for the Decommissioning of Ground Water Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities, ASTM D 5299-99. American Society for Testing and Materials (ASTM). Philadelphia. 2005.
- 6 NYCRR Part 360 Solid Waste Management Facilities, New York State Department of Environmental Conservation, Division of Solid and Hazardous Materials.
- Specifications for Abandoning Wells and Boreholes in Unconsolidated Materials, New York State Department of Environmental Conservation, Region 1 - Water Unit, undated.
- Handbook of Suggested Practices for the Design and Installation of Groundwater Monitoring Wells, EPA 600/4-89/034, United States Environmental Protection Agency (EPA).

[Page Intentionally Left Blank]

Final - August 2009

GROUNDWATER MONITORING WELL DECOMMISSIONING PROCEDURES



New York State Department of Environmental Conservation
Division of Environmental Remediation

[Page Intentionally Left Blank]

TABLE OF CONTENTS

INTRODUCTION 3

1.0 PREPARATION 3

2.0 DECOMMISSIONING METHODS 4
- 2.1 Grouting In-Place 5
- 2.2 Casing Perforating/Grouting In-Place 6
- 2.3 Casing Pulling. 6
- 2.4 Over-Drilling 7

3.0 SELECTION PROCESS AND IMPLEMENTATION 8
- 3.1 Bedrock Wells. 8
- 3.2 Uncontaminated Overburden Wells 9
- 3.3 Contaminated Overburden Monitoring Wells/Piezometers. 9
- 3.4 Telescoped Riser 10

4.0 LOCATING AND SETTING-UP ON THE WELL 10

5.0 REMOVING THE PROTECTIVE CASING 10

6.0 SELECTING, MIXING, AND PLACING GROUT 11
- 6.1 Standard Grout Mixture. 11
- 6.2 Special Mixture. 12
- 6.3 Grout Mixing Procedure. 12
- 6.4 Grout Placement 12

7.0 BACKFILLING AND SITE RESTORATION 13

8.0 DOCUMENTATION 13

9.0 FIELD OVERSIGHT 14

10.0 RELATED REFERENCES 14

FIGURES

FIGURE 1 - MONITORING WELL FIELD INSPECTION LOG

FIGURE 2 - DECOMMISSIONING PROCEDURE SELECTION

FIGURE 3 - WELL DECOMMISSIONING RECORD

APPENDICES

APPENDIX A - REPORTS

APPENDIX A1 - INSPECTOR'S DAILY REPORT

APPENDIX A2 - PROBLEM IDENTIFICATION REPORT

APPENDIX A3 - CORRECTIVE MEASURES REPORT

INTRODUCTION

This document, *Groundwater Monitoring Well Decommissioning Procedures*, is the addendum to CP-43, Groundwater Monitoring Well Decommissioning Policy, which provides acceptable procedures to be used as guidance when decommissioning monitoring wells in New York State. Please note that this document does not address some site-specific special situations that may be encountered in the field. Compliance with the procedures set forth in this document does not relieve any party of the obligation to properly decommission a monitoring well.

Unprotected, neglected and improperly abandoned monitoring wells are a serious environmental liability. They can function as a pollution conduit for surface contaminants to reach the subsurface and pollute our groundwater. They also can cause unwanted mixing of groundwater, which degrades the overall water quality within an aquifer. Improperly constructed, poorly maintained or damaged monitoring wells can yield anomalous poor data that can compromise the findings of an environmental investigation or remediation project. Unneeded or compromised monitoring wells should be properly decommissioned in order to prevent harm to our groundwater.

Previous versions of this guidance have been issued since 1995. Originally developed as a specification for well decommissioning at Love Canal, the procedures were rewritten to make them applicable across the state. From an engineering standpoint, the guidance has changed very little. Most situations do not require a complex procedure.

If you have any questions, please contact Will Welling at (518) 402-9814.

Sincerely,



Gerald J. Rider, Jr., P.E.
Chief, Remedial Section D
Remedial Bureau E
Division of Environmental Remediation

1.0 PREPARATION

If an unneeded monitoring well remains in good usable condition, an alternative to decommissioning might be the reuse by another agency program. DEC encourages reuse in situations where a well will continue to be used and cared for responsibly.

When reuse is not an option, the first step in the well decommissioning process is to review all pertinent well construction information. One must know the well depth and construction details. GPS coordinates and permanent labeling (if available) will be useful in confirming the well to be decommissioned. An inspection must be performed prior to decommissioning in order to verify the construction and condition of each well. Specific details and subsurface conditions form the basis for decisions throughout the decommissioning process.

Well Details

1. Is the well a single stem riser (all one diameter)?
2. Is the well a simple overburden well (no penetration into bedrock)?
3. Does the well riser consist of telescoping diameters of pipe which decrease with depth?
4. Is the well seal compromised (leaking, inadequate or damaged)?
5. If the well is PVC, is it 25 feet or shallower and not grouted into rock?
6. Can the riser be pulled and is removal of the well desired?
7. Is the well a bedrock well?
8. If the monitoring well is a bedrock well, does it have an open hole?
9. Is there a well assembly (riser and screen) installed within the bedrock hole?

Subsurface Conditions

10. Is the soil contaminated?
11. Does the well penetrate a confining layer?
12. If the well penetrates a confining layer, might overdrilling or casing pulling cause contamination to travel up or down through a break in the confining layer?
13. Does the screened interval cross multiple water-bearing zones?

For additional collection and verification of information, the "Monitoring Well Field Inspection Log" (Figure 1) can be used during a field inspection. After the well has been located and the information gathered, one is ready to select the decommissioning procedure in accordance with Section 2.

Special conditions, such as access problems, well extensions through capped and covered non-Part 360 landfills and seasonal weather patterns affecting construction, should be assessed in the planning stage. Decommissioning work requiring the use of heavy vehicular equipment on landfill caps should be scheduled during dry weather (if possible) so as to minimize damage to the cover. If work must be performed during the spring, winter or inclement weather, special measures to reduce ruts should be employed to maintain the integrity of a completed landfill cover system. As an example, placement of plywood under vehicular equipment can eliminate deep ruts that would require repair.

2.0 DECOMMISSIONING METHODS

The primary rationale for well decommissioning is to remove any potential groundwater pathway. A secondary rationale, often important to the property owner or owner of the well, is to physically remove the well. Removed well materials may be recycled and will not interfere with future construction excavation. The previous versions of these decommissioning procedures have stressed that physical removal of the well by pulling is preferable to leaving casing in the ground. Due to the added effort, expense and risk involved with pulling, the decision of whether to pull or not should be a separate consideration aside from selecting the sealing procedure.

One should select a decommissioning procedure that takes into account the geologic and hydrogeologic conditions at the well site; the presence or absence of contamination in the groundwater; and original well construction details. The selection process for well decommissioning procedures is provided by the flow chart, Figure 2. Answers to the questions

in the preceding section are the input for this flow chart. The four primary well decommissioning methods are:

1. Grouting in-place;
2. Perforating the casing followed by grouting in-place;
3. Grouting in-place followed by casing pulling;
4. Over-drilling and grouting with or without a temporary casing.

In a complex situation, one or more decommissioning procedures may be used for different intervals of the same well.

The remainder of Section 2 discusses the well decommissioning methods and the selection process. Refer to Figure 2 for a flow chart diagram of the complete procedure selection process. The DEC Project Manager has the discretion to deviate from the flow chart, (Figure 2), based on site conditions and professional judgment.

2.1 Grouting In-Place

Grouting in-place is the simplest and most frequently used well decommissioning method and grouting itself is the essential component of all the decommissioning methods. The grout seals the borehole and any portion of the monitoring well that may be left in the ground. Because dirt and foreign objects can fall into an open well, whenever possible a well should be sealed first with grout before attempting subsequent decommissioning steps.

For the purpose of these decommissioning procedures, the well seal is defined as the bentonite seal above the sand pack. Aside from obvious channeling by in-flowing surface water around the well, an indication of the well seal integrity may be obtained through review of the boring logs and/or a comparison of groundwater elevations if the well is part of a cluster. Any problems noted on the boring logs pertaining to the well seal, such as bridging of bentonite pellets or running sands, or disparities between field notes (if available) and the well log would indicate the potential for a poor (compromised) well seal.

If the well seal is not compromised and there is no confining layer present, a single-stem, 2-inch PVC, monitoring well can be satisfactorily decommissioned by grouting it in-place. If the seal is compromised, casing perforation may be called for as discussed in Section 2.2.

As discussed in Section 2.4 and its sub-sections, this method is specified for the bedrock portion of a well, and is used for decommissioning small diameter cased wells. Grouting in-place involves filling the casing with grout to a level of five feet below the land surface, cutting the well casing at the five-foot depth, and removing the top portion of the casing and associated well materials from the ground. The casing must be grouted according to the procedures in Section 6. In addition, the upper five feet of the borehole is filled to land surface and restored according to the procedures described in Section 7.

For open-hole bedrock wells, the procedure involves filling the opening with grout to the top of rock according to the procedures in Section 5. A thicker grout may be required to fill any bedrock voids. If excessive grout is being lost down-hole, consider grouting in stages to reduce the pressure caused by the height of the grout column.

The standard mix with the maximum amount of allowable water will be required to penetrate the well screen and sand pack when a well assembly has been installed within a bedrock hole. For an assembly such as this, the grout should be mixed thinly enough to penetrate the slots and sand pack. The grout mixes are discussed in Sections 6.1 and 6.2.

2.2 Casing Perforating/Grouting In-Place

Casing perforation followed by grouting in-place is the preferred method to use if there is poor documentation of the grouting of the well annulus, or the annulus was allowed to be back-filled with cuttings. The grout will squeeze through the perforations to seal any porous zones along the outside of the casing. The procedure involves puncturing, cutting or splitting the well casing and screen followed by grouting the well. A variety of commercial equipment is available for perforating casings and screens in wells with four-inch or larger inside diameters. Due to the diversity of applications, experienced contractors must recommend a specific technique based on site-specific conditions. A minimum of four rows of perforations several inches long around the circumference of the pipe and a minimum of five perforations per linear foot of casing or screen is recommended (American Society for Testing and Materials, Standard D 5299-99, 1999). After the perforating is complete, the borehole must be grouted according to the procedures in Section 6 and the upper five feet of borehole restored according to the procedures in Section 7.

2.3 Casing Pulling

Casing pulling should be used in cases where the materials of the well assembly are to be recycled, or the well assembly must be removed to clear the site for future excavation or re-development. Casing pulling is an acceptable method to use when no contamination is present; contamination is present but the well does not penetrate a confining layer; and when both contamination and a confining layer are present but the contamination cannot cross the confining layer. Additionally, the well construction materials and well depth must be such that pulling will not break the riser. When contamination is likely to cross the confining layer during pulling, a temporary casing can be used. See Section 2.4.

Casing pulling involves removing the well casing by lifting. Grout is to be added during pulling; the grout will fill the space once occupied by the material being withdrawn. An acceptable procedure to remove casing involves puncturing the bottom of the well or using a casing cutter to cut away the screen, grouting, using jacks to free casing from the hole, and lifting the casing out by using a drill rig, backhoe, crane, or other suitable equipment. Additional grout must be added to the casing as it is withdrawn. Grout mixing and placement procedures are provided in Section 6. In wells or well points in which the bottom cannot be punctured, the casing or screened interval will be perforated or cut away prior to being filled with grout. This procedure should be followed for wells installed in collapsible formations or for highly contaminated wells.

At sites in which well casings have been grouted into the top of bedrock, the casing pulling procedure should not be attempted unless the casing can be first cut or freed from the rock.

2.4 Over-Drilling

Over-drilling is the technique used to physically remove an entire monitoring well, its sand pack and the old grout column and fill. In situations where PVC screens and risers are expected to sever and removal of all well materials is required, over-drilling will be required. Over-drilling is called for when a riser can't be pulled and it penetrates a confining layer. Compared to the other procedures, over-drilling is the least common method of well decommissioning.

A "temporary casing" may be necessary when extraordinary conditions are present, such as a high concentration of mobile contaminants in the overburden, depth to water is shallow, there is poor construction documentation or shoddy construction practices. The approach involves installing a large diameter steel casing around the outside of the well followed by drilling / pulling /grouting within this casing. The casing is withdrawn at the end of pulling, grouting and (perhaps) drilling. If the confining layer is less than 5 feet thick, the casing should be installed to the top of the confining layer. Otherwise, it is installed to a depth of 2 feet below the top of the confining layer. After the outer casing has been set, the well can be removed and grouted through pulling if possible or removed and grouted by drilling inside the casing.

Over-drilling is used where casing pulling is determined to be unfeasible, or where installation of a temporary casing is necessary to prevent cross-contamination, such as when a confining layer is present and contamination in the deeper aquifer could migrate to the upper aquifer as the well is pulled. The over-drilling method should:

- Follow the original well bore;
- Create a borehole of the same or greater diameter than the original boring; and
- Remove all of the well construction materials.

In over-drilling the difficulty lies in keeping the augers centered on the old well as the bit is lowered; it will tend to wander off. As a precaution, the well column should be filled with grout before over-drilling. Then without allowing the grout to dry, the driller proceeds with over-drilling the well. Grouting first guarantees that if the drill wanders off the old well and the effort is less than 100% successful, the remaining well portion will at least have been grouted. There are many methods for over-drilling. Please note that the following methods are not suitable for all types of casing, and the advice of an experienced driller should be sought.

- Conventional augering (i.e., a hollow stem auger fitted with a pilot bit). The pilot bit will grind the well construction materials, which will be brought to the well surface by the auger.
- A conventional cable tool rig to advance "temporary" casing having a larger diameter than the original boring. The cable tool kit is advanced within the casing to grind the well construction materials and soils, which are periodically removed with large diameter bailer. This method is not applicable to bedrock wells.

- An over-reaming tool with a pilot bit nearly the same size as the inside diameter of the casing and a reaming bit slightly larger than the original borehole diameter. This method can be used for wells with steel casings.

- A hollow-stem auger with outward facing carbide cutting teeth having a diameter two to four inches larger than the casing.

Prior to over-drilling, the bottom of the well should be perforated or cut away, and the casing filled with grout as with casing removal by pulling.

In all cases above, over-drilling should advance beyond the original bore depth by a distance of half a foot to ensure complete removal of the construction materials. Oversight attention should be focused on the drill cuttings, looking for fragments of well materials. Absence of these indicators is a sign that the drill has wandered off the well. If wandering is suspected, having previously filled the well with grout, the remaining portion which cannot be over-drilled can be considered grouted in-place. When the over-drilling is complete, grout should be tremied within the annular space between the augers and well casings. The grout level in the borehole should be maintained as the drilling equipment and well materials are sequentially removed. As with all the other methods, the upper five feet of borehole should be restored according to the procedures in Section 7.

3.0 SELECTION PROCESS AND IMPLEMENTATION

The decommissioning procedure selection flow chart, Figure 2, is to be used to select decommissioning methods. The selection process first identifies the basic monitoring well type. There are only two types of monitoring wells described in this guidance, overburden wells and bedrock wells. Bedrock wells typically have an overburden portion which in the selection process is to be treated as an overburden well. Techniques are specified for wells based upon their type and the other physical conditions present. Decommissioning techniques called for by the selection process have their practical limits; construction details dictate when a well stem can be pulled without breaking and when it cannot be pulled. The DEC project manager has the discretion to deviate from the flow chart, (Figure 2), based on site conditions, budgetary concerns and professional judgment. The remainder of this section will discuss types of monitoring wells in various settings along with recommended decommissioning techniques.

3.1 Bedrock Wells

Referring to Figure 2 and Section 2.1, if the well extends into bedrock, the rock hole portion of the well is to be grouted in-place to the top of the rock. The grout mix, however, may vary according to the conditions. A thicker grout may be required to fill voids and a thinner grout may be necessary to penetrate well screen and sand pack. Refer to the grout mixture specifications given in Section 6.1 and 6.2.

Prior to grouting, the depth of the well will be measured to determine if any silt or debris has plugged the well. If plugging has occurred, all reasonable attempts to clear it should be made before grouting. The borehole will then be tremie grouted according to Section 6.4 from the bottom of the well to the top of bedrock to ensure a continuous grout column.

After the rock hole is grouted, the overburden portion of the well is decommissioned using appropriate techniques described below. If the bedrock extends to the ground surface, grouting can extend to the ground surface or to slightly below so that the site can be restored as appropriate in accordance with Section 7.

3.2 Uncontaminated Overburden Wells

For overburden wells and the overburden portion of bedrock wells, the first factor in determining the decommissioning method is whether the overburden portion of the well exhibits contamination, as determined through historical groundwater and/or soil sampling results. If the overburden is uncontaminated, the next criteria considers whether the well penetrates a confining layer. In the case that the overburden portion of the well does not penetrate a confining layer, the casing can either be tremie-grouted and pulled or tremie grouted and left in place. As a general rule, PVC wells greater than 25-feet deep should not be pulled unless site-specific conditions or other factors indicate that the well can be pulled without breaking. If the well cannot be pulled, the well should be grouted in-place as accordance with Sections 2.1 and 2.2.

If a non-telescoped overburden well penetrates a confining layer, the casing should be removed by pulling (if possible) in accordance with Section 2.3. If the casing cannot be removed by pulling, the well should be grouted in-place or where complete removal is required, removed by over-drilling. Over-drilling will be based upon the site-specific conditions and requirements. If pulling is attempted and fails (i.e., a portion of the riser breaks) the remaining portion of the well should be removed by using the conventional augering procedure identified in Section 2.4. Note that if the riser is broken during pulling, it is highly unlikely that the driller will be able to target it to over-drill it. This is the reason why all wells should be grouted first. In all cases, after the well construction materials have been removed to the extent possible, the borehole will be grouted in accordance with Section 6 and the upper five feet will be restored in accordance with Section 7.

3.3 Contaminated Overburden Monitoring Wells/Piezometers

Contamination in the overburden plays a role in the selection process. Any contamination present in the overburden must not be allowed to spread as a result of the decommissioning construction. For wells and piezometers suspected or known to be contaminated with light non-aqueous phase liquid (LNAPL) and/or dense non-aqueous phase liquid (DNAPL), often referred to as “product,” the decision to decommission the well should be reviewed. Such gross contamination is a special condition and requires design of the decommissioning procedure. If decommissioning is determined to be the proper course of action, measurement of the non-aqueous phase liquid volume will be determined and this liquid will be removed.

If an overburden well (or the overburden portion of a bedrock well) is contaminated with LNAPL, DNAPL and /or dissolved fractions as indicated by historical sampling results, one must evaluate the potential for contamination to cross an overburden confining layer (if one exists) during decommissioning. A rock or soil horizon of very low permeability is known as a confining layer. Contamination in the overburden lying above a confining layer is a significant condition to recognize. To prevent mobile contaminants from crossing a confining layer during pulling or over-drilling, a temporary casing should be installed to isolate the work zone. One should follow the procedure selection flow chart. Some contaminated conditions call for over-

drilling or a specially designed procedure.

A well in contaminated overburden may be grouted in-place as long as the grout fully seals the well and boring zone. If a well in contaminated overburden was constructed allowing formation collapse as annular backfill or if the well has a compromised well seal, one must either physically remove the well or thoroughly perforate the riser and grout it in-place.

If physical removal of the well is required and the overburden contaminants are likely to be dragged upward or downward during decommissioning, a temporary casing should be used to seal off the construction work zone. Casing pulling and overdrilling can be safely accomplished within the temporary casing. Section 2.4 discusses the temporary casing technique.

3.4 Telescoped Riser

If the riser is telescoped in one or more outer casings, the decommissioning approach depends upon the integrity of the well seal. If there is no evidence that the well seal integrity is compromised, the riser should be grouted in-place in accordance with Sections 2.1 or 2.2 and the upper 5 feet of the well surface should be restored in accordance with Section 7. If indications are that the well seal is not competent, it will be necessary to design and implement a special procedure to perforate and grout or remove the well construction materials. The presence and configuration of the outer casing(s) will be specific in the individual wells and will be a key factor in the decommissioning approach. The special procedure must mitigate the potential for cross-contamination during removal of the well construction materials.

4.0 LOCATING AND SETTING-UP ON THE WELL

Prior to mobilizing to decommission a monitoring well, one should notify the property owner and/or other interested parties including the governing regulatory agency. It is advisable that when at the well location, one should review the proposed well decommissioning procedure. Verify well locations and identification by their identifying markers and GPS coordinates. Lastly, verify the depth of each well with respect to depth recorded on the well construction log.

5.0 REMOVING THE PROTECTIVE CASING

Most monitoring wells installed in non-traffic locations are finished with an elevated, protective casing (guard pipe) and a concrete rain pad. Wells at gasoline stations, usually being in high-traffic areas, are typically finished with a flush-mount, curb box and protective 8" dia steel inspection plate rather than a stick-up riser. The curb box is usually easily removed from around the flush-mount well before pulling or over-drilling. In the case of stick-up wells, the riser pipe may be bonded to the guard pipe and rain pad. When the protective casing and concrete pad of a stick-up monitoring well are "yanked out," a PVC riser will typically break off at the bottom of the guard pipe several feet below grade. Once this happens, it may become impossible to center a drill rig upon the well. The riser may become splintered and structurally unstable for pulling. Unless grouted first, the well may fill with dirt. Before pulling a casing or over-drilling a well, a method must be devised for removing these protective surface pieces without jeopardizing the remaining decommissioning effort.

Generally, unless the protective casing is loose and can be safely lifted off by hand, *one*

should fill the monitoring well with grout before removing the outer protective casing. This will ensure that the well is properly sealed regardless of any problems later when removing the protective casing. Remove the protective casing or road box vault initially only if the stick-up or vault will interfere with subsequent down-hole work which must be done before grouting. This down-hole work may include puncturing, perforating or cutting the screen or riser. But as a general procedure don't remove the protective casing or road box until after initial grouting is complete.

The procedure for removing the protective casing of a well depends upon the decommissioning method specified for the monitoring well. The variety of protective casings available preclude developing a specific removal procedure but often one can simply break up the concrete seal surrounding the casing and jack or hoist the protective casing out of the ground. A check should be made during pulling to ensure that the inner well casing is not being hoisted with the protective casing. If this occurs, the well casing should be cut off after the base of the protective casing is lifted above the land surface. At well locations where the riser has been extended, the burial of a previous concrete pad may require the excavation of soil to the top of the concrete pad to remove the well.

Steel well casing should be removed approximately five feet below the land surface so as to be below the frost line and out of the way of any subsequent shallow digging. The upper five feet of casing and the protective casing can be removed in one operation if a casing cutter is used.

Waste handling and disposal must be consistent with the methods used for the other well materials unless an alternate disposal method can be employed (i.e., steam cleaning followed by disposal as non-hazardous waste).

6.0 SELECTING, MIXING, AND PLACING GROUT

This section gives recipes for the “standard grout mixture” and the thicker “special grout mixture.” Mixing and placing grout is also discussed in this section. The goal of well decommissioning is to eliminate the capability of water to travel up or down within the volume of the former well and its boring. Success depends upon the correct grout mixture and placement where it is needed. There are two types of grout mixes that may be used to seal monitoring wells: a standard mix and a special mix. Both mixes use Type 1 Portland cement and four percent bentonite by weight. However, the special mix uses a smaller volume of water and is used in situations where excessive loss of the standard grout mix is possible (e.g., highly-fractured bedrock or coarse gravels).

6.1 Standard Grout Mixture

For most boreholes, the following standard mixture will be used:

- One 94-pound bag Type I Portland cement;
- 3.9 pounds powdered bentonite; and
- 7.8 gallons potable water.

Slightly more water may be used in order to penetrate a sand pack when a well screen transects multiple flow zones. This mixture results in a grout with a bentonite content of four percent by weight and will be used in all cases except in boreholes where excessive use of grout is anticipated. In these cases a special thicker mixture will be used.

6.2 Special Mixture

In cases where excessive use of grout is anticipated, such as high permeability formations and highly fractured or cavernous bedrock formations, the following special mixture will be used:

- one 94-pound bag type I Portland cement;
- 3.9 pounds powdered bentonite;
- 1 pound calcium chloride; and
- 6.0-7.8 gallons potable water (depending on desired thickness).

The special mixture results in a grout with a bentonite content of four percent by dry weight. It is thicker than the standard mixture because it contains less water. This grout is expected to set faster than the Standard Grout Mixture due to the added calcium chloride. The least amount of water that can be added for the mixture to be readily pumpable is 6 gallons per 94-pound bag of cement.

6.3 Grout Mixing Procedure

To begin the grout-mixing procedure, calculate the volume of grout required to fill the borehole. If possible, the mixing basin should be large enough to hold all of the grout necessary for the borehole.

Mix grout until a smooth, homogeneous mixture is achieved. Grout can be mixed manually or with a mechanized mixer. Colloidal mixers should not be used as they tend to excessively decrease the thickness of the grout for the above recipes.

6.4 Grout Placement

This guidance requires that grout be placed in the well from the bottom to the top by means of a "tremie." A tremie is a pipe, a hose or a tube extending from the grout supply to the bottom of the well. The tremie delivers the grout all the way down through the water column without its being diluted and mixed with the water that may be present in the well. The tremie pipe or tube is withdrawn as (or after) the well is filled with grout.

Using the tremie, grout is placed in the borehole filling from the bottom to the top. Two-inch and larger wells should use tremie tubing of not less than 1-inch diameter. Smaller diameter wells will call for a smaller tremie pipe. Grout will then be pumped in until the grout appears at the land surface (when grouting open holes in bedrock, the grout level only needs to reach above the bedrock surface). Any groundwater displaced during grout placement, if known to be contaminated, will be contained for proper disposal.

At this time the rate of settling should be observed. If grouting the well in place, the well

casing remains in the hole. But if the decommissioning method has involved down-hole tools such as hollow-stem augers or temporary casing for overdrilling, these will be removed from the hole. As each section is removed, grout will be added to keep the level between 0 and 5 feet below grade. If the grout level drops below the land surface to an excessive degree, an alternate grouting method must be used. One possibility is to grout in stages; i.e., the first batch of grout is allowed to partially cure before a second batch of grout is added.

As previously described in Section 5.0, the outer protective casing "stick-up" should be removed only after a well has been properly filled with grout. This will ensure that the well is properly sealed regardless of any breakage which may occur when removing the stick-up. It is important to reiterate that when either casing pulling or over-drilling are required, due to the uncertainty of successfully pulling a well or over-boring a well, we insist that the driller tremie grout the well first. Then without allowing the grout to dry, the driller proceeds with pulling the casing or over-drilling the well.

Upon completion of grouting, ensure that the final grout level is approximately five feet below land surface. A ferrous metal marker will be embedded in the top of the grout to indicate the location of the former monitoring well. Lastly, a fabric "utility" marking should be placed one foot above the grout so an excavator can see it clearly.

7.0 BACKFILLING AND SITE RESTORATION

The uppermost five feet of the borehole at the land surface should be filled with material physically similar to the natural soils. The surface of the borehole should be restored to the condition of the area surrounding the borehole. For example, concrete or asphalt will be patched with concrete or asphalt of the same type and thickness, grassed areas will be seeded, and topsoil will be used in other areas. All solid waste materials generated during the decommissioning process must be disposed of properly.

8.0 DOCUMENTATION

A form which may be used in the field to record the decommissioning construction is included as Figure 3. Additional documentation may be required by a DEC project manager and samples are included in Appendix A. Programs within the DEC that maintain geographic data on monitoring wells strive to keep that data up to date. Owners of these data sets must be notified when a well is decommissioned. Historical groundwater quality data is linked to monitoring well locations so when a well is decommissioned, existing GIS data must be updated to reflect that fact but the coordinate location in the GIS database should not be eliminated. A metal detector may not be able to detect a deeply buried marker so if this locator is important for future utility runs or foundations, a map should be submitted to the property owner and the town engineer showing the decommissioned well locations. Global Positioning System (GPS) coordinates should be indicated on this map. Lastly, whatever documentation is produced should be provided to the property owner, the DEC, and all other parties involved.

9.0 FIELD OVERSIGHT

Over-drilling requires careful observation to detect whether the drill has wandered off the well. Grout preparation and tremie work should be carefully observed. The successful implementation of a decommissioning work plan depends upon proper direction, observation and oversight. Methods to be employed must be clearly worked through and all parties must understand what they have to do before going into the field. Flexibility is allowed where necessary but the work effort must be thorough and effective to protect our groundwater.

10.0 RELATED REFERENCES

- *Groundwater Monitoring Well Decommissioning Procedures*, October 1986. Prepared by Malcolm Pirnie, Inc., for the New York State Department of Environmental Conservation, Division of Environmental Remediation.

- American Society for Testing and Materials, A.S.T.M. D 5299-99, Standard Guide for the Decommissioning of Ground Water Wells, Vadose Zone Monitoring Devices, Boreholes, and Other Devices for Environmental Activities. A.S.T.M.. Philadelphia. 2005.

- New York State Department of Environmental Conservation, Division of Solid and Hazardous Materials, 6 NYCRR Part 360, Solid Waste Management Facilities.

- New York State Department of Environmental Conservation, Region I - Water Unit, Specifications for Abandoning Wells and Boreholes in Unconsolidated Materials, undated.

- United States Environmental Protection Agency, The Handbook of Suggested Practices for the Design and Installation of Groundwater Monitoring Wells, EPA 600/4-89/034.

FIGURES

FIGURE 1 - MONITORING WELL FIELD INSPECTION LOG

FIGURE 2 - DECOMMISSIONING PROCEDURE SELECTION

FIGURE 3 - WELL DECOMMISSIONING RECORD

APPENDICES

APPENDIX A - REPORTS

APPENDIX A1 - INSPECTOR'S DAILY REPORT

APPENDIX A2 - PROBLEM IDENTIFICATION REPORT

APPENDIX A3 - CORRECTIVE MEASURES REPORT

[Page Intentionally Left Blank]

FIGURE 1

MONITORING WELL FIELD INSPECTION LOG

FIGURE 1

SITE NAME:

SITE ID.: _____
INSPECTOR: _____
DATE/TIME: _____
WEll ID.: _____

MONITORING WELL FIELD INSPECTION LOG
NYSDEC WELL DECOMMISSIONING PROGRAM

	YES	NO
WELL VISIBLE? (If not, provide directions below)		
WELL I.D. VISIBLE?		
WELL LOCATION MATCH SITE MAP? (if not, sketch actual location on back).....		

WELL I.D. AS IT APPEARS ON PROTECTIVE CASING OR WELL: .....

	YES	NO
SURFACE SEAL PRESENT?		
SURFACE SEAL COMPETENT? (If cracked, heaved etc., describe below)		
PROTECTIVE CASING IN GOOD CONDITION? (If damaged, describe below)		

HEADSPACE READING (ppm) AND INSTRUMENT USED..... _____
TYPE OF PROTECTIVE CASING AND HEIGHT OF STICKUP IN FEET (If applicable) _____
PROTECTIVE CASING MATERIAL TYPE: ..... _____
MEASURE PROTECTIVE CASING INSIDE DIAMETER (Inches): .....

	YES	NO
LOCK PRESENT?		
LOCK FUNCTIONAL?		
DID YOU REPLACE THE LOCK?		
IS THERE EVIDENCE THAT THE WELL IS DOUBLE CASED? (If yes,describe below)		
WELL MEASURING POINT VISIBLE?		

MEASURE WELL DEPTH FROM MEASURING POINT (Feet): ..... _____
MEASURE DEPTH TO WATER FROM MEASURING POINT (Feet): ..... _____
MEASURE WELL DIAMETER (Inches): ..... _____
WELL CASING MATERIAL: ..... _____
PHYSICAL CONDITION OF VISIBLE WELL CASING: ..... _____
ATTACH ID MARKER (if well ID is confirmed) and IDENTIFY MARKER TYPE ..... _____
PROXIMITY TO UNDERGROUND OR OVERHEAD UTILITIES..... _____

DESCRIBE ACCESS TO WELL: (Include accessibility to truck mounted rig, natural obstructions, overhead power lines, proximity to permanent structures, etc.); ADD SKETCH OF LOCATION ON BACK, IF NECESSARY.

DESCRIBE WELL SETTING (For example, located in a field, in a playground, on pavement, in a garden, etc.) AND ASSESS THE TYPE OF RESTORATION REQUIRED.

IDENTIFY ANY NEARBY POTENTIAL SOURCES OF CONTAMINATION, IF PRESENT (e.g. Gas station, salt pile, etc.):

REMARKS:

FIGURE 2

DECOMMISSIONING PROCEDURE SELECTION

NYSDEC Monitoring Well Decommissioning Procedure Selection




FIGURE 2

FIGURE 3

WELL DECOMMISSIONING RECORD

FIGURE 3


WELL DECOMMISSIONING RECORD

Site Name:	Well I.D.:
Site Location:	Driller:
Drilling Co.:	Inspector:
	Date:

DECOMMISSIONING DATA
(Fill in all that apply)

OVERDRILLING	
Interval Drilled	
Drilling Method(s)	
Borehole Dia. (in.)	
Temporary Casing Installed? (y/n)	
Depth temporary casing installed	
Casing type/dia. (in.)	
Method of installing	
CASING PULLING	
Method employed	
Casing retrieved (feet)	
Casing type/dia. (in)	
CASING PERFORATING	
Equipment used	
Number of perforations/foot	
Size of perforations	
Interval perforated	
GROUTING	
Interval grouted (FBLS)	
# of batches prepared	
For each batch record:	
Quantity of water used (gal.)	
Quantity of cement used (lbs.)	
Cement type	
Quantity of bentonite used (lbs.)	
Quantity of calcium chloride used (lbs.)	
Volume of grout prepared (gal.)	
Volume of grout used (gal.)	

WELL SCHEMATIC*



COMMENTS:

* Sketch in all relevant decommissioning data, including: interval overdrilled, interval grouted, casing left in hole, well stickup, etc.

Drilling Contractor

Department Representative

APPENDIX A - REPORTS

APPENDIX A1 - INSPECTOR'S DAILY REPORT

APPENDIX A2 - PROBLEM IDENTIFICATION REPORT

APPENDIX A3 - CORRECTIVE MEASURES REPORT

[Page Intentionally Left Blank]

Appendix A1

Inspector's Daily Report

CONTRACTOR:
ADDRESS:

TELEPHONE:
LOCATION _____ FROM _____ TO _____
WEATHER _____ TEMP _____ A.M. _____ P.M. _____ DATE _____

CONTRACTOR'S WORK FORCE AND EQUIPMENT										
DESCRIPTION	*H*	*#*	*DESCRIPTION*	*H*	*# DESCRIPTION*	*H*	*#*	*DESCRIPTION*	*H*	*#*
Field Engineer					Equipment			Front Loader Ton		
Superintendent			Ironworker		Generators			Bulldozer		
					Welding Equip.					
Laborer Foreman			Carpenter							
Laborer								Backhoe		
Operating Engineer			Concrete Finisher							
Carpenter					Paving Equip. & Roller					
					Air compressor					

SEE REVERSE SIDE FOR SKETCH YES ☐ NO ☐ _____

WORK PERFORMED: _____

PAY ITEMS

CONTRACT		STA		DESCRIPTION	QUANTITY	REMARKS
Number	ITEM	FROM	TO			

TEST PERFORMED: _____
PICTURES TAKEN: _____

VISITORS: _____

QA PERSONNEL
SIGNATURE _____

REPORT NUMBER _____
SHEET _____ Of _____

[Page Intentionally Left Blank]

PROBLEM IDENTIFICATION REPORT

Date _____

Day | Su | M | T | W | Th | F | Sa

Project _____ Job Number _____

Contractor _____

Subject _____

Sky/Precip.	Clear	Partly Cloudy	Cloudy	Rainy	Snow
TEMP.	<32F	32-40F	40-70F	70-80F	80-90F
WIND	No	Light	Strong		
HUMIDITY	Dry	Mod.	Humid		

PROBLEM DESCRIPTION Reference Daily Report Number 1: _____

PROBLEM LOCATION - REFERENCE TEST RESULTS AND LOCATION (Note: Use sketches on back of form as appropriate):

PROBABLE CAUSES: _____

SUGGESTED CORRECTIVE MEASURES: _____

APPROVALS:

QA ENGINEER: _____

PROJECT MANAGER: _____

Distribution:
1. Project Manager
2. Field Office
3. File
4. Owner

QA Personnel
Signature: _____

MEETINGS HELD AND RESULTS

REMARKS

REFERENCES TO OTHER FORMS

SKETCHES

SAMPLE LOG

SAMPLE NUMBER

APPROXIMATE LOCATION OF STOCKPILE

NUMBER OF STOCKPILE

DATE OF COLLECTION

CLIMATIC CONDITIONS

FIELD OBSERVATION

SHEETS OF

CORRECTIVE MEASURES REPORT

Date _____

Project _____ Job Number_____

Contractor _____

Subject _____

Day | Su | M | T | W | Th | F | Sa

Sky/Precip.	Clear	Partly Cloudy	Cloudy	Rainy	Snow
TEMP.	<32F	32-40F	40-70F	70-80F	80-90F
WIND	No	Light	Strong		
HUMIDITY	Dry	Mod.	Humid		

CORRECTIVE MEASURES TAKEN (Reference Problem Identification Report No.): _____

RETESTING LOCATION: _____

SUGGESTED METHOD OF MINIMIZING RE-OCCURRENCE: _____

SUGGESTED CORRECTIVE MEASURES: _____

APPROVALS:

QA ENGINEER: _____

PROJECT MANAGER: _____

Distribution:

1. Project Manager
2. Field Office
3. File
4. Owner

QA Personnel

Signature: _____

Section 5

SAMPLE COLLECTION AND FIELD SCREENING (SC)

SUMMARY GUIDANCE

SC-001 General Guidance on Sample Collection

1. Overview

The primary objective of all sampling activities is to characterize a site accurately so that its impact on human health and the environment can be properly evaluated. It is only through sampling and analysis that site hazards can be measured and the job of cleanup and restoration can be accomplished effectively with minimal risk. The sampling itself must be conducted so that every sample collected retains its original physical form and chemical composition. In this way, sample integrity is insured, quality assurance standards are maintained, and the sample can accurately represent the larger body of material under investigation. The extent to which valid inferences can be drawn from a sample depends on the degree to which the sampling effort conforms to the project's objectives. For example, one sample may produce adequate, technically valid data to address the project's objectives. Meeting the project's objectives requires thorough planning of sampling activities, and implementation of the most appropriate sampling and analytical procedures.

2. Sample Purposes

In relation to the media to be sampled, two basic types of samples can be considered:

2.1. Waste Characterization Sample

Hazardous or concentrated samples are those collected from drums, tanks, lagoons, pits, waste piles, soil, groundwater, soil vapor, fresh spills, or areas previously identified as contaminated, and require special handling procedures because of their potential toxicity or hazard. These samples can be further subdivided based on their degree of hazard; however, care should be taken when handling and shipping any wastes believed to be concentrated regardless of the degree.

2.2. Environmental sSample

Environmental samples are those collected from streams, ponds, lakes, wells, and are off-site samples that are not expected to be contaminated with hazardous materials. They usually do not require the special handling procedures typically used for concentrated wastes. However, in certain instances, environmental samples can contain elevated concentrations of pollutants and in such cases would have to be handled as hazardous samples.

The importance of making the distinction between environmental and hazardous samples is two-fold:

- Personnel safety requirements: Any sample thought to contain enough hazardous materials to pose a safety threat should be designated as hazardous and handled in a manner which ensures the safety of both field and laboratory personnel.
- Transportation requirements: Hazardous samples must be packaged, labeled, and shipped according to the International Air Transport Association (IATA) Dangerous Goods Regulations or the Department of Transportation (DOT) regulations and U.S. Environmental Protection Agency (EPA) guidelines.

3. Sample Collection Techniques

In general, two basic types of sample collection techniques are recognized, both of which can be used for either environmental or hazardous samples.

3.1. Grab Samples

A grab sample is defined as a discrete aliquot representative of a specific location at a given point in time. The sample is collected all at once at one particular point in the sample medium. The representativeness of such samples is defined by the nature of the materials being sampled. In general, as sources vary over time and distance, the representativeness of grab samples will decrease.

3.2. Composite Samples

Composites are non-discrete samples composed of more than one specific aliquot collected at various sampling locations and/or different points in time. Analysis of this type of sample produces an average value and can in certain instances be used as an alternative to analyzing a number of individual grab samples and calculating an average value. It should be noted, however, that compositing can mask problems by diluting isolated concentrations of some hazardous compounds below detection limits. Compositing of hazardous waste is often performed after compatibility tests have been completed to determine an average value over a number of different locations (group of drums). This procedure generates data that can be useful by providing an average concentration within a number of units, can serve to keep analytical costs down, and can provide information useful to transporters and waste disposal operations.

For sampling situations involving hazardous wastes, grab sampling techniques are generally preferred because grab sampling minimizes the amount of time sampling personnel must be in contact with the wastes, reduces risks associated with compositing unknowns, and eliminates chemical changes that might occur due to compositing.

3.3. Types of Sampling Strategies

The number of samples that should be collected and analyzed depends on the objective of the investigation. There are three basic sampling strategies: random, systematic, and judgmental sampling.

- Random sampling involves collection of samples in a nonsystematic fashion from the entire site or a specific portion of a site.
- Systematic sampling involves collection of samples based on a grid or a pattern which has been previously established.
- When judgmental sampling is performed, samples are collected only from the portions) of the site most likely to be contaminated.

Often, a combination of these strategies is the best approach depending on the type of the suspected/known contamination, the uniformity and size of the site, the level/type of information desired, etc.

4. Sample Hold Time, Container, and Preservation Methods

The following table provides general required Holding Time, Container, and Preservation Methods. Most of the information is specific to the EPA analytical method and should be pertinent to all sampling schemes. However, some analytical preservation and analytical methods are state specific. The QAPP should clearly identify preservation methods and hold times prior to sampling.

Samples should be submitted to the laboratory as soon as possible. It is preferable to send samples from the field via courier service rather than bringing to the office for later pickup.

Aqueous

Parameter	Holding Time	Container	Volume	Preservative
Acidity	14 days	P, G	100 ml	Cool, 4°C
Alkalinity	14 days	P, G	100 ml	Cool, 4°C
Biological Oxygen Demand (BOD)	48 hours	P, G	1000 ml	Cool, 4°C
Chemical Oxygen Demand (COD)	28 days	P, G	100 ml	Cool, 4°C, H_2SO_4 to pH<2
Chloride	28 days	P, G	100 ml	Cool, 4°C
Chromium, Hexavalent	24 hours	P, G	250 ml	Cool, 4°C
Cyanide				
Amenable	14 days[1]	P, G	500 ml	Cool, 4°C, NaOH to pH>12
Free	14 days[1]	P, G	500 ml	Cool, 4°C, NaOH to pH>12
Total	14 days[1]	P, G	500 ml	Cool, 4°C, NaOH to pH>12
Fluoride	28 days	P	100 ml	Cool, 4°C
Hardness, Total	6 months	P, G	100 ml	HNO_3 to pH<2
Metals (except Cr+6, Hg)	6 months	P	500 ml	Cool, 4°C, HNO_3 to pH<2
MBAS	48 hours	G	500 ml	Cool, 4°C
Mercury	28 days	P, G	500 ml	HNO_3 to pH<2
N, Ammonia	28 days	P, G	100 ml	H_2SO_4 to pH<2
N, T. Kjeldahl	28 days	P, G	500 ml	H_2SO_4 to pH<2
N, Nitrate	48 hrs/ 28 days preserved	P, G	100 ml	Cool, 4°C or add H_2SO_4 to pH<2
N, Nitrite	48 hours	P, G	100 ml	Cool, 4°C
Oil and Grease	28 days	G	1000 ml	Cool, 4°C, H_2SO_4 or HCl to pH<2
Petroleum Hydrocarbons	14 days	G	1000 ml	Cool, 4°C, H_2SO_4 to pH<2
pH	Analyze Immediately	P, G	50 ml	N/A
Phenols,Recoverable	28 days	G	500 ml	Cool, 4°C, H_2SO_4 to pH<2
Phosphorus, Ortho	48 hours	P, G	100 ml	Filter, Cool, 4°C
Phosphorus, Total	28 days	P, G	100 ml	Cool, 4°C, H_2SO_4 to pH<2
Radiological Tests				
Alpha, Beta & Radium	6 months	P, G	4 L	Cool, 4°C, HNO_3 to pH<2
Solids, Total	7 days	P, G	100 ml	Cool, 4°C

Aqueous (cont)

Parameter	Holding Time	Container	Volume	Preservative
Solids, Total Dissolved	7 days	P, G	100 ml	Cool, 4°C
Solids, Total Suspended	7 days	P, G	100 ml	Cool, 4°C
Solids, Volatile Suspended	7 days	P, G	100 ml	Cool, 4°C
Sulfate	28 days	P, G	100 ml	Cool, 4°C
Total Organic Carbon	28 days	P, G	100 ml	Cool, 4°C, H_2SO_4 to pH<2
Halogenated Volatiles	14 days	40 ml vials	2x40 ml	Cool, 4°C3
Purgeable Aromatics	14 days[4]	40 ml vials	2x40 ml	Cool, 4°C, HCl to pH<2
Phenols by GC/MS	7 days/40 days[5]	G	1 L	Cool, 4°C
Pesticides/PCBs	7 days/40 days[5]	G	1 L	Cool, 4°C
Polynuclear Aromatics	7 days/40 days[5]	G	1 L	Cool, 4°C
Acid/Base-Neutral Extractables	7 days/40 days[5]	G	1 L	Cool, 4°C

Solid

Parameter	Holding Time	Container	Volume	Preservative
Metals (except Hg)	6 months	P, G	100 g	Cool, 4°C
Mercury	28 days	P, G	100 g	Cool, 4°C
Halogenated Volatile Organics	14 days	G	10 g/10 ml methanol, 10 g/10 Ml DI water	Methanol and deionized water preserved in field[6]
Halogenated Volatile Organics	14 days	Encore Samplers	Three 5 gram samples	Must be frozen within 48 hours
Purgeable Aromatics	14 days	G	10 g/10 ml methanol, 10 g/10 Ml DI water	Methanol and deionized water preserved in field[6]
Phenols	14 days/40 days[5]	G	100 g	Cool, 4°C
Pesticides/PCBs	14 days/40 days[5]	G	100 g	Cool, 4°C
Polynuclear Aromatics	14 days/40 days[5]	G	100 g	Cool, 4°C
Acid/Base-Neutral Extractables	14 days/40 days[5]	G	100 g	Cool, 4°C

NOTES:
P = Plastic
G = Glass

Holding times in red indicate 48 hours or less holding times.

1. If residual chlorine is present, add 0.6 gm. ascorbic acid.

2. Maximum holding time is 24 hours when sulfide is present. Test with lead acetate paper prior to pH adjustment. Remove sulfide with addition of lead nitrate until a negative spot test is obtained. Filter and add NaOH to pH>12.

3. If samples contain residual chlorine, add 0.008% sodium thiosulfate at the time of sampling.

4. With pH adjustment; without, holding time is 7 days.

5. Seven days prior to extraction. Samples must be analyzed within 40 days after extraction.

6. Encore samplers may be used, but must be received in lab and extracted within 48 hours.

5. References

DER-10, Technical Guidance for Site Investigation and Remediation. New York State Department of Environmental Conservation. May 3, 2010.

Analytical Service Protocol, New York State Department of Environmental Conservation. July 2005.

New Jersey Department of Environmental Protection, Field Sampling Procedures Manual, August 2005.

Connecticut Department of Environmental Protection, Guidance for Collecting and Preserving Soil and Sediment Samples for Laboratory.

Determination of Volatile Organic Compounds, Version 2.0 February 28, 2006.

STANDARD OPERATING PROCEDURE

SC-002 Sample Handling

1. Objective

Sample handling involves the collection and shipping of environmental samples to a laboratory for chemical analysis. The overall objective of sample handling is to ensure that samples are properly:

- labeled and documented;
- preserved;
- packaged; and
- transported to laboratories.

2. Execution

- Prior to mobilizing to the field, select a shipper or arrange for a courier for sample delivery to the laboratory. If using a shipper (i.e., FedEx, or UPS) determine the time constraints for pickup requests, the location and hours of the nearest shipping office, and any size/weight restrictions.
- Label all laboratory glassware with waterproof ink prior to collecting the respective samples. The label should have an adhesive and be placed on the jar or bottle, not on the cap.
- Record the following information on the label and in the field notebook (see *Field Notebook* SOP FD-001): project number, sample identification (i.e., MW201 or SS-2), date, and time (military time) of collection, sampler's initials, and preservative, if present.
- If sample jars are not pre-preserved, add preservative as appropriate.
- At each sampling location, samples must be collected in order of volatility, most volatile first. Samples collected for volatile analysis must be placed in sample containers immediately upon retrieval of the sample.
- Aqueous samples for volatile analysis must be collected without air bubbles. Soil samples for volatile analysis should be compacted to eliminate as much headspace as possible. Other laboratory glassware should also be filled when possible. Care must be taken to avoid getting soils on the threads of sample jars, which can cause a faulty seal.
- If compositing of samples is performed in the field, specify basis for composite (i.e., volume, weight, spoon recovery, etc.) and record procedure for compositing sample in the field book.
- Once samples have been collected, place samples in a cooler with ice or a blue pack and start the chain of custody (COC) form (SOP FD-003, *Sample Handling and Chain of Custody*).

- For shipping, individually wrap each sample bottle with bubble packing or suitable packing material and place the wrapped bottles in the cooler with sufficient packing material between samples to avoid breakage.
- Place a layer of packing material above and below the sample bottles. Place blue ice packs or ice bags on top of the packing material. Fill the remaining space in the cooler with packing material to eliminate the possibility of vertical movement of samples.
- Place the completed and signed COC form in a plastic bag and place on top of the packing material in the cooler.
- Fill out the appropriate shipping or courier forms and attach to the top of the cooler. If necessary, place the proper shipping labels on the cooler. Have the courier sign the COC form (or write pickup by FedEx, UPS, etc., with date and time). Place a custody seal on the cooler.
- All samples should be submitted as soon as possible. It is preferable for samples to be mailed prior to returning to the office.
- A copy of the waybills must be kept by the field supervisor to track shipments if necessary.

3. Notes

- At all times, follow safety procedures as defined in the site-specific Work Plan and Health and Safety Plan.
- Field personnel must be aware of analyses which have short holding times and schedule sampling events and shipping accordingly. Shipment of samples for analyses with short holding times must be planned in advance. Refer to the project work plan, quality assurance project plan, or state/federal regulations for holding time and preservative information.
- In general, glassware for aqueous samples contains preservatives, (i.e., HNO3, HCl, etc). When collecting the sample, take care not to overfill the container, thus flushing the preservative out of the bottle.
- Never composite samples for volatile organic compounds (VOCs) in the field. Collect individual aliquots and direct the laboratory to perform compositing.
- Collection of aqueous samples should not be performed over the opening of a monitoring well. Preservatives from overfilling or a marker pen or other objects could fall into the well.
- If the recharge volume for a monitoring well is low, completely fill all volatile vials and then collect the minimum sample volume required for each remaining analysis.
- During subsurface soil sampling, if the recovery from the split-spoon sample is inadequate, if appropriate, resample the bottom of the borehole to obtain proper sample volume.

- Laboratories will homogenize and test the contents of the sample container, unless directed otherwise. Samples should not contain rocks, twigs, leaves, etc., unless these materials are of interest.

4. References

DER-10, Technical Guidance for Site Investigation and Remediation. New York State Department of Environmental Conservation. May 3, 2010.

Analytical Service Protocol, New York State Department of Environmental Conservation. July 2005.

New Jersey Department of Environmental Protection, Field Sampling Procedures Manual, August 2005.

Connecticut Department of Environmental Protection, Guidance for Collecting and Preserving Soil and Sediment Samples for Laboratory.

Determination of Volatile Organic Compounds, Version 2.0 February 28, 2006.

5. Attachments

Attachment A – General Guidelines for selecting equipment on the basis of construction material and target analyte(s)

Attachment A

Table 2. General Guidelines for selecting equipment on the basis of construction material and target analyte(s)

[␣, generally appropriate for use shown; Si, silica; Cr, chromium; Ni, nickel; Fe, iron; Mn, manganese; Mo, molybdenum; CFC, chlorofluorocarbon; B, boron]

Construction material for sampling equipment		Target analyte(s)	
Material	**Description**	**Inorganic**	**Organic**
		Plastics[1]	
Fluorocarbon ploymers[2] (other varies available for differing applications)	Chemically inert for most analytes	␣ (potential source of fluoride)	␣ (Sorption of some organics)
Polypropylene	Relatively inert for inorganic analytes	␣ (not appropriate for Hg)	**Do not use**
Polypropylene (linear)	Relatively inert for inorganic analytes	␣ (not appropriate for Hg)	**Do not use**
Polyvinyl chloride (PVC)	Relatively inert for inorganic analytes	␣ (not appropriate for Hg)	**Do not use**
Silicone	Very porous. Relatively inert for most inorganic analytes	␣ (potential source of Si)	**Do not use**
		Metals	
Stainless steel 316 (SS 316)	SS-316-metal having the greatest corrosion resistance. Comes in various grades. Used for submersible pump casing.	␣ (Potential source of Cr, Ni, Fe, and possible Mn and Mo) **Do not use** for surface water unless encasted in plastic.	␣ Do not use if corroded[3]
Stainless steel 304	Similar to SS-316, but less corrosion resistant	**Do not use**	␣ Do not use if corroded[3]
Other metals: brass, iron, copper, aluminum, galvanized and carbon steels	Refrigeration-grade copper or aluminum tubing are used routinely for collection of CFC samples	**Do not use**	␣ Routinely used for CFCs Do not use if corroded[3]
		Glass	
Glass, borosilicate (laboratory grade)	Relatively inert. Potential sorption of analytes	␣ **Do not use** for trace element analyses. Potential source of B and Si	␣

[1]Plastic used in connection with inorganic trace-element sampling should be uncolored or white. Tubing used for trace metal sampling should be cleaned by soaking in 5-10 percent HCl solution for 8-24 hours, rinsing with reagent water (metals free) and allowed to air dry in mercury-free environment. After drying, the tubing is doubled-bagged in clear polyethylene bags, serialized with a unique number, and stored until used.

[2] Fluorocarbon polymers include materials such as Teflon™, Kynar™, and Tefzel™ that are relatively inert for sampling inorganic or organic analytes. Only fluoropolymer should be used for samples that will analyzed for mercury because mercury vapors can diffuse in or out of other materials, resulting in either contaminated or biased results.

[3] Corroded/weathered surfaces are active sorption sites for organic compounds.

STANDARD OPERATING PROCEDURE

SC-003 Investigation Derived Waste

1. Objective

The objective is to provide guidelines for the proper management of Investigation Derived Waste (IDW) resulting from site investigation activities. This Standard Operating Procedure (SOP) addresses IDW generated during field tasks typically performed for environmental site investigations. The intent of this SOP is to provide a set of guidelines for proper assessment and handling of these IDWs.

2. Execution

- Determine the suspected contamination type and impacted media anticipated based on previous investigations, current analytical data, and/or site history.
- Consider the following issues when selecting IDW management option(s):
    i. anticipated volume of IDW to be generated during on-site activities
    ii. potential contaminants and their concentrations
    iii. location of the nearest populations and the likelihood and/or degree of site access
    iv. potential exposures to workers
    v. potential for environmental impacts
    vi. community concerns
    vii. potential storage areas
    viii. regulatory constraints
    ix. potential on-site treatment options
- Select IDW Management Option(s) prior to the commencement of field activities that will generate waste materials.
- In addition to the issues considered above for the selection of IDW management strategies/disposal options, more specific considerations/guidelines include:

2.1. Test Pit Excavation

- Segregate contaminated soil from uncontaminated soil using visual and/or field screening methods.
- Use appropriate barrier (plastic sheeting) for temporary stockpiling of contaminated soil adjacent to test pit.
- Backfill test pits with uncontaminated soil.
- For situations where returning contaminated soil to the test pit is deemed protective by the project manager, backfill soil in the same order as the soil was excavated from the test pit.

- For contaminated soil pile, collect representative sample(s) for test pit(s) for waste disposal characterization
- Ensure that the pile is appropriately covered with polysheeting and secured until disposed offsite.

2.2. Boring/Monitoring Well Installation

- For auger borings, segregate contaminated soil (determined by visual and/or field screening methods) from uncontaminated soil during drilling. Segregate residual contaminated soil from split-spoon sampling.
- Auger cuttings or sediment generated by drive and wash may be spread around the ground surface at the boring location if deemed appropriate by the project manager. IDW may be placed in an appropriate area or container pending characterization and appropriate disposal. (A useful rule of thumb is to assume generation of one 55-gallon drum of cuttings for each 20 feet drilled with 7-¼-inch-inner diameter [ID] augers).
- Segregate contaminated drilling fluid from uncontaminated fluid for rotary wash borings.
- Drilling fluid management options include pouring the drilling fluid on the ground in the Area of Concern (AOC) or containerizing the fluid in drums or tanks.

2.3. Water Development/Sampling

- Contaminated groundwater removed from wells by pumping or bailing for the purpose of well development and sampling should be containerized at the project manager's discretion.

2.4. Decontamination Fluids

- Decontamination fluids should be containerized in drums or tanks.

2.5. Disposable Personal Protective Equipment (PPE)

- Disposable PPE must be managed like any other IDW. It should only be removed from the site with the project manager's approval, and may be disposed of as ordinary rubbish only if it has not come into contact with hazardous materials.

3. Notes

- The preferred IDW management option is to return the IDW to its source. However, this is not always an option.
- The IDW selected must be in accordance with state/federal regulations.

- The Client contracts directly with the transportation and disposal contractor for the disposal of IDW, should disposal be necessary.

4. References

Guide to Management of Investigation - Derived Wastes (April 1992), United States Environmental Protection Agency, Publication 9345.3-03FS.

Standard References for Monitoring Wells, Massachusetts Department of Environmental Protection, Publication No. WSC-310-91.

Connecticut Department of Environmental Protection Connecticut's RCRA "Contained-In" Policy, Updated June 2005

Attachment A

LABELING SPLIT SPOON SAMPLE JARS


MULTIPLE **JARS:** OPTION ONE







MULTIPLE **JARS:** **OPTION TWO**





...5 of 5 (BOT)

EMPTY JAR REQUIRED IF NO RECOVERY



STANDARD OPERATING PROCEDURE

SC-004 Head Space VOC Screening

1. Objective

To obtain a site-specific indication of the volatile organic compounds (VOC) concentrations present in soil. This information can be used: 1) to segregate soil based on degree of contamination, 2) to identify samples for quantitative analysis of VOCs, or 3) as a qualitative method to evaluate the presence or absence of VOCs in soil.

2. Execution

- A photoionization detector (PID) or flame ionization detector (FID) instrument is used to measure VOCs in jar head space (JHS) screening. Select the appropriate instrument, lamp, and calibration gas for the site-specific contaminants. Calibrate the instrument in accordance with the manufacturer's instructions before JHS screening begins. Record the type of calibration gas, detector, and lamp in the field notebook.
- Note the highest VOC concentration that the instrument measures in air in the work area before performing JHS screening. Record this as the initial background concentration.
- Half-fill a clean, glass jar with the soil. Use a clean trowel or soil spatula. Quickly cover the open top with one or two sheets of clean, aluminum foil and screw on the cap to tightly seal the jar. Label the sample location and depth from which the sample was collected on the jar.
- Allow headspace development for at least 10 minutes at an ambient temperature of 50°F or greater. Vigorously shake the jar for 15 seconds at the beginning and end of the headspace development period. When ambient temperatures are below 50°F, place the jar in a heated van or building during the headspace development period.
- After headspace development, remove the screw cap to expose the foil seal. Quickly puncture the foil seal with the instrument's sampling probe and insert it to a point at about one-half of the headspace depth.
- Record the highest VOC concentration that the instrument displays as the JHS concentration. The highest concentration should occur between 2 and 5 seconds after probe insertion.

3. Notes

- The instruments may work poorly in the rain and in freezing temperatures. PIDs may not function in high-humidity conditions. Under such conditions, operate the instrument in a heated vehicle or building.

- Prevent water and soil particles from entering the tip of the instrument probe. Use a filter on the instrument's probe.
- Measure background VOC conditions and perform JHS screening away from non-site-related VOC sources, such as vehicle and heavy equipment exhaust.
- The VOC concentration on the instrument's display may vary when the air contains high VOC concentrations or high moisture.
- JHS screening is a guide that helps the screener to segregate soils into broadly defined categories. JHS screening results may differ by orders of magnitude from laboratory testing results.

4. References

Interim Remediation Waste Management Policy for Petroleum Contaminated Soils. (April 1994), Massachusetts Department of Environmental Protection, Policy #WSC-94-400.

STANDARD OPERATING PROCEDURE

SC-005 SiteLAB™ UVF-3100 Ultraviolet Fluorescence (UVF) detection method

1. Objective

To establish standard procedures for the field analysis of petroleum hydrocarbons in soil and water using the SiteLAB™ UVF-3100 Ultraviolet Fluorescence (UVF) detection method.

Ultraviolet Fluorescence is a very selective detection method useful for testing many types of environmental contaminants. The principle of operation relies on the electronic configuration of the molecular structure for each contaminant. When a hydrocarbon molecule is exposed to certain wavelengths of light, the molecule emits energy at a specific wavelength. The light energy emitted by an environmental sample exposed to a UV source is directly proportional to the concentration of hydrocarbons present. The fluorescence response of each sample is then quantified using a 5 point linear calibration curve. A specific range of target compounds can be quantified by first selecting the appropriate wavelengths of light to be detected by the UVF-3100 and then using certified standards sensitive to the wavelengths of interest, to establish the linear range of the calibration curve. The UVF-3100 can be calibrated to detect the following types of hydrocarbon ranges:

- Volatile Petroleum Hydrocarbons (C9-C10 molecular weights) including benzene, toluene ethylbenzene and xylene (BTEX).
- Gasoline Range Organics (C5-C10) including BTEX.
- Extractable Petroleum Hydrocarbons (C11-C22).
- Extractable Diesel Range Organics (C10-C40) (weathered Diesel).
- Polycyclic Aromatic Hydrocarbons (PAH Mix).
- #2 Fuel Oil.
- #6 Fuel Oil.
- Motor Oil Range Organics.
- Polychlorinated Biphenyls (PCBs).

After calibrating the instrument and performing the sample extraction step, the UVF-3100's actual analysis time is less than 5 seconds.

2. Execution

- On receipt of the instrument, inspect all shipping cartons to ensure that all components have been received and verify that the unit is operational.
- On site, assemble the unit according to the manufacturer’s instructions. Install the UVF-3100 software onto the field notebook computer.

- The UVF-3100 is equipped with an internal battery. However, the AC adapter may be needed for extended operation. Be prepared to switch to AC power if necessary.
- Operate the UVF-3100 for 20 minutes prior to use to ensure that the instrument is operating at full performance.
- Select the applicable standards based on the target hydrocarbon range (i.e., BTEX, PAHs, etc.).
- Calibrate the UVF-3100 in accordance with the instructions provided with the appropriate calibration kit. PROPER CALIBRATION OF THE INSTRUMENT IS CRITICAL.
- For optimal use of the UVF-3100, approximately 20 samples (maximum of 20 samples) should be screened during each run.
- Extract samples using the SiteLAB™ UVF Analytical Test Kit (Product Number EXTR010-20).
- Sample extracts can be stored for up to three months if kept refrigerated.
- Field personnel should be familiar with both the sample extraction and the calibration procedure before attempting to record data.
- Operate instrument as per manufacturer's instructions.
    1. Select the appropriate optical filter for the specific test to be run.
    2. Select the proper wavelength for the specific test to be run.
    3. Perform the 5-point calibration using the appropriate standards.
    4. Perform the sample extraction procedure.
    5. Make any necessary dilutions.
    6. Analyze the samples and record the results on the record sheet included with the extraction kit. Include test run number, Sample ID, Fluorescence, Sample Concentration, and Dilution Factor on the sheet.
    7. Calculate result by multiplying the sample result by the dilution factor.
    8. Repeat for each sample. Make addition dilutions if necessary.
- **Sample dilution** – Samples exhibiting a yellowish color should be diluted until a minimal yellow tint is observed. Analyze both the diluted sample and the undiluted sample for comparison. Follow dilution procedure outlined in the manual. Addition methanol may be necessary for further dilution.
- **Field duplicate** – a duplicate sample should be collected from a sample location suspected of being contaminated with the target hydrocarbon and extracted in a manner identical to the original sample.

Field duplicates should be taken at a frequency of one per twenty samples or one per weekly sampling whichever is the greater.

3. References

Interim Remediation Waste Management Policy for Petroleum Contaminated Soils. (April 1994), Massachusetts Department of Environmental Protection, Policy #WSC-94-400.

Innovative Technology Verification Report, Field Measurement Technologies for Total Petroleum Hydrocarbons in Soil United States Office of Research and EPA/600/R-01/080.

Environmental Protection Development September 2001, Agency Washington, DC 20460
siteLAB® Corporation, siteLAB® Analytical Test Kit UVF-3100A.

Section 6

SOLID MATRIX SAMPLING (SM)

STANDARD OPERATING PROCEDURE

SM-001 Soil Sampling Techniques Including Split-Spoon

1. Objective

This Standard Operating Procedure (SOP) is used primarily to collect surface, shallow subsurface, and stockpile soil samples. Surface soils are generally classified as soils between the ground surface and 6 to 12 inches below ground surface (bgs). The shallow subsurface interval may be considered to extend from approximately 12 inches bgs to a site-specific depth at which sample collection using manual methods becomes impractical.

2. Execution

2.1. At-Depth Sampling

When sampling at depth, utilize the procedures outlined in the following SOPs for the drilling method used:

Hollow Stem Auger (split spoon): SOP DM-002
Sonic Drilling: SOP DM-003
Geoprobe or Direct Push (macrocore): SOP DM-005

2.2. Surface Soil Sampling

Collection of samples from near-surface soil can be accomplished with tools such as spades, shovels, trowels, and scoops. Surface material is removed to the required depth and a stainless steel or plastic scoop is then used to collect the sample. This method can be used in most soil types but is limited to sampling at or near the ground surface. Accurate, representative samples can be collected with this procedure depending on the care and precision demonstrated by the sample team member. A flat, pointed mason trowel to cut a block of the desired soil is helpful when undisturbed profiles are required.

- Carefully remove the top layer of soil or debris to the desired sample depth with a pre-cleaned spade.
- Using a pre-cleaned, stainless steel scoop, plastic spoon, or trowel, remove and discard a thin layer of soil from the area which came in contact with the spade.
- If volatile organic analysis is to be performed, transfer the sample directly into an appropriate labeled sample container with a stainless steel lab spoon, or equivalent and secure the cap tightly.
- Place the remainder of the sample into a stainless steel, plastic, or other appropriate homogenization container, and mix thoroughly to obtain a homogenous sample representative of the entire sampling interval.

- Either place the sample into appropriate labeled containers and secure the caps tightly; or, if composite samples are to be collected, place a sample from another sampling interval or location into the homogenization container and mix thoroughly.
- When compositing is complete, place the sample into appropriate labeled containers and secure the caps tightly.
- Label, preserve, and store the sample in accordance with SOP SC-002 *Sample Handling*.

2.3. Stockpile Sampling

- Collection of samples from stockpiles can be accomplished with tools such as spades, shovels, trowels, and scoops. Surface material from the stockpile is removed and a stainless steel or plastic scoop is then used to collect the sample.
- Using a pre-cleaned, stainless steel scoop, plastic spoon, or trowel, remove and discard a thin layer of soil from the area which came in contact with the spade.
- If volatile organic analysis is to be performed, transfer the sample directly into an appropriate labeled sample container with a stainless steel lab spoon, or equivalent and secure the cap tightly.
- Place the remainder of the sample into a stainless steel, plastic, or other appropriate homogenization container, and mix thoroughly to obtain a homogenous sample representative of the entire sampling stockpile.
- When collecting composite samples, place a sample from another sampling location into the homogenization container and mix thoroughly.
- When compositing is complete, place the sample into appropriate labeled containers and secure the caps tightly.
- Label, preserve, and store the sample in accordance with SOP SC-002 *Sample Handling*.

3. References


ASTM D1585-98, Standard Test Method for Penetration Test and Split-Barrel Sampling of Soils . 1998.

United States Environmental Protection Agency, SOP 2012 "Soil Sampling", Revision 0.0, February 18, 2000.

Attachment A

SM-001

Attachment A – Sampler Design Assembly



GEI Consultants

STANDARD OPERATING PROCEDURE

SM-002 VOC Soil Collection and Preservation Method (if necessary)

1. Objective

To establish a standard for preserving soil samples for analysis of Volatile Organic Compounds (VOCs).

2. Execution

The soil sample collection procedure for determination of VOCs is a two-step process.

- Step 1 – Collect an undisturbed soil sample from the subsurface, or expose the targeted area from where a sub-sample for lab analysis will be collected.
- Step 2 – Collect a representative sub-sample from the undisturbed sample or directly from the exposed surface.

If samples are to be analyzed for VOCs, they should be collected in a manner that minimizes disturbance of the sample. Samples for VOC analysis are not homogenized. Preservatives may be required for some samples with certain variations of Method 5035. Consult the method or the principal analytical chemist to determine if preservatives are necessary.

When the soil sample is collected for VOC analysis, it must be placed within the laboratory container immediately. It must not be allowed to sit exposed for more than 5 minutes. In addition, the sample must not be exposed to extreme weather conditions (i.e., rain, extreme sunlight, wind, etc.).

Sub-samples are a portion of the undisturbed sample that will be sent to the lab for VOC analysis. Sub-samples must be obtained utilizing a small diameter core sampler. Some of the acceptable small diameter core samplers include: a 10 milliliter (ml) plastic disposable syringe, a Purge and Trap Soil Sampler, En Core Samplers, or an Easy Draw Syringe. The En Core Sampler is the only small diameter core sampler that can be used to collect the sample, store the sample, and transport the sample to the lab.

The procedure for the collection of sub-samples is as follows:

- Once the sampling interval has been selected, trim off the exposed surface of the matrix, with a decontaminated trowel or spatula, to expose a fresh surface. Then sample immediately.
- Push the En Core sampler into the matrix to collect a volume of material that will yield the required mass of sample (wet weight) as determined by the analytical method.

- Push the En Core sampler into the material at an angle as many times as is needed to obtain the required sample weight.
- Wipe the exterior of the sampler clean.
- Seal the En Core sampler as explained in the manufacturer's instructions.
- Collect the required number of En Core samplers based on the chosen preservation and analytical methods, as discussed in the section on soil preservation methods below.
- Collect a separate sample for head space screening and moisture content determination.
- Make sure that the threads of the En Core sampler are free of particles (by cleaning with a paper towel).
- Mark the samplers with a permanent marker and not an adhesive label (due to weight considerations).
- Once the samples have been collected, sealed, and labeled, place the samples into an iced cooler. It is recommended to place each sample container in separate zip lock bag.

If collecting VOC soil samples during drilling, please refer to SM-001: *Soil Sampling Techniques Including Split-Spoon* for detailed information.

2.1. Preservation of Soil Samples

When collecting soil samples for determination of VOCs, three types of samples may be required:

- High concentration sample (Section 2.2 below).
- Low concentration sample (Section 2.3 below).
- Synthetic Precipitation Leaching Procedure/Toxicity Characteristic Leaching Procedure (SPLP/TCLP) sample (Section 2.4 below).

2.2. Two options for the collection of a suspected "high" concentration sample

- Collect one 10 gram sample in a pre-weighted vial containing 10 ml methanol.
- Use an "En Core" sampler.

221. Option 1 – Methanol Preservation Method

Supplies include: two pre-weighed vials (per sample) with 10 ml methanol, and a sampling device to collect a 10 gram sample.

Sampling Procedure:

- Label vials using permanent marker.
- Scrape away surface to be sampled to expose fresh soil.

- Collect the sample using the sampling device and extrude the sample into the preserved vial. Wipe the threads and cap clean and seal the vial.
- Store the sample in an iced cooler.
- Collect a separate sample for percent solids and head space sampling.

222. Option 2 – En Core Sampling Method

Supplies needed: One 5 or 10 ml En Core sampler.

Sampling Procedure:

- Label the En Core sampling container.
- Locate the sampling area, scrape a fresh face, collect the sample quickly, and clean and seal the sampler.
- Place sampler in a clean zip lock bag and place on ice.
- Collect separate samples in separate containers for percent solids and head space sampling.
- Samples must be frozen, or preserved, or analyzed within 48 hours (coordinated with the lab).

Option 2 (En Core Sampler) is preferred due to possible problems with minimum detection levels when using the methanol method.

2.3. Four different options for the collection of "low" concentration samples for VOC analysis

- Collect two vials each of 5 grams of sample into a pre-weighted 40 ml vial with 5 ml of water and a magnetic stirrer.
- Collect two vials each of 5 grams of sample into a pre-weighted 40 ml vial with a magnetic stirrer.
- Collect two 5 gram En-Core type samples.
- Collect two vials each of 5 grams of sample into a pre-weighted vial containing sodium bisulfate with a magnetic stirrer.

231. Option 1 – Collection in Volatile Organic Compound (VOC) vials containing water

Supplies required: an electronic field balance, two VOC 40 ml vials pre-weighted and containing 5 ml of water, a magnetic stirrer, and a sampling device.

Sampling procedure:

- Label vials using permanent marker.
- Select the area to be sampled.
- Test sample and weigh to verify the amount of sample needed.
- Scrape a clean surface to be sampled.

- Collect the sample using the sampling device and extrude the sample into one of the two vials containing water. Wipe the threads and cap clean and seal the vial.
- Repeat the last step for the second vial.
- Weigh the vials and record the weights.
- Store the sample in an iced cooler.
- Collect a separate sample for percent solids and head space sampling.

2.3.2 Option 2 – Collection in empty VOC vials

Supplies required: electronic field balance, two VOC 40 ml vials pre-weighted, a magnetic stirrer, and a sampling device.

Sampling Procedure:

- Label vials using permanent marker.
- Select the area to be sampled.
- Test sample and weigh to verify the amount of sample needed.
- Scrape a clean surface to be sampled.
- Collect the sample using the sampling device and extrude the sample into the vial. Wipe the threads and cap clean and seal the vial.
- Repeat the last step for the second vial.
- Weigh the vials and record the weights.
- Store the sample in an iced cooler.
- Collect a separate sample for percent solids and head space sampling.
- Samples must be frozen or analyzed within 48 hours.

2.3.3 Option 3 – Collection in VOC vials preserved with Sodium Bisulfate

Supplies required: electronic field balance, two VOC vials with 5 ml of sodium bisulfate, a magnetic stir bar, and a sampling device.

Sampling Procedure:

- Label vials using permanent marker.
- Select the area to be sampled.
- Test sample and weigh to verify the amount of sample needed.
- Scrape a clean surface to be sampled.
- Collect the sample using the sampling device and extrude a 5 gram sample into the vial containing the sodium bisulfate. Wipe treads and cap and seal the vial.
- Repeat the last two steps for the second vial.
- Weigh the vial and record the weight.
- Store the sample in an iced cooler.
- Collect a separate sample for percent solids and head space sampling.

2.3.4. Option 4 – Collection of the sample with an En Core Sampler

Supplies required: two 5 gram En Core samplers.

Sampling Procedure:

- Label samplers using permanent marker.
- Select the area to be sampled.
- Scrape a clean surface to be sampled.
- Collect the sample using one En Core devise, wipe the contact areas clean and seal, and place into a re-sealable zip lock bag.
- Repeat the last two steps with the second En Core device.
- Store the sample in an iced cooler.
- Collect a separate sample for percent solids and head space sampling.
- Samples must be frozen or analyzed within 48 hours.

2.4. Collection of samples being analyzed for VOCs by the TCLP or SPLP method

Supplies required: a 25 gram En Core Sampler.

Sampling Procedure

- Label sampler using permanent marker.
- Select the area to be sampled.
- Scrape a fresh surface to be sampled.
- Collect the sample using one En Core devise, wipe the contact areas clean and seal, and place into a re-sealable zip lock bag.
- Store the sample in an iced cooler.
- Samples must be frozen or analyzed within 48 hours.

To determine percent solids, approximately 20 grams of soil sample must be collected in a separate glass or plastic sampling container. The percent solids sample is **NOT** to be taken from the VOC samples.

3. Holding Times

- Field investigators should note that the holding time for an un-preserved VOC soil/sediment sample is 48 hours. Arrangements should be made to ship the soil/sediment VOC samples to the laboratory by overnight delivery the day they are collected so the laboratory may preserve and/or analyze the sample within 48 hours of collection.

STANDARD OPERATING PROCEDURE

SM-003 Soil Classification

1. Objective

To describe and classify soil samples collected in the field in a consistent and useful manner. GEI has adopted the (ASTM) Standard Practice for Description and Identification of Soils (Visual-Manual Procedure) D2488..

2. Execution

- Describe soil samples according to the ASTM Standard Practice for Description and Identification of Soils (Visual-Manual Procedure) D2488 (see Attachment A – Visual Manual Descriptions).
- Identify and record the soil in terms of the major and minor constituents (i.e., sand gravel, silt, clay), group symbol, group name, sample structure, plasticity and dilatancy for fine-grained soils, color, local or geologic name if known (e.g., glacial till), odor, presence of iron or other staining, and presence of organic matter, shells, debris, or other unusual characteristics of the same.
- If a soil split-spoon sample contains more than one soil type (for example, the upper portion is silty sand and the lower portion is clay) describe each type separately, and obtain separate jars of each type.
- Record sampler type, blow counts, soil description, etc., on the boring log.
- One modification to the ASTM standard: Use widely graded and narrowly graded instead of well-graded and poorly graded.
- Based on the percent volume, the following descriptions should be used:
    1. “and” = 35-50%
    2. “some” = 20-35%
    3. “little” = 10-20%
    4. “trace” = 1-10%

3. Notes

- Some soil characteristics, such as plasticity and dilatancy, are difficult to identify in the field during extremely cold or wet weather. The field classification should be verified in the office after the samples have returned to room temperature if samples were collected during extreme weather conditions.

- The ASTM Standard Test Method for Classification Soils for Engineering Purposes, D2487 may be used in conjunction with the Visual-Manual Method to confirm the soil classification.

4. References

Annual Book of ASTM Standards (1993), Section 4, v. 4.08 Soil and Rock; Building Stones; Geosynthetics, D2488-90, Standard Practice for Description and Identification of Soils (Visual-Manual Procedure), American Society of Testing Materials (ASTM).

5. Attachments

Attachment A – Visual Manual Descriptions with example boring log

Attachment A

GEI Consultan1s

COARSE-GRAINED SOILS

VISUAL-MANUAL DESCRIPTIONS

YELLOW

OLIVE

LIGHT BROWN

BROWN

REDDISH BROWN

RED


GRAY

BLACK

GROUP SYMBOL | GROUP NAME

SOILS WITH <50% FINES

- 5% Fines
  - WIDELY GRADED — GW
    - <15% Sand — WIDELY GRADED GRAVEL
    - 15% Sand — WIDELY GRADED GRAVEL WITH SAND
  - NARROWLY GRADED — GP
    - <15% Sand — NARROWLY GRADED GRAVEL
    - 15% Sand — NARROWLY GRADED GRAVEL WITH SAND
- GRAVEL, % Gravel > % Sand
  - ~10% Fines
    - WIDELY GRADED, Fines = ML or MH — GW-GM
      - <15% Sand — WIDELY GRADED GRAVEL WITH SILT
      - 15% Sand — WIDELY GRADED GRAVEL WITH SILT AND SAND
    - Fines = CL or CH — GW-GC
      - <15% Sand — WIDELY GRADED GRAVEL WITH CLAY
      - 15% Sand — WIDELY GRADED GRAVEL WITH CLAY AND SAND
    - NARROWLY GRADED, Fines = ML or MH — GP-GM
      - <15% Sand — NARROWLY GRADED GRAVEL WITH SILT
      - 15% Sand — NARROWLY GRADED GRAVEL WITH SILT AND SAND
    - Fines = CL or CH — GP-GC
      - <15% Sand — NARROWLY GRADED GRAVEL WITH CLAY
      - 15% Sand — NARROWLY GRADED GRAVEL WITH CLAY AND SAND
  - >15% Fines
    - Fines = ML or MH — GM
      - <15% Sand — SILTY GRAVEL
      - 15% Sand — SILTY GRAVEL WITH SAND
    - Fines = CL or CH — GC
      - <15% Sand — CLAYEY GRAVEL
      - 15% Sand — CLAYEY GRAVEL WITH SAND
- <5% Fines
  - WIDELY GRADED — SW
    - <15% Gravel — WIDELY GRADED SAND
    - 15% Gravel — WIDELY GRADED SAND WITH GRAVEL
  - NARROWLY GRADED — SP
    - <15% Gravel — NARROWLY GRADED SAND
    - 15% Gravel — NARROWLY GRADED SAND WITH GRAVEL
- SAND, % Sand ≥ % Gravel
  - ~10% Fines
    - WIDELY GRADED, Fines = ML or MH — SW-SM
      - <15% Gravel — WIDELY GRADED SAND WITH SILT
      - 15% Gravel — WIDELY GRADED SAND WITH SILT AND GRAVEL
    - Fines = CL or CH — SW-SC
      - <15% Gravel — WIDELY GRADED SAND WITH CLAY
      - 15% Gravel — WIDELY GRADED SAND WITH CLAY AND GRAVEL
    - NARROWLY GRADED, Fines = ML or MH — SP-SM
      - <15% Gravel — NARROWLY GRADED SAND WITH SILT
      - 15% Gravel — NARROWLY GRADED SAND WITH SILT AND GRAVEL
    - Fines = CL or CH — SP-SC
      - <15% Gravel — NARROWLY GRADED SAND WITH CLAY
      - 15% Gravel — NARROWLY GRADED SAND WITH CLAY AND GRAVEL
  - 15% Fines
    - Fines = ML or MH — SM
      - <15% Gravel — SILTY SAND WITH GRAVEL
    - Fines = CL or CH — SC
      - <15% Gravel — CLAYEY SAND
      - 15% Gravel — CLAYEY SAND WITH GRAVEL



0 ROUNDED

D SUBROUNDED

0 SUBANGULAR


6 **ANGULAR**

1. GROUP NAME and (SYMBOL)
2. Structure, if any. (stratified layer thicknesses, lenses, varves, gradational changes)
3. Describe sand, gravel and fines components, with percentages, in order of predominance. Include max gravel size. For test pits give percent cobbles and boulders, by volume, and include max size.
4. Color
5. Sheen, odor, roots, ash, brick, cementation, reaction with HCL, etc.
6. "Fill," local name or geologic name, if known

FINE-GRAINED SOILS

VISUAL-MANUAL DESCRIPTIONS

GEI Consultants



ID OF **INORGANIC** FINE SOILS **FROM MANUAL** TESTS

Symbol	Name	Dry Strength	Dilatancy	Toughness*
ML	Silt	None to low	Slow to rapid	Low or thread cannot be formed
CL	Lean Clay	Medium to high	None to slow	Medium
MH	Elastic Silt	Low to medium	None to slow	Low to medium
CH	Fat Clay	High to very high	None	High

1. GROUP **NAME** and **(SYMBOL)**
2. Describe fines, sand, and gravel components, in order of predominance. Include plasticity of fines. Include percentages of sand and gravel.
3. Color
4. Sheen, odor, roots, ash, brick, cementation, torvane and penetrometer results, etc.
5. "Fill," local name or geologic name, if known

PEAT

Peat refers to a sample composed primarily of vegetable matter in varying stages of decomposition. The description should begin: PEAT (PT) and need not include percentages of sand, gravel or fines.

CRITERIA FOR DESCRIBING PLASTICITY

Description	Criteria
Nonplastic **ML**	**A** 1/8-in. (3 -mm) thread cannot be rolled at any water content
Low Plasticity ML, MH	The thread can barely be rolled and the lump cannot be formed when drier than the plastic limit *
Medium Plasticity MH,CL	The thread is easy to roll and not much time is required to reach the plastic limit. The thread cannot be rerolled after reaching the plastic limit. The lump crumbles when drier than the plastic limit
High Plasticity CH	It takes considerable time rolling and kneading to reach the plastic limit. The thread can be rerolled several times after reaching the plastic limit. The lump can be formed without crumbling when drier than the plastic limit

* Toughness refers to the strength of the thread near plastic limit. The lump refers to a lump of soil drier than the plastic, similar to dry strength.

BORING LOCATION Maple Ave Sidewalk
GROUND ELEVATION (NGVD) _____
GROUNDWATER EL_____ DATE_____

DATE START/FINISH 2/14/07 - 2/15/07
DRIll.ED BY Geologic: M. Costigan
LOGGED BY T.Kahl/M. *Yako* TOTAL DEPTH (FT) ...12-

e,101

PG. I OF I

EL FT.	DEPTH FT.	SAMPLE TYPE and NO.	BLOWS PER 6 IN.	PEN IN.	REC IN.	PIO JAR HS / REMARKS	SOIL AND ROCK DESCRIPTIONS
							r-... 4" pavement ./
	-2.5	SI	13-9 17-14	24	0	0.5 ppm	SI: Redrove O.5 to 3 .5 ft. Recovery 11": WIDELY GRADED SAND *(SW)* ,._.e,5'X, sand, "'I 0% gravel to I", <5'1 nonplastiG fines, brown. Contains brick. fragment!> and ash. RII.
	5					hard drilling 3 to 4 ft, pos!iible boulder	
		52	7-7 11-13	24	e,	2.0 ppm	52: NAI<I<OWLY GI<ADED SAND WITH SILT AND GI<AVEL (SP-SM) "'65% mostly fine sand, -25% gravel to 3/ 4 inch "'I 0% non-plastic. fines, brown. RII.
	-7.5	53	9-10 2-1	24	16	0.0 ppm	[\ 53 (0-10"): Similar to 52. /
	10						53 (I0"-16"Y': ORGANIC SILi (OL) "'IOO'X. 56ghtly plastic fine!>, dark gray, organic odor, contain& white shell fraqment&.
	-12.5	54	WOH 1-2 I	24	15	0.0 ppm	
	15					hard drilling at 15.5 ft	54: Similar to 53, bot 6[11].
	-17.5	55	20-35 /3"	15	e,	Top of rock "'19 ft. Roller bit to 20 ft.	55: SILiY SAND WITH GRAVEL (SM) "'60% mostly fine 5and, "'25 56ghtly plastic fines, "'15 gravel to 1/2 inc.h, **o&ve.** Glacial 1ill.
	-20						
	-22.5	Cl	RQD 70%	60	54	lo&t -10 gallons drill fluid from 23 to 25 ft	Cl: SCHIST, hard, &light weathering at joint surface&, joint!> at "'.30 **degree!>** from horizontal and generally parallel to foliation, gray. Marlborooqh Formation.
	25						
	-27.5						Bottom of Boring 25 ft Truck-moonted drill *riq.* 4-inch Ga5inq to 19 ft. Safety-hammer with rope and cathead for SPi. Backfilled with drill GUttinqs.
	30						

BLOWS PER 6 IN.-140 LB. HAMMER FALLING 30 IN. TO DRIVE A 2.0 IN. OD SPLIT SPOON SAMPLER
PEN-PENETRATION LENGTH OF SAMPLER OR CORE BARREL
REC-RECOVERY LENGTH OF SAMPLE
ROD-LENGTH OF SOUND CORES > 4 IN./ LENGTH CORED, "
S-SPL SPOON SAMPLE
U-UNDISTURBED SAMPLES, UF-FIXED PISTON UC-OSTERBERG
¥ GROUNDWATER

NOTES:
I: Groondwater at IO ft depth at &tart of day 2/15/07.

PROJECT 07999-0
OATE

GEi

EXAMPLE SOIL DESCRIPTIONS

SANDY SILT (ML) '"60% !>liqhtly pla5tic fines, ,..,,40% mo5tly fine !:>and, I" thic layer of fine to medium !:>and with <20% fines, *qray*.

LEAN CLAY (CL) ,..,,*qo'l,* moderately plastic fines, ,..,,I**0%** fine !:>and, offve. Boston Blue Clay. Sv • 0.5, 0.5, 0.B tsf, Op • I.0, 1.5, 1.6 tsf

Stratified CLAYEY SAND (5C) and WIDE:L*Y* GRADED SAND (5W) 5C layers I to 2 inche& thic consi&t of fine 5and with ,..,,30'1, moderately pla&tic. fine5, *qray*. 5W layers I to 4 inches thick c.onsist of fine to c.oarse 5and, ,..,,10% gravel to 1/2 inch, <5% tine!>, brown. Hydrauric. Fill.

EXAMPLE ROCK DESCRIPTIONS

(0-9"): GRANITE, hard, one **piec.e,** joint surfac.e slightly weathered, pink..
(6-60"): PHYLLITE, jointe, ,..,, 45" generally parallel to foliation, *Cf'* to 44" moderate to **severe** jointinq and joint weatherinq. 44" to 60" single piec.e, green--qray.

ARGILLITE, medium hard, moderately weathered joints, gray. Cambridge Arqillite.

GEOPROBE AND ROTOSONIC

When SPTs are not perfonned, note sample density (sands) or stiffness {clays) in description.

CRITERIA FOR DESCRIBING DILATANCY OF FINE-GRAINED SOILS

Description	Criteria
None	No visible change in the specimen
Slow	Water appears slowly on the surface of the specimen during shaking and does not disappear or disappears slowly upon squeezing.
Rapid	Water appears quickly on the surface of the specimen during shaking and disappears quickly upon squeezing.

SPT: Standard Penetration Test

30-inch drop with 140-lb hammer
1 3/4 to 2 1/4 turns around cathead
2-inch 0.D. split spoon sampler

ENV'L TERMINOLOGY FOR SOIL DESCRIPTIONS

- **Ash** - Typically silt-size to medium sand-size.
- Do not use the term "cinders.• This is not a technical term. Instead, use·ash,·"burnt **wood,"** "burnt material," or a similar term.
- **Coal-like material** - If it looks like coal but you aren't sure.
- **Clinker-** Vitrified (glass-like) or heat-fused material. Often burned impurities in coal. Often looks like pumice, but heavier.
- **Slag** - Similar to clinker, but normally refers to residue from metal ore processing.
- **Sheen** - Iridescent petroleum-like sheen. Not to be used for a "bacterial sheen," which can be distinguished by its tendency to break up on the water surface at angles. Petroleum sheen will be continuous and will not break up.
- **Stained** - Use with a color (•brown-stained•) to indicate that the soil is stained a color other than its natural (unimpacted) color.
- **Coated** - Soil grains are coated with NAPL (oil, tar, etc.). There is not enough NAPL to saturate the pore spaces. ("Split spoon sampler coated with brown oil." "Soil grains coated with gray substance with slight gasoline-like odor:)
- **Saturated** - The entire sample pore space is saturated with NAPL. If you use this term, be sure it is not water saturating the pore spaces. Depending onviscosity, the NAPL may drain from a soil sample. (wSample saturated with green, sticky substance.")
- **Blebs** - Discrete sphericals of NAPL in a soil matrix that was not visibly coated or saturated. c·occasional blebs of reddish-brown tar.")
- **Oil** - Exhibits a petroleum odor, different from MGP odors.
- **Tar-** Exhibits an MGP odor (e.g. naphthalene-like odor).
- **Odors** - Use terms such as "naphthalene-like odor" or "petroleum-like odor: Use modifiers (strong, moderate, slight) to indicate odor intensity.

Section 7

GROUNDWATER (GW)

STANDARD OPERATING PROCEDURE

GW-001 Water Level Measurement

1. Objective

The purpose of this Standard Operating Procedure (SOP) is to set guidelines for the determination of the depth to water in an open borehole, cased borehole, monitoring well, or piezometer.

2. Execution

- Prior to mobilizing onto a site, notification requirements must be followed.
- Prior to collecting water level measurements, all wells should be opened to the atmosphere and allowed to equilibrate prior to collecting groundwater elevation measurements, if practical.
- All groundwater level measurements need to be performed in the shortest possible timeframe (no more than four hours, if practical).
- Groundwater levels are measured using a decontaminated electronic groundwater level indicator, which has a cable divided into incremental measurements of 0.01 feet and two conductors forming a probe. When groundwater is encountered, the circuit is completed and a light, meter, or audible buzzer is activated. The depth to groundwater is then measured from this point to the reference mark on the inner casing of the monitor well.
- All groundwater-level measurements should be made from the same marked reference point at the top of the inner well casing. A licensed surveyor must mark the reference point.
- If no discernable survey mark is observed on the inner casing, the groundwater-level measurement should be read from the highest point of the inner casing.
- If no survey mark is observed on the inner casing, it should be noted with the ground water-level data and the highest point of the casing must be marked for future reference.
- Measurements should be made three to four times to confirm the measurement. Each time a measurement is made, it should be determined to the nearest one-hundredth of a foot (0.01).
- Certain situations may necessitate that all water level measurements at a given site should be collected within a shorter than 24-hour period. These situations may include:
    1. The magnitude of the observed changes between wells appears too large.
    2. Changes in atmospheric pressure.
    3. Aquifers which are tidally influenced.

4. Aquifers affected by river stage, impoundments, and/or unlined ditches.
5. Aquifers stressed by intermittent pumping of production wells.
6. Aquifers being actively recharged due to precipitation events.
7. Occurrence of pumping.

- All well measurements should, if practical, be performed the same day, prior to the evacuation of any wells which may influence groundwater elevations in the area of the investigation.
- The following items should be recorded on field data sheets while collecting groundwater level measurements:
    1. Project name.
    2. Well identification.
    3. Date and time of measurements.
    4. If applicable, the time and cycle of the tide.
    5. Thickness of non-aqueous phase liquids (NAPL) product, if any. (See SOP GW-002, *NAPL Measurement*.)
    6. Note any miscellaneous information, such as recent damage, well box in need of repair, car parked over well, etc.

3. Notes

- Do not measure the total-well-depth with an electronic groundwater level indicator.
- Groundwater levels should be obtained from all wells in a network prior to sampling the first well.
- Local water body elevations may need to be measured. Check site-specific work plan for this requirement.
- Weak batteries in electronic groundwater-level indicators frequently produce weak or gradual auditory and/or visual responses, making it difficult to accurately determine when the probe of the unit has come in contact with ground water. As such, it is recommended that electronic groundwater-level indicators be tested before they are brought out into the field.
- Note that electronic groundwater-level indicators will not respond to distilled water, so distilled water should not be used to test these units.
- Wells that are not plumb may result in probe contact with the side of the well casing providing a false measurement. Once the probe has come in contact with groundwater in the well, water may be trapped by capillary action between the probe and the well casing. If this happens, the unit may continue to signal even after the probe has been raised above the ground water surface.

The deeper the well, the more likely this problem may occur. To correct this, the cable should be raised several feet above the water and shaken to remove water from the probe. A new groundwater-level measurement should then be collected. If the signals from the unit are not abrupt or reproducible, the probe may need to be reeled up to the surface and dried off before re-attempting another measurement.

- Accumulation of sediment, organic material, or floating debris on the probe may also result in gradual or non-reproducible readings. Wells that are constructed with metal inner casings may lead to difficulties in collecting reproducible groundwater-level measurements because the inner sides of the well casing are conductive.
- In some cases, a rubber grommet or metal centralizer may need to be placed on the probe so that the probe is not allowed to come in contact with the inner casing. Groundwater-level-measuring equipment should be properly decontaminated between wells and piezometers to avoid cross contamination.
- Once a well has been located and properly identified, the field measurements listed below should be noted in a field logbook. Be certain that the proper well is being measured. The misidentification of a sampling point in the field will result in erroneous data that may result in incorrectly constructed contour maps.

4. References

U. S. EPA Environmental Response Team Standard Operating Procedures SOP: 2043,"Water Level Measurement" REV: 0.0, 10/03/94.

U. S. EPA Environmental Response Team Standard Operating Procedures SOP: 2044," Monitor Well Development" REV: 0.1, 10/23/01.

5. Attachments

Attachment A – Monitoring Well Sampling Record

Attachment A

Monitoring Well Sample Data Form

Project: _____ **Well ID:** _____ **Date:** _____

Total Well Depth (from top of casing): _____

Depth to Water (from top of casing): _____

Well Diameter: _____

Pump Intake Depth: _____

Sampling Crew: _____

Purge Time: *Start:* _____ *Finish:* _____

Purging Method: _____

Sampling Method: Low Flow

Sample Time: *Start:* _____ *Finish:* _____

Sample Analysis: _____

Purge Data										
Sample Time	**Flow Rate** *(lpm/gpm)*	**Volume Purged** *(liters/gals.)*	**pH** *(std. Units)*	**Conductivity** *(mS/cm)*	**Turbidity** *(NTU)*	**Dissolved Oxygen** *(mg/l)*	**Temperature** *(Cel.)*	**Salinity** *(%)*	**ORP** *(mV)*	**Comments/Observations**
										Well Headspace PID =

Final Stabilization Data										
Sample Time	**Flow Rate** *(lpm/gpm)*	**Volume Purged** *(liters/gals.)*	**pH** *(std. Units)*	**Conductivity** *(mS/cm)*	**Turbidity** *(NTU)*	**Dissolved Oxygen** *(mg/l)*	**Temperature** *(Cel.)*	**Salinity** *(%)*	**ORP** *(mV)*	**Comments/Observations**

GEI Consultants

STANDARD OPERATING PROCEDURE

GW-002 Non-Aqueous Phase Liquid (NAPL) Measurement

1. Objective

To obtain accurate and repeatable measurement of the thickness of Non-Aqueous Phase Liquids (NAPL) contained in monitoring wells. These methods can be applied to light non-aqueous phase liquids (LNAPL) and dense non-aqueous phase liquids (DNAPL).

2. Execution

Three procedures for measuring NAPL are provided below using a clear bailer, Interface Probe, and graduated tape.

2.1. Clear Bailer (LNAPL Measurement)

- Determine depth to the surface level of the LNAPL layer utilizing an interface probe.
- Record depth.
- Lower a clear bailer into the well and slowly into the product, being careful not to submerge the bailer.
- Raise the bailer and measure product thickness.
- Once the product thickness is known, the depth to ground water may be determined (see calculation below).
- This method has inaccuracies because successful use of the bailer is dependent upon the expertise of the operator and assumes the check valve does not leak upon retrieval.

2.2. Interface Probes (LNAPL Measurement)

- Decontaminate Interface Probe prior to use.
- Check battery and replace if necessary.
- Check the unit is functioning correctly. Note: De-ionized water will not provide a correct reading.
- Measure the hydrocarbon/air interface first by going from air to the LNAPL surface to prevent dripping hydrocarbons from enhancing the thickness reading.
- Record the reading.
- Measure the hydrocarbon/water reading by lowering the Interface Probe past the LNAPL layer quickly minimizing the contact time of the probe within the hydrocarbon phase.
- DNAPL can also be measured by quickly lowering the Interface Probe past the LNAPL layer and to the bottom of the well noting any audio or visual indications of DNAPL.

- The optical sensor on interface probes may become damaged if solvents are used to clean product from the probes.
- The optical sensor may become smeared when used to measure product, rendering pinpoint accuracy to an estimate at best.
- Close attention to decontamination procedures will improve accuracy, operational life, and reduce the risk of cross contamination with other wells.

2.3. Graduated Tape (DNAPL Measurement)

- Outfit a measuring tape with a narrow cylindrical weight that is heavy enough to sink through a viscous DNAPL.
- Open the well box or unlock the protective casing
- Lower the tape slowly through the water column in the well. When the tape reaches the bottom, stop releasing tape and measure the total well depth. Any extra tape released after the bottom of well was encountered will give a false reading of the DNAPL thickness. Repeat this procedure, if necessary.
- While extracting the tape, use absorbent rags and/ or GOJO Wipes to clean the tape. When the DNAPL line of demarcation is encountered on the measuring tape, record the thickness of DNAPL in the well.
- Clean the DNAPL from the tape over the well so excess DNAPL flows back into the well. This can lessen or eliminate the need to clean DNAPL from in or around the well box.
- Clean up any DNAPL in or around the well box.
- Repeat these steps as necessary to clean the tape and clean up the area around the well box.
- Decontaminate tape in accordance with SOP QA-001.
- Dispose of waste in accordance with SOP SC-003.
- Secure the well box or close and lock the protective casing.

3. Notes

- When measuring DNAPL, care must be taken when encountering the well bottom so a false measurement is not recorded.
- When a LNAPL thickness is measured in a monitoring well, it will usually exhibit an apparent thickness rather than an actual thickness. This apparent thickness is caused when LNAPL from within and above the capillary fringe migrates into the monitoring well causing the ground water-level to become depressed below the surrounding capillary fringe area. As a result, LNAPL will continue to flow into the well until equilibrium is reached causing

an apparent LNAPL thickness, which is greater than the actual thickness**.**

- LNAPL thickness can be affected by fluctuations in the water table. In some cases, an LNAPL's thickness may decrease when the water table rises, while its thickness increases as the water table drops. In other cases, fluctuating water tables may cause sudden appearances and disappearances of LNAPL layers.
- Monitoring points with LNAPLs can pose a problem when measuring the level of ground water. Floating LNAPLs can depress the ground water-level in a monitoring well or piezometer and distort the measurement. Therefore, the Corrected Depth (CD) formula shown below should be applied to ground water-level measurements in monitoring points where LNAPLs are present:

CDTW = Static DTW – (PT x G)

CDTW = Corrected Depth to Ground water
DTW = Depth to Ground Water (Static)
PT = Measured Product Thickness
G = Specific Gravity (density of free product / density of water)

4. References

U. S. EPA Environmental Response Team Standard Operating Procedures SOP: 2043,"Water Level Measurement" REV: 0.0, 10/03/94.

STANDARD OPERATING PROCEDURE

GW-003 Low Flow (Low Stress) Groundwater Sampling

1. Objective

Provide a method to collect groundwater samples that accurately and precisely represent the aquifer conditions. Low-flow purging is limited to wells that, with sustained pumping, exhibit no continuous drawdown.

2. Background for Implementation

- Stabilization of indicator field parameters is used to indicate that conditions are suitable for sampling to begin. Achievement of turbidity levels of less than 5 nephelometric turbity units (NTUs), and stable drawdowns of less than 0.3 feet are recommended.
- It is recommended that low-flow sampling be conducted when the air temperature is above 32°F (0°C). If the procedure is used below 32°F, special precautions (e.g., insulation) will need to be taken to prevent the groundwater from freezing in the equipment.
- Direct sunlight and hot ambient air temperatures may cause the groundwater in the tubing and flow-through-cell to heat up. When sampling under these conditions, the sampler will need to shade the equipment from the sunlight (e.g., umbrella, tent, pipe insulation, etc.).
- The tubing exiting the monitoring well should be kept as short as possible to avoid sunlight or ambient air from heating up the groundwater. Tubing lengths greater than 6 feet should be fitted with 0.5-inch diameter pipe insulation.

3. Execution

- Complete site-access notification requirements prior to mobilization.
- Wait at least one week following well development before sampling.
- Record all activities in the field notebook (see SOP FD-001, *Field Notebook*) and on Attachment A – Monitoring Well Sample Data Form. Use a separate form for each sampling location and event.
- Calibrate the photoionization detector (PID), pH, temperature, specific conductance (SC), turbidity, dissolved oxygen (DO), and oxidation-reduction potential (ORP) meters and record data on Attachment B – Portable Equipment Calibration Log.
- Check the well, the lock, and the locking cap for damage or evidence of tampering.
- Record observations.

- Remove well cap and, if appropriate, measure VOCs at the rim of the well with a PID or flame ionization detector (FID) instrument and record the reading in field notebook or well logs.
- Being careful to not disturb the water column, slowly and gently measure the depth to water with a water level probe and/or oil water interface probe. Do not measure depth to well bottom at this time (wait until sampling has been completed). Measure water level to the nearest 0.01 foot from the top of casing or the highest point (or V notch) on the polyvinyl chloride (PVC). If the top of casing cannot be used, note the reference location. Mark the datum point with an indelible marker and note reference location in field book.
- Check newly constructed wells for the presence of light non-aqueous phase liquid (LNAPL) or dense non-aqueous phase liquid (DNAPL) before the initial sampling event.
- If LNAPL is present, the tubing intake should be at the mid-point of the well screen. Initial purge water should not be sent through the field parameter meter flow cell but sent directly to the purge water container. After the initial column of purge water is poured, the field parameter meters may be placed inline and the collection of data may be started.
- If DNAPL is present, the tubing intake should be placed approximately 1 foot below the water table or to the approximate depth below the known drawdown depth (refer to previous sample logs).
  - Calculate the well volume (V_w [gallons]) using the measured depth to water ($Depth_{water}$ [feet]), total well depth ($Depth_{total}$ [feet]), and well diameter:

    - $V_w = n \times (Depth_{total} - Depth_{water})$

    - 1-inch well: n = 0.04
    - 2-inch well: n = 0.16
    - 4-inch well: n = 0.65
    - 6-inch well: n = 1.47

  - Purge 1.5 well volumes at low flow rates checking for DNAPL migration. If no DNAPL migration is observed during the last 15 minutes of purging, begin collecting field data. If DNAPL migration occurs during the last 15 minutes of purging, abort sampling and document on sample log.
  - For wells without LNAPL and/or DNAPL, slowly and gently insert the pump intake tubing to the middle of the saturated screened interval, open borehole, or to the pre-determined sampling depth. The pump intake must be kept at least 2 feet above the bottom of

the well to prevent disturbance or suspension of any sediment or DNAPL present in the bottom of the well. Record the depth of the pump intake.

- Place decontaminated flow-cell inline with tubing and connect calibrated Horiba U-22 Multiparameter Water Quality Meter, or equivalent. Place flow-cell in shade or insulate.
- Start the pump on the lowest setting and increase slowly until flow begins. Adjust the pumping rate so that drawdown in the well is minimal (0.3 feet or less, if achievable). Use a pumping rate between 100 to 1,000 milliliters per minute (mL/min). Measure rates with a graduated container.

- While purging, record water levels every five minutes, or as appropriate. A steady state flow rate will be maintained that results in a stabilized water level with a drawdown of 0.3 feet or less, if achievable.
- During purging, monitor and record, every five minutes, the water quality indicator parameters that include: pH, temperature, SC, turbidity, DO, and ORP.
- Purging is complete when, after three consecutive measurements, the water quality parameters have stabilized as follows:
    1. pH (+/- 0.1 standard units)
    2. temperature (3%)
    3. SC (3%)
    4. turbidity (10% for values greater than 5 NTU; if three turbidity values are less than 5 NTU, consider the values as stabilized)
    5. DO (10% for greater than 0.5 milligram per liter [mg/L] or 3 consecutive values less than 0.5 mg/L)
    6. ORP (+/- 20 millivolt [mV] or 10%, whichever is greater)
- Containerize purge water in tanks or 55 gallon steel drums.
- Collect the samples.
- Following purge, disconnect the flow-through cell and fill all containers from the discharge end of the tubing. Collect samples at a flow rate equal to the steady state purge rate.
- Fill sample containers directly from the sampling device in order of decreasing volatility (i.e., Volatile Organic Compounds [VOC] samples will be collected first; see SOP SC-002, *Sampling Handling*).
- Label each sample collected and store samples in a cooler (SC-002, *Sampling Handling*).
- Secure the well cap and manhole cover and restore well area to pre-sampling conditions.

4. Notes

- Prior to the field activities, obtain available information on well construction for use in field investigation (i.e., screen and riser material, well diameter and depth, screened interval, optimum sampling depth, etc.).
- If using dedicated equipment, to the extent achievable install equipment into well at least 24 hours before sample collection to minimize disturbance of the water column and/or suspension of sediments or NAPL on bottom.
- To minimize the potential of cross-contamination between wells, dedicated, in-place pumps (and tubing) can be used.
- If the water quality indicator parameters do not stabilize after 2 hours, then either continue purging or, contact the Project Manager.
- All sample containers are to be filled with minimal turbulence by allowing the groundwater to flow from the tubing gently down the inside of the container.
- Be aware of any preservatives in the sample bottles and handle with care, in accordance with the Health and Safety Plan.

5. References

Low Stress (low flow) Purging and Sampling Procedure for the Collection of Groundwater Samles From Monitoring Wells (January 19, 2010), USEPA Region-1, EQASOP-GW 001.

Standard Reference for Monitoring Wells (April 19, 1991), Massachusetts DEP, DEP Publication No. WSC-310-91.

Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures (1996), R.W. Puls and M.J. Barcelona, U.S. Environmental Protection Agency, EPA/540/S-95/504.

Reproducible Well-Purging Procedures and VOC Stabilization Criteria for Ground Water Sampling (1994), M.J. Barcelona, H. A. Wehram, and M.D. Varljen, Ground Water, Vol. 32, No. 1, 12-22.

Low-Flow Purging and Sampling of Ground Water Monitoring Wells with Dedicated Systems (1995), R.W. Puls, and C.J. Paul, Groundwater Monitoring and Review, Summer 1995 116-123.

Ground Water Sampling Procedure Low Stress (Low Flow) Purging and Sampling, (1998), Ground-Water Sampling SOP, Final, U.S. Environmental Protection Agency, Region II, March 16, 1998.

RCRA Ground-Water Monitoring: Draft Technical Guidance, (1993), U.S. Environmental Protection Agency, EPA/530-R-93-001.

To Filter, or Not to Filter, That is the Question, (1997), Special Topics Subcommittee Letter Report EPA-SAF-EEC-LTR-97-011, April 29, 1997, Meeting, U.S. Environmental Protection Agency, Science Advisory Board Environmental Engineering Committee, September 5, 1997.

Should Filtered or Unfiltered Groundwater and Surface Water Samples be Collected for the Risk Assessment?, (1995), MCP Q&A: Subparts I and J, Special #4, Bureau of Waste Site Cleanup, Massachusetts Department of Environmental Protection (DEP), February, 1995.

6. Attachments

Attachment A – Monitoring Well Sample Data Form
Attachment B – Portable Equipment Calibration Log

Attachment A

Monitoring Well Sample Data Form

Project: _____ **Well ID:** _____ **Date:** _____

Total Well Depth (from top of casing): _____

Depth to Water (from top of casing): _____

Well Diameter: _____

Pump Intake Depth: _____

Sampling Crew: _____

Purge Time: *Start:* _____ *Finish:* _____

Purging Method: _____

Sampling Method: Low Flow

Sample Time: *Start:* _____ *Finish:* _____

Sample Analysis: _____

Purge Data										
Sample Time	**Flow Rate** *(lpm/gpm)*	**Volume Purged** *(liters/gals.)*	**pH** *(std. Units)*	**Conductivity** *(mS/cm)*	**Turbidity** *(NTU)*	**Dissolved Oxygen** *(mg/l)*	**Temperature** *(Cel.)*	**Salinity** *(%)*	**ORP** *(mV)*	**Comments/Observations**
										Well Headspace PID =

Final Stabilization Data										
Sample Time	**Flow Rate** *(lpm/gpm)*	**Volume Purged** *(liters/gals.)*	**pH** *(std. Units)*	**Conductivity** *(mS/cm)*	**Turbidity** *(NTU)*	**Dissolved Oxygen** *(mg/l)*	**Temperature** *(Cel.)*	**Salinity** *(%)*	**ORP** *(mV)*	**Comments/Observations**

GEI Consultants

Attachment B

Portable Equipment Calibration Log

Date: _____

Equipment Information

Equipment Type: _____

Manufacturer and Model: _____

Identification Number: _____

Calibration Information

Time	Parameter	Initial Reading	Calibration Value	Lot No.	Expiration	Final Reading

Notes:

Record information for all calibrated parameters.

If performing zero and span calibration, use a separate line for each.

Comments/Observations

STANDARD OPERATING PROCEDURE

GW-004 pH and Temperature Measurement

1. Objective

The objective of this Standard Operating Procedure (SOP) is to provide standard methods for determining the pH and temperature of liquids using a combination pH/temperature meter.

2. Execution

- Calibrate the meter according to the equipment manufacturer's instructions at the beginning of each day of use. Calibration for pH shall be performed using at least two buffer solutions from various ranges. Solutions chosen should be similar in pH to the expected level of the samples or liquids tested (pH 7 and four buffer solutions are preferred in most cases for ground or surface water measurements). Record data on Attachment A – Portable Equipment Calibration Log.
- Calibration is checked every two hours or every five monitoring locations, whichever occurs first, and at the end of the day by measuring the two calibration solutions used. The reading and times are recorded. If the readings are outside +/– 0.2 pH units, the meter must be recalibrated.
- Immediately prior to testing a sample, decontaminate testing beaker or container and probe assembly with one rinse of sample solution. Do not use methanol to rinse the probe. Methanol rinses could damage the probe.
- Gently shake the probe and beaker to remove excess solution. Visually inspect the bottom of the probe to ensure that liquid or sediment is not trapped between outer casing and probe.
- Pour the sample into the testing container and insert both temperature and pH probe. Stir sample for 30 seconds using both probes. Let the probes equilibrate in the sample solution for another 30 seconds. Measure and record the temperature. A reading has stabilized if pH units have not changed +/– 0.1 pH units during a five second period.
- Record pH to the nearest 0.1 unit and temperature to the nearest whole number.

3. Notes

- At all times, follow safety procedures as defined in the site-specific Health and Safety Plan.

- Coatings and particulates may affect the response of the probe; more thorough cleaning with distilled water and gently wiping the probe surface may be required to clean the surface of the probe.
- Temperature affects both the response of the instrument to pH and the actual pH of the sample. The Automatic Temperature Compensation (ATC) function compensates for the variation in the response of the meter only. Therefore, the pH must always be reported with temperature.
- The probe is a fragile thin glass bulb surrounded on three sides by a plastic casing. Care must be taken in handling the probe to avoid breakage.
- Buffer solutions should not be used past their expiration date.

4. References

Standard Methods for the Examination of Water and Wastewater, 18th Edition, Method 4500-H. American Public Health Association (1992).

5. Attachment

Attachment A – Portable Equipment Calibration Log

Attachment A

Portable Equipment Calibration Log

Date: _____

Equipment Information

Equipment Type: _____

Manufacturer and Model: _____

Identification Number: _____

Calibration Information

Time	Parameter	Initial Reading	Calibration Value	Lot No.	Expiration	Final Reading

Notes:

Record information for all calibrated parameters.

If performing zero and span calibration, use a separate line for each.

Comments/Observations

STANDARD OPERATING PROCEDURE

GW-005 Turbidity Measurement

1. Description

A nephelometer/turbidimeter is used in comparing the turbidity of liquids by viewing light through them and determining how much light is eliminated. Turbidity readings are required to be read using a portable (e.g. Horiba or Hach) instrument outside the flow-through cell.

2. Execution

- Turn the meter ON .
- Calibrate the meter according the manufacture's specifications and record data on Attachment A – Portable Equipment Calibration Log.
- Rinse the sample cell three times with organic free or de-ionized water.
- Fill the cell to the fill line with organic free or de-ionized water and then cap the cell.
- Use a non-abrasive lint-free paper or cloth (preferably lens paper) to wipe off excess water and streaks.
- Open the cover and insert the cell (arrow to the front) into the unit and close the cover.
- Press READ and wait for the 'light bulb' icon to go off. Record the reading.
- Using the Gelex standards, repeat steps above. Record all measurements (note anomalies).
- Collect a representative sample or use a portion of the sample that is collected for pH, temperature, or conductivity analysis, and pour off enough to fill the cell to the fill line (about 15 milliliters [ml]) and replace the cap on the cell.
- Wipe off excess water and any streaks with a soft, lint-free cloth (lens paper).
- Press "I/O" and the instrument will turn on. Place the meter on a flat, sturdy surface. Do not hold the instrument while making measurements.
- Insert the sample cell in the instrument so the diamond or orientation mark aligns with the raised orientation mark in the front of the cell compartment. Close the lid.
- Select manual or automatic range selection by pressing the range key.

- Select signal averaging mode by pressing the “Signal Average” key. Use signal average mode if the sample causes a noisy signal (display changes constantly).
- Press Read. The display will show “---- NTU” and then the turbidity in nephelometric turbidity units (NTUs). Record the result after the lamp symbol turns off.
- Rinse the cell with de-ionized water.
- Perform an operational check.
- Periodically check the turbidity meter during the day by using the Gelex secondary standards provided.
- Perform a post calibration at the end of the day and record all measurements.

3. Notes

- Turbidity measurements are reported in NTUs. It is important to note that if the turbidity measurements are for National Pollutant Discharge Elimination System (NPDES) reporting purposes, all values above 40 NTU must be diluted with turbidity free water and calculated by multiplying by a dilution factor.

4. References

Standard Methods for the Examination of Water and Wastewater, 18th Edition, Method 4500-H. American Public Health Association (1992).

STANDARD OPERATING PROCEDURE

GW-006 Specific Conductance Measurement

1. Objective

The objective of this Standard Operating Procedure (SOP) is to provide standard methods for determining the conductivity of waters using a field conductivity meter.

2. Execution

- Calibrate the meter according to equipment manufacturer's instructions at the beginning of each day of use and record data on Attachment A – Portable Equipment Calibration Log. Calibration shall be performed using a standard KCl solution of 0.20 mS/cm (200 uS/cm, S=mho).
- Calibration is checked at the beginning of the day immediately prior to sampling, after five sampling locations or two hours (whichever occurs first), and at the end of the day. If the readings are outside +/- 0.02 mS/cm, the meter must be recalibrated. Initial calibration should be conducted under the same conditions (i.e., temperature, and location) of field testing.
- Immediately prior to testing a sample, decontaminate testing beaker or container and probe assembly with one distilled water rinse, and one sample solution rinse.
- Gently shake the probe and beaker to remove excess solution.
- Pour sample into the testing container and insert probe. Stir sample with the probe for approximately 10 seconds. Let the probe equilibrate in the sample solution for another five seconds. Measure conductivity and record in the field notebook.
- Record conductivity to the nearest whole number.

3. Notes

- At all times, follow safety procedures as defined in the site-specific Health and Safety Plan.
- Coatings and particulates may affect the probe's response; more thorough cleaning using a weak alconox solution and double distilled water rinse and gently wiping the probe surface may be required to clean the surface of the probe.
- If contaminated, (e.g., stained, conductance >750 mhos/cm), rinse probe with clean water immediately after measuring sample to minimize fouling of probe.
- Calibration solutions should not be used past their expiration date and must be discarded after three months of use.

4. References

Standard Methods for the Examination of Water and Wastewater, 18th Edition, Method 4500-H. American Public Health Association (1992).

5. Attachment

Attachment A – Portable Equipment Calibration Log

Attachment A

Portable Equipment Calibration Log

Date: _____

Equipment Information

Equipment Type: _____

Manufacturer and Model: _____

Identification Number: _____

Calibration Information

Time	Parameter	Initial Reading	Calibration Value	Lot No.	Expiration	Final Reading

Notes:

Record information for all calibrated parameters.

If performing zero and span calibration, use a separate line for each.

Comments/Observations

STANDARD OPERATING PROCEDURE

GW-007 Dissolved Oxygen Measurement

1. Objective

To accurately quantify dissolved oxygen (DO) in water.

2. Execution

Typically, the Horiba U-22 Multiparameter Water Quality Meter is used to measure groundwater DO during low-flow purging activities. However, a Hach DO test kit may be utilized, as necessary.

Horiba U-22 Multiparameter Water Quality Meter

1) Calibrate meter in accordance with manufactures specifications.
2) Calibrate the meter according to equipment manufacturer's instructions at the beginning of each day of use and record data on Attachment A – Portable Equipment Calibration Log.
3) In accordance with SOP GW-003, connect decontaminated meter inline with purge/sample tubing utilizing decontaminated flow-cell.
4) Record DO readings during monitoring well purging in accordance with SOP GW-003

Hach DO Test Kit

High Range Test (1 to 20 milligrams per liter [mg/L])

1) Fill the DO bottle (round bottle with glass stopper) with sampling water by allowing the sample water to overflow the bottle for 2 to 3 minutes. Avoid turbulence and bubbles in the sample while filling.
2) Incline the bottle slightly and insert the stopper with a quick thrust to avoid trapping air bubbles. If bubbles become trapped, discard the sample and repeat the test.
3) Remove the stopper and add the contents of one DO 1 Reagent Power Pillow and one DO 2 Reagent Powder Pillow. Stopper the bottle carefully to avoid trapping air bubbles. If bubbles become trapped, discard the sample and repeat the test.
4) Shake the bottle vigorously to mix. Flocculant (floc) precipitate will form. Brownish-orange precipitate indicates oxygen is present.
5) Wait for floc to settle to approximately half the bottle volume. Floc will not settle if high concentrations of chloride are present. In this case, wait 4 to 5 minutes before proceeding.
6) Shake the bottle vigorously again.
7) Wait for the floc to settle halfway. Floc will not settle if high concentrations of chloride are present. In this case, wait 4 to 5 minutes before proceeding.

8) Remove the stopper and add the contents of one DO 3 Reagent Powder Pillow. Stopper the bottle carefully to avoid trapping air bubbles. If bubbles become trapped, discard the sample and repeat the test.
9) Shake the bottle vigorously to mix. Floc will dissolve and the sample will turn yellow if oxygen is present.
10) Fill plastic tube full (to the top) with prepared sample.
11) Save the rest of the prepared sample for the Low Range Test, if necessary.
12) Pour the contents of the tube into a square mixing bottle.
13) Add Sodium Thiosulfate Standard Solution one drop at a time to the mixing bottle. Count each drop. Swirl to mix after each drop. Add drops until the sample becomes colorless. The number of drops of titrant used is equal to the total mg/L.

Low Range Test (0.2 to 4 milligrams per liter [mg/L])

1) Use the prepared sample left from Step 11 of the High Range Test. Pour off the contents of the DO bottle until the level reaches the 30 ml mark on the bottle.
2) Add Sodium Thiosulfate Standard Solution one drop at a time to the DO bottle. Count each drop. Swirl the bottle after each drop is added. Add drops until the sample becomes colorless.
3) Multiply by 0.2 the number of drops of titrant used. This is the total mg/L.

3. Notes

- Collecting measurements from samples in containers will alter the gaseous content of the sample.
- Freshwater can hold more oxygen than saltwater. The dissolved salt forces dissolved gas out of water thereby lowering the solubility of water. A known relationship between salinity and dissolved oxygen concentration allows for a correction for salinity.

4. References

Standard Methods for the Examination of Water and Wastewater, 18th Edition, Method 4500-H. American Public Health Association (1992).

5. Attachment

Attachment A – Portable Equipment Calibration Log

Attachment A

Portable Equipment Calibration Log

Date: _____

Equipment Information

Equipment Type: _____

Manufacturer and Model: _____

Identification Number: _____

Calibration Information

Time	Parameter	Initial Reading	Calibration Value	Lot No.	Expiration	Final Reading

Notes:

Record information for all calibrated parameters.

If performing zero and span calibration, use a separate line for each.

Comments/Observations

STANDARD OPERATING PROCEDURE

GW-008 Temporary Groundwater Sampling Points

1. Description

A well point is a small diameter (1-2 inch) probe constructed of continuously wrapped stainless steel or wrapped stainless steel gauze screen over perforated carbon steel pipe. They may be used as a screening tool to collect ground water samples and piezometric data to aid in the optimal placement of monitor wells. No filter or gravel pack is used in the installation.

2. Execution

2.1. Installation

- The well point can be placed with the use of a conventional hollow-stem auger rig, slide hammer, jack hammer, rotary hammer, or by hand.
- The well point may be driven through the unsaturated zone only in known clean soils. Driving the well point through contaminated soil may carry some contamination with the point resulting in analytical sample results which are biased high. In contaminated unsaturated zones, the well points must be placed with the aid of a hollow-stem auger.
- If the well point is to be installed in an oversized (20% larger than the well point) pre-drilled hole, the hollow-stem augers or bull drive point must be advanced to a point which is just above the targeted sample zone. The well point is then placed in the hole and advanced beyond the bottom of the hole by hammering or pushing into place. The use of pre-drilled holes will reduce clogging of well point screens when driving.
- After sample collection, the well point is removed by back hammering or pulling the tool out with the rig hydraulics.
- If the well point is to be left as a permanent installation, it must be constructed and permitted as per local regulatory monitor well requirements.
- If the well point is used for piezometeric data, a survey mark must be made on top of the casing as a reference point for water level measurements.

2.2. Sampling Procedures

221. Development

Development of a well point is not required except when performing vertical profile sampling. The well point must be developed by one of the standard methods used for well development prior to sampling. If an air lift

development technique is used, the air outlet must be at a minimum of two feet above the screen. Operations must be continuous and not pulsed. The air lift pipe shall not be placed within the screen and only the double pipe method shall be used.

222. Purging

Purging of the well point is required.

223. Sampling

The acquisition of ground water samples and piezometric data must be performed by one of several recommended methods described in the associated SOP.


3. References

Standard Methods for the Examination of Water and Wastewater, 18th Edition, Method 4500-H. American Public Health Association (1992).

Ground Water and Wells. Johnson Division, UOP Inc.; St. Paul, Minn. 1982. p277-294.

Ground Water Manual - A Water Resources Technical Publication; U.S. Dept. of Interior, Bureau of Reclamation. Government Printing Office,Washington DC 1977.

Appendix D Quality Assurance Project Plan



GEI Consultants

Quality Assurance Project Plan

20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site

20 & 40 Jerusalem Avenue, Hicksville, New York 11801

Submitted to:
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway
Albany., NY 12233

Submitted by:
GEI Consultants, Inc.
1000 New York Avenue, Suite B
Huntington Station, NY 11746
631.760.9300

March 2026



Table of Contents

Acronyms and Abbreviations iv

Quality Assurance Glossary vi

1. Purpose 1

2. Project Goals and Objectives 2

3. Project Organization and Responsibility 3

4. Quality Assurance Objectives 5

4.1. Required Quantification Limit 5
4.2. Accuracy 6
4.3. Precision 6
4.4. Completeness 7
4.5. Representativeness 7
4.6. Comparability 8

5. Sampling Plan 9

5.1. Sample Type, Location, and Frequency 9
5.1.1. Subsurface Soil Samples 9
5.1.2. Soil Vapor Samples 9
5.1.3. Groundwater Samples 9
5.1.4. Field QC Sample Collection 9
5.2. Sample Preservation and Containerization 10
5.3. Equipment Decontamination 10

6. Documentation and COC 12

6.1. Sample Collection Documentation 12
6.1.1. Field Notes 12
6.1.2. COC Records 12
6.1.3. Sample Labeling 12
6.1.4. Sample Handling 13
6.2. Sample Custody 13
6.2.1. Field Custody Procedures 13
6.2.2. Laboratory Custody Procedures 14

7. Calibration Procedure 16

7.1. Field Instruments 16
7.2. Laboratory Instruments 16

8. Sample Preparation and Analytical Procedures 17

9. Data Reduction, Validation, and Reporting 18

9.1. Field Data Evaluation 18

9.2. Analytical Data Validation 18

10. Internal Quality Control 19

11. Performance and System Audits 20

12. Preventative Maintenance 21

13. Specific Procedures to Assess Data Quality Indicators 22

13.1. Detection Limits 22

13.1.1. Method Detection Limit 22

13.1.2. Reporting Limit 22

13.2. Precision 22

13.3. Accuracy 23

13.4. Completeness 24

13.5. Representativeness 24

13.6. Comparability 24

14. Corrective Action 25

14.1. Immediate Corrective Action 25

Tables

Table 1. Soil and Sediment Field Sampling Matric
Table 2. Soil Vapor Sampling Matrix
Table 3. Groundwater Field Sampling Matrix
Table 4. Analytical methods/Quality Assurance Summary Table
Table 5. Chemical Parameters, Reporting Limits and Data Quality Objectives for Soil Samples
Table 6. Chemical Parameters, Reporting Limits and Data Quality Objectives for Soil Vapor Samples
Table 7. Chemical Parameters, Reporting Limits and Data Quality Objectives for Groundwater Samples
Table 8. Quality Control Limits Precision and Accuracy for Soil and Sediment Samples
Table 9. Quality Control Limits Precision and Accuracy for Soil Vapor Samples
Table 10. Quality Control Limits Precision and Accuracy for Groundwater Samples

Appendices

Appendix A Key Staff Resumes
Appendix B NYSDEC's Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Guidance Document
Appendix C Sample Location Figures

B:\Working\TERWILLIGER & BARTONE PROP\2408313 Phase II ESA 40 Jerusalem Ave\02_PM\BCP\RIWP\Appendices\Appendix E QAPP\GEI_JerusalemAVe_QAPP 2026-03.docx

Acronyms and Abbreviations

ASP	Analytical Service Protocol
BOD	Biological Oxygen Demand
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CHMM	Certified Hazardous Materials Manager
CMS	Chip Measurement System
CLP	Contract Laboratory Protocol
COC	Chain Of Custody
COD	Chemical Oxygen Demand
DQO	Data Quality Objective
DO	Dissolved Oxygen
DUSR	Data Usability Summary Report
ELAP	Environmental Laboratory Approval Program
EPA	United States Environmental Protection Agency
FSP	Field Sampling Plan
GC/MS	Gas Chromatography/Mass Spectroscopy
GEI	GEI Consultants, Inc.
H2M	H2M Labs, Inc.
LCS	Laboratory Control Sample
LEL	Lower Explosive Limit
LEP	Licensed Environmental Professional (Connecticut)
MDL	Method Detection Limit
MPH	Master of Public Health
MS	Matrix Spike
MSD	Matrix Spike Duplicate
NTU	Nephelometric Turbidity Unit
NYSDEC	New York State Department of Environmental Conservation
NYSDOH	New York State Department of Health
ORP	Oxidation Reductioin Potential
PAH	Polycyclic Aromatic Hydrocarbon
PCE	Perchloroethylene (also know as tetrachloroethene)
PID	Photoionization Detector
PM	Project Manager
PQL	Practical Quantification Limit
QA	Quality Assurance
QAPP	Quality Assurance Project Plan
QC	Quality Control
RCRA	Resource Conservation Recovery Act
RIWP	Remedial Investigation Work Plan
RL	Reporting Limit
RPD	Relative Percent Difference
RSD	Relative Standard Deviation
SD	Standard Deviation
SOP	Standard Operating Procedures
SVOC	Semi-volatile Organic Compound
TAL	Target Analyte List
TCL	Target Compound List
TCL+30	Target Compound List Plus 30
TCLP	Toxicity Characteristic Leaching Procedure

TIC	Tentatively Identified Compounds
TOC	Total Organic Carbon
USDOT	United States Department of Transporation
VOC	Volatile Organic Compound

Quality Assurance Glossary

"Alteration" means altering a sample collected for analysis in any way other than by adding a preservative, such as nitric acid to lower pH. Examples of alteration include, but are not limited to filtering, settling and decanting, centrifuging and decanting, and acid extracting.

"Analytical Services Protocol" or "ASP" means the NYSDEC's compendium of approved EPA and NYSDEC laboratory methods for sample preparation and analysis and data handling procedures.

"Correlation Sample" means a sample taken, when using a field-testing technology, to be analyzed by an ELAP-certified laboratory to determine the correlation between the laboratory and field analytical results.

"Confirmatory Sample" means a sample taken after remedial action is expected to be complete to verify that the cleanup requirements have been met. This term has the same meaning as "post remediation sample."

"Contract laboratory program" or "CLP" means a program of chemical analytical services developed by the United States Environmental Protection Agency (EPA) to support CERCLA.

"Data Usability Summary Report, (DUSR)" is a document that provides a thorough evaluation of the analytical data to determine whether or not the data, as presented, meets the site/project specific criteria for data quality and use.

"Effective solubility" means the theoretical aqueous solubility of an organic constituent in groundwater that is in chemical equilibrium with a separate phase mixed product (product containing several organic chemicals). The effective solubility of a particular organic chemical can be estimated by multiplying its mole fraction in the product mixture by its pure phase solubility.

"Environmental Laboratory Accreditation Program" or "ELAP" means a program conducted by the New York State Department of Health (NYSDOH), which certifies environmental laboratories through onsite inspections and evaluation of principles of credentials and proficiency testing.

"Filtration" means the filtering of a groundwater or surface water sample, collected for metals analysis, at the time of collection and prior to preservation. Filtering includes, but is not limited to, the use of any membrane, fabric, paper or other filter medium, irrespective of pore size, to remove particulates from suspension.

"Final delineation sample" means a sample taken as an endpoint sample, used to make a decision regarding the extent of contamination at a site, which is to be analyzed by an ELAP-certified laboratory.

"Intermediate Sample" means a sample taken during the investigation process that will be followed by another sampling event to confirm that remediation was successful or to confirm that the extent of contamination has been defined to below a level of concern.

"Method detection limit" or "MDL" means the minimum concentration of a substance that can be measured and reported with a 99 percent confidence that the analyte concentration is greater than zero and is determined from the analysis of a sample in a given matrix containing the analyte.

"Minimum reporting limit" means the lowest concentration at which an analyte can be detected, and which can be reported with a reasonable degree of accuracy. It is the lowest concentration that can be measured, a lab-specific number, developed from minimum detection limits, and is also referred to as the practical quantitation limit (PQL).

"Nephelometric Turbidity Unit" or "NTU" is the unit by which turbidity in a sample is measured.

"Non-targeted compound" means a compound detected in a sample using a specific analytical method that is not a targeted compound, a surrogate compound, a system monitoring compound, or an internal standard compound.

"Practical quantitation level" or "PQL" means the lowest quantitation level of a given analyte that can be reliably achieved among laboratories within the specified limits of precision and accuracy of a given analytical method during routine laboratory operating conditions.

"Preservation" means preventing the degradation of a sample due to precipitation, biological action, or other physical/chemical processes between the time of sample collection and analysis. The most common examples involve refrigeration at 4 degrees Celsius and lowering sample pH by the addition of acid to keep dissolved metals in solution or to reduce the biodegradation of dissolved organic analytes.

"PAH" means polycyclic aromatic hydrocarbon as defined by USEPA Method 8270.

"Quality assurance" or "QA" means the total integrated program for assuring the reliability of monitoring and measurement data, which includes a system for integrating the quality planning, quality assessment, and quality improvement efforts to meet data end-use requirements.

"Quality assurance project plan" or "QAPP" means a document, which presents in specific terms the policies, organization, objectives, functional activities, and specific quality assurance/quality control activities designed to achieve the data quality goals or objectives of a specific project or operation.

"Quality control" or "QC" means the routine application of procedures for attaining prescribed standards of performance in the monitoring and measurement process.

"Semivolatile organic compound" or "SVOC" means compounds amenable to analysis by extraction of the sample with an organic solvent. For the purposes of this section, semi-volatiles are those target compound list compounds identified in the statement of work in the current version of the EPA Contract Laboratory Program.

"Target analyte list" or "TAL" means the list of inorganic compounds/elements designated for analysis as contained in the version of the EPA Contract Laboratory Program Statement of Work for Inorganics Analysis, Multi-Media, Multi-Concentration in effect as of the date on which the laboratory is performing the analysis. For the purpose of this chapter, a Target Analyte List scan means the analysis of a sample for Target Analyte List compounds/ elements.

"Targeted compound" means a hazardous substance, hazardous waste, or pollutant for which a specific analytical method is designed to detect that potential contaminant both qualitatively and quantitatively.

"Target compound list plus 30" or "TCL+30" means the list of organic compounds designated for analysis (TCL) as contained in the version of the EPA "Contract Laboratory Program Statement of Work for Organics Analysis, Multi-Media, Multi-Concentration" in effect as of the date on which the laboratory is performing the analysis, and up to 30 non-targeted organic compounds (plus 30) as detected by gas chromatography/mass spectroscopy (GC/MS) analysis. For the purposes of this chapter, a Target Compound List+30 scan means the analysis of a sample for Target Compound List compounds and up to 10 non-targeted volatile organic compounds and up to 20 non-targeted semi-volatile organic compounds using GC/MS analytical methods. Non-targeted compound criteria should be pursuant to the version of the EPA "Contract Laboratory Program Statement of Work for Organics Analysis, Multi-Media, Multi-Concentration" in effect as of the date on which the laboratory is performing the analysis.

"Tentatively identified compound or TIC" means a chemical compound that is not on the target compound list but is detected in a sample analyzed by a GC/MS analytical method. TICs are only possible with methods using mass spectrometry as the detection technique. The compound is tentatively identified using a mass spectral instrumental electronic library search and the concentration of the compound estimated.

"Unknown compound" means a non-targeted compound which cannot be tentatively identified. Based on the analytical method used, the estimated concentration of the unknown compound may or may not be determined.

"Volatile organic compounds" or "VOC" means organic compounds amenable to analysis by the purge and trap technique. For the purposes of this chapter, analysis of volatile organics means the analysis of a sample for either those priority pollutants listed as amenable for analysis using EPA method 624 or those target compounds identified as volatiles in the version of the EPA "Contract Laboratory Program Statement of Work for Organics Analysis, Multi-Media, Multi-Concentration" in effect as of the date on which the laboratory is performing the analysis.

"Waste oil" means used and/or reprocessed engine lubricating oil and/or any other used oil, including but not limited to: fuel oil, engine oil, gear oil, cutting oil, transmission fluid, oil storage tank residue, animal oil, and vegetable oil, which has not subsequently been refined.

"Well development" means the application of energy to a newly installed well to establish a good hydraulic connection between the well and the surrounding formation. During development, fine-grained formation material that may have infiltrated the sand pack and/or well during installation is removed, allowing water from the formation to enter the well without becoming turbid and unrepresentative of groundwater in the formation.

1. Purpose

GEI Consultants, Inc. (GEI) has prepared this Quality Assurance Project Plan (QAPP) to address analytical sampling at 20 & 40 Jerusalem Avenue in Hicksville, New York (the "Site"). The QAPP is a companion document and attachment to the Remedial Investigation Work Plan (RIWP). The QAPP presents the project scope and goals, organization, objectives, sample handling procedures and Quality Assurance Quality Control (QA/QC) procedures associated with the site.

Furthermore, this QAPP identifies project responsibilities, prescribes guidance and specifications to make certain that:

- Samples are identified and controlled through sample tracking systems and chain-of-custody (COC) protocols.
- Field and laboratory analytical results are valid and usable by adherence to established protocols and procedures.
- All aspects of the investigation, from field to laboratory are documented to provide data that are technically sound and legally defensible.

The requirements of this QAPP apply to all contractor activities as appropriate for their respective tasks.

This QAPP was prepared based upon guidance provided by the United States Environmental Protection Agency (EPA) and New York State Department of Environmental Conservation (NYSDEC) including:

- *DER-10, Technical Guidance for Site Investigation and Remediation. New York State Department of Environmental Conservation. May 3, 2010.*
- *Analytical Service Protocol, New York State Department of Environmental Conservation. July 2005.*
- *US EPA Requirements for Quality Assurance Project Plans for Environmental Data Operations (EPA QA/R-5, March 2001).*
- *Guidance for Quality Assurance Project Plans (EPA QA/G-5, December 2002).*

2. Project Goals and Objectives

An RIWP has been developed to develop a remedial analysis for onsite volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), polychlorinated biphenyls (PCBs), pesticides, metals and Perfluoroalkyl and polyfluoroalkyl substances (PFAS) impacts. The RIWP program will include:

- Soil borings
- Groundwater monitoring well installations
- Soil field screening
- Soil analytical sampling
- Groundwater analytical sampling
- Soil vapor and ambient air analytical sampling

3. Project Organization and Responsibility

GEI is responsible for the implementation of the scope of work associated with the RIWP, including the supervision of contractors, field activities, and the evaluation and interpretation of data. GEI will perform the sampling activities and coordinate submittal of samples to testing laboratories. The project organization and key personnel for GEI are listed below:

In-House Consultant: Gary Rozmus, P.E.
Program Manager: Gary Rozmus, P.E.
Project Manager: William J. Fitchett
Field Team Leader: Greg Vouzianas
Quality Assurance Officer: Jaimie Wargo
GEI Corporate Health & Safety Officer: Steven Hawkins
Data Manager: William J. Fitchett
Third Party Data Validator: Nancy Weaver

The primary responsibilities of each of these personnel are described in the following table.

Key Project Personnel and Responsibilities

Position	GEI Personnel	Areas of Responsibility
In-House Consultant	Gary Rozmus, P.E.	• Provide strategic guidance of project activities • Client contact regarding strategic issues • Review of project deliverables
Program Manager	Gary Rozmus, P.E.	• Overall program oversight • Project management • Project schedule • Client contact regarding project related issues • Personnel and resource management • Review of project submittals • Budgeting
Project Manager	William J. Fitchett	• Client contact regarding project related issues • Coordination of contractors • Technical development and implementation of RIWP and related documents • Personnel and resource management • Preparation and review of project submittals • Budgeting
Field Team Leader	Greg Vouzianas	• Client contact regarding project related issues on day-to-day basis as part of field operations • Coordination of contractors • Implementation of RIWP and Field Sampling • Plan personnel and resource management • Preparation of project submittals
Quality Assurance Officer	Jaimie Wargo	• QA/QC for sampling and laboratory performance

Key Project Personnel and Responsibilities		
Data Manager	William J. Fitchett	• Manage raw data from the laboratory • Maintain copies of COCs in the project file
Third Party Data Validator	Nancy Weaver	• Review and validate raw data from the laboratory • Prepare a Data Usability Summary Report (DUSR) • Provide Equis electronic data deliverables

Resumes for key staff projected to be included in the project are provided in Appendix A.

Eurofins Analytical Laboratories, Inc. (Eurofins), located in Edison, New Jersey, (soil and groundwater) and Lancaster, Pennsylvania (air) has been selected to perform the following standard analytical chemistry parameters for soil, soil vapor, ambient air, and groundwater samples including:

- VOCs by USEPA Method 8260.
- SVOCs by USEPA Method 8270, including 1,4-dioxane.
- Pesticides and PCBs using USEPA Methods 8081 and 8082.
- Target Analyte List (TAL) metals..
- Perfluoroalkyl and polyfluoroalkyl substances (PFAS) using modified USEPA Method 1633A.
- VOCs in air using EPA Method TO15.

Eurofins's relevant certifications are summarized in the following table.

Location	Responsible Agency	Certification
New York	New York State Department of Health	Environmental Laboratory Approval Program (ELAP) for potable water/non-potable water, solid and hazardous waste Contract Laboratory Protocol (CLP)

Table 1 provides a summary of soil analyses, Table 2 provides a summary of soil vapor analyses, Table 3 provides a summary of groundwater analyses, and Table 4 provides a summary of quality assurance samples, holding times, and analysis for each media.

4. Quality Assurance Objectives

This section establishes the QA objectives for measurements that are critical to the project. The QA objectives are developed for relevant data quality indicators. These indicators include the method detection limit (MDL), reporting limit (RL), precision, accuracy, completeness, representativeness, and comparability. The data quality objectives (DQOs) are based on project requirements and ensure: (1) that the data generated during the project are of known quality and (2) that the quality is acceptable to achieve the project's technical objectives. In addition, sampling and analysis of PFAS will be completed in accordance with the applicable portions of NYSDEC's Sampling, Analysis, and Assessment of PFAS guidance document, dated April 2023, provided as Appendix B.

Quantitation Limits are laboratory-specific and reflect those values achievable by the laboratory performing the analyses. However, in order to ensure that the analytical methodologies are capable of achieving the DQOs, measurement performance criteria have been set for the analytical measurements in terms of accuracy, precision, and completeness. The analytical methods to be used at this site will provide a level of data quality and can be used to evaluate potential impacts to soil, soil vapor, and groundwater compared to New York State Standards, Criteria and Guidance values, and for purposes of risk assessment.

The overall QA objective is to develop and implement procedures for field sampling, COC, laboratory analysis, and reporting which will provide results that are scientifically valid, and the levels of which are sufficient to meet DQOs. Specific procedures for sampling, chain of custody, laboratory instruments calibration, laboratory analysis, reporting of data, internal quality control, and corrective action are described in other sections of the QAPP.

The data quality indicators are presented in Subsections 4.1 through 4.6. Procedures to assess the data quality indicators are given below in Section 13.

Table 5, Table 6, and Table 7 provide the RLs, MDLs and the DQOs for soil, soil vapor, and groundwater samples, respectively. The DQOs for soil samples for this project include minimum RLs specified within the 2005 NYSDEC ASP as well as unrestricted use criteria listed in 6 NYCRR Part 375. The DQOs for soil vapor samples for this project include minimum RLs specified within the 2005 NYSDEC ASP. The DQOs for groundwater samples for this project include minimum RLs specified within the 2005 NYSDEC ASP as well as GA groundwater criteria listed in the Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations.

Table 8, Table 9, and Table 10 provide the precision and accuracy DQOs for soil, soil vapor, and groundwater samples, respectively.

4.1. Required Quantification Limit

The required quantification limit is the quantitative analytical level for individual analytes needed to make decisions relative to the objectives of the project. Quantitative limits may be expressed as the MDL, or some quantitative level defined in terms relative to the program. It should be noted that there is

some ambiguity in the definitions and use of terms that define quantification limits. The MDL presented herein is a well-defined and accepted entity, although attainable only under ideal laboratory conditions.

Method Detection Limit: The MDL is the minimum concentration of a substance that can be measured and reported with 99 percent confidence that the analyte concentration is greater than zero. MDL is determined from analysis of a sample in a given matrix type containing the analyte.

Practical Quantitation Limit (PQL): The PQL [also referred to as the RL] is the concentration in the sample that corresponds to the lowest concentration standard of the calibration curve.

Table 8, Table 9, and Table 10 provide the RLs and the DQO's for soil, soil vapor, and groundwater samples, respectively.

4.2. Accuracy

Accuracy is the closeness of agreement between an observed value and an accepted reference value. The difference between the observed value and the reference value includes components of both systematic error (bias) and random error.

Accuracy in the field is assessed through the adherence to all field instrument calibration procedures, sample handling, preservation, and holding time requirements, and through the collection of equipment blanks prior to the collection of samples for each type of equipment being used (e.g., sample liners, drilling shoe, or stainless–steel sampling implements).

The laboratory will assess the overall accuracy of their instruments and analytical methods (independent of sample or matrix effects) through the measurement of "standards," materials of accepted reference value. Accuracy will vary from analysis to analysis because of individual sample and matrix effects. In an individual analysis, accuracy will be measured in terms of blank results, the percent recovery (%R) of surrogate compounds in organic analyses, or %R of spiked compounds in matrix spikes (MSs), matrix spike duplicates (MSDs) and/or laboratory control samples (LCSs). This gives an indication of expected recovery for analytes tending to behave chemically like the spiked or surrogate compounds.

4.3. Precision

Precision is the agreement among a set of replicate measurements without consideration of the "true" or accurate value: i.e., variability between measurements of the same material for the same analyte. In environmental sampling, precision is the result of field sampling and analytical factors. Precision in the laboratory is easier to measure and control than precision in the field. Replicate laboratory analyses of the same sample provide information on analytical precision; replicate field samples provide data on overall measurement precision. The difference between the overall measurement precision and the analytical precision is attributed to sampling precision. Precision is measured in a variety of ways including statistically, such as calculating variance or standard deviation. The difference between the overall measurement precision and the analytical precision is attributed to sampling precision.

Precision in the field is assessed through the collection and measurement of field duplicates. Field duplicates will be collected at a frequency of one per twenty investigative samples per matrix per

analytical parameter, with the exception of the waste characterization parameters. Precision will be measured through the calculation of relative percent differences (RPDs) as described below in Subsection 13.2. The resulting information will be used to assess sampling and analytical variability. Duplicate samples are described below in Subsection 5.1.3. Table 4 summarizes the number of duplicates per media sampled.

Precision in the laboratory is assessed through the calculation of RPD for duplicate samples. For organic analyses, laboratory precision will be assessed through the analysis of MS/MSD samples and field duplicates. For the inorganic analyses, laboratory precision will be assessed through the analysis of matrix duplicate pairs and field duplicate pairs. MS/MSD samples or matrix duplicate pairs will be performed at a frequency of one per twenty primary samples per matrix. Duplicate samples are described below in Subsection 5.1.3. Table 4 summarizes the number of duplicates per media sampled.

4.4. Completeness

Completeness is a measure of the amount of valid data obtained from a measurement system compared to the amount that was expected to be obtained under normal conditions. “Normal conditions” are defined as the conditions expected if the sampling plan was implemented as planned. The objective for completeness is a sufficient amount of valid data to achieve a predetermined statistical level of confidence. Critical samples must be identified, and plans must be formulated to secure requisite valid data for these samples.

Field completeness is a measure of the amount of 1) valid measurements obtained from all the measurements taken in the project and 2) valid samples collected. The field completeness objective is greater than 90 percent.

Laboratory completeness is a measure of the amount of valid measurements obtained from all valid samples submitted to the laboratory. The laboratory completeness objective is greater than 95 percent.

To ensure that these percentages are met, materials for crucial parameters will be retained if re-sampling is required and strict adherence to holding times will be required.

4.5. Representativeness

Representativeness is a qualitative parameter that expresses the degree to which data accurately and precisely represents either a characteristic of a population, parameter variations at a sampling point, a process condition, or an environmental condition within a defined spatial and/or temporal boundary. To ensure representativeness, the sampling locations have been selected to provide coverage over a wide area and to highlight potential trends in the data.

Representativeness is dependent upon the proper design of the sampling program and will be satisfied by ensuring that any future work plans are followed, and that proper sampling, sample handling, and sample preservation techniques are used.

Representativeness in the laboratory is ensured by using the proper analytical procedures, appropriate methods, and meeting sample-holding times.

4.6. Comparability

Comparability is a qualitative parameter that expresses the confidence with which one data set can be compared to another. Comparability is dependent upon the proper design of the sampling program and will be satisfied by ensuring that the RIWP is followed and that proper sampling techniques are used. Maximization of comparability with previous data sets is expected because the sampling design and field protocols are consistent with those previously used.

Comparability is dependent on the use of recognized EPA or equivalent analytical methods and the reporting of data in standardized units. To facilitate data comparison, the data-reporting format as presented below will be used:

- Conventions (units reported as): for solids (weight/unit weight [i.e., mg/kg]); for liquids (weight/unit volume [i.e., µg/L]); for air (weight/unit volume [i.e., $\mu g/m^3$]).
- Use common chemical name with corresponding chemical abstracts service (CAS) code.
- Report all data for soils on a dry-weight basis.

5. Sampling Plan

Environmental sampling will include subsurface soil, soil vapor, groundwater, and waste characterization sampling. Direct push drilling (Geoprobe®) will be the preferred method for obtaining subsurface soil and soil vapor samples. Soil vapor samples will be collected by the direct-push drilling method. Groundwater samples will be collected utilizing low-flow sampling methods, peristaltic pumps, bailers, whale pumps, or bladder pumps. Performing grab or composite sampling by appropriate hand-held sampling equipment will be the preferred method for waste characterization sampling. Sampling methods and procedures are presented in Appendix C of the RIWP. Sample location figures are provided in Appendix C.

5.1. Sample Type, Location, and Frequency

5.1.1. Subsurface Soil Samples

Subsurface soil samples will be collected using the Geoprobe® drilling method. The depth, location and number of soil borings will be specified in a job specific Work Plan. Soil samples will be collected and submitted for laboratory analysis in general accordance with the RIWP and Field Sampling Plan (FSP). A summary of typical subsurface soil sample naming analysis is located on Table 1.

5.1.2. Soil Vapor Samples

Soil vapor samples will be collected and submitted for laboratory analysis in general accordance with the RIWP and FSP. A summary of soil vapor samples and analysis as depicted on Table 2.

5.1.3. Groundwater Samples

Groundwater samples will be collected and submitted for laboratory analysis in general accordance with the RIWP and FSP. Water quality parameters including temperature, pH, turbidity, salinity, dissolved oxygen (DO), oxidation reduction potential (ORP), and specific conductance, will be collected prior to laboratory analysis. A summary of groundwater samples and analysis as depicted on Table 3.

5.1.4. Field QC Sample Collection

Field QC samples are used to monitor the reproducibility and representativeness of field sampling activities. The field QC samples are handled, transported and analyzed in the same manner as the associated field samples. Field QC samples will include equipment blanks, trip blanks, field duplicates and MS/MSDs. The quantity, field QC sample type and analysis is detailed on Table 4.

Equipment Blank Samples are used to monitor the adequacy of decontamination procedures and possible sources of contamination such as potential laboratory methodologies. Equipment blanks will consist of laboratory-supplied, distilled or de-ionized water and will be used to check for potential contamination of the equipment which may cause sample contamination. Equipment blanks will be collected by routing the distilled water through a decontaminated piece of sampling equipment or disposable sampling equipment into laboratory supplied bottles. Non-dedicated field equipment will be

decontaminated as specified below in Subsection 5.3. Equipment blanks will be submitted to the laboratory at a frequency of one per 20 samples per matrix per type of equipment being used per parameter. Equipment blanks will not be completed for waste characterization sampling activities.

Trip Blank Samples will consist of analyte free water and will be prepared by the laboratory. Trip blanks are used to assess the potential for VOC contamination of samples due to contaminant migration during sample shipment and storage. Trip blanks will be transported to the project location unopened, stored with the site characterization samples, and kept closed until analyzed by the laboratory. Trip blanks will be submitted to the laboratory at a frequency of one per cooler which contains samples submitted for VOC analysis.

Field Duplicate Samples, also referred to as blind duplicate samples, are two samples that are submitted from the same interval using the same sample procedures. Field duplicates will be used to assess the sampling and analytical reproducibility. Both samples are collected utilizing the same methods and are submitted for the same laboratory analysis however different sample identification numbers are used. Field duplicates will be submitted at a frequency of one per 20 samples for all matrices and all parameters. Field duplicates will not be completed for waste characterization sampling activities.

MS/MSD Samples are two additional aliquots of the same sample submitted for the same parameters as the original sample. However, the additional aliquots are spiked with the compounds of concern. MSs provide information about the effect of the sample matrix on the measurement methodology. MS/MSDs will be submitted at a frequency of one per 20 investigative samples per matrix for organic and inorganic parameters. MS/MSDs will not be completed for waste characterization sampling activities.

Refer to Table 4 for a summary of QC sample preservation and container requirements.

5.2. Sample Preservation and Containerization

The analytical laboratory will supply the sample containers for the chemical samples. These containers will be cleaned by the manufacturer to meet or exceed all analyte specifications established in the latest EPA's Specifications and Guidance for Contaminant-Free Sample Containers. Certificates of analysis are provided with each bottle lot and maintained on file to document conformance to EPA specifications. The containers will be pre-preserved, where appropriate. Sample preservation and containerization details are outlined in Table 4.

5.3. Equipment Decontamination

All non-dedicated sampling equipment shall be cleaned between each use in the following manner:

- Wash/scrub with a biodegradable degreaser ("Simple Green") if there is oily residue on equipment surface.
- Tap water rinse.
- Wash and scrub with Alconox (or non-phosphate soap) and water mixture.
- Tap water rinse.

- Equipment will be wrapped in polyethylene plastic for storage or transportation from the designated decontamination area to the sampling location, where appropriate.

The drilling equipment will be decontaminated by steam cleaning or equivalent.

Decontamination fluids will be containerized into United States Department of Transportation (USDOT)/UN-approved 55-gallon drums or containment vessels and will be characterized and disposed of by an approved disposal facility.

6. Documentation and COC

6.1. Sample Collection Documentation

6.1.1. Field Notes

Field notes documenting field activities will be maintained in a field notebook in general accordance with the FSP. Field logbooks will provide the means of recording the chronology of data collection activities performed during the investigation. The logbook will be a bound notebook with water-resistant pages. Logbook entries will be dated, legible, and contain accurate and inclusive documentation of the activity. No erasures or obliterations of field notes will be made. If an incorrect entry is made, the information will be crossed out with a single strike mark, which is signed and dated by the sampler. The correction shall be written adjacent to the error.

Field logbooks will be reviewed at regular intervals by the field team leader, site manager, and project manager for completeness and representativeness. When necessary, logbooks will be supported by daily activity reports.

6.1.2. COC Records

Sample custody is discussed in detail below in Subsection 6.2. COC records are initiated by the samplers in the field. The field portion of the custody documentation should include:

- The project name
- Signature(s) of sampler (s) responsible for sample custody
- Sample ID number
- Date and time of collection
- Whether the sample is grab or composite
- Names of individuals involved in sampling
- Air bill or other shipping number (if applicable)

On a regular basis (daily or on such a basis that all holding times will be met), samples will be transferred to the custody of the respective laboratories, via third-party commercial carriers or via laboratory courier service. Sample packaging and shipping procedures, and field COC procedures are described below in Subsection 6.2.1 of this Plan. Sample receipt and log-in procedures at the laboratory are described below in Subsection 6.2.2 of this Plan.

6.1.3. Sample Labeling

Each sample will be labeled with a pre-printed adhesive label using indelible ink. The label should include the date and time of collection, sampler's initials, tests to be performed, preservative (if applicable), and a unique identification. The following identification scheme will be used:

Primary Sample Types	QA/QC Sample Types
	FIELD BLANKS
	SAMPLE ID-[DATE]
SOIL SAMPLES	FB-033110
Boring – ID (SAMPLE DEPTH-FEET)	**MATRIX SPIKE/DUP**
RISB-01 (10-15)	SAMPLE [ID] [DEPTH] [EITH MS OR MSD]
SOIL VAPOR SAMPLES	RISB-01 (10-15) MS/MSD
Soil Vapor Point-ID	**TRIP BLANKS**
RISV-01	SAMPLE – ID [DATE]
GROUNDWATER SAMPLES	TB-033110
Monitoring Well-ID	**BLIND DUPLICATES**
RIMW-01	DUP[DATE]
	DUP033110

This sample label contains the authoritative information for the sample. Inconsistencies with other documents will be settled in favor of the vial or container label unless otherwise corrected in writing from the field personnel collecting samples or the Data Manager and/or the Project QA Officer.

6.1.4. Sample Handling

Samples will be handled in general accordance with the FSP.

6.2. Sample Custody

The COC provides a record of the custody of any environmental field sample from the time of collection to the delivery to the laboratory. Custody is one of several factors that are necessary for the admissibility of environmental data as evidence in a court of law. Custody procedures help to satisfy the two major requirements for admissibility: relevance and authenticity. Sample custody is addressed in three parts: field sample collection, laboratory analysis, and final evidence files.

A sample is considered to be under a person's custody if:

- The item is in the actual possession of a person
- The item is in the view of the person after being in actual possession of the person
- The item was in the actual physical possession of the person but is locked up to prevent tampering
- The item is in a designated and identified secure area

6.2.1. Field Custody Procedures

Samples will be collected following the sampling procedures indicated in the FSP. A summary of samples and collection methods are provided above in Section 5 of this QAPP. Documentation of sample collection is described above in Subsection 6.1. Sample COC and packaging procedures are summarized below. These procedures will ensure that the samples will arrive at the laboratory with the COC intact.

- The field sampler is personally responsible for the care and custody of the samples until they are transferred or dispatched properly. Field procedures have been designed such that as few people as possible will handle the samples.
- All bottles will be identified by the use of sample labels with sample numbers, sampling locations, date/time of collection, and type of analysis. The sample numbering system is presented above in subsection 6.1.3.
- Sample labels will be completed for each sample using waterproof ink unless prohibited by weather conditions.
- Samples will be accompanied by a completed COC form. The sample numbers and locations will be listed on the COC form. When transferring the possession of samples, the individuals relinquishing and receiving will sign, date, and note the time on the record. This record documents the transfer of custody of samples from the sampler to another person, to a mobile laboratory, and to the laboratory facility.
- All shipments will be accompanied by the COC record identifying the contents. The original record will accompany the shipment, and copies will be retained by the sampler and provided to the data manager and placed in the project files.
- Samples will be properly packaged for shipment and dispatched to the appropriate laboratory for analysis, with a separate signed custody record enclosed in and secured to the inside top of each sample box or cooler. Shipping containers will be secured with strapping tape and custody seals for shipment to the laboratory. The custody seals will be attached to the cooler and covered with clear plastic tape after being signed by field personnel.
- If the samples are sent by common carrier, the air bill will be used. Air bills will be retained as part of the permanent documentation. Commercial carriers are not required to sign off on the custody forms since the custody forms will be sealed inside the sample cooler and the custody seals will remain intact.
- Samples remain in the custody of the sampler until transfer of custody is completed. This consists of delivery of samples to the laboratory sample custodian, and signature of the laboratory sample custodian on COC document as receiving the samples and signature of sampler as relinquishing samples.

6.2.2. Laboratory Custody Procedures

After accepting custody of the shipping containers, the laboratory will document the receipt of the shipping containers by signing the COC record. The laboratory will:

- Examine the shipping containers to verify that the custody tape is intact
- Examine all sample containers for damage
- Determine if the temperature required for the requested testing program has been maintained during shipment and document the temperature on the COC records
- Compare samples received against those listed on the COC
- Verify that sample holding times have not been exceeded

- Examine all shipping records for accuracy and completeness
- Determine sample pH (if applicable) and record on COC forms
- Sign and date the COC immediately (if shipment is accepted) and attach the air bill
- Note any problems associated with the coolers and/or samples on the cooler receipt form and notify the laboratory project manager, who will be responsible for contacting the GEI data manager
- Attach laboratory sample container labels with unique laboratory identification and test
- Place the samples in the proper laboratory storage.

Following receipt, samples will be logged in according to the following procedure:

- The samples will be entered into the laboratory tracking system. At a minimum, the following information will be entered: project name or identification, unique sample numbers (both client and internal laboratory), type of sample, required tests, date and time of laboratory receipt of samples, and field ID provided by field personnel.
- The completed COC, air bills, and any additional documentation will be placed in the project file.

7. Calibration Procedure

7.1. Field Instruments

Field instruments will be calibrated according to the manufacturer's specifications. Air monitoring instruments will be calibrated to a known reference gas standard and ambient air outside the work zone. Calibration will be completed daily. If concentrations of VOCs are encountered above the reference gas standard, the soil screening photoionization detector (PIDs) may be calibrated or re-checked against the reference gas standard. Water quality meters will be calibrated with known reference solutions. All calibration procedures performed will be documented in the field logbook and will include the date/time of calibration, name of person performing the calibration, reference standard used, and the readings. The following equipment may be used during sampling activities.

Subsurface Soil Sampling Activities:

- RAE Systems MiniRAE 3000 (PID) with 11.7 eV lamp or equivalent.
- DustTrak™ II Aerosol Monitor 8530 [particulate monitor] or equivalent.

Soil Vapor Sampling Activities:

- RAE Systems MiniRAE 3000 (PID) with 10.6 eV lamp or equivalent.
- MSA LC Pump or SKC 224-PCXR4 (air pump for air purging monitoring) or equivalent.

Groundwater Sampling Activities:

- Horiba U52 or equivalent.

7.2. Laboratory Instruments

Calibration procedures for a specific laboratory instrument will consist of initial calibrations, initial calibration verifications, and/or continuing calibration verification. Detailed descriptions of the calibration procedures for a specific laboratory instrument are included in the laboratory's quality assurance plan, which describe the calibration procedures, their frequency, acceptance criteria, and the conditions that will require recalibration.

8. Sample Preparation and Analytical Procedures

Analytical samples will be collected in general accordance with the FSP and as specified in the RIWP. Table 1, Table 2, and Table 3 provide sample collection matrices for soil, soil vapor, and groundwater.

9. Data Reduction, Validation, and Reporting

Appropriate QC measures will be used to ensure the generation of reliable data from sampling and analysis activities. Proper collection and organization of accurate information followed by clear and concise reporting of the data is a primary goal in this project. Complete data packages suitable for data validation to support the generation of a DUSR according to NYSDEC requirements will be provided by the project data validator.

9.1. Field Data Evaluation

Measurements and sample collection information will be transcribed directly into the field logbook or onto standardized forms. If errors are made, results will be legibly crossed out, initialed, and dated by the person recording the data, and corrected in a space adjacent to the original (erroneous) entry. Reviews of the field records by the field team leader, site manager, and project manager will ensure that:

- Logbooks and standardized forms have been filled out completely and that the information recorded accurately reflects the activities that were performed.
- Records are legible and in accordance with good record keeping procedures, i.e., entries are signed and dated, data are not obliterated, changes are initialed, dated, and explained.
- Sample collection, handling, preservation, and storage procedures were conducted in accordance with the protocols described in the FSP and Work Plan, and that any deviations were documented and approved by the appropriate personnel.

9.2. Analytical Data Validation

Laboratory deliverables will consist of an original hard copy data package that is in general accordance with NYSDEC ASP Category B data deliverable requirements when validation is requested.

10. Internal Quality Control

Laboratory and field quality internal control checks will be used to ensure the DQOs. At a minimum, this will include:

- MS and/or MSD samples
- Matrix duplicate analyses
- Laboratory control spike samples
- Instrument calibrations
- Instrument tunes for VOC 8260B analyses
- Method and/or instrument blanks
- Surrogate spikes for organic analyses
- Internal standard spikes for VOC 8260B analyses
- Detection limit determination and confirmation by analysis of low-level calibration standard

Field quality control samples, as identified in Table 4, will include:

- Equipment blanks as outlined
- Field duplicate samples as outlined
- Trip blanks as outlined
- MS/MSDs as outlined

11. Performance and System Audits

Audits are an independent means of 1) evaluating the operation or capability of a measurement system, and 2) documenting the use of QC procedures designed to generate data of known and acceptable quality.

Field audits may be completed to assess sample collection protocols, determine the integrity of COC procedures, and evaluate sample documentation and data handling procedures. Field audits may be scheduled by the QA officer, Project Manager (PM), site manager or in-house consultant, at their discretion. Written records of audits and any recommendations for corrective action will be submitted to the PM.

The QA officer is the interface between management and project activities in matters of project quality. The QA officer will review the implementation of the QAPP. Reviews will be conducted at the completion of field activities and will include the results of any audits and an evaluation of the data quality.

12. Preventative Maintenance

Preventative maintenance will be performed on field equipment in accordance with the manufacturer's recommendations. Preventative maintenance to rented field equipment will be provided by equipment vendor, Eco-Rental Solutions, or other selected vendors.

Laboratory equipment calibration and maintenance procedures are specified in the laboratory quality assurance manual provided in Appendix A.

13. Specific Procedures to Assess Data Quality Indicators

QC analyses conducted as a part of the testing program will provide a quantitative quality assessment of the data generated and their adherence to the data quality indicators. The data quality indicators ensure that the quality assurance objectives for the project are met.

13.1. Detection Limits

13.1.1. Method Detection Limit

The MDL is defined as follows for all measurements:

MDL = (t[n-1,1-a=0.99]) x (s)
where: s = standard deviation of the replicate analysis,
t(n-1, 1-a=0.99) = student's t-value for a one-sided, 99 percent confidence level and a standard deviation estimate with n-1 degrees of freedom

The MDLs calculated by the laboratory are determined under ideal conditions. MDLs for environmental samples are dependent on the sample aliquot, the matrix, the concentration of analyte, and interference present in the matrix, the percent of moisture, dilution factor, etc. The MDL for each sample analysis will be adjusted accordingly.

13.1.2. Reporting Limit

The RL is the concentration of an analyte in the sample that corresponds to the lowest concentration standard of the calibration curve. As with the MDLs, the RLs are dependent on the sample aliquot, the final sample volume, the percent of moisture, dilution factor, etc.

The RL is determined as follows:

$$RL = \frac{Lowest\ conc.\ std\ (ng)}{Volume\ injected\ (uL)} x \frac{Sample\ aliquot\ (mL\ or\ g)}{Final\ volume\ (mL)} x\ DF\ x \frac{100}{(100 - \%M)}$$

where:
DF = dilution factor, including all dilutions or lost samples not accounted for in a sample aliquot/final volume ratio
%M = percent moisture for solid samples.

13.2. Precision

Variability will be expressed in terms of the RPD when only two data points exist. The RPD is calculated as:

$$RPD = \frac{(Larger\ Value - Smaller\ Value)}{[(Larger\ Value + Smaller\ Value)/2]}\ x\ 100\%$$

For data sets greater than two points, the percent relative standard deviation (percent RSD) is used as the precision measurement. It is defined by the equation:

$$Percent\ RSD = \frac{Standard\ Deviation}{Mean}\ x\ 100\%$$

Standard deviation (SD) is calculated as follows:

$$SD = \sqrt{\sum_{i=1}^{n} \frac{(y_i - y)^2}{n - 1}}$$

where: SD = standard deviation
yi = measured value of the ith replicate
y = mean of replicate measurements
n = number of replicates

For measurements such as pH, where the absolute variation is more appropriate, precision is usually reported as the absolute range (D) of duplicate measurements:

D = |first measurement - second measurement|

or as the absolute standard deviation previously given. RPD, %RSD, and D are independent of the error of the analyses and reflect only the degree to which the measurements agree with each other, not the degree to which they agree with the true value for the parameter measured.

13.3. Accuracy

Accuracy is related to the bias in a measurement system. Accuracy describes the degree of agreement of a measurement with a true value. Accuracy will be expressed as percent recovery for each MS analyte by using the following equation:

$$\%\ Recovery = \frac{Css - Cus}{Csa}\ X\ 100\%$$

where: Css = measured concentration in spiked sample
Cus = measured concentration in unspiked sample
Csa = known concentration added to the sample

Accuracy for a measurement such as pH is expressed as bias in the analysis of a standard reference sample according to the equation:

	Bias	=	pH_m - pH_t
where:	pH_m	=	measured pH
	pH_t	=	the true pH of the standard reference sample

13.4. Completeness

Data completeness is a measure of the amount of usable data resulting from a measurement effort. For this program, completeness will be defined as the percentage of valid data obtained compared to the total number of measurements necessary to achieve our required statistical level of confidence for each test. The confidence level is based on the total number of samples.

Data completeness is calculated as:

$$Completeness = \frac{Number\ of\ valid\ data\ points}{Number\ of\ data\ points\ necessary\ for\ confidence\ level}\ x\ 100\%$$

The completeness goal is to generate a sufficient amount of valid data. It is anticipated that 95 percent of the data will be complete. Data validation criteria discussed in Section 9 of this QAPP will be used to determine data completeness. Any data deficiencies and their effect on project goals will be evaluated in the DUSR.

13.5. Representativeness

Representativeness is a qualitative statement that expresses the extent to which the sample accurately and precisely represents the characteristics of interest of the study. Representativeness is primarily concerned with the proper design of the sampling program and is best ensured by proper selection of sampling locations and the taking of a sufficient number of samples. It is addressed by describing the sampling techniques, the matrices sampled, and the rationale for the selection of sampling locations, which are discussed in the FSP and RIWP.

13.6. Comparability

Comparability is a qualitative parameter expressing the confidence that one set of data can be compared to another. Comparability is possible only when standardized sampling and analytical procedures are used.

14. Corrective Action

If unacceptable conditions are identified as a result of audits or are observed during field sampling and analysis, the PM, Field Team Leader, and QA officer will document the condition and initiate corrective procedures. The specific condition or problem will be identified, its cause will be determined, and appropriate action will be implemented.

The entire sampling program will be under the direction of the PM and QA officer. The emphasis in this program is on preventing problems by identifying potential errors, discrepancies, and gaps in the data collection, laboratory analysis, and interpretation process. Any problems identified will be promptly resolved. Likewise, follow-up corrective action is always an option in the event that preventative corrective actions are not effective.

The acceptance limits for the sampling and analyses to be conducted in this program will be those stated in the method or defined by other means in the Work Plan and FSP. Corrective actions are likely to be immediate in nature and most often will be implemented by the contracted laboratory analyst or the PM. The corrective action will usually involve recalculation, reanalysis, or repeating a sample run.

14.1. Immediate Corrective Action

Corrective action in the field may be needed when the sample requirements are changed (i.e., more/less samples, sampling locations other than those specified in the Work Plan), or when sampling procedures and/or field analytical procedures require modification, etc. due to unexpected conditions. The field team may identify the need for corrective action. The Field Team Leader, Site Manager, and PM will approve the corrective action and notify the QA officer. The PM and QA officer will approve the corrective measure. The Field Team Leader and Site Manager will ensure that the corrective measure is implemented by the field team.

Corrective actions will be implemented and documented in the field record book. Documentation will include:

- A description of the circumstances that initiated the corrective action
- The action taken in response
- The final resolution
- Any necessary approvals

Corrective action in the laboratory will be completed in accordance with the quality assurance procedures located in Appendix A. Any corrective actions completed by the laboratory will be documented in both the laboratory's corrective action files, and the narrative data report sent from the laboratory to the PM. If the corrective action does not rectify the situation, the laboratory will contact the PM, who will determine the action to be taken and inform the appropriate personnel.

If potential problems are not solved as an immediate corrective action, the contractor will apply formalized long-term corrective action if necessary.

Tables

Table 1. Soil and Sediment Field Sampling Matric

Table 2. Soil Vapor Sampling Matrix

Table 3. Groundwater Field Sampling Matrix

Table 4. Analytical methods/Quality Assurance Summary Table

Table 5. Chemical Parameters, Reporting Limits and Data Quality Objectives for Soil Samples

Table 6. Chemical Parameters, Reporting Limits and Data Quality Objectives for Soil Vapor Samples

Table 7. Chemical Parameters, Reporting Limits and Data Quality Objectives for Groundwater Samples

Table 8. Quality Control Limits Precision and Accuracy for Soil and Sediment Samples

Table 9. Quality Control Limits Precision and Accuracy for Soil Vapor Samples

Table 10. Quality Control Limits Precision and Accuracy for Groundwater Samples

Table 1. Soil and Sediment Field Sampling Matrix
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem Avenue
Hicksville, NY

Typical Sample I.D.	**TYPICAL SOIL BORING SAMPLE SELECTION RATIONALE:** **1. Soil/sediment sample within heaviest observed impacts (if present).** **2. Soil/sediment sample beneath zone of deepest impacts.** **3. Refer to job specific Work Plan for specific sampling details.**								Analysis					
	Sample Number													
	Number Samples Proposed	Number Samples Collected	Date Collected	Within Historic Fill Layer	Heaviest Impacted Zone below 3 feet (if Present)	Water Table Interface	Subsurface soil/sediment below deepest observed visual impacts	Completion depth of boring	TCL VOCs (EPA Method 8260B)	TCL SVOCs, including 1,4-Dioxane (EPA Method 8270)	TAL Metals (EPA Method 6010B/7470A)	Pesticides (USEPA 8081)	Polychlorinated Biphenyls (PCBs) (USEPA 8082)	PFAS (USEPA Method 1633A)
Subsurface Soil														
RISB-01	68	TBD	TBD	TBD	-	TBD	X	16	X	X	X	X	X	X

Notes:
VOCs - Volatile Organic Compounds
TCL - Target Compound List
TAL - Target Analyte List
EPA - Environmental Protection Agency
Samples will be analyzed in accordance with the Field Sampling Plan

Table 2. Soil Vapor Field Sampling Matrix
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem Avenue
Hicksville, New York

Typical Sample I.D.	**SAMPLE SELECTION RATIONALE:** 1. The soil vapor probes will be installed to a depth of 15 ft. bgs.						Analysis	Soil Vapor Quality Measurements
	Sample Information							
	Number Samples Proposed	Number Samples Collected	Date Collected	Sampling Duration	Flow Rate	Soil Vapor Probe Installation Depth[(1)]	USEPA Method TO-15	Tracer Gas (Helium)
RISV-01	10	TBD	TBD	2	0.2 L/min	15	X	X

Table 3. Groundwater Field Sampling Matrix
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem Avenue
Hicksville, New York

Sample I.D.	Sample Location	**SAMPLE SELECTION RATIONALE:** 1. Groundwater Sample locations and depth intervals will be specified within a job specific Work Plan			Water Quality Measurements						Analysis						
		Sample Number			pH	Specific Conductance	Temperature	Oxidation Reduction Potential (ORP)	Turbidity	Dissolved Oxygen	TCL VOCs (EPA Method 8260B)	TCL SVOCs (EPA Method 8270)	1,4-Dioxane (EPA 8270 SIM)	TAL Metals (EPA Method 6010B/7470A)	Pesticides (USEPA 8081)	Polychlorinated Biphenyls (PCBs) (USEPA 8082)	PFAS (USEPA Method 1633A)
		Number Samples Proposed	Number Samples Collected	Date Collected													
Monitoring Well Sample Locations																	
RIMW-01	-	5	TBD	TBD	X	X	X	X	X	X	X	X	X	X	X	X	X

Notes:
VOCs - Volatile Organic Compounds
TCL - Target Compound List
TAL - Target Analyte List
EPA - Environmental Protection Agency
Samples will be collected in accordance with the Field Sampling Plan

Table 4. Analytical Methods/Quality Assurance Summary Table
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem Avenue
Hicksville, New York

Media	Number of Primary Samples	QA/QC Samples				Total Number of Samples	Analytical Parameters	Method	Preservative	Holding Time	Container
		TB	FB[1]	DUP	MS/MSD						
Subsurface Soil	TBD	1/Cooler	1/20	1/20	Zone below	TBD	TCL VOCs	8260B	Cool to 4°C	5 days unpreserved, 12 days preserved	3-40 mL vials (2 with stir bars) + 2 - 1 oz jars
	TBD	1/Cooler	1/20	1/20	1/20	TBD	TCL SVOCs	8270C	Cool to 4°C	10 days	2-oz jar
	TBD	1/Cooler	1/20	1/20	1/20	TBD	TAL Metals	6010B/7470A	Cool to 4°C	28 days to analysis for mercury; 6 months to analysis for other metals	Wide mouth 8-oz. clear glass jar
	TBD	1/Cooler	1/20	1/20	1/20	TBD	Pesticides	8081	Cool to 4°C	7 days	Wide mouth 8-oz. clear glass jar
	TBD	1/Cooler	1/20	1/20	1/20	TBD	PCBs	8082	Cool to 4°C	14 days	Wide mouth 8-oz. clear glass jar
	TBD	1/Cooler	1/20	1/20	1/20	TBD	PFAS	1633	Cool to 4°C	28 days	500mL HDPE jar
Groundwater	TBD	1/Cooler	1/20	1/20	1/20	TBD	TCL VOCs	8260B	pH<2 with HCl, Cool to 4°C	14 days	(2) 40 mL VOA vials w/HCL
	TBD	1/Cooler	1/20	1/20	1/20	TBD	TCL SVOCs	8270C	Cool to 4°C	7 days	(2) Liter amber glass
	TBD	1/Cooler	1/20	1/20	1/20	TBD	1,4-Dioxane	8270 SIM	Cool to 4°C	7 days	(2) Liter amber glass
	TBD	1/Cooler	1/20	1/20	1/20	TBD	TAL Metals	6010B7470A	pH<2 with HNO3 Cool to 4°C	180 days	(1) 500 mL Polyethylene container w/HNO3
	TBD	1/Cooler	1/20	1/20	1/20	TBD	Pesticides	8081	Cool to 4°C	7 days	Liter amber glass
	TBD	1/Cooler	1/20	1/20	1/20	TBD	PCBs	8082	Cool to 4°C	7 days	Liter amber glass
	TBD	1/Cooler	1/20	1/20	1/20	TBD	PFAS	1633	Cool to 4°C	28 days to analysis for mercury; 6 months to analysis for other metals	2 x 500 mL HDPE bottles (per sample)
Soil Vapor	TBD	NA	NA	1/20	NA	TBD	Toxic Organic Compounds	USEPA Method TO-15	None	30 Days	(1) Stainless steel canister

Notes:
VOCs - Volatile organic compounds
SVOCs - Semivolatile organic compounds
°C- Degrees Celsius
L - Liter
oz. - Ounce
mL - Milliliter
TAL - Target Analyte List

Table 5. Chemical Parameters, Reporting Limits and Data Quality Objectives for Soil Samples
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem
Hicksville, New York

CAS Number	Analyte	DQO's			Analytical Limits	
		ASP 2005	Unrestricted Use [1]	Residential Use [1]		
		CRQL	SCO	SCO	RL	MDL
TCL Volatile Organic Compounds (mµg/Kg) via Method 8260 B						
79-34-5	1,1,1-Trichloroethane	10	0.68	100	5	0.389
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	NE	100*	100	5	3.9
79-00-5	1,1,2-Trichloroethane	10	NE	NE	5	0.699
75-35-4	1,1-Dichloroethene	10	0.27	0	5	0.355
87-61-6	1,2,3-Trichlorobenzene	10	NE	NE	5	1.55
120-82-1	1,2,4-Trichlorobenzene	10	NE	NE	5	1.29
96-12-8	1,2-Dibromo-3-chloropropane	100	NE	NE	5	2.06
106-93-4	1,2-Dibromoethane (EDB)	10	NE	NE	5	0.729
95-50-1	1,2-Dichlorobenzene	10	1.1	100	5	1.2
107-06-2	1,2-Dichloroethane	10	0.02	2	5	0.845
78-87-5	1,2-Dichloropropane	10	NE	NE	5	1.86
541-73-1	1,3-Dichlorobenzene	10	2.6	11	5	1.32
106-46-7	1,4-Dichlorobenzene	10	1.8	10	5	1.22
123-91-1	1,4-Dioxane	NE	0.1	1.4	125	22.2
78-93-3	2-Butanone (MEK)	10	0.12	100	10	1.05
591-78-6	Methyl Butyl Ketone (2-Hexanone)	10	0.1	NE	10	0.212
108-10-1	4-Methyl-2-pentanone (MIBK)	10	NE	NE	10	0.617
67-64-1	Acetone	10	0.03	100	10	1.42
71-43-2	Benzene	10	0.06	1	5	0.591
74-97-5	Bromochloromethane	10	NE	NE	5	0.743
75-27-4	Bromodichloromethane	10	NE	NE	5	0.412
75-25-2	Bromoform	10	NE	NE	5	0.807
74-83-9	Bromomethane	10	NE	NE	5	0.571
75-15-0	Carbon disulfide	10	100*	100	5	0.584
56-23-5	Carbon tetrachloride	10	0.76	2	5	0.407
108-90-7	Chlorobenzene	10	4.5	73	5	0.797
75-00-3	Chloroethane	10	NE	NE	5	0.56
67-66-3	Chloroform	10	0.37	5	5	0.662
74-87-3	Chloromethane	10	NE	NE	5	0.74
156-59-2	cis-1,2-Dichloroethene	10	0.25	9	5	0.4
10061-01-5	cis-1,3-Dichloropropene	10	NE	NE	5	0.363
110-82-7	Cyclohexane	NE	NE	NE	5	4.45
124-48-1	Dibromochloromethane	10	NE	NE	5	0.831
75-71-8	Dichlorodifluoromethane (FREON 12)	10	NE	NE	5	1.17
100-41-4	Ethylbenzene	10	1	32	5	1.01
98-82-8	Isopropylbenzene	10	NE	NE	5	0.734
79-20-9	Methyl Acetate	NE	NE	NE	5	1.13
1634-04-4	Methyl tert-butyl ether (MTBE)	NE	0.1	40	5	0.577
108-87-2	Methylcyclohexane	NE	NE	NE	5	1.27
75-09-2	Methylene chloride	10	0.05	17	5	0.649
100-42-5	Styrene	10	NE	NE	5	0.6
127-18-4	Tetrachloroethene	10	1.3	15	5	1.92
108-88-3	Toluene	10	0.7	100	5	0.379
156-60-5	trans-1,2-Dichloroethene	10	0.19	100	5	0.507
10061-02-6	trans-1,3-Dichloropropene	10	NE	NE	5	0.501
79-01-6	Trichloroethene	10	0.47	2	5	0.589
75-69-4	Trichlorofluoromethane (FREON 11)	10	NE	NE	5	0.334
75-01-4	Vinyl chloride	10	0.03	0.099	5	0.706
1330-20-7	Total Xylene	10	0.26	100	5	0.732
TCL Semivolatile Organic Compounds (mg/Kg) via Method 8270						
92-52-4	1,1´-Biphenyl	NE	NE	NE	170	48.6
95-94-3	1,2,4,5-Tetrachlorobenzene	330	NE	NE	170	41.8
52438-91-2	2,2-oxybis[1-Chloropropane]	330	NE	NE	170	41
95-95-4	2,4,5-Trichlorophenol	330	NE	NE	330	60
88-06-2	2,4,6-Trichlorophenol	330	NE	NE	170	52.1
120-83-2	2,4-Dichlorophenol	330	2*	2	170	36.7
105-67-9	2,4-Dimethylphenol	330	NE	NE	170	43.2
51-28-5	2,4-Dinitrophenol	800	200*	NE	330	57.6
121-14-2	2,4-Dinitrotoluene	330	NE	NE	170	41.2
606-20-2	2,6-Dinitrotoluene	330	NE	1.03	170	43.2
91-58-7	2-Chloronaphthalene	330	NE	NE	170	42.7
95-57-8	2-Chlorophenol	330	400*	400	170	33.7
91-57-6	2-Methylnaphthalene	330	NE	NE	170	42.1
95-48-7	2-Methylphenol (o-Cresol)	330	0.33	100	170	37.3
88-74-4	2-Nitroaniline	800	NE	NE	330	38.9
88-75-5	2-Nitrophenol	330	NE	NE	170	55.3
91-94-1	3,3-Dichlorobenzidine	660	NE	NE	170	35.5
99-09-2	3-Nitroaniline	800	NE	NE	330	35.1
534-52-1	4,6-Dinitro-2-methylphenol	800	NE	NE	330	53
101-55-3	4-Bromophenyl phenyl ether	330	NE	NE	170	49.5
59-50-7	4-Chloro-3-methylphenol	330	NE	NE	170	46.2
106-47-8	4-Chloroaniline	330	200*	200	170	36.8
7005-72-3	4-Chlorophenyl phenyl ether	330	NE	NE	170	45.5
106-44-5	4-Methylphenol (p-Cresol)	330	0.33	100	170	78.8
100-01-6	4-Nitroaniline	800	NE	NE	330	42.8
100-02-7	4-Nitrophenol	800	NE	NE	330	42.6
83-32-9	Acenaphthene	330	20	100	170	40.2
208-96-8	Acenaphthylene	330	100	100	170	38.8
98-86-2	Acetophenone	330	NE	NE	170	57.7
120-12-7	Anthracene	330	100	100	170	41.8

Table 5. Chemical Parameters, Reporting Limits and Data Quality Objectives for Soil Samples
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem
Hicksville, New York

CAS Number	Analyte	DQO's			Analytical Limits	
		ASP 2005	Unrestricted Use [1]	Residential Use [1]		
		CRQL	SCO	SCO	RL	MDL
TCL Volatile Organic Compounds (mµg/Kg) via Method 8260 B						
108-95-2	Atrazine	NE	NE	NE	170	47.8
100-52-7	Benzaldehyde	NE	NE	NE	170	107
56-55-3	Benz[a]anthracene	330	1	1	170	40.8
50-32-8	Benzo[a]pyrene	330	1	1	170	40.5
205-99-2	Benzo[b]fluoranthene	330	1	1	170	34.2
191-24-2	Benzo[g,h,i]perylene	330	0.64	1	170	34.6
207-08-9	Benzo[k]fluoranthene	330	0.8	1	170	59.5
111-91-1	Bis(2-chloroethoxy)methane	330	NE	NE	170	44.8
111-44-4	Bis(2-chloroethyl)ether	330	NE	NE	170	38.7
117-81-7	Bis(2-ethylhexyl)phthalate	330	50*	50	170	46.9
85-68-7	Butyl benzyl phthalate	330	100*	100	170	48.9
105-6--2	Caprolactam	NE	NE	NE	170	41.7
86-74-8	Carbazole	330	NE	NE	170	42.6
218-01-9	Chrysene	330	1	1	170	49.3
84-74-2	Di-n-butyl phthalate	330	100*	100	170	38.5
117-84-0	Di-n-octyl phthalate	330	100*	100	170	45.6
53-70-3	Dibenz[a,h]anthracene	330	0.33	0.33	170	37.9
132-64-9	Dibenzofuran	330	2.1	4	170	41.7
84-66-2	Diethyl phthalate	330	100*	100	170	38.2
131-11-3	Dimethyl phthalate	330	100*	NE	170	41.5
206-44-0	Fluoranthene	330	85	100	170	29.7
86-73-7	Fluorene	330	30	100	170	41.6
118-74-1	Hexachlorobenzene	330	0.33	410	170	41.2
87-68-3	Hexachlorobutadiene	330	NE	NE	170	42.2
77-47-4	Hexachlorocyclopentadiene	330	NE	NE	170	43.3
67-72-1	Hexachloroethane	330	NE	NE	170	41.9
193-39-5	Indeno[1,2,3-cd]pyrene	330	0.5	1	170	36.6
78-59-1	Isophorone	330	100*	100	170	45.8
621-64-7	N-Nitrosodi-n-propylamine	330	NE	NE	170	29.6
86-30-6	N-Nitrosodiphenylamine	330	NE	NE	170	86.1
91-20-3	Naphthalene	330	12	84	170	41.6
98-95-3	Nitrobenzene	330	3.7*	4	170	32.7
87-86-5	Pentachlorophenol	800	0.8	0.8	330	64.6
85-01-8	Phenanthrene	330	1.1	1.2	170	42.4
108-95-2	Phenol	330	0.33	100	170	23.3
129-00-0	Pyrene	330	64	100	170	51.5
Inorganic Analytes (mg/Kg) via Methods 6010/7471/7196						
7429-90-5	Aluminum	NE	NE	NE	0	0
7440-36-0	Antimony	60	NE	NE	0	0
7440-38-2	Arsenic	10	13	16	0	0
7440-39-3	Barium	200	410	410	0	0
7440-41-7	Beryllium	5	4.4	9	0	0.0
7440-43-9	Cadmium	5	2.5	2.5	**0**	0.0
7440-70-2	Calcium	NE	NE	NE	0	0
7440-47-3	Chromium (sum of Cr III and Cr IV)	10	NE	NE	0	0
18540-29-9	Hexavalent Chromium	NE	1	1	1	0.370
7440-48-4	Cobalt	50	30**	30	**0**	0
7440-50-8	Copper	25	50	280	0	0
7439-89-6	Iron	NE	2000**	2,000	0	0
7439-92-1	Lead	5	63	400	0	0
7439-95-4	Magnesium	NE	NE	NE	0	0
7439-96-5	Manganese	NE	1600	2,000	0	0
7439-97-6	Mercury	0.2	0.18	0.3	0.1	0.2
7440-02-0	Nickel	40	30	87	0	0
7440-09-7	Potassium	NE	NE	NE	0	0
7782-49-2	Selenium	5	3.9	22	0	0
7440-22-4	Silver	10	2	22	0	0
7440-23-5	Sodium	NE	NE	NE	0	0
7440-28-0	Thallium	10	NE	NE	0	0
7440-62-2	Vanadium	50	NE	100	0	0
7440-66-6	Zinc	20	109	1,300	0	0

Notes:

mg/kg - milligrams per kilogram
µg/Kg - micrograms per kilogram
RL - Reporting Limits
MDL - Method Detection Limit
DQO - Data Quality Objectives
NE - Not Established
TCL - Target Compound List
SCO - Site Cleanup Objective
1 - DQOs are based on 6 NYCRR Part 375 -6.8(b) Residential Use Soil Clean-up Objectives

Table 6. Chemical Parameters, Report Limits and Data Quality Objectives for Soil Vapor Samples
431-441 Concord Avenue Development Project
431-441 Concord Avenue, Bronx, NY
NYSDEC BCP Site No. C203177

CAS Number	Analyte	Analytical Limits	
		RL	MDL
EPA TO-15 Compounds (ppbv)			
79-34-5	1,1,2,2-Tetrachloroethane	0.2	0.012
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.2	0.012
79-00-5	1,1,2-Trichloroethane	0.2	0.022
75-35-4	1,1-Dichloroethene	0.2	0.024
95-63-6	1,2,4-Trichlorobenzene	0.2	0.022
95-63-6	1,2,4-Trimethylbenzene	0.2	0.012
106-93-4	1,2-Dibromoethane	0.2	0.030
95-50-1	1,2-Dichlorobenzene	0.2	0.017
107-06-2	1,2-Dichloroethane	0.2	0.025
156-59-2	1,2-Dichloroethene (cis)	0.2	0.017
540-59-0	1,2-Dichloroethene (total)	0.2	0.031
78-87-5	1,2-Dichloropropane	0.2	0.034
76-14-2	1,2-Dichlorotetrafluoroethane	0.2	0.017
541-73-1	1,3-Dichlorobenzene	0.2	0.010
10061-01-5	1,3-Dichloropropene (cis)	0.2	0.030
10061-02-6	1,3-Dichloropropene (trans)	0.2	0.028
87-68-3	1,3-Hexachlorobutadiene	0.2	0.017
106-46-7	1,4-Dichlorobenzene	0.2	0.012
67-64-1	Acetone	0.2	0.076
71-43-2	Benzene	0.2	0.017
75-27-4	Bromodichloromethane	0.2	0.022
75-25-2	Bromoform	0.2	0.012
74-83-9	Bromomethane	0.2	0.022
75-15-0	Carbon disulfide	0.2	0.017
56-23-5	Carbon tetrachloride	0.2	0.017
108-90-7	Chlorobenzene	0.2	0.024
75-00-3	Chloroethane	0.2	0.034
67-66-3	Chloroform	0.2	0.022
74-87-3	Chloromethane	0.2	0.015
124-48-1	Dibromochloromethane	0.2	0.010
75-71-8	Dichlorodifluoromethane	0.2	0.025
100-41-4	Ethylbenzene	0.2	0.022
591-78-6	Methyl butyl ketone	0.2	0.031
78-93-3	Methyl ethyl ketone	0.2	0.018
108-10-1	Methyl isobutyl ketone	0.2	0.024
1634-04-4	Methyl tert-butyl ether	0.2	0.028
75-09-2	Methylene chloride	0.2	0.036
100-42-5	Styrene	0.2	0.015
127-18-4	Tetrachloroethene	0.2	0.022
108-88-3	Toluene	0.2	0.022
79-01-6	Trichloroethene	0.2	0.030
75-69-4	Trichlorofluoromethane	0.2	0.012
105-05-4	Vinyl acetate	0.2	0.040
75-01-4	Vinyl chloride	0.2	0.026
108-38-3/ 106-42-3	Xylenes (m&p)	0.2	0.012
95-42-3	Xylenes (o)	0.2	0.012
91-20-3	Naphthalene	0.5	0.022

Notes:

mg/kg - milligrams per kilogram
µg/Kg - micrograms per kilogram
ppbv - parts per billion per volume
RL - Reporting Limits
MDL - Method Detection Limit
DQO - Data Quality Objectives
1 - DQOs are based on 6 NYCRR Part 375 -6.8(b) Residential Use Soil Clean-up Objectives

Table 7. Chemical Parameters, Reporting Limits and Data Quality Objectives for Groundwater Samples
20-40 Jerusalem Avenue Dry Cleaner Dry Wells SIte
20 and 40 Jerusalem Avenue
Hicksville, New York

CAS Number	Analyte Name	DQO's		Analytical Limits	
		ASP 2005	NY AWQS GA [1]		
		CRQL	H(WS)	RL	MDL
Volatile Organic Compounds Method 8260 B (µg/L)					
79-34-5	1,1,2,2-Tetrachloroethane	1	5	0	0.12
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	NE	5	5	0.78
79-00-5	1,1,2-Trichloroethane	1	1	**5**	0.104
75-35-4	1,1-Dichloroethene	1	0.07	**5**	0.155
87-61-6	1,2,3-Trichlorobenzene	1	5	5	0.252
120-82-1	1,2,4-Trichlorobenzene	1	5	5	0.296
96-12-8	1,2-Dibromo-3-chloropropane	1	0.04	**5**	0.178
106-93-4	1,2-Dibromoethane (EDB)	1	0.0006	**5**	0.085
95-50-1	1,2-Dichlorobenzene	1	3	**5**	0.114
107-06-2	1,2-Dichloroethane	1	NE	5	0.087
78-87-5	1,2-Dichloropropane	1	1	**5**	0.095
541-73-1	1,3-Dichlorobenzene	1	3	**5**	0.129
106-46-7	1,4-Dichlorobenzene	1	3	**5**	0.113
78-93-3	2-Butanone (MEK)	5	50*	10	0.77
591-78-6	Methyl Butyl Ketone (2-Hexanone)	5	50*	10	0.439
108-10-1	4-Methyl-2-pentanone (MIBK)	5	NE	10	0.164
67-64-1	Acetone	5	50*	10	0.356
71-43-2	Benzene	1	1	**5**	0.074
74-97-5	Bromochloromethane	1	5	5	0.074
75-27-4	Bromodichloromethane	1	50*	5	0.063
75-25-2	Bromoform	1	50*	5	0.486
74-83-9	Bromomethane	1	5	5	0.216
75-15-0	Carbon disulfide	1	60*	5	0.543
56-23-5	Carbon tetrachloride	1	5	5	0.467
108-90-7	Chlorobenzene	1	5	5	0.034
75-00-3	Chloroethane	1	5	5	0.196
67-66-3	Chloroform	1	7	5	0.111
74-87-3	Chloromethane	1	5	5	0.181
156-59-2	cis-1,2-Dichloroethene	1	5	5	0.149
10061-01-5	cis-1,3-Dichloropropene	1	0.4	**5**	0.105
110-82-7	Cyclohexane	NE	NE	5	0.087
124-48-1	Dibromochloromethane	1	50*	5	0.174
75-71-8	Dichlorodifluoromethane (FREON 12)	1	5	5	0.102
100-41-4	Ethylbenzene	1	5	5	0.132
98-82-8	Isopropylbenzene	1	5	5	0.108
79-20-9	Methyl Acetate	NE	NE	5	0.753
1634-04-4	Methyl tert-butyl ether (MTBE)	NE	10*	5	0.031
108-87-2	Methylcyclohexane	NE	NE	5	1.27
75-09-2	Methylene chloride	2	5	5	0.169
100-42-5	Styrene	1	5	5	0.118
127-18-4	Tetrachloroethene	1	5	5	0.384
108-88-3	Toluene	1	5	5	0.077
156-60-5	trans-1,2-Dichloroethene	1	5	5	0.075
10061-02-6	trans-1,3-Dichloropropene	1	0.4	**5**	0.144
79-01-6	Trichloroethene	1	5	5	0.08
75-69-4	Trichlorofluoromethane (FREON 11)	1	5	5	0.141
75-01-4	Vinyl chloride	1	2	**5**	0.119
1330-20-7	Total Xylene	1	5	5	0.065
Semivolatile Organic Compounds (µg/L) via Method 8270					
92-52-4	1,1´-Biphenyl	NE	5	5	0.318
95-94-3	1,2,4,5-Tetrachlorobenzene	10	5	5	0.637
52438-91-2	2,2´-oxybis(1-chloropropane)	10	NE	5	0.595
95-95-4	2,4,5-Trichlorophenol	10	NE	10	1.044
88-06-2	2,4,6-Trichlorophenol	10	NE	5	0.692
120-83-2	2,4-Dichlorophenol	10	5	5	0.784
105-67-9	2,4-Dimethylphenol	10	50*	5	0.476
51-28-5	2,4-Dinitrophenol	25	10*	10	0.866
121-14-2	2,4-Dinitrotoluene	10	5	5	0.473
606-20-2	2,6-Dinitrotoluene	10	5	5	0.701
91-58-7	2-Chloronaphthalene	10	10**	5	0.677
95-57-8	2-Chlorophenol	10	NE	5	0.82
91-57-6	2-Methylnaphthalene	10	NE	5	0.616
95-48-7	2-Methylphenol (o-Cresol)	10	1**	**5**	0.262
88-74-4	2-Nitroaniline	25	5	10	0.699
88-75-5	2-Nitrophenol	10	NE	5	1.867
91-94-1	3,3-Dichlorobenzidine	20	5	5	0.815
99-09-2	3-Nitroaniline	25	5	10	0.486
534-52-1	4,6-Dinitro-2-methylphenol	25	NE	10	2.313
101-55-3	4-Bromophenyl phenyl ether	10	NE	5	0.692
59-50-7	4-Chloro-3-methylphenol	10	NE	5	0.601
106-47-8	4-Chloroaniline	10	5	5	0.49
7005-72-3	4-Chlorophenyl phenyl ether	10	NE	5	0.594
106-44-5	4-Methylphenol (p-Cresol)	10	1**	**5**	0.253
100-01-6	4-Nitroaniline	25	5	10	0.517

Table 7. Chemical Parameters, Reporting Limits and Data Quality Objectives for Groundwater Samples
20-40 Jerusalem Avenue Dry Cleaner Dry Wells SIte
20 and 40 Jerusalem Avenue
Hicksville, New York

CAS Number	Analyte Name	DQO's		Analytical Limits	
		ASP 2005	NY AWQS GA [1]		
		CRQL	H(WS)	RL	MDL
100-02-7	4-Nitrophenol	25	NE	10	0.925
83-32-9	Acenaphthene	10	20**	5	0.523
208-96-8	Acenaphthylene	10	NE	5	0.604
98-86-2	Acetophenone	10	NE	5	0.711
120-12-7	Anthracene	10	50*	5	0.591
108-95-2	Atrazine	NE	7.5	5	0.341
100-52-7	Benzaldehyde	NE	NE	5	0.507
56-55-3	Benz[a]anthracene	10	0.002*	**5**	0.63
50-32-8	Benzo[a]pyrene	10	ND	5	0.511
205-99-2	Benzo[b]fluoranthene	10	0.002*	**5**	0.587
191-24-2	Benzo[g,h,i]perylene	10	NE	5	0.45
207-08-9	Benzo[k]fluoranthene	10	0.002*	**5**	0.419
111-91-1	Bis(2-chloroethoxy)methane	10	5	5	0.465
111-44-4	Bis(2-chloroethyl)ether	10	1	5	0.56
117-81-7	Bis(2-ethylhexyl)phthalate	10	5	5	1.024
85-68-7	Butyl benzyl phthalate	10	50*	5	0.447
105-6--2	Caprolactam	NE	NE	5	0.128
86-74-8	Carbazole	10	NE	5	0.321
218-01-9	Chrysene	10	0.002*	**5**	0.657
84-74-2	Di-n-butyl phthalate	10	50	5	0.515
117-84-0	Di-n-octyl phthalate	10	50*	5	0.416
53-70-3	Dibenz[a,h]anthracene	10	NE	5	0.477
132-64-9	Dibenzofuran	10	NE	5	0.584
84-66-2	Diethyl phthalate	10	50*	5	0.555
131-11-3	Dimethyl phthalate	10	50*	5	0.564
206-44-0	Fluoranthene	10	50*	5	0.463
86-73-7	Fluorene	10	50*	5	0.532
118-74-1	Hexachlorobenzene	10	0.04	5	0.602
87-68-3	Hexachlorobutadiene	10	0.5	5	0.559
77-47-4	Hexachlorocyclopentadiene	10	5	5	0.392
67-72-1	Hexachloroethane	10	5	5	0.498
193-39-5	Indeno[1,2,3-cd]pyrene	10	0.002*	**5**	0.363
78-59-1	Isophorone	10	50*	5	0.55
621-64-7	N-Nitrosodi-n-propylamine	10	NE	5	0.626
86-30-6	N-Nitrosodiphenylamine	10	50*	5	0.438
91-20-3	Naphthalene	10	10**	5	0.526
98-95-3	Nitrobenzene	10	0.4	**5**	0.481
87-86-5	Pentachlorophenol	25	1**	**10**	1.304
85-01-8	Phenanthrene	10	50*	5	0.673
108-95-2	Phenol	10	1**	**5**	0.336
129-00-0	Pyrene	10	50*	5	0.624
Inorganic Analytes (mg/L) via Methods 6010 & 7470					
7429-90-5	Aluminum	NE	NE	200	10
7440-36-0	Antimony	60	3	**60**	3
7440-38-2	Arsenic	10	25	10	3
7440-39-3	Barium	200	1000	200	200
7440-41-7	Beryllium	5	3*	**5**	0.3
7440-43-9	Cadmium	5	5	5	0
7440-70-2	Calcium	NE	NE	5000	15
7440-47-3	Chromium (sum of Cr III and Cr IV)	10	50	10	1
7440-48-4	Cobalt	50	NE	50	1
7440-50-8	Copper	25	200	25	1
7439-89-6	Iron	NE	300	100	8
7439-92-1	Lead	5	25	3	1
7439-95-4	Magnesium	NE	35000*	5000	35
7439-96-5	Manganese	NE	300	15	0
7439-97-6	Mercury	0.2	0.7	0.1	0.3
7440-02-0	Nickel	40	100	40	1
7440-09-7	Potassium	NE	NE	5000	238
7782-49-2	Selenium	5	10	5	4
7440-22-4	Silver	10	50	**10**	1
7440-23-5	Sodium	NE	20000	5000	48
7440-28-0	Thallium	10	0.5*	**10**	4
7440-62-2	Vanadium	50	NE	50	1.4
7440-66-6	Zinc	20	2000*	20	1

Notes:

* = Guidance Value

mg/L - milligrams per Liter

µg/L - micrograms per Liter

RL - Reporting Limit

MDL - Method Detection Limit

DQO - Data Quality Objectives

1 - DQOs are based on TOGS Ambient Water Quality Standards and Guidance Values and Groundwater was not available, the Aesthetic [E] type is used shown.

Bolding - RL does not meet the DQO

Table 8. Quality Control Limits Percision and Accuracy for Soil and Sediment Samples
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem Avenue
Hicksville, New York

Soil/Sediment QC Limits										
			MS/MSD % Recovery			LCS % Recovery			Surrogate % Recovery	
Analytical	Analytical Method	MS/MSD Compound	Low	High	RPD	Low	High	Surrogate	Low	High
VOCs	8260B	1,1-Dichloroethene	59	172	22	59	172	1,2-Dichloroethane-d4	33	145
		Benzene	66	142	21	66	142	4-Bromofluorobenzene	60	148
		Chlorobenzene	60	133	21	60	133	Toluene-d8	60	132
		Toluene	59	139	21	59	139			
		Trichloroethene	62	137	24	62	137			
SVOCs	8270	2,4-Dinitrotoluene	28	116	47	24	96	1,2-Dichlorobenzene-d4	20	130
		2-Chlorophenol	25	102	50	27	123	2,4,6-Tribromophenol	19	122
		4-Chloro-3-methylphenol	26	103	33	23	97	2-Chlorophenol-d4	20	130
		4-Nitrophenol	11	114	50	10	80	2-Fluorobiphenyl	30	115
		Acenaphthene	31	137	19	46	118	2-Fluorophenol	25	121
		N-Nitroso-di-n-propylamine	41	126	38	41	116	4-Terphenyl-d14	18	137
		Pentachlorophenol	17	109	47	9	103	Nitrobenzene-d5	23	120
		Phenol	26	90	35	12	110	Phenol-d5	24	113
		Pyrene	35	142	36	26	127			
Metals	6010B	Metals excluding Hg	75[(a)]	125	20[(b)]	Varies	Varies	NA		
	7471B	Mercury	75[(a)]	125	20[(b)]	NA	NA	NA		

Notes:

(a) Matrix spike only
(b) Laboratory duplicate RPD
NA - Not Applicable
VOCs - volatile organic compounds
SVOCs - semivolatile organic compounds
RPD - Relative Percent Difference

Table 9. Quality Control Limits Percision and Accuracy for Soil Vapor Samples
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem Avenue
Hicksville, New York

Aqueous QC Limits										
Analytical	**Analytical Method**	**MS/MSD Compound**	**MS/MSD % Recovery**			**LCS % Recovery**		**Surrogate**	**Surrogate % Recovery**	
			Low	High	Zone belov	Low	High		Low	High
AIR	TO-15	N/A	N/A	N/A	N/A	ALL COMPOUNDS 70-130%		4-Bromofluorobenzene	70	130

N/A - Not Applicable

Table 10. Quality Control Limits Percision and Accuracy for Groundwater Samples
20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20 and 40 Jerusalem Avenue
Hicksville, New York

Aqueous QC Limits										
			MS/MSD % Recovery			LCS % Recovery			Surrogate % Recovery	
Analytical	Analytical Method	MS/MSD Compound	Low	High	RPD	Low	High	Surrogate	Low	High
VOCs	8260B	1,1-Dichloroethene	61	145	14	61	145	1,2-Dichloroethane-d4	76	114
		Benzene	76	127	11	76	127	4-Bromofluorobenzene	86	115
		Chlorobenzene	75	130	13	75	130	Toluene-d8	88	110
		Toluene	76	125	13	76	125			
		Trichloroethene	71	120	14	71	120			
SVOCs	8270	2,4-Dinitrotoluene	24	96	38	24	96	1,2-Dichlorobenzene-d4	16	110
		2-Chlorophenol	27	123	40	27	123	2,4,6-Tribromophenol	10	123
		4-Chloro-3-methylphenol	23	97	42	23	97	2-Chlorophenol-d4	33	110
		4-Nitrophenol	10	80	50	10	80	2-Fluorobiphenyl	43	116
		Acenaphthene	46	118	31	46	118	2-Fluorophenol	21	110
		N-Nitroso-di-n-propylamine	41	116	38	41	116	4-Terphenyl-d14	33	141
		Pentachlorophenol	9	103	50	9	103	Nitrobenzene-d5	35	114
		Phenol	12	110	42	12	110	Phenol-d5	10	110
		Pyrene	26	127	31	26	127			
Metals	6010B	Metals excluding Hg	75[(a)]	125	20[(b)]	80	120	NA	--	--
	7470A	Mercury	75[(a)]	125	20[(b)]	NA	NA	NA	--	--

Notes:

[(a)] Matrix spike only

[(b)] Laboratory duplicate RPD

NA - Not Applicable

VOCs - volatile organic compounds

SVOCs - semivolatile organic compounds

PCBs - polychlorinated biphenols

Appendix A Key Staff Resumes

William J. Fitchett
Project Manager

resume

William J. Fitchett is a project manager working out of GEI's Long Island office with more than ten years of experience in the environmental consulting industry. Mr. Fitchett regularly completes environmental investigations and remediation including Phase I and Phase II Environmental Site Assessments, monitoring well design/installation, UIC closures, UST removals, Spill closures, and solid and hazardous waste disposal. His responsibilities include performing and managing field investigations and remedial activities at numerous sites throughout New York State, as well as several other states from New England to Florida. He has extensive experience in the brownfield industry including Sites in the New York State Brownfield Cleanup Program (BCP) and New York City Office of Environmental Remediation Voluntary Cleanup Program (VCP).

EDUCATION
M.A., Earth and Environmental Sciences, City University of New York, Brooklyn College
B.S., Environmental Science, State University of New York, College at Oneonta

EXPERIENCE IN THE INDUSTRY
10 years

EXPERIENCE WITH GEI
6.5 years

REGISTRATIONS/CERTIFICATIOS
OSHA 40-Hour HAZWOPER
OSHA 30-Hour Construction Safety
Adult First Aid/CPR/AED

PROJECT EXPERIENCE

Beneficial Use – NYC Department of Environmental Protection
Water Tunnel Shafts, Queens and Brooklyn, NY. Provided environmental support for the in-situ material classification of more than 25,000 cubic yards of soil/fill to be generated from the construction of two water tunnel shafts. In-situ sampling was performed to limit the need for on-site staging/stockpiling. Soil borings were installed to a depth of up 260 ft. Bgs., and more than 140 soil samples were collected. Sampling procedures and analytical protocols following strict adherence to the NYCDEP-approved Field Sampling Plan.

NYSDEC Brownfield Cleanup Program (BCP), Commercial Dry-Cleaners Astoria, Queens, NY. Past operations included a commercial dry-cleaning operation and an auto repair facility. Provided oversight for remedial investigation activities and coauthor of the Remedial Investigation Report (RIR) with impacts to soil, soil vapor, and groundwater. Managed field implementation of the Interim Remedial Measure (IRM) work plan which included impacted soil excavation, off-site disposal and a Community Air Monitoring Plan (CAMP). The Remedial Action Work Plan included installation of an active sub-slab depressurization system (SSDS) and In-Situ Chemical Oxidation (ISCO) treatment of impacted groundwater. The Final Engineering Report was approved by NYSDEC, and the Certificate of Completion was issued in December 2021. Managed the SSDS Startup and Monthly Operation and Maintenance (OMM) Inspections and Quarterly Post-Remedial Groundwater Monitoring.er results to date have shown a significant reduction in Tetrachloroethene (PCE) concentrations. Remedial Actions at the site were performed in conjunction with the construction of a multi-story residential building with a full basement. Served as Project Manager for post-remedial groundwater monitoring and SSDS OMM. Co-author Quarterly Groundwater Monitoring Reports and Annual Periodic Review Reports.

NYSDEC Brownfield Cleanup Program (BCP), Joey's Cleaners, Bronx, NY. Provided oversight for remedial investigation activities and supplemental remedial investigation activities and coauthor of the Remedial Investigation Report (RIR) for an active dry-cleaning operation with onsite and potential off-site impacts to soil, soil vapor, and groundwater. Remedial investigation included two supplemental investigations to fully delineate off-site contamination, as well as soil vapor intrusion testing in a neighboring residence. Investigations were performed in conjunction with the active commercial tenants to minimize disruption to the ongoing businesses at the Site. The Remedial Investigation Report (RIR) was approved by NYSDEC and NYSDOH. Managed the installation of an active Sub-Slab Depressurization System (SSDS) as specified in the NYSDEC-approved Interim Remedial Measure Work Plan (IRMWP). Co-Author of NYSDEC-approved IRM Construction Completion Report. Project work to date is on time and within the projected budget.

NYSDEC Brownfield Cleanup Program (BCP), Clearview Cleaners, Queens, NY. Managed on and off-site supplemental remedial investigation activities and the preparation of the Remedial Investigation Report (RIR) for a dry-cleaning operation with onsite and potential off-site impacts to soil, soil vapor, and groundwater. An

Interim Remedial Measure Work Plan design was completed. Project work to date is on time and within the projected budget.

NYCOER E-Designation Requirements and NYSDEC Spill Remediation, Hillside Avenue, Jamaica, NY. Manage decommissioning of a former gasoline filling station including removing four underground gasoline storage tanks. The OER-required remedial investigation was performed concurrently. In response to soil contamination identified, a spill incident was called into NYSDEC. Manage supplemental remedial investigation with strict adherence to a NYSDEC and NYCOER-approved work plan. Co-author of project documents including submission of Remedial Investigation Work Plan and Site-Specific Health and Safety Plan (HASP), Remedial Investigation Report (RIR), Supplemental RIWP and Supplemental RIR, and the Remedial Action Work Plan (RAWP). Remedial action is expected to begin in 2025.

NYCOER E-Designation Requirements and NYSDEC Spill Remediation, Jerome Avenue, Bronx, NY. Co-author Remedial Action Work Plan (RAWP) which included excavation and removal of petroleum-impacted soil and installation of a sub-slab depressurization system (SSDS). Mange the remedial action and co-author spill closure report for submittal to NYSDEC. Formal spill closure was issued by NYSDEC in 2023. Co-author Remedial Closure Report (RCR) for submittal to NYCOER.

NYCOER E-Designation Requirements, 49th Avenue, Long Island City, NY. Managed the OER-required Remedial Investigation and subsequent Remedial Action. Coauthor of project documents including submission of Remedial Investigation Work Plan and Site-Specific Health and Safety Plan (HASP), Remedial Investigation Report (RIR), Remedial Action Work Plan (RAWP), and Remedial Closure Report. Project Manager for the implementation of the RAWP which included the removal and off-Site disposal of more than 1,300 tons of soil, as well as installation of a vapor barrier and composite cover system. Final OER Notice of Satisfaction (NOS) was received in 2024.

NYCOER VCP Program, E-Designation Requirements, 31st Street, Astoria, NY. Managed the OER-required Remedial Investigation. Coauthor of project documents including, submission of Remedial Investigation Work Plan and Site-Specific Health and Safety Plan (HASP), Remedial Investigation Report (RIR), and the Remedial Action Work Plan (RAWP). Project Manager for the oversight for the implementation of the Remedial Action Work Plan, including the removal and off-site disposal of over 13,000 CY of soil, including 1,170 CY of soil which was transferred to the NYCOER Clean Soil Stockpile. Remedial action was completed in early 2024.

NYSDEC Spill Remediation, Long Island City, NY. Co-author of groundwater remediation plan which designed a remediation strategy for an open petroleum spill. Directed the installation of monitoring wells and recovery wells in a narrow sidewalk between an active 15-story commercial/residential building with an adjacent underground subway line as well as several utility conduits, located in a densely populated area of Queens. Managed the injection of over 12,500-gallons of water/Petro Fix mix to remediate a dissolved petroleum plume. Groundwater results to date have shown a significant reduction in petroleum-related Volatile Organic Compounds (VOCs). Field work was managed to minimize disruptions to local businesses and residents and avoid potential damage to NY Transit and utility equipment. Co-author Spill Closure Report. Formal closure from NYSDEC was received in 2024.

Environmental Due Diligence, Mavis Tire Supply Corp., Various Locations, RI and MA. Provide environmental due diligence forensic research during the acquisition of 105 automotive service properties in New England. The work entailed desktop review of relevant environmental documents. In addition, performance of site inspections of locations throughout New England to understand potential environmental liabilities prior to acquisition.

Environmental Due Diligence, Gateway Tire Acquisition, Mavis Tire Supply Corp., Various locations, TX and LA. Provided environmental due diligence during the acquisition of 12 various properties located throughout Texas and Louisiana. Phase 1 and Phase 2 investigation reports were prepared within a 30-day period to understand potential environmental liabilities prior to acquisition. Reports were prepared for investor review and financial risk assessment.

Environmental Due Diligence, Tuffy Tire Acquisition, Mavis Tire Supply Corp., Tampa, FL. Assessment and investigation of site history and potential presence of recognized environmental conditions during the acquisition of 4 automotive service properties. Phase 1 investigation reports were prepared within a 30-day period to understand potential environmental liabilities prior to acquisition. Reports were prepared for investor review and financial risk assessment.

Gasoline Station Decommissioning, Mavis Tire Supply Corp., Wayne, NJ. Performed field oversight for decommissioning of a gasoline service station under supervision of GEI's licensed site remediation professional (LSRP). Provide subcontractor oversight for removal of three 10,000-gallon underground storage tanks, one 12,000-gallon underground storage tank and all associated piping and dispenser pumps. Cleanup actions included excavation and off-site disposal of impacted soils as well as excavation dewatering of impacted groundwater. Performed all required soil sampling to confirm that all impacted soil was removed. Also provided subcontractor oversight for installation of groundwater monitoring wells.

Former Auto Repair Shop, Syosset, NY. Performed Phase I ESA which identified several recognized environmental conditions (RECs) in connection with stormwater drains, hydraulic lifts, and a former septic system. Provided oversight for Phase II ESA which identified contaminated sediment within parking lot storm drains and contaminated soils surrounding the former hydraulic lifts. Provided oversight for remedial action including the United States Environmental Protection Agency (USEPA) Class V Underground Injection Control (UIC) cleanouts and underground hydraulic lift removal to prepare a property for a future sale. Coordination and work plan approvals were required by several regulatory agencies including USEPA, NYSDEC, and Nassau County Department of Health (NCDH). Co-author Phase I and Phase II ESA reports and Remedial Action Report (RAR).

Legionella Remediation, Residential Building, Bronx, NY. Managed the implementation of a Long-Term Legionella Remediation Plan where the building water supply is under active treatment. Responsible for regular monitoring of the copper-silver ionization water treatment system to prevent buildup of Legionella bacteria in potable water. Perform scheduled legionella sampling to confirm Legionellae bacteria are no longer present in the potable building's water supply. Perform regular system maintenance, along with collection of potable water samples and field monitoring of copper concentrations.

East 115th Street Former MGP (Manufactured Gas Plant) Site, Con Edison, New York, NY. Field Manager for the startup and ongoing Operations, Maintenance, and Monitoring (OMM) of a large-scale sub-slab depressurization system (SSDS) installed in an active high school. OMM includes quarterly and annual inspections and confirmation of the SSDS performance. Responsibilities include troubleshooting and inspecting system components and quarterly monitoring sub-slab and extraction points. Co-author of annual Periodic Review Reports.

NYSDEC Brownfield Cleanup Program (BCP) Remedial Investigation, Redevelopment Site, New York, NY. Field Manager responsible for implementing remedial investigation activities and coauthor of the Remedial Investigation Report (RIR) for a large redevelopment Site with onsite and potential off-site impacts to soil, soil vapor, and groundwater. Conducted field operations for supplemental remedial investigation and co-authored the Supplemental Remedial Investigation Report.

PREVIOUS PROJECT EXPERIENCE

Phase I/II Environmental Site Investigations and Assessments, Numerous Sites in New York City and Long Island, NY. Assessment and investigation of site history and potential presence of recognized environmental conditions. Performed contractor oversight for various subsurface investigations and conducted environmental sampling for laboratory analysis. Preparation of Phase I/II Reports for review by various government agencies and clients.

NYCOER VCP Program, E-Designation Requirements, Brooklyn, NY. Provide soil removal and excavation oversight, inspections of engineering controls. Serve as site safety officer and co-author Remedial Action Report approved by NYCOER in 2017.

NYSDEC BCP Program, Brooklyn, NY. Perform field oversight for Remedial Investigation, including soil, soil vapor, and groundwater sampling, along with serving as site safety officer. Co-author Remedial Investigation Report (RIR) and Remedial Action Work Plan (RAWP) approved by NYSDEC in late 2017.

Hooker/Ruco Superfund Site, Hicksville, NY. Manage day-to-day operations and maintenance of biosparge groundwater remediation system. Serve as site safety officer and lead field personnel during semi-annual groundwater sampling events.

PROFESSIONAL AFFILIATIONS

New York City Brownfield Partnership – Board Member

DOUGLAS WEAVER
Contractual Administrator/Database Manager

OVERALL EXPERIENCE

Mr. Weaver has over twenty years combined environmental management experience. He is the Vice-President and co-founder of EDS and is responsible for the administrative and database management. His administrative experience includes business and proposal development, contract administration, financial administration and staff management. His database management includes database development, manipulation, entry and review using Excel and project-specific software.

PROFESSIONAL EXPERIENCE

Environmental Data Services, Inc., Newport News, Virginia
June 1995 - Present
Contracts & Administration Manager

- Responsible for the contracts and administration of an environmental consulting firm specializing in the review and validation of environmental laboratory data. Position involves all contract administration, business development, financial analysis and personnel administration of the business.
- Responsible for database management tasks including updating electronic data deliverables (EDDs) with data validation qualifiers. Highly experienced with Excel and the many EDD formats utilized by many different clients including NYSDEC and EquiS database formats.

ERM-Rocky Mountain, Inc., Greenwood Village, Colorado
April 1991 - June 1995
Senior Engineer

- Responsible for negotiating, managing, and reporting on contracts and contract delivery orders at the Department of Energy's Rocky Flats Environmental Technology Site (RFETS). Prepared technical and cost proposals in response to individual delivery order Request for Proposals under three Master Task Subcontracts (MTS) with EG&G Rocky Flats (M&O Prime Contractor). Task orders involved environmental restoration and RCRA permitting and compliance. Interfaced with the EG&G Procurement Managers and technical Project Managers for each contract. Prepared cost and schedule reports required by the MTS and the task orders including monthly accrual reports and Department of Energy Cost and Schedule Control Systems Criteria (C/SCSC) monthly reports.
- Prepared and coordinated federal sector technical proposals in response to Request for Proposals (RFPs). Prepared SF-254 and 255s, SF-1411s, wrote technical sections of proposals, prepared cost estimates and schedules, and organized and prepared proposals in accordance with submittal instructions.
- Prepared RCRA Part A and B Permit Applications for hazardous and mixed waste storage and treatment at RFETS. Responsibilities included the container storage section of the mixed residue Part B permit application which included over 150 container storage areas in all production buildings at the plant.

KMI Energy Services, Boulder, Colorado
August 1990 to April 1991
Project Controls Specialist

- Support services contractor to DOE Program Office for a Major Systems Acquisition (MSA) project. Supported and interfaced with government and contractor personnel with day-to-day program planning and execution. Performed and evaluated project management contractual documents including labor and cost plans, budgets, and cost and schedule reports. Provided support in developing Major System Acquisition (MSA) documents required by DOE Order 4700.1, Project Management Systems, including a Project Plan, Project Management Plan, and Construction Project Data Sheets.

Systematic Management Services, Inc., Golden, Colorado
October 1988 to August 1990
Project Controls Specialist

- Previous support services contractor to the DOE Program Office. Responsible for monitoring and evaluating contractor cost and schedule performance on the PRMP MSA project as well as a $50 million plutonium recovery design project. Analyzed monthly cost performance reports and provided detailed written assessments. Prepared MSA documentation required by DOE Order 4700.1 and supported DOE presentations to headquarters.

EDUCATION

- Bachelor of Science in Industrial Engineering, Northeastern University, Boston, MA, 1991

COMPUTER PROFICIENCIES

- Microsoft (MS) Windows, MS Word/Excel/Access/PowerPoint, Paradox, and Word Perfect
- Project management software including Primavera and MS Project.

CLEARANCES

- Department of Energy, Top Secret "Q" Clearance - Inactive since 1995

REFERENCES

- Furnished upon request.

Nancy Weaver

Senior Chemist

EXPERIENCE OVERVIEW

Ms. Weaver has over thirty years combined laboratory, data validation and project management experience. She is the President and co-founder of EDS and is responsible for the technical data review and validation of laboratory data. Ms. Weaver has performed data validation on thousands of data validation projects. She has extensive knowledge in applying the various regional and project specific data validation guidelines and QAPPs. Her experience also includes writing Quality Assurance Project Plans (QAPPs), managing subcontracted analytical laboratories, performing laboratory audits, participating in field sampling activities and analyzing samples in a laboratory.

EDUCATION

Degree, University, Year
B.S., Chemistry, University of Colorado, Denver, Colorado

CERTIFICATIONS AND TRAINING

Certification, Year Received
State of New York Department of Environmental Conservation certified Asbestos Inspector
40-Hour OSHA Hazardous Waste Training
8-Hour Health and Safety Supervisor Training for Hazardous Waste Operations

PROJECT EXPERIENCE

Principal/Senior Chemist, Environmental Data Services, Inc., August 1994 - Present
As the Principal Chemist at Environmental Data Services, Inc., Ms. Weaver has provided Level IV, Stage 2B/4 data review on more than 6000 Sample Delivery Groups (SDGs) generated through site investigations and/or remediations. These SDGs have included every analytical fraction possible including VOC, SVOC, pesticides, PCBs, herbicides, DRO, GRO, dioxin/furans, PCB congeners, metals, wet chemistry, PFAS, and radiological parameters. Sample matrices include water, soil, sediment, wipe, concrete, and air. The SDGs have included CLP data packages produced under the CLP SOWs and CLP-like data packages with samples analyzed under SW-864 methodologies. Sample quantities validated may reach upwards of 150,000 per fraction over the past 30 years. Ms. Weaver has been using the USEPA National Functional Guidelines since 1994 and the DoD Data Validation Guidelines since 2019. Ms. Weaver has validated PFAS data using the USEPA Data Validation guidelines since 2018 and the DoD Modules 3 and 6 since their development. She has validated hundreds of PFAS data SDGs over the past several years as this analysis has become prevalent.

Chemist-Analyst Specialist, City & County of Denver, June 1992 - August 1994
As a Chemist-Analyst Specialist for the City and County of Denver, Ms. Weaver supervised performance and compliance sampling for O & M requirements at groundwater treatment facility. She provided assessment of analytical data for quarterly reports to local regulatory agencies. She also acted as liaison between the technical group and laboratory to coordinate sampling events and resolve problems with analyses. While in this capacity, she performed data validation for organic, inorganic and radiological analyses. Ms. Weaver reviewed over 2000 VOC, SVOC, pesticide, PCB, TPH, metals and wet chemistry samples. Ms. Weaver managed the database for groundwater and treatment plant sampling events and performed environmental site assessments for commercial and residential properties. She provided

technical review and recommendations of Phase I and Phase II site investigations performed by outside consultants. She also analyzed policy and interpreted city, state and federal environmental regulations.

Data Validation Specialist, C.C. Johnson & Malhotra, January 1990 to June 1992
While a Data Validation Specialist at C.C. Johnson & Malhorta, Ms. Weaver performed data validation and interpretation of organic analytical data generated from the EPA Contract Laboratory Program (CLP). Data analysis included VOC, SVOC, pesticides, PCBs, metals and wet chemistry. Ms. Weaver reviewed more than 600 SDGs and 9000 samples. She interpreted gas chromatograms, gas chromatography/mass spectral data and verified mathematical calculations.

Environmental Chemist, The Anschutz Corporation - SP Environmental Systems, Inc., July 1990 to January 1992
As an Environmental Chemist for The Anschutz Corporation - SP Environmental Systems, Inc., Ms. Weaver assisted in the management of site investigations and remediation for Southern Pacific Transportation Company properties. In this capacity, she performed environmental audits and site assessments and conducted site investigations at potential Superfund sites with state and federal agencies. She researched and prepared responses to regulatory agencies for non-compliant sites and defined the needs for hazardous waste disposal including the analysis required and disposal. Ms. Weaver also supervised the removal of underground storage tanks and remediation. She prepared closure reports for UST removals, as well as annual waste summary forms for TSD facilities throughout the state of Texas. She also constructed, developed, and sampled groundwater monitoring wells.

Environmental Specialist, Martin Marietta Astronautics Group, January 1988 to January 1990
While with Martin Marietta Astronautics Group as an Environmental Specialist, Ms. Weaver performed organic analysis and sampling of wastewater, groundwater, and drinking water in support of NPDES permit. She operated and maintained laboratory instrumentation including GC and GC/MS for volatile, semi-volatile, and pesticide/PCB analysis. Ms. Weaver also coordinated sample collection and preparation activities, developed and authored standard operating procedures for laboratory analysis, and followed EPA protocol for QA/QC requirements for analysis. She calculated and interpreted data and reported results.

Environmental Chemist, Camp, Dresser, & McKee, April 1986 to October 1987
As an Environmental Chemist with Camp, Dresser, & McKee, Ms. Weaver analyzed water/wastewater for organic compounds. She operated and maintained laboratory instrumentation including GC and infrared spectrophotometer for volatile, pesticide/PCB, and petroleum hydrocarbon analysis. She also calculated and interpreted data and reported results. Ms. Weaver analyzed more than 2000 samples.

EMPLOYMENT HISTORY

Environmental Data Services, Inc.	Principal/Senior Chemist	1994–Present
City & County of Denver	Chemist-Analyst Specialist	1992–1994
C.C. Johnson & Malhorta	Contractor/Data Validation Specialist	1990–1992
The Anschutz Corporation - SP Environmental Systems, Inc.	Environmental Chemist	1990–1992
Martin Marietta Astronautics Group	Environmental Specialist	1988–1990
Camp, Dresser, & McKee	Environmental Chemist	1986–1987

Gary Rozmus, P.E.
Senior Consultant

resume

Gary Rozmus is a recognized leader in the environmental services and Brownfield redevelopment marketplace. His expertise is in Site assessment (Phase I, II and II ESAs, soil vapor intrusion and RI/FS); remediation; Brownfield redevelopment and risk-based closure (including area-wide and site specific planning and redevelopment); environmental compliance; regulatory interaction and negotiations; permitting; impact assessments; hazardous materials management (including asbestos containing materials-ACM, lead-based paint and other building and facility hazardous materials); GIS mapping and inventory; hazardous and non-hazardous waste management; litigation support; design, construction and facility decommissioning and demolition environmental services; stormwater and wastewater management; natural resource assessments; landfill closure; emergency incident/derailment consulting response; sustainable environmental design; and real estate transaction and support.

EDUCATION
M.S., Civil Engineering, Polytechnic Institute of New York
B.S., Civil Engineering, Manhattan College

EXPERIENCE IN THE INDUSTRY
48 years

EXPERIENCE WITH GEI
10 years

REGISTRATIONS AND LICENSES
Professional Engineer, NY No. 056744

PROJECT EXPERIENCE

Public and Private Sector Clients
Directed and provided senior project management services to public clients including NYC Mayor's Office of Environmental Remediation, NYC Economic Development Corporation, Transit Companies (e.g. Long Island Railroad, Metro North Railroad, NYCTA, NJT, SEPTA, WMATA), Triborough Bridge and Tunnel Authority, NYS and NYC DOT, other NYC agencies, other NY municipalities; and private clients including Class I freight railroads, attorneys; manufacturers and distributors (e.g. Duracell and Frito Lay), developers, communication companies and construction contractors.

- Directed multi-year Brownfield consulting services contracts through the NYCEDC for the NYCMOER. Led a team of environmental planners and GIS specialists in developing the initial version of the NYC SPEED portal, which mapped the entire City of NY and identified select vacant Brownfield sites and environmental/Phase I data as well as many other informational features
- Managed area-wide Brownfield contracts under nine NYSDOS Brownfield Opportunity Area (BOA) grant awards.
- Managed numerous contaminated site redevelopment projects including sites in the New York State Brownfield Cleanup Program, NYC Voluntary Cleanup Program, and sites under Consent Order.

SUMMARY OF EXPERIENCE

Brownfield Cleanup Program and Vacant Properties Database/SPEED Portal (Searchable Property Environmental E-Database), New York, NY, NYC Mayor's Office of Environmental Remediation. Environmental Project Manager involved with the development of the initial version of the SPEED portal to promote the redevelopment of potentially contaminated and under-used sites throughout the City. The City's BCP is the first municipal program of its kind in the country and it is intended to facilitate the fast and efficient cleanup and reuse of contaminated sites. One of the key elements of the PLANYC was the creation of the SPEED portal to identify historical site uses and potential Brownfield sites for redevelopment across the City. The SPEED portal assists in the rapid redevelopment of vacant and contaminated sites and allows the City to measure long-term progress toward the Plan's goals.

Suffolk County Landbank Corporation Projects, Various Locations, NY. Program Director providing Phase I Environmental Site Assessment (ESA) and Phase II Environmental Site Investigation services to the Suffolk County Landbank (SCLBC) under GEI's Environmental Site Assessment Master Services Contract since July 2014. Projects have involved subcontractor coordination; development of pertinent, targeted site investigation and remediation plans based on property usage and potential property development plans, and to meet applicable

end-use requirements and regulations; performance of site work under supervision of senior Environmental Scientists, Geologists and Hydrogeologists; and experience interfacing with the County's Department of Health Services (SCDHS), Public Works (SCDPW) and NYS Department of Environmental Conservation (NYSDEC) staff.

Hunts Point Site In-Situ Solidification, Resiliency, and Related Projects, NYC Economic Development Corporation, Bronx, NY. Contract Point of Contact and Lead Environmental Engineer. GEI is contracted by NYCEDC to perform all required investigation, report preparation, remedial design, and engineering to bring multiple Brownfield Cleanup Program sites located in the Hunts Point Food Distribution Center located in the Bronx through the full Program. This has resulted to date with multiple investigations, design of two In-Situ Solidification (ISS) remedies for Manufactured Gas Plant waste, one completed redevelopment expansion of a significant food distribution facility, and creation of a greenway and waterfront park. Currently two additional expansions of existing facilities are under design, along with a resiliency power generation project and two additional large-scale remedies. When the projects are completed, they will have transformed well over 100 acres of additional commercial space to be developed and protected from climate change and sea level rise through adaptive resiliency. GEI has been involved in virtually all aspects of planning, feasibility, public outreach, environmental assessment, design and implementation of the remedy and redevelopment efforts. Reuse for all parcels is the end goal for each Site.

City of Mt. Vernon Canal Village Brownfield Opportunity Area (BOA) and Local Waterfront Revitalization Plan (LWRP) Study, Mt. Vernon, NY. Environmental Project Manager for the Canal Village combined BOA and LWRP project to develop a redevelopment plan for the 251-acre waterfront area which includes the industrial area in the southeast corner of the City. This area lays along the eastern edge of the city limits that coincide with the Hutchinson River and its southern boundary with the Bronx, New York City. Because this planning effort has been made possible by two separate grants being combined—New York State's BOA and LWRP programs—there are two separate project boundaries which overlap. The work will serve as a BOA Nomination Report and as a neighborhood master plan for the Canal Village and the Hutchinson River Waterfront. This project included a study of the transportation and pedestrian network; industrial sector and regional relationships; strategic redevelopment sites investigation; public outreach; climate change impacts, habitat restoration, waterfront redevelopment plans, and green infrastructure opportunities; economic and market conditions study; urban design and open space considerations; and priority/catalytic redevelopment site selections.

Newtown Creek Brownfield Opportunity Area, Brooklyn, NY, Greenpoint Manufacturing and Design Center. Project Manager coordinating following tasks: planning, developing a public engagement strategy, attending meetings, analyzing existing conditions of the study area, developing conceptual design guidelines, completing an economic analysis, developing a geographic information system (GIS) database, and preparing project recommendations and a Nomination plan document.

Greater Jamaica Brownfield Opportunity Area Study, Jamaica NY. Project Manager. Evaluated the potential for redevelopment of several former industrial parcels located adjacent to the Long Island Railroad Station and the recently developed MTA JFK Airlink terminal. The project focused on developing strategic land use and policy strategies to support public-private partnerships for the development of a transit-oriented development in the city blocks adjacent to the station. The proposed development includes a series of mixed-use mid-rise buildings and a hotel. Services included Site Reuse Planning, Infrastructure Analysis, Environmental Assessments and traffic impacts analysis. This BOA has received a Step 3 Implementation grant.

High Line Elevated Rail, New York, NY, CSX Transportation. Senior Project Manager responsible for reviewing demolition and material management plans involved with the demolition/ redevelopment of the Highline extending from midtown to downtown Manhattan. The elevated railroad structure was built around 1900 and consists of trackage and ballast in a concrete containment supported by steel columns and extends approximately 1.7 miles. Assisted in addressing liabilities associated with handling ballast, which may be affected by chemical residuals, lead-based paint on the steel work, asbestos-containing materials, and areas of potential concern throughout the abandoned line.

Brownfields Conversion of Rail Yard to Minor League Ballpark and Recreational Facilities, Staten Island, NY, CSX Transportation. Senior Project Manager responsible for a site that has been redeveloped as the New York Yankees minor league baseball park, which includes restaurants and retail activities. This former rail yard consists of 53 acres of shoreline property, including 25 upland areas and 28 acres under water. The site was used as a locomotive and railcar servicing and maintenance facility and switchyard from 1883 to 1994. A presale environmental assessment showed evidence of residuals common to rail yards. Several environmental issues were addressed by removing an underground storage tank and aboveground storage tank, removing asbestos from a fire-damaged pier, closing a weigh-scale pit, and removing debris and a railcar in poor condition. The site had been leased to a car parking concession, which had filled the leased area and other parts of the property with shredded asphalt shingles. Some of this material was removed from wetland-related areas in accordance with a consent order with the State.

Grand Avenue Bus Depot, Environmental Services, Queens, NY, MTA New York City Transit. Senior Project Manager responsible for providing environmental services for a $226 million design-build project for a bus and central maintenance facility. Environmental services included developing and implementing an environmental permit strategy; modifying the facility air permit as required to reflect design-build conditions; conducting a Phase I assessment; developing and implementing soils, asbestos, waste management, and dewatering plans; developing and overseeing the implementation of a construction stormwater management plan; and obtaining permits for water and wastewater discharges and storage tanks and unloading systems.

Remedial Investigation/Remedial Alternative Analysis, Brooklyn, NY, Frito-Lay, Inc. Senior Project Manager responsible for providing project oversight and technical and policy assistance for a remedial investigation and alternatives analysis. The remedial investigation was conducted in accordance with New York State Department of Environmental Conservation (NYSDEC) DER-10 Guidelines.

Illegal Landfill on Railroad Property, NY, Staten Island, NY, CSXT. Principal-in-Charge for a project involving an illegal landfill site on inactive railroad property. A preliminary environmental assessment of the site was conducted in 1987. In 1988, illegal dumping occurred at the site, which resulted in approximately 500,000 cubic yards of waste being landfilled at the site. A site investigation was conducted in 1994, and ongoing monitoring has been performed at the site since that time. Groundwater and surface water sampling has been conducted, and volatile organic compounds, semi-volatile organic compounds, metals, pesticides, ammonia, and various other landfill leachate constituents have been found in groundwater and surface water. A phytoremediation system has been designed and installed that consists of approximately 1,000 trees planted to withdraw groundwater from two water-bearing zones beneath the site. A landfill closure plan was designed and constructed, which included dewatering and closing on-site ponds, performing site grading and development, installing a multilayer cap on the 500,000-cubic-yard waste piles with gas controls, installing stormwater control systems, and installing a groundwater recovery and recirculation system. Also served as a fact witness for the property owner in his cost recovery action against waste generators whose waste was disposed at the site.

The landfilling has been conducted on 26 acres of the overall 39 acres of the inactive railroad. During the course of the site investigation, the railroad negotiated the sale of the rail yard outside of the landfill area. The sale included the track and right-of-way. Environmental issues of concern were addressed with minimal remediation. The sale was to support a revitalization project. The adjacent property is being developed into a sports complex, including restaurants and shops.

City of Newburgh Brownfield Opportunity Area (BOA) Project, Newburgh, NY.
Environmental Task Leader for the study to create a strategy for revitalizing and redeveloping the Census Tract area of the city of Newburgh, New York. This work included analysis of local, regional, and national markets to determine best land use revitalization, inventory and analysis of brownfield sites, existing land use patterns and zoning, transportation systems and infrastructure, and natural resources and environmental features. Tasks included community outreach and participation in the BOA process and the development of a redevelopment master plan.

Brownfield Redevelopment, Babylon, NY, Town of Babylon. Senior Project Manager and Principal-in-Charge responsible for conducting Phase I and Phase II assessments and end-use planning and for providing

other engineering services related to the brownfield redevelopment of the Straight Path Area in the Hamlet of Wyandanch. This work was funded under a U.S. Environmental Protection Agency Brownfield Grant.

Tesla Science Center at Wardenclyffe, NY. Project Director for the investigation and remediation related to the redevelopment of the former Nikolas Tesla Laboratory and Peerless Photo Products Site into revitalized Tesla Science Center in Wardenclyffe Long Island, NY. The redeveloped former laboratory site will house a museum and science education facilities. The Peerless site is a NYS Superfund site which was reclassified as a Class 4 site (Site properly closed – requires continued management) on the State's Registry of Inactive Hazardous Waste Disposal Sites in 2010. Redevelopment activities to be undertaken in the first phases of redevelopment will include demolition of certain buildings, renovation of a visitor's center and updating of site utilities. Work will be conducted in accordance with a consent order between NYSDEC and Tesla.

Harmon Maintenance Facility Replacement, Phase I, II, and IV, Croton-on-Hudson, NY, MTA Metro-North Railroad (MNR). Environmental Task Leader for the various phases of the replacement of a rail maintenance facility. Responsibilities include providing leadership for the environmental tasks involved with the facility design and master planning efforts for the yard. The Phase I, II and IV work included assistance needed to address the environmental issues of concern, which are described below:

- Assistance to Metro-North's legal counsel in determining that the project was categorically exempt from the State Environmental Quality Review Act and National Environmental Policy Act, resulting in overall design cost savings
- Development and implementation of guidelines, which address the management of soils generated during investigation or excavation that will allow the reuse of soils on-site
- Development and implementation of a geographic information system (GIS)/key database to store the chemical and geological data generated at the site
- Treatment and management of dewatering fluids discharged to the local publicly owned treatment works in accordance with permission requirements
- Asbestos, lead-based paint, and polychlorinated biphenyl (PCB) abatement
- Tank closure and construction
- Air permitting compliance
- Modifications to the facility stormwater discharge permit to include changes to the post-construction wastewater stormwater management system
- Coverage for construction stormwater discharges under the New York State Department of Environmental Conservation State Pollutant Discharge Elimination System permit program GP 02-01
- Design of new environmental systems for the site, such as a spill-control system for a new 400,000-gallon fuel oil storage tank and a fuel pad oil/water separator. Coordinated requirements with regulatory agencies.

Inwood/Manhattan NY Affordable Housing Brownfield Development. Senior certifying engineer for a fully affordable 30-story residential building with ground floor commercial space and parking at 3875 9th Avenue taken through the NYS Brownfield Cleanup Program (BCP). Activities included site assessment and investigation; remedial action development, implementation and post-remedial site management; permitting; inter-agency coordination; and community outreach. The redeveloped site will provide residents waterfront access to the Harlem River and a new NYC Park to the north. Multiple City stakeholders played a role in the successful development of the site including NYC Housing Preservation and Development (HPD), Waterfront Planning Commission, Public Design Commission; NYC Parks and Recreation, NYC Housing Development Corp (HDC), Mayor's Office of Environmental Remediation (MOER) and the MOER Jumpstart Program, NYC Economic Development Corp and NYS regulatory agencies.

PROFESSIONAL ASSOCIATIONS

New York City Brownfield Partnership, Former First President and Member of Board of Directors
American Society of Civil Engineers, Member

American Railway Development Association, former President and Member of Board of Directors and former Environmental Committee Co-chair
Railroad Environmental Conference at University of Illinois at Urbana - Champaign (annual), Conference Moderator, Planning Committee and Presenter
National Brownfield Association, Former Member of NYS Executive team and National Advisory Board
Northeast Sustainable Communities Workshop, Conference Moderator and Planner
Brownfield Renewal Magazine, Brownfield Award Judge
EPA National Brownfield Conference, Speaker and Conference Planning Committee
Huntington Harbors and Bays Advisory Council
Atlantic Marine Conservation Society, Board of Directors

Appendix B NYSDEC's Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Guidance Document

NEW YORK STATE OF OPPORTUNITY.

Department of Environmental Conservation

SAMPLING, ANALYSIS, AND ASSESSMENT OF PER- AND POLYFLUOROALKYL SUBSTANCES (PFAS)

Under NYSDEC's Part 375 Remedial Programs

April 2023



www.dec.ny.gov

Table of Contents

Objective 1
Applicability 1
Field Sampling Procedures 1
Analysis and Reporting 2
Routine Analysis 2
Additional Analysis 2
Data Assessment and Application to Site Cleanup 3
Water Sample Results 3
Soil Sample Results 3
Testing for Imported Soil 4
Appendix A - Quality Assurance Project Plan (QAPP) Guidelines for PFAS 5
Appendix B - Sampling Protocols for PFAS in Soils, Sediments and Solids 6
Appendix C - Sampling Protocols for PFAS in Monitoring Wells 8
Appendix D - Sampling Protocols for PFAS in Surface Water 10
Appendix E - Sampling Protocols for PFAS in Private Water Supply Wells 12
Appendix F - Sampling Protocols for PFAS in Fish 14
Appendix G - PFAS Analyte List 22
Appendix H - Data Review Guidelines for Analysis of PFAS in Non-Potable Water and Solids 24

ERRATA SHEET for

SAMPLING, ANALYSIS, AND ASSESSMENT OF PER- AND POLYFLUOROALKYL SUBSTANCES (PFAS) Under NYSDEC's Part 375 Remedial Programs Issued January 17, 2020

Citation and Page Number	Current Text	Corrected Text	Date
Title of Appendix I, page 32	Appendix H	Appendix I	2/25/2020
Document Cover, page 1	Guidelines for Sampling and Analysis of PFAS	Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs	9/15/2020
Data Assessment and Application to Site Cleanup Page 3	Until such time as Ambient Water Quality Standards (AWQS) and Soil Cleanup Objectives (SCOs) for PFOA and PFOS are published	Until such time as Soil Cleanup Objectives (SCOs) for PFOA and PFOS are published	3/28/2023
Water Sample Results Page 3	PFOA and PFOS should be further assessed and considered as potential contaminants of concern in groundwater or surface water if PFOA or PFOS is detected in any water sample at or above 10 ng/L (ppt) and is determined to be attributable to the site, either by a comparison of upgradient and downgradient levels, or the presence of soil source areas, as defined below.	NYSDEC has adopted ambient water quality guidance values for PFOA and PFOS. Groundwater samples should be compared to the human health criteria of 6.7 ng/l (ppt) for PFOA and 2.7 ng/l (ppt) for PFOS. These guidance values also include criteria for surface water for PFOS applicable for aquatic life, which may be applicable at some sites. Drinking water sample results should be compared to the NYS maximum contaminant level (MCL) of 10 ng/l (ppt).Analysis to determine if PFOA and PFOS concentrations are attributable to the site should include a comparison between upgradient and downgradient levels, and the presence of soil source areas, as defined below.	3/28/2023
Soil Sample Results Page 3	Soil cleanup objectives for PFOA and PFOS have been proposed in an upcoming revision to 6 NYCRR Part 375-6. Until SCOs are in effect, the following are to be used as guidance values:	NYSDEC will delay adding soil cleanup objectives for PFOA and PFOS to 6 NYCRR Part 375-6 until the PFAS rural soil background study has been completed. Until SCOs are in effect, the following are to be used as guidance values:	3/28/2023
Protection of Groundwater Page 3	PFOA (ppb) 1.1 PFOS (ppb) 3.7	PFOA (ppb) 0.8 PFOS (ppb) 1.0	3/28/2023

Citation and Page Number	Current Text	Corrected Text	Date
Footnote 2 Page 3	The movement of PFAS in the environment is being aggressively researched at this time; that research will eventually result in more accurate models for the behaviors of these chemicals. In the meantime, DEC has calculated the guidance value for the protection of groundwater using the same procedure used for all other chemicals, as described in Section 7.7 of the Technical Support Document (http://www.dec.ny.gov/docs/remediation_hudson_pdf/techsuppdoc.pdf).	The Protection of Groundwater values are based on the above referenced ambient groundwater guidance values. Details on that calculation are available in the following document, prepared for the February 2022 proposed changes to Part 375 (https://www.dec.ny.gov/docs/remediation_hudson_pdf/part375techsupport.pdf). The movement of PFAS in the environment is being aggressively researched at this time; that research will eventually result in more accurate models for the behaviors of these chemicals. In the meantime, DEC has calculated the guidance value for the protection of groundwater using the same procedure used for all other chemicals, as described in Section 7.7 of the Technical Support Document (http://www.dec.ny.gov/docs/remediation_hudson_pdf/techsuppdoc.pdf).	3/28/2023
Testing for Imported Soil Page 4	If the concentrations of PFOA and PFOS in leachate are at or above 10 ppt (the Maximum Contaminant Levels established for drinking water by the New York State Department of Health), then the soil is not acceptable.	If the concentrations of PFOA and PFOS in leachate are at or above the ambient water quality guidance values for groundwater, then the soil is not acceptable.	3/28/2023
Routine Analysis, page 9	"However, laboratories analyzing environmental samples…PFOA and PFOS in drinking water by EPA Method 537, 537.1 or ISO 25101."	"However, laboratories analyzing environmental samples…PFOA and PFOS in drinking water by EPA Method 537, 537.1, ISO 25101, or Method 533."	9/15/2020
Additional Analysis, page 9, new paragraph regarding soil parameters	None	"In cases where site-specific cleanup objectives for PFOA and PFOS are to be assessed, soil parameters, such as Total Organic Carbon (EPA Method 9060), soil pH (EPA Method 9045), clay content (percent), and cation exchange capacity (EPA Method 9081), should be included in the analysis to help evaluate factors affecting the leachability of PFAS in site soils."	9/15/2020

Citation and Page Number	Current Text	Corrected Text	Date
Data Assessment and Application to Site Cleanup Page 10	Until such time as Ambient Water Quality Standards (AWQS) and Soil Cleanup Objectives (SCOs) for PFAS are published, the extent of contaminated media potentially subject to remediation should be determined on a case-by-case basis using the procedures discussed below and the criteria in DER-10. Target levels for cleanup of PFAS in other media, including biota and sediment, have not yet been established by the DEC.	Until such time as Ambient Water Quality Standards (AWQS) and Soil Cleanup Objectives (SCOs) for PFOA and PFOS are published, the extent of contaminated media potentially subject to remediation should be determined on a case-by-case basis using the procedures discussed below and the criteria in DER-10. Preliminary target levels for cleanup of PFOA and PFOS in other media, including biota and sediment, have not yet been established by the DEC.	9/15/2020
Water Sample Results Page 10	PFAS should be further assessed and considered as a potential contaminant of concern in groundwater or surface water (…) If PFAS are identified as a contaminant of concern for a site, they should be assessed as part of the remedy selection process in accordance with Part 375 and DER-10.	PFOA and PFOS should be further assessed and considered as potential contaminants of concern in groundwater or surface water (…) If PFOA and/or PFOS are identified as contaminants of concern for a site, they should be assessed as part of the remedy selection process in accordance with Part 375 and DER-10.	9/15/2020

Citation and Page Number	Current Text	Corrected Text	Date
Soil Sample Results, page 10	"The extent of soil contamination for purposes of delineation and remedy selection should be determined by having certain soil samples tested by Synthetic Precipitation Leaching Procedure (SPLP) and the leachate analyzed for PFAS. Soil exhibiting SPLP results above 70 ppt for either PFOA or PFOS (individually or combined) are to be evaluated during the cleanup phase."	"Soil cleanup objectives for PFOA and PFOS will be proposed in an upcoming revision to 6 NYCRR Part 375-6. Until SCOs are in effect, the following are to be used as guidance values. " [Interim SCO Table] "PFOA and PFOS results for soil are to be compared against the guidance values listed above. These guidance values are to be used in determining whether PFOA and PFOS are contaminants of concern for the site and for determining remedial action objectives and cleanup requirements. Site-specific remedial objectives for protection of groundwater can also be presented for evaluation by DEC. Development of site-specific remedial objectives for protection of groundwater will require analysis of additional soil parameters relating to leachability. These additional analyses can include any or all the parameters listed above (soil pH, cation exchange capacity, etc.) and/or use of SPLP. As the understanding of PFAS transport improves, DEC welcomes proposals for site-specific remedial objectives for protection of groundwater. DEC will expect that those may be dependent on additional factors including soil pH, aqueous pH, % organic carbon, % Sand/Silt/Clay, soil cations: K, Ca, Mg, Na, Fe, Al, cation exchange capacity, and anion exchange capacity. Site-specific remedial objectives should also consider the dilution attenuation factor (DAF). The NJDEP publication on DAF can be used as a reference: https://www.nj.gov/dep/srp/guidance/rs/daf.pdf. "	9/15/2020

Citation and Page Number	Current Text	Corrected Text	Date
Testing for Imported Soil Page 11	Soil imported to a site for use in a soil cap, soil cover, or as backfill is to be tested for PFAS in general conformance with DER-10, Section 5.4(e) for the PFAS Analyte List (Appendix F) using the analytical procedures discussed below and the criteria in DER-10 associated with SVOCs. If PFOA or PFOS is detected in any sample at or above 1 µg/kg, then soil should be tested by SPLP and the leachate analyzed for PFAS. If the SPLP results exceed 10 ppt for either PFOA or PFOS (individually) then the source of backfill should be rejected, unless a site-specific exemption is provided by DER. SPLP leachate criteria is based on the Maximum Contaminant Levels proposed for drinking water by New York State's Department of Health, this value may be updated based on future Federal or State promulgated regulatory standards. Remedial parties have the option of analyzing samples concurrently for both PFAS in soil and in the SPLP leachate to minimize project delays. Category B deliverables should be submitted for backfill samples, though a DUSR is not required.	Testing for PFAS should be included any time a full TAL/TCL analyte list is required. Results for PFOA and PFOS should be compared to the applicable guidance values. If PFOA or PFOS is detected in any sample at or above the guidance values then the source of backfill should be rejected, unless a site-specific exemption is provided by DER based on SPLP testing, for example. If the concentrations of PFOA and PFOS in leachate are at or above 10 ppt (the Maximum Contaminant Levels established for drinking water by the New York State Department of Health), then the soil is not acceptable. PFOA, PFOS and 1,4-dioxane are all considered semi-volatile compounds, so composite samples are appropriate for these compounds when sampling in accordance with DER-10, Table 5.4(e)10. Category B deliverables should be submitted for backfill samples, though a DUSR is not required.	9/15/2020

Citation and Page Number	Current Text	Corrected Text	Date
Footnotes	None	[1] TOP Assay analysis of highly contaminated samples, such as those from an AFFF (aqueous film-forming foam) site, can result in incomplete oxidation of the samples and an underestimation of the total perfluoroalkyl substances. [2] The movement of PFAS in the environment is being aggressively researched at this time; that research will eventually result in more accurate models for the behaviors of these chemicals. In the meantime, DEC has calculated the soil cleanup objective for the protection of groundwater using the same procedure used for all other chemicals, as described in Section 7.7 of the Technical Support Document (http://www.dec.ny.gov/docs/remediation_hudson_pdf/techsuppdoc.pdf).	9/15/2020
Additional Analysis, page 9	In cases… soil parameters, such as Total Organic Carbon (EPA Method 9060), soil…	In cases… soil parameters, such as Total Organic Carbon (Lloyd Kahn), soil…	1/8/2021
Appendix A, General Guidelines, fourth bullet	List the ELAP-approved lab(s) to be used for analysis of samples	List the ELAP- certified lab(s) to be used for analysis of samples	1/8/2021
Appendix E, Laboratory Analysis and Containers	Drinking water samples collected using this protocol are intended to be analyzed for PFAS by ISO Method 25101.	Drinking water samples collected using this protocol are intended to be analyzed for PFAS by EPA Method 537, 537.1, 533, or ISO Method 25101	1/8/2021
Water Sample Results Page 9	"In addition, further assessment of water may be warranted if either of the following screening levels are met: a. any other individual PFAS (not PFOA or PFOS) is detected in water at or above 100 ng/L; or b. total concentration of PFAS (including PFOA and PFOS) is detected in water at or above 500 ng/L"	Deleted	6/15/2021

Citation and Page Number	Current Text	Corrected Text	Date
Routine Analysis, Page XX	Currently, New York State Department of Health's Environmental Laboratory Approval Program (ELAP)… criteria set forth in the DER's laboratory guidelines for PFAS in non-potable water and solids (Appendix H - Laboratory Guidelines for Analysis of PFAS in Non-Potable Water and Solids).	Deleted	5/31/2022
Analysis and Reporting, Page XX	As of October 2020, the United States Environmental Protection Agency (EPA) does not have a validated method for analysis of PFAS for media commonly analyzed under DER remedial programs (non-potable waters, solids). DER has developed the following guidelines to ensure consistency in analysis and reporting of PFAS.	Deleted	5/31/2022
Routine Analysis, Page XX	LC-MS/MS analysis for PFAS using methodologies based on EPA Method 537.1 is the procedure to use for environmental samples. Isotope dilution techniques should be utilized for the analysis of PFAS in all media.	EPA Method 1633 is the procedure to use for environmental samples.	
Soil Sample Results, Page XX	Soil cleanup objectives for PFOA and PFOS will be proposed in an upcoming revision to 6 NYCRR Part 375-6	Soil cleanup objectives for PFOA and PFOS have been proposed in an upcoming revision to 6 NYCRR Part 375-6	
Appendix A	"Include in the text… LC-MS/MS for PFAS using methodologies based on EPA Method 537.1"	"Include in the text ….EPA Method 1633"	
Appendix A	"Laboratory should have ELAP certification for PFOA and PFOS in drinking water by EPA Method 537, 537.1, EPA Method 533, or ISO 25101"	Deleted	
Appendix B	"Samples collected using this protocol are intended to be analyzed for PFAS using methodologies based on EPA Method 537.1"	"Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633"	

Citation and Page Number	Current Text	Corrected Text	Date
Appendix C	"Samples collected using this protocol are intended to be analyzed for PFAS using methodologies based on EPA Method 537.1"	"Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633"	
Appendix D	"Samples collected using this protocol are intended to be analyzed for PFAS using methodologies based on EPA Method 537.1"	"Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633"	
Appendix G		Updated to include all forty PFAS analytes in EPA Method 533	
Appendix H		Deleted	
Appendix I	Appendix I	Appendix H	
Appendix H	"These guidelines are intended to be used for the validation of PFAS analytical results for projects within the Division of Environmental Remediation (DER) as well as aid in the preparation of a data usability summary report."	"These guidelines are intended to be used for the validation of PFAS using EPA Method 1633 for projects within the Division of Environmental Remediation (DER)."	
Appendix H	"The holding time is 14 days…"	"The holding time is 28 days…"	
Appendix H, Initial Calibration	"The initial calibration should contain a minimum of five standards for linear fit…"	"The initial calibration should contain a minimum of six standards for linear fit…"	
Appendix H, Initial Calibration	Linear fit calibration curves should have an R^2 value greater than 0.990.	Deleted	
Appendix H, Initial Calibration Verification	Initial Calibration Verification Section	Deleted	
Appendix H	secondary Ion Monitoring Section	Deleted	
Appendix H	Branched and Linear Isomers Section	Deleted	

Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs

Objective

New York State Department of Environmental Conservation's Division of Environmental Remediation (DER) performs or oversees sampling of environmental media and subsequent analysis of PFAS as part of remedial programs implemented under 6 NYCRR Part 375. To ensure consistency in sampling, analysis, reporting, and assessment of PFAS, DER has developed this document which summarizes currently accepted procedures and updates previous DER technical guidance pertaining to PFAS.

Applicability

All work plans submitted to DEC pursuant to one of the remedial programs under Part 375 shall include PFAS sampling and analysis procedures that conform to the guidelines provided herein.

As part of a site investigation or remedial action compliance program, whenever samples of potentially affected media are collected and analyzed for the standard Target Analyte List/Target Compound List (TAL/TCL), PFAS analysis should also be performed. Potentially affected media can include soil, groundwater, surface water, and sediment. Based upon the potential for biota to be affected, biota sampling and analysis for PFAS may also be warranted as determined pursuant to a Fish and Wildlife Impact Analysis. Soil vapor sampling for PFAS is not required.

Field Sampling Procedures

DER-10 specifies technical guidance applicable to DER's remedial programs. Given the prevalence and use of PFAS, DER has developed "best management practices" specific to sampling for PFAS. As specified in DER-10 Chapter 2, quality assurance procedures are to be submitted with investigation work plans. Typically, these procedures are incorporated into a work plan, or submitted as a stand-alone document (e.g., a Quality Assurance Project Plan). Quality assurance guidelines for PFAS are listed in Appendix A - Quality Assurance Project Plan (QAPP) Guidelines for PFAS.

Field sampling for PFAS performed under DER remedial programs should follow the appropriate procedures outlined for soils, sediments, or other solids (Appendix B), non-potable groundwater (Appendix C), surface water (Appendix D), public or private water supply wells (Appendix E), and fish tissue (Appendix F).

QA/QC samples (e.g. duplicates, MS/MSD) should be collected as specified in DER-10, Section 2.3(c). For sampling equipment coming in contact with aqueous samples only, rinsate or equipment blanks should be collected. Equipment blanks should be collected at a minimum frequency of one per day per site or one per twenty samples, whichever is more frequent.

Analysis and Reporting

The investigation work plan should describe analysis and reporting procedures, including laboratory analytical procedures for the methods discussed below. As specified in DER-10 Section 2.2, laboratories should provide a full Category B deliverable. In addition, a Data Usability Summary Report (DUSR) should be prepared by an independent, third-party data validator. Electronic data submissions should meet the requirements provided at: https://www.dec.ny.gov/chemical/62440.html.

DER has developed a *PFAS Analyte List* (Appendix G) for remedial programs to understand the nature of contamination at sites. It is expected that reported results for PFAS will include, at a minimum, all the compounds listed. If lab and/or matrix specific issues are encountered for any analytes, the DER project manager, in consultation with the DER chemist, will make case-by-case decisions as to whether certain analytes may be temporarily or permanently discontinued from analysis at each site. As with other contaminants that are analyzed for at a site, the *PFAS Analyte List* may be refined for future sampling events based on investigative findings.

Routine Analysis

EPA Method 1633 is the procedure to use for environmental samples. Reporting limits for PFOA and PFOS in aqueous samples should not exceed 2 ng/L. Reporting limits for PFOA and PFOS in solid samples should not exceed 0.5 µg/kg. Reporting limits for all other PFAS in aqueous and solid media should be as close to these limits as possible. If laboratories indicate that they are not able to achieve these reporting limits for the entire *PFAS Analyte List*, site-specific decisions regarding acceptance of elevated reporting limits for specific PFAS can be made by the DER project manager in consultation with the DER chemist. Data review guidelines were developed by DER to ensure data comparability and usability (Appendix H - Data Review Guidelines for Analysis of PFAS in Non-Potable Water and Solids).

Additional Analysis

Additional laboratory methods for analysis of PFAS may be warranted at a site, such as the Synthetic Precipitation Leaching Procedure (SPLP) and Total Oxidizable Precursor Assay (TOP Assay).

In cases where site-specific cleanup objectives for PFOA and PFOS are to be assessed, soil parameters, such as Total Organic Carbon (Lloyd Kahn), soil pH (EPA Method 9045), clay content (percent), and cation exchange capacity (EPA Method 9081), should be included in the analysis to help evaluate factors affecting the leachability of PFAS in site soils.

SPLP is a technique used to determine the mobility of chemicals in liquids, soils and wastes, and may be useful in determining the need for addressing PFAS-containing material as part of the remedy. SPLP by EPA Method 1312 should be used unless otherwise specified by the DER project manager in consultation with the DER chemist.

Impacted materials can be made up of PFAS that are not analyzable by routine analytical methodology. A TOP Assay can be utilized to conceptualize the amount and type of oxidizable PFAS which could be liberated in the environment, which approximates the maximum concentration of perfluoroalkyl substances that could be generated if all polyfluoroalkyl substances were oxidized. For example, some polyfluoroalkyl substances may degrade or transform to form perfluoroalkyl substances (such as PFOA or PFOS), resulting in an increase in perfluoroalkyl substance concentrations as contaminated groundwater moves away from a source. The TOP Assay converts, through oxidation, polyfluoroalkyl substances (precursors) into perfluoroalkyl substances that can be detected by routine analytical methodology.[1]

[1] TOP Assay analysis of highly contaminated samples, such as those from an AFFF (aqueous film-forming foam) site, can result in incomplete oxidation of the samples and an underestimation of the total perfluoroalkyl substances.

Commercial laboratories have adopted methods which allow for the quantification of targeted PFAS in air and biota. The EPA's Office of Research and Development (ORD) is currently developing methods which allow for air emissions characterization of PFAS, including both targeted and non-targeted analysis of PFAS. Consult with the DER project manager and the DER chemist for assistance on analyzing biota/tissue and air samples.

Data Assessment and Application to Site Cleanup

Until such time as Soil Cleanup Objectives (SCOs) for PFOA and PFOS are published, the extent of contaminated media potentially subject to remediation should be determined on a case-by-case basis using the procedures discussed below and the criteria in DER-10. Preliminary target levels for cleanup of PFOA and PFOS in other media, including biota and sediment, have not yet been established by the DEC.

Water Sample Results

NYSDEC has adopted ambient water quality guidance values for PFOA and PFOS. Groundwater samples should be compared to the human health criteria of 6.7 ng/l (ppt) for PFOA and 2.7 ng/l (ppt) for PFOS. These human health criteria should also be applied to surface water that is used as a water supply. This guidance also includes criteria for surface water for PFOS applicable for aquatic life, which may be applicable at some sites. Drinking water sample results should be compared to the NYS maximum contaminant level (MCL) of 10 ng/l (ppt). Analysis to determine if PFOA and PFOS concentrations are attributable to the site should include a comparison between upgradient and downgradient levels, and the presence of soil source areas, as defined below.

If PFOA and/or PFOS are identified as contaminants of concern for a site, they should be assessed as part of the remedy selection process in accordance with Part 375 and DER-10.

Soil Sample Results

NYSDEC will delay adding soil cleanup objectives for PFOA and PFOS to 6 NYCRR Part 375-6 until the PFAS rural soil background study has been completed. Until SCOs are in effect, the following are to be used as guidance values:

Guidance Values for Anticipated Site Use	PFOA (ppb)	PFOS (ppb)
Unrestricted	0.66	0.88
Residential	6.6	8.8
Restricted Residential	33	44
Commercial	500	440
Industrial	600	440
Protection of Groundwater[2]	0.8	1.0

PFOA and PFOS results for soil are to be compared against the guidance values listed above. These guidance values are to be used in determining whether PFOA and PFOS are contaminants of concern for the site and for determining remedial action objectives and cleanup requirements. Site-specific remedial objectives for protection of groundwater can also be presented for evaluation by DEC. Development of site-specific remedial objectives for protection of groundwater will require analysis of additional soil parameters relating to leachability. These

[2] The Protection of Groundwater values are based on the above referenced ambient groundwater guidance values. Details on that calculation are available in the following document, prepared for the February 2022 proposed changes to Part 375 (https://www.dec.ny.gov/docs/remediation_hudson_pdf/part375techsupport.pdf). The movement of PFAS in the environment is being aggressively researched at this time; that research will eventually result in more accurate models for the behaviors of these chemicals. In the meantime, DEC has calculated the guidance value for the protection of groundwater using the same procedure used for all other chemicals, as described in Section 7.7 of the Technical Support Document (http://www.dec.ny.gov/docs/remediation_hudson_pdf/techsuppdoc.pdf).

additional analyses can include any or all the parameters listed above (soil pH, cation exchange capacity, etc.) and/or use of SPLP.

As the understanding of PFAS transport improves, DEC welcomes proposals for site-specific remedial objectives for protection of groundwater. DEC will expect that those may be dependent on additional factors including soil pH, aqueous pH, % organic carbon, % Sand/Silt/Clay, soil cations: K, Ca, Mg, Na, Fe, Al, cation exchange capacity, and anion exchange capacity. Site-specific remedial objectives should also consider the dilution attenuation factor (DAF). The NJDEP publication on DAF can be used as a reference: https://www.nj.gov/dep/srp/guidance/rs/daf.pdf.

Testing for Imported Soil

Testing for PFAS should be included any time a full TAL/TCL analyte list is required. Results for PFOA and PFOS should be compared to the applicable guidance values. If PFOA or PFOS is detected in any sample at or above the guidance values then the source of backfill should be rejected, unless a site-specific exemption is provided by DER based on SPLP testing, for example. If the concentrations of PFOA and PFOS in leachate are at or above the ambient water quality guidance values for groundwater, then the soil is not acceptable.

PFOA, PFOS and 1,4-dioxane are all considered semi-volatile compounds, so composite samples are appropriate for these compounds when sampling in accordance with DER-10, Table 5.4(e)10. Category B deliverables should be submitted for backfill samples, though a DUSR is not required.

Appendix A - Quality Assurance Project Plan (QAPP) Guidelines for PFAS

The following guidelines (general and PFAS-specific) can be used to assist with the development of a QAPP for projects within DER involving sampling and analysis of PFAS.

General Guidelines in Accordance with DER-10

- Document/work plan section title – Quality Assurance Project Plan
- Summarize project scope, goals, and objectives
- Provide project organization including names and resumes of the project manager, Quality Assurance Officer (QAO), field staff, and Data Validator
    - The QAO should not have another position on the project, such as project or task manager, that involves project productivity or profitability as a job performance criterion
- List the ELAP certified lab(s) to be used for analysis of samples
- Include a site map showing sample locations
- Provide detailed sampling procedures for each matrix
- Include Data Quality Usability Objectives
- List equipment decontamination procedures
- Include an "Analytical Methods/Quality Assurance Summary Table" specifying:
    - Matrix type
    - Number or frequency of samples to be collected per matrix
    - Number of field and trip blanks per matrix
    - Analytical parameters to be measured per matrix
    - Analytical methods to be used per matrix with minimum reporting limits
    - Number and type of matrix spike and matrix spike duplicate samples to be collected
    - Number and type of duplicate samples to be collected
    - Sample preservation to be used per analytical method and sample matrix
    - Sample container volume and type to be used per analytical method and sample matrix
    - Sample holding time to be used per analytical method and sample matrix
- Specify Category B laboratory data deliverables and preparation of a DUSR

Specific Guidelines for PFAS

- Include in the text that sampling for PFAS will take place
- Include in the text that PFAS will be analyzed by EPA Method 1633
- Include the list of PFAS compounds to be analyzed (*PFAS Analyte List*)
- Include the laboratory SOP for PFAS analysis
- List the minimum method-achievable Reporting Limits for PFAS
    - Reporting Limits should be less than or equal to:
        - Aqueous – 2 ng/L (ppt)
        - Solids – 0.5 µg/kg (ppb)
- Include the laboratory Method Detection Limits for the PFAS compounds to be analyzed
-
- Include detailed sampling procedures
    - Precautions to be taken
    - Pump and equipment types
    - Decontamination procedures
    - Approved materials only to be used
- Specify that regular ice only will be used for sample shipment
- Specify that equipment blanks should be collected at a minimum frequency of 1 per day per site for each matrix

Appendix B - Sampling Protocols for PFAS in Soils, Sediments and Solids

General

The objective of this protocol is to give general guidelines for the collection of soil, sediment and other solid samples for PFAS analysis. The sampling procedure used should be consistent with Sampling Guidelines and Protocols – Technological Background and Quality Control/Quality Assurance for NYS DEC Spill Response Program – March 1991 (http://www.dec.ny.gov/docs/remediation_hudson_pdf/sgpsect5.pdf), with the following limitations.

Laboratory Analysis and Containers

Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633.

The preferred material for containers is high density polyethylene (HDPE). Pre-cleaned sample containers, coolers, sample labels, and a chain of custody form will be provided by the laboratory.

Equipment

Acceptable materials for sampling include stainless steel, HDPE, PVC, silicone, acetate, and polypropylene. Additional materials may be acceptable if pre-approved by New York State Department of Environmental Conservation's Division of Environmental Remediation.

No sampling equipment components or sample containers should come in to contact with aluminum foil, low density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials including sample bottle cap liners with a PTFE layer.

A list of acceptable equipment is provided below, but other equipment may be considered appropriate based on sampling conditions.

- stainless steel spoon
- stainless steel bowl
- steel hand auger or shovel without any coatings

Equipment Decontamination

Standard two step decontamination using detergent (Alconox is acceptable) and clean, PFAS-free water will be performed for sampling equipment. All sources of water used for equipment decontamination should be verified in advance to be PFAS-free through laboratory analysis or certification.

Sampling Techniques

Sampling is often conducted in areas where a vegetative turf has been established. In these cases, a pre-cleaned trowel or shovel should be used to carefully remove the turf so that it may be replaced at the conclusion of sampling. Surface soil samples (e.g. 0 to 6 inches below surface) should then be collected using a pre-cleaned, stainless steel spoon. Shallow subsurface soil samples (e.g. 6 to ~36 inches below surface) may be collected by digging a hole using a pre-cleaned hand auger or shovel. When the desired subsurface depth is reached, a pre-cleaned hand auger or spoon shall be used to obtain the sample.

When the sample is obtained, it should be deposited into a stainless steel bowl for mixing prior to filling the sample containers. The soil should be placed directly into the bowl and mixed thoroughly by rolling the material into the middle until the material is homogenized. At this point the material within the bowl can be placed into the laboratory provided container.

Sample Identification and Logging

A label shall be attached to each sample container with a unique identification. Each sample shall be included on the chain of custody (COC).

Quality Assurance/Quality Control

- Immediately place samples in a cooler maintained at 4 ± 2º Celsius using ice
- Collect one field duplicate for every sample batch, minimum 1 duplicate per 20 samples. The duplicate shall consist of an additional sample at a given location
- Collect one matrix spike / matrix spike duplicate (MS/MSD) for every sample batch, minimum 1 MS/MSD per 20 samples. The MS/MSD shall consist of an additional two samples at a given location and identified on the COC
- Request appropriate data deliverable (Category B) and an electronic data deliverable

Documentation

A soil log or sample log shall document the location of the sample/borehole, depth of the sample, sampling equipment, duplicate sample, visual description of the material, and any other observations or notes determined to be appropriate. Additionally, care should be performed to limit contact with PFAS containing materials (e.g. waterproof field books, food packaging) during the sampling process.

Personal Protection Equipment (PPE)

For most sampling Level D PPE is anticipated to be appropriate. The sampler should wear nitrile gloves while conducting field work and handling sample containers.

Field staff shall consider the clothing to be worn during sampling activities. Clothing that contains PTFE material (including GORE-TEX®) or that have been waterproofed with PFAS materials should be avoided. All clothing worn by sampling personnel should have been laundered multiple times.

Appropriate rain gear (PVC, polyurethane, or rubber rain gear are acceptable), bug spray, and sunscreen should be used that does not contain PFAS. Well washed cotton coveralls may be used as an alternative to bug spray and/or sunscreen.

PPE that contains PFAS is acceptable when site conditions warrant additional protection for the samplers and no other materials can be used to be protective. Documentation of such use should be provided in the field notes.

Appendix C - Sampling Protocols for PFAS in Monitoring Wells

General

The objective of this protocol is to give general guidelines for the collection of groundwater samples for PFAS analysis. The sampling procedure used should be consistent with Sampling Guidelines and Protocols – Technological Background and Quality Control/Quality Assurance for NYS DEC Spill Response Program – March 1991 (http://www.dec.ny.gov/docs/remediation_hudson_pdf/sgpsect5.pdf), with the following limitations.

Laboratory Analysis and Container

Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633.

The preferred material for containers is high density polyethylene (HDPE). Pre-cleaned sample containers, coolers, sample labels, and a chain of custody form will be provided by the laboratory.

Equipment

Acceptable materials for sampling include: stainless steel, HDPE, PVC, silicone, acetate, and polypropylene. Additional materials may be acceptable if pre-approved by New York State Department of Environmental Conservation's Division of Environmental Remediation.

No sampling equipment components or sample containers should come in contact with aluminum foil, low density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials including plumbers tape and sample bottle cap liners with a PTFE layer.

A list of acceptable equipment is provided below, but other equipment may be considered appropriate based on sampling conditions.

- stainless steel inertia pump with HDPE tubing
- peristaltic pump equipped with HDPE tubing and silicone tubing
- stainless steel bailer with stainless steel ball
- bladder pump (identified as PFAS-free) with HDPE tubing

Equipment Decontamination

Standard two step decontamination using detergent (Alconox is acceptable) and clean, PFAS-free water will be performed for sampling equipment. All sources of water used for equipment decontamination should be verified in advance to be PFAS-free through laboratory analysis or certification.

Sampling Techniques

Monitoring wells should be purged in accordance with the sampling procedure (standard/volume purge or low flow purge) identified in the site work plan, which will determine the appropriate time to collect the sample. If sampling using standard purge techniques, additional purging may be needed to reduce turbidity levels, so samples contain a limited amount of sediment within the sample containers. Sample containers that contain sediment may cause issues at the laboratory, which may result in elevated reporting limits and other issues during the sample preparation that can compromise data usability. Sampling personnel should don new nitrile gloves prior to sample collection due to the potential to contact PFAS containing items (not related to the sampling equipment) during the purging activities.

Sample Identification and Logging

A label shall be attached to each sample container with a unique identification. Each sample shall be included on the chain of custody (COC).

Quality Assurance/Quality Control

- Immediately place samples in a cooler maintained at 4 ± 2º Celsius using ice
- Collect one field duplicate for every sample batch, minimum 1 duplicate per 20 samples. The duplicate shall consist of an additional sample at a given location
- Collect one matrix spike / matrix spike duplicate (MS/MSD) for every sample batch, minimum 1 MS/MSD per 20 samples. The MS/MSD shall consist of an additional two samples at a given location and identified on the COC
- Collect one equipment blank per day per site and minimum 1 equipment blank per 20 samples. The equipment blank shall test the new and decontaminated sampling equipment utilized to obtain a sample for residual PFAS contamination. This sample is obtained by using laboratory provided PFAS-free water and passing the water over or through the sampling device and into laboratory provided sample containers
- Additional equipment blank samples may be collected to assess other equipment that is utilized at the monitoring well
- Request appropriate data deliverable (Category B) and an electronic data deliverable

Documentation

A purge log shall document the location of the sample, sampling equipment, groundwater parameters, duplicate sample, visual description of the material, and any other observations or notes determined to be appropriate. Additionally, care should be performed to limit contact with PFAS containing materials (e.g. waterproof field books, food packaging) during the sampling process.

Personal Protection Equipment (PPE)

For most sampling Level D PPE is anticipated to be appropriate. The sampler should wear nitrile gloves while conducting field work and handling sample containers.

Field staff shall consider the clothing to be worn during sampling activities. Clothing that contains PTFE material (including GORE-TEX®) or that have been waterproofed with PFAS materials should be avoided. All clothing worn by sampling personnel should have been laundered multiple times.

Appropriate rain gear (PVC, polyurethane, or rubber rain gear are acceptable), bug spray, and sunscreen should be used that does not contain PFAS. Well washed cotton coveralls may be used as an alternative to bug spray and/or sunscreen.

PPE that contains PFAS is acceptable when site conditions warrant additional protection for the samplers and no other materials can be used to be protective. Documentation of such use should be provided in the field notes.

Appendix D - Sampling Protocols for PFAS in Surface Water

General

The objective of this protocol is to give general guidelines for the collection of surface water samples for PFAS analysis. The sampling procedure used should be consistent with Sampling Guidelines and Protocols – Technological Background and Quality Control/Quality Assurance for NYS DEC Spill Response Program – March 1991 (http://www.dec.ny.gov/docs/remediation_hudson_pdf/sgpsect5.pdf), with the following limitations.

Laboratory Analysis and Container

Samples collected using this protocol are intended to be analyzed for PFAS using EPA Method 1633.

The preferred material for containers is high density polyethylene (HDPE). Pre-cleaned sample containers, coolers, sample labels, and a chain of custody form will be provided by the laboratory.

Equipment

Acceptable materials for sampling include: stainless steel, HDPE, PVC, silicone, acetate, and polypropylene. Additional materials may be acceptable if pre-approved by New York State Department of Environmental Conservation's Division of Environmental Remediation.

No sampling equipment components or sample containers should come in contact with aluminum foil, low density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials including sample bottle cap liners with a PTFE layer.

A list of acceptable equipment is provided below, but other equipment may be considered appropriate based on sampling conditions.

- stainless steel cup

Equipment Decontamination

Standard two step decontamination using detergent (Alconox is acceptable) and clean, PFAS-free water will be performed for sampling equipment. All sources of water used for equipment decontamination should be verified in advance to be PFAS-free through laboratory analysis or certification.

Sampling Techniques

Where conditions permit, (e.g. creek or pond) sampling devices (e.g. stainless steel cup) should be rinsed with site medium to be sampled prior to collection of the sample. At this point the sample can be collected and poured into the sample container.

If site conditions permit, samples can be collected directly into the laboratory container.

Sample Identification and Logging

A label shall be attached to each sample container with a unique identification. Each sample shall be included on the chain of custody (COC).

Quality Assurance/Quality Control

- Immediately place samples in a cooler maintained at 4 ± 2º Celsius using ice
- Collect one field duplicate for every sample batch, minimum 1 duplicate per 20 samples. The duplicate shall consist of an additional sample at a given location
- Collect one matrix spike / matrix spike duplicate (MS/MSD) for every sample batch, minimum 1 MS/MSD per 20 samples. The MS/MSD shall consist of an additional two samples at a given location and identified on the COC
- Collect one equipment blank per day per site and minimum 1 equipment blank per 20 samples. The equipment blank shall test the new and decontaminated sampling equipment utilized to obtain a sample for residual PFAS contamination. This sample is obtained by using laboratory provided PFAS-free water and passing the water over or through the sampling device and into laboratory provided sample containers
- Request appropriate data deliverable (Category B) and an electronic data deliverable

Documentation

A sample log shall document the location of the sample, sampling equipment, duplicate sample, visual description of the material, and any other observations or notes determined to be appropriate. Additionally, care should be performed to limit contact with PFAS containing materials (e.g. waterproof field books, food packaging) during the sampling process.

Personal Protection Equipment (PPE)

For most sampling Level D PPE is anticipated to be appropriate. The sampler should wear nitrile gloves while conducting field work and handling sample containers.

Field staff shall consider the clothing to be worn during sampling activities. Clothing that contains PTFE material (including GORE-TEX®) or that have been waterproofed with PFAS materials should be avoided. All clothing worn by sampling personnel should have been laundered multiple times.

Appropriate rain gear (PVC, polyurethane, or rubber rain gear are acceptable), bug spray, and sunscreen should be used that does not contain PFAS. Well washed cotton coveralls may be used as an alternative to bug spray and/or sunscreen.

PPE that contains PFAS is acceptable when site conditions warrant additional protection for the samplers and no other materials can be used to be protective. Documentation of such use should be provided in the field notes.

Appendix E - Sampling Protocols for PFAS in Private Water Supply Wells

General

The objective of this protocol is to give general guidelines for the collection of water samples from private water supply wells (with a functioning pump) for PFAS analysis. The sampling procedure used should be consistent with Sampling Guidelines and Protocols – Technological Background and Quality Control/Quality Assurance for NYS DEC Spill Response Program – March 1991 (http://www.dec.ny.gov/docs/remediation_hudson_pdf/sgpsect5.pdf), with the following limitations.

Laboratory Analysis and Container

Drinking water samples collected using this protocol are intended to be analyzed for PFAS by EPA Method 537, 537.1, 533, or ISO Method 25101. The preferred material for containers is high density polyethylene (HDPE). Pre-cleaned sample containers, coolers, sample labels, and a chain of custody form will be provided by the laboratory.

Equipment

Acceptable materials for sampling include stainless steel, HDPE, PVC, silicone, acetate, and polypropylene. Additional materials may be acceptable if pre-approved by New York State Department of Environmental Conservation's Division of Environmental Remediation.

No sampling equipment components or sample containers should come in contact with aluminum foil, low density polyethylene, glass, or polytetrafluoroethylene (PTFE, Teflon™) materials (e.g. plumbers tape), including sample bottle cap liners with a PTFE layer.

Equipment Decontamination

Standard two step decontamination using detergent (Alconox is acceptable) and clean, PFAS-free water will be performed for sampling equipment. All sources of water used for equipment decontamination should be verified in advance to be PFAS-free through laboratory analysis or certification.

Sampling Techniques

Locate and assess the pressure tank and determine if any filter units are present within the building. Establish the sample location as close to the well pump as possible, which is typically the spigot at the pressure tank. Ensure sampling equipment is kept clean during sampling as access to the pressure tank spigot, which is likely located close to the ground, may be obstructed and may hinder sample collection.

Prior to sampling, a faucet downstream of the pressure tank (e.g., washroom sink) should be run until the well pump comes on and a decrease in water temperature is noted which indicates that the water is coming from the well. If the homeowner is amenable, staff should run the water longer to purge the well (15+ minutes) to provide a sample representative of the water in the formation rather than standing water in the well and piping system including the pressure tank. At this point a new pair of nitrile gloves should be donned and the sample can be collected from the sample point at the pressure tank.

Sample Identification and Logging

A label shall be attached to each sample container with a unique identification. Each sample shall be included on the chain of custody (COC).

Quality Assurance/Quality Control

- Immediately place samples in a cooler maintained at 4 ± 2º Celsius using ice
- Collect one field duplicate for every sample batch, minimum 1 duplicate per 20 samples. The duplicate shall consist of an additional sample at a given location
- Collect one matrix spike / matrix spike duplicate (MS/MSD) for every sample batch, minimum 1 MS/MSD per 20 samples. The MS/MSD shall consist of an additional two samples at a given location and identified on the COC
- If equipment was used, collect one equipment blank per day per site and a minimum 1 equipment blank per 20 samples. The equipment blank shall test the new and decontaminated sampling equipment utilized to obtain a sample for residual PFAS contamination. This sample is obtained by using laboratory provided PFAS-free water and passing the water over or through the sampling device and into laboratory provided sample containers.
- A field reagent blank (FRB) should be collected at a rate of one per 20 samples. The lab will provide a FRB bottle containing PFAS free water and one empty FRB bottle. In the field, pour the water from the one bottle into the empty FRB bottle and label appropriately.
- Request appropriate data deliverable (Category B) and an electronic data deliverable
- For sampling events where multiple private wells (homes or sites) are to be sampled per day, it is acceptable to collect QC samples at a rate of one per 20 across multiple sites or days.

Documentation

A sample log shall document the location of the private well, sample point location, owner contact information, sampling equipment, purge duration, duplicate sample, visual description of the material, and any other observations or notes determined to be appropriate and available (e.g. well construction, pump type and location, yield, installation date). Additionally, care should be performed to limit contact with PFAS containing materials (e.g. waterproof field books, food packaging) during the sampling process.

Personal Protection Equipment (PPE)

For most sampling Level D PPE is anticipated to be appropriate. The sampler should wear nitrile gloves while conducting field work and handling sample containers.

Field staff shall consider the clothing to be worn during sampling activities. Clothing that contains PTFE material (including GORE-TEX®) or that have been waterproofed with PFAS materials should be avoided. All clothing worn by sampling personnel should have been laundered multiple times.

Appendix F - Sampling Protocols for PFAS in Fish

This appendix contains a copy of the current SOP developed by the Division of Fish and Wildlife (DFW) entitled "General Fish Handling Procedures for Contaminant Analysis" (Ver. 8). This SOP should be followed when collecting fish for contaminant analysis. Note, however, that the Bureau of Ecosystem Health will not be supplying bags or tags. All supplies are the responsibility of the collector

Procedure Name: General Fish Handling Procedures for Contaminant Analysis

Number: FW-005

Purpose: This procedure describes data collection, fish processing and delivery of fish collected for contaminant monitoring. It contains the chain of custody and collection record forms that should be used for the collections.

Organization: Environmental Monitoring Section
Bureau of Ecosystem Health
Division of Fish and Wildlife (DFW)
New York State Department of Environmental Conservation (NYSDEC)
625 Broadway
Albany, New York 12233-4756

Version: 8

Previous Version Date: 21 March 2018

Summary of Changes to this Version: Updated bureau name to Bureau of Ecosystem Health. Added direction to list the names of all field crew on the collection record. Minor formatting changes on chain of custody and collection records.

Originator or Revised by: Wayne Richter, Jesse Becker

Date: 26 April 2019

Quality Assurance Officer and Approval Date: Jesse Becker, 26 April 2019

NEW YORK STATE
DEPARTMENT OF ENVIRONMENTAL CONSERVATION

GENERAL FISH HANDLING PROCEDURES FOR CONTAMINANT ANALYSES

A. Original copies of all continuity of evidence (i.e., Chain of Custody) and collection record forms must accompany delivery of fish to the lab. A copy shall be directed to the Project Leader or as appropriate, Wayne Richter. All necessary forms will be supplied by the Bureau of Ecosystem Health. Because some samples may be used in legal cases, it is critical that each section is filled out completely. Each Chain of Custody form has three main sections:

   1. The top box is to be filled out **and signed** by the person responsible for the fish collection (e.g., crew leader, field biologist, researcher). This person is responsible for delivery of the samples to DEC facilities or personnel (e.g., regional office or biologist).

   2. The second section is to be filled out **and signed** by the person responsible for the collections while being stored at DEC, before delivery to the analytical lab. This may be the same person as in (1), but it is still required that they complete the section. Also important is the **range of identification numbers** (i.e., tag numbers) included in the sample batch.

   3. Finally, the bottom box is to record any transfers between DEC personnel and facilities. Each subsequent transfer should be **identified, signed, and dated**, until laboratory personnel take possession of the fish.

B. The following data are required on each **Fish Collection Record** form:

   1. Project and Site Name.

   2. DEC Region.

   3. All personnel (and affiliation) involved in the collection.

   4. Method of collection (gill net, hook and line, etc.)

   5. Preservation Method.

C. The following data are to be taken on each fish collected and recorded on the **Fish Collection Record** form:

   1. Tag number - Each specimen is to be individually jaw tagged at time of collection with a unique number. Make sure the tag is turned out so that the number can be read without opening the bag. Use tags in sequential order. For small fish or composite samples place the tag inside the bag with the samples. The Bureau of Ecosystem Health can supply the tags.

   2. Species identification (please be explicit enough to enable assigning genus and species). Group fish by species when processing.

   3. Date collected.

   4. Sample location (waterway and nearest prominent identifiable landmark).

   5. Total length (nearest mm or smallest sub-unit on measuring instrument) and weight (nearest g or

smallest sub-unit of weight on weighing instrument). Take all measures as soon as possible with calibrated, protected instruments (e.g. from wind and upsets) and prior to freezing.

6. Sex - fish may be cut enough to allow sexing or other internal investigation, but do not eviscerate. Make any incision on the right side of the belly flap or exactly down the midline so that a left-side fillet can be removed.

D. General data collection recommendations:

1. It is helpful to use an ID or tag number that will be unique. It is best to use metal striped bass or other uniquely numbered metal tags. If uniquely numbered tags are unavailable, values based on the region, water body and year are likely to be unique: for example, R7CAY11001 for Region 7, Cayuga Lake, 2011, fish 1. If the fish are just numbered 1 through 20, we have to give them new numbers for our database, making it more difficult to trace your fish to their analytical results and creating an additional possibility for errors.

2. Process and record fish of the same species sequentially. Recording mistakes are less likely when all fish from a species are processed together. Starting with the bigger fish species helps avoid missing an individual.

3. If using Bureau of Ecosystem Health supplied tags or other numbered tags, use tags in sequence so that fish are recorded with sequential Tag Numbers. This makes data entry and login at the lab and use of the data in the future easier and reduces keypunch errors.

4. Record length and weight as soon as possible after collection and before freezing. Other data are recorded in the field upon collection. An age determination of each fish is optional, but if done, it is recorded in the appropriate “Age” column.

5. For composite samples of small fish, record the number of fish in the composite in the Remarks column. Record the length and weight of each individual in a composite. All fish in a composite sample should be of the same species and members of a composite should be visually matched for size.

6. Please submit photocopies of topographic maps or good quality navigation charts indicating sampling locations. GPS coordinates can be entered in the Location column of the collection record form in addition to or instead for providing a map. These records are of immense help to us (and hopefully you) in providing documented location records which are not dependent on memory and/or the same collection crew. In addition, they may be helpful for contaminant source trackdown and remediation/control efforts of the Department.

7. When recording data on fish measurements, it will help to ensure correct data recording for the data recorder to call back the numbers to the person making the measurements.

E. Each fish is to be placed in its own individual plastic bag. For small fish to be analyzed as a composite, put all of the fish for one composite in the same bag but use a separate bag for each composite. It is important to individually bag the fish to avoid difficulties or cross contamination when processing the fish for chemical analysis. Be sure to include the fish’s tag number inside the bag, preferably attached to the fish with the tag number turned out so it can be read. Tie or otherwise secure the bag closed. **The Bureau of Ecosystem Health will supply the bags.** If necessary, food grade bags may be procured from a suitable vendor (e.g., grocery store). It is preferable to redundantly label each bag with a manila tag tied between the knot and the body of the bag. This tag should be labeled with the project name, collection location, tag number, collection date, and fish species. If scales are collected, the scale envelope should be labeled with

the same information.

F. Groups of fish, by species, are to be placed in one large plastic bag per sampling location. **The Bureau of Ecosystem Health will supply the larger bags.** Tie or otherwise secure the bag closed. Label the site bag with a manila tag tied between the knot and the body of the bag. The tag should contain: project, collection location, collection date, species and **tag number ranges**. Having this information on the manila tag enables lab staff to know what is in the bag without opening it.

G. Do not eviscerate, fillet or otherwise dissect the fish unless specifically asked to. If evisceration or dissection is specified, the fish must be cut along the exact midline or on the right side so that the left side fillet can be removed intact at the laboratory. If filleting is specified, the procedure for taking a standard fillet (SOP PREPLAB 4) must be followed, including removing scales.

H. Special procedures for PFAS: Unlike legacy contaminants such as PCBs, which are rarely found in day to day life, PFAS are widely used and frequently encountered. Practices that avoid sample contamination are therefore necessary. While no standard practices have been established for fish, procedures for water quality sampling can provide guidance. The following practices should be used for collections when fish are to be analyzed for PFAS:

No materials containing Teflon.
No Post-it notes.
No ice packs; only water ice or dry ice.
Any gloves worn must be powder free nitrile.
No Gore-Tex or similar materials (Gore-Tex is a PFC with PFOA used in its manufacture).
No stain repellent or waterproof treated clothing; these are likely to contain PFCs.
Avoid plastic materials, other than HDPE, including clipboards and waterproof notebooks.
Wash hands after handling any food containers or packages as these may contain PFCs.
Keep pre-wrapped food containers and wrappers isolated from fish handling.
Wear clothing washed at least six times since purchase.
Wear clothing washed without fabric softener.
Staff should avoid cosmetics, moisturizers, hand creams and similar products on the day of sampling as many of these products contain PFCs (Fujii et al. 2013). Sunscreen or insect repellent should not contain ingredients with “fluor” in their name. Apply any sunscreen or insect repellent well downwind from all materials. Hands must be washed after touching any of these products.

I. All fish must be kept at a temperature <45° F (<8° C) immediately following data processing. As soon as possible, freeze at -20° C ± 5° C. Due to occasional freezer failures, daily freezer temperature logs are required. The freezer should be locked or otherwise secured to maintain chain of custody.

J. In most cases, samples should be delivered to the Analytical Services Unit at the Hale Creek field station. Coordinate delivery with field station staff and send copies of the collection records, continuity of evidence forms and freezer temperature logs to the field station. For samples to be analyzed elsewhere, non-routine collections or other questions, contact Wayne Richter, Bureau of Ecosystem Health, NYSDEC, 625 Broadway, Albany, New York 12233-4756, 518-402-8974, or the project leader about sample transfer. Samples will then be directed to the analytical facility and personnel noted on specific project descriptions.

K. A recommended equipment list is at the end of this document.

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF FISH AND WILDLIFE
FISH COLLECTION RECORD

Project and Site Name _____ DEC Region _____

Collections made by (include all crew) _____

Sampling Method: □Electrofishing □Gill netting □Trap netting □Trawling □Seining □Angling □Other _____

Preservation Method: □Freezing □Other _____ Notes (SWFDB survey number): _____

FOR LAB USE ONLY- LAB ENTRY NO.	COLLECTION OR TAG NO.	SPECIES	DATE TAKEN	LOCATION	AGE	SEX &/OR REPROD. CONDIT	LENGTH ( )	WEIGHT ( )	REMARKS

richter: revised 2011, 5/7/15, 10/4/16, 3/20/17; becker: 3/23/17, 4/26/19

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
CHAIN OF CUSTODY

I, _____, of _____ collected the
(Print Name) (Print Business Address)

following on _____, 20____ from _____
(Date) (Water Body)

in the vicinity of _____
(Landmark, Village, Road, etc.)

Town of _____, in _____ County.

Item(s) _____

_____

Said sample(s) were in my possession and handled according to standard procedures provided to me prior to collection. The sample(s) were placed in the custody of a representative of the New York State Department of Environmental Conservation on _____, 20_____.

_____ _____
Signature Date

I, _____, received the above mentioned sample(s) on the date specified and assigned identification number(s) _____ to the sample(s). I have recorded pertinent data for the sample(s) on the attached collection records. The sample(s) remained in my custody until subsequently transferred, prepared or shipped at times and on dates as attested to below.

_____ _____
Signature Date

SECOND RECIPIENT (Print Name)	TIME & DATE	PURPOSE OF TRANSFER
SIGNATURE	UNIT	
THIRD RECIPIENT (Print Name)	TIME & DATE	PURPOSE OF TRANSFER
SIGNATURE	UNIT	
FOURTH RECIPIENT (Print Name)	TIME & DATE	PURPOSE OF TRANSFER
SIGNATURE	UNIT	
RECEIVED IN LABORATORY BY (Print Name)	TIME & DATE	REMARKS
SIGNATURE	UNIT	
LOGGED IN BY (Print Name)	TIME & DATE	ACCESSION NUMBERS
SIGNATURE	UNIT	

richter: revised 21 April 2014; becker: 23 March 2017, 26 April, 2019

NOTICE OF WARRANTY

By signature to the chain of custody (reverse), the signatory warrants that the information provided is truthful and accurate to the best of his/her ability. The signatory affirms that he/she is willing to testify to those facts provided and the circumstances surrounding the same. Nothing in this warranty or chain of custody negates responsibility nor liability of the signatories for the truthfulness and accuracy of the statements provided.

HANDLING INSTRUCTIONS

On day of collection, collector(s) name(s), address(es), date, geographic location of capture (attach a copy of topographic map or navigation chart), species, number kept of each species, and description of capture vicinity (proper noun, if possible) along with name of Town and County must be indicated on reverse.

Retain organisms in manila tagged plastic bags to avoid mixing capture locations. Note appropriate information on each bag tag.

Keep samples as cool as possible. Put on ice if fish cannot be frozen within 12 hours. If fish are held more than 24 hours without freezing, they will not be retained or analyzed.

Initial recipient (either DEC or designated agent) of samples from collector(s) is responsible for obtaining and recording information on the collection record forms which will accompany the chain of custody. This person will seal the container using packing tape and writing his signature, the time and the date across the tape onto the container with indelible marker. Any time a seal is broken, for whatever purpose, the incident must be recorded on the Chain of Custody (reason, time, and date) in the purpose of transfer block. Container then is resealed using new tape and rewriting signature, with time and date.

EQUIPMENT LIST

Scale or balance of appropriate capacity for the fish to be collected.

Fish measuring board.

Plastic bags of an appropriate size for the fish to be collected and for site bags.

Individually numbered metal tags for fish.

Manila tags to label bags.

Small envelops, approximately 2” x 3.5”, if fish scales are to be collected.

Knife for removing scales.

Chain of custody and fish collection forms.

Clipboard.

Pens or markers.

Paper towels.

Dish soap and brush.

Bucket.

Cooler.

Ice.

Duct tape.

Appendix G – PFAS Analyte List

Group	Chemical Name	Abbreviation	CAS Number
Perfluoroalkyl sulfonic acids	Perfluorobutanesulfonic acid	PFBS	375-73-5
	Perfluoropentanesulfonic acid	PFPeS	2706-91-4
	Perfluorohexanesulfonic acid	PFHxS	355-46-4
	Perfluoroheptanesulfonic acid	PFHpS	375-92-8
	Perfluorooctanesulfonic acid	PFOS	1763-23-1
	Perfluorononanesulfonic acid	PFNS	68259-12-1
	Perfluorodecanesulfonic acid	PFDS	335-77-3
	Perfluorododecanesulfonic acid	PFDoS	79780-39-5
Perfluoroalkyl carboxylic acids	Perfluorobutanoic acid	PFBA	375-22-4
	Perfluoropentanoic acid	PFPeA	2706-90-3
	Perfluorohexanoic acid	PFHxA	307-24-4
	Perfluoroheptanoic acid	PFHpA	375-85-9
	Perfluorooctanoic acid	PFOA	335-67-1
	Perfluorononanoic acid	PFNA	375-95-1
	Perfluorodecanoic acid	PFDA	335-76-2
	Perfluoroundecanoic acid	PFUnA	2058-94-8
	Perfluorododecanoic acid	PFDoA	307-55-1
	Perfluorotridecanoic acid	PFTrDA	72629-94-8
	Perfluorotetradecanoic acid	PFTeDA	376-06-7
Per- and Polyfluoroether carboxylic acids	Hexafluoropropylene oxide dimer acid	HFPO-DA	13252-13-6
	4,8-Dioxa-3H-perfluorononanoic acid	ADONA	919005-14-4
	Perfluoro-3-methoxypropanoic acid	PFMPA	377-73-1
	Perfluoro-4-methoxybutanoic acid	PFMBA	863090-89-5
	Nonafluoro-3,6-dioxaheptanoic acid	NFDHA	151772-58-6
Fluorotelomer sulfonic acids	4:2 Fluorotelomer sulfonic acid	4:2-FTS	757124-72-4
	6:2 Fluorotelomer sulfonic acid	6:2-FTS	27619-97-2
	8:2 Fluorotelomer sulfonic acid	8:2-FTS	39108-34-4
Fluorotelomer carboxylic acids	3:3 Fluorotelomer carboxylic acid	3:3 FTCA	356-02-5
	5:3 Fluorotelomer carboxylic acid	5:3 FTCA	914637-49-3
	7:3 Fluorotelomer carboxylic acid	7:3 FTCA	812-70-4
Perfluorooctane sulfonamides	Perfluorooctane sulfonamide	PFOSA	754-91-6
	N-methylperfluorooctane sulfonamide	NMeFOSA	31506-32-8
	N-ethylperfluorooctane sulfonamide	NEtFOSA	4151-50-2
Perfluorooctane sulfonamidoacetic acids	N-methylperfluorooctane sulfonamidoacetic acid	N-MeFOSAA	2355-31-9
	N-ethylperfluorooctane sulfonamidoacetic acid	N-EtFOSAA	2991-50-6
Perfluorooctane sulfonamide ethanols	N-methylperfluorooctane sulfonamidoethanol	MeFOSE	24448-09-7
	N-ethylperfluorooctane sulfonamidoethanol	EtFOSE	1691-99-2

Group	Chemical Name	Abbreviation	CAS Number
Ether sulfonic acids	9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (F-53B Major)	9Cl-PF3ONS	756426-58-1
	11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (F-53B Minor)	11Cl-PF3OUdS	763051-92-9
	Perfluoro(2-ethoxyethane) sulfonic acid	PFEESA	113507-82-7

Appendix H - Data Review Guidelines for Analysis of PFAS in Non-Potable Water and Solids

General

These guidelines are intended to be used for the validation of PFAS using EPA Method 1633 for projects within the Division of Environmental Remediation (DER). Data reviewers should understand the methodology and techniques utilized in the analysis. Consultation with the end user of the data may be necessary to assist in determining data usability based on the data quality objectives in the Quality Assurance Project Plan. A familiarity with the laboratory's Standard Operating Procedure may also be needed to fully evaluate the data. If you have any questions, please contact DER's Quality Assurance Officer, Dana Barbarossa, at dana.barbarossa@dec.ny.gov.

Preservation and Holding Time

Samples should be preserved with ice to a temperature of less than 6°C upon arrival at the lab. The holding time is 28 days to extraction for aqueous and solid samples. The time from extraction to analysis for aqueous samples is 28 days and 40 days for solids.

Temperature greatly exceeds 6ºC upon arrival at the lab*	Use professional judgement to qualify detects and non-detects as estimated or rejected
Holding time exceeding 28 days to extraction	Use professional judgement to qualify detects and non-detects as estimated or rejected if holding time is grossly exceeded

*Samples that are delivered to the lab immediately after sampling may not meet the thermal preservation guidelines. Samples are considered acceptable if they arrive on ice or an attempt to chill the samples is observed.

Initial Calibration

The initial calibration should contain a minimum of six standards for linear fit and six standards for a quadratic fit. The relative standard deviation (RSD) for a quadratic fit calibration should be less than 20%.

The low-level calibration standard should be within 50% - 150% of the true value, and the mid-level calibration standard within 70% - 130% of the true value.

%RSD >20%	J flag detects and UJ non detects

Continuing Calibration Verification

Continuing calibration verification (CCV) checks should be analyzed at a frequency of one per ten field samples. If CCV recovery is very low, where detection of the analyte could be in question, ensure a low level CCV was analyzed and use to determine data quality.

CCV recovery <70 or >130%	J flag results

Blanks

There should be no detections in the method blanks above the reporting limits. Equipment blanks, field blanks, rinse blanks etc. should be evaluated in the same manner as method blanks. Use the most contaminated blank to evaluate the sample results.

Blank Result	Sample Result	Qualification
Any detection	<Reporting limit	Qualify as ND at reporting limit
Any detection	>Reporting Limit and >10x the blank result	No qualification
>Reporting limit	>Reporting limit and <10x blank result	J+ biased high

Field Duplicates

A blind field duplicate should be collected at rate of one per twenty samples. The relative percent difference (RPD) should be less than 30% for analyte concentrations greater than two times the reporting limit. Use the higher result for final reporting.

RPD >30%	Apply J qualifier to parent sample

Lab Control Spike

Lab control spikes should be analyzed with each extraction batch or one for every twenty samples. In the absence of lab derived criteria, use 70% - 130% recovery criteria to evaluate the data.

Recovery <70% or >130% (lab derived criteria can also be used)	Apply J qualifier to detects and UJ qualifier to non detects

Matrix Spike/Matrix Spike Duplicate

One matrix spike and matrix spike duplicate should be collected at a rate of one per twenty samples. Use professional judgement to reject results based on out of control MS/MSD recoveries.

Recovery <70% or >130% (lab derived criteria can also be used)	Apply J qualifier to detects and UJ qualifier to non detects of parent sample only
RPD >30%	Apply J qualifier to detects and UJ qualifier to non detects of parent sample only

Extracted Internal Standards (Isotope Dilution Analytes)

Problematic analytes (e.g. PFBA, PFPeA, fluorotelomer sulfonates) can have wider recoveries without qualification. Qualify corresponding native compounds with a J flag if outside of the range.

Recovery <50% or >150%	Apply J qualifier
Recovery <25% or >150% for poor responding analytes	Apply J qualifier
Isotope Dilution Analyte (IDA) Recovery <10%	Reject results

Signal to Noise Ratio

The signal to noise ratio for the quantifier ion should be at least 3:1. If the ratio is less than 3:1, the peak is discernable from the baseline noise and symmetrical, the result can be reported. If the peak appears to be baseline noise and/or the shape is irregular, qualify the result as tentatively identified.

Reporting Limits

If project-specific reporting limits were not met, please indicate that in the report along with the reason (e.g. over dilution, dilution for non-target analytes, high sediment in aqueous samples).

Peak Integrations

Target analyte peaks should be integrated properly and consistently when compared to standards. Ensure branched isomer peaks are included for PFAS where standards are available. Inconsistencies should be brought to the attention of the laboratory or identified in the data review summary report.

Appendix C Sample Location Figures

Appendix E NYSDOH Generic Community Air Monitoring Plan

Appendix 1A
New York State Department of Health
Generic Community Air Monitoring Plan

Overview

A Community Air Monitoring Plan (CAMP) requires real-time monitoring for volatile organic compounds (VOCs) and particulates (i.e., dust) at the downwind perimeter of each designated work area when certain activities are in progress at contaminated sites. The CAMP is not intended for use in establishing action levels for worker respiratory protection. Rather, its intent is to provide a measure of protection for the downwind community (i.e., off-site receptors including residences and businesses and on-site workers not directly involved with the subject work activities) from potential airborne contaminant releases as a direct result of investigative and remedial work activities. The action levels specified herein require increased monitoring, corrective actions to abate emissions, and/or work shutdown. Additionally, the CAMP helps to confirm that work activities did not spread contamination off-site through the air.

The generic CAMP presented below will be sufficient to cover many, if not most, sites. Specific requirements should be reviewed for each situation in consultation with NYSDOH to ensure proper applicability. In some cases, a separate site-specific CAMP or supplement may be required. Depending upon the nature of contamination, chemical- specific monitoring with appropriately-sensitive methods may be required. Depending upon the proximity of potentially exposed individuals, more stringent monitoring or response levels than those presented below may be required. Special requirements will be necessary for work within 20 feet of potentially exposed individuals or structures and for indoor work with co-located residences or facilities. These requirements should be determined in consultation with NYSDOH.

Reliance on the CAMP should not preclude simple, common-sense measures to keep VOCs, dust, and odors at a minimum around the work areas.

Community Air Monitoring Plan

Depending upon the nature of known or potential contaminants at each site, real-time air monitoring for VOCs and/or particulate levels at the perimeter of the exclusion zone or work area will be necessary. Most sites will involve VOC and particulate monitoring; sites known to be contaminated with heavy metals alone may only require particulate monitoring. If radiological contamination is a concern, additional monitoring requirements may be necessary per consultation with appropriate DEC/NYSDOH staff.

Continuous monitoring will be required for all ground intrusive activities and during the demolition of contaminated or potentially contaminated structures. Ground intrusive activities include, but are not limited to, soil/waste excavation and handling, test pitting or trenching, and the installation of soil borings or monitoring wells.

Periodic monitoring for VOCs will be required during non-intrusive activities such as the collection of soil and sediment samples or the collection of groundwater samples from existing monitoring wells. “Periodic” monitoring during sample collection might reasonably consist of taking a reading upon arrival at a sample location, monitoring while opening a well cap or

overturning soil, monitoring during well baling/purging, and taking a reading prior to leaving a sample location. In some instances, depending upon the proximity of potentially exposed individuals, continuous monitoring may be required during sampling activities. Examples of such situations include groundwater sampling at wells on the curb of a busy urban street, in the midst of a public park, or adjacent to a school or residence.

VOC Monitoring, Response Levels, and Actions

Volatile organic compounds (VOCs) must be monitored at the downwind perimeter of the immediate work area (i.e., the exclusion zone) on a continuous basis or as otherwise specified. Upwind concentrations should be measured at the start of each workday and periodically thereafter to establish background conditions, particularly if wind direction changes. The monitoring work should be performed using equipment appropriate to measure the types of contaminants known or suspected to be present. The equipment should be calibrated at least daily for the contaminant(s) of concern or for an appropriate surrogate. The equipment should be capable of calculating 15-minute running average concentrations, which will be compared to the levels specified below.

1. If the ambient air concentration of total organic vapors at the downwind perimeter of the work area or exclusion zone exceeds 5 parts per million (ppm) above background for the 15-minute average, work activities must be temporarily halted and monitoring continued. If the total organic vapor level readily decreases (per instantaneous readings) below 5 ppm over background, work activities can resume with continued monitoring.

2. If total organic vapor levels at the downwind perimeter of the work area or exclusion zone persist at levels in excess of 5 ppm over background but less than 25 ppm, work activities must be halted, the source of vapors identified, corrective actions taken to abate emissions, and monitoring continued. After these steps, work activities can resume provided that the total organic vapor level 200 feet downwind of the exclusion zone or half the distance to the nearest potential receptor or residential/commercial structure, whichever is less - but in no case less than 20 feet, is below 5 ppm over background for the 15-minute average.

3. If the organic vapor level is above 25 ppm at the perimeter of the work area, activities must be shutdown.

4. All 15-minute readings must be recorded and be available for State (DEC and NYSDOH) personnel to review. Instantaneous readings, if any, used for decision purposes should also be recorded.

Particulate Monitoring, Response Levels, and Actions

Particulate concentrations should be monitored continuously at the upwind and downwind perimeters of the exclusion zone at temporary particulate monitoring stations. The particulate monitoring should be performed using real-time monitoring equipment capable of measuring particulate matter less than 10 micrometers in size (PM-10) and capable of integrating over a period of 15 minutes (or less) for comparison to the airborne particulate action level. The equipment must be equipped with an audible alarm to indicate exceedance of the action level. In addition, fugitive dust migration should be visually assessed during all work activities.

1. If the downwind PM-10 particulate level is 100 micrograms per cubic meter (mcg/m^3) greater than background (upwind perimeter) for the 15-minute period or if airborne dust is observed leaving the work area, then dust suppression techniques must be employed. Work may continue with dust suppression techniques provided that downwind PM-10 particulate levels do not exceed 150 mcg/m^3 above the upwind level and provided that no visible dust is migrating from the work area.

2. If, after implementation of dust suppression techniques, downwind PM-10 particulate levels are greater than 150 mcg/m^3 above the upwind level, work must be stopped and a re-evaluation of activities initiated. Work can resume provided that dust suppression measures and other controls are successful in reducing the downwind PM-10 particulate concentration to within 150 mcg/m^3 of the upwind level and in preventing visible dust migration.

3. All readings must be recorded and be available for State (DEC and NYSDOH) and County Health personnel to review.

December 2009

Appendix 1B
Fugitive Dust and Particulate Monitoring

A program for suppressing fugitive dust and particulate matter monitoring at hazardous waste sites is a responsibility on the remedial party performing the work. These procedures must be incorporated into appropriate intrusive work plans. The following fugitive dust suppression and particulate monitoring program should be employed at sites during construction and other intrusive activities which warrant its use:

1. Reasonable fugitive dust suppression techniques must be employed during all site activities which may generate fugitive dust.

2. Particulate monitoring must be employed during the handling of waste or contaminated soil or when activities on site may generate fugitive dust from exposed waste or contaminated soil. Remedial activities may also include the excavation, grading, or placement of clean fill. These control measures should not be considered necessary for these activities.

3. Particulate monitoring must be performed using real-time particulate monitors and shall monitor particulate matter less than ten microns (PM10) with the following minimum performance standards:

(a) Objects to be measured: Dust, mists or aerosols;
(b) Measurement Ranges: 0.001 to 400 mg/m3 (1 to 400,000 :ug/m3);
(c) Precision (2-sigma) at constant temperature: +/- 10 :g/m3 for one second averaging; and +/- 1.5 g/m3 for sixty second averaging;
(d) Accuracy: +/- 5% of reading +/- precision (Referred to gravimetric calibration with SAE fine test dust (mmd= 2 to 3 :m, g= 2.5, as aerosolized);
(e) Resolution: 0.1% of reading or 1g/m3, whichever is larger;
(f) Particle Size Range of Maximum Response: 0.1-10;
(g) Total Number of Data Points in Memory: 10,000;
(h) Logged Data: Each data point with average concentration, time/date and data point number
(i) Run Summary: overall average, maximum concentrations, time/date of maximum, total number of logged points, start time/date, total elapsed time (run duration), STEL concentration and time/date occurrence, averaging (logging) period, calibration factor, and tag number;
(j) Alarm Averaging Time (user selectable): real-time (1-60 seconds) or STEL (15 minutes), alarms required;
(k) Operating Time: 48 hours (fully charged NiCd battery); continuously with charger;
(l) Operating Temperature: -10 to 50^{o} C (14 to 122^{o} F);
(m) Particulate levels will be monitored upwind and immediately downwind at the working site and integrated over a period not to exceed 15 minutes.

4. In order to ensure the validity of the fugitive dust measurements performed, there must be appropriate Quality Assurance/Quality Control (QA/QC). It is the responsibility of the remedial party to adequately supplement QA/QC Plans to include the following critical features: periodic instrument calibration, operator training, daily instrument performance (span) checks, and a record keeping plan.

5. The action level will be established at 150 ug/m3 (15 minutes average). While conservative,

this short-term interval will provide a real-time assessment of on-site air quality to assure both health and safety. If particulate levels are detected in excess of 150 ug/m3, the upwind background level must be confirmed immediately. If the working site particulate measurement is greater than 100 ug/m3 above the background level, additional dust suppression techniques must be implemented to reduce the generation of fugitive dust and corrective action taken to protect site personnel and reduce the potential for contaminant migration. Corrective measures may include increasing the level of personal protection for on-site personnel and implementing additional dust suppression techniques (see paragraph 7). Should the action level of 150 ug/m3 continue to be exceeded work must stop and DER must be notified as provided in the site design or remedial work plan. The notification shall include a description of the control measures implemented to prevent further exceedances.

6. It must be recognized that the generation of dust from waste or contaminated soil that migrates off-site, has the potential for transporting contaminants off-site. There may be situations when dust is being generated and leaving the site and the monitoring equipment does not measure PM10 at or above the action level. Since this situation has the potential to allow for the migration of contaminants off-site, it is unacceptable. While it is not practical to quantify total suspended particulates on a real-time basis, it is appropriate to rely on visual observation. If dust is observed leaving the working site, additional dust suppression techniques must be employed. Activities that have a high dusting potential--such as solidification and treatment involving materials like kiln dust and lime--will require the need for special measures to be considered.

7. The following techniques have been shown to be effective for the controlling of the generation and migration of dust during construction activities:

(a) Applying water on haul roads;
(b) Wetting equipment and excavation faces;
(c) Spraying water on buckets during excavation and dumping;
(d) Hauling materials in properly tarped or watertight containers;
(e) Restricting vehicle speeds to 10 mph;
(f) Covering excavated areas and material after excavation activity ceases; and
(g) Reducing the excavation size and/or number of excavations.

Experience has shown that the chance of exceeding the 150ug/m3 action level is remote when the above-mentioned techniques are used. When techniques involving water application are used, care must be taken not to use excess water, which can result in unacceptably wet conditions. Using atomizing sprays will prevent overly wet conditions, conserve water, and provide an effective means of suppressing the fugitive dust.

8. The evaluation of weather conditions is necessary for proper fugitive dust control. When extreme wind conditions make dust control ineffective, as a last resort remedial actions may need to be suspended. There may be situations that require fugitive dust suppression and particulate monitoring requirements with action levels more stringent than those provided above. Under some circumstances, the contaminant concentration and/or toxicity may require additional monitoring to protect site personnel and the public. Additional integrated sampling and chemical analysis of the dust may also be in order. This must be evaluated when a health and safety plan is developed and when appropriate suppression and monitoring requirements are established for protection of health and the environment.

Appendix F Health and Safety Plan



GEI Safety
EVERYONE LIVE SAFE EVERYDAY

GEI Consultants

Consulting
Engineers and
Scientists

Health and Safety Plan


20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site
20-40 Jerusalem Avenue
Hicksville, New York

Cornerstone Hicksville, LLC
c/o Terwilliger & Bartone Properties
141 Merritts Road, 2nd Floor
Farmingdale, NY 11735

Prepared by:
GEI Consultants, Inc.
1000 New York Avenue, Suite B
Huntington Station, NY 11747
GEI Main Phone

March 2026

Project No. 2408313



William J. Fitchett
Project Manager

Jessie Papageorge
Regional Safety Manager

Table of Contents

1. Emergency Contact Information 1

2. GEI Safety Practices to Live By 3

3. Site Background 4
3.1 Site Description 4
3.2 Scope of Field Work 4
3.2.1 Geophysical Survey 4
3.2.2 Soil Boring Installation and Sampling 4
3.2.3 Monitoring Well Installation and Sampling 6
3.2.4 Soil Vapor Point Installation and Sampling 6

4. Potential Hazards 9
4.1 General Site Hazards 9
4.1.1 Hazard Controls 12
4.1.2 Personal Safety 12
4.1.3 Vehicle Safety 13
4.1.4 Communicable Diseases 13
4.2 Job Hazard Analysis 14
4.3 Heat and Cold Stress 15
4.3.1 Heat Stress 15
4.3.2 Cold Stress 15
4.4 Constituents of Concern 15
4.4.1 Site-Specific COC 16
4.4.2 Heavy Metals 17
4.4.3 Chemicals Brought on Site 18

5. Personal Protective Equipment 19
5.1 Respiratory PPE 19

6. Responsibilities and Lines of Authority 20
6.1 GEI Personnel Responsibilities 20
6.1.1 GEI Safety Director 20
6.1.2 GEI Project Manager 20
6.1.3 GEI Regional Safety Manager 20
6.1.4 GEI Site Safety Manager 21
6.1.5 All GEI Field Personnel 21
6.2 Lines of Authority 21
6.2.1 Stop Work Authority 22
6.3 Subcontractors 22

7. Training Requirements 23

7.1 On-Site Safety Briefings 23

8. Medical Surveillance Program 24

9. Personal/Work Zone Air Monitoring 25

9.1 Calibration 25
9.2 Action Levels 25
9.2.1 VOC Monitoring and Control 26
9.2.2 Dust Monitoring and Control 26
9.2.3 H_2S, CO, and Explosive Atmosphere Monitoring and Control 27

10. Site Control 29

10.1 Site Zones 29
10.2 Buddy System 29
10.3 Sanitation for Temporary Work Sites 29
10.4 Illumination 29
10.5 Smoking 29
10.6 Alcohol and Drug Abuse Prevention 30

11. Incident Reporting 31

11.1 Injury Triage Service 31

12. Decontamination Procedures 32

12.1 Personnel and PPE Decontamination 32
12.2 Equipment Decontamination 32

13. Emergency Response 33

13.1 Evacuation 33
13.2 Fire 33
13.3 Spills or Material Release 33
13.4 Medical Support 34
13.5 Severe Weather 34
13.6 Hazard Communication Plan 34

14. Health and Safety Plan Sign-Off 35

Tables

1. Emergency Contact Information
2. GEI Employee Site Tasks and Descriptions
3. General Site Hazards
4. Primary Constituents of Concern Data

Figure

1. Site Location and Muster Point

Appendices

A. Map to Hospital and Occupational Health Clinic
B. Job Hazard Analyses
C. Safety Data Sheets
D. Forms
E. GEI Health and Safety SOPs and Programs

1. Emergency Contact Information

Table 1. Emergency Contact Information

Site Information	
Project Name:	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site.
Project Address:	20 & 40 Jerusalem Avenue, Hicksville, NY 11801
Project Number:	2408313
Important Phone Numbers	
Emergency (Police/Fire/Medical):	911
Local Police: Nassau County Police Department	(516) 573-6800
Fire Department: Hicksville Fire Department	(516) 733-2310
Hospital and Occupational Clinic Information *(See Attached Map and Directions in Appendix A)*	
Local Hospital: 888 Old Country Road Plainview, New York 11803 **Urgent Care/Occupational Health Clinic: Contact Medcor Triage**	(516) 719-3000 Call Medcor Triage 1-800-775-5866
Contacts	
Project Manager: William J. Fitchett	(631) 760-9300 office (631) 905-7636 cell
Safety Director: Steve Hawkins	(860) 368-5348 office (860) 916-4167 cell
Regional Safety Manager: Jessie Papageorge	(973) 873-7117 office (862) 432-2283 cell
Site Safety Manager: Greg Vouzianas	(631) 760-9300 office (516) 965-5985 cell
Medcor Triage	1-800-775-5866
Client Contact: Anthony Bartone	(516) 249-2022 office
Other Information	
Contractor Requesting/Performing Utility Clearance: TBD	Utility Clearance Ticket Number: XXXXXXXXXXX

2. GEI Safety Practices to Live By

Safety is what we do and how we do it every day. These Everyday Practices to Live Safe are simple yet concise reminders to our employees, clients, contractors, visitors of the steps that must be taken to avoid injury, illness, and incident so everyone can live safe every day. To maintain a safe work environment, GEI has established an organizational structure and a Corporate Health and Safety Program along with these safety practices.

1. Stop work if it is unsafe to continue, after any incident, injury, or near miss.

2. Prepare before starting work. Complete safety training and project-related safety requirements, such as preparation and review Health and Safety Plans (HASPs) as required by project or job-related duties.

3. Assess and control safety hazards/risks before starting any tasks and when previously unidentified safety hazards are observed.

4. Be attentive and aware of your environment. Constant focus and awareness will avoid complacency.

5. Properly use and maintain GEI-approved and required PPE in all appropriate circumstances.

6. Do not work or drive impaired, including under the influence of alcohol/drugs or while fatigued.

7. Follow all safety practices when operating a vehicle. Always wear your seatbelt while in any vehicle. Do not drive distracted, including using hand-held cell phones, when operating any vehicle.

8. Use tools, equipment, and safety devices in accordance with manufacturers recommendations and GEI expectations. Never modify or override safety devices.

9. When activities involve chemicals or hazardous substances, follow GEI's hazard communication requirements, including labeling, reviewing Safety Data Sheets (SDS), and keeping proper protections in place.

10. Be aware of and keep clear of equipment moving in all work areas, at all times.

11. Follow GEI's incident reporting procedure in the event of safety incidents, including injuries, illness, near misses, or observation of unsafe behaviors.

3. Site Background

This Health and Safety Plan (HASP) establishes policies and procedures to protect GEI Consultants, Inc. (GEI) personnel from the potential hazards posed by the activities at the Cornerstone Hicksville, LLC 20 & 40 Jerusalem Avenue property (site) in Hicksville, New York (Figure 1). Reading, understanding, and compliance with the contents of the HASP is required for on-site GEI personnel and will be reviewed by GEI subcontractors. Subcontractors will prepare their own site-specific HASP but may use this HASP as a guide. This HASP identifies measures to minimize accidents and injuries which may result from site conditions or activities. A copy of this HASP will be maintained on site for the duration of the work.

3.1 Site Description

The 20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site consists of five tax lots [Section 11, Block 179, Lots 324 (p/o) and 325 and Lots 102-104] and is located in Hicksville, New York. The Site is located on the western side of Jerusalem Avenue and the eastern side of Nelson Avenue, between Nelson Avenue to the north and West Marie Street to the south. The Site comprises approximately 1.74 acres. Lot 325 and the portion of Lot 324 included in the proposed BCP Site are utilized as a contiguous asphalt paved parking lot associated with the address 20 Jerusalem Avenue. Lots 102-104 are occupied by a contiguous, rectangular shaped single-story masonry and wood-framed commercial building and associated parking lot, associated with the address 40 Jerusalem Avenue. This building is presently occupied by a deli and laundromat.

3.2 Scope of Field Work

3.2.1 Geophysical Survey

A geophysical survey including a magnetometer and ground penetrating radar survey will be performed across accessible areas of the Site to investigate for the presence of potential USTs, buried drums, etc. and for the potential presence of underground utilities within the work area.

3.2.2 Soil Boring Installation and Sampling

A total of 24 soil borings are planned for advancement at strategic locations throughout the Site. The soil borings will attempt to vertically and horizontally delineate the known contamination to better understand the most suitable remedy. Soil borings will be advanced utilizing either a skid-mounted Geoprobe®, limited-access Geoprobe, or hand augers. Soil cores will be obtained using a stainless steel macro-core sampler with an internal acetate

liner. Soil cores will be examined for lithology and screened impacts using a photoionization detector (PID) with an 11.7 eV lamp, as well as by visual and olfactory methods.

The interior soil borings (RISB-17 and RISB-22) will be installed to the maximum depth feasible based upon the accessibility of the boring location to a portable indoor drilling rig machine. From the interior soil borings, a sample will be collected from the 0 to 2-foot interval, and the two foot interval at the deepest extent of the soil boring, expected to be approximately 8 to 10 ft. bgs.

The exterior soil borings will be advanced to the depth of the surrounding stormwater dry wells, which is between approximately eight and 16 ft. bgs. In the event that no evidence of soil contamination is identified, two soil samples will be collected at each soil boring. One soil sample will be collected form the 0 to 2-foot interval, and one soil sample will be collected from the two-foot interval which corresponds to the depth of the nearest storm drain, in an attempt to delineate the known impacts within each storm drain at this depth. If visual or olfactory/observations and PID readings reveal the presence of contamination, the soil boring will be extended until the vertical extent of contamination is reached.

Additionally, during previous investigations GEI observed a septic/cesspool system in the parking lot of 20 Jerusalem Avenue, numerous open grate stormwater dry wells and manholes with solid covers in the parking areas of both 20 and 40 Jerusalem Avenue, as well as one equipment dry well located at 40 Jerusalem Avenue. To vertically delineate the previous identified contaminants within the storm drains and septic /cesspool system, one soil sample will be collected from the two-foot interval beginning at 5 feet below the bottom of the structure. An additional sample will be collected from 5 feet below this sample, which will be placed on hold pending results of the shallow sample.

Soil samples will be properly transported to a NYSDOH Environmental Laboratory Approval Program (ELAP)-certified laboratory under chain-of-custody (COC) procedures and analyzed for the following:

- VOCs by United States Environmental Protection Agency (USEPA) Method 8260C.
- SVOCs by USEPA Method 8270D.
- Target Analyte List (TAL) Metals by USEPA Method 6010D and Mercury by USEPA Method 7471B.
- Pesticides by USEPA Method 8081B.
- Polychlorinated Biphenyls (PCBs) by USEPA Method 8082A.
- Perfluoroalkyl and polyfluoroalkyl substances (PFAS) using modified USEPA Method 1633A.

3.2.3 Monitoring Well Installation and Sampling

As shown on Figure 5, five monitoring wells will be installed throughout the Site. The monitoring well screens will be positioned to straddle the groundwater surface. The nomenclature of each monitoring well will highlight the monitoring well location, e.g., RIMW-01, RIMW-02, etc.

Each monitoring well will be constructed of 2-inch outside diameter (OD), flush joint, SCH 40 polyvinylchloride (PVC) equipped with 10 feet of 0.020-inch slot well screen and a PVC riser pipe extending to the surface. The wells will be completed with a Morie #2 sand pack to 2 feet above top-of-screen, 2 feet of wetted bentonite pellets, and tremie-grout to surface. The monitoring wells will be completed with a J-plug and a flush mounted protective casing in a concrete pad.

Groundwater sampling will be completed utilizing the USEPA's low-flow (minimal drawdown) procedures with dedicated and decontaminated sampling equipment. Prior to collecting the groundwater samples, the depth to groundwater and the total well depth will be measured at each of the groundwater monitoring wells using a multi-parameter interface probe attached to a measuring tape accurate to 0.01 foot. Field parameters (e.g., turbidity, pH, oxidation-reduction potential, and dissolved oxygen) will be measured during completion of the groundwater sampling event.

The monitoring wells will be sampled for the following analytical:

- VOCs using USEPA Method 8260C.
- Perfluoroalkyl and polyfluoroalkyl substances (PFAS) using USEPA Method 1633A.
- 1,4-Dioxane using a modified USEPA Method 8270 (with selective ion monitoring [SIM]to be used during analysis).
- SVOCs using USEPA Method 8270D.
- TAL metals (including mercury) via USEPA Method 6010D and Method 7473.
- Pesticides via USEPA Method 8081B.
- PCBs via USEPA Method 8082.

3.2.4 Soil Vapor Point Installation and Sampling

As depicted on Figure 5, 10 soil vapor probes are proposed to be installed throughout the Site, to further delineate previously identified contaminants in Site soil vapor. One outdoor ambient air sample will be collected concurrently with the soil vapor samples.

All samples will be collected in accordance with the Final Guidance for Evaluating Soil Vapor Intrusion in the State of New York (NYSDOH October 2006) and associated updates. Conditions in the field may require adjustment to the sampling locations. The Site building is

slated for demolition and as such, sub-slab soil samples and co-located indoor air samples are not proposed.

The temporary soil vapor probes will be installed to the planned excavation depth, approximately 15 ft. bgs. The soil vapor points will be advanced using direct push drilling methods and will consist of 1-inch diameter steel rods with a prefabricated 3-inch perforated steel vapor probe tip attached to ⅜-inch diameter low-density polyethylene (LDPE) plastic tubing. Once driven to depth, the rods will be removed leaving only the perforated tip and tubing. The vapor probe borehole will be backfilled with #2 Morie well grade gravel and a surface seal will be constructed using an impermeable bentonite clay seal at the last 6 inches of the annulus from surface grade. The vapor well will be purged using a hand pump or equivalent device after installation.

Samples will be collected in 6-liter Summa canisters which have been batch-certified clean by the laboratory and analyzed for VOCs using USEPA Method TO-15. Flow rate of both purging and sampling will not exceed 0.2 liters per minute (L/min). Sampling will occur for a duration of 2 hours. A sample log sheet will be maintained summarizing sample identification, date and time of sample collection, sampling depth, identity of samplers, sampling methods and devices, soil vapor purge volumes, volume of the soil vapor extracted, vacuum of canisters before and after the samples are collected, apparent moisture content of the sampling zone, and chain of custody protocols. The indoor air samples and the outdoor air sample will be collected concurrently with the soil vapor sampling.

As part of the vapor intrusion evaluation, a tracer gas will be used in accordance with NYSDOH protocols to serve as a QA/QC device to verify the integrity of the soil vapor probe seal. Helium will be used as the tracer gas and a box will serve to keep it in contact with the probe during testing. A portable monitoring device will be used to analyze a sample of soil vapor for the tracer prior to sampling. If the tracer sample results show a 10% presence of the tracer, the probe seals will be adjusted to prevent infiltration. As the conclusion of the sampling round, tracer monitoring will be performed a second time to confirm the integrity of the probe seals. Samples will be analyzed using TO15 methodology.

Table 2. GEI Employee Site Tasks and Descriptions

Task Number	Task Titles	Task Descriptions
1.	Driving – Site Mobilization	Drive to the project site to complete the work.
2.	Soil Sampling – Drill Rig	GEI will soil collect soil samples from the sample cores cut open by the subcontractor.
3.	Soil Sampling – Drilling Indoors	GEI will collect soil samples from the sample cores cut open by the subcontractor.
4.	Soil Vapor Sampling	GEI will collect soil vapor samples via Summa canisters. Soil vapor points will be installed by the subcontractor.

Task Number	Task Titles	Task Descriptions
5.	Soil Sampling – Hand Auger	GEI will collect soil/sediment samples sample via hand auger collect by the subcontractor.
6.	GPR Oversight	Oversee GPR Survey by subcontractor
7.	Groundwater Sampling	The subcontractor will perform groundwater purging from the temporary monitoring well. GEI will collect the sample in the appropriate glassware.
8.	Drum Handling/Staging	The subcontractor will stage any drums from Investigative Derived Waste (IDWO) in a safe location – GEI may need to collect waste samples from the staged drums.

Notes:
Task Titles correlate to a prepared site-specific JHAs.
Task Descriptions are a brief summary of the task being performed by GEI.

4. Potential Hazards

The potential hazards associated with site conditions and activity hazards related to GEI on-site activities have been identified in this section. Detailed information for these hazards and their control methods are discussed further in the Table 3 and the job hazard analysis (JHAs) included in Appendix B.

4.1 General Site Hazards

General hazards and control measures that are applicable to all site activities have been identified in Table 3.

Table 3. General Site Hazards

General Hazards These Hazards Apply to All Site Activities	Control Measure
Cell Phone Use On Project Site	• Look and listen for potential hazards while using a cell phone for work related activities. • Limit your cell phone use for personal calls or other activities to non-working hours in areas free of hazards. • Do not use your cell phone when safety hazards are present. • Do not use headphones or ear buds while performing work related activities. Headphone or ear bud use can prevent you from hearing hazards around you. • Noise canceling headphones or earbuds are not to be used in place of hearing protection. • Never use a cell phone while operating any equipment or vehicle. • Consider using the "do not disturb" or "silent" functions to allow you to focus on your task.
Cold Stress Hypothermia, Frostbite	• Take breaks in heated shelters when working in extremely cold temperatures. • Drink warm liquids to reduce the susceptibility to cold stress. • Wear protective clothing (recommended three layers: an outside layer to break the wind, a middle layer to provide insulation, and an inner layer of cotton of synthetic weave to allow ventilation). • Wear a hat and insulated boots. • Keep a change of dry clothing available in case clothes become wet. • Do heavy work during the warmer parts of the day and take breaks from the cold. • If possible, shield work areas from drafts of wind and use insulating material on equipment handles when temperatures are below 30°F • Watch for symptoms of cold stress and initiate first aid procedures (Section 4.3.2).

General Hazards These Hazards Apply to All Site Activities	Control Measure
Heat stress Fainting, Fatigue, Heat Stroke	• Increase water intake while working. • Increase number of rest breaks and/or rotate workers in shorter work shifts. Rest in cool, dry areas. • Watch for signs and symptoms of heat exhaustion and fatigue. • Plan work for early morning or evening during hot months. • Use ice vests when necessary. • In the event of heat stroke, bring the victim to a cool environment and initiate first aid procedures. • See Appendix C of the HASP
Heavy Equipment **Working Near** Struck-by, caught-in-between equipment, crushing, pinch points	• Wear hardhat; high visibility reflective safety vest; steel-toed, steel-shank boots or (electrical hazard) EH-rated safety boots with composite toe and shank; safety glasses; nitrile/neoprene gloves; and earplugs. • Identify yourself and your work location to heavy equipment operators, so they may incorporate you into their operations. • Coordinate hand signals with operators. • Stay Alert! Pay attention to equipment backup alarms and swing radii. • Wear a high-visibility, reflective vest when working near equipment or motor vehicle traffic. • Position yourself in a safe location when filling out logs or talking with the contractor. • Notify the contractor immediately if any problems arise. • Do not stand or sit under suspended loads or near any pressurized equipment lines. • Do not operate cellular telephones in the vicinity of heavy equipment operation. • See SOP HS-018
Inclement Weather	• Listen to local forecasts for warnings about specific weather hazards such as tornados, thunderstorms, and flash floods. • If storms produce thunder and/or lightning, leave the work area immediately and move to a safe area. • Discuss an action plan prior to the severe weather. • Wear appropriate PPE for the type of weather that could be encountered. • Stop work until conditions are suitable. Take cover in vehicles or shelter as appropriate. • See SOP HS-010
Insects Bites, Stings, Allergic Reactions	• Apply insect repellent prior to performing field work and as often as needed throughout the work shift. • Wear proper protective clothing (work boots, socks, and light-colored clothing) • Wear shoes, long pants with bottoms tucked into boots or socks, and a long-sleeved shirt when outdoors for extended periods of time, or when many insects are most active (between dawn and dusk). • When walking in wooded areas, avoid contact with bushes, tall grass, or brush as much as possible.

General Hazards These Hazards Apply to All Site Activities	Control Measure
	• Field personnel who may have insect allergies will have allergy medication on site and will provide this information to the SSM prior to commencing work. • Field personnel will perform a self-check at the end of the day for ticks. • See SOP HS-001
Physical Injury Slips, Trips and Falls	• Wear PPE that properly fits, is in good condition and appropriate for the activities and hazards. • Maintain good visibility of the work area. • Avoid walking on uneven, steeply sloped or debris ridden ground surfaces. • Plan tasks prior to preforming them including an activity hazard analysis. • Keep trafficked areas free from slip/trip/fall hazards. • Maintain weed growth in sampling areas, especially on slopes. • Wear shoes with traction. • Avoid traversing steep areas in slippery conditions. • Do not carry heavy objects to sampling areas, on steeply sloped areas, or where steep areas must be traversed to arrive at sample points.
Repetitive Motion Injury Standing, Squatting, and Bending Over	• Take regular breaks and do not work in unusual positions for long periods of time. • Walk and stretch between tasks. • See SOP HS-025
Sun Exposure	• Liberally apply sunscreen, with a minimum broad-spectrum sun protection factor (SPF) of 30 • Wear safety glasses that offer protection from ultraviolet A and B (UVA/UVB) rays. • Bring shade to the site to reduce exposure. • When possible, wear long-sleeved shirts and long pants. • Clothes made from tightly woven fabric and darker colors offer the best protection. Some clothing is certified as offering UV protection. • Wear a hat that has a brim all the way around that shades your face, ears, and the back of your neck. A tightly woven fabric, such as canvas, works best to protect your skin from UV rays. • Sunscreen wears off. Put it on again if you stay out in the sun for more than 2 hours. • Check the sunscreen's expiration date. Sunscreen without an expiration date has a shelf life of no more than 3 years.

General Hazards These Hazards Apply to All Site Activities	Control Measure
Vehicular Traffic Struck by injury, crushing	• Increase visibility of the work area to others by using cones, flags, barricades, proper lighting, and caution tape to define work area. • Use a "spotter" to locate oncoming vehicles. • Use vehicle to block work area. • Engage police detail for all work conducted in appropriate areas. • Wear high-visibility, reflective vest at all times. • Maintain minimum DOT defined distances to other traffic lanes. • See SOP HS-016.

4.1.1 Hazard Controls

On-site safety equipment to control the hazards listed above will include:

Site-Specific Safety Equipment *(check all that apply)*		
☒ Drinking water/electrolyte fluids	☒ Hand cleaner/sanitizer	☐ Tick removal kit
☒ Eye wash bottles	☒ Insect repellent	☐ Other:
☒ Fire extinguisher	☒ Phone charger	☐ Other:
☒ First aid kit	☐ Poison ivy/oak cleanser	☐ Other:
☐ Flashlight/head lamp	☒ Sunscreen	

Personal protective equipment (PPE) is discussed in further detail in Section 5.

4.1.2 Personal Safety

Field activities have the potential to take employees into areas which may pose a risk to personal safety. The following websites have been researched to identify potential crime activity in the area of the project:

- https://communitycrimemap.com/
- www.cityrating.com/crimestatistics.asp
- www.crimemapping.com

The crime rate in Hicksville is lower than the New York Averages.

Employees must not knowingly enter into a situation where there is the potential for physical and violent behaviors to occur. If employees encounter hostile individuals or a confrontation develops in the work area, suspend work activities, immediately leave the area of concern, and contact local 911 for assistance. Notify the Site Safety Manager (SSM) and Safety Team (Safety Director and Regional Safety Managers – Safety_Team@geiconsultants.com)of any incidents once you are out of potential danger.

In the event of an emergency, prompt communications with local emergency responders are essential. At least one charged and functioning cell phone to enable emergency communications will be on site. Confirmation of cellular phone operation will be confirmed at the start of each working day.

4.1.3 Vehicle Safety

Mobilization to and from the field will likely require the use of a personal, GEI fleet, or rental vehicle. When operating a vehicle while conducting business on behalf of GEI, employees must follow safe driving practices as outlined in the GEI Safe Driving SOP.

In conjunction with the hazard controls listed in the Site Mobilization JHA, GEI employees should follow these guidelines to operate a vehicle safely:

- Do not drive distracted, including using hand-held cell phones, when operating any vehicle.
- Complete a 360° inspection of the vehicle and surrounding area to identify vehicle safety issues and hazards that could be within the travel path.
- Confirm cell phones, tablets, or other potentially distracting equipment are safely secured and put away prior to operating the vehicle.
- Park in designated areas or a safe area away from heavy equipment.
- When parking a vehicle at a job site, the employee should make an effort to position the vehicle in a manner which reduces or eliminates the need to operate the vehicle in reverse.
- Use a spotter whenever possible.

GEI personnel will follow the GEI Incident Reporting (and client specific reporting) procedures if a vehicle accident occurs involving another vehicle, results in injury, or the damage to property.

4.1.4 Communicable Diseases

Communicable diseases are illnesses caused by viruses or bacteria that people spread to one another through contact with contaminated surfaces, bodily fluids, blood products, insect bites, or through the air. Examples of communicable diseases include influenza, coronavirus 2019, hepatitis B, salmonella, measles, and blood-borne illnesses. Most common forms of spread include food, insect bites, droplets, or skin contact. Infections may range in severity from asymptomatic (without symptoms) to severe and fatal. Transmission of these biologic agents can occur in a variety of ways including airborne (inhalation), direct physical contact with an infectious person, consuming contaminated foods or beverages, contact with contaminated body fluids, contact with contaminated inanimate objects, or being bitten by an

infected insect or tick. Below are ways to prevent the infection or spread of communicable diseases:

1. Distancing - Maintain distance from others when possible. Minimize the number of employees in one location to the extent possible.
2. Wash Hands Often - Frequent hand washing with soap and warm water for 20 seconds. If soap and water are not readily available, use hand sanitizer (containing 60% alcohol) until soap and water can be used.
3. Clean and Disinfect Commonly Used Surfaces - Wipe down surfaces with disinfectant on a routine basis. This includes field equipment and other items that may have previously been used by others. This is especially important while working in construction trailers. When using company and personal vehicles, wipe surfaces including the steering wheel, gear shifter, controls, and door handles before and after use.
4. Use Good Hygiene Practices – These include washing hands frequently, avoid touching your eyes, nose, and mouth, and cover coughs and sneezes.
5. Get Vaccinated - Vaccines can prevent many infectious diseases. There are also vaccines that are recommended or required for travel to certain parts of the world.
6. Avoid Touching Wild Animals - Be cautious around wild animals as they can spread infectious diseases.
7. Stay home when you are sick.

4.2 Job Hazard Analysis

The site-specific tasks, potential hazards, and control measures established to reduce the risk of injury or illness are identified in step-by-step JHAs included in Appendix B. Prior to the start of work, project team members will determine what tasks are covered in the scope of work (Table 2) and then develop a JHA for each of these tasks and have them reviewed by the Project Manager (PM) or their designee and approved by a member of the Safety Team. Indicated in each JHA are the specific PPE, training, equipment, health and safety SOPs and programs that apply to each task. Additional information on hazard controls can be found in GEI's SOPs and programs that apply to this project which are indicated in Appendix E.

4.3 Heat and Cold Stress

4.3.1 Heat Stress

Employees may be exposed to the hazards associated with heat stress when ambient temperatures exceed 80ºF. To prevent heat-related illness, Project Managers (PMs) should plan for proper hydration (drinking plenty of water), acclimatization (getting used to weather conditions), and schedules that alternate work with rest. Employees should also be trained to recognize the symptoms of heat related illnesses and know how to administer first aid for heat-related illnesses and activate emergency medical services quickly when needed. Water and shade will be available to all project employees and located as close as practicable to the work areas when temperatures exceed 80°F.

CDC Heat Planning Tool
For the most recent details and tools for heat stress, use your smart phone to access the Centers for Disease Control for the latest information. Additional details can be found in GEI's Heat Stress Program located on the Safety Resources page of GEI Connections.

Prior to each workday, the forecasted temperature and humidity for the worksite will be reviewed and will be compared against the National Weather Service Heat Index to evaluate the risk level for heat illness. When the temperature equals or exceeds 95°F, or during a heat wave, high heat procedures will be used which include additional preventive measures including pre-shift meetings to encourage employees to drink plenty of water, working in the buddy system or regular communication so observations can be made for heat related illness, and to remind employees of their right to take a cool-down rest when necessary.

4.3.2 Cold Stress

Employees may be exposed to the hazards associated with cold stress when working in cold, wet, and/or windy conditions. Potential hazards in cold environments include frostbite, trench foot or immersion foot, hypothermia, as well as slippery surfaces, brittle equipment, and poor judgment.

CDC Cold Stress Info
For the most recent details and tools for cold stress, use your smart phone to access the Centers for Disease Control for the latest information. Additional details can be found in GEI's Cold Stress Program located on the Safety Resources page of GEI Connections.

4.4 Constituents of Concern

The characteristics of constituents of concern (COC) at the site are discussed below for safety information purposes. A COC is any substance classified or defined as hazardous, extremely hazardous, toxic, or dangerous. The COC included in this health and safety plan will be the primary constituents that have been detected, are anticipated to be detected, or are being evaluated for the presence of, on the project site. These COC will be used to determine the action levels and PPE necessary for site personnel. Adherence to the safety and health

guidelines in this HASP should reduce the potential for exposure to the COC discussed below.

4.4.1 Site-Specific COC

Chlorinated Hydrocarbons

Chlorinated hydrocarbons (organochlorides) are a very large and diverse group of hydrocarbon molecules that also have at least one covalently bound chlorine atom chemically bonded to them. Chlorinated hydrocarbons are used predominantly as solvents and have historically been used as industrial degreasers, dry cleaning solvents, anesthetic agents and as refrigerants. They are colorless, volatile liquids with a moderately sweet aroma and partially soluble in but denser than water. They are the most common DNAPL.

The more common forms of chlorinated solvent contamination of soils and ground waters include:

- Tetrachloroethene (PCE, Tetrachloroethylene)
- Carbon tetrachloride (Tetrachloromethane or carbon tet)
- Trichloroethylene (TCE,Trichloroethene)
- 1,1,1-TrichloroMethane (Chloroform)
- 1,1,1 - Trichloroethane (TCA, methyl chloroform, chlorothene, Solvent 111)
- Dichloromethane (DCM or methylene chloride)

As a class, the chlorinated hydrocarbons are potent central nervous system (CNS) depressants or stimulants. They also cause greater liver and kidney damage compared to other organic solvents. Many have been shown to cause cancer in laboratory animals; due to widespread industrial use, the issue of carcinogenic risk to humans is one of the most controversial issues in regulatory toxicology.

Exposure to chlorinated hydrocarbon compounds in the occupational setting is primarily through inhalation. Skin absorption is variable and usually insignificant, although dermal absorption following prolonged or extensive skin contact can cause systemic toxicity.

Semi-Volatile Organic Compounds

Semi-volatile organic compounds (SVOCs) usually consist of a mixture of acenaphthene, acenaphthylene, anthracene, benz(a)anthracene, benzo(b)fluoranthene, benzo(k)fluorethene, benz(a)pyrene, benzo(e)pyrene, benzo(g,h,i)peryline, chrysene, dibenz(a,h)anthracene, fluoranthene, fluorene, indeno(1,2,3cd)pyrene, 2-methyl naphthalene, naphththalene, phenanthrene, phenols, and pyrene.

These SVOCs are present at the Site within impacted soil and groundwater and as a dense non-aqueous phase liquid (DNAPL) by-product of gas production within soils, former manufactured gas plant (MGP) structures, and abandoned pipelines.

These compounds are at environmental concentrations and are not expected to be at concentrations that exposure symptoms would occur. SVOCs such as those listed above may cause contact dermatitis. Direct contact can be irritating to the skin and produce itching, burning, swelling, and redness. Direct contact or exposure to the vapors may be irritating to the eyes. Conjunctivitis may result from prolonged exposure. Many SVOCs are considered to be very toxic, if ingested. High levels of exposure to SVOCs, though not anticipated during work activities conducted during this project, may increase the risk of cancer including lung, kidney, and skin cancer. Naphthalene is also an eye and skin irritant and can cause nausea, headache, fever, anemia, liver damage, vomiting, convulsions, and coma. Poisoning may occur by ingestion of large doses, inhalation, or skin absorption.

The major route of entry for the work activities to be conducted at this Site is through direct contact. Exposure is most likely when handling soil and water samples. Inhalation may occur when the soil is disturbed causing respirable and nuisance dust particles to become airborne.

4.4.2 Heavy Metals

Exposure to lead may cause acute symptoms such as eye irritation, weakness, weight loss, abdominal pain, and anemia. Chronic exposure to lead may result in kidney disease, effects to the reproductive system, blood forming organs, and CNS.

Lead and arsenic are regulated by specific OSHA standards. They are 29 CFR 1910.1025/1926.52 and 29 CFR 1910.1018/1926.1118, respectively. These standards include specific requirements for air monitoring, signs and labels, training and medical surveillance.

Heavy metals are not expected to be present at concentrations that exposure symptoms would occur. The primary route of exposure is through inhalation of dust particles when soil is disturbed and becomes airborne, therefore, particulate monitoring, respiratory protection, and gloves are primary controls against exposure to heavy metals.

Table 4. Primary Constituents of Concern Data

Constituent	Exposure Limit(s)	Route of Exposure	Primary Hazard/ Symptoms of Exposure
Carbon Tetrachloride	Ca ST 2 ppm (12.6 mg/m3) [60-minute]	Inhalation, skin absorption, ingestion, skin and/or eye contact	Irritation eyes, skin; CNS depression; nausea, vomiting; liver, kidney injury; drowsiness, dizziness, incoordination; [potential occupational carcinogen]
Lead	0.05 mg/m^3 A.L. 0.03 mg/m3	Inhalation, ingestion, skin contact	Weakness, insomnia; facial pallor; pal eye, anorexia, weight loss, malnutrition; constipation, abdominal pain, colic; anemia; gingival lead line; tremor; paralysis of wrist and ankles; irritates eyes, hypo tension
Mercury	0.10 mg/m3	Inhalation, ingestion, skin contact, skin absorption	Irritates eyes and skin, chest pain, cough, difficulty breathing, bronchitis, pneumonitis, tremor, insomnia, irritability, indecision, headache, fatigue, weakness, stomatitis, salivation, Gastrointestinal disturbance, weight loss, proteinuria
PCE (tetrachloroethene or perchloroethylene)	100 ppm TWA 200 ppm C 300 ppm (5 minutes in any 3 hours)	Inhalation, Ingestion, Skin Contact	Irritation, nausea, vomiting, chest pain, difficulty breathing, headache, drowsiness, dizziness, disorientation, loss of coordination, blurred vision, loss of appetite, stomach pain, pain in extremities
TCE (trichloroethylene)	100 ppm TWA 200 ppm C 300 ppm (5 minutes in any 3 hours)	Inhalation, ingestion, skin contact	Irritation to eyes, skin, dizziness, fatigue, blurred vision, tremors, nausea, vomiting, drowsiness, headache

Notes:
A.L. - Action Level
C - ceiling limit, not to be exceeded
Ca – carcinogen
f/cc - fibers per cubic centimeter
mg/m^3 - micrograms per cubic meter
mppcf - millions of particulates per cubic foot of air
ppm - parts per million
STEL - Short-term exposure limit (15 minutes)
TWA - Time-weighted average (8 hours)

4.4.3 Chemicals Brought on Site

Potential hazards associated with chemicals brought on site (e.g., decontamination chemicals, sample preservatives, fuels, calibration fluids) for the work will be mitigated through training, administrative controls (e.g., proper labeling and storage), and proper use of PPE. Safety data sheets (SDSs) for all chemicals brought on site shall be maintained by the SSM and are included in Appendix C.

5. Personal Protective Equipment

The PPE required to be worn on the project site is listed in the table below. Additional PPE required for the tasks to be performed is listed on the JHAs in Appendix B.

Site Required PPE *(check all that apply)*		
☒ Hard Hat	☐ Respirator	☐ Tyvek clothing/boots
☒ Safety Glasses	☐ Flame Resistant Clothing	☒ Hearing Protection
☒ Safety Boots	☐ Personal Flotation Device	☐ Long Sleeve Shirt
☒ Gloves (task specific)	☐ Snake Chaps	☐ Other:
☒ High Visibility Safety Vest	☐ EH-Rated Boots	☐ Other:

If site conditions suggest the existence of a situation more hazardous than anticipated, the site personnel will evacuate the area to a safe distance. The hazard, the level of precautions, and the PPE will then be reevaluated with the assistance and approval of the Safety Director and the PM. If conditions indicating the need for Level A or Level B PPE are encountered, personnel will leave the site and notify the PM or a member of the Safety Team. GEI's PPE Program can be found on the Safety Resources page of GEI Connections.

5.1 Respiratory PPE

GEI personnel who have the potential to don a respirator must have a valid fit test certification and medical clearance. Both the respirator and cartridges specified for use in Level C protection must be fit-tested prior to use in accordance with OSHA regulations (29 CFR 1910.134). Air purifying respirators cannot be worn under the following conditions:

- Oxygen deficiency (less than 20.7%).
- Imminent Danger to Life and Health (IDLH) concentrations.
- If contaminant levels exceed designated use concentrations.

Upgrades to respiratory protection may be required based on the designated Action Levels found in Section 9.

6. Responsibilities and Lines of Authority

6.1 GEI Personnel Responsibilities

The implementation of health and safety at this project location will be the shared responsibility of the Safety Director, Regional Safety Manager (RSM), PM, the Site Safety Manager (SSM), and each GEI personnel implementing the proposed scope of work.

6.1.1 GEI Safety Director

The Safety Director is responsible for the overall management of GEI's safety programs, policies, and procedures. Modifications to this HASP which may result in the reduction in the identification, evaluation, and control of safety and health hazards cannot be undertaken by the project team without the approval of the Safety Director.

6.1.2 GEI Project Manager

The PM is responsible for confirming that the requirements of this HASP are implemented. The PM's specific responsibilities include:

- Conducting and documenting the Project Safety Briefing.
- Verifying that the GEI staff and subcontractors selected to work on this program are sufficiently trained for site activities and have reviewed this HASP.
- Maintaining regular communications with the SSM and, if necessary, the Safety Director.

6.1.3 GEI Regional Safety Manager

The RSM is responsible for supporting the safety needs and requirements specified in this HASP. The RSM's specific responsibilities include:

- Reviewing and approving the HASP and applicable JHAs.
- Working with the PM and SSM to meet client safety requirements.
- Providing approval for fall protection plans and confined space entries (permit numbers), as applicable.
- Providing safety support regarding safety programs and procedures as applicable to the project.

6.1.4 GEI Site Safety Manager

The SSM is responsible for implementing and enforcing the safety requirements specified in this HASP and will be on-site during activities covered in the HASP. The SSM's specific responsibilities include:

- Enforcing the requirements of this HASP and notify the PM of noncompliance.
- Conduct daily Safety Tailgate meetings for site-related work.
- Maintaining a high level of health and safety consciousness among employees implementing the proposed activities.
- Procuring the air monitoring instrumentation, PPE, and safety equipment needed for GEI project employees and verifying that each is in good working order.
- Verifying that GEI subcontractors are utilizing the correct PPE and safety equipment.

6.1.5 All GEI Field Personnel


All GEI field personnel (including the PM and SSM) covered by this HASP are responsible for following the health and safety procedures in this HASP and for performing their work in a safe and responsible manner. The specific responsibilities that apply to all field personnel include:

- Reading and signing the HASP prior to the start of on-site work.
- Bringing forth any questions or concerns regarding the content of the HASP to the PM or the SSM.
- Attending and actively participating in the required Project Safety Briefing prior to beginning on-site work and any subsequent safety meetings.
- Complying with the requirements of this HASP and the requests of the SSM.
- Stopping work in the event that an immediate danger situation is perceived.
- Reporting accidents, injuries, and illnesses, regardless of their severity by following GEI's incident reporting procedures.

6.2 Lines of Authority

GEI will have responsibility for safety of its employees during the work performed at the site. GEI's SSM will have a cell phone available to contact the appropriate local authorities, in the event of an emergency. GEI's SSM will be available for communication with the GEI PM and with the Client's representative.

Project Lines of Authority



6.2.1 Stop Work Authority

GEI employees have the authority to stop work activities if an unanticipated hazard is encountered or a potential unsafe condition is observed. The GEI employee should contact the Safety Director and the Project Manager to discuss the stop work conditions and potential control methods that can be implemented.

6.3 Subcontractors

GEI has subcontracted the following firms to assist in performing work on this project:

Subcontractor Information	
Company Name/Address: TBD	
Contact Name: TBD	Cell: TBD
Scope of Work: Geophysical Survey/Utility Markout, Drill soil borings, install monitoring wells and install soil vapor points.	

GEI requires its subcontractors to work in a responsible and safe manner. Subcontractors hired by GEI are required to submit documentation of their safety practices as part of GEI's Subcontractor Safety Prequalification for evaluation and approval before the start of work. Subcontractors for this project will be required to develop their own HASP for protection of their employees, but, at a minimum, must adhere to applicable requirements set forth in this HASP. The PM will obtain applicable safety certifications and training records from the subcontractor's site supervisor prior to the initiation of work.

7. Training Requirements

Prior to commencement of field activities, the PM or their designee will verify GEI field personnel assigned to the project will have completed training that will specifically address the activities, procedures, monitoring, and equipment used in the site operations. This training will be documented on the applicable JHAs (Appendix B). Personnel that have not received project-specific training will not be allowed on site.

Applicable Site-Specific Training Requirements *(check all that apply)*		
✔ HAZWOPER (8Hr Refresher)	☐ Railroad Specific Training	☐ Other:
☐ HAZWOPER (Site Supervisor)	☐ Transportation Worker Identification Credential (TWIC)	☐ Other:
✔ First Aid/CPR	☐ MSHA (Mine Safety and Health Administration)	☐ Other:

7.1 On-Site Safety Briefings

GEI personnel will be given health and safety briefings daily (or as frequently as needed) by the SSM or their designee to plan for conducting work activities safely. The briefing will include GEI subcontractors and others as appropriate. The briefings can include information on:

- Applicable JHAs
- Changes in work practices
- Changes in environmental conditions
- Anticipated weather
- Evacuation/emergency procedures
- Air monitoring results
- Safety inspection results

Documentation of these briefings will be recorded in the GEI field book or the Tailgate Safety Briefing Form (Appendix D). For long-term projects, the Tailgate Safety Briefing Form is preferred.

8. Medical Surveillance Program

GEI maintains a medical surveillance program under the supervision of the Safety Director that includes a plan designed specifically for field personnel engaged in work at sites where hazardous materials may be present. Field personnel undergo an initial physical examination, including a detailed medical and occupational history before they are able to engage in work at hazardous waste sites. Upon successful completion of the examination, personnel are provided a medical clearance from an occupational health physician stating their fitness to perform the specified work activities. Employees who are part of this program will schedule and attend annual exams 12 months from the date of their previous exam.

If a GEI employee or other project worker shows symptoms of exposure to a hazardous substance and wishes to be seen by a doctor, GEI will consult with their third-party medical administrator and provide access to the nearest area hospital or medical facility.

GEI subcontractor personnel that will enter any hazardous waste sites must certify that they are participating in a medical surveillance program that complies with OSHA regulations for hazardous waste operations (i.e., 29 CFR 1910.120 and 29 CFR 1926.65). A copy of their medical clearance will be submitted to the GEI PM or SSM prior to the start of field activities.

9. Personal/Work Zone Air Monitoring

Personal/Work Zone Air Monitoring Required?	
☒ Yes	☐ No

Air monitoring, in the form of personal or work zone monitoring, will be performed to identify and quantify airborne levels of hazardous substances and atmospheric hazards to determine the appropriate level of worker protection needed on-site.

Work on this project requiring air monitoring includes:

Personal/Work Zone Air Monitoring Tasks *(check all that apply)*		
☐ Excavation	☐ Confined Space Entry	☐ Other:
☒ Soil Sampling	☒ Indoor Drilling	☐ Other:
☐ GW Monitoring Well Headspace	☐ Product Sampling	☐ Other:

The following air monitoring equipment will be on site:

Personal/Work Zone Air Monitoring Equipment *(check all that apply)*	
☒ PID with 10.6 eV lamp or equivalent	☒ Particulate Meter (PM-10 capable)
☐ Drager Chip Measurement System (CMS) with appropriate gas detection chips	☒ Multi-gas meter: lower explosive limit (LEL) / oxygen (O_2) / hydrogen sulfide (H_2S) / hydrogen cyanide (HCN) or carbon monoxide (CO) meter
☐ Sensidyne Gas Detection Pump with appropriate gas detector tubes (or equivalent colorimetric tube)	☐ Other:

GEI will conduct and document on-site work zone monitoring and will inform GEI employees of the results. ***If Action Levels are exceeded, immediately implement site action(s) according to Action Table below and notify the PM***.

9.1 Calibration

Air monitoring equipment will be calibrated and maintained in accordance with manufacturer's requirements. Calibrations will be recorded in the project notes daily or on a daily calibration form.

9.2 Action Levels

The tables below provide a summary of real time air monitoring Action Levels and contingency plans for work zone activities. The below Action Levels are determined by halving the Permissible Exposure Limits (PELs) or Threshold Limit Values (TLVs) as set

forth by OSHA and the American Conference of Government Industrial Hygienists (ACGIH).

9.2.1 VOC Monitoring and Control

Air monitoring reduces the risk of overexposure by indicating when action levels have been exceeded and when PPE must be upgraded or changed. Based on the volatile organic compounds (VOCs) listed in Table 4, determine which constituent has the lowest permissible exposure limit (PEL). This data is used to determine the action levels needed including respiratory protection at the project site. GEI's action level is half of the PEL listed in Table 4 (exception is made for benzene).

Exposure to organic COC can be evaluated and/or controlled by:

- Monitoring worker breathing zone atmospheric concentrations for organic COC in the breathing zone with a photoionization detector (PID).
- When possible, engineering control measures will be utilized to suppress the volatile organic vapors. Engineering methods can include utilizing a fan to promote air circulation, utilizing volatile suppressant foam, providing artificial ground cover, or covering up the impacted material with a tarp to mitigate volatile odors.
- When volatile suppression engineering controls are not effective and organic vapor meters indicate concentrations above the action levels, then appropriate respiratory protection (i.e., air purifying respirator with organic vapor cartridge) will be employed.

Air Monitoring Instrument	Action Level (above background)	Site Action
Action Levels for the following parameters are 15-minute time weighted averages (TWA), not a single exceedance.		
PID (Monitoring for VOCs)	0.0 – 50 ppm	No respiratory protection is required if VOCs are not present. (If benzene or naphthalene are constituents of interest at this site, follow the action levels below for benzene and/or naphthalene.)
	> 50 ppm	Stop work, withdrawal from work area, institute engineering controls, if levels persist, upgrade to Level C. Notify PM and Safety Team.

9.2.2 Dust Monitoring and Control

Some COC hazards may become hazardous when they are associated with dust/particles and become airborne. For worker safety, dust levels must be managed to eliminate this hazard. Dust generated during activities can cause irritation to the respiratory system and eyes. Contaminants can also be carried in airborne dust causing potential exposure to workers through skin contact and inhalation. Constituent concentrations on site are expected to be

low therefore the exposure hazard through inhalation should be minimal; however, contaminant contact through skin and clothing can introduce additional exposures.

For dust generated during site activities which exceed site-specific limits, engineering controls such as water application will be used to control dust concentrations. However, if excessive dust concentrations cannot to be handled through engineering controls, then respirators will be required to be worn.

Air Monitoring Instrument	Action Level (above background)	Site Action
Action Levels for the following parameters are 15-minute time weighted averages (TWA), not a single exceedance.		
Particulate Meter	150 µg/m^3	Implement work practices to reduce/minimize airborne dust generation, e.g., spray/misting of soil with water. Don respirator with particulate filters if action levels remain in exceedance.

9.2.3 H_2S, CO, and Explosive Atmosphere Monitoring and Control

The SSM monitor operational areas for hydrogen sulfide (H_2S) and/or carbon monoxide (CO) prior to the start of work each day. Periodic readings will be taken throughout the day and prior to any confined space entry. Oxygen (O_2) values are based on the maximum use limits of a full-face respirator if a chemical was displacing oxygen. Results will be compared to the published exposure limits/action levels listed below.

Air Monitoring Instrument	Action Level (above background)	Site Action
Action Levels for the following parameters are real time and should not be exceeded at any point.		
O_2 Meter	< 20.7%	Stop work, withdraw from work area, ventilate area, notify PM and Safety Team.
	> 21.1%	Stop work, withdraw from work area, notify PM and Safety Team.
H_2S Meter	< 5.0 ppm	No respiratory protection is required.
	> 5.0 ppm	Stop work, cover excavation, withdraw from work area, institute engineering controls, notify PM and Safety Team.
HCN Meter	< 1.0 ppm	Run colorimetric tube or CMS Drager chip. Continue monitoring with real-time meter and continue work if colorimetric tube or CMS Drager chip reading is less than 2.0 ppm.
	> 1.0 ppm HCN Concentrations < 2.0 ppm	Run colorimetric tube or CMS Drager chip and confirm concentration is less than 2.0 ppm, notify PM and Safety Team. Run colorimetric tube or CMS Drager chip for sulfur dioxide, hydrogen sulfide, and/or phosphine chip potential interferences. Continue to monitor with real-time meter.
	> 2.0 ppm	Stop work and move (with continuous HCN monitoring meter) at lease 25 ppm upwind of the excavation until continuous meter reads less than 1 ppm, notify PM and Safety Team. Run colorimetric tube or CMS Drager

Air Monitoring Instrument	Action Level (above background)	Site Action
		hydrogen cyanide chip and re-evaluate activity, continue monitoring with a real-time meter, resume work if concentrations read less than 1.0 ppm.
Lower Explosive Limit	< 10% LEL	Investigate potential causes, allow excavation to ventilate, use caution during procedures.
	> 10% LEL	Stop work, allow excavation/borehole to ventilate to < 10% LEL, if ventilation does not result in a decrease to < 10% LEL, withdraw from work area, notify PM and Safety Team.
Carbon Monoxide	> 35 ppm	Stop work, withdraw from work area, ventilate area, notify PM and Safety Team.

10. Site Control

10.1 Site Zones

Site zones are intended to control the potential spread of contamination and to assure that only authorized individuals are permitted into potentially hazardous areas. This project is being conducted under the requirements of 29 CFR 1910.120, and any personnel working in an area where the potential for exposure to site contaminants exists, will only be allowed access after proper training and medical documentation.

10.2 Buddy System

GEI personnel should be in line-of-site or communication contact with another on-site person. The other on-site person should be aware of his or her role as a "buddy" and be able to help in the event of an emergency. Some projects may not support the need for the buddy system to be implemented. If this is the case, the PM is required to conduct regular check-ins with the employee on site.

10.3 Sanitation for Temporary Work Sites

Sanitation requirements identified in the OSHA Standard 29 CFR 1926.51 "Sanitation" specifies that employees working at temporary project sites have at least one sanitary facility available to them. Sanitary facilities are located within the on-site buildings.

10.4 Illumination

Illumination requirements identified by OSHA are directed to work efforts inside buildings and/or during non-daylight hours. Activities planned for the site are anticipated to occur outside during daylight hours. However, if work areas do not meet illumination requirements, they will be equipped with appropriate illumination that meets or exceeds requirements specified in OSHA Standard 29 CFR 1926.56. Employees will not work on sites that are not properly lighted.

10.5 Smoking

Smoking is prohibited at or in the vicinity of hazardous operations or materials. Where smoking is permitted, safe receptacles will be provided for smoking materials.

10.6 Alcohol and Drug Abuse Prevention

Alcohol and drugs will not be allowed on the site. Project personnel under the influence of alcohol or drugs will not be allowed to enter the site. All GEI employees must comply with GEI's Controlled Substance Use & Alcohol Misuse Policy found on the Safety Resources page of GEI Connections. Employees may be subject to random drug and/or alcohol testing if required by a client at a project site.

11. Incident Reporting

GEI will report incidents involving GEI personnel or subcontractor personnel, such as: lost time injuries, injuries requiring medical attention, near miss incidents, fires, fatalities, accidents involving the public, chemical spills, vehicle accidents, and property damage. The following steps must be followed when an incident occurs:

1. For incidents involving life-threatening situations or serious injury that require emergency response personnel (Police, Fire, EMS), call 9-1-1 from a safe area.
2. **Stop work** activity to address any injury, illness, property damage, spill, or other emergency.
3. Call Medcor Triage at 1-800-775-5866 to speak with a medical professional following any injury or illness.
4. Notify your Supervisor/Project Manager of the incident or injury.
5. Complete an incident report using the GEI Incident Report Form located on the GEI Safety Smartphone App, GEI Connections intranet page, or in the project HASP.
6. Resume work activity if all steps above have been completed and it is safe to do so.

For vehicle accidents involving another vehicle or damage to property, the employee will take pictures of each vehicle or property involved in the incident and obtain a police report. In some municipalities police will not be dispatched to a non-injury accident, but every effort needs to be made to try and obtain the report.

The Incident Report Form and the Near Miss Reporting Form can be found in Appendix D, on the GEI Health and Safety smartphone app, or on the Safety Resources page of GEI Connections. To report subcontractor injuries or incidents, follow the same verbal reporting procedures and submit an email describing the event to the PM and the Safety Team.

11.1 Injury Triage Service

If a GEI employee experiences a work-related injury that is not life-threatening, the employee will initiate a call to Medcor Triage at 1-800-775-5866. The injured employee will detail any medical symptoms or complaints which will be evaluated by a Registered Nurse (RN) specially trained to perform telephonic triage. The RN will recommend first aid self-treatment or refer the injured employee for an off-site medical evaluation by a health professional at a clinic within GEI's workers compensation provider network. GEI employees are still required to follow our Accident Reporting procedures as listed above.

12. Decontamination Procedures

Site decontamination procedures are designed to achieve an orderly, controlled removal or neutralization of contaminants that may come in contact with personnel or equipment. These procedures minimize contact with contaminants and protect against the transfer of contaminants to clean areas. They also extend the useful life of PPE by reducing the amount of time that contaminants contact and can permeate PPE surfaces. This project is being conducted under the requirements of 29 CFR 1910.120(k), and any personnel or equipment that are exposed to site contaminants will follow applicable decontamination procedures.

12.1 Personnel and PPE Decontamination

Contaminated PPE (gloves, suits, etc.) will be decontaminated and stored for reuse or placed in plastic bags (or other appropriate containers) and disposed of in an approved facility. Decontamination wastewater and used cleaning fluids will be collected and disposed of in accordance with applicable state and federal regulations.

12.2 Equipment Decontamination

All tools, equipment, and machinery that have come into contact with contaminated media, will be decontaminated on site prior to departure. Equipment decontamination procedures are designed to minimize the potential for hazardous skin or inhalation exposure and to avoid cross-contamination and chemical incompatibilities. If your project has equipment decontamination specification refer to where those can be found (work plan, specs, etc.)

13. Emergency Response

13.1 Evacuation

Prior to the start of work, emergency procedures must be identified and communicated to workers on site. This includes evacuation routes, safe areas, and/or muster points (Figure 1). Also communicate how employees will be notified that an emergency or evacuation of the site is occurring (audio alarms, visible (light) alarms, radios, sirens, etc.) Upon discovering an emergency situation, personnel will notify the SSM, who will initiate an appropriate response. Once the scene is safe, use the incident report procedures to report the evacuation to the PM and Safety Team.

13.2 Fire

In the event of a fire personnel will evacuate the area to the muster point located on Figure 1. GEI's SSM will contact the local fire department and report the fire. The SSM will account for GEI personnel and subcontractor personnel and report their status to the PM. Incident reporting procedures will be followed once the scene is safe.

13.3 Spills or Material Release

If a hazardous waste spill or material release occurs, if safe, the SSM or their representative will immediately assess the magnitude and potential seriousness of the spill or release based on the following:

- SDS for the material spilled or released.
- Source of the release or spillage of hazardous material.
- An estimate of the quantity released and the rate at which it is being released.
- The direction in which the spill or air release is moving.
- Personnel who may be or may have been in contact with the material, or air release, and possible injury or sickness as a result.
- Potential for fire and/or explosion resulting from the situation; and
- Estimates of area under influence of release.

If the spill or release is determined to be within the on-site emergency response capabilities, the SSM will verify implementation of the necessary remedial action. If the release is beyond the capabilities of the site personnel, personnel will be evacuated from the immediate area and the fire department will be contacted. The SSM will notify the PM and follow the incident reporting procedures.

13.4 Medical Support

In case of minor injuries, on-site care will be administered with the site first aid kit. A GEI employee certified by the American Red Cross or other American Health & Safety Institute (ASHI) will be on-site at all times. For serious injuries, call 911 and request emergency medical assistance. Seriously injured persons should not be moved unless they are in immediate danger. Notify the PM of the emergency and follow incident reporting procedures.

In the event of an emergency, prompt communications with local emergency responders are essential. At least one charged and functioning cell phone to enable emergency communications will be on site. Confirmation of cellular phone operation will be confirmed at the start of each working day.

Table 1 of this HASP contains detailed emergency information, including directions to the nearest hospital, and a list of emergency services and their telephone numbers. In addition, Appendix A includes a map to the local hospital/emergency room and Figure 1 indicates the evacuation route (including muster point).

13.5 Severe Weather

The contingency plan for severe weather includes reviewing the expected weather to determine if severe weather is in the forecast. Severe weather includes high winds over 40 miles per hour (mph), heavy rains or snow squalls, thunderstorms, tornados, and lightning storms. If severe weather is approaching, the decision to evacuate GEI personnel and subcontractor personnel from the site will be the responsibility of GEI's SSM. Notification of evacuation will be made to the PM. The SSM will account for GEI personnel and subcontractor personnel and report their status to the PM. If safe, work can resume 30 minutes after the last clap of thunder or flash of lightning.

13.6 Hazard Communication Plan

GEI personnel have received hazard communication (HAZCOM) training as part of their annual safety training and new employee safety orientation training. Hazardous materials brought on site will be properly labeled, stored, and handled. SDSs for each chemical will be included in this HASP in Appendix C. GEI's HAZCOM program can be found on the Safety Resources page of GEI Connections (Appendix E).

14. Health and Safety Plan Sign-Off

GEI personnel conducting site activities will be familiar with the information in this HASP. After reviewing this plan, please sign the copy in the project files, and bring a copy of the plan with you to the site. By signing this site-specific HASP, you are agreeing that you have read, understand, and will adhere to the provisions described in this plan while working on the site below.

Site Name: 20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site

GEI Project No: 2408313

Print Name	Signature
Project Manager: William J. Fitchett	

Figure

Figure 1. Site Location and Muster Point



20 & 40 JERUSALEM AVENUE, HICKSVILLE, NEW YORK	GEI Consultants	SITE LOCATION MAP
CORNERSTONE HICKSVILLE, LLC FARMINGDALE, NEW YORK	Project 2408313	March 2026 Fig. 1

Appendix A

Hospital Directions


Hospital Information	
Plainview Hospital 888 Old Country Road Plainview, NY 11803	(516) 719-3000

Scan this QR code or click the link for access to Google Maps to type in the address of your local hospital.

Google Maps

40 Jerusalem Ave, Hicksville, NY 11801 to Plainview Hospital, 888 Old Country Rd, Plainview, NY 11803

Drive 2.7 miles, 8 min



Appendix B

Job Hazard Analyses

Job Hazard Analysis

Task	**Driving – Site Mobilization**		
Project Name/Number	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site / 2408313	**Client Name**	Cornerstone Hicksville, LLC
GEI Project Manager	William J. Fitchett	**PM Review Date**	
Tools/Equipment Used	GEI fleet vehicle, rental vehicle, or personal vehicle		
Task Specific Training	GEI Annual Safety Training (Field or HAZWOPER), First Aid/CPR		
Personal Protective Equipment (PPE)	☐ Hard Hat ☐Safety Glasses ☐Safety-Toed Boots ☐ Reflective Vest ☐Hearing Protection ☐ Personal Flotation Device (PFD) ☐ Face Shield ☐ Chaps ☐ Tyvek clothing/boots ☐ Flame Resistant Clothing ☐ Gloves Nitrile ☐Respirator ☐Other		

JHA Prepared By: Jessie Papageorge	**Date: 3/13/26**	**Approved by: Jessie Papageorge**	**Date: 3/13/26**

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
1. Inspect Vehicle	Slips/trips/falls	Hazard Identification HS-026 Driver Safety HS-004	• Walk around vehicle to inspect for any vehicle safety issues or hazards that could be within the travel path. • Adjust mirrors and seats prior to driving. • Becoming familiar with dashboard, center console, and steering controls. • Locate the turn signals, windshield wipers, lights, emergency flashers, and the heating, air conditioning, and defrost controls. • Use a spotter if needed when backing up.
2. Driving	Struck by/crushing hazards	Driver Safety SOP HS-004	• Employees must wear their safety belt while in a moving vehicle. • Employees will follow safe driving behaviors, which include limiting distractions such as manipulating radios or other equipment that may cause a distraction. Employees will not exceed the posted speed limit and will maintain a safe distance between other vehicles. • Use defensive driving techniques. • Avoid driving during hazardous weather conditions.

[1] Use the hierarchy of controls to determine applicable hazard controls for the task in order of most effective to least effective: Elimination (physically remove the hazard), Substitution (replace the hazard), Engineering Controls (Isolate the team from the hazard), Administrative Controls (change the way people work), PPE (personal protective equipment).

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
			• Driving distance and time after a 12-hour shift will not exceed 30 miles or 30 minutes (whichever is greater). • Vehicle accidents will be reported in accordance with GEI's accident reporting procedures.
3. Parking Vehicle	Struck by, crushing hazards, security	Driver Safety SOP HS-004	• Be aware of surrounding conditions. Park in designated areas or a safe area away from heavy equipment. • Position the vehicle in a manner which reduces or eliminates the need to operate the vehicle in reverse. Choose an easy-exit parking space, like pull-through or where no one else is parked. • Don't crowd neighboring vehicles; be sure to park your vehicle in the middle of your space. • Secure equipment and supplies in the trunk or where they cannot be seen. Or take items with you if they cannot be hidden. • If at night, park in well-lit areas.
4. Site Entry	Slips/trips/falls, struck by, crushing	Working Around Heavy Equipment HS-018 Hazard Identification HS-026	• Don appropriate PPE prior to walking on site. • Identify yourself and your work location to heavy equipment operators, so they may incorporate you into their operations. • Stay Alert! Pay attention to equipment backup alarms and swing radii. • Avoid distractions like using cell phones while traversing the site.
5. Backing Up Vehicle	Struck by, crushing	Driver Safety HS-004	• Before entering your vehicle do a walk-around. Check for fences, poles, drop-offs, buildings, etc. • Know your clearances. While performing your walk-around also check for obstructions, low hanging eaves and tree limbs, wires, and any other potential clearance-related obstacles. • Use a spotter. Do not allow the spotter to be positioned directly behind your vehicle or walk backwards behind you while giving instructions. They should be off to the driver's side where you can see them in your side mirror.

Job Hazard Analysis

Task	Drum Handling/Staging		
Project Name/Number	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site / 2408313	**Client Name**	Cornerstone Hicksville, LLC
GEI Project Manager	William J. Fitchett	**PM Review Date**	3/11/26
Tools/Equipment Used	Drum opening tools (bung wrench/lid tool/drum dolly)		
Task Specific Training	GEI Annual Safety Training (HAZWOPER), First Aid/CPR		
Personal Protective Equipment (PPE)	☐ Hard Hat ☒Safety Glasses ☒Safety-Toed Boots ☒ Reflective Vest ☐Hearing Protection ☐ Personal Flotation Device (PFD) ☐ Face Shield ☐ Chaps ☐ Tyvek clothing/boots ☐ Flame Resistant Clothing ☒ Gloves Nitrile, Cut resistant ☒Respirator if action levels are exceeded ☐Other		

JHA Prepared By: William J. Fitchett	Date: 3/11/26	Approved by: Jessie Papageorge	Date: 3/13/26

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
1. Mobilize On Site/Equipment Setup	Slips/trips/falls, stuck by, crushing hazards	Hazard Identification HS-026	• Wear PPE that properly fits, is in good condition, and is appropriate for the activities and hazards. • Maintain good visibility of the work area. • Avoid walking on uneven, steeply sloped, or debris ridden ground surfaces. • Plan tasks prior to preforming them including an activity hazard analysis. • Keep trafficked areas free from slip/trip/fall hazards. • Wear shoes with traction. • Avoid traversing steep areas in slippery conditions. • Do not carry heavy objects to work areas, on steeply sloped areas, or where steep areas must be traversed to reach work areas.
2. Opening/Closing Drums	Contaminant Contact, Cuts or Abrasions Heavy Lifting ,	Container Management HS–003 Ergonomic Program	• Wear proper PPE during sampling including work gloves/nitrile gloves, safety glasses and face shield as appropriate. • Confirm the drum is upright and stable to avoid tipping while

[1] Use the hierarchy of controls to determine applicable hazard controls for the task in order of most effective to least effective e: Elimination (physically remove the hazard), Substitution (replace the hazard), Engineering Controls (Isolate the team from the hazard), Administrative Controls (change the way people work), PPE (personal protective equipment).

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
	Slips/Trips/Falls		opening the drum. • Inspect the drum prior to opening. Do not handle drums with bulging sides. When a drum or container exhibits signs of over-pressurization such as swelling or bulging, the drum or container is not to be moved until the cause of the over-pressurization has been determined and proper containment procedures have been implemented. • Inspect drum tools before use. If equipment is damaged, tag it, and do not use. • If the drum has been sealed for a long time, or has been exposed to changes in temperature, there may be pressure built up inside. Gently tap the bung holes with a rubber mallet, and remove the caps with a drum wrench or drum opening tool/pair of pliers to release pressure. • Use drum wrench to loosen the ring clamp around the outside of the drum. • Once the ring is removed, if the lid cannot be removed easily, tap around the entire edge of the lid with a hammer, then use a drum opening tool/wrench to pry the lid away from your body. • Do not use picks or chisels to open drums. • Do not lean over open drums or stand on closed drums. • Dispose of gloves after use and wash hands. • Wear work gloves over nitrile gloves.
3. Demobilize from site	Personal/material security, slips/trips/falls	Hazard Identification HS-026	• Confirm all materials are secured/labeled, including drums and any equipment left on site. • Clean all equipment/tools prior to leaving. • Secure any gates/locks. • Notify project manager (or designee) you are leaving the site.

Job Hazard Analysis

Task	**GPR Utility Scanning Oversight**		
Project Name/Number	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site / 2408313	**Client Name**	Cornerstone Hicksville, LLC
GEI Project Manager	William J. Fitchett	**PM Review Date**	3/11/26
Tools/Equipment Used	Ground Penetrating Radar Unit, Marking paint (utilized by subcontractor)		
Task Specific Training	GEI Annual Safety Training (HAZWOPER), First Aid/CPR, Manufacturer Specific Training on GPR Equipment		
Personal Protective Equipment (PPE)	☒ Hard Hat ☒Safety Glasses ☒Safety-Toed Boots ☒ Reflective Vest ☐Hearing Protection ☐ Personal Flotation Device (PFD) ☐ Face Shield ☐ Chaps ☐ Tyvek clothing/boots ☐ Flame Resistant Clothing ☒ Gloves leather or other mechanics gloves ☐Respirator ☐Other		

JHA Prepared By: William J. Fitchett	**Date: 3/11/26**	**Approved by: Jessie Papageorge**	**Date: 3/13/26**

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
1. Mobilize on site	Slips/trips/falls, stuck by, crushing hazards	Hazard Identification HS-026	• Wear PPE that properly fits, is in good condition, and is appropriate for the activities and hazards. • Maintain good visibility of the work area. • Avoid walking on uneven, steeply sloped, or debris ridden ground surfaces. • Plan tasks prior to preforming them including an activity hazard analysis. • Keep trafficked areas free from slip/trip/fall hazards. • Wear shoes with traction. • Avoid traversing steep areas in slippery conditions. • Do not carry heavy objects to work areas, on steeply sloped areas, or where steep areas must be traversed to reach work areas.
2. Inspect Site (Walking)	Slip/trips/falls, repetition, heat stress, cold stress, biological	Biological Hazards HS-001 Inclement Weather HS-010 Manual Lifting HS-025	• Follow the rules of the road and obey signs and signals. • Walk on sidewalks whenever they are available. • If there is no sidewalk, walk facing traffic and as far from traffic as

[1] Use the hierarchy of controls to determine applicable hazard controls for the task in order of most effective to least effective: Elimination (physically remove the hazard), Substitution (replace the hazard), Engineering Controls (Isolate the team from the hazard), Administrative Controls (change the way people work), PPE (personal protective equipment).

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
	hazards	Hazard Identification HS-026 GEI Cold Stress Program GEI Heat Stress Program GEI Ergonomic Program	possible. • Cross streets at crosswalks or intersections. Look for cars in all directions, including those turning left or right. • If a crosswalk or intersection is not available, locate a well-lit area where you have the best view of traffic. Wait for a gap in traffic that allows enough time to cross safely; continue watching for traffic as you cross. • Watch for cars entering or exiting driveways, or backing up in parking lots. • Avoid walking on uneven, steeply sloped or debris ridden ground surfaces. • Discuss action plan prior to severe weather.
2. Carry Equipment and Set-up (completed by subcontractor)	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Non-Powered Hand Tools HS-008a Manual Lifting HS-025 Ergonomic Program	• User proper lifting techniques. • Keep trafficked areas free from slip/trip/fall hazards. • Wear the proper type of glove to protect hands against sharp edges and skin/soft tissue injuries. • Wear appropriate footwear. • Be aware of hard to grip and hold items that may force your hand or wrist into awkward, stressful positions. • Take breaks when carrying items frequently and/or for long distances. • Do not overreach when picking up or placing items. • Use the buddy system when necessary.
3. GPR Equipment Utility Scanning (operated by subcontractor)	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Powered Hand Tools HS-008b Manual Lifting HS-025 Ergonomic Program	• Visually scan route before making passes with GPR. • Look for indicators of utility presence. • Keep GPR equipment under constant surveillance or secured against unauthorized use or removal.
4. Demobilize from site	Personal/material security, slips/trips/falls	Hazard Identification HS-026	• Confirm all materials/equipment are secured. • Clean all equipment/tools prior to leaving. • Secure any gates/locks. • Notify project manager (or designee) you are leaving the site.

Job Hazard Analysis

Task	**Groundwater Sampling**		
Project Name/Number	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site I /2408313	**Client Name**	Cornerstone Hicksville, LLC
GEI Project Manager	William J. Fitchett	**PM Review Date**	3/11/26
Tools/Equipment Used	Hand tools, pump, water level meter, battery (performed by subcontractor)		
Task Specific Training	GEI Annual Safety Training (HAZWOPER), First Aid/CPR		
Personal Protective Equipment (PPE)	☐ Hard Hat ☒Safety Glasses ☒Safety-Toed Boots ☒ Reflective Vest ☐Hearing Protection ☐ Personal Flotation Device (PFD) ☐ Face Shield ☐ Chaps ☐ Tyvek clothing/boots ☐ Flame Resistant Clothing ☒ Gloves Nitrile/Cut resistant ☐Respirator ☐Other		

JHA Prepared By: William J. Fitchett	**Date: 3/11/26**	**Approved by: Jessie Papageorge**	**Date: 3/13/26**

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
1. Carry Equipment and Set-up	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Non-Powered Hand Tools HS-008a Manual Lifting HS-025 Ergonomic Program	• User proper lifting techniques. • Keep trafficked areas free from slip/trip/fall hazards. • Wear the proper type of glove to protect hands against sharp edges and skin/soft tissue injuries. • Wear appropriate footwear. • Be aware of hard to grip and hold items that may force your hand or wrist into awkward, stressful positions. • Take breaks when carrying items frequently and/or for long distances. • Do not overreach when picking up or placing items. • Use the buddy system when necessary.

[1] Use the hierarchy of controls to determine applicable hazard controls for the task in order of most effective to least effective: Elimination (physically remove the hazard), Substitution (replace the hazard), Engineering Controls (Isolate the team from the hazard), Administrative Controls (change the way people work), PPE (personal protective equipment).

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
2. Cut Tubing/String	Cuts/Scrapes, pinch points	Non-Powered Hand Tools HS-008a	• Wear cut resistant gloves. • Using safe cutting tools such as safety scissors or snips are best practices. • Keep free hand out of the way. • Secure the item being cut. • Use only sharp blades; dull blades require more force that results in less control. • Do not put the sharp cutting tool in your pocket.
3. Deploy Water Level Meter	Awkward position, contaminant exposure	Hazard Identification HS–026 Ergonomic Program	• Wear Nitrile/neoprene gloves and dispose of gloves after use and wash hands. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep control of the reel when deploying the probe. Avoid letting the probe drop quickly into the well. • Reel the probe up slowly to avoid splashes from contaminated groundwater or sediment. • Keep trafficked areas free from slip/trip/fall hazards.
4. Collect GW Reading/Samples	Awkward position, contaminant exposure	Hazard Identification HS–026 Ergonomic Program	• Wear Nitrile/neoprene gloves and dispose of gloves after use and wash hands. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep trafficked areas free from slip/trip/fall hazards.
5. Pack Groundwater Samples	Heavy lifting, cuts, or abrasions	Manual Lifting HS–025 Ergonomic Program	• Confirm that the lids on all bottles are tight (will not leak). • Place cushioning/absorbent material in the bottom of the cooler and then place the containers in the cooler with sufficient space to allow for the addition of cushioning between the containers. • Use proper dollies or other lifting tools. • Use proper lifting techniques. • Take regular breaks and do not work in unusual positions for long periods of time. • If glassware breaks, dispose of in puncture-resistant containers. Use cut resistant gloves to handle any broken glass.
6. Drum Purge Water	Contaminant Contact, Cuts or Abrasions Heavy Lifting , Slips/Trips/Falls	Container Management HS–003 Manual Lifting HS–025 Ergonomic Program	• Wear proper PPE during sampling including nitrile gloves and safety glasses and face shield as appropriate. • Use proper dollies or drum moving tools. • Use applicable tools to open/close drum lids. • Do not handle drums with bulging sides.

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
			• Dispose of gloves after use and wash hands. • Wear work gloves over nitrile gloves. • Use proper lifting techniques. • Ask fellow worker for help. • Keep trafficked areas free from slip/trip/fall hazards.
7. Equipment Decontamination	Contaminant Contact, Cuts or Abrasions, Slips/Trips/Falls	Hazard Identification HS–026 Ergonomic Program	• Wear nitrile gloves and glasses to provide eye protection from splashing. • Wash hands immediately after use. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep trafficked areas free from slip/trip/fall hazards.
8. Equipment Demobilization	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Non-Powered Hand Tools HS-008a Manual Lifting HS-025 Ergonomic Program	• User proper lifting techniques. • Keep trafficked areas free from slip/trip/fall hazards. • Wear the proper type of glove to protect hands against sharp edges and skin/soft tissue injuries. • Wear appropriate footwear. • Be aware of hard to grip and hold items that may force your hand or wrist into awkward, stressful positions. • Take breaks when carrying items frequently and/or for long distances. • Do not overreach when picking up or placing items. • Use the buddy system when necessary.

Job Hazard Analysis

Task	**Soil Sampling – Drill Rig**		
Project Name/Number	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site / 2408313	**Client Name**	Cornerstone Hicksville, LLC
GEI Project Manager	William J. Fitchett	**PM Review Date**	3/11/26
Tools/Equipment Used	Geoprobe Drill Rig (operated by subcontractor), PID, measuring tape, metal spoon/spatula		
Task Specific Training	GEI Annual Safety Training (HAZWOPER), First Aid/CPR		
Personal Protective Equipment (PPE)	☒ Hard Hat ☒Safety Glasses ☒Safety-Toed Boots ☒ Reflective Vest ☒Hearing Protection ☐ Personal Flotation Device (PFD) ☐ Face Shield ☐ Chaps ☐ Tyvek clothing/boots ☐ Flame Resistant Clothing ☒ Gloves Nitrile, Cut resistant ☒Respirator if action levels are exceeded ☐Other		

JHA Prepared By: William J. Fitchett	**Date: 3/11/26**	**Approved by: Jessie Papageorge**	**Date: 3/13/26**

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
1. Mobilize On Site/Equipment Setup	Slips/trips/falls, stuck by, crushing hazards	Hazard Identification HS-026	• Wear PPE that properly fits, is in good condition, and is appropriate for the activities and hazards. • Maintain good visibility of the work area. • Avoid walking on uneven, steeply sloped, or debris ridden ground surfaces. • Plan tasks prior to preforming them including an activity hazard analysis. • Keep trafficked areas free from slip/trip/fall hazards. • Wear shoes with traction. • Avoid traversing steep areas in slippery conditions. • Do not carry heavy objects to work areas, on steeply sloped areas, or where steep areas must be traversed to reach work areas.

[1] Use the hierarchy of controls to determine applicable hazard controls for the task in order of most effective to least effective: Elimination (physically remove the hazard), Substitution (replace the hazard), Engineering Controls (Isolate the team from the hazard), Administrative Controls (change the way people work), PPE (personal protective equipment).

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
2. Utility survey	Shock, Explosion, Fire	Utility Mark Out HS-014	• Confirm that all utilities have been properly marked prior to beginning work. • If a utility strike occurs, call the appropriate authorities. immediately. Clear the area and do not delay.
3. Observe contractor activities	Struck by/crushing hazards	Working Around Heavy Equipment HS-018	• Identify yourself and your work location to heavy equipment operators, so they may incorporate you into their operations. • Coordinate hand signals with operators. • Confirm equipment inspection has been completed. • Stay Alert! Pay attention to equipment backup alarms and swing radii. • Position yourself in a safe location. • Confirm adequate clearance from overhead utilities. • Notify the contractor immediately if any problems arise. • Do not stand or sit under suspended loads or near any pressurized equipment lines. • Do not operate cellular telephones in the vicinity of heavy equipment operation.

4. Cutting Soil Core Liners	Cuts/lacerations, contaminant exposure	Non-Powered Hand Tools HS-008a
		Ergonomic Program
			• Eliminate the hazard by having the drillers open the cores/liners for you.
			  ○ Keep a safe distance from the core while they are cutting the liner (hands, face, and body).
			  ○ Do not stand on either side of the core in the direction they are cutting.
			  ○ Make sure your safety glasses are on, in case of material splatter.
			• If you are cutting the liner, use a liner cutting tool, safety shears, or at a minimum hooked blades on a self-retracting knife.
			• When using cutting tools, follow these safety precautions:
			  ○ Wear cut resistant gloves.
			  ○ Keep free hand out of the way.
			  ○ Secure the liner if cutting through thick material.
			  ○ Use only sharp blades; dull blades require more force that results in less control.
			  ○ Do not put the sharp cutting tool in your pocket.
			• Use care when evaluating cores, as the plastic that has been cut can be sharp.

5. Sample Soil	Contaminant Exposure, Cuts/Scrapes, Repetition,	Hazard Identification HS-026/Container Management HS-003	• Dispose of gloves after use and wash hands. • Wear work gloves over nitrile gloves. • Excavation entry will be allowed only with proper sloping or

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
	Slips/Trips/Falls		shoring. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep trafficked areas free from slip/trip/fall hazards.
6. Drum Soil Cuttings	Contaminant Contact, Cuts or Abrasions Heavy Lifting , Slips/Trips/Falls	Container Management HS–003 Manual Lifting HS–025 Ergonomic Program	• Wear proper PPE during sampling including nitrile gloves and safety glasses and face shield as appropriate. • Use proper dollies or drum moving tools. • Use applicable tools to open/close drum lids. • Do not handle drums with bulging sides. • Dispose of gloves after use and wash hands. • Wear work gloves over nitrile gloves. • Use proper lifting techniques. • Ask fellow worker for help. • Keep trafficked areas free from slip/trip/fall hazards.
7. Pack Soil Samples	Heavy lifting, cuts, or abrasions	Manual Lifting HS–025 Ergonomic Program	• Confirm that the lids on all bottles are tight (will not leak). • Place cushioning/absorbent material in the bottom of the cooler and then place the containers in the cooler with sufficient space to allow for the addition of cushioning between the containers. • Use proper dollies or other lifting tools. • Use proper lifting techniques. • Take regular breaks and do not work in unusual positions for long periods of time. • If glassware breaks, dispose of in puncture-resistant containers. Use cut resistant gloves to handle any broken glass.
8. Equipment Decontamination	Contaminant Contact, Cuts or Abrasions, Slips/Trips/Falls	Hazard Identification HS–026 Ergonomic Program	• Wear nitrile gloves and glasses to provide eye protection from splashing. • Wash hands immediately after use. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep trafficked areas free from slip/trip/fall hazards.
9. Demobilize from site	Personal/material security, slips/trips/falls	Hazard Identification HS-026	• Confirm all materials are secured/labeled, including drums and any equipment left on site. • Confirm that any open trenches/pits are properly marked or barricaded. • Clean all equipment/tools prior to leaving. • Secure any gates/locks. • Notify project manager (or designee) you are leaving the site.

Job Hazard Analysis

Task	**Soil Sampling – Hand Auger**		
Project Name/Number	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site / 2408313	**Client Name**	Cornerstone Hicksville, LLC
GEI Project Manager	William J. Fitchett	**PM Review Date**	3/11/26
Tools/Equipment Used	Hand auger (utilized by subcontractor), hand tools, sampling supplies, decon equipment		
Task Specific Training	Annual Safety Training (HAZWOPER), First Aid/CPR		
Personal Protective Equipment (PPE)	☐ Hard Hat ☒Safety Glasses ☒Safety-Toed Boots ☒ Reflective Vest ☐Hearing Protection ☐ Personal Flotation Device (PFD) ☐ Face Shield ☐ Chaps ☐ Tyvek clothing/boots ☐ Flame Resistant Clothing ☒ Gloves Nitrile ☐Respirator ☐Other		

JHA Prepared By: William J. Fitchett	**Date: 3/11/26**	**Approved by: Jessie Papageorge**	**Date: 3/13/26**

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
1. Carry Equipment and Set-up	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Non-Powered Hand Tools HS-008a Manual Lifting HS-025 Ergonomic Program	• User proper lifting techniques. • Keep trafficked areas free from slip/trip/fall hazards. • Wear the proper type of glove to protect hands against sharp edges and skin/soft tissue injuries. • Wear appropriate footwear. • Be aware of hard to grip and hold items that may force your hand or wrist into awkward, stressful positions. • Take breaks when carrying items frequently and/or for long distances. • Do not overreach when picking up or placing items. • Use the buddy system when necessary.
2. Hand Auger Use (completed by subcontractor)	Cuts and lacerations/pinch points	Non-Powered Hand Tools HS-008a	• Use proper lifting techniques. • Do not remove equipment guards on equipment. • Take regular breaks and do not work in unusual positions for long periods of time. • Inspect equipment or tools prior to use. Tag and remove from

[1] Use the hierarchy of controls to determine applicable hazard controls for the task in order of most effective to least effective: Elimination (physically remove the hazard), Substitution (replace the hazard), Engineering Controls (Isolate the team from the hazard), Administrative Controls (change the way people work), PPE (personal protective equipment).

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
			service if tool is damaged.
3. Soil Sampling	Contaminant Exposure, Cuts/Scrapes, Repetition, Slips/Trips/Falls	Hazard Identification HS-026/Container Management HS-003	• Dispose of gloves after use and wash hands. • Wear work gloves over nitrile gloves. • Excavation entry will be allowed only with proper sloping or shoring. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep trafficked areas free from slip/trip/fall hazards.
4. Drum Soil Cutting	Contaminant Contact, Cuts or Abrasions Heavy Lifting , Slips/Trips/Falls	Container Management HS–003 Manual Lifting HS–025 Ergonomic Program	• Wear proper PPE during sampling including nitrile gloves and safety glasses and face shield as appropriate. • Use proper dollies or drum moving tools. • Use applicable tools to open/close drum lids. • Do not handle drums with bulging sides. • Dispose of gloves after use and wash hands. • Wear work gloves over nitrile gloves. • Use proper lifting techniques. • Ask fellow worker for help. • Keep trafficked areas free from slip/trip/fall hazards.
5. Pack Soil Samples	Heavy lifting, cuts, or abrasions	Manual Lifting HS–025 Ergonomic Program	• Confirm that the lids on all bottles are tight (will not leak). • Place cushioning/absorbent material in the bottom of the cooler and then place the containers in the cooler with sufficient space to allow for the addition of cushioning between the containers. • Use proper dollies or other lifting tools. • Use proper lifting techniques. • Take regular breaks and do not work in unusual positions for long periods of time. • If glassware breaks, dispose of in puncture-resistant containers. Use cut resistant gloves to handle any broken glass.
6. Equipment Decontamination	Contaminant Contact, Cuts or Abrasions, Slips/Trips/Falls	Hazard Identification HS–026 Ergonomic Program	• Wear nitrile gloves and glasses to provide eye protection from splashing. • Wash hands immediately after use. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep trafficked areas free from slip/trip/fall hazards.
7. Demobilize from site	Personal/material security, slips/trips/falls	Hazard Identification HS-026	• Confirm all materials are secured/labeled, including drums and any equipment left on site. • Confirm that any open trenches/pits are properly marked or

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
			barricaded. • Clean all equipment/tools prior to leaving. • Secure any gates/locks. • Notify project manager (or designee) you are leaving the site.

Job Hazard Analysis

Task	**Soil Sampling - Drilling Indoors**		
Project Name/Number	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site /2408313	**Client Name**	Cornerstone Hicksville, LLC
GEI Project Manager	William J. Fitchett	**PM Review Date**	3/11/26
Tools/Equipment Used	Geoprobe Drill Rig (operated by subcontractor), PID, measuring tape, metal spoon/spatula, sample jars		
Task Specific Training	GEI Annual Safety Training (Field or HAZWOPER), First Aid/CPR		
Personal Protective Equipment (PPE)	☒ Hard Hat ☒Safety Glasses ☒Safety-Toed Boots ☒ Reflective Vest ☒Hearing Protection ☐ Personal Flotation Device (PFD) ☐ Face Shield ☐ Chaps ☐ Tyvek clothing/boots ☐ Flame Resistant Clothing ☒ Gloves Nitrile/cut resistant ☐Respirator ☐Other		

JHA Prepared By: William J. Fitchett	**Date: 3/11/2026**	**Approved by: Jessie Papageorge**	**Date: 3/13/26**

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
1. Carry Equipment and Set-up	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Non-Powered Hand Tools HS-008a Manual Lifting HS-025 Ergonomic Program	• User proper lifting techniques. • Keep trafficked areas free from slip/trip/fall hazards. • Wear the proper type of glove to protect hands against sharp edges and skin/soft tissue injuries. • Wear appropriate footwear. • Be aware of hard to grip and hold items that may force your hand or wrist into awkward, stressful positions. • Take breaks when carrying items frequently and/or for long distances. • Do not overreach when picking up or placing items. • Use the buddy system when necessary.
2. Confirm Utility Locate is Completed	Fire, explosion, electrocution	Utility Markout HS-014	• An underground utility survey must be conducted prior to intrusive activities. Coordination with utility locating services, property owner(s) or utility companies must be conducted. • Utilities are to be considered live or active until documented otherwise.

[1] Use the hierarchy of controls to determine applicable hazard controls for the task in order of most effective to least effective: Elimination (physically remove the hazard), Substitution (replace the hazard), Engineering Controls (Isolate the team from the hazard), Administrative Controls (change the way people work), PPE (personal protective equipment).

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
			• For overhead utilities within 50 feet, determine with the utility company the appropriate distance. Minimum distance for clearance is based on voltage of the line. • If exposing a utility, proper support and protection must be provided so that the utility will not be damaged. • If a gas line is contacted, the contractor must notify police, fire, and emergency personnel, and evacuate employees according to the site evacuation procedures. No attempt will be made to tamper with or correct the damaged utility.
3. Observe Contractors (Indoor Drilling)	Contaminant Exposure, Noise, Cuts/Scrapes, Heavy Lifting, Repetition, Slips/Trips/Fall	Crystalline Silica Program, Ergonomic Program, Noise Exposure HS-012	• Be aware of your surroundings. • Confirm that general public has adequate barrier between or distance from drill rig. • Confirm adequate ventilation and dust control methods are implemented. • Conduct air monitoring for carbon monoxide gas while conducting drilling activities. • If cutting through concrete, follow the work practices and respiratory protection recommended in Table 1 of the GEI Silica Program based on the type of equipment being used to cut through the concrete.

4. Cutting Soil Core Liners	Cuts/lacerations, contaminant exposure	Non-Powered Hand Tools HS-008a
		Ergonomic Program
			• Eliminate the hazard by having the drillers open the cores/liners for you.
			  ○ Keep a safe distance from the core while they are cutting the liner (hands, face, and body).
			  ○ Do not stand on either side of the core in the direction they are cutting.
			  ○ Make sure your safety glasses are on, in case of material splatter.
			• If you are cutting the liner, use a liner cutting tool, safety shears, or at a minimum hooked blades on a self-retracting knife.
			• When using cutting tools, follow these safety precautions:
			  ○ Wear cut resistant gloves.
			  ○ Keep free hand out of the way.
			  ○ Secure the liner if cutting through thick material.
			  ○ Use only sharp blades; dull blades require more force that results in less control.
			  ○ Do not put the sharp cutting tool in your pocket.
			• Use care when evaluating cores, as the plastic that has been cut can be sharp.

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
5. Drum Soil Cuttings	Contaminant Contact, Cuts or Abrasions Heavy Lifting , Slips/Trips/Falls	Container Management HS–003 Manual Lifting HS–025 Ergonomic Program	• Use proper dollies or drum moving tools. • Use applicable tools to open/close drum lids. • Do not handle drums with bulging sides. • Dispose of gloves after use and wash hands. • Wear work gloves over nitrile gloves. • Use proper lifting techniques. • Ask fellow worker for help. • Keep trafficked areas free from slip/trip/fall hazards.
6. Equipment Decontamination	Contaminant Contact, Cuts or Abrasions, Slips/Trips/Falls	Hazard Identification HS–026 Ergonomic Program	• Wear nitrile gloves and glasses to provide eye protection from splashing. • Wash hands immediately after use. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep trafficked areas free from slip/trip/fall hazards.
7. Equipment De-Mob	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Non-Powered Hand Tools HS-008a Manual Lifting HS-025 Ergonomic Program	• User proper lifting techniques. • Keep trafficked areas free from slip/trip/fall hazards. • Wear the proper type of glove to protect hands against sharp edges and skin/soft tissue injuries. • Wear appropriate footwear. • Be aware of hard to grip and hold items that may force your hand or wrist into awkward, stressful positions. • Take breaks when carrying items frequently and/or for long distances. • Do not overreach when picking up or placing items. • Use the buddy system when necessary.

Job Hazard Analysis

Task	Soil Vapor Sampling (Installed by Subcontractor)		
Project Name/Number	20-40 Jerusalem Avenue Dry Cleaner Dry Wells Site / 2408313	**Client Name**	Cornerstone Hicksville, LLC
GEI Project Manager	William J. Fitchett	**PM Review Date**	3/11/26
Tools/Equipment Used	Vapor-Pin installation kit, Plumber's putty, and Quick-Crete (utilized by subcontractor), scissors or box cutter, LDPE and silicone tubing, wrench, photoionization detector, Summa canisters, hand pump,		
Task Specific Training	GEI Annual Safety Training (HAZWOPER), First Aid/CPR		
Personal Protective Equipment (PPE)	☐ Hard Hat ☒Safety Glasses ☒Safety-Toed Boots ☒ Reflective Vest ☒Hearing Protection ☐ Personal Flotation Device (PFD) ☐ Face Shield ☐ Chaps ☐ Tyvek clothing/boots ☐ Flame Resistant Clothing ☒ Gloves Nitrile/cut resistant ☐Respirator Dust mask for concrete drilling. Respirator based on detected VOCS with PID and according to Crystaline Silica Progran ☐Other		

JHA Prepared By: William J. Fitchett	Date: 3/11/26	Approved by: Jessie Papageorge	Date: 3/13/26

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
1. Carry Equipment and Set-up	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Non-Powered Hand Tools HS-008a Manual Lifting HS-025 Ergonomic Program	• User proper lifting techniques. • Keep trafficked areas free from slip/trip/fall hazards. • Wear the proper type of glove to protect hands against sharp edges and skin/soft tissue injuries. • Wear appropriate footwear. • Be aware of hard to grip and hold items that may force your hand or wrist into awkward, stressful positions. • Take breaks when carrying items frequently and/or for long distances. • Do not overreach when picking up or placing items. • Use the buddy system when necessary.
2. Confirm Utility Locate is Completed	Fire, explosion, electrocution	Utility Markout HS-014	• An underground utility survey must be conducted prior to intrusive activities. Coordination with utility locating services, property owner(s) or utility companies must be conducted. • Utilities are to be considered live or active until documented

[1] Use the hierarchy of controls to determine applicable hazard controls for the task in order of most effective to least effective: Elimination (physically remove the hazard), Substitution (replace the hazard), Engineering Controls (Isolate the team from the hazard), Administrative Controls (change the way people work), PPE (personal protective equipment).

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
			otherwise. • For overhead utilities within 50 feet, determine with the utility company the appropriate distance. Minimum distance for clearance is based on voltage of the line. • If exposing a utility, proper support and protection must be provided so that the utility will not be damaged. • If a gas line is contacted, the contractor must notify police, fire, and emergency personnel, and evacuate employees according to the site evacuation procedures. No attempt will be made to tamper with or correct the damaged utility.
3. Insert probe	Contaminant Contact, Cuts or Abrasions, ergonomics	Non-Powered Hand Tools HS-008a Ergonomic Program Hazard Identification HS-026	• Install vapor-pins with manufacturer-provided tools and in accordance with manufacturer safety guidance. • Confirm all items are properly aligned and set before inserting probe. • Do not work in awkward positions for extended periods of time. • Monitor PID readings and use adequate respiratory protection for the levels encountered.
4. Vapor collection	Contaminant Contact	Non-Powered Hand Tools HS-008a Ergonomic Program	• Keep trafficked areas free from slip/trip/fall hazards. • Wear appropriate PPE. • Dispose of gloves after use and wash hands.
5. Probe abandonment	Contaminant Contact, ergonomics, heavy lifting	Non-Powered Hand Tools HS-008a Ergonomic Program Hazard Identification HS-026	• Remove vapor pins with manufacturer-provided tools and in accordance with manufacturer safety guidance. • Wear nitrile gloves and glasses to provide eye protection from concrete dust or quick-Crete splashing. • Prepare quick-Crete in accordance with manufacturer safety instructions. • Avoid prolonged contact with fresh concrete – contact with skin surfaces, eyes, and clothing may result in burns that are quite severe. • Wash hands and arms immediately afterwards with clean water, non-alkaline soap, and clean towels. • Use all available work practices to control dust exposures.
6. Equipment Decontamination	Contaminant Contact, Cuts or Abrasions, Slips/Trips/Falls	Hazard Identification HS–026 Benzene Awareness Program Ergonomic Program	• Wear nitrile gloves and glasses to provide eye protection from splashing. • Wash hands thoroughly. • Take regular breaks and do not work in unusual positions for long periods of time. • Keep trafficked areas free from slip/trip/fall hazards.

Task Steps	Potential Hazards	GEI SOP or Program	Hazard Controls[1]
7. Equipment Demobilization	Heavy lifting, Cuts/Scrapes, Slips/Trips/Falls, Pinch points	Non-Powered Hand Tools HS-008a Manual Lifting HS-025 Ergonomic Program	• User proper lifting techniques. • Keep trafficked areas free from slip/trip/fall hazards. • Wear the proper type of glove to protect hands against sharp edges and skin/soft tissue injuries. • Wear appropriate footwear. • Be aware of hard to grip and hold items that may force your hand or wrist into awkward, stressful positions. • Take breaks when carrying items frequently and/or for long distances. • Do not overreach when picking up or placing items. • Use the buddy system when necessary.

Appendix C

Safety Data Sheets

MATERIAL SAFETY DATA SHEET

ALCONOX®

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	**ALCONOX®**
CHEMICAL FAMILY NAME:	Detergent.
PRODUCT USE:	Critical-cleaning detergent for laboratory, healthcare and industrial applications
U.N. NUMBER:	Not Applicable
U.N. DANGEROUS GOODS CLASS:	Non-Regulated Material
SUPPLIER/MANUFACTURER'S NAME:	Alconox, Inc.
ADDRESS:	30 Glenn St., Suite 309, White Plains, NY 10603. USA
EMERGENCY PHONE:	**TOLL-FREE in USA/Canada** 800-255-3924
	International calls 813-248-0585
BUSINESS PHONE:	914-948-4040
DATE OF PREPARATION:	May 2011
DATE OF LAST REVISION:	February 2008

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: This product is a white granular powder with little or no odor. Exposure can be irritating to eyes, respiratory system and skin. It is a non-flammable solid. The Environmental effects of this product have not been investigated.

US DOT SYMBOLS

Non-Regulated

CANADA (WHMIS) SYMBOLS



EUROPEAN and (GHS) Hazard Symbols



Signal Word: **Warning!**

EU LABELING AND CLASSIFICATION:

Classification of the substance or mixture according to Regulation (EC) No1272/2008 Annex 1
EC# 205-633-8 This substance is not classified in the Annex I of Directive 67/548/EEC
EC# 268-356-1 This substance is not classified in the Annex I of Directive 67/548/EEC
EC# 231-838-7 This substance is not classified in the Annex I of Directive 67/548/EEC
EC# 231-767-1 This substance is not classified in the Annex I of Directive 67/548/EEC
EC# 207-638-8 Index# 011-005-00-2
EC# 205-788-1 This substance is not classified in the Annex I of Directive 67/548/EEC

GHS Hazard Classification(s):

Eye Irritant Category 2A

Hazard Statement(s):

H319: Causes serious eye irritation

Precautionary Statement(s):

P260: Do not breath dust/fume/gas/mist/vapors/spray
P264: Wash hands thoroughly after handling
P271: Use only in well ventilated area.
P280: Wear protective gloves/protective clothing/eye protection/face protection/

Hazard Symbol(s):

[Xi] Irritant

Risk Phrases:
R20: Harmful by inhalation
R36/37/38: Irritating to eyes, respiratory system and skin

Safety Phrases:
S8: Keep container dry
S22: Do not breath dust
S24/25: Avoid contact with skin and eyes

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

ACUTE: Exposure to this product may cause irritation of the eyes, respiratory system and skin. Ingestion may cause gastrointestinal irritation including pain, vomiting or diarrhea.

CHRONIC: This product contains an ingredient which may be corrosive.

TARGET ORGANS: ACUTE: Eye, respiratory System, Skin CHRONIC: None Known

SECTION 3 - COMPOSITION and INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS #	EINECS #	ICSC #	WT %	HAZARD CLASSIFICATION; RISK PHRASES
Sodium Bicarbonate	144-55-8	205-633-8	1044	33 - 43%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Sodium (C10 – C16) Alkylbenzene Sulfonate	68081-81-2	268-356-1	Not Listed	10 – 20%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Sodium Tripolyphosphate	7758-29-4	231-838-7	1469	5 - 15%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Tetrasodium Pyrophosphate	7722-88-5	231-767-1	1140	5 - 15%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Sodium Carbonate	497-19-8	207-638-8	1135	1 - 10%	HAZARD CLASSIFICATION: [Xi] Irritant RISK PHRASES: R36
Sodium Alcohol Sulfate	151-21-3	205-788-1	0502	1 – 5%	HAZARD CLASSIFICATION: None RISK PHRASES: None
Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).					

NOTE: ALL WHMIS required information is included in appropriate sections based on the ANSI Z400.1-2004 format. This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z 7250: 2000*.

SECTION 4 - FIRST-AID MEASURES

Contaminated individuals of chemical exposure must be taken for medical attention if any adverse effect occurs. Rescuers should be taken for medical attention, if necessary. Take copy of label and MSDS to health professional with contaminated individual.

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT: Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder before re-use.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing dificulty continues.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Pre-existing skin, or eye problems may be aggravated by prolonged contact.


RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and reduce over-exposure.

SECTION 5 - FIRE-FIGHTING MEASURES

FLASH POINT: Not Flammable
AUTOIGNITION TEMPERATURE: Not Applicable
FLAMMABLE LIMITS (in air by volume, %): Lower (LEL): NA Upper (UEL): NA
FIRE EXTINGUISHING MATERIALS: As appropriate for surrounding fire. Carbon dioxide, foam, dry chemical, halon, or water spray.

UNUSUAL FIRE AND EXPLOSION HAZARDS: This product is non-flammable and has no known explosion hazards.
Explosion Sensitivity to Mechanical Impact: Not Sensitive.
Explosion Sensitivity to Static Discharge: Not Sensitive
SPECIAL FIRE-FIGHTING PROCEDURES: Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM

HEALTH HAZARD (BLUE)	1
FLAMMABILITY HAZARD (RED)	0
PHYSICAL HAZARD (YELLOW)	0

PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8

For Routine Industrial Use and Handling Applications

Hazard Scale: **0** = Minimal **1** = Slight **2** = Moderate **3** = Serious **4** = Severe * = Chronic hazard

SECTION 6 - ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Personnel should be trained for spill response operations.
SPILLS: Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Sweep, shovel or vacuum spilled material and place in an appropriate container for re-use or disposal. Avoid dust generation if possible. Dispose of in accordance with applicable Federal, State, and local procedures (see Section 13, Disposal Considerations).

SECTION 7 - HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing dusts generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

STORAGE AND HANDLING PRACTICES: Containers of this product must be properly labeled. Store containers in a cool, dry location. Keep container tightly closed when not in use. Store away from strong acids or oxidizers.

SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

EXPOSURE LIMITS/GUIDELINES:

Chemical Name	CAS#	ACGIH TWA	OSHA TWA	SWA
Sodium Bicarbonate	144-55-8	10 mg/m³ Total Dust	15 mg/m³ Total Dust	10 mg/m³ Total Dust
Sodium (C10 – C16) Alkylbenzene Sulfonate	68081-81-2	10 mg/m³ Total Dust	15 mg/m³ Total Dust	10 mg/m³ Total Dust
Sodium Tripolyphosphate	7758-29-4	10 mg/m³ Total Dust	15 mg/m³ Total Dust	10 mg/m³ Total Dust
Tetrasodium Pyrophosphate	7722-88-5	5 mg/m³	5 mg/m³	5 mg/m³
Sodium Carbonate	497-19-8	10 mg/m³ Total Dust	15 mg/m³ Total Dust	10 mg/m³ Total Dust
Sodium Alcohol Sulfate	151-21-3	10 mg/m³ Total Dust	15 mg/m³ Total Dust	10 mg/m³ Total Dust

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided below. Use local exhaust ventilation to control airborne dust. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Based on test data, exposure limits should not be exceeded under normal use conditions when using Alconox Detergent. Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses. If necessary, refer to U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

HAND PROTECTION: Use chemical resistant gloves to prevent skin contact.. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

BODY PROTECTION: Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

PHYSICAL STATE:	Solid
APPEARANCE & ODOR:	White granular powder with little or no odor.
ODOR THRESHOLD (PPM):	Not Available
VAPOR PRESSURE (mmHg):	Not Applicable
VAPOR DENSITY (AIR=1):	Not Applicable.
BY WEIGHT:	Not Available
EVAPORATION RATE (nBuAc = 1):	Not Applicable.
BOILING POINT (C°):	Not Applicable.
FREEZING POINT (C°):	Not Applicable.
pH:	9.5 (1% aqueous solution)
SPECIFIC GRAVITY 20°C: (WATER =1)	0.85 – 1.1
SOLUBILITY IN WATER (%)	>10% w/w
COEFFICIENT OF WATER/OIL DIST.:	Not Available
VOC:	None
CHEMICAL FAMILY:	Detergent

SECTION 10 - STABILITY and REACTIVITY

STABILITY: Product is stable
DECOMPOSITION PRODUCTS: When heated to decomposition this product produces Oxides of carbon (COx)
MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong acids and strong oxidizing agents.
HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: Contact with incompatible materials and dust generation.

SECTION 11 - TOXICOLOGICAL INFORMATION

TOXICITY DATA: Toxicity data is available for mixture:

CAS# 497-19-8 LD50 Oral (Rat)	4090 mg/kg
CAS# 497-19-8 LD50 Oral (Mouse)	6600 mg/kg
CAS# 497-19-8 LC50 Inhalation (Rat)	2300 mg/m³ 2H
CAS# 497-19-8 LC50 Inhalation (Mouse)	1200 mg/m³ 2H
CAS# 7758-29-4 LD50 Oral (Rat)	3120 mg/kg
CAS# 7758-29-4 LD50 Oral (Mouse)	3100 mg/kg
CAS# 7722-88-5 LD50 Oral (Rat)	4000 mg/kg

SUSPECTED CANCER AGENT: None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore is not considered to be, nor suspected to be a cancer-causing agent by these agencies.
IRRITANCY OF PRODUCT: Contact with this product can be irritating to exposed skin, eyes and respiratory system.
SENSITIZATION OF PRODUCT: This product is not considered a sensitizer.
REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

SECTION 12 - ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.
ENVIRONMENTAL STABILITY: No Data available at this time.
EFFECT OF MATERIAL ON PLANTS or ANIMALS: No evidence is currently available on this product's effects on plants or animals.

EFFECT OF CHEMICAL ON AQUATIC LIFE: No evidence is currently available on this product's effects on aquatic life.

SECTION 13 - DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

SECTION 14 - TRANSPORTATION INFORMATION

US DOT; IATA; IMO; ADR:

THIS PRODUCT IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.
PROPER SHIPPING NAME: Non-Regulated Material
HAZARD CLASS NUMBER and DESCRIPTION: Not Applicable
UN IDENTIFICATION NUMBER: Not Applicable
PACKING GROUP: Not Applicable.
DOT LABEL(S) REQUIRED: Not Applicable
NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2004): Not Applicable
MARINE POLLUTANT: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:
This product is not classified as dangerous goods, per U.S. DOT regulations, under 49 CFR 172.101.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:
This product is not classified as Dangerous Goods, per regulations of Transport Canada.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):
This product is not classified as Dangerous Goods, by rules of IATA:

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:
This product is not classified as Dangerous Goods by the International Maritime Organization.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

SECTION 15 - REGULATORY INFORMATION

UNITED STATES REGULATIONS

SARA REPORTING REQUIREMENTS: This product is not subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows: None

TSCA: All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

SARA 311/312:

Acute Health: Yes Chronic Health: No Fire: No Reactivity: No

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): None of the ingredients are on the California Proposition 65 lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: All of the components of this product are on the DSL Inventory

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS: No component of this product is on the CEPA First Priorities Substance Lists.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: This product is categorized as a Controlled Product, Hazard Class D2B as per the Controlled Product Regulations

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

AUSTRALIAN INFORMATION FOR PRODUCT:

AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS: All components of this product are listed on the AICS.

STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS: Not applicable.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed
Australian Inventory of Chemical Substances (AICS):	Listed
Korean Existing Chemicals List (ECL):	Listed
Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed
Philippines Inventory if Chemicals and Chemical Substances (PICCS):	Listed
Swiss Giftliste List of Toxic Substances:	Listed
U.S. TSCA:	Listed

SECTION 16 - OTHER INFORMATION

PREPARED BY: Paul Eigbrett Global Safety Management, 10006 Cross Creek Blvd. Suite 440, Tampa, FL 33647

Disclaimer: To the best of Alconox, Inc. knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type either express or implied are provided. The information contained herein relates only to this specific product.

ANNEX:

IDENTIFIED USES OF ALCONOX® AND DIRECTIONS FOR USE

Used to clean: Healthcare instruments, laboratory ware, vacuum equipment, tissue culture ware, personal protective equipment, sampling apparatus, catheters, tubing, pipes, radioactive contaminated articles, optical parts, electronic components, pharmaceutical apparatus, cosmetics manufacturing equipment, metal castings, forgings and stampings, industrial parts, tanks and reactors. Authorized by USDA for use in federally inspected meat and poultry plants. Passes inhibitory residue test for water analysis. FDA certified.


Used to remove: Soil, grit, grime, buffing compound, slime, grease, oils, blood, tissue, salts, deposits, particulates, solvents, chemicals, radioisotopes, radioactive contaminations, silicon oils, mold release agents.

Surfaces cleaned: Corrosion inhibited formulation recommended for glass, metal, stainless steel, porcelain, ceramic, plastic, rubber and fiberglass. Can be used on soft metals such as copper, aluminum, zinc and magnesium if rinsed promptly. Corrosion testing may be advisable.

Cleaning method: Soak, brush, sponge, cloth, ultrasonic, flow through clean-inplace. Will foam—not for spray or machine use.

Directions: Make a fresh 1% solution (2 1/2 Tbsp. per gal., 1 1/4 oz. per gal. or 10 grams per liter) in cold, warm, or hot water. If available use warm water. Use cold water for blood stains. For difficult soils, raise water temperature and use more detergent. Clean by soak, circulate, wipe, or ultrasonic method. Not for spray machines, will foam. For nonabrasive scouring, make paste. Use 2% solution to soak frozen stopcocks. To remove silver tarnish, soak in 1% solution in aluminum container. RINSE THOROUGHLY—preferably with running water. For critical cleaning, do final or all rinsing in distilled, deionized, or purified water. For food contact surfaces, rinse with potable water. Used on a wide range of glass, ceramic, plastic, and metal surfaces. Corrosion testing may be advisable.





Health	2
Fire	1
Reactivity	0
Personal Protection	E

Material Safety Data Sheet
Chromium MSDS

Section 1: Chemical Product and Company Identification

Product Name: Chromium

Catalog Codes: SLC4711, SLC3709

CAS#: 7440-47-3

RTECS: GB4200000

TSCA: TSCA 8(b) inventory: Chromium

CI#: Not applicable.

Synonym: Chromium metal; Chrome; Chromium Metal Chips 2" and finer

Chemical Name: Chromium

Chemical Formula: Cr

Contact Information:

Sciencelab.com, Inc.
14025 Smith Rd.
Houston, Texas 77396

US Sales: **1-800-901-7247**
International Sales: **1-281-441-4400**

Order Online: ScienceLab.com

CHEMTREC (24HR Emergency Telephone), call: 1-800-424-9300

International CHEMTREC, call: 1-703-527-3887

For non-emergency assistance, call: 1-281-441-4400

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Chromium	7440-47-3	100

Toxicological Data on Ingredients: Chromium LD50: Not available. LC50: Not available.

Section 3: Hazards Identification

Potential Acute Health Effects:
Hazardous in case of skin contact (irritant), of eye contact (irritant), of inhalation. Slightly hazardous in case of ingestion.

Potential Chronic Health Effects:
CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH, 3 (Not classifiable for human.) by IARC. MUTAGENIC EFFECTS: Not available. TERATOGENIC EFFECTS: Not available. DEVELOPMENTAL TOXICITY: Not available. The substance may be toxic to kidneys, lungs, liver, upper respiratory tract. Repeated or prolonged exposure to the substance can produce target organs damage.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

Skin Contact:
In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.

Serious Skin Contact:
Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek medical attention.

Inhalation:
If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Serious Inhalation: Not available.

Ingestion:
Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition Temperature: 580°C (1076°F)

Flash Points: Not available.

Flammable Limits: Not available.

Products of Combustion: Some metallic oxides.

Fire Hazards in Presence of Various Substances:
Slightly flammable to flammable in presence of open flames and sparks, of heat. Non-flammable in presence of shocks.

Explosion Hazards in Presence of Various Substances:
Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.

Fire Fighting Media and Instructions:
SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

Special Remarks on Fire Hazards:
Moderate fire hazard when it is in the form of a dust (powder) and burns rapidly when heated in flame. Chromium is attacked vigorously by fused potassium chlorate producing vivid incandescence. Pyrophoric chromium unites with nitric oxide with incandescence. Incandescent reaction with nitrogen oxide or sulfur dioxide.

Special Remarks on Explosion Hazards:
Powdered Chromium metal +fused ammonium nitrate may react violently or explosively. Powdered Chromium will explode spontaneously in air.

Section 6: Accidental Release Measures

Small Spill:
Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

Large Spill:
Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:
Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as oxidizing agents, acids, alkalis.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area.

Section 8: Exposure Controls/Personal Protection

Engineering Controls:
Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protection:
Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Personal Protection in Case of a Large Spill:
Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:
TWA: 0.5 (mg/m3) from ACGIH (TLV) [United States] TWA: 1 (mg/m3) from OSHA (PEL) [United States] TWA: 0.5 (mg/m3) from NIOSH [United States] TWA: 0.5 (mg/m3) [United Kingdom (UK)] TWA: 0.5 (mg/m3) [Canada]Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Solid. (Metal solid.)

Odor: Odorless.

Taste: Not available.

Molecular Weight: 52 g/mole

Color: Silver-white to Grey.

pH (1% soln/water): Not applicable.

Boiling Point: 2642°C (4787.6°F)

Melting Point: 1900°C (3452°F) +/- !0 deg. C

Critical Temperature: Not available.

Specific Gravity: 7.14 (Water = 1)

Vapor Pressure: Not applicable.

Vapor Density: Not available.

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: Not available.

Solubility:
Insoluble in cold water, hot water. Soluble in acids (except Nitric), and strong alkalies.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Excess heat, incompatible materials

Incompatibility with various substances: Reactive with oxidizing agents, acids, alkalis.

Corrosivity: Not available.

Special Remarks on Reactivity:
Incompatible with molten Lithium at 180 deg. C, hydrogen peroxide, hydrochloric acid, sulfuric acid, most caustic alkalies and alkali carbonates, potassium chlorate, sulfur dioxide, nitrogen oxide, bromine pentafluoride. It may react violently or ignite with bromine pentafluoride. Chromium is rapidly attacked by fused sodium hydroxide + potassium nitrate. Potentially hazardous incompatibility with strong oxidizers.

Special Remarks on Corrosivity: Not available.

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Inhalation. Ingestion.

Toxicity to Animals:
LD50: Not available. LC50: Not available.

Chronic Effects on Humans:
CARCINOGENIC EFFECTS: A4 (Not classifiable for human or animal.) by ACGIH, 3 (Not classifiable for human.) by IARC. May cause damage to the following organs: kidneys, lungs, liver, upper respiratory tract.

Other Toxic Effects on Humans:
Hazardous in case of skin contact (irritant), of inhalation. Slightly hazardous in case of ingestion.

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans:
May cause cancer based on animal data. There is no evidence that exposure to trivalent chromium causes cancer in man.

Special Remarks on other Toxic Effects on Humans:
Acute Potential Health Effects: May cause skin irritation. Eyes: May cause mechanical eye irritation. Inhalation: May cause irritation of the respiratory tract and mucous membranes of the respiratory tract. Ingestion: May cause gastrointestinal tract irritation with nausea, vomiting, diarrhea. Chronic Potential Health Effects: Inhalation: The effects of chronic exposure include irritation , sneezing, reddness of the throat, bronchospasm, asthma, cough, polyps, chronic inflammation, emphysema, chronic bronchitis, pharyngitis, bronchopneumonia, pneumoconoisis. Effects on the nose from chronic chromium exposure include irritation, ulceration, and perforation of the nasal septum. Inflammation and ulceration of the larynx may also occur. Ingestion or Inhalation: Chronic exposure may cause liver and kidney damage.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:
Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The product itself and its products of degradation are not toxic.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:
Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Not a DOT controlled material (United States).

Identification: Not applicable.

Special Provisions for Transport: Not applicable.

Section 15: Other Regulatory Information

Federal and State Regulations:
Connecticut hazardous material survey.: Chromium Illinois toxic substances disclosure to employee act: Chromium Illinois chemical safety act: Chromium New York release reporting list: Chromium Rhode Island RTK hazardous substances: Chromium Pennsylvania RTK: Chromium Minnesota: Chromium Michigan critical material: Chromium Massachusetts RTK: Chromium Massachusetts spill list: Chromium New Jersey: Chromium New Jersey spill list: Chromium Louisiana spill reporting: Chromium California Director's List of Hazardous Substances: Chromium TSCA 8(b) inventory: Chromium SARA 313 toxic chemical notification and release reporting: Chromium CERCLA: Hazardous substances.: Chromium: 5000 lbs. (2268 kg)

Other Regulations:
OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.

Other Classifications:

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC):
R40- Limited evidence of carcinogenic effect S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 2

Fire Hazard: 1

Reactivity: 0

Personal Protection: E

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 1

Reactivity: 0

Specific hazard:

Protective Equipment:
Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Splash goggles.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/10/2005 08:16 PM

Last Updated: 05/21/2013 12:00 PM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall ScienceLab.com be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if ScienceLab.com has been advised of the possibility of such damages.

Appendix D

Forms

GEI Consultants

Accident/Incident Report Form

Please complete this form and send it to your Branch Manager, HR and CHSO ***within 24 hours*** of the incident.

SECTION A — ACCIDENT/INCIDENT DETAILS

EMPLOYEE INFORMATION:

Name: _____

Home Address: _____
Street Address City State Zip Code

Contact Information: ( ) _____ ( ) _____
Primary Secondary

Date of Birth: _____

Date of Hire: _____

Branch: _____

Supervisor: _____

OTHER INJURED (IF APPLICABLE):

Name: _____

Home Address: _____
Street Address City State Zip Code

Contact Information: ( ) _____ ( ) _____
Primary Secondary

Date of Birth: _____

Date of Hire: _____

Branch: _____

Supervisor: _____

Date and Time Accident/Incident	Date and Time Reported
____ /____ /____ Month Day Year	____ /____ /____ Month Day Year
____ A.M. ____ P.M.	____ A.M. ____ P.M.

LOCATION OF INCIDENT/ACCIDENT

Project Name: _____

Client and Location: _____

or _____

Office Location: _____

INCIDENT TYPE: (Check All That Applies)

- ☐ **Personal Injury/Illness**
- ☐ **Vehicle Accident**
- ☐ **Property Damage**
- ☐ **Environmental Spill**
- ☐ **Other**

WITNESS INFORMATION

Name: _____

Contact Number: _____

Company: _____

WHAT HAPPENED TO THE INJURED PARTY: ☐ First Aid Administered ☐ Refused Treatment/Transport ☐ Transported to Hospital ☐ Returned to Work ☐ Went Home ☐ Went to Physician ☐ Unknown

Clinic/Hospital or Treating Physician: _____ Phone: _____
Name Street Address City State Zip Code

SECTION B — PERSONAL INJURY

Cause of Injury: _____

Part of Body Injured: _____ Multiple Injuries: ☐ Y ☐ N

Was PPE worn when injured? : ☐ Y ☐ N What PPE was worn? _____

WAS INJURY A RESULT OF THE USE A MOTOR VEHICLE: ☐ **YES** ☐ **NO** **(If yes, complete Section C)**

GEI Consultants

Accident/Incident Report Form

Please complete this form and send it to your Branch Manager, HR and CHSO ***within 24 hours*** of the incident.

SECTION C — AUTO ACCIDENT ONLY

DRIVER/VEHICLE INFORMATION

Name of Insured: _____

Department: _____

Driver's License Number: _____

DOB: ____/____/____ State: _____

Description of Vehicle: License Plate Number: _____

Make: _____ Model: _____ Year:_____ Color:_____

Owner: _____

Name of Other Driver: _____

Driver's License Number: _____

State: _____

Description of Vehicle: License Plate Number: _____

Make: _____ Model:_____ Year:_____ Color:_____

Insurance Carrier: _____

Policy Number: _____Ph. Number:_____

SECTION D — PROPERTY DAMAGE OR CHEMICAL RELEASE ONLY

Type of Damage(s): _____

Cause of Damage(s): _____

Type of Chemical Released (if known): _____

Quantity of Chemical Released: _____

Spill Measures Employed: _____

SECTION E — NATURE OF ACCIDENT/INCIDENT AND EXTENT OF INJURIES/DAMAGES

(Please give a detailed description of what happened. Attach a sketch or picture if applicable)

_____

_____

_____

_____

_____

_____

_____

_____

_____

I hereby certify that the above information is true and correct to my understanding of this accident/incident.

_____ _____

Employee/Preparer's Name **Date and Time**

GEI Consultants

Near Miss Report Form

Please complete this form and send it to your Branch Manager, HR and the Safety Team ***within 24 hours*** of the near miss.

NEAR MISS DETAILS

Employee Name: _____

Phone Number: _____

Branch: _____

Supervisor: _____

Date and Time Accident/Incident	Date and Time Reported	LOCATION OF NEAR MISS
____/____/____ Month Day Year ____A.M. ____P.M.	____/____/____ Month Day Year ____A.M. ____P.M.	**Project Name:** _____ **Client and Location:** _____ **or** _____ **Office Location:** _____

WHAT HAPPENED?

(Please give a detailed description of what happened. Attach photos or a sketch, if applicable.)

_____

_____

_____

_____

_____

☐ **Photos were Taken**

WHAT WAS DONE?

(Please give a detailed description of what was done to prevent and incident from occurring.)

_____

_____

_____

_____

_____

_____

☐ **I have verbally contacted a member of the Safety Team and my Supervisor.**

_____ _____

Employee/Preparer's Name **Date and Time**

Project Safety Briefing Form

Project Number:	**Project Name:**
Date:	**Time:**
Briefing Conducted by:	**Signature:**

This sign-in log documents that a project specific-briefing was conducted in accordance with the site-specific HASP and GEI's H&S policy. GEI personnel who perform work on site are required to attend this project briefing. Applicable health and safety SOPs and any additional hazards are also required to be reviewed during this briefing. Prior to the start of the project or upon the start of a new on-site project team member, this form must be completed. Please email this completed form to:

SafetyTeam@geiconsultants.com

TOPICS COVERED (check all those covered):			
SOP HS-001 Biological Hazards		SOP HS-025 Manual Lifting	
SOP HS-002 Bloodborne Pathogens		SOP HS -26 Hazard Identification	
SOP HS-003 Container Management		SOP HS-27 Confined Space Entry for Sanitary Sewers	
SOP HS-004 Driver Safety		SOP HS-28 Safe Trailer Use	
SOP HS-005a Electrical Safety		SOP HS-29 Overtime and Fatigue Management	
SOP HS-005b Lockout/Tagout		Accident Reporting Procedures	
SOP HS-006 Excavation/Trenching		Changes to the HASP	
SOP HS-008a Hand Tools (Non-Powered)		Cold Stress	
SOP HS-008b Powered Hand Tools		Confined Space	
SOP HS-009 Hazardous Substances Management		Decon Procedures	
SOP HS-010 Inclement Weather		Exposure Guidelines	
SOP HS-011 Ladders		General PPE Usage	
SOP HS-012 Noise Exposure		Heat Stress	
SOP HS-013 Nuclear Density Gauge		Hearing Conservation	
SOP HS-014 Utility Markout		Lockout/Tagout	
SOP HS-015 Respirator Fit Test		Personal Hygiene	
SOP HS-016 Traffic Hazards		Respiratory Protection	
SOP HS-017 Water Safety		Review of Hazard Evaluation	
SOP HS-018 Working Around Heavy Equipment		Site Control	
SOP HS-019 Rail Safety		Site Emergency Procedures	
SOP HS-020 Aerial Lift		Slips, Trips, Falls	
SOP HS-021 Mobile Equipment		Other (Specify):	
SOP HS-022 Aquatic Ecological Survey/Electrofishing		Other (Specify):	
SOP HS-023 Scaffolding		Other (Specify):	
SOP HS-024 Wilderness Safety		Other (Specify):	

Personnel Sign-in List	
Printed Name	**Signature**

Daily Safety Briefing and Site Visitor Sign-In

Project Number:	**Project Name:**
[1]Date:	**Time:**
Briefing Conducted by:	**Signature:**

This sign-in log documents the tailgate briefing conducted in accordance with the site specific HASP. Personnel who perform work operations on site are required to attend each briefing and to acknowledge receipt of each briefing, daily.

TOPICS COVERED (check all those covered):

☐ Accident Reporting Procedures	☐ Heat Stress	☐ Site Emergency Procedures	☐ Other:
☐ Changes to the HASP	☐ Hearing Conservation	☐ Slips, Trips, Falls	☐ Other:
☐ Cold Stress	☐ Lockout/Tagout	☐ Traffic Safety	☐ Other:
☐ Confined Space	☐ Personal Hygiene	☐ Other:	☐ Other:
☐ Decon Procedures	☐ Respiratory Protection	☐ Other:	☐ Other:
☐ Exposure Guidelines	☐ Review of Hazards	☐ Other:	☐ Other:
☐ General PPE Usage	☐ Site Control	☐ Other:	☐ Other:

Daily Safety Topic Description:

Personnel Sign-in List

Printed Name	Signature	Company Name	Time-In	Time-Out

[1] This form is applicable for *only* 1 day of site activity.

Appendix E

GEI's Health and Safety SOPs and Programs

Applicable GEI H&S SOPs *(check all that apply)*		
☒ Biological Hazards – 001	☒ Inclement Weather – 010	☐ Aerial Lift – 020
✔ Bloodborne Pathogens – 002	☐ Ladders -011	☐ Mobile Equipment – 021
☐ Container Management – 003	☒ Noise Exposure -012	☐ Aquatic Ecological Survey & Electrofishing -022
☒ Driver Safety - 004	☐ Nuclear Density Gauge Operation -013	☐ Scaffolding - 023
☐ Electrical Safety - 005a	☒ Utility Markout-014	☐ Wilderness Safety - 024
☐ Lockout Tagout - 005b	☐ Respirator Fit Test Procedure-015	☒ Manual Lifting – 025
☐ Excavation Trenching - 006	☒ Traffic Hazards -016	✔ Hazard Identification - 026
☒ Non-Powered Hand Tools - 008a	☐ Water Safety – 017	☐ Confined Space Entry for Sanitary Sewers – 027
☐ Powered Hand Tools – 008b	☒ Working Around Heavy Equipment – 018	☐ Safe Trailer Use – 028
☒ Hazardous Substances Management -009	☐ Rail Safety -019	

Scan this QR code with your smartphone to access all GEI H&S SOPs

Applicable GEI H&S Programs *(check all that apply)*		
☐ Asbestos Program	☐ DOT Driver Safety	☐ Hydrogen Sulfide
☐ Arsenic Safety	✔ Ergonomic	☐ Injury and Illness Prevention (California Only)
☐ Benzene Awareness	☐ Fall Protection	☐ Respiratory Protection Program
☐ Cadmium Safety	✔ Hazard Communication	☐ Lead Awareness
☒ Cold Stress	☒ Hearing Conservation	✔ Fire Prevention
☐ Confined Space Entry	☒ Heat Illness Prevention	
☐ Crystalline Silica	☐ Hexavalent Chromium	

Scan this QR code with your smartphone to access all GEI Programs