

VIA FAX AND MAIL

June 5, 2006

Mr. Peter Schramel
Suffolk County Department of Health Services
15 Horseblock Place
Farmingville, NY 11738

Re: **Additional Sanitary Leaching Pool Results**
1735 Express Drive North
Hauppauge, New York
FPM File No. 894-06-01

Dear Peter:

FPM Group (FPM) has completed additional work at the above-referenced property in accordance with the recommendations in our April 24, 2006 Investigation Results letter. The work was performed on May 17, 2006. A site plan is attached showing the site features and sampling locations.

A backhoe was utilized to uncover three sub-grade sanitary leaching pools that were previously detected during the geophysical survey conducted in April 2006. The locations of the pools are shown on the attached site plan and are identified as LP-17, LP-18, and LP-19. Please note that the piping configuration was confirmed to be somewhat different than shown in our April 24, 2006 letter. The configuration of the piping indicated that LP-19 is connected to CP-1 and is the primary overflow pool. A connecting pipe was observed between LP-19 and LP-17. A piping connection was also observed between LP-17 and LP-16.

At each pool, the depth to water and depth to sediment were measured and a sediment sample was collected from the 0 to 2 foot interval, in relation to the sediment surface. Sediment samples were collected from each structure using a decontaminated stainless steel hand auger. Each sample was containerized and shipped under chain-of-custody procedures to a New York State Department of Health-approved laboratory for analysis of parameters required by the SCDHS. The sediment sample results are compared to the SCDHS Action Levels. The attached Table 1 shows the summarized laboratory analytical results.

The results indicate that no targeted compounds were detected in LP-17 and LP-18 at concentrations above the SCDHS Action Levels. The compound p-isopropyltoluene was detected in LP-19 at a concentration slightly above its SCDHS Action Level.

Based on these results, FPM recommends that the impacted sediments associated with leaching pool LP-19 be removed and properly disposed. An end-point sample should be collected from the remediated structure to document that remediation is complete. This work will coincide with additional remediation work previously outlined. As previously outlined, septic tank CP-1 and leaching pool CP-2 will also be remediated.

Please confirm that the SCDHS concurs with the above-described recommendations or provide your comments. The SCDHS will be notified at least one week in advance of any remedial work. If you have any questions, please contact me at 737-6200, ext. 228.

Very truly yours,

Stephanie O. Davis
Senior Hydrogeologist
Department Manager

SOD:tac
Attachments

cc: James Maggio
James Ray, Esq.

\\Lifs\clients\Maggio\SanitaryLeachingPoolResultsLtr.doc

YORK
ANALYTICAL LABORATORIES, INC.

Technical Report

prepared for

FPM Group
909 Marconi Avenue
Ronkonkoma, New York 11779
Attention: John Bukoski

Report Date: 5/31/2006
Re: Client Project ID: 894-06-01 Maggio
York Project No.: 06050659

CT License No. PH-0723

New York License No. 10854



Report Date: 5/31/2006
 Client Project ID: 894-06-01 Maggio
 York Project No.: 06050659

FPM Group
 909 Marconi Avenue
 Ronkonkoma, New York 11779
 Attention: John Bukoski

Purpose and Results

This report contains the analytical data for the sample(s) identified on the attached chain-of-custody received in our laboratory on 05/18/06. The project was identified as your project "894-06-01 Maggio".

The analyses were conducted utilizing appropriate EPA, Standard Methods, and ASTM methods as detailed in the data summary tables.

All samples were received in proper condition meeting the NELAC acceptance requirements for environmental samples except those indicated under the Notes section of this report.

All the analyses met the method and laboratory standard operating procedure requirements except as indicated under the Notes section of this report, or as indicated by any data flags, the meaning of which is explained in the attachment to this report, if applicable.

The results of the analyses, which are all reported on an as-received basis unless otherwise noted, are summarized in the following table(s).

Analysis Results

Client Sample ID			LP-17	
York Sample ID			06050659-01	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Volatiles-Suff.Co.App.A DHS list	SW846-8260	ug/kG	---	---
1,1,1,2-Tetrachloroethane			Not detected	500
1,1,1-Trichloroethane			Not detected	500
1,1,2,2-Tetrachloroethane			Not detected	500
1,1,2-Trichloroethane			Not detected	500
1,1-Dichloroethane			Not detected	500
1,1-Dichloroethene			Not detected	500
1,1-Dichloropropene			Not detected	500
1,2,3-Trichlorobenzene			Not detected	500
1,2,3-Trichloropropane			Not detected	500
1,2,4,5-Tetramethylbenzene			Not detected	500
1,2,4-Trichlorobenzene			Not detected	500
1,2,4-Trimethylbenzene			840	500
1,2-Dibromo-3-chloropropane			Not detected	500
1,2-Dibromoethane			Not detected	500
1,2-Dichlorobenzene			Not detected	500
1,2-Dichloroethane			Not detected	500

YORK

Client Sample ID			LP-17	
York Sample ID			06050659-01	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
1,2-Dichloropropane			Not detected	500
1,3,5-Trimethylbenzene			Not detected	500
1,3-Dichlorobenzene			Not detected	500
1,3-Dichloropropane			Not detected	500
1,4-Dichlorobenzene			Not detected	500
2,2-Dichloropropane			Not detected	500
Acetone			Not detected	500
Benzene			Not detected	500
Bromobenzene			Not detected	500
Bromochloromethane			Not detected	500
Bromodichloromethane			Not detected	500
Bromoform			Not detected	500
Carbon Tetrachloride			Not detected	500
Chlorobenzene			Not detected	500
Chloroethane			Not detected	500
Chloroform			Not detected	500
Chlorotoluenes, total			Not detected	500
cis-1,2-Dichloroethene			Not detected	500
cis-1,3-Dichloropropene			Not detected	500
Dibromochloromethane			Not detected	500
Dibromomethane			Not detected	500
Dichlorodifluoromethane			Not detected	500
Ethylbenzene			Not detected	500
Freon-113			Not detected	500
Hexachlorobutadiene			Not detected	500
Isopropylbenzene			Not detected	500
Methyl ethyl ketone			Not detected	500
Methyl isobutyl ketone			Not detected	500
Methylene Chloride			Not detected	500
MTBE (methyl tert-butyl ether)			Not detected	500
Naphthalene			600	500
n-Butylbenzene			Not detected	500
n-Propylbenzene			Not detected	500
p-Diethylbenzene			Not detected	500
p-Ethyltoluene			Not detected	500
p-Isopropyltoluene			1200	500
sec-Butylbenzene			Not detected	500
Styrene			Not detected	500
tert-Butylbenzene			Not detected	500
Tetrachloroethene			Not detected	500
Toluene			Not detected	500
trans-1,2-Dichloroethene			Not detected	500
trans-1,3-Dichloropropene			Not detected	500
Trichloroethene			Not detected	500
Trichlorofluoromethane			Not detected	500
Vinyl Chloride			Not detected	500
Xylenes, total			Not detected	500
Metals, Suffolk Co. App. B list	SW846-6010A	mg/kg	---	---
Arsenic			1.22	0.500
Beryllium			Not detected	0.050
Cadmium			Not detected	0.500

YORK

Client Sample ID			LP-17	
York Sample ID			06050659-01	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
Chromium			11.9	0.500
Copper			8.17	0.500
Lead			6.07	0.500
Nickel			7.94	0.500
Silver			Not detected	0.500
Mercury	SW846-7471	mg/kG	Not detected	0.10
Semi-Volatiles-Suff.Co. App.A	SW 846-8270	ug/kG	---	---
Acenaphthene			Not detected	8250
Anthracene			Not detected	8250
Benzo(a)anthracene			Not detected	8250
Benzo(a)pyrene			Not detected	8250
Benzo(b)fluoranthene			Not detected	8250
Benzo(g,h,i)perylene			Not detected	8250
Benzo(k)fluoranthene			Not detected	8250
Chrysene			Not detected	8250
Dibenz(a,h)anthracene			Not detected	8250
Fluoranthene			Not detected	8250
Fluorene			Not detected	8250
Indeno(1,2,3-cd)pyrene			Not detected	8250
Phenanthrene			Not detected	8250
Pyrene			Not detected	8250

Client Sample ID			LP-18		LP-19	
York Sample ID			06050659-02		06050659-03	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Volatiles-Suff.Co.App.A DHS list	SW846-8260	ug/kG	---	---	---	---
1,1,1,2-Tetrachloroethane			Not detected	500	Not detected	1250
1,1,1-Trichloroethane			Not detected	500	Not detected	1250
1,1,2,2-Tetrachloroethane			Not detected	500	Not detected	1250
1,1,2-Trichloroethane			Not detected	500	Not detected	1250
1,1-Dichloroethane			Not detected	500	Not detected	1250
1,1-Dichloroethene			Not detected	500	Not detected	1250
1,1-Dichloropropene			Not detected	500	Not detected	1250
1,2,3-Trichlorobenzene			Not detected	500	Not detected	1250
1,2,3-Trichloropropane			Not detected	500	Not detected	1250
1,2,4,5-Tetramethylbenzene			Not detected	500	Not detected	1250
1,2,4-Trichlorobenzene			Not detected	500	Not detected	1250
1,2,4-Trimethylbenzene			1200	500	1700	1250
1,2-Dibromo-3-chloropropane			Not detected	500	Not detected	1250
1,2-Dibromoethane			Not detected	500	Not detected	1250
1,2-Dichlorobenzene			Not detected	500	Not detected	1250
1,2-Dichloroethane			Not detected	500	Not detected	1250
1,2-Dichloropropane			Not detected	500	Not detected	1250
1,3,5-Trimethylbenzene			570	500	Not detected	1250
1,3-Dichlorobenzene			Not detected	500	Not detected	1250
1,3-Dichloropropane			Not detected	500	Not detected	1250
1,4-Dichlorobenzene			900	500	2300	1250
2,2-Dichloropropane			Not detected	500	Not detected	1250

YORK

Client Sample ID			LP-18		LP-19	
York Sample ID			06050659-02		06050659-03	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Acetone			Not detected	500	Not detected	1250
Benzene			Not detected	500	Not detected	1250
Bromobenzene			Not detected	500	Not detected	1250
Bromochloromethane			Not detected	500	Not detected	1250
Bromodichloromethane			Not detected	500	Not detected	1250
Bromoform			Not detected	500	Not detected	1250
Carbon Tetrachloride			Not detected	500	Not detected	1250
Chlorobenzene			Not detected	500	Not detected	1250
Chloroethane			Not detected	500	Not detected	1250
Chloroform			Not detected	500	Not detected	1250
Chlorotoluenes, total			Not detected	500	Not detected	1250
cis-1,2-Dichloroethene			Not detected	500	Not detected	1250
cis-1,3-Dichloropropene			Not detected	500	Not detected	1250
Dibromochloromethane			Not detected	500	Not detected	1250
Dibromomethane			Not detected	500	Not detected	1250
Dichlorodifluoromethane			Not detected	500	Not detected	1250
Ethylbenzene			Not detected	500	Not detected	1250
Freon-113			Not detected	500	Not detected	1250
Hexachlorobutadiene			Not detected	500	Not detected	1250
Isopropylbenzene			Not detected	500	Not detected	1250
Methyl ethyl ketone			Not detected	500	Not detected	1250
Methyl isobutyl ketone			Not detected	500	Not detected	1250
Methylene Chloride			Not detected	500	Not detected	1250
MTBE (methyl tert-butyl ether)			Not detected	500	Not detected	1250
Naphthalene			Not detected	500	Not detected	1250
n-Butylbenzene			650	500	Not detected	1250
n-Propylbenzene			Not detected	500	Not detected	1250
p-Diethylbenzene			Not detected	500	Not detected	1250
p-Ethyltoluene			Not detected	500	Not detected	1250
p-Isopropyltoluene			2500	500	8500	1250
sec-Butylbenzene			Not detected	500	Not detected	1250
Styrene			Not detected	500	Not detected	1250
tert-Butylbenzene			Not detected	500	Not detected	1250
Tetrachloroethene			Not detected	500	Not detected	1250
Toluene			Not detected	500	Not detected	1250
trans-1,2-Dichloroethene			Not detected	500	Not detected	1250
trans-1,3-Dichloropropene			Not detected	500	Not detected	1250
Trichloroethene			Not detected	500	Not detected	1250
Trichlorofluoromethane			Not detected	500	Not detected	1250
Vinyl Chloride			Not detected	500	Not detected	1250
Xylenes, total			Not detected	500	Not detected	1250
Metals, Suffolk Co. App. B list	SW846-6010A	mg/kG	---	---	---	---
Arsenic			4.31	0.500	3.00	0.500
Beryllium			Not detected	0.050	Not detected	0.050
Cadmium			Not detected	0.500	Not detected	0.500
Chromium			7.36	0.500	14.4	0.500
Copper			61.7	0.500	91.6	0.500
Lead			12.1	0.500	15.1	0.500
Nickel			5.99	0.500	11.7	0.500
Silver			5.24	0.500	99.9	0.500
Mercury	SW846-7471	mg/kG	Not detected	0.10	Not detected	0.10

YORK

Client Sample ID			LP-18		LP-19	
York Sample ID			06050659-02		06050659-03	
Matrix			SOIL		SOIL	
Parameter	Method	Units	Results	MDL	Results	MDL
Semi-Volatiles-Suff.Co. App.A	SW 846-8270	ug/kG	---	---	---	---
Acenaphthene			Not detected	4130	Not detected	20600
Anthracene			Not detected	4130	Not detected	20600
Benzo(a)anthracene			Not detected	4130	Not detected	20600
Benzo(a)pyrene			Not detected	4130	Not detected	20600
Benzo(b)fluoranthene			Not detected	4130	Not detected	20600
Benzo(g,h,i)perylene			Not detected	4130	Not detected	20600
Benzo(k)fluoranthene			Not detected	4130	Not detected	20600
Chrysene			Not detected	4130	Not detected	20600
Dibenz(a,h)anthracene			Not detected	4130	Not detected	20600
Fluoranthene			Not detected	4130	Not detected	20600
Fluorene			Not detected	4130	Not detected	20600
Indeno(1,2,3-cd)pyrene			Not detected	4130	Not detected	20600
Phenanthrene			Not detected	4130	Not detected	20600
Pyrene			Not detected	4130	Not detected	20600

Client Sample ID			LP-4	
York Sample ID			06050659-04	
Matrix			SOIL	
Parameter	Method	Units	Results	MDL
TCLP , Target Volatiles	SW846-1311/8260	ug/L	---	---
1,1,1-Trichloroethane			Not detected	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0

Client Sample ID			LP-4	
York Sample ID			06050659-05	
Matrix			WATER	
Parameter	Method	Units	Results	MDL
Volatiles, Target Cmpd.List(TCL)	SW846-8260	ug/L	---	---
1,1,1-Trichloroethane			38	5.0
1,1,2,2-Tetrachloroethane			Not detected	5.0
1,1,2-Trichloroethane			Not detected	5.0
1,1,2-Trichlorotrifluoroethane (Freon 11			Not detected	5.0
1,1-Dichloroethane			Not detected	5.0
1,1-Dichloroethene			Not detected	5.0
1,2,4-Trichlorobenzene			Not detected	5.0
1,2-Dibromo-3-Chloropropane			Not detected	5.0
1,2-Dibromoethane (ethylene dibromide)			Not detected	5.0
1,2-Dichlorobenzene			Not detected	5.0
1,2-Dichloroethane			Not detected	5.0
1,2-Dichloroethylene (cis-)			180	5.0
1,2-Dichloroethylene(trans-)			Not detected	5.0
1,2-Dichloropropane			Not detected	5.0
1,3-Dichlorobenzene			Not detected	5.0
1,4-Dichlorobenzene			Not detected	5.0
2-Butanone			32	5.0
2-Hexanone			Not detected	5.0
4-Methyl-2-pentanone			Not detected	5.0

YORK

Client Sample ID			LP-4	
York Sample ID			06050659-05	
Matrix			WATER	
Parameter	Method	Units	Results	MDL
Acetone			560	5.0
Benzene			Not detected	5.0
Bromodichloromethane			Not detected	5.0
Bromoform			Not detected	5.0
Bromomethane			Not detected	5.0
Carbon disulfide			Not detected	5.0
Carbon tetrachloride			Not detected	5.0
Chlorobenzene			Not detected	5.0
Chloroethane			Not detected	5.0
Chloroform			Not detected	5.0
Chloromethane			Not detected	5.0
cis-1,3-Dichloropropene			Not detected	5.0
Dibromochloromethane			Not detected	5.0
Dichlorodifluoromethane			Not detected	5.0
Ethylbenzene			Not detected	5.0
Isopropylbenzene (Cumene)			Not detected	5.0
Methyl tert-butyl Ether (MTBE)			Not detected	5.0
Methylene chloride			Not detected	5.0
Styrene			Not detected	5.0
Tetrachloroethene			160	5.0
Toluene			Not detected	5.0
trans-1,3-Dichloropropene			Not detected	5.0
Trichloroethene			250	5.0
Trichlorofluoromethane			Not detected	5.0
Vinyl chloride			Not detected	5.0
Xylenes (total)			Not detected	5.0

Client Sample ID			CP-2	
York Sample ID			06050659-06	
Matrix			WATER	
Parameter	Method	Units	Results	MDL
Total Petroleum Hydrocarbons-DRO	SW846-8015B	mg/L	4.77	0.5
Total Petroleum Hydrocarbons-GRO	8015B	mg/L	3	0.5

Units Key:


For Waters/Liquids: mg/L = ppm ; ug/L = ppb

For Soils/Solids: mg/kg = ppm ; ug/kg = ppb

Notes for York Project No. 06050659

1. The MDL (Minimum Detectable Limit) reported is adjusted for any dilution necessary due to the levels of target and/or non-target analytes and matrix interference. This MDL is the REPORTING LIMIT and is based upon the lowest standard utilized for calibration where applicable.
2. Samples are retained for a period of thirty days after submittal of report, unless other arrangements are made.
3. York's liability for the above data is limited to the dollar value paid to York for the referenced project.
4. This report shall not be reproduced without the written approval of York Analytical Laboratories, Inc.
5. All samples were received in proper condition for analysis with proper documentation.
6. All analyses conducted met method or Laboratory SOP requirements.
7. It is noted that no analyses reported herein were subcontracted to another laboratory.

Approved By:


Robert Q. Bradley
Managing Director

Date: 5/31/2006

YORK

Analytical Laboratories, Inc.

QA/QC Summary Report

Associated Samples: AC94657

31-May-06

Client: FPM Group

Analysis Name: **Base Neutral fraction QC -SOILS**
Unit of Measure: ug/kg

Batch Name: \$BNS-19969

QA Sample #: AC94657
York's Sample ID: 06050659-01

Parameter	LCS(%)	Unspiked Result	Blank	Amount	Matrix Spike		Spike Duplicate		
					Result	Recovery, %	Duplicate	Recovery,%	Precision, RPD
1,4-Dichlorobenzene	40	Not detected	Not detected	100	38	38.0	42	42.000	10.0
2,4-Dinitrotoluene	49	Not detected	Not detected	100	46	46.0	51	51.000	10.3
Acenaphthene	44	Not detected	Not detected	100	41	41.0	47	47.000	13.6
N-Nitroso-di-n-Propylamine	61	Not detected	Not detected	100	58	58.0	63	63.000	8.3
Pyrene	75	Not detected	Not detected	100	78	78.0	72	72.000	8.0
1,2,4-Trichlorobenzene	64	Not detected	Not detected	100	60	60.0	68	68.000	12.5

YORK

YORK

Analytical Laboratories, Inc.

QA/QC Summary Report

Associated Samples: AC94657

31-May-06

Client: FPM Group

Analysis Name: **Metals, Target Analyte List(TAL)**
Unit of Measure: ppm

Batch Name: \$MTS-19970

QA Sample #: AC94657
York's Sample ID: 06050659-01

Parameter	LCS(%)	Unspiked Result	Blank	Matrix Spike			Spike Duplicate		Precision, RPD
				Amount	Result	Recovery, %	Duplicate	Recovery,%	
Antimony	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Cobalt	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Chromium	94.5	14.3	Not detected	20.0	33.5	96.000	14.2		0.702
Calcium	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Cadmium	96.2	0	Not detected	5.0	4.88	97.600	Not detected		Not detected
Beryllium	94.0	0	Not detected	5.0	4.99	99.800	Not detected		Not detected
Iron	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Arsenic	97.1	1.94	Not detected	200	197	97.53	1.99		2.54
Lead	97.5	4.17	Not detected	50.0	54.2	100.06	4.09		1.94
Aluminum	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Barium	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Sodium	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Zinc	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Copper	108	16.6	Not detected	Not detected	41.4		16.1		3.06
Thallium	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Silver	104	0	Not detected	5.0	4.35	87.00	Not detected		Not detected
Selenium	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Potassium	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Nickel	99.3	10.5	Not detected	50.0	60.1	99.20	10.2		2.90
Manganese	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Magnesium	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected
Vanadium	Not detected	Not detected	Not detected	Not detected	Not detected		Not detected		Not detected

YORK

YORK

Analytical Laboratories, Inc.

QA/QC Summary Report

Associated Samples: AC94657

31-May-06

Client: FPM Group

Analysis Name: **VOA QC Soils**
Unit of Measure: ug/kg

Batch Name: \$VOAS-19971

QA Sample #: AC94657
York's Sample ID: 06050659-01

Parameter	LCS(%)	Unspiked Result	Blank	Amount	Matrix Spike		Spike Duplicate		
					Result	Recovery, %	Duplicate	Recovery, %	Precision, RPD
1,1-Dichloroethylene	94	Not detected	Not detected	50	45	90.0	45	90.0	0.0
Benzene	84	Not detected	Not detected	50	43	86.0	42	84.0	2.4
Chlorobenzene	94	Not detected	Not detected	50	47	94.0	46	92.0	2.2
Toluene	90	Not detected	Not detected	50	42	84.0	43	86.0	2.4
Trichloroethylene	96	Not detected	Not detected	50	46	92.0	44	88.0	4.4

Associated Samples: AC94657

31-May-06

Client: FPM Group

Analysis Name: **Mercury**
Unit of Measure: mg/kg

Batch Name: HG_S-19973

QA Sample #: AC94657
York's Sample ID: 06050659-01

Parameter	LCS(%)	Unspiked Result	Blank	Amount	Matrix Spike		Spike Duplicate		
					Result	Recovery, %	Duplicate	Recovery, %	Precision, RPD
HG_S	92.0	Not detected	Not detected	1.50	1.29	87.5	Not detected		5.5

YORK

YORK

Analytical Laboratories, Inc.

QA/QC Summary Report

Associated Samples: AC94662

31-May-06

Client: FPM Group

Analysis Name: **VOA QC WATERS**
Unit of Measure: ug/L

Batch Name: \$VOAW-19972

QA Sample #: AC94662
York's Sample ID: 06050659-06

Parameter	LCS(%)	Unspiked Result	Blank	Amount	Matrix Spike		Spike Duplicate		
					Result	Recovery, %	Duplicate	Recovery, %	Precision, RPD
Trichloroethylene	96	Not detected	Not detected	50	46	92.0	44	88.0	4.4
Toluene	90	Not detected	Not detected	50	42	84.0	43	86.0	2.4
Chlorobenzene	94	Not detected	Not detected	50	47	94.0	46	92.0	2.2
Benzene	84	Not detected	Not detected	50	43	86.0	42	84.0	2.4
1,1-Dichloroethylene	94	Not detected	Not detected	50	45	90.0	45	90.0	0.0

YORK

YORK

ANALYTICAL LABORATORIES, INC.

120 RESEARCH DRIVE
 STRATFORD, CT 06615
 (203) 325-1377 FAX (203) 357-0166

Field Chain-of-Custody Record

00050659

Company Name FPM	Report To: John Bukoski	Invoice To: Same	Project ID/No.: Mag510 894-06-01	Samples Collected By (Signature) <i>John S. Bukoski</i>
				Name (Printed) John S. Bukoski

Sample No.	Location/ID	Date Sampled	Sample Matrix				ANALYSES REQUESTED	Container Description(s)
			Water	Soil	Air	OTHER		
1	LP-17	5/17/06 1000		X			SCDHS Leaching Pool Parameters VOCs, SVOCs, Metals	(1) 2oz (1) 8oz
2	LP-18	1015		X			"	↓
3	LP-19	1045		X			"	↓
4	LP-4	1030		X			TCLP for tetrachloroethane & trichloroethane	(1) 2oz Glass
5	LP-4	1130	X				TCL VOCs	(2) 40ml w/HCL
6	CP-2	1100	X				TPH (ARO and DRO)	(2) 40ml HCL (1) 1L Amber

Chain-of-Custody Record

Bottles Relinquished from Lab by <i>Teresa Cui</i>	Date/Time	Sample Relinquished by <i>Teresa Cui</i>	Date/Time
Bottles Received in Field by	Date/Time	Sample Received in LAB by <i>[Signature]</i>	Date/Time 195

Comments/Special Instructions
 4.2oz Standard RUSH(define) _____